












Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>44.12</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>124</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	52.37	74.00	-21.63	44.12	32.07	7.10	36.92	6.00	124	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.92</td><td>-----</td><td>98.54</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>124</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>2880.00</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>43.50</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>124</td><td>181</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.92	-----	98.54	32.17	7.14	36.93	6.00	124	181	PEAK	2	2880.00	52.87	74.00	-21.13	43.50	32.24	7.82	36.69	6.00	124	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.30	52.37	74.00	-21.63	44.12	32.07	7.10	36.92	6.00	124	181	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	106.92	-----	98.54	32.17	7.14	36.93	6.00	124	181	PEAK																																																																																																				
2	2880.00	52.87	74.00	-21.13	43.50	32.24	7.82	36.69	6.00	124	181	Peak																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>41.97</td><td>54.00</td><td>-12.03</td><td>33.72</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>124</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	41.97	54.00	-12.03	33.72	32.07	7.10	36.92	6.00	124	181	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.37</td><td>-----</td><td>93.99</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>124</td><td>181</td><td>AVERAGE</td></tr><tr><td>2</td><td>2880.00</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>35.30</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>124</td><td>181</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.37	-----	93.99	32.17	7.14	36.93	6.00	124	181	AVERAGE	2	2880.00	44.67	54.00	-9.33	35.30	32.24	7.82	36.69	6.00	124	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.56	41.97	54.00	-12.03	33.72	32.07	7.10	36.92	6.00	124	181	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	102.37	-----	93.99	32.17	7.14	36.93	6.00	124	181	AVERAGE																																																																																																				
2	2880.00	44.67	54.00	-9.33	35.30	32.24	7.82	36.69	6.00	124	181	Average																																																																																																			





Mode	1																																																																																																																																													
	Band Edge																																																																																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																													
ANT	0																																																																																																																																													
Pol.	Vertical	Fundamental																																																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>41.19</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>359</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>255</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2389.30	49.44	74.00	-24.56	41.19	32.07	7.10	36.92	6.00										359										255										PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.21</td><td>-----</td><td>-----</td><td>92.83</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>359</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>255</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2412.00	101.21	-----	-----	92.83	32.17	7.14	36.93	6.00										359										255										PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																					
1	2389.30	49.44	74.00	-24.56	41.19	32.07	7.10	36.92	6.00																																																																																																																																					
									359																																																																																																																																					
									255																																																																																																																																					
									PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																					
1	2412.00	101.21	-----	-----	92.83	32.17	7.14	36.93	6.00																																																																																																																																					
									359																																																																																																																																					
									255																																																																																																																																					
									PEAK																																																																																																																																					
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>37.58</td><td>54.00</td><td>-16.42</td><td>29.33</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>359</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>255</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2389.43	37.58	54.00	-16.42	29.33	32.07	7.10	36.92	6.00										359										255										AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.63</td><td>-----</td><td>-----</td><td>88.25</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>359</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>255</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2412.00	96.63	-----	-----	88.25	32.17	7.14	36.93	6.00										359										255										AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																					
1	2389.43	37.58	54.00	-16.42	29.33	32.07	7.10	36.92	6.00																																																																																																																																					
									359																																																																																																																																					
									255																																																																																																																																					
									AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																					
1	2412.00	96.63	-----	-----	88.25	32.17	7.14	36.93	6.00																																																																																																																																					
									359																																																																																																																																					
									255																																																																																																																																					
									AVERAGE																																																																																																																																					







Mode	1																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																			
ANT	0																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>73.92</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>167</td><td>329 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>71.90</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>167</td><td>329 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	52.80	74.00	-21.20	73.92	33.90	10.23	65.25	0.00	167	329 PEAK	2	4824.00	50.78	54.00	-3.22	71.90	33.90	10.23	65.25	0.00	167	329 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4824.00	52.80	74.00	-21.20	73.92	33.90	10.23	65.25	0.00	167	329 PEAK																																																									
2	4824.00	50.78	54.00	-3.22	71.90	33.90	10.23	65.25	0.00	167	329 AVERAGE																																																									







Mode	2																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>74.13</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>381</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>71.64</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>381</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>41.57</td><td>74.00</td><td>-32.43</td><td>59.60</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	53.05	74.00	-20.95	74.13	33.90	10.29	65.27	0.00	381	360	PEAK	2	4874.00	50.56	54.00	-3.44	71.64	33.90	10.29	65.27	0.00	381	360	AVERAGE	3	7311.00	41.57	74.00	-32.43	59.60	35.70	12.72	66.45	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>61.63</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>59.69</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.55	74.00	-33.45	61.63	33.90	10.29	65.27	0.00	---	---	PEAK	2	7311.00	41.66	74.00	-32.34	59.69	35.70	12.72	66.45	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4874.00	53.05	74.00	-20.95	74.13	33.90	10.29	65.27	0.00	381	360	PEAK																																																																																																																															
2	4874.00	50.56	54.00	-3.44	71.64	33.90	10.29	65.27	0.00	381	360	AVERAGE																																																																																																																															
3	7311.00	41.57	74.00	-32.43	59.60	35.70	12.72	66.45	0.00	---	---	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4874.00	40.55	74.00	-33.45	61.63	33.90	10.29	65.27	0.00	---	---	PEAK																																																																																																																															
2	7311.00	41.66	74.00	-32.34	59.69	35.70	12.72	66.45	0.00	---	---	PEAK																																																																																																																															





Mode	3																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																
ANT	0																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>47.57</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>257</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	56.39	74.00	-17.61	47.57	32.52	7.26	36.96	6.00	257	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.46</td><td>-----</td><td>-----</td><td>98.79</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>257</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.46	-----	-----	98.79	32.40	7.22	36.95	6.00	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.98	56.39	74.00	-17.61	47.57	32.52	7.26	36.96	6.00	257	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	107.46	-----	-----	98.79	32.40	7.22	36.95	6.00	257	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>39.32</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>257</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.14	54.00	-5.86	39.32	32.52	7.26	36.96	6.00	257	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.81</td><td>-----</td><td>-----</td><td>94.14</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>257</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.81	-----	-----	94.14	32.40	7.22	36.95	6.00	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	48.14	54.00	-5.86	39.32	32.52	7.26	36.96	6.00	257	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	102.81	-----	-----	94.14	32.40	7.22	36.95	6.00	257	0 AVERAGE																																																																																						





Mode	3																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																																																							
ANT	0																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.92</td><td>54.55</td><td>74.00</td><td>-19.45</td><td>45.73</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>365</td><td>60 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	54.55	74.00	-19.45	45.73	32.52	7.26	36.96	6.00	365	60 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.92</td><td>-----</td><td>-----</td><td>95.25</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>365</td><td>60 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.92	-----	-----	95.25	32.40	7.22	36.95	6.00	365	60 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.92	54.55	74.00	-19.45	45.73	32.52	7.26	36.96	6.00	365	60 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	103.92	-----	-----	95.25	32.40	7.22	36.95	6.00	365	60 PEAK																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>36.37</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>365</td><td>60 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.19	54.00	-8.81	36.37	32.52	7.26	36.96	6.00	365	60 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>99.14</td><td>-----</td><td>-----</td><td>90.47</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>365</td><td>60 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.14	-----	-----	90.47	32.40	7.22	36.95	6.00	365	60 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.50	45.19	54.00	-8.81	36.37	32.52	7.26	36.96	6.00	365	60 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	99.14	-----	-----	90.47	32.40	7.22	36.95	6.00	365	60 AVERAGE																																																																													





Mode	3																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>74.08</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>259</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>71.88</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>259</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>61.28</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	53.09	74.00	-20.91	74.08	33.95	10.35	65.29	0.00	259	327	PEAK	2	4924.00	50.89	54.00	-3.11	71.88	33.95	10.35	65.29	0.00	259	327	AVERAGE	3	7386.00	43.05	74.00	-30.95	61.28	35.70	12.73	66.66	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>62.48</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>63.44</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.49	74.00	-32.51	62.48	33.95	10.35	65.29	0.00	---	---	PEAK	2	7386.00	45.21	74.00	-28.79	63.44	35.70	12.73	66.66	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4924.00	53.09	74.00	-20.91	74.08	33.95	10.35	65.29	0.00	259	327	PEAK																																																																																																																															
2	4924.00	50.89	54.00	-3.11	71.88	33.95	10.35	65.29	0.00	259	327	AVERAGE																																																																																																																															
3	7386.00	43.05	74.00	-30.95	61.28	35.70	12.73	66.66	0.00	---	---	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4924.00	41.49	74.00	-32.51	62.48	33.95	10.35	65.29	0.00	---	---	PEAK																																																																																																																															
2	7386.00	45.21	74.00	-28.79	63.44	35.70	12.73	66.66	0.00	---	---	PEAK																																																																																																																															







Mode	3	
	Harmonic	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	0	
Pol.	Horizontal	Vertical
Peak Avg		

Note: Only the worst case has assessed 18G ~25GHz to test.







Mode	3																																																																																																																																																																																										
	30MHz-1GHz																																																																																																																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																										
ANT	0																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
QP																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>25.60</td><td>-14.40</td><td>40.00</td><td>34.72</td><td>0.76</td><td>23.06</td><td>32.94</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>92.08</td><td>23.05</td><td>-20.45</td><td>43.50</td><td>38.93</td><td>1.44</td><td>15.54</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>155.13</td><td>21.76</td><td>-21.74</td><td>43.50</td><td>36.38</td><td>1.88</td><td>16.32</td><td>32.82</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>325.85</td><td>22.68</td><td>-23.32</td><td>46.00</td><td>32.91</td><td>2.75</td><td>19.90</td><td>32.88</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>369.50</td><td>22.91</td><td>-23.09</td><td>46.00</td><td>31.95</td><td>2.93</td><td>20.92</td><td>32.89</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>567.38</td><td>25.17</td><td>-20.83</td><td>46.00</td><td>29.58</td><td>3.64</td><td>25.05</td><td>33.10</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	32.91	25.60	-14.40	40.00	34.72	0.76	23.06	32.94	---	Peak	2	92.08	23.05	-20.45	43.50	38.93	1.44	15.54	32.86	---	Peak	3	155.13	21.76	-21.74	43.50	36.38	1.88	16.32	32.82	---	Peak	4	325.85	22.68	-23.32	46.00	32.91	2.75	19.90	32.88	---	Peak	5	369.50	22.91	-23.09	46.00	31.95	2.93	20.92	32.89	---	Peak	6	567.38	25.17	-20.83	46.00	29.58	3.64	25.05	33.10	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>20.42</td><td>-19.58</td><td>40.00</td><td>29.54</td><td>0.76</td><td>23.06</td><td>32.94</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>23.02</td><td>-20.48</td><td>43.50</td><td>38.70</td><td>1.45</td><td>15.73</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>120.21</td><td>20.22</td><td>-23.28</td><td>43.50</td><td>34.62</td><td>1.65</td><td>16.80</td><td>32.85</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>247.28</td><td>24.07</td><td>-21.93</td><td>46.00</td><td>36.19</td><td>2.40</td><td>18.25</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>327.79</td><td>24.99</td><td>-21.01</td><td>46.00</td><td>35.17</td><td>2.76</td><td>19.94</td><td>32.88</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>607.15</td><td>25.04</td><td>-20.96</td><td>46.00</td><td>29.36</td><td>3.76</td><td>24.98</td><td>33.06</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	32.91	20.42	-19.58	40.00	29.54	0.76	23.06	32.94	---	Peak	2	93.05	23.02	-20.48	43.50	38.70	1.45	15.73	32.86	---	Peak	3	120.21	20.22	-23.28	43.50	34.62	1.65	16.80	32.85	---	Peak	4	247.28	24.07	-21.93	46.00	36.19	2.40	18.25	32.77	---	Peak	5	327.79	24.99	-21.01	46.00	35.17	2.76	19.94	32.88	---	Peak	6	607.15	25.04	-20.96	46.00	29.36	3.76	24.98	33.06	---	Peak
		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
1	32.91	25.60	-14.40	40.00	34.72	0.76	23.06	32.94	---	Peak																																																																																																																																																																																	
2	92.08	23.05	-20.45	43.50	38.93	1.44	15.54	32.86	---	Peak																																																																																																																																																																																	
3	155.13	21.76	-21.74	43.50	36.38	1.88	16.32	32.82	---	Peak																																																																																																																																																																																	
4	325.85	22.68	-23.32	46.00	32.91	2.75	19.90	32.88	---	Peak																																																																																																																																																																																	
5	369.50	22.91	-23.09	46.00	31.95	2.93	20.92	32.89	---	Peak																																																																																																																																																																																	
6	567.38	25.17	-20.83	46.00	29.58	3.64	25.05	33.10	---	Peak																																																																																																																																																																																	
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
1	32.91	20.42	-19.58	40.00	29.54	0.76	23.06	32.94	---	Peak																																																																																																																																																																																	
2	93.05	23.02	-20.48	43.50	38.70	1.45	15.73	32.86	---	Peak																																																																																																																																																																																	
3	120.21	20.22	-23.28	43.50	34.62	1.65	16.80	32.85	---	Peak																																																																																																																																																																																	
4	247.28	24.07	-21.93	46.00	36.19	2.40	18.25	32.77	---	Peak																																																																																																																																																																																	
5	327.79	24.99	-21.01	46.00	35.17	2.76	19.94	32.88	---	Peak																																																																																																																																																																																	
6	607.15	25.04	-20.96	46.00	29.36	3.76	24.98	33.06	---	Peak																																																																																																																																																																																	



		4																																																																														
Mode		Band Edge																																																																														
		2400-2483.5_802.11g_CH01_2412MHz																																																																														
ANT		0																																																																														
Pol.		Horizontal					Fundamental																																																																									
Peak																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>70.59</td><td>74.00</td><td>-3.41</td><td>62.34</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>122</td><td>177</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	70.59	74.00	-3.41	62.34	32.07	7.10	36.92	6.00	122	177	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.17	70.59	74.00	-3.41	62.34	32.07	7.10	36.92	6.00	122	177	PEAK																																																																				
Fundamental																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2260.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>46.59</td><td>31.68</td><td>6.91</td><td>36.88</td><td>6.00</td><td>124</td><td>158</td><td>PEAK</td></tr><tr><td>2</td><td>2412.00</td><td>109.81</td><td>-----</td><td>-----</td><td>101.39</td><td>32.20</td><td>7.15</td><td>36.93</td><td>6.00</td><td>122</td><td>177</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2260.00	54.30	74.00	-19.70	46.59	31.68	6.91	36.88	6.00	124	158	PEAK	2	2412.00	109.81	-----	-----	101.39	32.20	7.15	36.93	6.00	122	177	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2260.00	54.30	74.00	-19.70	46.59	31.68	6.91	36.88	6.00	124	158	PEAK																																																																				
2	2412.00	109.81	-----	-----	101.39	32.20	7.15	36.93	6.00	122	177	PEAK																																																																				
Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>50.51</td><td>54.00</td><td>-3.49</td><td>42.26</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>122</td><td>177</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	50.51	54.00	-3.49	42.26	32.07	7.10	36.92	6.00	122	177	AVERAGE																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.43	50.51	54.00	-3.49	42.26	32.07	7.10	36.92	6.00	122	177	AVERAGE																																																																				
Fundamental																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2260.00</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>38.59</td><td>31.68</td><td>6.91</td><td>36.88</td><td>6.00</td><td>124</td><td>158</td><td>AVERAGE</td></tr><tr><td>2</td><td>2412.00</td><td>100.51</td><td>-----</td><td>-----</td><td>92.09</td><td>32.20</td><td>7.15</td><td>36.93</td><td>6.00</td><td>122</td><td>177</td><td>AVERAGE</td></tr><tr><td>3</td><td>2880.00</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>34.00</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>---</td><td>---</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2260.00	46.30	54.00	-7.70	38.59	31.68	6.91	36.88	6.00	124	158	AVERAGE	2	2412.00	100.51	-----	-----	92.09	32.20	7.15	36.93	6.00	122	177	AVERAGE	3	2880.00	44.17	54.00	-9.83	34.00	32.24	7.82	36.69	6.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2260.00	46.30	54.00	-7.70	38.59	31.68	6.91	36.88	6.00	124	158	AVERAGE																																																																				
2	2412.00	100.51	-----	-----	92.09	32.20	7.15	36.93	6.00	122	177	AVERAGE																																																																				
3	2880.00	44.17	54.00	-9.83	34.00	32.24	7.82	36.69	6.00	---	---	AVERAGE																																																																				





Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH01_2412MHz																																																						
ANT	0																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>62.45</td><td>74.00</td><td>-11.55</td><td>54.19</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>356</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	62.45	74.00	-11.55	54.19	32.07	7.11	36.92	6.00	356	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.69	62.45	74.00	-11.55	54.19	32.07	7.11	36.92	6.00	356	258	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.30</td><td>-----</td><td>-----</td><td>95.90</td><td>32.18</td><td>7.15</td><td>36.93</td><td>6.00</td><td>356</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.30	-----	-----	95.90	32.18	7.15	36.93	6.00	356	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	104.30	-----	-----	95.90	32.18	7.15	36.93	6.00	356	258	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>35.23</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>356</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.49	54.00	-10.51	35.23	32.07	7.11	36.92	6.00	356	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	43.49	54.00	-10.51	35.23	32.07	7.11	36.92	6.00	356	258	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.85</td><td>-----</td><td>-----</td><td>86.45</td><td>32.18</td><td>7.15</td><td>36.93</td><td>6.00</td><td>356</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.85	-----	-----	86.45	32.18	7.15	36.93	6.00	356	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	94.85	-----	-----	86.45	32.18	7.15	36.93	6.00	356	258	AVERAGE																																											



Mode	4																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																
ANT	0																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>67.07</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.95	74.00	-28.05	67.07	33.90	10.23	65.25	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>39.68</td><td>74.00</td><td>-34.32</td><td>60.00</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.68	74.00	-34.32	60.00	33.90	10.23	65.25	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	45.95	74.00	-28.05	67.07	33.90	10.23	65.25	0.00	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	39.68	74.00	-34.32	60.00	33.90	10.23	65.25	0.00	---	PEAK																																																																																						







Mode	5																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																		
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																																		
ANT	0																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																												
Peak Avg																																																																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4879.50</td><td>58.57</td><td>74.00</td><td>-15.43</td><td></td><td>79.65</td><td>33.90</td><td>10.30</td><td>65.28</td><td>0.00</td><td>302</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>4879.50</td><td>50.43</td><td>54.00</td><td>-3.57</td><td></td><td>71.51</td><td>33.90</td><td>10.30</td><td>65.28</td><td>0.00</td><td>302</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>7309.50</td><td>53.88</td><td>74.00</td><td>-20.12</td><td></td><td>71.90</td><td>35.70</td><td>12.72</td><td>66.44</td><td>0.00</td><td>300</td><td>280</td><td>Peak</td></tr><tr><td>4</td><td>7309.50</td><td>45.48</td><td>54.00</td><td>-8.52</td><td></td><td>63.50</td><td>35.70</td><td>12.72</td><td>66.44</td><td>0.00</td><td>300</td><td>280</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4879.50	58.57	74.00	-15.43		79.65	33.90	10.30	65.28	0.00	302	360	Peak	2	4879.50	50.43	54.00	-3.57		71.51	33.90	10.30	65.28	0.00	302	360	Average	3	7309.50	53.88	74.00	-20.12		71.90	35.70	12.72	66.44	0.00	300	280	Peak	4	7309.50	45.48	54.00	-8.52		63.50	35.70	12.72	66.44	0.00	300	280	Average	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>56.08</td><td>74.00</td><td>-17.92</td><td></td><td>77.16</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>304</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td></td><td>66.19</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>304</td><td>36</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>59.48</td><td>74.00</td><td>-14.52</td><td></td><td>77.51</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>340</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>47.82</td><td>54.00</td><td>-6.18</td><td></td><td>65.85</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>340</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4874.00	56.08	74.00	-17.92		77.16	33.90	10.29	65.27	0.00	304	36	PEAK	2	4874.00	45.11	54.00	-8.89		66.19	33.90	10.29	65.27	0.00	304	36	AVERAGE	3	7311.00	59.48	74.00	-14.52		77.51	35.70	12.72	66.45	0.00	340	125	PEAK	4	7311.00	47.82	54.00	-6.18		65.85	35.70	12.72	66.45	0.00	340	125
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																						
1	4879.50	58.57	74.00	-15.43		79.65	33.90	10.30	65.28	0.00	302	360	Peak																																																																																																																																																																						
2	4879.50	50.43	54.00	-3.57		71.51	33.90	10.30	65.28	0.00	302	360	Average																																																																																																																																																																						
3	7309.50	53.88	74.00	-20.12		71.90	35.70	12.72	66.44	0.00	300	280	Peak																																																																																																																																																																						
4	7309.50	45.48	54.00	-8.52		63.50	35.70	12.72	66.44	0.00	300	280	Average																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																						
1	4874.00	56.08	74.00	-17.92		77.16	33.90	10.29	65.27	0.00	304	36	PEAK																																																																																																																																																																						
2	4874.00	45.11	54.00	-8.89		66.19	33.90	10.29	65.27	0.00	304	36	AVERAGE																																																																																																																																																																						
3	7311.00	59.48	74.00	-14.52		77.51	35.70	12.72	66.45	0.00	340	125	PEAK																																																																																																																																																																						
4	7311.00	47.82	54.00	-6.18		65.85	35.70	12.72	66.45	0.00	340	125	AVERAGE																																																																																																																																																																						





Mode	6																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																								
ANT	0																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>70.19</td><td>74.00</td><td>-3.81</td><td>61.37</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>159</td><td>231 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	70.19	74.00	-3.81	61.37	32.52	7.26	36.96	6.00	159	231 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>43.95</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>159</td><td>231 PEAK</td></tr><tr><td>2</td><td>2462.00</td><td>107.57</td><td>-----</td><td>-----</td><td>98.84</td><td>32.45</td><td>7.23</td><td>36.95</td><td>6.00</td><td>159</td><td>231 PEAK</td></tr><tr><td>3</td><td>2872.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>41.83</td><td>32.22</td><td>7.81</td><td>36.69</td><td>6.00</td><td>159</td><td>231 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	51.87	74.00	-22.13	43.95	31.83	6.98	36.89	6.00	159	231 PEAK	2	2462.00	107.57	-----	-----	98.84	32.45	7.23	36.95	6.00	159	231 PEAK	3	2872.00	51.17	74.00	-22.83	41.83	32.22	7.81	36.69	6.00	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2484.04	70.19	74.00	-3.81	61.37	32.52	7.26	36.96	6.00	159	231 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2310.00	51.87	74.00	-22.13	43.95	31.83	6.98	36.89	6.00	159	231 PEAK																																																																																																														
2	2462.00	107.57	-----	-----	98.84	32.45	7.23	36.95	6.00	159	231 PEAK																																																																																																														
3	2872.00	51.17	74.00	-22.83	41.83	32.22	7.81	36.69	6.00	159	231 PEAK																																																																																																														
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>41.91</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>159</td><td>231 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.73	54.00	-3.27	41.91	32.52	7.26	36.96	6.00	159	231 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>35.53</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>159</td><td>231 AVERAGE</td></tr><tr><td>2</td><td>2462.00</td><td>98.24</td><td>-----</td><td>-----</td><td>89.51</td><td>32.45</td><td>7.23</td><td>36.95</td><td>6.00</td><td>159</td><td>231 AVERAGE</td></tr><tr><td>3</td><td>2880.00</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>31.34</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>159</td><td>231 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	43.45	54.00	-10.55	35.53	31.83	6.98	36.89	6.00	159	231 AVERAGE	2	2462.00	98.24	-----	-----	89.51	32.45	7.23	36.95	6.00	159	231 AVERAGE	3	2880.00	40.71	54.00	-13.29	31.34	32.24	7.82	36.69	6.00	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2483.50	50.73	54.00	-3.27	41.91	32.52	7.26	36.96	6.00	159	231 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2310.00	43.45	54.00	-10.55	35.53	31.83	6.98	36.89	6.00	159	231 AVERAGE																																																																																																														
2	2462.00	98.24	-----	-----	89.51	32.45	7.23	36.95	6.00	159	231 AVERAGE																																																																																																														
3	2880.00	40.71	54.00	-13.29	31.34	32.24	7.82	36.69	6.00	159	231 AVERAGE																																																																																																														







Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>65.36</td><td>74.00</td><td>-8.64</td><td>56.54</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>391</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	65.36	74.00	-8.64	56.54	32.52	7.26	36.96	6.00	391	253	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.39</td><td>-----</td><td>-----</td><td>95.74</td><td>32.39</td><td>7.21</td><td>36.95</td><td>6.00</td><td>391</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.39	-----	-----	95.74	32.39	7.21	36.95	6.00	391	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.34	65.36	74.00	-8.64	56.54	32.52	7.26	36.96	6.00	391	253	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	104.39	-----	-----	95.74	32.39	7.21	36.95	6.00	391	253	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>37.36</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>391</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	46.18	54.00	-7.82	37.36	32.52	7.26	36.96	6.00	391	253	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.07</td><td>-----</td><td>-----</td><td>86.42</td><td>32.39</td><td>7.21</td><td>36.95</td><td>6.00</td><td>391</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.07	-----	-----	86.42	32.39	7.21	36.95	6.00	391	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	46.18	54.00	-7.82	37.36	32.52	7.26	36.96	6.00	391	253	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	95.07	-----	-----	86.42	32.39	7.21	36.95	6.00	391	253	AVERAGE																																																																																							







Mode	6																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																							
ANT	0																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>52.12</td><td>74.00</td><td>-21.88</td><td>73.11</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>107</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>41.58</td><td>54.00</td><td>-12.42</td><td>62.57</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>107</td><td>323</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>59.13</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	52.12	74.00	-21.88	73.11	33.95	10.35	65.29	0.00	107	323	PEAK	2	4924.00	41.58	54.00	-12.42	62.57	33.95	10.35	65.29	0.00	107	323	AVERAGE	3	7386.00	40.90	74.00	-33.10	59.13	35.70	12.73	66.66	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.05</td><td>74.00</td><td>-32.95</td><td>62.04</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>70.79</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>252</td><td>131</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>40.46</td><td>54.00</td><td>-13.54</td><td>58.68</td><td>35.70</td><td>12.73</td><td>66.65</td><td>0.00</td><td>252</td><td>131</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.05	74.00	-32.95	62.04	33.95	10.35	65.29	0.00	---	---	PEAK	2	7386.00	52.56	74.00	-21.44	70.79	35.70	12.73	66.66	0.00	252	131	PEAK	3	7386.00	40.46	54.00	-13.54	58.68	35.70	12.73	66.65	0.00	252	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4924.00	52.12	74.00	-21.88	73.11	33.95	10.35	65.29	0.00	107	323	PEAK																																																																																																																																												
2	4924.00	41.58	54.00	-12.42	62.57	33.95	10.35	65.29	0.00	107	323	AVERAGE																																																																																																																																												
3	7386.00	40.90	74.00	-33.10	59.13	35.70	12.73	66.66	0.00	---	---	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4924.00	41.05	74.00	-32.95	62.04	33.95	10.35	65.29	0.00	---	---	PEAK																																																																																																																																												
2	7386.00	52.56	74.00	-21.44	70.79	35.70	12.73	66.66	0.00	252	131	PEAK																																																																																																																																												
3	7386.00	40.46	54.00	-13.54	58.68	35.70	12.73	66.65	0.00	252	131	AVERAGE																																																																																																																																												





		7																																																																												
Mode	Band Edge																																																																													
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																													
ANT	CDD 0+1																																																																													
Pol.	Horizontal																																																																													
Peak																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>68.02</td><td>74.00</td><td>-5.98</td><td>59.77</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>300</td><td>13 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.30	68.02	74.00	-5.98	59.77	32.07	7.10	36.92	6.00	300	13 PEAK																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	2389.30	68.02	74.00	-5.98	59.77	32.07	7.10	36.92	6.00	300	13 PEAK																																																																			
Fundamental																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2260.00</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>46.16</td><td>31.68</td><td>6.91</td><td>36.88</td><td>6.00</td><td>300</td><td>13 PEAK</td></tr><tr><td>2</td><td>2412.00</td><td>107.29</td><td>-----</td><td>-----</td><td>98.91</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>300</td><td>13 PEAK</td></tr><tr><td>3</td><td>2880.00</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>41.63</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>300</td><td>13 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2260.00	53.87	74.00	-20.13	46.16	31.68	6.91	36.88	6.00	300	13 PEAK	2	2412.00	107.29	-----	-----	98.91	32.17	7.14	36.93	6.00	300	13 PEAK	3	2880.00	51.00	74.00	-23.00	41.63	32.24	7.82	36.69	6.00	300
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	2260.00	53.87	74.00	-20.13	46.16	31.68	6.91	36.88	6.00	300	13 PEAK																																																																			
2	2412.00	107.29	-----	-----	98.91	32.17	7.14	36.93	6.00	300	13 PEAK																																																																			
3	2880.00	51.00	74.00	-23.00	41.63	32.24	7.82	36.69	6.00	300	13 PEAK																																																																			
Avg																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>42.54</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>300</td><td>13 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	50.79	54.00	-3.21	42.54	32.07	7.10	36.92	6.00	300	13 AVERAGE																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	2389.43	50.79	54.00	-3.21	42.54	32.07	7.10	36.92	6.00	300	13 AVERAGE																																																																			
Aver																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2260.00</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>38.10</td><td>31.68</td><td>6.91</td><td>36.88</td><td>6.00</td><td>300</td><td>13 AVERAGE</td></tr><tr><td>2</td><td>2412.00</td><td>98.09</td><td>-----</td><td>-----</td><td>89.71</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>300</td><td>13 AVERAGE</td></tr><tr><td>3</td><td>2880.00</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>35.34</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>300</td><td>13 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2260.00	45.81	54.00	-8.19	38.10	31.68	6.91	36.88	6.00	300	13 AVERAGE	2	2412.00	98.09	-----	-----	89.71	32.17	7.14	36.93	6.00	300	13 AVERAGE	3	2880.00	44.71	54.00	-9.29	35.34	32.24	7.82	36.69	6.00	300
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	2260.00	45.81	54.00	-8.19	38.10	31.68	6.91	36.88	6.00	300	13 AVERAGE																																																																			
2	2412.00	98.09	-----	-----	89.71	32.17	7.14	36.93	6.00	300	13 AVERAGE																																																																			
3	2880.00	44.71	54.00	-9.29	35.34	32.24	7.82	36.69	6.00	300	13 AVERAGE																																																																			





Mode	7																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>59.56</td><td>74.00</td><td>-14.44</td><td>51.31</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>368</td><td>275</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	59.56	74.00	-14.44	51.31	32.07	7.10	36.92	6.00	368	275	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.17</td><td>-----</td><td>-----</td><td>96.79</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>368</td><td>275</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.17	-----	-----	96.79	32.17	7.14	36.93	6.00	368	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	59.56	74.00	-14.44	51.31	32.07	7.10	36.92	6.00	368	275	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	105.17	-----	-----	96.79	32.17	7.14	36.93	6.00	368	275	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.47</td><td>54.00</td><td>-9.53</td><td>36.21</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>368</td><td>275</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.47	54.00	-9.53	36.21	32.07	7.11	36.92	6.00	368	275	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.13</td><td>-----</td><td>-----</td><td>87.75</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>368</td><td>275</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.13	-----	-----	87.75	32.17	7.14	36.93	6.00	368	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	44.47	54.00	-9.53	36.21	32.07	7.11	36.92	6.00	368	275	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	96.13	-----	-----	87.75	32.17	7.14	36.93	6.00	368	275	AVERAGE																																																																																							







Mode	7																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td>62.81</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	41.69	74.00	-32.31	62.81	33.90	10.23	65.25	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.61</td><td>74.00</td><td>-33.39</td><td>61.73</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.61	74.00	-33.39	61.73	33.90	10.23	65.25	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4824.00	41.69	74.00	-32.31	62.81	33.90	10.23	65.25	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4824.00	40.61	74.00	-33.39	61.73	33.90	10.23	65.25	0.00	---	---	PEAK																																																																																							







Mode	8																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																																																																												
ANT	CDD 0+1																																																																																																																																																												
Pol.	Horizontal										Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>59.46</td><td>74.00</td><td>-14.54</td><td>80.54</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>182</td><td>351 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>69.67</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>182</td><td>351 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>76.80</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>102</td><td>302 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>65.10</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>102</td><td>302 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	59.46	74.00	-14.54	80.54	33.90	10.29	65.27	0.00	182	351 PEAK	2	4874.00	48.59	54.00	-5.41	69.67	33.90	10.29	65.27	0.00	182	351 AVERAGE	3	7311.00	58.77	74.00	-15.23	76.80	35.70	12.72	66.45	0.00	102	302 PEAK	4	7311.00	47.07	54.00	-6.93	65.10	35.70	12.72	66.45	0.00	102	302 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4873.50</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>69.57</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>62.42</td><td>74.00</td><td>-11.58</td><td>80.45</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>300</td><td>127 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>50.77</td><td>54.00</td><td>-3.23</td><td>68.80</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>300</td><td>127 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4873.50	48.49	74.00	-25.51	69.57	33.90	10.29	65.27	0.00	---	--- Peak	2	7311.00	62.42	74.00	-11.58	80.45	35.70	12.72	66.45	0.00	300	127 PEAK	3	7311.00	50.77	54.00	-3.23	68.80	35.70	12.72	66.45	0.00	300	127 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	4874.00	59.46	74.00	-14.54	80.54	33.90	10.29	65.27	0.00	182	351 PEAK																																																																																																																																																		
2	4874.00	48.59	54.00	-5.41	69.67	33.90	10.29	65.27	0.00	182	351 AVERAGE																																																																																																																																																		
3	7311.00	58.77	74.00	-15.23	76.80	35.70	12.72	66.45	0.00	102	302 PEAK																																																																																																																																																		
4	7311.00	47.07	54.00	-6.93	65.10	35.70	12.72	66.45	0.00	102	302 AVERAGE																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	4873.50	48.49	74.00	-25.51	69.57	33.90	10.29	65.27	0.00	---	--- Peak																																																																																																																																																		
2	7311.00	62.42	74.00	-11.58	80.45	35.70	12.72	66.45	0.00	300	127 PEAK																																																																																																																																																		
3	7311.00	50.77	54.00	-3.23	68.80	35.70	12.72	66.45	0.00	300	127 AVERAGE																																																																																																																																																		





		9																																																																																																																												
Mode	Band Edge																																																																																																																													
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																																																																													
ANT	CDD 0+1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>69.99</td><td>74.00</td><td>-4.01</td><td>61.17</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>367</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	69.99	74.00	-4.01	61.17	32.52	7.26	36.96	6.00	367	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.00</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>47.34</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>367</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2462.00</td><td>105.87</td><td>-----</td><td>-----</td><td>97.18</td><td>32.42</td><td>7.22</td><td>36.95</td><td>6.00</td><td>367</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>2880.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>41.67</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>367</td><td>360</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	55.26	74.00	-18.74	47.34	31.83	6.98	36.89	6.00	367	360	PEAK	2	2462.00	105.87	-----	-----	97.18	32.42	7.22	36.95	6.00	367	360	PEAK	3	2880.00	51.04	74.00	-22.96	41.67	32.24	7.82	36.69	6.00	367	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2484.22	69.99	74.00	-4.01	61.17	32.52	7.26	36.96	6.00	367	360	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2310.00	55.26	74.00	-18.74	47.34	31.83	6.98	36.89	6.00	367	360	PEAK																																																																																																																		
2	2462.00	105.87	-----	-----	97.18	32.42	7.22	36.95	6.00	367	360	PEAK																																																																																																																		
3	2880.00	51.04	74.00	-22.96	41.67	32.24	7.82	36.69	6.00	367	360	PEAK																																																																																																																		
Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>41.73</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>367</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	50.55	54.00	-3.45	41.73	32.52	7.26	36.96	6.00	367	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.00</td><td>45.80</td><td>54.00</td><td>-8.20</td><td>37.88</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>367</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>2462.00</td><td>96.95</td><td>-----</td><td>-----</td><td>88.26</td><td>32.42</td><td>7.22</td><td>36.95</td><td>6.00</td><td>367</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>2880.00</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>35.51</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>367</td><td>360</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	45.80	54.00	-8.20	37.88	31.83	6.98	36.89	6.00	367	360	AVERAGE	2	2462.00	96.95	-----	-----	88.26	32.42	7.22	36.95	6.00	367	360	AVERAGE	3	2880.00	44.88	54.00	-9.12	35.51	32.24	7.82	36.69	6.00	367	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.62	50.55	54.00	-3.45	41.73	32.52	7.26	36.96	6.00	367	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2310.00	45.80	54.00	-8.20	37.88	31.83	6.98	36.89	6.00	367	360	AVERAGE																																																																																																																		
2	2462.00	96.95	-----	-----	88.26	32.42	7.22	36.95	6.00	367	360	AVERAGE																																																																																																																		
3	2880.00	44.88	54.00	-9.12	35.51	32.24	7.82	36.69	6.00	367	360	AVERAGE																																																																																																																		







		9																																																																																																			
Mode	Band Edge																																																																																																				
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																				
ANT	CDD 0+1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>63.81</td><td>74.00</td><td>-10.19</td><td>54.99</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>389</td><td>251</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	63.81	74.00	-10.19	54.99	32.52	7.26	36.96	6.00	389	251	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.79</td><td>-----</td><td>-----</td><td>93.10</td><td>32.42</td><td>7.22</td><td>36.95</td><td>6.00</td><td>389</td><td>251</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	101.79	-----	-----	93.10	32.42	7.22	36.95	6.00	389	251	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.68	63.81	74.00	-10.19	54.99	32.52	7.26	36.96	6.00	389	251	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2462.00	101.79	-----	-----	93.10	32.42	7.22	36.95	6.00	389	251	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>35.55</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>389</td><td>251</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	44.37	54.00	-9.63	35.55	32.52	7.26	36.96	6.00	389	251	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.20</td><td>-----</td><td>-----</td><td>84.55</td><td>32.39</td><td>7.21</td><td>36.95</td><td>6.00</td><td>389</td><td>251</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	93.20	-----	-----	84.55	32.39	7.21	36.95	6.00	389	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2483.50	44.37	54.00	-9.63	35.55	32.52	7.26	36.96	6.00	389	251	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2462.00	93.20	-----	-----	84.55	32.39	7.21	36.95	6.00	389	251	AVERAGE																																																																																									



Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																									
ANT	CDD 0+1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>62.76</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>40.74</td><td>74.00</td><td>-33.26</td><td>58.97</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.77	74.00	-32.23	62.76	33.95	10.35	65.29	0.00	---	PEAK	2	7386.00	40.74	74.00	-33.26	58.97	35.70	12.73	66.66	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>61.52</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>59.17</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.53	74.00	-33.47	61.52	33.95	10.35	65.29	0.00	---	PEAK	2	7386.00	40.94	74.00	-33.06	59.17	35.70	12.73	66.66	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	41.77	74.00	-32.23	62.76	33.95	10.35	65.29	0.00	---	PEAK																																																																																																															
2	7386.00	40.74	74.00	-33.26	58.97	35.70	12.73	66.66	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	40.53	74.00	-33.47	61.52	33.95	10.35	65.29	0.00	---	PEAK																																																																																																															
2	7386.00	40.94	74.00	-33.06	59.17	35.70	12.73	66.66	0.00	---	PEAK																																																																																																															







Mode	10																																																																																																																							
	Band Edge - L																																																																																																																							
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																																							
ANT	CDD 0+1																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.26</td><td>67.64</td><td>74.00</td><td>-6.36</td><td>59.40</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>300</td><td>9 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.26	67.64	74.00	-6.36	59.40	32.06	7.10	36.92	6.00	300	9 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2280.00</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>44.20</td><td>31.74</td><td>6.94</td><td>36.88</td><td>6.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>2</td><td>2422.00</td><td>103.89</td><td>-----</td><td>95.44</td><td>32.22</td><td>7.16</td><td>36.93</td><td>6.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>3</td><td>2880.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>41.58</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>300</td><td>9 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2280.00	52.00	74.00	-22.00	44.20	31.74	6.94	36.88	6.00	300	9 PEAK	2	2422.00	103.89	-----	95.44	32.22	7.16	36.93	6.00	300	9 PEAK	3	2880.00	50.95	74.00	-23.05	41.58	32.24	7.82	36.69	6.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2388.26	67.64	74.00	-6.36	59.40	32.06	7.10	36.92	6.00	300	9 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2280.00	52.00	74.00	-22.00	44.20	31.74	6.94	36.88	6.00	300	9 PEAK																																																																																																													
2	2422.00	103.89	-----	95.44	32.22	7.16	36.93	6.00	300	9 PEAK																																																																																																														
3	2880.00	50.95	74.00	-23.05	41.58	32.24	7.82	36.69	6.00	300	9 PEAK																																																																																																													
Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>50.35</td><td>54.00</td><td>-3.65</td><td>42.10</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>300</td><td>9 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	50.35	54.00	-3.65	42.10	32.07	7.10	36.92	6.00	300	9 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2280.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>36.64</td><td>31.74</td><td>6.94</td><td>36.88</td><td>6.00</td><td>300</td><td>9 AVERAGE</td></tr><tr><td>2</td><td>2422.00</td><td>94.66</td><td>-----</td><td>86.21</td><td>32.22</td><td>7.16</td><td>36.93</td><td>6.00</td><td>300</td><td>9 AVERAGE</td></tr><tr><td>3</td><td>2880.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>35.50</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>300</td><td>9 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2280.00	44.44	54.00	-9.56	36.64	31.74	6.94	36.88	6.00	300	9 AVERAGE	2	2422.00	94.66	-----	86.21	32.22	7.16	36.93	6.00	300	9 AVERAGE	3	2880.00	44.87	54.00	-9.13	35.50	32.24	7.82	36.69	6.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2389.43	50.35	54.00	-3.65	42.10	32.07	7.10	36.92	6.00	300	9 AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2280.00	44.44	54.00	-9.56	36.64	31.74	6.94	36.88	6.00	300	9 AVERAGE																																																																																																													
2	2422.00	94.66	-----	86.21	32.22	7.16	36.93	6.00	300	9 AVERAGE																																																																																																														
3	2880.00	44.87	54.00	-9.13	35.50	32.24	7.82	36.69	6.00	300	9 AVERAGE																																																																																																													







Mode	10										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH03_2422MHz										
ANT	CDD 0+1										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





Mode	10																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																																												
ANT	CDD 0+1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>49.17</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>359</td><td>259</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	57.42	74.00	-16.58	49.17	32.07	7.10	36.92	6.00	359	259	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2280.00</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>44.20</td><td>31.74</td><td>6.94</td><td>36.88</td><td>6.00</td><td>300</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>2422.00</td><td>103.89</td><td>-----</td><td>-----</td><td>95.44</td><td>32.22</td><td>7.16</td><td>36.93</td><td>6.00</td><td>300</td><td>9</td><td>PEAK</td></tr><tr><td>3</td><td>2880.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>41.58</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>300</td><td>9</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2280.00	52.00	74.00	-22.00	44.20	31.74	6.94	36.88	6.00	300	9	PEAK	2	2422.00	103.89	-----	-----	95.44	32.22	7.16	36.93	6.00	300	9	PEAK	3	2880.00	50.95	74.00	-23.05	41.58	32.24	7.82	36.69	6.00	300	9
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2388.65	57.42	74.00	-16.58	49.17	32.07	7.10	36.92	6.00	359	259	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2280.00	52.00	74.00	-22.00	44.20	31.74	6.94	36.88	6.00	300	9	PEAK																																																																																																																	
2	2422.00	103.89	-----	-----	95.44	32.22	7.16	36.93	6.00	300	9	PEAK																																																																																																																	
3	2880.00	50.95	74.00	-23.05	41.58	32.24	7.82	36.69	6.00	300	9	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>33.87</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>359</td><td>259</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	42.13	54.00	-11.87	33.87	32.07	7.11	36.92	6.00	359	259	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2280.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>36.64</td><td>31.74</td><td>6.94</td><td>36.88</td><td>6.00</td><td>300</td><td>9</td><td>AVERAGE</td></tr><tr><td>2</td><td>2422.00</td><td>94.66</td><td>-----</td><td>-----</td><td>86.21</td><td>32.22</td><td>7.16</td><td>36.93</td><td>6.00</td><td>300</td><td>9</td><td>AVERAGE</td></tr><tr><td>3</td><td>2880.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>35.50</td><td>32.24</td><td>7.82</td><td>36.69</td><td>6.00</td><td>300</td><td>9</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2280.00	44.44	54.00	-9.56	36.64	31.74	6.94	36.88	6.00	300	9	AVERAGE	2	2422.00	94.66	-----	-----	86.21	32.22	7.16	36.93	6.00	300	9	AVERAGE	3	2880.00	44.87	54.00	-9.13	35.50	32.24	7.82	36.69	6.00	300	9
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2389.82	42.13	54.00	-11.87	33.87	32.07	7.11	36.92	6.00	359	259	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2280.00	44.44	54.00	-9.56	36.64	31.74	6.94	36.88	6.00	300	9	AVERAGE																																																																																																																	
2	2422.00	94.66	-----	-----	86.21	32.22	7.16	36.93	6.00	300	9	AVERAGE																																																																																																																	
3	2880.00	44.87	54.00	-9.13	35.50	32.24	7.82	36.69	6.00	300	9	AVERAGE																																																																																																																	







Mode	10																																																																																																		
	Band Edge - R																																																																																																		
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.04</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>43.47</td><td>32.54</td><td>7.26</td><td>36.96</td><td>6.00</td><td>359</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.04	52.31	74.00	-21.69	43.47	32.54	7.26	36.96	6.00	359	259	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>102.51</td><td>-----</td><td>-----</td><td>94.10</td><td>32.19</td><td>7.15</td><td>36.93</td><td>6.00</td><td>359</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.51	-----	-----	94.10	32.19	7.15	36.93	6.00	359	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.04	52.31	74.00	-21.69	43.47	32.54	7.26	36.96	6.00	359	259	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	102.51	-----	-----	94.10	32.19	7.15	36.93	6.00	359	259	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.20</td><td>38.84</td><td>54.00</td><td>-15.16</td><td>29.98</td><td>32.55</td><td>7.27</td><td>36.96</td><td>6.00</td><td>359</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.20	38.84	54.00	-15.16	29.98	32.55	7.27	36.96	6.00	359	259	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>93.20</td><td>-----</td><td>-----</td><td>84.79</td><td>32.19</td><td>7.15</td><td>36.93</td><td>6.00</td><td>359</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.20	-----	-----	84.79	32.19	7.15	36.93	6.00	359	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2489.20	38.84	54.00	-15.16	29.98	32.55	7.27	36.96	6.00	359	259	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	93.20	-----	-----	84.79	32.19	7.15	36.93	6.00	359	259	AVERAGE																																																																																							



Mode	10																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																	
ANT	CDD 0+1																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>62.34</td><td>33.90</td><td>10.25</td><td>65.26</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>59.52</td><td>35.70</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.23	74.00	-32.77	62.34	33.90	10.25	65.26	0.00	---	--- PEAK	2	7266.00	41.62	74.00	-32.38	59.52	35.70	12.72	66.32	0.00	---	--- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4844.00	41.23	74.00	-32.77	62.34	33.90	10.25	65.26	0.00	---	--- PEAK																																																							
2	7266.00	41.62	74.00	-32.38	59.52	35.70	12.72	66.32	0.00	---	--- PEAK																																																							
																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>61.10</td><td>33.90</td><td>10.25</td><td>65.26</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>60.68</td><td>35.70</td><td>12.72</td><td>66.32</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	39.99	74.00	-34.01	61.10	33.90	10.25	65.26	0.00	---	--- PEAK	2	7266.00	42.78	74.00	-31.22	60.68	35.70	12.72	66.32	0.00	---	--- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4844.00	39.99	74.00	-34.01	61.10	33.90	10.25	65.26	0.00	---	--- PEAK																																																							
2	7266.00	42.78	74.00	-31.22	60.68	35.70	12.72	66.32	0.00	---	--- PEAK																																																							



		11																																																																																															
Mode		Band Edge - L																																																																																															
		2400-2483.5_802.11n_HT40_CH06_2437MHz																																																																																															
ANT		CDD 0+1																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	60.87	74.00	-13.13	52.61	32.07	7.11	36.92	6.00	295	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2294.00</td><td>58.44</td><td>74.00</td><td>-15.56</td><td>50.59</td><td>31.78</td><td>6.96</td><td>36.89</td><td>6.00</td><td>295</td><td>0 Peak</td></tr><tr><td>2</td><td>2437.00</td><td>108.27</td><td>-----</td><td>99.70</td><td>32.32</td><td>7.19</td><td>36.94</td><td>6.00</td><td>295</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2294.00	58.44	74.00	-15.56	50.59	31.78	6.96	36.89	6.00	295	0 Peak	2	2437.00	108.27	-----	99.70	32.32	7.19	36.94	6.00	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.82	60.87	74.00	-13.13	52.61	32.07	7.11	36.92	6.00	295	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2294.00	58.44	74.00	-15.56	50.59	31.78	6.96	36.89	6.00	295	0 Peak																																																																																						
2	2437.00	108.27	-----	99.70	32.32	7.19	36.94	6.00	295	0 PEAK																																																																																							
Avg																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.43	54.00	-10.57	35.17	32.07	7.11	36.92	6.00	295	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2294.00</td><td>50.42</td><td>54.00</td><td>-3.58</td><td>42.57</td><td>31.78</td><td>6.96</td><td>36.89</td><td>6.00</td><td>295</td><td>0 Average</td></tr><tr><td>2</td><td>2437.00</td><td>98.99</td><td>-----</td><td>90.42</td><td>32.32</td><td>7.19</td><td>36.94</td><td>6.00</td><td>295</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2294.00	50.42	54.00	-3.58	42.57	31.78	6.96	36.89	6.00	295	0 Average	2	2437.00	98.99	-----	90.42	32.32	7.19	36.94	6.00	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	43.43	54.00	-10.57	35.17	32.07	7.11	36.92	6.00	295	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2294.00	50.42	54.00	-3.58	42.57	31.78	6.96	36.89	6.00	295	0 Average																																																																																						
2	2437.00	98.99	-----	90.42	32.32	7.19	36.94	6.00	295	0 AVERAGE																																																																																							



Mode	11																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																					
ANT	CDD 0+1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.96</td><td>65.29</td><td>74.00</td><td>-8.71</td><td>56.46</td><td>32.53</td><td>7.26</td><td>36.96</td><td>6.00</td><td>295</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.96	65.29	74.00	-8.71	56.46	32.53	7.26	36.96	6.00	295	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.96	65.29	74.00	-8.71	56.46	32.53	7.26	36.96	6.00	295	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>36.81</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>295</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	45.63	54.00	-8.37	36.81	32.52	7.26	36.96	6.00	295	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.28	45.63	54.00	-8.37	36.81	32.52	7.26	36.96	6.00	295	0 AVERAGE																																											



		11																																																																																	
Mode		Band Edge - L																																																																																	
		2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																	
ANT		CDD 0+1																																																																																	
Pol.		Fundamental																																																																																	
Peak	Vertical	Fundamental																																																																																	
	<table><tr><td colspan="12"></td></tr><tr><td colspan="12"><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.26</td><td>63.30</td><td>74.00</td><td>-10.70</td><td>55.06</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>315</td><td>267 PEAK</td></tr></table></td></tr></table>																								<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.26</td><td>63.30</td><td>74.00</td><td>-10.70</td><td>55.06</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>315</td><td>267 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2388.26	63.30	74.00	-10.70	55.06	32.06	7.10	36.92	6.00	315
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.26</td><td>63.30</td><td>74.00</td><td>-10.70</td><td>55.06</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>315</td><td>267 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2388.26	63.30	74.00	-10.70	55.06	32.06	7.10	36.92	6.00	315	267 PEAK																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.26	63.30	74.00	-10.70	55.06	32.06	7.10	36.92	6.00	315	267 PEAK																																																																								
Avg	Vertical	Fundamental																																																																																	
	<table><tr><td colspan="12"></td></tr><tr><td colspan="12"><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.95</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>34.49</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>315</td><td>267 AVERAGE</td></tr></table></td></tr></table>																								<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.95</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>34.49</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>315</td><td>267 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	42.75	54.00	-11.25	34.49	32.07	7.11	36.92	6.00	315
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.95</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>34.49</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>315</td><td>267 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	42.75	54.00	-11.25	34.49	32.07	7.11	36.92	6.00	315	267 AVERAGE																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	42.75	54.00	-11.25	34.49	32.07	7.11	36.92	6.00	315	267 AVERAGE																																																																								







Mode	11																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH06_2437MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.76</td><td>68.19</td><td>74.00</td><td>-5.81</td><td>59.37</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>315</td><td>267</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.76	68.19	74.00	-5.81	59.37	32.52	7.26	36.96	6.00	315	267	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2484.76	68.19	74.00	-5.81	59.37	32.52	7.26	36.96	6.00	315	267	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>37.45</td><td>32.53</td><td>7.26</td><td>36.96</td><td>6.00</td><td>315</td><td>267</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	46.28	54.00	-7.72	37.45	32.53	7.26	36.96	6.00	315	267	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2485.00	46.28	54.00	-7.72	37.45	32.53	7.26	36.96	6.00	315	267	AVERAGE																																		





Mode	11																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																																										
ANT	CDD 0+1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>70.32</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>235</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>60.89</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>235</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>60.26</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	49.24	74.00	-24.76	70.32	33.90	10.29	65.27	0.00	235	0	PEAK	2	4874.00	39.81	54.00	-14.19	60.89	33.90	10.29	65.27	0.00	235	0	AVERAGE	3	7311.00	42.23	74.00	-31.77	60.26	35.70	12.72	66.45	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4866.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>63.38</td><td>33.90</td><td>10.28</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7318.50</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>64.20</td><td>35.70</td><td>12.72</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4866.00	42.29	74.00	-31.71	63.38	33.90	10.28	65.27	0.00	---	---	PEAK	2	7318.50	46.15	74.00	-27.85	64.20	35.70	12.72	66.47	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4874.00	49.24	74.00	-24.76	70.32	33.90	10.29	65.27	0.00	235	0	PEAK																																																																																																																															
2	4874.00	39.81	54.00	-14.19	60.89	33.90	10.29	65.27	0.00	235	0	AVERAGE																																																																																																																															
3	7311.00	42.23	74.00	-31.77	60.26	35.70	12.72	66.45	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4866.00	42.29	74.00	-31.71	63.38	33.90	10.28	65.27	0.00	---	---	PEAK																																																																																																																															
2	7318.50	46.15	74.00	-27.85	64.20	35.70	12.72	66.47	0.00	---	---	PEAK																																																																																																																															







		12																																																																			
Mode		Band Edge - L																																																																			
		2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																			
ANT		CDD 0+1																																																																			
Pol.		Horizontal						Fundamental																																																													
Peak																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.82</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>46.19</td><td>32.03</td><td>7.09</td><td>36.91</td><td>6.00</td><td>256</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.82	54.40	74.00	-19.60	46.19	32.03	7.09	36.91	6.00	256	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2376.82	54.40	74.00	-19.60	46.19	32.03	7.09	36.91	6.00	256	360	PEAK																																																									
Avg																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2310.00</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>36.64</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>256</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	44.56	54.00	-9.44	36.64	31.83	6.98	36.89	6.00	256	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2310.00	44.56	54.00	-9.44	36.64	31.83	6.98	36.89	6.00	256	360	AVERAGE																																																									
																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2310.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>46.75</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>256</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>105.78</td><td>-----</td><td>-----</td><td>97.14</td><td>32.37</td><td>7.21</td><td>36.94</td><td>6.00</td><td>256</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	54.67	74.00	-19.33	46.75	31.83	6.98	36.89	6.00	256	360	Peak	2	2452.00	105.78	-----	-----	97.14	32.37	7.21	36.94	6.00	256	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2310.00	54.67	74.00	-19.33	46.75	31.83	6.98	36.89	6.00	256	360	Peak																																																									
2	2452.00	105.78	-----	-----	97.14	32.37	7.21	36.94	6.00	256	360	PEAK																																																									
																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2310.00</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>37.79</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>256</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>96.75</td><td>-----</td><td>-----</td><td>88.11</td><td>32.37</td><td>7.21</td><td>36.94</td><td>6.00</td><td>256</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	45.71	54.00	-8.29	37.79	31.83	6.98	36.89	6.00	256	360	Average	2	2452.00	96.75	-----	-----	88.11	32.37	7.21	36.94	6.00	256	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2310.00	45.71	54.00	-8.29	37.79	31.83	6.98	36.89	6.00	256	360	Average																																																									
2	2452.00	96.75	-----	-----	88.11	32.37	7.21	36.94	6.00	256	360	AVERAGE																																																									



Mode	12																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>69.01</td><td>74.00</td><td>-4.99</td><td>60.19</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>256</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	69.01	74.00	-4.99	60.19	32.52	7.26	36.96	6.00	256	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.62	69.01	74.00	-4.99	60.19	32.52	7.26	36.96	6.00	256	360	PEAK																																											
Avg							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>41.59</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>256</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	50.41	54.00	-3.59	41.59	32.52	7.26	36.96	6.00	256	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.92	50.41	54.00	-3.59	41.59	32.52	7.26	36.96	6.00	256	360	AVERAGE																																											





Mode	12																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.73</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>47.11</td><td>32.03</td><td>7.09</td><td>36.91</td><td>6.00</td><td>300</td><td>265</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.73	55.32	74.00	-18.68	47.11	32.03	7.09	36.91	6.00	300	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2377.73	55.32	74.00	-18.68	47.11	32.03	7.09	36.91	6.00	300	265	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>101.42</td><td>-----</td><td>-----</td><td>92.82</td><td>32.34</td><td>7.20</td><td>36.94</td><td>6.00</td><td>300</td><td>265</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	101.42	-----	-----	92.82	32.34	7.20	36.94	6.00	300	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	101.42	-----	-----	92.82	32.34	7.20	36.94	6.00	300	265	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>35.25</td><td>31.83</td><td>6.98</td><td>36.89</td><td>6.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	43.17	54.00	-10.83	35.25	31.83	6.98	36.89	6.00	300	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2310.00	43.17	54.00	-10.83	35.25	31.83	6.98	36.89	6.00	300	265	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>92.78</td><td>-----</td><td>-----</td><td>84.18</td><td>32.34</td><td>7.20</td><td>36.94</td><td>6.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	92.78	-----	-----	84.18	32.34	7.20	36.94	6.00	300	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	92.78	-----	-----	84.18	32.34	7.20	36.94	6.00	300	265	AVERAGE																																											







Mode	12																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH09_2452MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>61.78</td><td>74.00</td><td>-12.22</td><td>52.96</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>300</td><td>265</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	61.78	74.00	-12.22	52.96	32.52	7.26	36.96	6.00	300	265	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.56	61.78	74.00	-12.22	52.96	32.52	7.26	36.96	6.00	300	265	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.15</td><td>54.00</td><td>-6.85</td><td>38.33</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.15	54.00	-6.85	38.33	32.52	7.26	36.96	6.00	300	265	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.50	47.15	54.00	-6.85	38.33	32.52	7.26	36.96	6.00	300	265	AVERAGE																																		







Mode	12																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																	
ANT	CDD 0+1																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>63.62</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>59.95</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.63	74.00	-31.37	63.62	33.95	10.35	65.29	0.00	--- PEAK	2	7386.00	41.72	74.00	-32.28	59.95	35.70	12.73	66.66	0.00	--- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4924.00	42.63	74.00	-31.37	63.62	33.95	10.35	65.29	0.00	--- PEAK																																																								
2	7386.00	41.72	74.00	-32.28	59.95	35.70	12.73	66.66	0.00	--- PEAK																																																								
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>61.24</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>60.04</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.25	74.00	-33.75	61.24	33.95	10.35	65.29	0.00	--- PEAK	2	7386.00	41.81	74.00	-32.19	60.04	35.70	12.73	66.66	0.00	--- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4924.00	40.25	74.00	-33.75	61.24	33.95	10.35	65.29	0.00	--- PEAK																																																								
2	7386.00	41.81	74.00	-32.19	60.04	35.70	12.73	66.66	0.00	--- PEAK																																																								





Mode	13																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																													
ANT	0																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>64.91</td><td>74.00</td><td>-9.09</td><td>56.54</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>124</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	64.91	74.00	-9.09	56.54	32.32	7.10	37.05	6.00	124	179	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2264.00</td><td>58.01</td><td>74.00</td><td>-15.99</td><td>50.55</td><td>31.66</td><td>6.91</td><td>37.11</td><td>6.00</td><td>124</td><td>179</td><td>Peak</td></tr><tr><td>2</td><td>2417.00</td><td>111.01</td><td>-----</td><td>-----</td><td>102.31</td><td>32.54</td><td>7.15</td><td>36.99</td><td>6.00</td><td>124</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2264.00	58.01	74.00	-15.99	50.55	31.66	6.91	37.11	6.00	124	179	Peak	2	2417.00	111.01	-----	-----	102.31	32.54	7.15	36.99	6.00	124	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.00	64.91	74.00	-9.09	56.54	32.32	7.10	37.05	6.00	124	179	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2264.00	58.01	74.00	-15.99	50.55	31.66	6.91	37.11	6.00	124	179	Peak																																																																																																		
2	2417.00	111.01	-----	-----	102.31	32.54	7.15	36.99	6.00	124	179	PEAK																																																																																																		
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.79</td><td>54.00</td><td>-7.21</td><td>38.40</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>124</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.79	54.00	-7.21	38.40	32.33	7.11	37.05	6.00	124	179	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2264.00</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>41.56</td><td>31.66</td><td>6.91</td><td>37.11</td><td>6.00</td><td>124</td><td>179</td><td>Average</td></tr><tr><td>2</td><td>2417.00</td><td>101.46</td><td>-----</td><td>-----</td><td>92.72</td><td>32.57</td><td>7.16</td><td>36.99</td><td>6.00</td><td>124</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2264.00	49.02	54.00	-4.98	41.56	31.66	6.91	37.11	6.00	124	179	Average	2	2417.00	101.46	-----	-----	92.72	32.57	7.16	36.99	6.00	124	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	46.79	54.00	-7.21	38.40	32.33	7.11	37.05	6.00	124	179	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2264.00	49.02	54.00	-4.98	41.56	31.66	6.91	37.11	6.00	124	179	Average																																																																																																		
2	2417.00	101.46	-----	-----	92.72	32.57	7.16	36.99	6.00	124	179	AVERAGE																																																																																																		







Mode	13																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																											
ANT	0																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>64.99</td><td>74.00</td><td>-9.01</td><td>56.61</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>329</td><td>87 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	64.99	74.00	-9.01	56.61	32.33	7.10	37.05	6.00	329	87 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2264.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>45.58</td><td>31.66</td><td>6.91</td><td>37.11</td><td>6.00</td><td>329</td><td>87 Peak</td></tr><tr><td>2</td><td>2417.00</td><td>107.61</td><td>-----</td><td>-----</td><td>99.00</td><td>32.48</td><td>7.14</td><td>37.01</td><td>6.00</td><td>329</td><td>87 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2264.00	53.04	74.00	-20.96	45.58	31.66	6.91	37.11	6.00	329	87 Peak	2	2417.00	107.61	-----	-----	99.00	32.48	7.14	37.01	6.00	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2389.43	64.99	74.00	-9.01	56.61	32.33	7.10	37.05	6.00	329	87 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2264.00	53.04	74.00	-20.96	45.58	31.66	6.91	37.11	6.00	329	87 Peak																																																																																																	
2	2417.00	107.61	-----	-----	99.00	32.48	7.14	37.01	6.00	329	87 PEAK																																																																																																	
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>34.70</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>329</td><td>87 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.09	54.00	-10.91	34.70	32.33	7.11	37.05	6.00	329	87 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2264.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>36.76</td><td>31.66</td><td>6.91</td><td>37.11</td><td>6.00</td><td>329</td><td>87 Average</td></tr><tr><td>2</td><td>2417.00</td><td>98.26</td><td>-----</td><td>-----</td><td>89.63</td><td>32.50</td><td>7.14</td><td>37.01</td><td>6.00</td><td>329</td><td>87 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2264.00	44.22	54.00	-9.78	36.76	31.66	6.91	37.11	6.00	329	87 Average	2	2417.00	98.26	-----	-----	89.63	32.50	7.14	37.01	6.00	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2389.95	43.09	54.00	-10.91	34.70	32.33	7.11	37.05	6.00	329	87 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2264.00	44.22	54.00	-9.78	36.76	31.66	6.91	37.11	6.00	329	87 Average																																																																																																	
2	2417.00	98.26	-----	-----	89.63	32.50	7.14	37.01	6.00	329	87 AVERAGE																																																																																																	







Mode	13																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																												
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																																																																																																												
ANT	0																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4834.00</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>77.76</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>119</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>67.98</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>119</td><td>174</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>60.14</td><td>74.00</td><td>-13.86</td><td>77.61</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>295</td><td>73</td><td>PEAK</td></tr><tr><td>4</td><td>7251.00</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>65.93</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>295</td><td>73</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4834.00	56.87	74.00	-17.13	77.76	34.37	10.24	65.50	0.00	119	174	PEAK	2	4834.00	47.09	54.00	-6.91	67.98	34.37	10.24	65.50	0.00	119	174	AVERAGE	3	7251.00	60.14	74.00	-13.86	77.61	35.95	12.72	66.14	0.00	295	73	PEAK	4	7251.00	48.46	54.00	-5.54	65.93	35.95	12.72	66.14	0.00	295	73	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4834.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>74.22</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>353</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>64.48</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>353</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>62.02</td><td>74.00</td><td>-11.98</td><td>79.49</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>294</td><td>229</td><td>PEAK</td></tr><tr><td>4</td><td>7251.00</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>68.12</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>294</td><td>229</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4834.00	53.33	74.00	-20.67	74.22	34.37	10.24	65.50	0.00	353	327	PEAK	2	4834.00	43.59	54.00	-10.41	64.48	34.37	10.24	65.50	0.00	353	327	AVERAGE	3	7251.00	62.02	74.00	-11.98	79.49	35.95	12.72	66.14	0.00	294	229	PEAK	4	7251.00	50.65	54.00	-3.35	68.12	35.95	12.72	66.14	0.00	294	229
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	4834.00	56.87	74.00	-17.13	77.76	34.37	10.24	65.50	0.00	119	174	PEAK																																																																																																																																																																																	
2	4834.00	47.09	54.00	-6.91	67.98	34.37	10.24	65.50	0.00	119	174	AVERAGE																																																																																																																																																																																	
3	7251.00	60.14	74.00	-13.86	77.61	35.95	12.72	66.14	0.00	295	73	PEAK																																																																																																																																																																																	
4	7251.00	48.46	54.00	-5.54	65.93	35.95	12.72	66.14	0.00	295	73	AVERAGE																																																																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	4834.00	53.33	74.00	-20.67	74.22	34.37	10.24	65.50	0.00	353	327	PEAK																																																																																																																																																																																	
2	4834.00	43.59	54.00	-10.41	64.48	34.37	10.24	65.50	0.00	353	327	AVERAGE																																																																																																																																																																																	
3	7251.00	62.02	74.00	-11.98	79.49	35.95	12.72	66.14	0.00	294	229	PEAK																																																																																																																																																																																	
4	7251.00	50.65	54.00	-3.35	68.12	35.95	12.72	66.14	0.00	294	229	AVERAGE																																																																																																																																																																																	





Mode	14																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>70.22</td><td>74.00</td><td>-3.78</td><td>60.83</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>143</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	70.22	74.00	-3.78	60.83	32.98	7.26	36.85	6.00	143	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>57.84</td><td>74.00</td><td>-16.16</td><td>50.21</td><td>31.74</td><td>6.98</td><td>37.09</td><td>6.00</td><td>143</td><td>173</td><td>Peak</td></tr><tr><td>2</td><td>2457.00</td><td>110.05</td><td>-----</td><td>100.91</td><td>32.82</td><td>7.22</td><td>36.90</td><td>6.00</td><td>143</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2306.00	57.84	74.00	-16.16	50.21	31.74	6.98	37.09	6.00	143	173	Peak	2	2457.00	110.05	-----	100.91	32.82	7.22	36.90	6.00	143	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2483.50	70.22	74.00	-3.78	60.83	32.98	7.26	36.85	6.00	143	173	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2306.00	57.84	74.00	-16.16	50.21	31.74	6.98	37.09	6.00	143	173	Peak																																																																																																			
2	2457.00	110.05	-----	100.91	32.82	7.22	36.90	6.00	143	173	PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.91</td><td>54.00</td><td>-4.09</td><td>40.52</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>143</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	49.91	54.00	-4.09	40.52	32.98	7.26	36.85	6.00	143	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2304.00</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>41.00</td><td>31.73</td><td>6.97</td><td>37.09</td><td>6.00</td><td>143</td><td>173</td><td>Average</td></tr><tr><td>2</td><td>2457.00</td><td>100.90</td><td>-----</td><td>91.75</td><td>32.83</td><td>7.22</td><td>36.90</td><td>6.00</td><td>143</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2304.00	48.61	54.00	-5.39	41.00	31.73	6.97	37.09	6.00	143	173	Average	2	2457.00	100.90	-----	91.75	32.83	7.22	36.90	6.00	143	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2483.50	49.91	54.00	-4.09	40.52	32.98	7.26	36.85	6.00	143	173	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2304.00	48.61	54.00	-5.39	41.00	31.73	6.97	37.09	6.00	143	173	Average																																																																																																			
2	2457.00	100.90	-----	91.75	32.83	7.22	36.90	6.00	143	173	AVERAGE																																																																																																				







		14																																																																																																																								
Mode		Band Edge																																																																																																																								
		2400-2483.5_802.11g_CH10_2457MHz																																																																																																																								
ANT		0																																																																																																																								
Pol.		Vertical					Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.40</td><td>63.84</td><td>74.00</td><td>-10.16</td><td>54.41</td><td>33.01</td><td>7.26</td><td>36.84</td><td>6.00</td><td>351</td><td>89</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.40	63.84	74.00	-10.16	54.41	33.01	7.26	36.84	6.00	351	89	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2304.00</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>45.59</td><td>31.73</td><td>6.97</td><td>37.09</td><td>6.00</td><td>351</td><td>89</td><td>Peak</td></tr><tr><td>2</td><td>2457.00</td><td>105.40</td><td>-----</td><td>-----</td><td>96.22</td><td>32.85</td><td>7.22</td><td>36.89</td><td>6.00</td><td>351</td><td>89</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2304.00	53.20	74.00	-20.80	45.59	31.73	6.97	37.09	6.00	351	89	Peak	2	2457.00	105.40	-----	-----	96.22	32.85	7.22	36.89	6.00	351	89
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2487.40	63.84	74.00	-10.16	54.41	33.01	7.26	36.84	6.00	351	89	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2304.00	53.20	74.00	-20.80	45.59	31.73	6.97	37.09	6.00	351	89	Peak																																																																																																														
2	2457.00	105.40	-----	-----	96.22	32.85	7.22	36.89	6.00	351	89	PEAK																																																																																																														
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>36.19</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>89</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	45.58	54.00	-8.42	36.19	32.98	7.26	36.85	6.00	351	89	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2304.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>36.87</td><td>31.73</td><td>6.97</td><td>37.09</td><td>6.00</td><td>351</td><td>89</td><td>Average</td></tr><tr><td>2</td><td>2457.00</td><td>96.17</td><td>-----</td><td>-----</td><td>86.99</td><td>32.85</td><td>7.22</td><td>36.89</td><td>6.00</td><td>351</td><td>89</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2304.00	44.48	54.00	-9.52	36.87	31.73	6.97	37.09	6.00	351	89	Average	2	2457.00	96.17	-----	-----	86.99	32.85	7.22	36.89	6.00	351	89
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2483.56	45.58	54.00	-8.42	36.19	32.98	7.26	36.85	6.00	351	89	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2304.00	44.48	54.00	-9.52	36.87	31.73	6.97	37.09	6.00	351	89	Average																																																																																																														
2	2457.00	96.17	-----	-----	86.99	32.85	7.22	36.89	6.00	351	89	AVERAGE																																																																																																														







Mode	14																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																																																																							
ANT	0																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>75.11</td><td>34.29</td><td>10.34</td><td>65.56</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>65.51</td><td>34.29</td><td>10.34</td><td>65.56</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td></tr><tr><td>3</td><td>7371.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>61.16</td><td>35.93</td><td>12.73</td><td>66.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	54.18	74.00	-19.82	75.11	34.29	10.34	65.56	0.00	100	180	PEAK	2	4914.00	44.58	54.00	-9.42	65.51	34.29	10.34	65.56	0.00	100	180	AVERAGE	3	7371.00	43.37	74.00	-30.63	61.16	35.93	12.73	66.45	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>41.38</td><td>74.00</td><td>-32.62</td><td>62.31</td><td>34.29</td><td>10.34</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>58.64</td><td>74.00</td><td>-15.36</td><td>76.43</td><td>35.93</td><td>12.73</td><td>66.45</td><td>0.00</td><td>286</td><td>228</td><td>PEAK</td></tr><tr><td>3</td><td>7371.00</td><td>47.14</td><td>54.00</td><td>-6.86</td><td>64.93</td><td>35.93</td><td>12.73</td><td>66.45</td><td>0.00</td><td>286</td><td>228</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	41.38	74.00	-32.62	62.31	34.29	10.34	65.56	0.00	--	--	PEAK	2	7371.00	58.64	74.00	-15.36	76.43	35.93	12.73	66.45	0.00	286	228	PEAK	3	7371.00	47.14	54.00	-6.86	64.93	35.93	12.73	66.45	0.00	286	228	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4914.00	54.18	74.00	-19.82	75.11	34.29	10.34	65.56	0.00	100	180	PEAK																																																																																																																																												
2	4914.00	44.58	54.00	-9.42	65.51	34.29	10.34	65.56	0.00	100	180	AVERAGE																																																																																																																																												
3	7371.00	43.37	74.00	-30.63	61.16	35.93	12.73	66.45	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4914.00	41.38	74.00	-32.62	62.31	34.29	10.34	65.56	0.00	--	--	PEAK																																																																																																																																												
2	7371.00	58.64	74.00	-15.36	76.43	35.93	12.73	66.45	0.00	286	228	PEAK																																																																																																																																												
3	7371.00	47.14	54.00	-6.86	64.93	35.93	12.73	66.45	0.00	286	228	AVERAGE																																																																																																																																												



Mode	15																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11g_CH09_2452MHz																																																																																																												
ANT	0																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.62</td><td>63.34</td><td>74.00</td><td>-10.66</td><td>53.87</td><td>33.03</td><td>7.27</td><td>36.83</td><td>6.00</td><td>143</td><td>174</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.62	63.34	74.00	-10.66	53.87	33.03	7.27	36.83	6.00	143	174	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>50.22</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>143</td><td>174</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>111.00</td><td>-----</td><td>101.06</td><td>32.82</td><td>7.22</td><td>36.90</td><td>6.00</td><td>143</td><td>174</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	57.80	74.00	-16.20	50.22	31.70	6.97	37.09	6.00	143	174	Peak	2	2452.00	111.00	-----	101.06	32.82	7.22	36.90	6.00	143	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2489.62	63.34	74.00	-10.66	53.87	33.03	7.27	36.83	6.00	143	174	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2300.00	57.80	74.00	-16.20	50.22	31.70	6.97	37.09	6.00	143	174	Peak																																																																																																	
2	2452.00	111.00	-----	101.06	32.82	7.22	36.90	6.00	143	174	PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>50.17</td><td>54.00</td><td>-3.83</td><td>40.77</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>143</td><td>174</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	50.17	54.00	-3.83	40.77	32.99	7.26	36.85	6.00	143	174	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>41.67</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>143</td><td>174</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>101.70</td><td>-----</td><td>92.56</td><td>32.82</td><td>7.22</td><td>36.90</td><td>6.00</td><td>143</td><td>174</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	49.25	54.00	-4.75	41.67	31.70	6.97	37.09	6.00	143	174	Average	2	2452.00	101.70	-----	92.56	32.82	7.22	36.90	6.00	143	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.98	50.17	54.00	-3.83	40.77	32.99	7.26	36.85	6.00	143	174	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2300.00	49.25	54.00	-4.75	41.67	31.70	6.97	37.09	6.00	143	174	Average																																																																																																	
2	2452.00	101.70	-----	92.56	32.82	7.22	36.90	6.00	143	174	AVERAGE																																																																																																		







Mode	15																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_802.11g_CH09_2452MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>51.39</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>352</td><td>88</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	60.79	74.00	-13.21	51.39	32.99	7.26	36.85	6.00	352	88	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>46.28</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>352</td><td>88</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>106.26</td><td>-----</td><td>-----</td><td>97.17</td><td>32.79</td><td>7.21</td><td>36.91</td><td>6.00</td><td>352</td><td>88</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	53.86	74.00	-20.14	46.28	31.70	6.97	37.09	6.00	352	88	Peak	2	2452.00	106.26	-----	-----	97.17	32.79	7.21	36.91	6.00	352	88
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2484.40	60.79	74.00	-13.21	51.39	32.99	7.26	36.85	6.00	352	88	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2300.00	53.86	74.00	-20.14	46.28	31.70	6.97	37.09	6.00	352	88	Peak																																																																																																				
2	2452.00	106.26	-----	-----	97.17	32.79	7.21	36.91	6.00	352	88	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>35.57</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>352</td><td>88</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.96	54.00	-9.04	35.57	32.98	7.26	36.85	6.00	352	88	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>37.20</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>352</td><td>88</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>96.91</td><td>-----</td><td>-----</td><td>87.82</td><td>32.79</td><td>7.21</td><td>36.91</td><td>6.00</td><td>352</td><td>88</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	44.78	54.00	-9.22	37.20	31.70	6.97	37.09	6.00	352	88	Average	2	2452.00	96.91	-----	-----	87.82	32.79	7.21	36.91	6.00	352	88
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.50	44.96	54.00	-9.04	35.57	32.98	7.26	36.85	6.00	352	88	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2300.00	44.78	54.00	-9.22	37.20	31.70	6.97	37.09	6.00	352	88	Average																																																																																																				
2	2452.00	96.91	-----	-----	87.82	32.79	7.21	36.91	6.00	352	88	AVERAGE																																																																																																				





Mode	15																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	2400-2483.5_802.11g_CH09_2452MHz																																																																																																																																																																							
ANT	0																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>77.12</td><td>34.30</td><td>10.33</td><td>65.55</td><td>0.00</td><td>104</td><td>182 PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>67.18</td><td>34.30</td><td>10.33</td><td>65.55</td><td>0.00</td><td>104</td><td>182 AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>72.23</td><td>35.94</td><td>12.73</td><td>66.41</td><td>0.00</td><td>300</td><td>112 PEAK</td></tr><tr><td>4</td><td>7356.00</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>60.99</td><td>35.94</td><td>12.73</td><td>66.41</td><td>0.00</td><td>300</td><td>112 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	56.20	74.00	-17.80	77.12	34.30	10.33	65.55	0.00	104	182 PEAK	2	4904.00	46.26	54.00	-7.74	67.18	34.30	10.33	65.55	0.00	104	182 AVERAGE	3	7356.00	54.49	74.00	-19.51	72.23	35.94	12.73	66.41	0.00	300	112 PEAK	4	7356.00	43.25	54.00	-10.75	60.99	35.94	12.73	66.41	0.00	300	112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>72.68</td><td>34.30</td><td>10.33</td><td>65.55</td><td>0.00</td><td>361</td><td>329 PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>63.27</td><td>34.30</td><td>10.33</td><td>65.55</td><td>0.00</td><td>361</td><td>329 AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>58.92</td><td>74.00</td><td>-15.08</td><td>76.66</td><td>35.94</td><td>12.73</td><td>66.41</td><td>0.00</td><td>300</td><td>193 PEAK</td></tr><tr><td>4</td><td>7356.00</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>65.30</td><td>35.94</td><td>12.73</td><td>66.41</td><td>0.00</td><td>300</td><td>193 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	51.76	74.00	-22.24	72.68	34.30	10.33	65.55	0.00	361	329 PEAK	2	4904.00	42.35	54.00	-11.65	63.27	34.30	10.33	65.55	0.00	361	329 AVERAGE	3	7356.00	58.92	74.00	-15.08	76.66	35.94	12.73	66.41	0.00	300	193 PEAK	4	7356.00	47.56	54.00	-6.44	65.30	35.94	12.73	66.41	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	4904.00	56.20	74.00	-17.80	77.12	34.30	10.33	65.55	0.00	104	182 PEAK																																																																																																																																																													
2	4904.00	46.26	54.00	-7.74	67.18	34.30	10.33	65.55	0.00	104	182 AVERAGE																																																																																																																																																													
3	7356.00	54.49	74.00	-19.51	72.23	35.94	12.73	66.41	0.00	300	112 PEAK																																																																																																																																																													
4	7356.00	43.25	54.00	-10.75	60.99	35.94	12.73	66.41	0.00	300	112 AVERAGE																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	4904.00	51.76	74.00	-22.24	72.68	34.30	10.33	65.55	0.00	361	329 PEAK																																																																																																																																																													
2	4904.00	42.35	54.00	-11.65	63.27	34.30	10.33	65.55	0.00	361	329 AVERAGE																																																																																																																																																													
3	7356.00	58.92	74.00	-15.08	76.66	35.94	12.73	66.41	0.00	300	193 PEAK																																																																																																																																																													
4	7356.00	47.56	54.00	-6.44	65.30	35.94	12.73	66.41	0.00	300	193 AVERAGE																																																																																																																																																													







Mode	16																																																																																																													
	Band Edge - L																																																																																																													
	2400-2483.5_802.11g_CH08_2447MHz																																																																																																													
ANT	0																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.00</td><td>50.09</td><td>74.00</td><td>-23.91</td><td>41.84</td><td>32.22</td><td>7.00</td><td>37.05</td><td>6.00</td><td>140</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.00	50.09	74.00	-23.91	41.84	32.22	7.00	37.05	6.00	140	172	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2294.00</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>45.33</td><td>31.69</td><td>6.96</td><td>37.09</td><td>6.00</td><td>140</td><td>172</td><td>Peak</td></tr><tr><td>2</td><td>2447.00</td><td>111.99</td><td>-----</td><td>-----</td><td>102.92</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>140</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2294.00	52.89	74.00	-21.11	45.33	31.69	6.96	37.09	6.00	140	172	Peak	2	2447.00	111.99	-----	-----	102.92	32.78	7.21	36.92	6.00	140	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2375.00	50.09	74.00	-23.91	41.84	32.22	7.00	37.05	6.00	140	172	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2294.00	52.89	74.00	-21.11	45.33	31.69	6.96	37.09	6.00	140	172	Peak																																																																																																		
2	2447.00	111.99	-----	-----	102.92	32.78	7.21	36.92	6.00	140	172	PEAK																																																																																																		
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>38.94</td><td>54.00</td><td>-15.06</td><td>30.56</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>140</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	38.94	54.00	-15.06	30.56	32.33	7.10	37.05	6.00	140	172	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2294.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>36.07</td><td>31.69</td><td>6.96</td><td>37.09</td><td>6.00</td><td>140</td><td>172</td><td>Average</td></tr><tr><td>2</td><td>2447.00</td><td>102.87</td><td>-----</td><td>-----</td><td>93.85</td><td>32.75</td><td>7.20</td><td>36.93</td><td>6.00</td><td>140</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2294.00	43.63	54.00	-10.37	36.07	31.69	6.96	37.09	6.00	140	172	Average	2	2447.00	102.87	-----	-----	93.85	32.75	7.20	36.93	6.00	140	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.43	38.94	54.00	-15.06	30.56	32.33	7.10	37.05	6.00	140	172	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2294.00	43.63	54.00	-10.37	36.07	31.69	6.96	37.09	6.00	140	172	Average																																																																																																		
2	2447.00	102.87	-----	-----	93.85	32.75	7.20	36.93	6.00	140	172	AVERAGE																																																																																																		



Mode	16																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11g_CH08_2447MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>68.49</td><td>74.00</td><td>-5.51</td><td>59.09</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>140</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	68.49	74.00	-5.51	59.09	32.99	7.26	36.85	6.00	140	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.46	68.49	74.00	-5.51	59.09	32.99	7.26	36.85	6.00	140	172	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.86</td><td>54.00</td><td>-3.14</td><td>41.47</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>140</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.86	54.00	-3.14	41.47	32.98	7.26	36.85	6.00	140	172	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	50.86	54.00	-3.14	41.47	32.98	7.26	36.85	6.00	140	172	AVERAGE																																												





Mode	16																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11g_CH08_2447MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.20</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>41.52</td><td>32.26</td><td>7.09</td><td>37.05</td><td>6.00</td><td>351</td><td>86</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.20	49.82	74.00	-24.18	41.52	32.26	7.09	37.05	6.00	351	86	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>107.58</td><td>-----</td><td>-----</td><td>98.53</td><td>32.76</td><td>7.21</td><td>36.92</td><td>6.00</td><td>351</td><td>86</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	107.58	-----	-----	98.53	32.76	7.21	36.92	6.00	351	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2380.20	49.82	74.00	-24.18	41.52	32.26	7.09	37.05	6.00	351	86	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2447.00	107.58	-----	-----	98.53	32.76	7.21	36.92	6.00	351	86	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>38.72</td><td>54.00</td><td>-15.28</td><td>30.34</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>351</td><td>86</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	38.72	54.00	-15.28	30.34	32.33	7.10	37.05	6.00	351	86	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>98.37</td><td>-----</td><td>-----</td><td>89.30</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>351</td><td>86</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	98.37	-----	-----	89.30	32.78	7.21	36.92	6.00	351	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.56	38.72	54.00	-15.28	30.34	32.33	7.10	37.05	6.00	351	86	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2447.00	98.37	-----	-----	89.30	32.78	7.21	36.92	6.00	351	86	AVERAGE																																																																																																			







Mode	16																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11g_CH08_2447MHz																																																					
ANT	0																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>63.79</td><td>74.00</td><td>-10.21</td><td>54.39</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>86 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	63.79	74.00	-10.21	54.39	32.99	7.26	36.85	6.00	351	86 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.86	63.79	74.00	-10.21	54.39	32.99	7.26	36.85	6.00	351	86 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>36.77</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>86 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	46.17	54.00	-7.83	36.77	32.99	7.26	36.85	6.00	351	86 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.74	46.17	54.00	-7.83	36.77	32.99	7.26	36.85	6.00	351	86 AVERAGE																																											







Mode	16																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11g_CH08_2447MHz																																																																																																																																																																			
ANT	0																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>56.65</td><td>74.00</td><td>-17.35</td><td>77.56</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>104</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>68.64</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>104</td><td>183</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>56.32</td><td>74.00</td><td>-17.68</td><td>74.01</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>300</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>7341.00</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>63.61</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>300</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4894.00	56.65	74.00	-17.35	77.56	34.31	10.32	65.54	0.00	104	183	PEAK	2	4894.00	47.73	54.00	-6.27	68.64	34.31	10.32	65.54	0.00	104	183	AVERAGE	3	7341.00	56.32	74.00	-17.68	74.01	35.96	12.72	66.37	0.00	300	114	PEAK	4	7341.00	45.92	54.00	-8.08	63.61	35.96	12.72	66.37	0.00	300	114	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4899.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>69.14</td><td>34.30</td><td>10.32</td><td>65.54</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7341.00</td><td>62.56</td><td>74.00</td><td>-11.44</td><td>80.25</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>3</td><td>7341.00</td><td>50.80</td><td>54.00</td><td>-3.20</td><td>68.49</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>300</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4899.00	48.22	74.00	-25.78	69.14	34.30	10.32	65.54	0.00	--	--	Peak	2	7341.00	62.56	74.00	-11.44	80.25	35.96	12.72	66.37	0.00	300	227	PEAK	3	7341.00	50.80	54.00	-3.20	68.49	35.96	12.72	66.37	0.00	300	227
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4894.00	56.65	74.00	-17.35	77.56	34.31	10.32	65.54	0.00	104	183	PEAK																																																																																																																																																								
2	4894.00	47.73	54.00	-6.27	68.64	34.31	10.32	65.54	0.00	104	183	AVERAGE																																																																																																																																																								
3	7341.00	56.32	74.00	-17.68	74.01	35.96	12.72	66.37	0.00	300	114	PEAK																																																																																																																																																								
4	7341.00	45.92	54.00	-8.08	63.61	35.96	12.72	66.37	0.00	300	114	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4899.00	48.22	74.00	-25.78	69.14	34.30	10.32	65.54	0.00	--	--	Peak																																																																																																																																																								
2	7341.00	62.56	74.00	-11.44	80.25	35.96	12.72	66.37	0.00	300	227	PEAK																																																																																																																																																								
3	7341.00	50.80	54.00	-3.20	68.49	35.96	12.72	66.37	0.00	300	227	AVERAGE																																																																																																																																																								



		17																																																																		
Mode	Band Edge																																																																			
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																			
ANT	CDD 0+1																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>69.61</td><td>74.00</td><td>-4.39</td><td>61.24</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>266</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	69.61	74.00	-4.39	61.24	32.32	7.10	37.05	6.00	266	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2388.26	69.61	74.00	-4.39	61.24	32.32	7.10	37.05	6.00	266	360	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>110.73</td><td>-----</td><td>-----</td><td>101.99</td><td>32.57</td><td>7.16</td><td>36.99</td><td>6.00</td><td>266</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.73	-----	-----	101.99	32.57	7.16	36.99	6.00	266	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2417.00	110.73	-----	-----	101.99	32.57	7.16	36.99	6.00	266	360	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.18</td><td>54.00</td><td>-3.82</td><td>41.79</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>266</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.18	54.00	-3.82	41.79	32.33	7.11	37.05	6.00	266	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2389.95	50.18	54.00	-3.82	41.79	32.33	7.11	37.05	6.00	266	360	AVERAGE																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2266.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>36.18</td><td>31.67</td><td>6.92</td><td>37.11</td><td>6.00</td><td>266</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2417.00</td><td>101.65</td><td>-----</td><td>-----</td><td>92.97</td><td>32.53</td><td>7.15</td><td>37.00</td><td>6.00</td><td>266</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2266.00	43.66	54.00	-10.34	36.18	31.67	6.92	37.11	6.00	266	360	Average	2	2417.00	101.65	-----	-----	92.97	32.53	7.15	37.00	6.00	266	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2266.00	43.66	54.00	-10.34	36.18	31.67	6.92	37.11	6.00	266	360	Average																																																								
2	2417.00	101.65	-----	-----	92.97	32.53	7.15	37.00	6.00	266	360	AVERAGE																																																								







Mode	17																																																																
	Band Edge																																																																
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																
ANT	CDD 0+1																																																																
Pol.	Vertical						Fundamental																																																										
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>68.44</td><td>74.00</td><td>-5.56</td><td>60.00</td><td>32.31</td><td>7.10</td><td>37.05</td><td>6.00</td><td>329</td><td>90 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	68.44	74.00	-5.56	60.00	32.31	7.10	37.05	6.00	329	90 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2386.96	68.44	74.00	-5.56	60.00	32.31	7.10	37.05	6.00	329	90 PEAK																																																						
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>109.01</td><td>-----</td><td>-----</td><td>100.40</td><td>32.48</td><td>7.14</td><td>37.01</td><td>6.00</td><td>329</td><td>90 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	109.01	-----	-----	100.40	32.48	7.14	37.01	6.00	329	90 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2417.00	109.01	-----	-----	100.40	32.48	7.14	37.01	6.00	329	90 PEAK																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>49.32</td><td>54.00</td><td>-4.68</td><td>40.94</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>329</td><td>90 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	49.32	54.00	-4.68	40.94	32.33	7.10	37.05	6.00	329	90 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.43	49.32	54.00	-4.68	40.94	32.33	7.10	37.05	6.00	329	90 AVERAGE																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2266.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>34.77</td><td>31.67</td><td>6.92</td><td>37.11</td><td>6.00</td><td>329</td><td>90 Average</td></tr><tr><td>2</td><td>2417.00</td><td>99.95</td><td>-----</td><td>-----</td><td>91.34</td><td>32.48</td><td>7.14</td><td>37.01</td><td>6.00</td><td>329</td><td>90 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2266.00	42.25	54.00	-11.75	34.77	31.67	6.92	37.11	6.00	329	90 Average	2	2417.00	99.95	-----	-----	91.34	32.48	7.14	37.01	6.00	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2266.00	42.25	54.00	-11.75	34.77	31.67	6.92	37.11	6.00	329	90 Average																																																						
2	2417.00	99.95	-----	-----	91.34	32.48	7.14	37.01	6.00	329	90 AVERAGE																																																						







		17																																																																																		
Mode		Harmonic																																																																																		
		2400-2483.5_802.11n_HT20_CH02_2417MHz																																																																																		
ANT		CDD 0+1																																																																																		
Pol.		Horizontal						Vertical																																																																												
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>73.13</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>361</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>63.65</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>361</td><td>181</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>62.82</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	52.24	74.00	-21.76	73.13	34.37	10.24	65.50	0.00	361	181	PEAK	2	4834.00	42.76	54.00	-11.24	63.65	34.37	10.24	65.50	0.00	361	181	AVERAGE	3	7251.00	45.35	74.00	-28.65	62.82	35.95	12.72	66.14	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	4834.00	52.24	74.00	-21.76	73.13	34.37	10.24	65.50	0.00	361	181	PEAK																																																																								
2	4834.00	42.76	54.00	-11.24	63.65	34.37	10.24	65.50	0.00	361	181	AVERAGE																																																																								
3	7251.00	45.35	74.00	-28.65	62.82	35.95	12.72	66.14	0.00	--	--	PEAK																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>61.38</td><td>34.37</td><td>10.24</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>73.19</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>306</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>60.30</td><td>35.95</td><td>12.72</td><td>66.14</td><td>0.00</td><td>306</td><td>320</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	40.49	74.00	-33.51	61.38	34.37	10.24	65.50	0.00	--	--	PEAK	2	7251.00	55.72	74.00	-18.28	73.19	35.95	12.72	66.14	0.00	306	320	PEAK	3	7251.00	42.83	54.00	-11.17	60.30	35.95	12.72	66.14	0.00	306	320	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	4834.00	40.49	74.00	-33.51	61.38	34.37	10.24	65.50	0.00	--	--	PEAK																																																																								
2	7251.00	55.72	74.00	-18.28	73.19	35.95	12.72	66.14	0.00	306	320	PEAK																																																																								
3	7251.00	42.83	54.00	-11.17	60.30	35.95	12.72	66.14	0.00	306	320	AVERAGE																																																																								





Mode	18																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_802.11n_HT20_CH10_2457MHz																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>67.11</td><td>74.00</td><td>-6.89</td><td>57.71</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>254</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	67.11	74.00	-6.89	57.71	32.99	7.26	36.85	6.00	254	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>45.17</td><td>31.74</td><td>6.98</td><td>37.09</td><td>6.00</td><td>254</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2457.00</td><td>107.96</td><td>-----</td><td>-----</td><td>98.78</td><td>32.85</td><td>7.22</td><td>36.89</td><td>6.00</td><td>254</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	52.80	74.00	-21.20	45.17	31.74	6.98	37.09	6.00	254	360	Peak	2	2457.00	107.96	-----	-----	98.78	32.85	7.22	36.89	6.00	254	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2484.10	67.11	74.00	-6.89	57.71	32.99	7.26	36.85	6.00	254	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2306.00	52.80	74.00	-21.20	45.17	31.74	6.98	37.09	6.00	254	360	Peak																																																																																																				
2	2457.00	107.96	-----	-----	98.78	32.85	7.22	36.89	6.00	254	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>40.86</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>254</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	50.26	54.00	-3.74	40.86	32.99	7.26	36.85	6.00	254	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>44.10</td><td>54.00</td><td>-9.90</td><td>36.47</td><td>31.74</td><td>6.98</td><td>37.09</td><td>6.00</td><td>254</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2457.00</td><td>99.28</td><td>-----</td><td>-----</td><td>90.10</td><td>32.85</td><td>7.22</td><td>36.89</td><td>6.00</td><td>254</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	44.10	54.00	-9.90	36.47	31.74	6.98	37.09	6.00	254	360	Average	2	2457.00	99.28	-----	-----	90.10	32.85	7.22	36.89	6.00	254	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2484.52	50.26	54.00	-3.74	40.86	32.99	7.26	36.85	6.00	254	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2306.00	44.10	54.00	-9.90	36.47	31.74	6.98	37.09	6.00	254	360	Average																																																																																																				
2	2457.00	99.28	-----	-----	90.10	32.85	7.22	36.89	6.00	254	360	AVERAGE																																																																																																				







		18																																																															
Mode		Band Edge																																																															
		2400-2483.5_802.11n HT20_CH10_2457MHz																																																															
ANT		CDD 0+1																																																															
Pol.		Vertical					Fundamental																																																										
Peak																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>63.70</td><td>74.00</td><td>-10.30</td><td>54.30</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>350</td><td>90 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	63.70	74.00	-10.30	54.30	32.99	7.26	36.85	6.00	350	90 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.92	63.70	74.00	-10.30	54.30	32.99	7.26	36.85	6.00	350	90 PEAK																																																						
Avg																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>36.17</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>350</td><td>90 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	45.57	54.00	-8.43	36.17	32.99	7.26	36.85	6.00	350	90 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.04	45.57	54.00	-8.43	36.17	32.99	7.26	36.85	6.00	350	90 AVERAGE																																																						
Peak																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>107.16</td><td>-----</td><td>-----</td><td>98.09</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>350</td><td>90 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.16	-----	-----	98.09	32.78	7.21	36.92	6.00	350	90 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2457.00	107.16	-----	-----	98.09	32.78	7.21	36.92	6.00	350	90 PEAK																																																						
Avg																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>34.75</td><td>31.74</td><td>6.98</td><td>37.09</td><td>6.00</td><td>350</td><td>90 Average</td></tr><tr><td>2</td><td>2457.00</td><td>97.98</td><td>-----</td><td>-----</td><td>88.91</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>350</td><td>90 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	42.38	54.00	-11.62	34.75	31.74	6.98	37.09	6.00	350	90 Average	2	2457.00	97.98	-----	-----	88.91	32.78	7.21	36.92	6.00	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2306.00	42.38	54.00	-11.62	34.75	31.74	6.98	37.09	6.00	350	90 Average																																																						
2	2457.00	97.98	-----	-----	88.91	32.78	7.21	36.92	6.00	350	90 AVERAGE																																																						







Mode	18																																																																					
	Harmonic																																																																					
	2400-2483.5_802.11n HT20_CH10_2457MHz																																																																					
ANT	CDD 0+1																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>67.05</td><td>34.29</td><td>10.34</td><td>65.56</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>60.88</td><td>35.93</td><td>12.73</td><td>66.45</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	46.12	74.00	-27.88	67.05	34.29	10.34	65.56	0.00	--	-- PEAK	2	7371.00	43.09	74.00	-30.91	60.88	35.93	12.73	66.45	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4914.00	46.12	74.00	-27.88	67.05	34.29	10.34	65.56	0.00	--	-- PEAK																																																											
2	7371.00	43.09	74.00	-30.91	60.88	35.93	12.73	66.45	0.00	--	-- PEAK																																																											
Vertical																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4909.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>63.82</td><td>34.29</td><td>10.34</td><td>65.55</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7372.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>64.64</td><td>35.93</td><td>12.73</td><td>66.45</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4909.00	42.90	74.00	-31.10	63.82	34.29	10.34	65.55	0.00	--	-- Peak	2	7372.00	46.85	74.00	-27.15	64.64	35.93	12.73	66.45	0.00	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4909.00	42.90	74.00	-31.10	63.82	34.29	10.34	65.55	0.00	--	-- Peak																																																											
2	7372.00	46.85	74.00	-27.15	64.64	35.93	12.73	66.45	0.00	--	-- Peak																																																											



		19																																																																		
Mode		Band Edge																																																																		
		2400-2483.5_802.11n HT20_CH09_2452MHz																																																																		
ANT		CDD 0+1																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>69.64</td><td>74.00</td><td>-4.36</td><td>60.24</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>121</td><td>174</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	69.64	74.00	-4.36	60.24	32.99	7.26	36.85	6.00	121	174	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2484.46	69.64	74.00	-4.36	60.24	32.99	7.26	36.85	6.00	121	174	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>49.35</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>121</td><td>174</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>112.10</td><td>-----</td><td>-----</td><td>103.08</td><td>32.75</td><td>7.20</td><td>36.93</td><td>6.00</td><td>121</td><td>174</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	56.93	74.00	-17.07	49.35	31.70	6.97	37.09	6.00	121	174	Peak	2	2452.00	112.10	-----	-----	103.08	32.75	7.20	36.93	6.00	121	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2300.00	56.93	74.00	-17.07	49.35	31.70	6.97	37.09	6.00	121	174	Peak																																																								
2	2452.00	112.10	-----	-----	103.08	32.75	7.20	36.93	6.00	121	174	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>40.63</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>121</td><td>174</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	50.03	54.00	-3.97	40.63	32.99	7.26	36.85	6.00	121	174	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2484.58	50.03	54.00	-3.97	40.63	32.99	7.26	36.85	6.00	121	174	AVERAGE																																																								
Average																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>49.22</td><td>54.00</td><td>-4.78</td><td>41.64</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>121</td><td>174</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>103.03</td><td>-----</td><td>-----</td><td>93.96</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>121</td><td>174</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	49.22	54.00	-4.78	41.64	31.70	6.97	37.09	6.00	121	174	Average	2	2452.00	103.03	-----	-----	93.96	32.78	7.21	36.92	6.00	121	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2300.00	49.22	54.00	-4.78	41.64	31.70	6.97	37.09	6.00	121	174	Average																																																								
2	2452.00	103.03	-----	-----	93.96	32.78	7.21	36.92	6.00	121	174	AVERAGE																																																								







Mode	19																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11n_HT20_CH09_2452MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>68.30</td><td>74.00</td><td>-5.70</td><td>58.91</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>352</td><td>91 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	68.30	74.00	-5.70	58.91	32.98	7.26	36.85	6.00	352	91 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>110.15</td><td>-----</td><td>-----</td><td>101.06</td><td>32.79</td><td>7.21</td><td>36.91</td><td>6.00</td><td>352</td><td>91 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	110.15	-----	-----	101.06	32.79	7.21	36.91	6.00	352	91 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.56	68.30	74.00	-5.70	58.91	32.98	7.26	36.85	6.00	352	91 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2452.00	110.15	-----	-----	101.06	32.79	7.21	36.91	6.00	352	91 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>38.15</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>352</td><td>91 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	47.55	54.00	-6.45	38.15	32.99	7.26	36.85	6.00	352	91 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>41.77</td><td>54.00</td><td>-12.23</td><td>34.19</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>352</td><td>91 Average</td></tr><tr><td>2</td><td>2452.00</td><td>101.43</td><td>-----</td><td>-----</td><td>92.36</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>352</td><td>91 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	41.77	54.00	-12.23	34.19	31.70	6.97	37.09	6.00	352	91 Average	2	2452.00	101.43	-----	-----	92.36	32.78	7.21	36.92	6.00	352
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.62	47.55	54.00	-6.45	38.15	32.99	7.26	36.85	6.00	352	91 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2300.00	41.77	54.00	-12.23	34.19	31.70	6.97	37.09	6.00	352	91 Average																																																																																																		
2	2452.00	101.43	-----	-----	92.36	32.78	7.21	36.92	6.00	352	91 AVERAGE																																																																																																		





		19																																																																																								
Mode		Harmonic																																																																																								
		2400-2483.5_802.11n_HT20_CH09_2452MHz																																																																																								
ANT		CDD 0+1																																																																																								
Pol.		Horizontal																																																																																								
Peak Avg																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4904.00</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>77.17</td><td>34.30</td><td>10.33</td><td>65.55</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>67.07</td><td>34.30</td><td>10.33</td><td>65.55</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>73.44</td><td>35.94</td><td>12.73</td><td>66.41</td><td>0.00</td><td>279</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>7356.00</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>61.56</td><td>35.95</td><td>12.73</td><td>66.40</td><td>0.00</td><td>279</td><td>116</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4904.00	56.25	74.00	-17.75	77.17	34.30	10.33	65.55	0.00	100	185	PEAK	2	4904.00	46.15	54.00	-7.85	67.07	34.30	10.33	65.55	0.00	100	185	AVERAGE	3	7356.00	55.70	74.00	-18.30	73.44	35.94	12.73	66.41	0.00	279	116	PEAK	4	7356.00	43.84	54.00	-10.16	61.56	35.95	12.73	66.40	0.00	279	116
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4904.00	56.25	74.00	-17.75	77.17	34.30	10.33	65.55	0.00	100	185	PEAK																																																																														
2	4904.00	46.15	54.00	-7.85	67.07	34.30	10.33	65.55	0.00	100	185	AVERAGE																																																																														
3	7356.00	55.70	74.00	-18.30	73.44	35.94	12.73	66.41	0.00	279	116	PEAK																																																																														
4	7356.00	43.84	54.00	-10.16	61.56	35.95	12.73	66.40	0.00	279	116	AVERAGE																																																																														
		Vertical																																																																																								
Peak Avg																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4906.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>73.26</td><td>34.29</td><td>10.33</td><td>65.55</td><td>0.00</td><td>300</td><td>333</td><td>Peak</td></tr><tr><td>2</td><td>4906.00</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>67.36</td><td>34.29</td><td>10.33</td><td>65.55</td><td>0.00</td><td>300</td><td>333</td><td>Average</td></tr><tr><td>3</td><td>7356.00</td><td>58.49</td><td>74.00</td><td>-15.51</td><td>76.23</td><td>35.94</td><td>12.73</td><td>66.41</td><td>0.00</td><td>322</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>7356.00</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>65.41</td><td>35.95</td><td>12.73</td><td>66.40</td><td>0.00</td><td>322</td><td>321</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4906.00	52.33	74.00	-21.67	73.26	34.29	10.33	65.55	0.00	300	333	Peak	2	4906.00	46.43	54.00	-7.57	67.36	34.29	10.33	65.55	0.00	300	333	Average	3	7356.00	58.49	74.00	-15.51	76.23	35.94	12.73	66.41	0.00	322	321	PEAK	4	7356.00	47.69	54.00	-6.31	65.41	35.95	12.73	66.40	0.00	322	321
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4906.00	52.33	74.00	-21.67	73.26	34.29	10.33	65.55	0.00	300	333	Peak																																																																														
2	4906.00	46.43	54.00	-7.57	67.36	34.29	10.33	65.55	0.00	300	333	Average																																																																														
3	7356.00	58.49	74.00	-15.51	76.23	35.94	12.73	66.41	0.00	322	321	PEAK																																																																														
4	7356.00	47.69	54.00	-6.31	65.41	35.95	12.73	66.40	0.00	322	321	AVERAGE																																																																														







Mode	20																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n_HT20_CH08_2447MHz																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>41.86</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>228</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	50.23	74.00	-23.77	41.86	32.32	7.10	37.05	6.00	228	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2294.00</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>47.71</td><td>31.69</td><td>6.96</td><td>37.09</td><td>6.00</td><td>228</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2447.00</td><td>113.23</td><td>-----</td><td>-----</td><td>104.27</td><td>32.71</td><td>7.19</td><td>36.94</td><td>6.00</td><td>228</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2294.00	55.27	74.00	-18.73	47.71	31.69	6.96	37.09	6.00	228	360	Peak	2	2447.00	113.23	-----	-----	104.27	32.71	7.19	36.94	6.00	228	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2388.65	50.23	74.00	-23.77	41.86	32.32	7.10	37.05	6.00	228	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2294.00	55.27	74.00	-18.73	47.71	31.69	6.96	37.09	6.00	228	360	Peak																																																																																																				
2	2447.00	113.23	-----	-----	104.27	32.71	7.19	36.94	6.00	228	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>39.70</td><td>54.00</td><td>-14.30</td><td>31.33</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>228</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	39.70	54.00	-14.30	31.33	32.32	7.10	37.05	6.00	228	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2296.00</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>39.28</td><td>31.70</td><td>6.96</td><td>37.09</td><td>6.00</td><td>228</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2447.00</td><td>103.81</td><td>-----</td><td>-----</td><td>94.85</td><td>32.71</td><td>7.19</td><td>36.94</td><td>6.00</td><td>228</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2296.00	46.85	54.00	-7.15	39.28	31.70	6.96	37.09	6.00	228	360	Average	2	2447.00	103.81	-----	-----	94.85	32.71	7.19	36.94	6.00	228	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.17	39.70	54.00	-14.30	31.33	32.32	7.10	37.05	6.00	228	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2296.00	46.85	54.00	-7.15	39.28	31.70	6.96	37.09	6.00	228	360	Average																																																																																																				
2	2447.00	103.81	-----	-----	94.85	32.71	7.19	36.94	6.00	228	360	AVERAGE																																																																																																				



Mode	20																																																
	Band Edge - R																																																
	2400-2483.5_802.11n HT20_CH08_2447MHz																																																
ANT	CDD 0+1																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>65.93</td><td>74.00</td><td>-8.07</td><td>56.54</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>228</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	65.93	74.00	-8.07	56.54	32.98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.50	65.93	74.00	-8.07	56.54	32.98	7.26	36.85	6.00	228	360	PEAK																																					
Avg							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>41.35</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>228</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	50.75	54.00	-3.25	41.35	32.99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.62	50.75	54.00	-3.25	41.35	32.99	7.26	36.85	6.00	228	360	AVERAGE																																					





Mode	20																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n HT20_CH08_2447MHz																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>43.07</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>352</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.46	74.00	-22.54	43.07	32.33	7.11	37.05	6.00	352	90	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2296.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>46.45</td><td>31.70</td><td>6.96</td><td>37.09</td><td>6.00</td><td>352</td><td>90</td><td>Peak</td></tr><tr><td>2</td><td>2447.00</td><td>112.54</td><td>-----</td><td>-----</td><td>103.47</td><td>32.78</td><td>7.21</td><td>36.92</td><td>6.00</td><td>352</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2296.00	54.02	74.00	-19.98	46.45	31.70	6.96	37.09	6.00	352	90	Peak	2	2447.00	112.54	-----	-----	103.47	32.78	7.21	36.92	6.00	352	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.95	51.46	74.00	-22.54	43.07	32.33	7.11	37.05	6.00	352	90	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2296.00	54.02	74.00	-19.98	46.45	31.70	6.96	37.09	6.00	352	90	Peak																																																																																																				
2	2447.00	112.54	-----	-----	103.47	32.78	7.21	36.92	6.00	352	90	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>31.62</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>352</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	40.01	54.00	-13.99	31.62	32.33	7.11	37.05	6.00	352	90	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2294.00</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>37.03</td><td>31.69</td><td>6.96</td><td>37.09</td><td>6.00</td><td>352</td><td>90</td><td>AVERAGE</td></tr><tr><td>2</td><td>2447.00</td><td>102.18</td><td>-----</td><td>-----</td><td>93.16</td><td>32.75</td><td>7.20</td><td>36.93</td><td>6.00</td><td>352</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2294.00	44.59	54.00	-9.41	37.03	31.69	6.96	37.09	6.00	352	90	AVERAGE	2	2447.00	102.18	-----	-----	93.16	32.75	7.20	36.93	6.00	352	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.69	40.01	54.00	-13.99	31.62	32.33	7.11	37.05	6.00	352	90	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2294.00	44.59	54.00	-9.41	37.03	31.69	6.96	37.09	6.00	352	90	AVERAGE																																																																																																				
2	2447.00	102.18	-----	-----	93.16	32.75	7.20	36.93	6.00	352	90	AVERAGE																																																																																																				







Mode	20																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT20_CH08_2447MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.42</td><td>63.55</td><td>74.00</td><td>-10.45</td><td>54.11</td><td>33.02</td><td>7.26</td><td>36.84</td><td>6.00</td><td>352</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.42	63.55	74.00	-10.45	54.11	33.02	7.26	36.84	6.00	352	90	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2488.42	63.55	74.00	-10.45	54.11	33.02	7.26	36.84	6.00	352	90	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>38.20</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>352</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	47.60	54.00	-6.40	38.20	32.99	7.26	36.85	6.00	352	90	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.62	47.60	54.00	-6.40	38.20	32.99	7.26	36.85	6.00	352	90	AVERAGE																																												



		20																																																																																																																																																																																																								
Mode		Harmonic																																																																																																																																																																																																								
		2400-2483.5_802.11n HT20_CH08_2447MHz																																																																																																																																																																																																								
ANT		CDD 0+1																																																																																																																																																																																																								
Pol.		Horizontal												Vertical																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4894.00</td><td>60.14</td><td>74.00</td><td>-13.86</td><td>81.05</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>116</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>70.66</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>116</td><td>181</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>60.72</td><td>74.00</td><td>-13.28</td><td>78.41</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>300</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>7341.00</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>68.00</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>300</td><td>112</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4894.00	60.14	74.00	-13.86	81.05	34.31	10.32	65.54	0.00	116	181	PEAK	2	4894.00	49.75	54.00	-4.25	70.66	34.31	10.32	65.54	0.00	116	181	AVERAGE	3	7341.00	60.72	74.00	-13.28	78.41	35.96	12.72	66.37	0.00	300	112	PEAK	4	7341.00	50.31	54.00	-3.69	68.00	35.96	12.72	66.37	0.00	300	112	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4894.00</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>75.65</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>300</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>66.87</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>300</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>63.90</td><td>74.00</td><td>-10.10</td><td>81.59</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>368</td><td>235</td><td>PEAK</td></tr><tr><td>4</td><td>7341.00</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>68.52</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>368</td><td>235</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4894.00	54.74	74.00	-19.26	75.65	34.31	10.32	65.54	0.00	300	332	PEAK	2	4894.00	45.96	54.00	-8.04	66.87	34.31	10.32	65.54	0.00	300	332	AVERAGE	3	7341.00	63.90	74.00	-10.10	81.59	35.96	12.72	66.37	0.00	368	235	PEAK	4	7341.00	50.83	54.00	-3.17	68.52	35.96	12.72	66.37	0.00	368	235
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																
1	4894.00	60.14	74.00	-13.86	81.05	34.31	10.32	65.54	0.00	116	181	PEAK																																																																																																																																																																																														
2	4894.00	49.75	54.00	-4.25	70.66	34.31	10.32	65.54	0.00	116	181	AVERAGE																																																																																																																																																																																														
3	7341.00	60.72	74.00	-13.28	78.41	35.96	12.72	66.37	0.00	300	112	PEAK																																																																																																																																																																																														
4	7341.00	50.31	54.00	-3.69	68.00	35.96	12.72	66.37	0.00	300	112	AVERAGE																																																																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																
1	4894.00	54.74	74.00	-19.26	75.65	34.31	10.32	65.54	0.00	300	332	PEAK																																																																																																																																																																																														
2	4894.00	45.96	54.00	-8.04	66.87	34.31	10.32	65.54	0.00	300	332	AVERAGE																																																																																																																																																																																														
3	7341.00	63.90	74.00	-10.10	81.59	35.96	12.72	66.37	0.00	368	235	PEAK																																																																																																																																																																																														
4	7341.00	50.83	54.00	-3.17	68.52	35.96	12.72	66.37	0.00	368	235	AVERAGE																																																																																																																																																																																														















Mode	21																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n_HT20_CH07_2442MHz																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.78</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>43.51</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>295</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	51.88	74.00	-22.12	43.51	32.32	7.10	37.05	6.00	295	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2290.00</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>48.36</td><td>31.69</td><td>6.95</td><td>37.10</td><td>6.00</td><td>295</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2442.00</td><td>115.71</td><td>-----</td><td>-----</td><td>106.75</td><td>32.71</td><td>7.19</td><td>36.94</td><td>6.00</td><td>295</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2290.00	55.90	74.00	-18.10	48.36	31.69	6.95	37.10	6.00	295	360	Peak	2	2442.00	115.71	-----	-----	106.75	32.71	7.19	36.94	6.00	295	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2388.78	51.88	74.00	-22.12	43.51	32.32	7.10	37.05	6.00	295	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2290.00	55.90	74.00	-18.10	48.36	31.69	6.95	37.10	6.00	295	360	Peak																																																																																																				
2	2442.00	115.71	-----	-----	106.75	32.71	7.19	36.94	6.00	295	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.13</td><td>40.21</td><td>54.00</td><td>-13.79</td><td>31.84</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>295</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	40.21	54.00	-13.79	31.84	32.32	7.10	37.05	6.00	295	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2288.00</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>40.44</td><td>31.69</td><td>6.95</td><td>37.10</td><td>6.00</td><td>295</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2442.00</td><td>107.19</td><td>-----</td><td>-----</td><td>98.23</td><td>32.71</td><td>7.19</td><td>36.94</td><td>6.00</td><td>295</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2288.00	47.98	54.00	-6.02	40.44	31.69	6.95	37.10	6.00	295	360	Average	2	2442.00	107.19	-----	-----	98.23	32.71	7.19	36.94	6.00	295	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2388.13	40.21	54.00	-13.79	31.84	32.32	7.10	37.05	6.00	295	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2288.00	47.98	54.00	-6.02	40.44	31.69	6.95	37.10	6.00	295	360	Average																																																																																																				
2	2442.00	107.19	-----	-----	98.23	32.71	7.19	36.94	6.00	295	360	AVERAGE																																																																																																				



Mode	21																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT20_CH07_2442MHz																																													
ANT	CDD 0+1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.30</td><td>66.14</td><td>74.00</td><td>-7.86</td><td>56.72</td><td>33.00</td><td>7.26</td><td>36.84</td><td>6.00</td><td>295</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.30	66.14	74.00	-7.86	56.72	33.00	7.26	36.84	6.00	295	360	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.30	66.14	74.00	-7.86	56.72	33.00	7.26	36.84	6.00	295	360	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.06</td><td>50.53</td><td>54.00</td><td>-3.47</td><td>41.12</td><td>33.00</td><td>7.26</td><td>36.85</td><td>6.00</td><td>295</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.06	50.53	54.00	-3.47	41.12	33.00	7.26	36.85	6.00	295	360	AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.06	50.53	54.00	-3.47	41.12	33.00	7.26	36.85	6.00	295	360	AVERAGE																																		





		21																																																																															
Mode		Band Edge - L																																																																															
		2400-2483.5_802.11n_HT20_CH07_2442MHz																																																																															
ANT		CDD 0+1																																																																															
Pol.		Fundamental																																																																															
Peak	Vertical																																																																																
	<table><tr><td colspan="11"></td></tr><tr><td colspan="2"></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td colspan="2"></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2389.30</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>44.44</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>351</td><td>85 PEAK</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	52.82	74.00	-21.18	44.44	32.33	7.10	37.05	6.00	351	85 PEAK											
																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.30	52.82	74.00	-21.18	44.44	32.33	7.10	37.05	6.00	351	85 PEAK																																																																						
<table><tr><td colspan="11"></td></tr><tr><td colspan="2"></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td colspan="2"></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2388.00</td><td>41.05</td><td>54.00</td><td>-12.95</td><td>32.68</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>351</td><td>85 AVERAGE</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	41.05	54.00	-12.95	32.68	32.32	7.10	37.05	6.00	351	85 AVERAGE												
																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2388.00	41.05	54.00	-12.95	32.68	32.32	7.10	37.05	6.00	351	85 AVERAGE																																																																						
<table><tr><td colspan="11"></td></tr><tr><td colspan="2"></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td colspan="2"></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2290.00</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>45.70</td><td>31.69</td><td>6.95</td><td>37.10</td><td>6.00</td><td>351</td><td>85 Peak</td></tr><tr><td>2</td><td>2442.00</td><td>113.60</td><td>-----</td><td>-----</td><td>104.66</td><td>32.75</td><td>7.20</td><td>36.93</td><td>6.00</td><td>351</td><td>85 PEAK</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2290.00	53.24	74.00	-20.76	45.70	31.69	6.95	37.10	6.00	351	85 Peak	2	2442.00	113.60	-----	-----	104.66	32.75	7.20	36.93	6.00	351	85 PEAK
																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2290.00	53.24	74.00	-20.76	45.70	31.69	6.95	37.10	6.00	351	85 Peak																																																																						
2	2442.00	113.60	-----	-----	104.66	32.75	7.20	36.93	6.00	351	85 PEAK																																																																						
<table><tr><td colspan="11"></td></tr><tr><td colspan="2"></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td colspan="2"></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2290.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>36.94</td><td>31.69</td><td>6.95</td><td>37.10</td><td>6.00</td><td>351</td><td>85 Average</td></tr><tr><td>2</td><td>2442.00</td><td>104.97</td><td>-----</td><td>-----</td><td>95.95</td><td>32.75</td><td>7.20</td><td>36.93</td><td>6.00</td><td>351</td><td>85 AVERAGE</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2290.00	44.48	54.00	-9.52	36.94	31.69	6.95	37.10	6.00	351	85 Average	2	2442.00	104.97	-----	-----	95.95	32.75	7.20	36.93	6.00	351	85 AVERAGE
																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2290.00	44.48	54.00	-9.52	36.94	31.69	6.95	37.10	6.00	351	85 Average																																																																						
2	2442.00	104.97	-----	-----	95.95	32.75	7.20	36.93	6.00	351	85 AVERAGE																																																																						







Mode	21																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT20_CH07_2442MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.06</td><td>66.55</td><td>74.00</td><td>-7.45</td><td>57.14</td><td>33.00</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>85</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	66.55	74.00	-7.45	57.14	33.00	7.26	36.85	6.00	351	85	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2485.06	66.55	74.00	-7.45	57.14	33.00	7.26	36.85	6.00	351	85	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>49.74</td><td>54.00</td><td>-4.26</td><td>40.34</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>85</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	49.74	54.00	-4.26	40.34	32.99	7.26	36.85	6.00	351	85	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2484.46	49.74	54.00	-4.26	40.34	32.99	7.26	36.85	6.00	351	85	AVERAGE																																		





Mode	21																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11n_HT20_CH07_2442MHz																																																																																																																																																																			
ANT	CDD 0+1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4884.00</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>78.04</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>155</td><td>184</td><td>PEAK</td></tr><tr><td>2</td><td>4884.00</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>68.66</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>155</td><td>184</td><td>AVERAGE</td></tr><tr><td>3</td><td>7326.00</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>76.31</td><td>35.97</td><td>12.72</td><td>66.33</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>7326.00</td><td>47.97</td><td>54.00</td><td>-6.03</td><td>65.62</td><td>35.97</td><td>12.72</td><td>66.34</td><td>0.00</td><td>300</td><td>135</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	57.13	74.00	-16.87	78.04	34.32	10.30	65.53	0.00	155	184	PEAK	2	4884.00	47.75	54.00	-6.25	68.66	34.32	10.30	65.53	0.00	155	184	AVERAGE	3	7326.00	58.67	74.00	-15.33	76.31	35.97	12.72	66.33	0.00	300	135	PEAK	4	7326.00	47.97	54.00	-6.03	65.62	35.97	12.72	66.34	0.00	300	135	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4881.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>64.62</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7326.00</td><td>61.35</td><td>74.00</td><td>-12.65</td><td>78.99</td><td>35.97</td><td>12.72</td><td>66.33</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>7326.00</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>68.33</td><td>35.97</td><td>12.72</td><td>66.34</td><td>0.00</td><td>300</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4881.00	43.71	74.00	-30.29	64.62	34.32	10.30	65.53	0.00	--	--	Peak	2	7326.00	61.35	74.00	-12.65	78.99	35.97	12.72	66.33	0.00	300	305	PEAK	3	7326.00	50.68	54.00	-3.32	68.33	35.97	12.72	66.34	0.00	300	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4884.00	57.13	74.00	-16.87	78.04	34.32	10.30	65.53	0.00	155	184	PEAK																																																																																																																																																								
2	4884.00	47.75	54.00	-6.25	68.66	34.32	10.30	65.53	0.00	155	184	AVERAGE																																																																																																																																																								
3	7326.00	58.67	74.00	-15.33	76.31	35.97	12.72	66.33	0.00	300	135	PEAK																																																																																																																																																								
4	7326.00	47.97	54.00	-6.03	65.62	35.97	12.72	66.34	0.00	300	135	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4881.00	43.71	74.00	-30.29	64.62	34.32	10.30	65.53	0.00	--	--	Peak																																																																																																																																																								
2	7326.00	61.35	74.00	-12.65	78.99	35.97	12.72	66.33	0.00	300	305	PEAK																																																																																																																																																								
3	7326.00	50.68	54.00	-3.32	68.33	35.97	12.72	66.34	0.00	300	305	AVERAGE																																																																																																																																																								







Mode	22																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_802.11n HT40_CH04_2427MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.06</td><td>67.37</td><td>74.00</td><td>-6.63</td><td>59.00</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>267</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.06	67.37	74.00	-6.63	59.00	32.32	7.10	37.05	6.00	267	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>105.66</td><td>-----</td><td>-----</td><td>96.90</td><td>32.58</td><td>7.16</td><td>36.98</td><td>6.00</td><td>267</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	105.66	-----	-----	96.90	32.58	7.16	36.98	6.00	267	0 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2388.06	67.37	74.00	-6.63	59.00	32.32	7.10	37.05	6.00	267	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2427.00	105.66	-----	-----	96.90	32.58	7.16	36.98	6.00	267	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.06</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>41.66</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>267</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.06	50.03	54.00	-3.97	41.66	32.32	7.10	37.05	6.00	267	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2284.00</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>37.87</td><td>31.68</td><td>6.94</td><td>37.10</td><td>6.00</td><td>267</td><td>0 Average</td></tr><tr><td>2</td><td>2427.00</td><td>96.84</td><td>-----</td><td>-----</td><td>88.10</td><td>32.57</td><td>7.16</td><td>36.99</td><td>6.00</td><td>267</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2284.00	45.39	54.00	-8.61	37.87	31.68	6.94	37.10	6.00	267	0 Average	2	2427.00	96.84	-----	-----	88.10	32.57	7.16	36.99	6.00	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2388.06	50.03	54.00	-3.97	41.66	32.32	7.10	37.05	6.00	267	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2284.00	45.39	54.00	-8.61	37.87	31.68	6.94	37.10	6.00	267	0 Average																																																																																																		
2	2427.00	96.84	-----	-----	88.10	32.57	7.16	36.99	6.00	267	0 AVERAGE																																																																																																		





Mode	22																																											
	Band Edge - R																																											
	2400-2483.5_802.11n HT40_CH04_2427MHz																																											
ANT	CDD 0+1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.88</td><td>60.64</td><td>74.00</td><td>-13.36</td><td>51.22</td><td>33.00</td><td>7.26</td><td>36.84</td><td>6.00</td><td>267</td><td>0 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.88	60.64	74.00	-13.36	51.22	33.00	7.26	36.84	6.00	267	0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2485.88	60.64	74.00	-13.36	51.22	33.00	7.26	36.84	6.00	267	0 PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.79</td><td>41.27</td><td>54.00</td><td>-12.73</td><td>31.87</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>267</td><td>0 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.79	41.27	54.00	-12.73	31.87	32.99	7.26	36.85	6.00	267	0 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.79	41.27	54.00	-12.73	31.87	32.99	7.26	36.85	6.00	267	0 AVERAGE																																	





Mode	22																																																																																																																											
	Band Edge - L																																																																																																																											
	2400-2483.5_802.11n_HT40_CH04_2427MHz																																																																																																																											
ANT	CDD 0+1																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.06</td><td>62.27</td><td>74.00</td><td>-11.73</td><td>53.90</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>319</td><td>89</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.06	62.27	74.00	-11.73	53.90	32.32	7.10	37.05	6.00	319	89	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>103.55</td><td>-----</td><td>-----</td><td>94.74</td><td>32.61</td><td>7.17</td><td>36.97</td><td>6.00</td><td>319</td><td>89</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	103.55	-----	-----	94.74	32.61	7.17	36.97	6.00	319	89	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2388.06	62.27	74.00	-11.73	53.90	32.32	7.10	37.05	6.00	319	89	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2427.00	103.55	-----	-----	94.74	32.61	7.17	36.97	6.00	319	89	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>47.39</td><td>54.00</td><td>-6.61</td><td>39.00</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>319</td><td>89</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	47.39	54.00	-6.61	39.00	32.33	7.11	37.05	6.00	319	89	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2284.00</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>37.73</td><td>31.68</td><td>6.94</td><td>37.10</td><td>6.00</td><td>319</td><td>89</td><td>Average</td></tr><tr><td>2</td><td>2427.00</td><td>94.75</td><td>-----</td><td>-----</td><td>86.01</td><td>32.57</td><td>7.16</td><td>36.99</td><td>6.00</td><td>319</td><td>89</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2284.00	45.25	54.00	-8.75	37.73	31.68	6.94	37.10	6.00	319	89	Average	2	2427.00	94.75	-----	-----	86.01	32.57	7.16	36.99	6.00	319	89
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2389.97	47.39	54.00	-6.61	39.00	32.33	7.11	37.05	6.00	319	89	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2284.00	45.25	54.00	-8.75	37.73	31.68	6.94	37.10	6.00	319	89	Average																																																																																																																
2	2427.00	94.75	-----	-----	86.01	32.57	7.16	36.99	6.00	319	89	AVERAGE																																																																																																																







Mode	22																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH04_2427MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>63.70</td><td>74.00</td><td>-10.30</td><td>54.30</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>319</td><td>89</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	63.70	74.00	-10.30	54.30	32.99	7.26	36.85	6.00	319	89	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.62	63.70	74.00	-10.30	54.30	32.99	7.26	36.85	6.00	319	89	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.10</td><td>42.28</td><td>54.00</td><td>-11.72</td><td>32.87</td><td>33.00</td><td>7.26</td><td>36.85</td><td>6.00</td><td>319</td><td>89</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.10	42.28	54.00	-11.72	32.87	33.00	7.26	36.85	6.00	319	89	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2485.10	42.28	54.00	-11.72	32.87	33.00	7.26	36.85	6.00	319	89	AVERAGE																																		





Mode	22																																																																					
	Harmonic																																																																					
	2400-2483.5_802.11n HT40_CH04_2427MHz																																																																					
ANT	CDD 0+1																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4854.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>65.17</td><td>34.35</td><td>10.27</td><td>65.51</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7281.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>59.84</td><td>35.98</td><td>12.72</td><td>66.22</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4854.00	44.28	74.00	-29.72	65.17	34.35	10.27	65.51	0.00	--	-- PEAK	2	7281.00	42.32	74.00	-31.68	59.84	35.98	12.72	66.22	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4854.00	44.28	74.00	-29.72	65.17	34.35	10.27	65.51	0.00	--	-- PEAK																																																											
2	7281.00	42.32	74.00	-31.68	59.84	35.98	12.72	66.22	0.00	--	-- PEAK																																																											
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4854.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>61.64</td><td>34.35</td><td>10.27</td><td>65.51</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7281.00</td><td>43.27</td><td>74.00</td><td>-30.73</td><td>60.79</td><td>35.98</td><td>12.72</td><td>66.22</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4854.00	40.75	74.00	-33.25	61.64	34.35	10.27	65.51	0.00	--	-- PEAK	2	7281.00	43.27	74.00	-30.73	60.79	35.98	12.72	66.22	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4854.00	40.75	74.00	-33.25	61.64	34.35	10.27	65.51	0.00	--	-- PEAK																																																											
2	7281.00	43.27	74.00	-30.73	60.79	35.98	12.72	66.22	0.00	--	-- PEAK																																																											







		23																																																																																																												
Mode		Band Edge - L																																																																																																												
		2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																																												
ANT		CDD 0+1																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>65.92</td><td>74.00</td><td>-8.08</td><td>57.55</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	65.92	74.00	-8.08	57.55	32.32	7.10	37.05	6.00	297	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2432.00</td><td>109.64</td><td>-----</td><td>-----</td><td>100.77</td><td>32.65</td><td>7.18</td><td>36.96</td><td>6.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	109.64	-----	-----	100.77	32.65	7.18	36.96	6.00	297	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.17	65.92	74.00	-8.08	57.55	32.32	7.10	37.05	6.00	297	360	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2432.00	109.64	-----	-----	100.77	32.65	7.18	36.96	6.00	297	360	PEAK																																																																																																		
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.02</td><td>54.00</td><td>-3.98</td><td>41.63</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.02	54.00	-3.98	41.63	32.33	7.11	37.05	6.00	297	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2286.00</td><td>48.27</td><td>54.00</td><td>-5.73</td><td>40.73</td><td>31.69</td><td>6.95</td><td>37.10</td><td>6.00</td><td>297</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2432.00</td><td>100.71</td><td>-----</td><td>-----</td><td>91.84</td><td>32.65</td><td>7.18</td><td>36.96</td><td>6.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2286.00	48.27	54.00	-5.73	40.73	31.69	6.95	37.10	6.00	297	360	Average	2	2432.00	100.71	-----	-----	91.84	32.65	7.18	36.96	6.00	297	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.95	50.02	54.00	-3.98	41.63	32.33	7.11	37.05	6.00	297	360	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2286.00	48.27	54.00	-5.73	40.73	31.69	6.95	37.10	6.00	297	360	Average																																																																																																		
2	2432.00	100.71	-----	-----	91.84	32.65	7.18	36.96	6.00	297	360	AVERAGE																																																																																																		



Mode	23																																											
	Band Edge - R																																											
	2400-2483.5_802.11n HT40_CH05_2432MHz																																											
ANT	CDD 0+1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>69.16</td><td>74.00</td><td>-4.84</td><td>59.77</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>297</td><td>360 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	69.16	74.00	-4.84	59.77	32.98	7.26	36.85	6.00	297	360 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	2483.50	69.16	74.00	-4.84	59.77	32.98	7.26	36.85	6.00	297	360 PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>37.31</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>297</td><td>360 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	46.70	54.00	-7.30	37.31	32.98	7.26	36.85	6.00	297	360 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	2483.56	46.70	54.00	-7.30	37.31	32.98	7.26	36.85	6.00	297	360 AVERAGE																																	





Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n_HT40_CH05_2432MHz																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>66.08</td><td>74.00</td><td>-7.92</td><td>57.69</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>321</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	66.08	74.00	-7.92	57.69	32.33	7.11	37.05	6.00	321	83	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2432.00</td><td>108.11</td><td>-----</td><td>-----</td><td>99.30</td><td>32.61</td><td>7.17</td><td>36.97</td><td>6.00</td><td>321</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	108.11	-----	-----	99.30	32.61	7.17	36.97	6.00	321	83	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.69	66.08	74.00	-7.92	57.69	32.33	7.11	37.05	6.00	321	83	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2432.00	108.11	-----	-----	99.30	32.61	7.17	36.97	6.00	321	83	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>41.94</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>321</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	50.31	54.00	-3.69	41.94	32.32	7.10	37.05	6.00	321	83	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2290.00</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>41.04</td><td>31.69</td><td>6.95</td><td>37.10</td><td>6.00</td><td>321</td><td>83</td><td>Average</td></tr><tr><td>2</td><td>2432.00</td><td>99.00</td><td>-----</td><td>-----</td><td>90.19</td><td>32.61</td><td>7.17</td><td>36.97</td><td>6.00</td><td>321</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2290.00	48.58	54.00	-5.42	41.04	31.69	6.95	37.10	6.00	321	83	Average	2	2432.00	99.00	-----	-----	90.19	32.61	7.17	36.97	6.00	321	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2388.91	50.31	54.00	-3.69	41.94	32.32	7.10	37.05	6.00	321	83	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2290.00	48.58	54.00	-5.42	41.04	31.69	6.95	37.10	6.00	321	83	Average																																																																																																				
2	2432.00	99.00	-----	-----	90.19	32.61	7.17	36.97	6.00	321	83	AVERAGE																																																																																																				







Mode	23																																											
	Band Edge - R																																											
	2400-2483.5_802.11n HT40_CH05_2432MHz																																											
ANT	CDD 0+1																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.96</td><td>68.43</td><td>74.00</td><td>-5.57</td><td>59.01</td><td>33.00</td><td>7.26</td><td>36.84</td><td>6.00</td><td>321</td><td>83 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.96	68.43	74.00	-5.57	59.01	33.00	7.26	36.84	6.00	321	83 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	2485.96	68.43	74.00	-5.57	59.01	33.00	7.26	36.84	6.00	321	83 PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>36.78</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>321</td><td>83 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.74	46.18	54.00	-7.82	36.78	32.99	7.26	36.85	6.00	321	83 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	2483.74	46.18	54.00	-7.82	36.78	32.99	7.26	36.85	6.00	321	83 AVERAGE																																	



Mode	23																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																									
ANT	CDD 0+1																																																																																									
Pol.	Horizontal																																																																																									
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4864.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>74.26</td><td>34.34</td><td>10.28</td><td>65.52</td><td>0.00</td><td>100</td><td>151 PEAK</td></tr><tr><td>2</td><td>4864.00</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>64.08</td><td>34.34</td><td>10.28</td><td>65.52</td><td>0.00</td><td>100</td><td>151 AVERAGE</td></tr><tr><td>3</td><td>7296.00</td><td>52.12</td><td>74.00</td><td>-21.88</td><td>69.66</td><td>36.00</td><td>12.72</td><td>66.26</td><td>0.00</td><td>311</td><td>112 PEAK</td></tr><tr><td>4</td><td>7296.00</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>60.39</td><td>35.99</td><td>12.72</td><td>66.23</td><td>0.00</td><td>311</td><td>112 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4864.00	53.36	74.00	-20.64	74.26	34.34	10.28	65.52	0.00	100	151 PEAK	2	4864.00	43.18	54.00	-10.82	64.08	34.34	10.28	65.52	0.00	100	151 AVERAGE	3	7296.00	52.12	74.00	-21.88	69.66	36.00	12.72	66.26	0.00	311	112 PEAK	4	7296.00	42.87	54.00	-11.13	60.39	35.99	12.72	66.23	0.00	311	112 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4864.00	53.36	74.00	-20.64	74.26	34.34	10.28	65.52	0.00	100	151 PEAK																																																																															
2	4864.00	43.18	54.00	-10.82	64.08	34.34	10.28	65.52	0.00	100	151 AVERAGE																																																																															
3	7296.00	52.12	74.00	-21.88	69.66	36.00	12.72	66.26	0.00	311	112 PEAK																																																																															
4	7296.00	42.87	54.00	-11.13	60.39	35.99	12.72	66.23	0.00	311	112 AVERAGE																																																																															
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4864.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>62.07</td><td>34.34</td><td>10.28</td><td>65.52</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7296.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>72.22</td><td>36.00</td><td>12.72</td><td>66.26</td><td>0.00</td><td>300</td><td>319 PEAK</td></tr><tr><td>3</td><td>7296.00</td><td>45.12</td><td>54.00</td><td>-8.88</td><td>62.66</td><td>35.99</td><td>12.72</td><td>66.25</td><td>0.00</td><td>300</td><td>319 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4864.00	41.17	74.00	-32.83	62.07	34.34	10.28	65.52	0.00	--	-- PEAK	2	7296.00	54.68	74.00	-19.32	72.22	36.00	12.72	66.26	0.00	300	319 PEAK	3	7296.00	45.12	54.00	-8.88	62.66	35.99	12.72	66.25	0.00	300	319 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4864.00	41.17	74.00	-32.83	62.07	34.34	10.28	65.52	0.00	--	-- PEAK																																																																															
2	7296.00	54.68	74.00	-19.32	72.22	36.00	12.72	66.26	0.00	300	319 PEAK																																																																															
3	7296.00	45.12	54.00	-8.88	62.66	35.99	12.72	66.25	0.00	300	319 AVERAGE																																																																															







Mode	24																																																																			
	Band Edge - L																																																																			
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																																																			
ANT	CDD 0+1																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>47.26</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	55.65	74.00	-18.35	47.26	32.33	7.11	37.05	6.00	297	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2389.82	55.65	74.00	-18.35	47.26	32.33	7.11	37.05	6.00	297	360	PEAK																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>106.04</td><td>-----</td><td>-----</td><td>97.08</td><td>32.71</td><td>7.19</td><td>36.94</td><td>6.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	106.04	-----	-----	97.08	32.71	7.19	36.94	6.00	297	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2447.00	106.04	-----	-----	97.08	32.71	7.19	36.94	6.00	297	360	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>30.60</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	38.98	54.00	-15.02	30.60	32.33	7.10	37.05	6.00	297	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2389.56	38.98	54.00	-15.02	30.60	32.33	7.10	37.05	6.00	297	360	AVERAGE																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2304.00</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>39.77</td><td>31.73</td><td>6.97</td><td>37.09</td><td>6.00</td><td>297</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2447.00</td><td>97.48</td><td>-----</td><td>-----</td><td>88.46</td><td>32.75</td><td>7.20</td><td>36.93</td><td>6.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2304.00	47.38	54.00	-6.62	39.77	31.73	6.97	37.09	6.00	297	360	Average	2	2447.00	97.48	-----	-----	88.46	32.75	7.20	36.93	6.00	297	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2304.00	47.38	54.00	-6.62	39.77	31.73	6.97	37.09	6.00	297	360	Average																																																								
2	2447.00	97.48	-----	-----	88.46	32.75	7.20	36.93	6.00	297	360	AVERAGE																																																								



Mode	24																																												
	Band Edge - R																																												
	2400-2483.5_802.11n HT40_CH08_2447MHz																																												
ANT	CDD 0+1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.73</td><td>68.83</td><td>74.00</td><td>-5.17</td><td>59.43</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.73	68.83	74.00	-5.17	59.43	32.99	7.26	36.85	6.00	297	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2483.73	68.83	74.00	-5.17	59.43	32.99	7.26	36.85	6.00	297	360	PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.15</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>40.90</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.15	50.30	54.00	-3.70	40.90	32.99	7.26	36.85	6.00	297	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2484.15	50.30	54.00	-3.70	40.90	32.99	7.26	36.85	6.00	297	360	AVERAGE																																	





		24																																																						
Mode		Band Edge - L																																																						
		2400-2483.5_802.11n HT40_CH08_2447MHz																																																						
ANT		CDD 0+1																																																						
Pol.		Vertical																																																						
Peak																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.24	57.72	74.00	-16.28	49.41	32.27	7.09	37.05	6.00	351	90	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2381.24	57.72	74.00	-16.28	49.41	32.27	7.09	37.05	6.00	351	90	PEAK																																												
Fundamental																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	104.04	-----	-----	94.97	32.78	7.21	36.92	6.00	351	90	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2447.00	104.04	-----	-----	94.97	32.78	7.21	36.92	6.00	351	90	PEAK																																												
Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	39.10	54.00	-14.90	30.73	32.32	7.10	37.05	6.00	351	90	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2388.00	39.10	54.00	-14.90	30.73	32.32	7.10	37.05	6.00	351	90	AVERAGE																																												
2																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2304.00	43.84	54.00	-10.16	36.23	31.73	6.97	37.09	6.00	351	90	Average	2	2447.00	95.39	-----	-----	86.32	32.78	7.21	36.92	6.00	351	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2304.00	43.84	54.00	-10.16	36.23	31.73	6.97	37.09	6.00	351	90	Average																																												
2	2447.00	95.39	-----	-----	86.32	32.78	7.21	36.92	6.00	351	90	AVERAGE																																												







Mode	24																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT40_CH08_2447MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>67.34</td><td>74.00</td><td>-6.66</td><td>57.94</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	67.34	74.00	-6.66	57.94	32.99	7.26	36.85	6.00	351	90	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.68	67.34	74.00	-6.66	57.94	32.99	7.26	36.85	6.00	351	90	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.42</td><td>48.97</td><td>54.00</td><td>-5.03</td><td>39.57</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>351</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	48.97	54.00	-5.03	39.57	32.99	7.26	36.85	6.00	351	90	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.42	48.97	54.00	-5.03	39.57	32.99	7.26	36.85	6.00	351	90	AVERAGE																																												





Mode	24																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_802.11n HT40_CH08_2447MHz																																																																																																																																
ANT	CDD 0+1																																																																																																																																
Pol.	Horizontal										Vertical																																																																																																																						
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4894.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>65.19</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7341.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>59.93</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4894.00	44.28	74.00	-29.72	65.19	34.31	10.32	65.54	0.00	--	-- PEAK	2	7341.00	42.24	74.00	-31.76	59.93	35.96	12.72	66.37	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4894.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>61.88</td><td>34.31</td><td>10.32</td><td>65.54</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7341.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>61.74</td><td>35.96</td><td>12.72</td><td>66.37</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4894.00	40.97	74.00	-33.03	61.88	34.31	10.32	65.54	0.00	--	-- PEAK	2	7341.00	44.05	74.00	-29.95	61.74	35.96	12.72	66.37	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4894.00	44.28	74.00	-29.72	65.19	34.31	10.32	65.54	0.00	--	-- PEAK																																																																																																																						
2	7341.00	42.24	74.00	-31.76	59.93	35.96	12.72	66.37	0.00	--	-- PEAK																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4894.00	40.97	74.00	-33.03	61.88	34.31	10.32	65.54	0.00	--	-- PEAK																																																																																																																						
2	7341.00	44.05	74.00	-29.95	61.74	35.96	12.72	66.37	0.00	--	-- PEAK																																																																																																																						







Mode	25																																																																			
	Band Edge - L																																																																			
	2400-2483.5_802.11n_HT40_CH07_2442MHz																																																																			
ANT	CDD 0+1																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>48.49</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>294</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	56.86	74.00	-17.14	48.49	32.32	7.10	37.05	6.00	294	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2388.13	56.86	74.00	-17.14	48.49	32.32	7.10	37.05	6.00	294	360	PEAK																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2442.00</td><td>106.17</td><td>-----</td><td>-----</td><td>97.18</td><td>32.72</td><td>7.20</td><td>36.93</td><td>6.00</td><td>294</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	106.17	-----	-----	97.18	32.72	7.20	36.93	6.00	294	360	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2442.00	106.17	-----	-----	97.18	32.72	7.20	36.93	6.00	294	360	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>30.91</td><td>32.30</td><td>7.10</td><td>37.05</td><td>6.00</td><td>294</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	39.26	54.00	-14.74	30.91	32.30	7.10	37.05	6.00	294	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2385.66	39.26	54.00	-14.74	30.91	32.30	7.10	37.05	6.00	294	360	AVERAGE																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>48.23</td><td>54.00</td><td>-5.77</td><td>40.65</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>294</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2442.00</td><td>97.34</td><td>-----</td><td>-----</td><td>88.35</td><td>32.72</td><td>7.20</td><td>36.93</td><td>6.00</td><td>294</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	48.23	54.00	-5.77	40.65	31.70	6.97	37.09	6.00	294	360	Average	2	2442.00	97.34	-----	-----	88.35	32.72	7.20	36.93	6.00	294	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2300.00	48.23	54.00	-5.77	40.65	31.70	6.97	37.09	6.00	294	360	Average																																																								
2	2442.00	97.34	-----	-----	88.35	32.72	7.20	36.93	6.00	294	360	AVERAGE																																																								



Mode	25																																																
	Band Edge - R																																																
	2400-2483.5_802.11n HT40_CH07_2442MHz																																																
ANT	CDD 0+1																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.24</td><td>66.37</td><td>74.00</td><td>-7.63</td><td>56.94</td><td>33.01</td><td>7.26</td><td>36.84</td><td>6.00</td><td>294</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.24	66.37	74.00	-7.63	56.94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2487.24	66.37	74.00	-7.63	56.94	33.01	7.26	36.84	6.00	294	360	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.93</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>40.17</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>294</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.93	49.57	54.00	-4.43	40.17
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.93	49.57	54.00	-4.43	40.17	32.99	7.26	36.85	6.00	294	360	AVERAGE																																					





		25																																																																																																				
Mode		Band Edge - L																																																																																																				
		2400-2483.5_802.11n HT40_CH07_2442MHz																																																																																																				
ANT		CDD 0+1																																																																																																				
Pol.		Fundamental																																																																																																				
Peak	Vertical	Fundamental																																																																																																				
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.79</td><td>60.89</td><td>74.00</td><td>-13.11</td><td>52.54</td><td>32.30</td><td>7.10</td><td>37.05</td><td>6.00</td><td>368</td><td>86</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	60.89	74.00	-13.11	52.54	32.30	7.10	37.05	6.00	368	86	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2442.00</td><td>104.23</td><td>-----</td><td>-----</td><td>95.31</td><td>32.68</td><td>7.19</td><td>36.95</td><td>6.00</td><td>368</td><td>86</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	104.23	-----	-----	95.31	32.68	7.19	36.95	6.00	368	86	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2385.79	60.89	74.00	-13.11	52.54	32.30	7.10	37.05	6.00	368	86	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2442.00	104.23	-----	-----	95.31	32.68	7.19	36.95	6.00	368	86	PEAK																																																																																										
Avg	Vertical	Fundamental																																																																																																				
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.40</td><td>40.75</td><td>54.00</td><td>-13.25</td><td>32.40</td><td>32.30</td><td>7.10</td><td>37.05</td><td>6.00</td><td>368</td><td>86</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.40	40.75	54.00	-13.25	32.40	32.30	7.10	37.05	6.00	368	86	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2300.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>35.49</td><td>31.70</td><td>6.97</td><td>37.09</td><td>6.00</td><td>368</td><td>86</td><td>Average</td></tr><tr><td>2</td><td>2442.00</td><td>95.37</td><td>-----</td><td>-----</td><td>86.38</td><td>32.72</td><td>7.20</td><td>36.93</td><td>6.00</td><td>368</td><td>86</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2300.00	43.07	54.00	-10.93	35.49	31.70	6.97	37.09	6.00	368	86	Average	2	2442.00	95.37	-----	-----	86.38	32.72	7.20	36.93	6.00	368	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2385.40	40.75	54.00	-13.25	32.40	32.30	7.10	37.05	6.00	368	86	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2300.00	43.07	54.00	-10.93	35.49	31.70	6.97	37.09	6.00	368	86	Average																																																																																										
2	2442.00	95.37	-----	-----	86.38	32.72	7.20	36.93	6.00	368	86	AVERAGE																																																																																										







Mode	25																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH07_2442MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.04</td><td>63.48</td><td>74.00</td><td>-10.52</td><td>53.99</td><td>33.05</td><td>7.27</td><td>36.83</td><td>6.00</td><td>368</td><td>86</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.04	63.48	74.00	-10.52	53.99	33.05	7.27	36.83	6.00	368	86	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2493.04	63.48	74.00	-10.52	53.99	33.05	7.27	36.83	6.00	368	86	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>35.34</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>368</td><td>86</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	44.74	54.00	-9.26	35.34	32.99	7.26	36.85	6.00	368	86	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.70	44.74	54.00	-9.26	35.34	32.99	7.26	36.85	6.00	368	86	AVERAGE																																		







Mode	25																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11n HT40_CH07_2442MHz																																																																																																																																	
ANT	CDD 0+1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4884.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>66.33</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7326.00</td><td>42.45</td><td>74.00</td><td>-31.55</td><td>60.09</td><td>35.97</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4884.00	45.42	74.00	-28.58	66.33	34.32	10.30	65.53	0.00	--	-- PEAK	2	7326.00	42.45	74.00	-31.55	60.09	35.97	12.72	66.33	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4884.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>62.28</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7326.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>61.86</td><td>35.97</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4884.00	41.37	74.00	-32.63	62.28	34.32	10.30	65.53	0.00	--	-- PEAK	2	7326.00	44.22	74.00	-29.78	61.86	35.97	12.72	66.33	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4884.00	45.42	74.00	-28.58	66.33	34.32	10.30	65.53	0.00	--	-- PEAK																																																																																																																							
2	7326.00	42.45	74.00	-31.55	60.09	35.97	12.72	66.33	0.00	--	-- PEAK																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4884.00	41.37	74.00	-32.63	62.28	34.32	10.30	65.53	0.00	--	-- PEAK																																																																																																																							
2	7326.00	44.22	74.00	-29.78	61.86	35.97	12.72	66.33	0.00	--	-- PEAK																																																																																																																							





		26																																																																																																											
Mode	Band Edge																																																																																																												
	2400-2483.5_802.11n HT20_CH03_2422MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>65.31</td><td>74.00</td><td>-8.69</td><td>56.93</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>267</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	65.31	74.00	-8.69	56.93	32.33	7.10	37.05	6.00	267	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2256.00</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>47.62</td><td>31.66</td><td>6.90</td><td>37.11</td><td>6.00</td><td>267</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2422.00</td><td>115.92</td><td>-----</td><td>-----</td><td>107.22</td><td>32.54</td><td>7.15</td><td>36.99</td><td>6.00</td><td>267</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2256.00	55.07	74.00	-18.93	47.62	31.66	6.90	37.11	6.00	267	360	Peak	2	2422.00	115.92	-----	-----	107.22	32.54	7.15	36.99	6.00	267	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.43	65.31	74.00	-8.69	56.93	32.33	7.10	37.05	6.00	267	360	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2256.00	55.07	74.00	-18.93	47.62	31.66	6.90	37.11	6.00	267	360	Peak																																																																																																	
2	2422.00	115.92	-----	-----	107.22	32.54	7.15	36.99	6.00	267	360	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>42.09</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>267</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.48	54.00	-3.52	42.09	32.33	7.11	37.05	6.00	267	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2270.00</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>37.25</td><td>31.67</td><td>6.92</td><td>37.10</td><td>6.00</td><td>267</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2422.00</td><td>106.56</td><td>-----</td><td>-----</td><td>97.86</td><td>32.54</td><td>7.15</td><td>36.99</td><td>6.00</td><td>267</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2270.00	44.74	54.00	-9.26	37.25	31.67	6.92	37.10	6.00	267	360	Average	2	2422.00	106.56	-----	-----	97.86	32.54	7.15	36.99	6.00	267	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.95	50.48	54.00	-3.52	42.09	32.33	7.11	37.05	6.00	267	360	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2270.00	44.74	54.00	-9.26	37.25	31.67	6.92	37.10	6.00	267	360	Average																																																																																																	
2	2422.00	106.56	-----	-----	97.86	32.54	7.15	36.99	6.00	267	360	AVERAGE																																																																																																	



Mode	26																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_802.11n HT20_CH03_2422MHz																																																																																																											
ANT	CDD 0+1																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>64.78</td><td>74.00</td><td>-9.22</td><td>56.41</td><td>32.32</td><td>7.10</td><td>37.05</td><td>6.00</td><td>317</td><td>87 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	64.78	74.00	-9.22	56.41	32.32	7.10	37.05	6.00	317	87 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2270.00</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>47.73</td><td>31.67</td><td>6.92</td><td>37.10</td><td>6.00</td><td>317</td><td>87 Peak</td></tr><tr><td>2</td><td>2422.00</td><td>113.17</td><td>-----</td><td>-----</td><td>104.47</td><td>32.54</td><td>7.15</td><td>36.99</td><td>6.00</td><td>317</td><td>87 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2270.00	55.22	74.00	-18.78	47.73	31.67	6.92	37.10	6.00	317	87 Peak	2	2422.00	113.17	-----	-----	104.47	32.54	7.15	36.99	6.00	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2388.91	64.78	74.00	-9.22	56.41	32.32	7.10	37.05	6.00	317	87 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2270.00	55.22	74.00	-18.78	47.73	31.67	6.92	37.10	6.00	317	87 Peak																																																																																																	
2	2422.00	113.17	-----	-----	104.47	32.54	7.15	36.99	6.00	317	87 PEAK																																																																																																	
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>37.68</td><td>32.33</td><td>7.11</td><td>37.05</td><td>6.00</td><td>317</td><td>87 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	46.07	54.00	-7.93	37.68	32.33	7.11	37.05	6.00	317	87 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2270.00</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>38.77</td><td>31.67</td><td>6.92</td><td>37.10</td><td>6.00</td><td>317</td><td>87 Average</td></tr><tr><td>2</td><td>2422.00</td><td>104.61</td><td>-----</td><td>-----</td><td>95.93</td><td>32.53</td><td>7.15</td><td>37.00</td><td>6.00</td><td>317</td><td>87 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2270.00	46.26	54.00	-7.74	38.77	31.67	6.92	37.10	6.00	317	87 Average	2	2422.00	104.61	-----	-----	95.93	32.53	7.15	37.00	6.00	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2389.82	46.07	54.00	-7.93	37.68	32.33	7.11	37.05	6.00	317	87 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2270.00	46.26	54.00	-7.74	38.77	31.67	6.92	37.10	6.00	317	87 Average																																																																																																	
2	2422.00	104.61	-----	-----	95.93	32.53	7.15	37.00	6.00	317	87 AVERAGE																																																																																																	




Mode	26																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_802.11n HT20_CH03_2422MHz																																																																																																																																																																				
ANT	CDD 0+1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>57.72</td><td>74.00</td><td>-16.28</td><td>78.62</td><td>34.36</td><td>10.25</td><td>65.51</td><td>0.00</td><td>339</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>4844.00</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>67.26</td><td>34.36</td><td>10.25</td><td>65.51</td><td>0.00</td><td>339</td><td>181</td><td>AVERAGE</td></tr><tr><td>3</td><td>7266.00</td><td>60.13</td><td>74.00</td><td>-13.87</td><td>77.62</td><td>35.97</td><td>12.72</td><td>66.18</td><td>0.00</td><td>100</td><td>127</td><td>PEAK</td></tr><tr><td>4</td><td>7266.00</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>64.38</td><td>35.97</td><td>12.72</td><td>66.18</td><td>0.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	57.72	74.00	-16.28	78.62	34.36	10.25	65.51	0.00	339	181	PEAK	2	4844.00	46.36	54.00	-7.64	67.26	34.36	10.25	65.51	0.00	339	181	AVERAGE	3	7266.00	60.13	74.00	-13.87	77.62	35.97	12.72	66.18	0.00	100	127	PEAK	4	7266.00	46.89	54.00	-7.11	64.38	35.97	12.72	66.18	0.00	100	127	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>61.63</td><td>34.36</td><td>10.25</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>63.70</td><td>74.00</td><td>-10.30</td><td>81.19</td><td>35.97</td><td>12.72</td><td>66.18</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>68.05</td><td>35.97</td><td>12.72</td><td>66.18</td><td>0.00</td><td>300</td><td>317</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	40.73	74.00	-33.27	61.63	34.36	10.25	65.51	0.00	--	--	PEAK	2	7266.00	63.70	74.00	-10.30	81.19	35.97	12.72	66.18	0.00	300	317	PEAK	3	7266.00	50.56	54.00	-3.44	68.05	35.97	12.72	66.18	0.00	300	317	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4844.00	57.72	74.00	-16.28	78.62	34.36	10.25	65.51	0.00	339	181	PEAK																																																																																																																																																									
2	4844.00	46.36	54.00	-7.64	67.26	34.36	10.25	65.51	0.00	339	181	AVERAGE																																																																																																																																																									
3	7266.00	60.13	74.00	-13.87	77.62	35.97	12.72	66.18	0.00	100	127	PEAK																																																																																																																																																									
4	7266.00	46.89	54.00	-7.11	64.38	35.97	12.72	66.18	0.00	100	127	AVERAGE																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	4844.00	40.73	74.00	-33.27	61.63	34.36	10.25	65.51	0.00	--	--	PEAK																																																																																																																																																									
2	7266.00	63.70	74.00	-10.30	81.19	35.97	12.72	66.18	0.00	300	317	PEAK																																																																																																																																																									
3	7266.00	50.56	54.00	-3.44	68.05	35.97	12.72	66.18	0.00	300	317	AVERAGE																																																																																																																																																									


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.96	-	-	10Hz
802.11g	93.07	1.362	0.734	0.75KHz
802.11n HT20	93.12	1.275	0.784	0.82KHz
802.11n HT40	85.63	0.639	1.565	1.6KHz


802.11b



802.11g



802.11n HT20





802.11n HT40

