










NTNV_N5_PC3_15_15_H_TID10_#1




NTNV_N5_PC3_15_15_H_TID12_#1



NTNV_N5_PC3_15_15_H_TID13_#1




NTNV_N5_PC3_15_15_H_TID15_#1



NTNV_N5_PC3_15_15_H_TID16_#1




NTNV_N5_PC3_15_15_H_TID18_#1



NTNV_N5_PC3_15_15_H_TID19_#1




NTNV_N5_PC3_15_15_H_TID21_#1



NTNV_N5_PC3_15_15_H_TID22_#1





NTNV_N5_PC3_15_15_H_TID24_#1







NTNV_N5_PC3_15_15_H_TID25_#1



NTNV_N5_PC3_15_15_H_TID27_#1








NTNV_N5_PC3_15_20_L_TID13_#1




NTNV_N5_PC3_15_20_L_TID14_#1



NTNV_N5_PC3_15_20_L_TID16_#1




NTNV_N5_PC3_15_20_L_TID17_#1



NTNV_N5_PC3_15_20_L_TID19_#1




NTNV_N5_PC3_15_20_L_TID20_#1



NTNV_N5_PC3_15_20_L_TID22_#1




NTNV_N5_PC3_15_20_L_TID23_#1



NTNV_N5_PC3_15_20_L_TID25_#1




NTNV_N5_PC3_15_20_L_TID26_#1



NTNV_N5_PC3_15_20_H_TID1_#1




NTNV_N5_PC3_15_20_H_TID3_#1



NTNV_N5_PC3_15_20_H_TID4_#1




NTNV_N5_PC3_15_20_H_TID6_#1



NTNV_N5_PC3_15_20_H_TID7_#1




NTNV_N5_PC3_15_20_H_TID9_#1



NTNV_N5_PC3_15_20_H_TID10_#1




NTNV_N5_PC3_15_20_H_TID12_#1



NTNV_N5_PC3_15_20_H_TID13_#1




NTNV_N5_PC3_15_20_H_TID15_#1




NTNV_N5_PC3_15_20_H_TID16_#1




NTNV_N5_PC3_15_20_H_TID18_#1



NTNV_N5_PC3_15_20_H_TID19_#1




NTNV_N5_PC3_15_20_H_TID21_#1



NTNV_N5_PC3_15_20_H_TID22_#1



NTNV_N5_PC3_15_20_H_TID24_#1




NTNV_N5_PC3_15_20_H_TID25_#1



NTNV_N5_PC3_15_20_H_TID27_#1

Conducted Spurious Emission for SA

Test Graphs




NTNV_N5_PC3_15_20_L_TID1_N/A_0.009_0.15_#1

NTNV_N5_PC3_15_20_L_TID1_N/A_0.15_30_#1



NTNV_N5_PC3_15_20_L_TID1_N/A_30_1000_#1


NTNV_N5_PC3_15_20_L_TID1_N/A_1000_3000_#1




NTNV_N5_PC3_15_20_L_TID1_N/A_3000_12000_#1




NTNV_N5_PC3_15_20_L_TID1_N/A_12000_20000_#1



NTNV_N5_PC3_15_20_L_TID2_N/A_0.009_0.15_#1




NTNV_N5_PC3_15_20_L_TID2_N/A_0.15_30_#1



NTNV_N5_PC3_15_20_L_TID2_N/A_30_1000_#1




NTNV_N5_PC3_15_20_L_TID2_N/A_1000_3000_#1




NTNV_N5_PC3_15_20_L_TID2_N/A_3000_12000_#1



NTNV_N5_PC3_15_20_L_TID2_N/A_12000_20000_#1



NTNV_N5_PC3_15_20_L_TID3_N/A_0.009_0.15_#1




NTNV_N5_PC3_15_20_L_TID3_N/A_0.15_30_#1



NTNV_N5_PC3_15_20_L_TID3_N/A_30_1000_#1




NTNV_N5_PC3_15_20_L_TID3_N/A_1000_3000_#1



NTNV_N5_PC3_15_20_L_TID3_N/A_3000_12000_#1




NTNV_N5_PC3_15_20_L_TID3_N/A_12000_20000_#1




NTNV_N5_PC3_15_20_L_TID4_N/A_0.009_0.15_#1




NTNV_N5_PC3_15_20_L_TID4_N/A_0.15_30_#1



NTNV_N5_PC3_15_20_L_TID4_N/A_30_1000_#1




NTNV_N5_PC3_15_20_L_TID4_N/A_1000_3000_#1




NTNV_N5_PC3_15_20_L_TID4_N/A_3000_12000_#1




NTNV_N5_PC3_15_20_L_TID4_N/A_12000_20000_#1



NTNV_N5_PC3_15_20_L_TID5_N/A_0.009_0.15_#1



NTNV_N5_PC3_15_20_L_TID5_N/A_0.15_30_#1



NTNV_N5_PC3_15_20_L_TID5_N/A_30_1000_#1



NTNV_N5_PC3_15_20_L_TID5_N/A_1000_3000_#1