



60MHz Channel Bandwidth


Channel 632000 (3480.00MHz)



Channel 633334 (3500.01MHz)




Channel 634666 (3519.99MHz)




70MHz Channel Bandwidth


Channel 632334 (3485.01MHz)



Channel 633334 (3500.01MHz)




Channel 634332 (3514.98MHz)




80MHz Channel Bandwidth


Channel 632668 (3490.02MHz)



Channel 633334 (3500.01MHz)




Channel 634000 (3510.00MHz)




90MHz Channel Bandwidth


Channel 633000 (3495.00MHz)




Channel 633334 (3500.01MHz)



Channel 633666 (3504.99MHz)






Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-16	Test Band	n77/n78_MIMO_PC1.5 (Port 0) (3700 ~ 3980MHz) 1RB, QPSK

Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
3705.00	10	30 ~ 40000	-35.68	≤ -16.01	Pass
3840.00	10	30 ~ 40000	-33.89	≤ -16.01	Pass
3975.00	10	30 ~ 40000	-33.56	≤ -16.01	Pass
3707.52	15	30 ~ 40000	-32.94	≤ -16.01	Pass
3840.00	15	30 ~ 40000	-33.86	≤ -16.01	Pass
3972.48	15	30 ~ 40000	-33.67	≤ -16.01	Pass
3710.01	20	30 ~ 40000	-33.52	≤ -16.01	Pass
3840.00	20	30 ~ 40000	-33.37	≤ -16.01	Pass
3869.99	20	30 ~ 40000	-33.47	≤ -16.01	Pass
3715.02	30	30 ~ 40000	-33.29	≤ -16.01	Pass
3840.00	30	30 ~ 40000	-33.50	≤ -16.01	Pass
3964.98	30	30 ~ 40000	-34.16	≤ -16.01	Pass
3720.00	40	30 ~ 40000	-33.72	≤ -16.01	Pass
3840.00	40	30 ~ 40000	-33.09	≤ -16.01	Pass
3960.00	40	30 ~ 40000	-33.24	≤ -16.01	Pass
3725.01	50	30 ~ 40000	-33.55	≤ -16.01	Pass
3840.00	50	30 ~ 40000	-33.63	≤ -16.01	Pass
3954.99	50	30 ~ 40000	-33.64	≤ -16.01	Pass
3730.02	60	30 ~ 40000	-33.24	≤ -16.01	Pass
3840.00	60	30 ~ 40000	-32.90	≤ -16.01	Pass
3949.98	60	30 ~ 40000	-33.91	≤ -16.01	Pass
3735.00	70	30 ~ 40000	-33.65	≤ -16.01	Pass
3840.00	70	30 ~ 40000	-32.45	≤ -16.01	Pass
3945.00	70	30 ~ 40000	-33.20	≤ -16.01	Pass
3740.01	80	30 ~ 40000	-33.30	≤ -16.01	Pass
3840.00	80	30 ~ 40000	-33.46	≤ -16.01	Pass
3939.99	80	30 ~ 40000	-33.46	≤ -16.01	Pass
3745.02	90	30 ~ 40000	-33.35	≤ -16.01	Pass
3840.00	90	30 ~ 40000	-33.79	≤ -16.01	Pass
3934.98	90	30 ~ 40000	-33.26	≤ -16.01	Pass

3750.00	100	30 ~ 40000	-33.50	≤ -16.01	Pass
3840.00	100	30 ~ 40000	-33.52	≤ -16.01	Pass
3930.00	100	30 ~ 40000	-33.68	≤ -16.01	Pass

10MHz Channel Bandwidth


Channel 647000 (3705.00MHz)



Channel 656000 (3840.00MHz)




Channel 665000 (3975.00MHz)




15MHz Channel Bandwidth


Channel 647168 (3707.52MHz)



Channel 656000 (3840.00MHz)




Channel 664832 (3972.48MHz)




20MHz Channel Bandwidth


Channel 647334 (3710.01MHz)



Channel 656000 (3840.00MHz)




Channel 664666 (3969.99MHz)




30MHz Channel Bandwidth


Channel 647668 (3715.02MHz)



Channel 656000 (3840.00MHz)




Channel 664332 (3964.98MHz)




40MHz Channel Bandwidth

Channel 648000 (3720.00MHz)



Channel 656000 (3840.00MHz)




Channel 664000 (3960.00MHz)




50MHz Channel Bandwidth


Channel 648334 (3725.01MHz)



Channel 656000 (3840.00MHz)



Channel 663666 (3954.9900MHz)



60MHz Channel Bandwidth


Channel 648668 (3730.02MHz)



Channel 656000 (3840.00MHz)




Channel 663332 (3949.98MHz)



70MHz Channel Bandwidth


Channel 649000 (3735.00MHz)



Channel 656000 (3840.00MHz)




Channel 663000 (3945.00MHz)




80MHz Channel Bandwidth


Channel 649334 (3740.01MHz)



Channel 656000 (3840.00MHz)




Channel 662666 (3939.99MHz)




90MHz Channel Bandwidth


Channel 649668 (3745.02MHz)



Channel 656000 (3840.00MHz)




Channel 662332 (3934.98MHz)




100MHz Channel Bandwidth


Channel 650000 (3750.00MHz)



Channel 656000 (3840.00MHz)



Channel 662000 (3930.00MHz)




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-17	Test Band	n77/n78_MIMO_PC1.5 (Port 3) (3700 ~ 3980MHz) 1RB, QPSK

Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
3705.00	10	30 ~ 40000	-35.25	≤ -16.01	Pass
3840.00	10	30 ~ 40000	-33.93	≤ -16.01	Pass
3975.00	10	30 ~ 40000	-33.20	≤ -16.01	Pass
3707.52	15	30 ~ 40000	-33.45	≤ -16.01	Pass
3840.00	15	30 ~ 40000	-34.07	≤ -16.01	Pass
3972.48	15	30 ~ 40000	-33.55	≤ -16.01	Pass
3710.01	20	30 ~ 40000	-33.29	≤ -16.01	Pass
3840.00	20	30 ~ 40000	-33.80	≤ -16.01	Pass
3869.99	20	30 ~ 40000	-34.05	≤ -16.01	Pass
3715.02	30	30 ~ 40000	-33.64	≤ -16.01	Pass
3840.00	30	30 ~ 40000	-33.11	≤ -16.01	Pass
3964.98	30	30 ~ 40000	-33.52	≤ -16.01	Pass
3720.00	40	30 ~ 40000	-33.85	≤ -16.01	Pass
3840.00	40	30 ~ 40000	-33.71	≤ -16.01	Pass
3960.00	40	30 ~ 40000	-33.78	≤ -16.01	Pass
3725.01	50	30 ~ 40000	-33.86	≤ -16.01	Pass
3840.00	50	30 ~ 40000	-33.26	≤ -16.01	Pass
3954.99	50	30 ~ 40000	-33.00	≤ -16.01	Pass
3730.02	60	30 ~ 40000	-33.16	≤ -16.01	Pass
3840.00	60	30 ~ 40000	-33.13	≤ -16.01	Pass
3949.98	60	30 ~ 40000	-33.35	≤ -16.01	Pass
3735.00	70	30 ~ 40000	-32.60	≤ -16.01	Pass
3840.00	70	30 ~ 40000	-33.92	≤ -16.01	Pass
3945.00	70	30 ~ 40000	-33.14	≤ -16.01	Pass
3740.01	80	30 ~ 40000	-33.47	≤ -16.01	Pass
3840.00	80	30 ~ 40000	-33.36	≤ -16.01	Pass
3939.99	80	30 ~ 40000	-33.21	≤ -16.01	Pass
3745.02	90	30 ~ 40000	-33.79	≤ -16.01	Pass
3840.00	90	30 ~ 40000	-33.22	≤ -16.01	Pass
3934.98	90	30 ~ 40000	-33.71	≤ -16.01	Pass


3750.00	100	30 ~ 40000	-33.16	≤ -16.01	Pass
3840.00	100	30 ~ 40000	-32.87	≤ -16.01	Pass
3930.00	100	30 ~ 40000	-33.64	≤ -16.01	Pass

10MHz Channel Bandwidth


Channel 647000 (3705.00MHz)



Channel 656000 (3840.00MHz)




Channel 665000 (3975.00MHz)




15MHz Channel Bandwidth


Channel 647168 (3707.52MHz)



Channel 656000 (3840.00MHz)




Channel 664832 (3972.48MHz)




20MHz Channel Bandwidth


Channel 647334 (3710.01MHz)



Channel 656000 (3840.00MHz)




Channel 664666 (3969.99MHz)




30MHz Channel Bandwidth


Channel 647668 (3715.02MHz)



Channel 656000 (3840.00MHz)




Channel 664332 (3964.98MHz)




40MHz Channel Bandwidth


Channel 648000 (3720.00MHz)



Channel 656000 (3840.00MHz)




Channel 664000 (3960.00MHz)




50MHz Channel Bandwidth


Channel 648334 (3725.01MHz)



Channel 656000 (3840.00MHz)




Channel 663666 (3954.9900MHz)




60MHz Channel Bandwidth

Channel 648668 (3730.02MHz)



Channel 656000 (3840.00MHz)




Channel 663332 (3949.98MHz)




70MHz Channel Bandwidth


Channel 649000 (3735.00MHz)



Channel 656000 (3840.00MHz)




Channel 663000 (3945.00MHz)




80MHz Channel Bandwidth


Channel 649334 (3740.01MHz)



Channel 656000 (3840.00MHz)




Channel 662666 (3939.99MHz)




90MHz Channel Bandwidth


Channel 649668 (3745.02MHz)



Channel 656000 (3840.00MHz)




Channel 662332 (3934.98MHz)




100MHz Channel Bandwidth


Channel 650000 (3750.00MHz)



Channel 656000 (3840.00MHz)



Channel 662000 (3930.00MHz)



A.7 Radiated Spurious Emissions Test Result

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n2/n25_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
53.3	1.2	20.4	21.6	82.3	-60.7	Peak	Horizontal
772.5	2.3	29.3	31.6	82.3	-50.7	Peak	Horizontal
45.0	9.9	20.0	29.9	82.3	-52.4	Peak	Vertical
835.6	1.4	30.2	31.6	82.3	-50.7	Peak	Vertical
7290.0	33.5	11.4	44.9	82.3	-37.4	Peak	Horizontal
12254.0	32.8	18.0	50.8	82.3	-31.5	Peak	Horizontal
7944.5	33.0	11.8	44.8	82.3	-37.5	Peak	Vertical
12738.5	32.6	17.5	50.1	82.3	-32.2	Peak	Vertical
Middle Channel							
45.5	4.3	20.0	24.3	82.3	-58.0	Peak	Horizontal
913.2	2.3	31.3	33.6	82.3	-48.7	Peak	Horizontal
54.3	9.9	20.3	30.2	82.3	-52.1	Peak	Vertical
931.1	2.6	31.1	33.7	82.3	-48.6	Peak	Vertical
7052.0	33.2	10.9	44.1	82.3	-38.2	Peak	Horizontal
10766.5	33.0	16.8	49.8	82.3	-32.5	Peak	Horizontal
7205.0	33.4	11.4	44.8	82.3	-37.5	Peak	Vertical
11744.0	32.0	17.5	49.5	82.3	-32.8	Peak	Vertical
High Channel							
57.2	0.8	20.0	20.8	82.3	-61.5	Peak	Horizontal
682.8	2.3	28.2	30.5	82.3	-51.8	Peak	Horizontal
53.3	10.0	20.4	30.4	82.3	-51.9	Peak	Vertical
814.7	2.3	29.9	32.2	82.3	-50.1	Peak	Vertical
7655.5	33.7	11.4	45.1	82.3	-37.2	Peak	Horizontal
11276.5	31.9	17.9	49.8	82.3	-32.5	Peak	Horizontal
7196.5	33.7	11.4	45.1	82.3	-37.2	Peak	Vertical
11378.5	32.6	17.7	50.3	82.3	-32.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n5/n26_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
196.8	8.7	18.8	27.5	82.3	-54.8	Peak	Horizontal
991.8	8.4	31.8	40.2	82.3	-42.1	Peak	Horizontal
57.6	11.3	20.0	31.3	82.3	-51.0	Peak	Vertical
986.9	8.5	31.7	40.2	82.3	-42.1	Peak	Vertical
1357.0	37.9	-4.8	33.1	82.3	-49.2	Peak	Horizontal
11514.5	32.2	17.6	49.8	82.3	-32.5	Peak	Horizontal
1476.0	38.7	-5.2	33.5	82.3	-48.8	Peak	Vertical
10834.5	31.8	17.5	49.3	82.3	-33.0	Peak	Vertical
Middle Channel							
54.7	7.6	20.3	27.9	82.3	-54.4	Peak	Horizontal
940.8	9.9	31.3	41.2	82.3	-41.1	Peak	Horizontal
58.1	12.8	19.9	32.7	82.3	-49.6	Peak	Vertical
897.7	9.2	31.1	40.3	82.3	-42.0	Peak	Vertical
1408.0	38.6	-4.8	33.8	82.3	-48.5	Peak	Horizontal
10868.5	32.5	17.0	49.5	82.3	-32.8	Peak	Horizontal
1765.0	41.9	-5.5	36.4	82.3	-45.9	Peak	Vertical
14192.0	31.4	20.0	51.4	82.3	-30.9	Peak	Vertical
High Channel							
55.2	8.2	20.2	28.4	82.3	-53.9	Peak	Horizontal
871.0	10.0	30.8	40.8	82.3	-41.5	Peak	Horizontal
57.2	10.9	20.0	30.9	82.3	-51.4	Peak	Vertical
889.9	9.7	31.0	40.7	82.3	-41.6	Peak	Vertical
2292.0	36.5	-2.0	34.5	82.3	-47.8	Peak	Horizontal
14311.0	32.0	19.4	51.4	82.3	-30.9	Peak	Horizontal
2054.0	37.7	-3.7	34.0	82.3	-48.3	Peak	Vertical
11514.5	32.2	17.6	49.8	82.3	-32.5	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n7_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
51.8	-2.1	20.4	18.3	70.3	-52.0	Peak	Horizontal
827.3	-0.4	30.1	29.7	70.3	-40.6	Peak	Horizontal
45.0	10.2	20.0	30.2	70.3	-40.1	Peak	Vertical
744.9	0.3	29.3	29.6	70.3	-40.7	Peak	Vertical
7179.5	33.8	11.3	45.1	70.3	-25.2	Peak	Horizontal
11421.0	32.8	17.7	50.5	70.3	-19.8	Peak	Horizontal
5879.0	35.3	5.9	41.2	70.3	-29.1	Peak	Vertical
10970.5	31.7	17.2	48.9	70.3	-21.4	Peak	Vertical
Middle Channel							
52.8	-0.6	20.4	19.8	70.3	-50.5	Peak	Horizontal
712.4	-1.3	28.5	27.2	70.3	-43.1	Peak	Horizontal
53.3	8.7	20.4	29.1	70.3	-41.2	Peak	Vertical
911.7	0.7	31.3	32.0	70.3	-38.3	Peak	Vertical
7281.5	33.5	11.5	45.0	70.3	-25.3	Peak	Horizontal
11642.0	32.2	17.7	49.9	70.3	-20.4	Peak	Horizontal
6567.5	34.8	8.3	43.1	70.3	-27.2	Peak	Vertical
11361.5	32.7	17.7	50.4	70.3	-19.9	Peak	Vertical
High Channel							
56.2	0.7	20.1	20.8	70.3	-49.5	Peak	Horizontal
753.1	0.5	29.5	30.0	70.3	-40.3	Peak	Horizontal
58.1	9.6	19.9	29.5	70.3	-40.8	Peak	Vertical
676.5	1.5	28.1	29.6	70.3	-40.7	Peak	Vertical
6618.5	34.5	8.6	43.1	70.3	-27.2	Peak	Horizontal
10775.0	31.9	17.1	49.0	70.3	-21.3	Peak	Horizontal
6678.0	33.9	8.5	42.4	70.3	-27.9	Peak	Vertical
11225.5	31.5	17.5	49.0	70.3	-21.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n12_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
52.3	14.2	20.4	34.6	82.3	-47.7	Peak	Horizontal
867.1	17.0	30.8	47.8	82.3	-34.5	Peak	Horizontal
58.6	14.8	19.8	34.6	82.3	-47.7	Peak	Vertical
867.6	16.0	30.8	46.8	82.3	-35.5	Peak	Vertical
3847.5	36.8	0.0	36.8	82.3	-45.5	Peak	Horizontal
14158.0	31.6	19.3	50.9	82.3	-31.4	Peak	Horizontal
3116.5	39.4	-2.7	36.7	82.3	-45.6	Peak	Vertical
14336.5	32.4	19.4	51.8	82.3	-30.5	Peak	Vertical
Middle Channel							
58.6	15.8	19.8	35.6	82.3	-46.7	Peak	Horizontal
892.8	16.3	31.1	47.4	82.3	-34.9	Peak	Horizontal
54.3	14.1	20.3	34.4	82.3	-47.9	Peak	Vertical
894.8	15.6	31.1	46.7	82.3	-35.6	Peak	Vertical
1901.0	43.6	-4.8	38.8	82.3	-43.5	Peak	Horizontal
4833.5	36.1	3.8	39.9	82.3	-42.4	Peak	Horizontal
2113.5	37.3	-2.9	34.4	82.3	-47.9	Peak	Vertical
4825.0	35.9	3.8	39.7	82.3	-42.6	Peak	Vertical
High Channel							
51.8	14.9	20.4	35.3	82.3	-47.0	Peak	Horizontal
824.4	16.4	30.1	46.5	82.3	-35.8	Peak	Horizontal
53.8	15.1	20.4	35.5	82.3	-46.8	Peak	Vertical
879.2	16.9	30.8	47.7	82.3	-34.6	Peak	Vertical
1646.0	38.0	-5.5	32.5	82.3	-49.8	Peak	Horizontal
11200.0	31.6	17.9	49.5	82.3	-32.8	Peak	Horizontal
2326.0	37.4	-2.1	35.3	82.3	-47.0	Peak	Vertical
11276.5	31.6	17.9	49.5	82.3	-32.8	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n13_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
55.2	14.8	20.2	35.0	82.3	-47.3	Peak	Horizontal
889.9	15.2	31.0	46.2	82.3	-36.1	Peak	Horizontal
52.8	15.4	20.4	35.8	82.3	-46.5	Peak	Vertical
942.3	15.6	31.4	47.0	82.3	-35.3	Peak	Vertical
1569.5	37.8	-5.4	32.4	55.3	-22.9	Peak	Horizontal
11217.0	32.7	17.8	50.5	82.3	-31.8	Peak	Horizontal
1586.5	38.2	-5.4	32.8	55.3	-22.5	Peak	Vertical
10800.5	33.1	17.0	50.1	82.3	-32.2	Peak	Vertical
Middle Channel							
52.8	15.4	20.4	35.8	82.3	-46.5	Peak	Horizontal
968.5	16.7	31.7	48.4	82.3	-33.9	Peak	Horizontal
57.2	15.8	20.0	35.8	82.3	-46.5	Peak	Vertical
905.4	16.1	31.2	47.3	82.3	-35.0	Peak	Vertical
1586.5	38.2	-5.4	32.8	55.3	-22.5	Peak	Horizontal
10826.0	32.7	17.6	50.3	82.3	-32.0	Peak	Horizontal
1586.5	37.2	-5.4	31.8	55.3	-23.5	Peak	Vertical
7043.5	33.6	10.7	44.3	82.3	-38.0	Peak	Vertical
High Channel							
47.9	15.0	20.3	35.3	82.3	-47.0	Peak	Horizontal
897.2	16.0	31.1	47.1	82.3	-35.2	Peak	Horizontal
49.4	15.4	20.4	35.8	82.3	-46.5	Peak	Vertical
941.8	16.0	31.4	47.4	82.3	-34.9	Peak	Vertical
1603.5	38.0	-5.5	32.5	55.3	-19.8	Peak	Horizontal
8828.5	33.5	13.4	46.9	82.3	-35.4	Peak	Horizontal
1603.5	38.0	-5.5	32.5	55.3	-19.8	Peak	Vertical
2368.5	37.2	-2.1	35.1	82.3	-47.2	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n66_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
55.2	2.5	20.2	22.7	82.3	-59.6	Peak	Horizontal
839.5	2.0	30.3	32.3	82.3	-50.0	Peak	Horizontal
54.7	10.4	20.3	30.7	82.3	-51.6	Peak	Vertical
856.9	2.3	30.6	32.9	82.3	-49.4	Peak	Vertical
6236.0	34.9	7.0	41.9	82.3	-40.4	Peak	Horizontal
11225.5	31.8	17.5	49.3	82.3	-33.0	Peak	Horizontal
4791.0	35.1	3.8	38.9	82.3	-43.4	Peak	Vertical
8038.0	33.6	12.0	45.6	82.3	-36.7	Peak	Vertical
Bottom Channel							
56.7	1.5	20.1	21.6	82.3	-60.7	Peak	Horizontal
817.6	1.6	30.0	31.6	82.3	-50.7	Peak	Horizontal
54.7	9.0	20.3	29.3	82.3	-53.0	Peak	Vertical
800.2	3.0	29.6	32.6	82.3	-49.7	Peak	Vertical
6542.0	34.1	8.5	42.6	82.3	-39.7	Peak	Horizontal
11421.0	31.8	17.7	49.5	82.3	-32.8	Peak	Horizontal
7137.0	33.6	11.4	45.0	82.3	-37.3	Peak	Vertical
12118.0	32.5	17.4	49.9	82.3	-32.4	Peak	Vertical
High Channel							
54.3	0.4	20.3	20.7	82.3	-61.6	Peak	Horizontal
689.1	2.8	28.4	31.2	82.3	-51.1	Peak	Horizontal
52.8	9.7	20.4	30.1	82.3	-52.2	Peak	Vertical
875.8	2.4	30.8	33.2	82.3	-49.1	Peak	Vertical
5411.5	35.2	4.0	39.2	82.3	-43.1	Peak	Horizontal
10970.5	30.8	17.2	48.0	82.3	-34.3	Peak	Horizontal
7239.0	32.8	11.1	43.9	82.3	-38.4	Peak	Vertical
11047.0	33.1	16.9	50.0	82.3	-32.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n71_SA, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
54.3	1.9	20.3	22.2	82.3	-60.1	Peak	Horizontal
791.9	3.3	29.5	32.8	82.3	-49.5	Peak	Horizontal
52.8	9.9	20.4	30.3	82.3	-52.0	Peak	Vertical
939.9	2.5	31.3	33.8	82.3	-48.5	Peak	Vertical
2266.5	35.5	-1.9	33.6	82.3	-48.7	Peak	Horizontal
14124.0	31.7	19.5	51.2	82.3	-31.1	Peak	Horizontal
7069.0	33.2	10.8	44.0	82.3	-38.3	Peak	Vertical
14166.5	31.6	19.9	51.5	82.3	-30.8	Peak	Vertical
Middle Channel							
53.3	2.3	20.4	22.7	82.3	-59.6	Peak	Horizontal
876.3	1.9	30.8	32.7	82.3	-49.6	Peak	Horizontal
53.8	10.2	20.4	30.6	82.3	-51.7	Peak	Vertical
860.3	1.9	30.6	32.5	82.3	-49.8	Peak	Vertical
2300.5	37.0	-1.9	35.1	82.3	-47.2	Peak	Horizontal
13010.5	30.5	18.2	48.7	82.3	-33.6	Peak	Horizontal
3150.5	38.1	-2.4	35.7	82.3	-46.6	Peak	Vertical
14098.5	30.6	19.9	50.5	82.3	-31.8	Peak	Vertical
High Channel							
47.9	-1.1	20.3	19.2	82.3	-63.1	Peak	Horizontal
885.5	0.7	30.9	31.6	82.3	-50.7	Peak	Horizontal
54.3	9.9	20.3	30.2	82.3	-52.1	Peak	Vertical
944.2	3.3	31.4	34.7	82.3	-47.6	Peak	Vertical
10486.0	32.8	15.9	48.7	82.3	-33.6	Peak	Horizontal
15067.5	31.4	19.2	50.6	82.3	-31.7	Peak	Horizontal
7145.5	32.7	11.3	44.0	82.3	-38.3	Peak	Vertical
14753.0	32.1	19.5	51.6	82.3	-30.7	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n38/n41_SA_HPUE 20MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
58.1	5.4	19.9	25.3	70.3	-45.0	Peak	Horizontal
699.3	4.7	28.5	33.2	70.3	-37.1	Peak	Horizontal
58.6	13.5	19.8	33.3	70.3	-37.0	Peak	Vertical
759.9	3.9	29.6	33.5	70.3	-36.8	Peak	Vertical
7188.0	33.2	11.4	44.6	70.3	-25.7	Peak	Horizontal
11378.5	32.4	17.7	50.1	70.3	-20.2	Peak	Horizontal
6916.0	33.2	9.5	42.7	70.3	-27.6	Peak	Vertical
11021.5	33.5	17.0	50.5	70.3	-19.8	Peak	Vertical
Middle Channel							
50.9	2.5	20.4	22.9	70.3	-47.4	Peak	Horizontal
701.7	3.3	28.5	31.8	70.3	-38.5	Peak	Horizontal
56.2	8.8	20.1	28.9	70.3	-41.4	Peak	Vertical
905.4	4.8	31.2	36.0	70.3	-34.3	Peak	Vertical
5437.0	35.5	4.3	39.8	70.3	-30.5	Peak	Horizontal
9151.5	32.4	14.0	46.4	70.3	-23.9	Peak	Horizontal
4272.5	36.3	1.7	38.0	70.3	-32.3	Peak	Vertical
8786.0	33.3	13.3	46.6	70.3	-23.7	Peak	Vertical
High Channel							
53.3	3.4	20.4	23.8	70.3	-46.5	Peak	Horizontal
829.3	2.1	30.2	32.3	70.3	-38.0	Peak	Horizontal
45.0	8.6	20.0	28.6	70.3	-41.7	Peak	Vertical
763.3	3.4	29.5	32.9	70.3	-37.4	Peak	Vertical
7375.0	33.4	11.6	45.0	70.3	-25.3	Peak	Horizontal
11480.5	30.5	17.3	47.8	70.3	-22.5	Peak	Horizontal
7400.5	35.3	11.6	46.9	70.3	-23.4	Peak	Vertical
11633.5	32.3	17.6	49.9	70.3	-20.4	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n77/n78_SA_HPUE (3450 ~ 3550MHz) 10MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
50.9	3.8	20.4	24.2	82.3	-58.1	Peak	Horizontal
650.8	3.8	27.7	31.5	82.3	-50.8	Peak	Horizontal
51.3	7.1	20.4	27.5	82.3	-54.8	Peak	Vertical
582.4	2.0	26.7	28.7	82.3	-53.6	Peak	Vertical
9194.0	32.8	14.3	47.1	82.3	-35.2	Peak	Horizontal
12101.0	33.2	17.2	50.4	82.3	-31.9	Peak	Horizontal
8794.5	32.7	13.4	46.1	82.3	-36.2	Peak	Vertical
12135.0	32.2	17.3	49.5	82.3	-32.8	Peak	Vertical
Middle Channel							
49.9	2.2	20.4	22.6	82.3	-59.7	Peak	Horizontal
744.9	4.2	29.3	33.5	82.3	-48.8	Peak	Horizontal
59.6	11.1	19.7	30.8	82.3	-51.5	Peak	Vertical
809.9	3.6	29.7	33.3	82.3	-49.0	Peak	Vertical
8701.0	33.2	12.9	46.1	82.3	-36.2	Peak	Horizontal
13597.0	34.7	19.2	53.9	82.3	-28.4	Peak	Horizontal
8097.5	34.6	12.0	46.6	82.3	-35.7	Peak	Vertical
13631.0	35.5	18.6	54.1	82.3	-28.2	Peak	Vertical
High Channel							
53.8	1.2	20.4	21.6	82.3	-60.7	Peak	Horizontal
720.6	3.8	28.6	32.4	82.3	-49.9	Peak	Horizontal
60.6	10.2	19.5	29.7	82.3	-52.6	Peak	Vertical
748.3	3.3	29.4	32.7	82.3	-49.6	Peak	Vertical
7604.5	32.8	11.3	44.1	82.3	-38.2	Peak	Horizontal
11361.5	32.1	17.7	49.8	82.3	-32.5	Peak	Horizontal
8148.5	33.8	12.1	45.9	82.3	-36.4	Peak	Vertical
13707.5	35.0	19.5	54.5	82.3	-27.8	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n77/n78_SA_HPUE (3700 ~ 3980MHz) 10MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
48.9	2.5	20.4	22.9	82.3	-59.4	Peak	Horizontal
956.4	3.7	31.6	35.3	82.3	-47.0	Peak	Horizontal
58.1	11.1	19.9	31.0	82.3	-51.3	Peak	Vertical
750.7	3.3	29.4	32.7	82.3	-49.6	Peak	Vertical
8386.5	32.0	11.7	43.7	82.3	-38.6	Peak	Horizontal
12084.0	33.6	17.1	50.7	82.3	-31.6	Peak	Horizontal
8165.5	33.1	11.9	45.0	82.3	-37.3	Peak	Vertical
10987.5	32.2	17.3	49.5	82.3	-32.8	Peak	Vertical
Middle Channel							
54.7	2.6	20.3	22.9	82.3	-59.4	Peak	Horizontal
821.0	4.4	30.1	34.5	82.3	-47.8	Peak	Horizontal
58.6	10.7	19.8	30.5	82.3	-51.8	Peak	Vertical
746.3	3.4	29.4	32.8	82.3	-49.5	Peak	Vertical
8055.0	33.8	12.2	46.0	82.3	-36.3	Peak	Horizontal
12160.5	32.5	17.5	50.0	82.3	-32.3	Peak	Horizontal
11030.0	33.1	17.0	50.1	82.3	-32.2	Peak	Vertical
15220.5	37.6	19.2	56.8	82.3	-25.5	Peak	Vertical
High Channel							
53.8	2.3	20.4	22.7	82.3	-59.6	Peak	Horizontal
872.9	4.2	30.8	35.0	82.3	-47.3	Peak	Horizontal
55.7	8.2	20.2	28.4	82.3	-53.9	Peak	Vertical
613.5	4.5	27.0	31.5	82.3	-50.8	Peak	Vertical
9015.5	33.4	13.7	47.1	82.3	-35.2	Peak	Horizontal
14175.0	35.5	20.4	55.9	82.3	-26.4	Peak	Horizontal
9559.5	32.0	14.0	46.0	82.3	-36.3	Peak	Vertical
13843.5	35.6	18.9	54.5	82.3	-27.8	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n38/n41_MIMO_PC1.5 20MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
54.7	2.8	20.3	23.1	70.3	-47.2	Peak	Horizontal
818.6	4.5	30.0	34.5	70.3	-35.8	Peak	Horizontal
53.3	8.3	20.4	28.7	70.3	-41.6	Peak	Vertical
809.9	4.5	29.7	34.2	70.3	-36.1	Peak	Vertical
5037.5	43.0	3.7	46.7	70.3	-23.6	Peak	Horizontal
8097.5	42.3	12.0	54.3	70.3	-16.0	Peak	Horizontal
5080.0	42.8	3.8	46.6	70.3	-23.7	Peak	Vertical
10341.5	41.3	15.6	56.9	70.3	-13.4	Peak	Vertical
Middle Channel							
58.6	2.5	19.8	22.3	70.3	-48.0	Peak	Horizontal
940.8	4.5	31.3	35.8	70.3	-34.5	Peak	Horizontal
59.1	10.5	19.7	30.2	70.3	-40.1	Peak	Vertical
821.0	3.3	30.1	33.4	70.3	-36.9	Peak	Vertical
6695.0	32.4	8.6	41.0	70.3	-29.3	Peak	Horizontal
11497.5	31.3	17.5	48.8	70.3	-21.5	Peak	Horizontal
10673.0	32.3	16.1	48.4	70.3	-21.9	Peak	Vertical
14115.5	30.1	19.6	49.7	70.3	-20.6	Peak	Vertical
High Channel							
48.9	2.4	20.4	22.8	70.3	-47.5	Peak	Horizontal
904.9	4.1	31.2	35.3	70.3	-35.0	Peak	Horizontal
58.6	12.0	19.8	31.8	70.3	-38.5	Peak	Vertical
676.5	3.6	28.1	31.7	70.3	-38.6	Peak	Vertical
8803.0	33.0	13.4	46.4	70.3	-23.9	Peak	Horizontal
13716.0	30.1	19.5	49.6	70.3	-20.7	Peak	Horizontal
9092.0	33.2	13.9	47.1	70.3	-23.2	Peak	Vertical
14183.5	29.5	20.2	49.7	70.3	-20.6	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n77/n78_MIMO_PC1.5 (3450 ~ 3550MHz) 10MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
42.6	2.2	19.5	21.7	82.3	-60.6	Peak	Horizontal
794.8	3.9	29.6	33.5	82.3	-48.8	Peak	Horizontal
58.6	9.8	19.8	29.6	82.3	-52.7	Peak	Vertical
728.9	4.5	28.9	33.4	82.3	-48.9	Peak	Vertical
9381.0	30.3	14.3	44.6	82.3	-37.7	Peak	Horizontal
14192.0	31.8	20.0	51.8	82.3	-30.5	Peak	Horizontal
10129.0	33.4	14.4	47.8	82.3	-34.5	Peak	Vertical
15144.0	32.0	19.4	51.4	82.3	-30.9	Peak	Vertical
Middle Channel							
51.3	2.9	20.4	23.3	82.3	-59.0	Peak	Horizontal
823.9	4.1	30.1	34.2	82.3	-48.1	Peak	Horizontal
59.6	10.4	19.7	30.1	82.3	-52.2	Peak	Vertical
763.3	3.8	29.5	33.3	82.3	-49.0	Peak	Vertical
11574.0	31.7	18.0	49.7	82.3	-32.6	Peak	Horizontal
14319.5	32.3	19.5	51.8	82.3	-30.5	Peak	Horizontal
9993.0	31.7	14.5	46.2	82.3	-36.1	Peak	Vertical
14795.5	32.1	19.9	52.0	82.3	-30.3	Peak	Vertical
High Channel							
58.1	2.8	19.9	22.7	82.3	-59.6	Peak	Horizontal
716.8	4.2	28.5	32.7	82.3	-49.6	Peak	Horizontal
58.6	10.9	19.8	30.7	82.3	-51.6	Peak	Vertical
723.1	4.4	28.7	33.1	82.3	-49.2	Peak	Vertical
10826.0	31.5	17.6	49.1	82.3	-33.2	Peak	Horizontal
16742.0	31.0	20.7	51.7	82.3	-30.6	Peak	Horizontal
9364.0	32.7	14.4	47.1	82.3	-35.2	Peak	Vertical
14812.5	32.4	19.8	52.2	82.3	-30.1	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n77/n78_MIMO_PC1.5 (3700 ~ 3980MHz) 10MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
54.3	2.7	20.3	23.0	82.3	-59.3	Peak	Horizontal
943.7	3.9	31.4	35.3	82.3	-47.0	Peak	Horizontal
58.6	9.4	19.8	29.2	82.3	-53.1	Peak	Vertical
909.3	2.4	31.3	33.7	82.3	-48.6	Peak	Vertical
10860.0	32.4	17.0	49.4	82.3	-32.9	Peak	Horizontal
14923.0	32.0	19.4	51.4	82.3	-30.9	Peak	Horizontal
9219.5	33.1	14.3	47.4	82.3	-34.9	Peak	Vertical
14795.5	32.0	19.9	51.9	82.3	-30.4	Peak	Vertical
Middle Channel							
57.2	3.3	20.0	23.3	82.3	-59.0	Peak	Horizontal
870.5	3.8	30.8	34.6	82.3	-47.7	Peak	Horizontal
54.7	9.0	20.3	29.3	82.3	-53.0	Peak	Vertical
654.7	4.6	27.7	32.3	82.3	-50.0	Peak	Vertical
8675.5	33.1	12.8	45.9	82.3	-36.4	Peak	Horizontal
14098.5	30.7	19.9	50.6	82.3	-31.7	Peak	Horizontal
10766.5	32.6	16.8	49.4	82.3	-32.9	Peak	Vertical
14175.0	32.0	20.4	52.4	82.3	-29.9	Peak	Vertical
High Channel							
61.0	3.1	19.4	22.5	82.3	-59.8	Peak	Horizontal
863.2	4.7	30.7	35.4	82.3	-46.9	Peak	Horizontal
58.6	10.6	19.8	30.4	82.3	-51.9	Peak	Vertical
765.3	4.1	29.5	33.6	82.3	-48.7	Peak	Vertical
9806.0	32.9	14.2	47.1	82.3	-35.2	Peak	Horizontal
15135.5	31.8	19.3	51.1	82.3	-31.2	Peak	Horizontal
11047.0	32.8	16.9	49.7	82.3	-32.6	Peak	Vertical
14294.0	30.5	19.5	50.0	82.3	-32.3	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n2/n25_EN-DC, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
47.0	0.9	20.2	21.1	82.3	-61.2	Peak	Horizontal
687.2	1.7	28.3	30.0	82.3	-52.3	Peak	Horizontal
53.3	9.7	20.4	30.1	82.3	-52.2	Peak	Vertical
911.2	2.1	31.3	33.4	82.3	-48.9	Peak	Vertical
7290.0	34.6	11.4	46.0	82.3	-36.3	Peak	Horizontal
12755.5	32.9	17.6	50.5	82.3	-31.8	Peak	Horizontal
7927.5	34.8	11.7	46.5	82.3	-35.8	Peak	Vertical
14778.5	33.4	19.6	53.0	82.3	-29.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n5/n26_EN-DC, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
55.2	15.4	20.2	35.6	82.3	-46.7	Peak	Horizontal
646.9	17.8	27.6	45.4	82.3	-36.9	Peak	Horizontal
54.7	18.3	20.3	38.6	82.3	-43.7	Peak	Vertical
711.9	17.8	28.5	46.3	82.3	-36.0	Peak	Vertical
7035.0	33.6	10.6	44.2	82.3	-38.1	Peak	Horizontal
12169.0	33.0	17.5	50.5	82.3	-31.8	Peak	Horizontal
5683.5	35.7	5.1	40.8	82.3	-41.5	Peak	Vertical
10834.5	32.8	17.5	50.3	82.3	-32.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n7_EN-DC, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
56.2	14.6	20.1	34.7	82.3	-47.6	Peak	Horizontal
917.1	16.6	31.2	47.8	82.3	-34.5	Peak	Horizontal
58.1	19.6	19.9	39.5	82.3	-42.8	Peak	Vertical
705.1	18.3	28.5	46.8	82.3	-35.5	Peak	Vertical
7035.0	33.9	10.6	44.5	82.3	-37.8	Peak	Horizontal
15280.0	37.4	20.1	57.5	82.3	-24.8	Peak	Horizontal
7179.5	34.0	11.3	45.3	82.3	-37.0	Peak	Vertical
11115.0	33.7	17.5	51.2	82.3	-31.1	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n12_EN-DC, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
59.6	15.3	19.7	35.0	82.3	-47.3	Peak	Horizontal
890.9	17.1	31.0	48.1	82.3	-34.2	Peak	Horizontal
51.8	16.0	20.4	36.4	82.3	-45.9	Peak	Vertical
957.8	16.9	31.6	48.5	82.3	-33.8	Peak	Vertical
6567.5	34.2	8.3	42.5	82.3	-39.8	Peak	Horizontal
10979.0	32.8	17.4	50.2	82.3	-32.1	Peak	Horizontal
6516.5	34.3	8.0	42.3	82.3	-40.0	Peak	Vertical
11200.0	32.3	17.9	50.2	82.3	-32.1	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n66_EN-DC, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
55.2	3.4	20.2	23.6	82.3	-58.7	Peak	Horizontal
819.1	2.5	30.0	32.5	82.3	-49.8	Peak	Horizontal
54.7	17.5	20.3	37.8	82.3	-44.5	Peak	Vertical
718.2	4.2	28.6	32.8	82.3	-49.5	Peak	Vertical
7239.0	41.3	11.1	52.4	82.3	-29.9	Peak	Horizontal
14200.5	41.0	19.8	60.8	82.3	-21.5	Peak	Horizontal
7332.5	41.3	11.3	52.6	82.3	-29.7	Peak	Vertical
11038.5	41.9	17.0	58.9	82.3	-23.4	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n71_EN-DC, 5MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
51.3	2.0	20.4	22.4	82.3	-59.9	Peak	Horizontal
851.1	2.6	30.5	33.1	82.3	-49.2	Peak	Horizontal
55.2	16.7	20.2	36.9	82.3	-45.4	Peak	Vertical
811.3	1.9	29.7	31.6	82.3	-50.7	Peak	Vertical
7613.0	34.5	11.3	45.8	82.3	-36.5	Peak	Horizontal
13775.5	35.0	19.4	54.4	82.3	-27.9	Peak	Horizontal
7069.0	34.8	10.8	45.6	82.3	-36.7	Peak	Vertical
11633.5	32.4	17.6	50.0	82.3	-32.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n38/n41_EN-DC 20MHz Bandwidth, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
58.6	3.6	19.8	23.4	82.3	-58.9	Peak	Horizontal
727.4	3.9	28.9	32.8	82.3	-49.5	Peak	Horizontal
54.7	16.4	20.3	36.7	82.3	-45.6	Peak	Vertical
826.9	3.3	30.1	33.4	82.3	-48.9	Peak	Vertical
8174.0	34.9	11.7	46.6	82.3	-35.7	Peak	Horizontal
12160.5	33.7	17.5	51.2	82.3	-31.1	Peak	Horizontal
5573.0	35.9	4.5	40.4	82.3	-41.9	Peak	Vertical
10834.5	33.1	17.5	50.6	82.3	-31.7	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n77/n78_EN-DC, 20MHz Bandwidth, 1RB, QPSK (3450 ~ 3550MHz)

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
53.3	3.1	20.4	23.5	82.3	-58.8	Peak	Horizontal
694.0	2.7	28.5	31.2	82.3	-51.1	Peak	Horizontal
54.7	15.9	20.3	36.2	82.3	-46.1	Peak	Vertical
696.9	2.8	28.5	31.3	82.3	-51.0	Peak	Vertical
10392.5	32.7	16.0	48.7	82.3	-33.6	Peak	Horizontal
15195.0	37.0	19.8	56.8	82.3	-25.5	Peak	Horizontal
11217.0	32.4	17.8	50.2	82.3	-32.1	Peak	Vertical
15042.0	37.7	19.0	56.7	82.3	-25.6	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-01-04~2023-01-12	Test Band	n77/n78_EN-DC, 20MHz Bandwidth, 1RB, QPSK (3700 ~ 3980MHz)

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
54.7	1.8	20.3	22.1	82.3	-60.2	Peak	Horizontal
798.2	3.5	29.6	33.1	82.3	-49.2	Peak	Horizontal
54.7	15.6	20.3	35.9	82.3	-46.4	Peak	Vertical
589.7	3.5	26.9	30.4	82.3	-51.9	Peak	Vertical
8803.0	32.5	13.4	45.9	82.3	-36.4	Peak	Horizontal
11276.5	31.1	17.9	49.0	82.3	-33.3	Peak	Horizontal
8063.5	34.1	12.1	46.2	82.3	-36.1	Peak	Vertical
10469.0	32.2	16.0	48.2	82.3	-34.1	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).							

Appendix B - Test Setup Photograph

Refer to “2211RSU034-UT” file.

Appendix C - EUT Photograph

Refer to “2211RSU034-UE” file.