

## Section 8. Host PC labeling

The description of the regulatory information is secured and the users cannot modify it.

### **<E-label screen>**

To access the E-label screen, do one of the following:

- Restart the computer. When the logo screen is displayed, press F9. The E-label screen is displayed.
- Restart the computer. When the logo screen is displayed, press Enter or tap the prompt to enter the Startup Interrupt menu. Then press F9 or tap the Regulatory Information option. The E-label screen is displayed.


For RM520N-GL and AX211D2W

M/N: TP00150A

Contains FCC ID: XMR2023RM520NGLT, IC: 10224A-022RM520NGL

Contains FCC ID: PD9AX211D2, IC: 1000M-AX211D2

Contains FCC ID: MCLT77H747, IC: 2878D-T77H747



## Regulatory Information



CAN ICES-3(B)/NMB-3(B)

ご使用のコンピュータにIEEE802.11a準拠の無線機が搭載されている場合は、電波法の規定により5.15-5.35GHz周波数帯での使用は屋内に限られます。

This product contains a lithium-ion battery and a lithium battery; dispose of according to local, state, or federal laws.

Copyrighted code and parts contained herein.  
© Copyright Lenovo 2005, 2018.

M/N: TP00150A/

Contains FCC ID: XMR2023RM520NGLT, IC: 10224A-022RM520NGL

Contains FCC ID: PD9AX211D2, IC: 1000M-AX211D2

Contains FCC ID: MCLT77H747, IC: 2878D-T77H747

K R-R4VVK-TP000000X  
MSIP-CRM-XXX-000000X  
MSIP-CRB-XXX-000000X  
MSIP-CRM-XXX-000000X

IC IC SA TA-2916/3582  
TA-2916/2773  
TA-2916/2877  
APPROVED

IC NCSA 003-170244  
D179150803

MIC/KS 始番省指定  
第AC-1607号

Press **Enter** to exit and restart your computer

M/N: TP00150A

Contains FCC ID: XMR2023RM520NGLT, IC: 10224A-022RM520NGL

Contains FCC ID: PD9BE200D2, IC: 1000M-BE200D2

Contains FCC ID: MCLT77H747, IC: 2878D-T77H747

For RM520N-GL and BE200D2W

