







Mode	33																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																							
ANT	CDD																																																																							
Pol.	Horizontal								Vertical																																																															
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 10440.00</td><td>47.79</td><td>68.30</td><td>-20.51</td><td>60.52</td><td>38.78</td><td>12.12 63.63</td></tr><tr><td>2 15660.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>59.55</td><td>40.83</td><td>14.64 64.03</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 10440.00	47.79	68.30	-20.51	60.52	38.78	12.12 63.63	2 15660.00	50.99	74.00	-23.01	59.55	40.83	14.64 64.03	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 10440.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>60.94</td><td>38.78</td><td>12.12 63.63</td></tr><tr><td>2 15660.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>58.45</td><td>40.83</td><td>14.64 64.03</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 10440.00	48.21	68.30	-20.09	60.94	38.78	12.12 63.63	2 15660.00	49.89	74.00	-24.11	58.45	40.83	14.64 64.03
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																	
1 10440.00	47.79	68.30	-20.51	60.52	38.78	12.12 63.63																																																																		
2 15660.00	50.99	74.00	-23.01	59.55	40.83	14.64 64.03																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
1 10440.00	48.21	68.30	-20.09	60.94	38.78	12.12 63.63																																																																		
2 15660.00	49.89	74.00	-24.11	58.45	40.83	14.64 64.03																																																																		
<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 10440.00</td><td>47.79</td><td>68.30</td><td>-20.51</td><td>60.52</td><td>38.78</td><td>12.12 63.63</td></tr><tr><td>2 15660.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>59.55</td><td>40.83</td><td>14.64 64.03</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 10440.00	47.79	68.30	-20.51	60.52	38.78	12.12 63.63	2 15660.00	50.99	74.00	-23.01	59.55	40.83	14.64 64.03	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 10440.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>60.94</td><td>38.78</td><td>12.12 63.63</td></tr><tr><td>2 15660.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>58.45</td><td>40.83</td><td>14.64 64.03</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 10440.00	48.21	68.30	-20.09	60.94	38.78	12.12 63.63	2 15660.00	49.89	74.00	-24.11	58.45	40.83	14.64 64.03	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
1 10440.00	47.79	68.30	-20.51	60.52	38.78	12.12 63.63																																																																		
2 15660.00	50.99	74.00	-23.01	59.55	40.83	14.64 64.03																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
1 10440.00	48.21	68.30	-20.09	60.94	38.78	12.12 63.63																																																																		
2 15660.00	49.89	74.00	-24.11	58.45	40.83	14.64 64.03																																																																		
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>47.79</td><td>68.30</td><td>-20.51</td><td>60.52</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td></tr><tr><td>2 15660.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>59.55</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10440.00	47.79	68.30	-20.51	60.52	38.78	12.12	63.63	---	2 15660.00	50.99	74.00	-23.01	59.55	40.83	14.64	64.03	---	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>60.94</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td></tr><tr><td>2 15660.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>58.45</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10440.00	48.21	68.30	-20.09	60.94	38.78	12.12	63.63	---	2 15660.00	49.89	74.00	-24.11	58.45	40.83	14.64	64.03	---			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 10440.00	47.79	68.30	-20.51	60.52	38.78	12.12	63.63	---																																																																
2 15660.00	50.99	74.00	-23.01	59.55	40.83	14.64	64.03	---																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 10440.00	48.21	68.30	-20.09	60.94	38.78	12.12	63.63	---																																																																
2 15660.00	49.89	74.00	-24.11	58.45	40.83	14.64	64.03	---																																																																



Mode	34																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																									
ANT	CDD																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>47.45</td><td>68.30</td><td>-20.85</td><td>60.12</td><td>38.79</td><td>12.15 63.61</td></tr><tr><td>2</td><td>15720.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>59.46</td><td>40.88</td><td>14.66 64.05</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	10480.00	47.45	68.30	-20.85	60.12	38.79	12.15 63.61	2	15720.00	50.95	74.00	-23.05	59.46	40.88	14.66 64.05	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>48.17</td><td>68.30</td><td>-20.13</td><td>60.84</td><td>38.79</td><td>12.15 63.61</td></tr><tr><td>2</td><td>15720.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>58.62</td><td>40.88</td><td>14.66 64.05</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	10480.00	48.17	68.30	-20.13	60.84	38.79	12.15 63.61	2	15720.00	50.11	74.00	-23.89	58.62	40.88	14.66 64.05
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
1	10480.00	47.45	68.30	-20.85	60.12	38.79	12.15 63.61																																																																			
2	15720.00	50.95	74.00	-23.05	59.46	40.88	14.66 64.05																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
1	10480.00	48.17	68.30	-20.13	60.84	38.79	12.15 63.61																																																																			
2	15720.00	50.11	74.00	-23.89	58.62	40.88	14.66 64.05																																																																			



Mode	35																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-01-12  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>48.46</td><td>68.30</td><td>-19.84</td><td>61.07</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15780.00</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>58.98</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	48.46	68.30	-19.84	61.07	38.81	12.18	63.60	---	--- Peak	2 15780.00	50.52	74.00	-23.48	58.98	40.92	14.69	64.07	---	--- Peak	Level (dBuV/m) Date: 2024-01-12  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>48.57</td><td>68.30</td><td>-19.73</td><td>61.18</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15780.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>58.92</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	48.57	68.30	-19.73	61.18	38.81	12.18	63.60	---	--- Peak	2 15780.00	50.46	74.00	-23.54	58.92	40.92	14.69	64.07	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 10520.00	48.46	68.30	-19.84	61.07	38.81	12.18	63.60	---	--- Peak																																																																																									
2 15780.00	50.52	74.00	-23.48	58.98	40.92	14.69	64.07	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 10520.00	48.57	68.30	-19.73	61.18	38.81	12.18	63.60	---	--- Peak																																																																																									
2 15780.00	50.46	74.00	-23.54	58.92	40.92	14.69	64.07	---	--- Peak																																																																																									



Mode	36																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																					
ANT	CDD																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>59.48</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15900.00</td><td>50.21</td><td>74.00</td><td>-23.79</td><td>58.55</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	46.98	74.00	-27.02	59.48	38.84	12.23	63.57	---	---	Peak	2 15900.00	50.21	74.00	-23.79	58.55	41.02	14.75	64.11	---	---	Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>60.54</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15900.00</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>58.41</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	48.04	74.00	-25.96	60.54	38.84	12.23	63.57	---	---	Peak	2 15900.00	50.07	74.00	-23.93	58.41	41.02	14.75	64.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10600.00	46.98	74.00	-27.02	59.48	38.84	12.23	63.57	---	---	Peak																																																																																												
2 15900.00	50.21	74.00	-23.79	58.55	41.02	14.75	64.11	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10600.00	48.04	74.00	-25.96	60.54	38.84	12.23	63.57	---	---	Peak																																																																																												
2 15900.00	50.07	74.00	-23.93	58.41	41.02	14.75	64.11	---	---	Peak																																																																																												



Mode	37																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																									
ANT	CDD																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.94</td><td>59.18</td><td>74.00</td><td>-14.82</td><td>46.03</td><td>35.99</td><td>9.37</td><td>32.21</td><td>400 91 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.94	59.18	74.00	-14.82	46.03	35.99	9.37	32.21	400 91 PEAK	Level (dBuV/m) Date: 2024-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>110.09</td><td>-----</td><td>-----</td><td>97.16</td><td>36.01</td><td>9.18</td><td>32.26</td><td>400 91 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	110.09	-----	-----	97.16	36.01	9.18	32.26	400 91 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.94	59.18	74.00	-14.82	46.03	35.99	9.37	32.21	400 91 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	110.09	-----	-----	97.16	36.01	9.18	32.26	400 91 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.10</td><td>50.57</td><td>54.00</td><td>-3.43</td><td>37.42</td><td>35.99</td><td>9.37</td><td>32.21</td><td>400 91 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.10	50.57	54.00	-3.43	37.42	35.99	9.37	32.21	400 91 AVERAGE	Level (dBuV/m) Date: 2024-01-05 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>101.37</td><td>-----</td><td>-----</td><td>88.40</td><td>36.01</td><td>9.21</td><td>32.25</td><td>400 91 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.37	-----	-----	88.40	36.01	9.21	32.25	400 91 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.10	50.57	54.00	-3.43	37.42	35.99	9.37	32.21	400 91 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	101.37	-----	-----	88.40	36.01	9.21	32.25	400 91 AVERAGE																																																																		







Mode	37	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz	
ANT	CDD	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-01-06 1 5351.78 55.01 74.00 -18.99 41.86 35.99 9.37 32.21 300 163 PEAK	Level (dBuV/m) Date: 2024-01-06 1 5320.00 106.58 ----- 93.65 36.01 9.18 32.26 300 163 PEAK
	Level (dBuV/m) Date: 2024-01-06 1 5350.24 46.93 54.00 -7.07 33.78 35.99 9.37 32.21 300 163 AVERAGE	Level (dBuV/m) Date: 2024-01-06 1 5320.00 99.58 ----- 86.65 36.01 9.18 32.26 300 163 AVERAGE



Mode	37																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																							
ANT	CDD																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)								Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>59.73</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>50.90</td><td>74.00</td><td>-23.10</td><td>59.19</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.30	74.00	-26.70	59.73	38.86	12.26	63.55	---	---	Peak	2	15960.00	50.90	74.00	-23.10	59.19	41.07	14.77	64.13	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>59.96</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>59.04</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.53	74.00	-26.47	59.96	38.86	12.26	63.55	---	---	Peak	2	15960.00	50.75	74.00	-23.25	59.04	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10640.00	47.30	74.00	-26.70	59.73	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	50.90	74.00	-23.10	59.19	41.07	14.77	64.13	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10640.00	47.53	74.00	-26.47	59.96	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	50.75	74.00	-23.25	59.04	41.07	14.77	64.13	---	---	Peak																																																																																																													



Mode	38																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																				
ANT	CDD																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)						Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.70</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>41.06</td><td>35.93</td><td>9.68</td><td>32.06</td><td>100 139 PEAK</td></tr><tr><td>2</td><td>5469.55</td><td>55.30</td><td>68.30</td><td>-13.00</td><td>41.73</td><td>35.92</td><td>9.69</td><td>32.04</td><td>100 139 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5454.70	54.61	74.00	-19.39	41.06	35.93	9.68	32.06	100 139 PEAK	2	5469.55	55.30	68.30	-13.00	41.73	35.92	9.69	32.04	100 139 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.42</td><td>-----</td><td>-----</td><td>98.83</td><td>35.90</td><td>9.70</td><td>32.01</td><td>100 139 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.42	-----	-----	98.83	35.90	9.70	32.01
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5454.70	54.61	74.00	-19.39	41.06	35.93	9.68	32.06	100 139 PEAK																																																																																												
2	5469.55	55.30	68.30	-13.00	41.73	35.92	9.69	32.04	100 139 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	112.42	-----	-----	98.83	35.90	9.70	32.01	100 139 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)						Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.50</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>32.03</td><td>35.93</td><td>9.69</td><td>32.06</td><td>100 139 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5456.50	45.59	54.00	-8.41	32.03	35.93	9.69	32.06	100 139 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.30</td><td>-----</td><td>-----</td><td>87.71</td><td>35.90</td><td>9.70</td><td>32.01</td><td>100 139 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.30	-----	-----	87.71	35.90	9.70	32.01	100 139 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5456.50	45.59	54.00	-8.41	32.03	35.93	9.69	32.06	100 139 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	101.30	-----	-----	87.71	35.90	9.70	32.01	100 139 AVERAGE																																																																																												



Mode	38																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																					
ANT	CDD																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5454.25</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>39.72</td><td>35.93</td><td>9.68</td><td>32.06</td><td>311</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>54.89</td><td>68.30</td><td>-13.41</td><td>41.32</td><td>35.92</td><td>9.69</td><td>32.04</td><td>311</td><td>160</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5454.25	53.27	74.00	-20.73	39.72	35.93	9.68	32.06	311	160	PEAK	2	5467.90	54.89	68.30	-13.41	41.32	35.92	9.69	32.04	311	160	PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.97</td><td>-----</td><td>-----</td><td>96.36</td><td>35.91</td><td>9.71</td><td>32.01</td><td>311</td><td>160</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.97	-----	-----	96.36	35.91	9.71	32.01	311	160	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5454.25	53.27	74.00	-20.73	39.72	35.93	9.68	32.06	311	160	PEAK																																																																											
2	5467.90	54.89	68.30	-13.41	41.32	35.92	9.69	32.04	311	160	PEAK																																																																											
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	109.97	-----	-----	96.36	35.91	9.71	32.01	311	160	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5452.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>30.81</td><td>35.93</td><td>9.68</td><td>32.07</td><td>311</td><td>160</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5452.00	44.35	54.00	-9.65	30.81	35.93	9.68	32.07	311	160	AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.74</td><td>-----</td><td>-----</td><td>87.13</td><td>35.91</td><td>9.71</td><td>32.01</td><td>311</td><td>160</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	100.74	-----	-----	87.13	35.91	9.71	32.01	311	160	AVERAGE												
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5452.00	44.35	54.00	-9.65	30.81	35.93	9.68	32.07	311	160	AVERAGE																																																																											
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	100.74	-----	-----	87.13	35.91	9.71	32.01	311	160	AVERAGE																																																																											



Mode	38																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>61.44</td><td>39.00</td><td>12.52 63.42 --- --- Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.42</td><td>68.30</td><td>-19.88</td><td>56.56</td><td>41.35</td><td>15.17 64.66 --- --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11000.00	49.54	74.00	-24.46	61.44	39.00	12.52 63.42 --- --- Peak	2	16500.00	48.42	68.30	-19.88	56.56	41.35	15.17 64.66 --- --- Peak	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>50.58</td><td>74.00</td><td>-23.42</td><td>62.48</td><td>39.00</td><td>12.52 63.42 --- --- Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>56.12</td><td>41.35</td><td>15.17 64.66 --- --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11000.00	50.58	74.00	-23.42	62.48	39.00	12.52 63.42 --- --- Peak	2	16500.00	47.98	68.30	-20.32	56.12	41.35	15.17 64.66 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11000.00	49.54	74.00	-24.46	61.44	39.00	12.52 63.42 --- --- Peak																																																																											
2	16500.00	48.42	68.30	-19.88	56.56	41.35	15.17 64.66 --- --- Peak																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11000.00	50.58	74.00	-23.42	62.48	39.00	12.52 63.42 --- --- Peak																																																																											
2	16500.00	47.98	68.30	-20.32	56.12	41.35	15.17 64.66 --- --- Peak																																																																											



Mode	39																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>61.55</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>49.44</td><td>68.30</td><td>-18.86</td><td>57.53</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.82	74.00	-24.18	61.55	39.06	12.64	63.43	---	--- Peak	2 16740.00	49.44	68.30	-18.86	57.53	41.47	15.35	64.91	---	--- Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>61.59</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>50.51</td><td>68.30</td><td>-17.79</td><td>58.60</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.86	74.00	-24.14	61.59	39.06	12.64	63.43	---	--- Peak	2 16740.00	50.51	68.30	-17.79	58.60	41.47	15.35	64.91	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11160.00	49.82	74.00	-24.18	61.55	39.06	12.64	63.43	---	--- Peak																																																																																									
2 16740.00	49.44	68.30	-18.86	57.53	41.47	15.35	64.91	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11160.00	49.86	74.00	-24.14	61.59	39.06	12.64	63.43	---	--- Peak																																																																																									
2 16740.00	50.51	68.30	-17.79	58.60	41.47	15.35	64.91	---	--- Peak																																																																																									





Mode	40																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.26</td><td>62.25</td><td>68.30</td><td>-6.05</td><td>48.24</td><td>36.22</td><td>10.02</td><td>32.23</td><td>100</td><td>144 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.26	62.25	68.30	-6.05	48.24	36.22	10.02	32.23	100	144 PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.25</td><td>-----</td><td>96.28</td><td>36.19</td><td>9.99</td><td>32.21</td><td>100</td><td>144 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.25	-----	96.28	36.19	9.99	32.21	100	144 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5726.26	62.25	68.30	-6.05	48.24	36.22	10.02	32.23	100	144 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	110.25	-----	96.28	36.19	9.99	32.21	100	144 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.65</td><td>-----</td><td>87.68</td><td>36.19</td><td>9.99</td><td>32.21</td><td>100</td><td>144 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.65	-----	87.68	36.19	9.99	32.21	100	144 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	101.65	-----	87.68	36.19	9.99	32.21	100	144 AVERAGE																																																																										



Mode	40																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.29</td><td>64.47</td><td>68.30</td><td>-3.83</td><td>50.46</td><td>36.22</td><td>10.02</td><td>32.23</td><td>394</td><td>173</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.29	64.47	68.30	-3.83	50.46	36.22	10.02	32.23	394	173	PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.65</td><td>-----</td><td>-----</td><td>97.69</td><td>36.19</td><td>9.97</td><td>32.20</td><td>394</td><td>173</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.65	-----	-----	97.69	36.19	9.97	32.20	394	173	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5725.29	64.47	68.30	-3.83	50.46	36.22	10.02	32.23	394	173	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	111.65	-----	-----	97.69	36.19	9.97	32.20	394	173	PEAK																																																																							
Avg	Blank	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.84</td><td>-----</td><td>-----</td><td>88.88</td><td>36.19</td><td>9.97</td><td>32.20</td><td>394</td><td>173</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.84	-----	-----	88.88	36.19	9.97	32.20	394	173	AVERAGE																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	102.84	-----	-----	88.88	36.19	9.97	32.20	394	173	AVERAGE																																																																							



Mode	40																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																											
ANT	CDD																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11400.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>59.65</td><td>39.16</td><td>12.81 63.44 --- --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>52.28</td><td>68.30</td><td>-16.02</td><td>60.18</td><td>41.71</td><td>15.62 65.23 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11400.00	48.18	74.00	-25.82	59.65	39.16	12.81 63.44 --- --- Peak	2	17100.00	52.28	68.30	-16.02	60.18	41.71	15.62 65.23 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11400.00</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>61.47</td><td>39.16</td><td>12.81 63.44 --- --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>50.47</td><td>68.30</td><td>-17.83</td><td>58.37</td><td>41.71</td><td>15.62 65.23 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11400.00	50.00	74.00	-24.00	61.47	39.16	12.81 63.44 --- --- Peak	2	17100.00	50.47	68.30	-17.83	58.37	41.71	15.62 65.23 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
1	11400.00	48.18	74.00	-25.82	59.65	39.16	12.81 63.44 --- --- Peak																																																																					
2	17100.00	52.28	68.30	-16.02	60.18	41.71	15.62 65.23 --- --- Peak																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
1	11400.00	50.00	74.00	-24.00	61.47	39.16	12.81 63.44 --- --- Peak																																																																					
2	17100.00	50.47	68.30	-17.83	58.37	41.71	15.62 65.23 --- --- Peak																																																																					



Mode	41																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU26/0_5180MHz																																																																									
ANT	CDD																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5129.06</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>39.89</td><td>36.12</td><td>8.50</td><td>32.52</td><td>100 231 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5129.06	51.99	74.00	-22.01	39.89	36.12	8.50	32.52	100 231 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>100.11</td><td>-----</td><td>-----</td><td>87.90</td><td>36.10</td><td>8.57</td><td>32.46</td><td>100 231 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	100.11	-----	-----	87.90	36.10	8.57	32.46	100 231 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5129.06	51.99	74.00	-22.01	39.89	36.12	8.50	32.52	100 231 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	100.11	-----	-----	87.90	36.10	8.57	32.46	100 231 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5137.16</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>29.96</td><td>36.12</td><td>8.51</td><td>32.51</td><td>100 231 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5137.16	42.08	54.00	-11.92	29.96	36.12	8.51	32.51	100 231 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>94.01</td><td>-----</td><td>-----</td><td>81.80</td><td>36.10</td><td>8.57</td><td>32.46</td><td>100 231 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	94.01	-----	-----	81.80	36.10	8.57	32.46	100 231 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5137.16	42.08	54.00	-11.92	29.96	36.12	8.51	32.51	100 231 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	94.01	-----	-----	81.80	36.10	8.57	32.46	100 231 AVERAGE																																																																		



Mode	41																																																																													
	Band Edge																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU26/0_5180MHz																																																																													
ANT	CDD																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5091.80</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>39.56</td><td>36.14</td><td>8.43</td><td>32.57</td><td>100</td><td>231 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5091.80	51.56	74.00	-22.44	39.56	36.14	8.43	32.57	100	231 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>86.39</td><td>-----</td><td>-----</td><td>74.18</td><td>36.10</td><td>8.57</td><td>32.46</td><td>100</td><td>231 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	86.39	-----	-----	74.18	36.10	8.57	32.46	100	231 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5091.80	51.56	74.00	-22.44	39.56	36.14	8.43	32.57	100	231 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5180.00	86.39	-----	-----	74.18	36.10	8.57	32.46	100	231 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5099.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>30.05</td><td>36.14</td><td>8.44</td><td>32.56</td><td>100</td><td>231 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5099.00	42.07	54.00	-11.93	30.05	36.14	8.44	32.56	100	231 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>78.23</td><td>-----</td><td>-----</td><td>66.02</td><td>36.10</td><td>8.57</td><td>32.46</td><td>100</td><td>231 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	78.23	-----	-----	66.02	36.10	8.57	32.46	100	231 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5099.00	42.07	54.00	-11.93	30.05	36.14	8.44	32.56	100	231 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5180.00	78.23	-----	-----	66.02	36.10	8.57	32.46	100	231 AVERAGE																																																																					



		44																																																																																
Mode		Band Edge																																																																																
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU26/8_5320MHz																																																																																
ANT		CDD																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5397.70</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>38.52</td><td>35.96</td><td>9.61</td><td>32.14</td><td>400 95 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5397.70	51.95	74.00	-22.05	38.52	35.96	9.61	32.14	400 95 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>104.44</td><td>-----</td><td>-----</td><td>91.44</td><td>36.00</td><td>9.24</td><td>32.24</td><td>400 95 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	104.44	-----	-----	91.44	36.00	9.24	32.24	400 95 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5397.70	51.95	74.00	-22.05	38.52	35.96	9.61	32.14	400 95 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	104.44	-----	-----	91.44	36.00	9.24	32.24	400 95 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5352.48</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>29.50</td><td>35.99</td><td>9.38</td><td>32.21</td><td>400 95 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.48	42.66	54.00	-11.34	29.50	35.99	9.38	32.21	400 95 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>96.55</td><td>-----</td><td>-----</td><td>83.55</td><td>36.00</td><td>9.24</td><td>32.24</td><td>400 95 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	96.55	-----	-----	83.55	36.00	9.24	32.24	400 95 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5352.48	42.66	54.00	-11.34	29.50	35.99	9.38	32.21	400 95 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	96.55	-----	-----	83.55	36.00	9.24	32.24	400 95 AVERAGE																																																																										



Mode	44																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU26/8_5320MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5352.20</td><td>51.67</td><td>74.00</td><td>-22.33</td><td>38.51</td><td>35.99</td><td>9.38</td><td>32.21</td><td>200 337 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.20	51.67	74.00	-22.33	38.51	35.99	9.38	32.21	200 337 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>92.19</td><td>-----</td><td>-----</td><td>79.16</td><td>36.00</td><td>9.27</td><td>32.24</td><td>200 337 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	92.19	-----	-----	79.16	36.00	9.27	32.24	200 337 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5352.20	51.67	74.00	-22.33	38.51	35.99	9.38	32.21	200 337 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	92.19	-----	-----	79.16	36.00	9.27	32.24	200 337 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5459.86</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>28.58</td><td>35.92</td><td>9.69</td><td>32.06</td><td>200 337 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5459.86	42.13	54.00	-11.87	28.58	35.92	9.69	32.06	200 337 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>83.66</td><td>-----</td><td>-----</td><td>70.66</td><td>36.00</td><td>9.24</td><td>32.24</td><td>200 337 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	83.66	-----	-----	70.66	36.00	9.24	32.24	200 337 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5459.86	42.13	54.00	-11.87	28.58	35.92	9.69	32.06	200 337 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	83.66	-----	-----	70.66	36.00	9.24	32.24	200 337 AVERAGE																																																																		






Mode	45																																																			
	Band Edge																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU26/0_5500MHz																																																			
ANT	CDD																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5426.65</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>37.86</td><td>35.94</td><td>9.67</td><td>32.10</td><td>378 220 PEAK</td></tr><tr><td>2</td><td>5466.25</td><td>51.79</td><td>68.30</td><td>-16.51</td><td>38.23</td><td>35.92</td><td>9.69</td><td>32.05</td><td>378 220 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5426.65	51.37	74.00	-22.63	37.86	35.94	9.67	32.10	378 220 PEAK	2	5466.25	51.79	68.30	-16.51	38.23	35.92	9.69	32.05	378 220 PEAK	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>96.11</td><td>-----</td><td>-----</td><td>82.52</td><td>35.90</td><td>9.70</td><td>32.01</td><td>378 220 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5500.00	96.11	-----	-----	82.52	35.90	9.70	32.01	378 220 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																											
1	5426.65	51.37	74.00	-22.63	37.86	35.94	9.67	32.10	378 220 PEAK																																											
2	5466.25	51.79	68.30	-16.51	38.23	35.92	9.69	32.05	378 220 PEAK																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																												
1	5500.00	96.11	-----	-----	82.52	35.90	9.70	32.01	378 220 PEAK																																											
Avg	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5457.25</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>28.56</td><td>35.93</td><td>9.69</td><td>32.06</td><td>378 220 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5457.25	42.12	54.00	-11.88	28.56	35.93	9.69	32.06	378 220 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>89.70</td><td>-----</td><td>-----</td><td>76.11</td><td>35.90</td><td>9.70</td><td>32.01</td><td>378 220 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5500.00	89.70	-----	-----	76.11	35.90	9.70	32.01	378 220 AVERAGE										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																												
1	5457.25	42.12	54.00	-11.88	28.56	35.93	9.69	32.06	378 220 AVERAGE																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																												
1	5500.00	89.70	-----	-----	76.11	35.90	9.70	32.01	378 220 AVERAGE																																											



Mode	45																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU26/0_5500MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5441.65</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>37.85</td><td>35.94</td><td>9.68</td><td>32.08</td><td>109 0 PEAK</td></tr><tr><td>2 5461.30</td><td>50.79</td><td>68.30</td><td>-17.51</td><td>37.23</td><td>35.92</td><td>9.69</td><td>32.05</td><td>109 0 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5441.65	51.39	74.00	-22.61	37.85	35.94	9.68	32.08	109 0 PEAK	2 5461.30	50.79	68.30	-17.51	37.23	35.92	9.69	32.05	109 0 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5500.00</td><td>96.39</td><td>-----</td><td>-----</td><td>82.80</td><td>35.90</td><td>9.70</td><td>32.01</td><td>109 0 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	96.39	-----	-----	82.80	35.90	9.70	32.01	109 0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5441.65	51.39	74.00	-22.61	37.85	35.94	9.68	32.08	109 0 PEAK																																																																											
2 5461.30	50.79	68.30	-17.51	37.23	35.92	9.69	32.05	109 0 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5500.00	96.39	-----	-----	82.80	35.90	9.70	32.01	109 0 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5456.20</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>29.06</td><td>35.93</td><td>9.69</td><td>32.06</td><td>109 0 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5456.20	42.62	54.00	-11.38	29.06	35.93	9.69	32.06	109 0 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5500.00</td><td>90.02</td><td>-----</td><td>-----</td><td>76.43</td><td>35.90</td><td>9.70</td><td>32.01</td><td>109 0 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	90.02	-----	-----	76.43	35.90	9.70	32.01	109 0 AVERAGE									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5456.20	42.62	54.00	-11.38	29.06	35.93	9.69	32.06	109 0 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5500.00	90.02	-----	-----	76.43	35.90	9.70	32.01	109 0 AVERAGE																																																																											







Mode	46																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU26/8_5700MHz																																																																																			
ANT	CDD																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5739.65</td><td>53.60</td><td>68.30</td><td>-14.70</td><td>39.55</td><td>36.24</td><td>10.05</td><td>32.24</td><td>100</td><td>139 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5739.65	53.60	68.30	-14.70	39.55	36.24	10.05	32.24	100	139 PEAK	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.41</td><td>-----</td><td>-----</td><td>87.44</td><td>36.19</td><td>9.99</td><td>32.21</td><td>100</td><td>139 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.41	-----	-----	87.44	36.19	9.99	32.21	100	139 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5739.65	53.60	68.30	-14.70	39.55	36.24	10.05	32.24	100	139 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	101.41	-----	-----	87.44	36.19	9.99	32.21	100	139 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.78</td><td>-----</td><td>-----</td><td>79.81</td><td>36.19</td><td>9.99</td><td>32.21</td><td>100</td><td>139 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.78	-----	-----	79.81	36.19	9.99	32.21	100	139 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	93.78	-----	-----	79.81	36.19	9.99	32.21	100	139 AVERAGE																																																																										



Mode	46																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU26/8_5700MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5700 5713 5726 5739 5752 5765 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.48</td><td>53.31</td><td>68.30</td><td>-14.99</td><td>39.25</td><td>36.25</td><td>10.06</td><td>32.25</td><td>360</td><td>185 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5746.48	53.31	68.30	-14.99	39.25	36.25	10.06	32.25	360	185 PEAK	Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.43</td><td>-----</td><td>-----</td><td>92.46</td><td>36.19</td><td>9.99</td><td>32.21</td><td>360</td><td>185 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.43	-----	-----	92.46	36.19	9.99	32.21	360	185 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5746.48	53.31	68.30	-14.99	39.25	36.25	10.06	32.25	360	185 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	106.43	-----	-----	92.46	36.19	9.99	32.21	360	185 PEAK																																																																																		
Avg	Blank					Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.90</td><td>-----</td><td>-----</td><td>84.93</td><td>36.19</td><td>9.99</td><td>32.21</td><td>360</td><td>185 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.90	-----	-----	84.93	36.19	9.99	32.21	360	185 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	98.90	-----	-----	84.93	36.19	9.99	32.21	360	185 AVERAGE																																																																																		



		47																		
Mode		Band Edge																		
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU52/37_5180MHz																		
ANT		CDD																		
Pol.	Horizontal										Fundamental									
Peak	Level (dBuV/m) Date: 2024-01-12  500050365072510851445180 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5126.54 52.73 74.00 -21.27 40.64 36.12 8.49 32.52 101 100 PEAK										Level (dBuV/m) Date: 2024-01-12  100022003400460058007000 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5180.00 104.28 ----- 92.07 36.10 8.57 32.46 101 100 PEAK									
	Level (dBuV/m) Date: 2024-01-12  500050365072510851445180 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5148.68 43.14 54.00 -10.86 30.99 36.11 8.53 32.49 101 100 AVERAGE										Level (dBuV/m) Date: 2024-01-12  100022003400460058007000 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5180.00 98.24 ----- 86.03 36.10 8.57 32.46 101 100 AVERAGE									



Mode	47																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU52/37_5180MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5130.14</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>39.72</td><td>36.12</td><td>8.50</td><td>32.52</td><td>400 189 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5130.14	51.82	74.00	-22.18	39.72	36.12	8.50	32.52	400 189 PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>92.61</td><td>-----</td><td>-----</td><td>80.40</td><td>36.10</td><td>8.57</td><td>32.46</td><td>400 189 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	92.61	-----	-----	80.40	36.10	8.57	32.46	400 189 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5130.14	51.82	74.00	-22.18	39.72	36.12	8.50	32.52	400 189 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	92.61	-----	-----	80.40	36.10	8.57	32.46	400 189 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5097.92</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>30.37</td><td>36.14</td><td>8.44</td><td>32.56</td><td>400 189 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5097.92	42.39	54.00	-11.61	30.37	36.14	8.44	32.56	400 189 AVERAGE	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>80.21</td><td>-----</td><td>-----</td><td>67.99</td><td>36.09</td><td>8.58</td><td>32.45</td><td>400 189 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	80.21	-----	-----	67.99	36.09	8.58	32.45	400 189 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5097.92	42.39	54.00	-11.61	30.37	36.14	8.44	32.56	400 189 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	80.21	-----	-----	67.99	36.09	8.58	32.45	400 189 AVERAGE																																																																		



Mode	50																																																																						
	Band Edge																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU52/40_5320MHz																																																																						
ANT	CDD																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5431.02</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>37.93</td><td>35.94</td><td>9.67</td><td>32.10</td><td>400</td><td>53</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5431.02	51.44	74.00	-22.56	37.93	35.94	9.67	32.10	400	53	Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5320.00</td><td>110.79</td><td>-----</td><td>-----</td><td>97.79</td><td>36.00</td><td>9.24</td><td>32.24</td><td>300</td><td>94</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5320.00	110.79	-----	-----	97.79	36.00	9.24	32.24	300	94	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																													
1	5431.02	51.44	74.00	-22.56	37.93	35.94	9.67	32.10	400	53	Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																													
1	5320.00	110.79	-----	-----	97.79	36.00	9.24	32.24	300	94	PEAK																																																												
Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5353.88</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>29.26</td><td>35.99</td><td>9.38</td><td>32.20</td><td>300</td><td>94</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5353.88	42.43	54.00	-11.57	29.26	35.99	9.38	32.20	300	94	AVERAGE	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5320.00</td><td>102.39</td><td>-----</td><td>-----</td><td>89.39</td><td>36.00</td><td>9.24</td><td>32.24</td><td>300</td><td>94</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5320.00	102.39	-----	-----	89.39	36.00	9.24	32.24	300	94	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																													
1	5353.88	42.43	54.00	-11.57	29.26	35.99	9.38	32.20	300	94	AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																													
1	5320.00	102.39	-----	-----	89.39	36.00	9.24	32.24	300	94	AVERAGE																																																												



Mode	50	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU52/40_5320MHz	
ANT	CDD	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-01-12 1 5448.80 51.74 74.00 -22.26 38.20 35.93 9.68 32.07 400 53 PEAK	Level (dBuV/m) Date: 2024-01-12 1 5320.00 93.18 ----- 80.18 36.00 9.24 32.24 400 53 PEAK
	Level (dBuV/m) Date: 2024-01-12 1 5458.60 42.30 54.00 -11.70 28.75 35.92 9.69 32.06 400 53 AVERAGE	Level (dBuV/m) Date: 2024-01-12 1 5320.00 86.07 ----- 73.07 36.00 9.24 32.24 400 53 AVERAGE



Mode	51																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU52/37_5500MHz																																																																																					
ANT	CDD																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.95</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>38.80</td><td>35.98</td><td>9.42</td><td>32.19</td><td>100 108 PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>52.00</td><td>68.30</td><td>-16.30</td><td>38.43</td><td>35.92</td><td>9.69</td><td>32.04</td><td>100 108 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5360.95	52.01	74.00	-21.99	38.80	35.98	9.42	32.19	100 108 PEAK	2	5468.65	52.00	68.30	-16.30	38.43	35.92	9.69	32.04	100 108 PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.25</td><td>-----</td><td>-----</td><td>90.66</td><td>35.90</td><td>9.70</td><td>32.01</td><td>100 108 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.25	-----	-----	90.66	35.90	9.70	32.01	100 108 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5360.95	52.01	74.00	-21.99	38.80	35.98	9.42	32.19	100 108 PEAK																																																																													
2	5468.65	52.00	68.30	-16.30	38.43	35.92	9.69	32.04	100 108 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5500.00	104.25	-----	-----	90.66	35.90	9.70	32.01	100 108 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.20</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>29.34</td><td>35.92</td><td>9.69</td><td>32.06</td><td>100 108 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	42.89	54.00	-11.11	29.34	35.92	9.69	32.06	100 108 AVERAGE	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.75</td><td>-----</td><td>-----</td><td>81.16</td><td>35.90</td><td>9.70</td><td>32.01</td><td>100 108 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.75	-----	-----	81.16	35.90	9.70	32.01	100 108 AVERAGE										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5459.20	42.89	54.00	-11.11	29.34	35.92	9.69	32.06	100 108 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5500.00	94.75	-----	-----	81.16	35.90	9.70	32.01	100 108 AVERAGE																																																																													



Mode	51																																																			
	Band Edge																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU52/37_5500MHz																																																			
ANT	CDD																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5386.60</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>38.60</td><td>35.97</td><td>9.55</td><td>32.16</td><td>359</td><td>163 PEAK</td></tr><tr><td>2 5466.40</td><td>52.31</td><td>68.30</td><td>-15.99</td><td>38.75</td><td>35.92</td><td>9.69</td><td>32.05</td><td>359</td><td>163 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5386.60	51.96	74.00	-22.04	38.60	35.97	9.55	32.16	359	163 PEAK	2 5466.40	52.31	68.30	-15.99	38.75	35.92	9.69	32.05	359	163 PEAK	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>110.53</td><td>-----</td><td>-----</td><td>96.94</td><td>35.90</td><td>9.70</td><td>32.01</td><td>359</td><td>163 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5500.00	110.53	-----	-----	96.94	35.90	9.70	32.01	359	163 PEAK
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																										
1 5386.60	51.96	74.00	-22.04	38.60	35.97	9.55	32.16	359	163 PEAK																																											
2 5466.40	52.31	68.30	-15.99	38.75	35.92	9.69	32.05	359	163 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	110.53	-----	-----	96.94	35.90	9.70	32.01	359	163 PEAK																																											
Avg	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5457.85</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>29.17</td><td>35.93</td><td>9.69</td><td>32.06</td><td>359</td><td>163 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5457.85	42.73	54.00	-11.27	29.17	35.93	9.69	32.06	359	163 AVERAGE	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>101.77</td><td>-----</td><td>-----</td><td>88.18</td><td>35.90</td><td>9.70</td><td>32.01</td><td>359</td><td>163 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5500.00	101.77	-----	-----	88.18	35.90	9.70	32.01	359	163 AVERAGE										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 5457.85	42.73	54.00	-11.27	29.17	35.93	9.69	32.06	359	163 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	101.77	-----	-----	88.18	35.90	9.70	32.01	359	163 AVERAGE																																											







Mode	52									
	Band Edge									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU52/40_5700MHz									
ANT	CDD									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-01-12 <									



Mode	52																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU52/40_5700MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5700 5713 5726 5739 5752 5765 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.95</td><td>53.49</td><td>68.30</td><td>-14.81</td><td>39.46</td><td>36.23</td><td>10.04</td><td>32.24</td><td>386 167 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5735.95	53.49	68.30	-14.81	39.46	36.23	10.04	32.24	386 167 PEAK	Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.01</td><td>-----</td><td>-----</td><td>97.04</td><td>36.19</td><td>9.99</td><td>32.21</td><td>386 167 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.01	-----	-----	97.04	36.19	9.99	32.21	386 167 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5735.95	53.49	68.30	-14.81	39.46	36.23	10.04	32.24	386 167 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	111.01	-----	-----	97.04	36.19	9.99	32.21	386 167 PEAK																																																																																			
Avg	Blank						Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.36</td><td>-----</td><td>-----</td><td>88.40</td><td>36.19</td><td>9.97</td><td>32.20</td><td>386 167 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.36	-----	-----	88.40	36.19	9.97	32.20	386 167 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	102.36	-----	-----	88.40	36.19	9.97	32.20	386 167 AVERAGE																																																																																			



		53																																																																																							
Mode		Band Edge																																																																																							
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU106/53_5180MHz																																																																																							
ANT		CDD																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5066.06</td><td>51.86</td><td>74.00</td><td>-22.14</td><td>39.93</td><td>36.16</td><td>8.38</td><td>32.61</td><td>100 96 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5066.06	51.86	74.00	-22.14	39.93	36.16	8.38	32.61	100 96 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.19</td><td>-----</td><td>-----</td><td>98.97</td><td>36.09</td><td>8.58</td><td>32.45</td><td>100 96 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.19	-----	-----	98.97	36.09	8.58	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5066.06	51.86	74.00	-22.14	39.93	36.16	8.38	32.61	100 96 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	111.19	-----	-----	98.97	36.09	8.58	32.45	100 96 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.94</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>30.94</td><td>36.11</td><td>8.54</td><td>32.49</td><td>100 96 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	43.10	54.00	-10.90	30.94	36.11	8.54	32.49	100 96 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.46</td><td>-----</td><td>-----</td><td>90.24</td><td>36.09</td><td>8.58</td><td>32.45</td><td>100 96 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.46	-----	-----	90.24	36.09	8.58	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.94	43.10	54.00	-10.90	30.94	36.11	8.54	32.49	100 96 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	102.46	-----	-----	90.24	36.09	8.58	32.45	100 96 AVERAGE																																																																																



Mode	53																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU106/53_5180MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5134.10</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>39.97</td><td>36.12</td><td>8.51</td><td>32.51</td><td>300 0 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5134.10	52.09	74.00	-21.91	39.97	36.12	8.51	32.51	300 0 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>100.81</td><td>-----</td><td>-----</td><td>88.60</td><td>36.10</td><td>8.57</td><td>32.46</td><td>300 0 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	100.81	-----	-----	88.60	36.10	8.57	32.46	300 0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5134.10	52.09	74.00	-21.91	39.97	36.12	8.51	32.51	300 0 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	100.81	-----	-----	88.60	36.10	8.57	32.46	300 0 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5049.50</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>30.18</td><td>36.17</td><td>8.35</td><td>32.63</td><td>300 0 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5049.50	42.07	54.00	-11.93	30.18	36.17	8.35	32.63	300 0 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>93.49</td><td>-----</td><td>-----</td><td>81.28</td><td>36.10</td><td>8.57</td><td>32.46</td><td>300 0 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	93.49	-----	-----	81.28	36.10	8.57	32.46	300 0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5049.50	42.07	54.00	-11.93	30.18	36.17	8.35	32.63	300 0 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	93.49	-----	-----	81.28	36.10	8.57	32.46	300 0 AVERAGE																																																																		



Mode	56																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																																											
ANT	CDD																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.16</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>39.61</td><td>35.99</td><td>9.39</td><td>32.20</td><td>334 97 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.16	52.79	74.00	-21.21	39.61	35.99	9.39	32.20	334 97 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.13</td><td>-----</td><td>-----</td><td>99.13</td><td>36.00</td><td>9.24</td><td>32.24</td><td>334 97 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.13	-----	-----	99.13	36.00	9.24	32.24	334 97 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5354.16	52.79	74.00	-21.21	39.61	35.99	9.39	32.20	334 97 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5320.00	112.13	-----	-----	99.13	36.00	9.24	32.24	334 97 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>32.12</td><td>35.99</td><td>9.37</td><td>32.21</td><td>334 97 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	45.27	54.00	-8.73	32.12	35.99	9.37	32.21	334 97 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.93</td><td>-----</td><td>-----</td><td>91.96</td><td>36.01</td><td>9.21</td><td>32.25</td><td>334 97 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.93	-----	-----	91.96	36.01	9.21	32.25	334 97 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5350.24	45.27	54.00	-8.73	32.12	35.99	9.37	32.21	334 97 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5320.00	104.93	-----	-----	91.96	36.01	9.21	32.25	334 97 AVERAGE																																																																			



		56																																																																																								
Mode		Band Edge																																																																																								
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																																																								
ANT		CDD																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5320 5348 5376 5404 5432 5460 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.50</td><td>52.02</td><td>74.00</td><td>-21.98</td><td>38.83</td><td>35.98</td><td>9.41</td><td>32.20</td><td>310 164 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.50	52.02	74.00	-21.98	38.83	35.98	9.41	32.20	310 164 PEAK	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.36</td><td>-----</td><td>94.36</td><td>36.00</td><td>9.24</td><td>32.24</td><td>310</td><td>164 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.36	-----	94.36	36.00	9.24	32.24	310	164 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5358.50	52.02	74.00	-21.98	38.83	35.98	9.41	32.20	310 164 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	107.36	-----	94.36	36.00	9.24	32.24	310	164 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5320 5348 5376 5404 5432 5460 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.78</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>29.66</td><td>35.99</td><td>9.37</td><td>32.21</td><td>310 164 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.78	42.81	54.00	-11.19	29.66	35.99	9.37	32.21	310 164 AVERAGE	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.47</td><td>-----</td><td>87.47</td><td>36.00</td><td>9.24</td><td>32.24</td><td>310</td><td>164 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.47	-----	87.47	36.00	9.24	32.24	310	164 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5351.78	42.81	54.00	-11.19	29.66	35.99	9.37	32.21	310 164 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	100.47	-----	87.47	36.00	9.24	32.24	310	164 AVERAGE																																																																																	






Mode	57																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.35</td><td>51.08</td><td>74.00</td><td>-22.92</td><td>37.55</td><td>35.94</td><td>9.68</td><td>32.09</td><td>288 102 PEAK</td></tr><tr><td>2</td><td>5460.25</td><td>51.12</td><td>68.30</td><td>-17.18</td><td>37.57</td><td>35.92</td><td>9.69</td><td>32.06</td><td>288 102 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5438.35	51.08	74.00	-22.92	37.55	35.94	9.68	32.09	288 102 PEAK	2	5460.25	51.12	68.30	-17.18	37.57	35.92	9.69	32.06	288 102 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.02</td><td>-----</td><td>-----</td><td>95.43</td><td>35.90</td><td>9.70</td><td>32.01</td><td>288 102 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.02	-----	-----	95.43	35.90	9.70	32.01	288 102 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5438.35	51.08	74.00	-22.92	37.55	35.94	9.68	32.09	288 102 PEAK																																																																																			
2	5460.25	51.12	68.30	-17.18	37.57	35.92	9.69	32.06	288 102 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	109.02	-----	-----	95.43	35.90	9.70	32.01	288 102 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.80</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>29.39</td><td>35.93</td><td>9.69</td><td>32.06</td><td>288 102 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.80	42.95	54.00	-11.05	29.39	35.93	9.69	32.06	288 102 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.36</td><td>-----</td><td>-----</td><td>87.77</td><td>35.90</td><td>9.70</td><td>32.01</td><td>288 102 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.36	-----	-----	87.77	35.90	9.70	32.01	288 102 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5456.80	42.95	54.00	-11.05	29.39	35.93	9.69	32.06	288 102 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	101.36	-----	-----	87.77	35.90	9.70	32.01	288 102 AVERAGE																																																																																			



		57																																																															
Mode		Band Edge																																																															
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																															
ANT		CDD																																																															
Pol.		Vertical					Fundamental																																																										
Peak	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5377.60</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>38.08</td><td>35.97</td><td>9.51</td><td>32.17</td><td>300</td><td>159 PEAK</td></tr><tr><td>2</td><td>5465.65</td><td>51.27</td><td>68.30</td><td>-17.03</td><td>37.71</td><td>35.92</td><td>9.69</td><td>32.05</td><td>300</td><td>159 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5377.60	51.39	74.00	-22.61	38.08	35.97	9.51	32.17	300	159 PEAK	2	5465.65	51.27	68.30	-17.03	37.71	35.92	9.69	32.05	300	159 PEAK	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>104.25</td><td>-----</td><td>-----</td><td>90.66</td><td>35.90</td><td>9.70</td><td>32.01</td><td>300</td><td>159 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	104.25	-----	-----	90.66	35.90	9.70	32.01	300	159 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5377.60	51.39	74.00	-22.61	38.08	35.97	9.51	32.17	300	159 PEAK																																																							
2	5465.65	51.27	68.30	-17.03	37.71	35.92	9.69	32.05	300	159 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	5500.00	104.25	-----	-----	90.66	35.90	9.70	32.01	300	159 PEAK																																																							
Avg	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5459.65</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>28.95</td><td>35.92</td><td>9.69</td><td>32.06</td><td>300</td><td>159 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5459.65	42.50	54.00	-11.50	28.95	35.92	9.69	32.06	300	159 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>96.89</td><td>-----</td><td>-----</td><td>83.30</td><td>35.90</td><td>9.70</td><td>32.01</td><td>300</td><td>159 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	96.89	-----	-----	83.30	35.90	9.70	32.01	300	159 AVERAGE											
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5459.65	42.50	54.00	-11.50	28.95	35.92	9.69	32.06	300	159 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	5500.00	96.89	-----	-----	83.30	35.90	9.70	32.01	300	159 AVERAGE																																																							



Mode	58																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5733.93</td><td>53.06</td><td>68.30</td><td>-15.24</td><td>39.02</td><td>36.23</td><td>10.04</td><td>32.23</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5733.93	53.06	68.30	-15.24	39.02	36.23	10.04	32.23	100	141	PEAK	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.63</td><td>-----</td><td>-----</td><td>94.66</td><td>36.19</td><td>9.99</td><td>32.21</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.63	-----	-----	94.66	36.19	9.99	32.21	100	141	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5733.93	53.06	68.30	-15.24	39.02	36.23	10.04	32.23	100	141	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	108.63	-----	-----	94.66	36.19	9.99	32.21	100	141	PEAK																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2024-01-07  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.20</td><td>-----</td><td>-----</td><td>87.23</td><td>36.19</td><td>9.99</td><td>32.21</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.20	-----	-----	87.23	36.19	9.99	32.21	100	141	AVERAGE																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	101.20	-----	-----	87.23	36.19	9.99	32.21	100	141	AVERAGE																																																																																				





Mode	58																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																			
ANT	CDD																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.20</td><td>53.35</td><td>68.30</td><td>-14.95</td><td>39.34</td><td>36.22</td><td>10.02</td><td>32.23</td><td>352</td><td>170 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.20	53.35	68.30	-14.95	39.34	36.22	10.02	32.23	352	170 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.24</td><td>-----</td><td>-----</td><td>97.28</td><td>36.19</td><td>9.97</td><td>32.20</td><td>352</td><td>170 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.24	-----	-----	97.28	36.19	9.97	32.20	352	170 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5726.20	53.35	68.30	-14.95	39.34	36.22	10.02	32.23	352	170 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	111.24	-----	-----	97.28	36.19	9.97	32.20	352	170 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.47</td><td>-----</td><td>-----</td><td>88.51</td><td>36.19</td><td>9.97</td><td>32.20</td><td>352</td><td>170 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.47	-----	-----	88.51	36.19	9.97	32.20	352	170 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	102.47	-----	-----	88.51	36.19	9.97	32.20	352	170 AVERAGE																																																																										



		59																																																																																									
Mode		Band Edge - L																																																																																									
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																									
ANT		CDD																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5000 5038. 5076. 5114. 5152. 5190 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.25</td><td>64.17</td><td>74.00</td><td>-9.83</td><td>52.07</td><td>36.12</td><td>8.50</td><td>32.52</td><td>300 258 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5128.25	64.17	74.00	-9.83	52.07	36.12	8.50	32.52	300 258 PEAK	Level (dBuV/m) Date: 2024-01-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>109.83</td><td>-----</td><td>-----</td><td>97.52</td><td>36.08</td><td>8.64</td><td>32.41</td><td>300 258 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	109.83	-----	-----	97.52	36.08	8.64	32.41	300 258 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5128.25	64.17	74.00	-9.83	52.07	36.12	8.50	32.52	300 258 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5190.00	109.83	-----	-----	97.52	36.08	8.64	32.41	300 258 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-01-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5000 5038. 5076. 5114. 5152. 5190 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.87</td><td>53.45</td><td>54.00</td><td>-0.55</td><td>41.36</td><td>36.12</td><td>8.49</td><td>32.52</td><td>300 258 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5127.87	53.45	54.00	-0.55	41.36	36.12	8.49	32.52	300 258 AVERAGE	Level (dBuV/m) Date: 2024-01-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.03</td><td>-----</td><td>-----</td><td>89.72</td><td>36.08</td><td>8.64</td><td>32.41</td><td>300 258 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	102.03	-----	-----	89.72	36.08	8.64	32.41	300 258 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5127.87	53.45	54.00	-0.55	41.36	36.12	8.49	32.52	300 258 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5190.00	102.03	-----	-----	89.72	36.08	8.64	32.41	300 258 AVERAGE																																																																																		



Mode	59																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																		
ANT	CDD																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.28</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>38.52</td><td>35.93</td><td>9.68</td><td>32.07</td><td>300</td><td>258 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5450.28	52.06	74.00	-21.94	38.52	35.93	9.68	32.07	300	258 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5450.28	52.06	74.00	-21.94	38.52	35.93	9.68	32.07	300	258 PEAK																																									
Avg	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.53</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>28.87</td><td>35.93</td><td>9.68</td><td>32.08</td><td>300</td><td>258 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5443.53	42.40	54.00	-11.60	28.87	35.93	9.68	32.08	300	258 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5443.53	42.40	54.00	-11.60	28.87	35.93	9.68	32.08	300	258 AVERAGE																																									



		59																																																
Mode		Band Edge - L																																																
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																
ANT		CDD																																																
Pol.		Vertical					Fundamental																																											
Peak	Level (dBuV/m) Date: 2024-01-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5142.31</td><td>59.15</td><td>74.00</td><td>-14.85</td><td>47.02</td><td>36.11</td><td>8.52</td><td>32.50</td><td>379</td><td>172 PEAK</td></tr></table> Level (dBuV/m) Date: 2024-01-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5190.00</td><td>103.99</td><td>-----</td><td>-----</td><td>91.76</td><td>36.09</td><td>8.59</td><td>32.45</td><td>379</td><td>172 PEAK</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5142.31	59.15	74.00	-14.85	47.02	36.11	8.52	32.50	379	172 PEAK	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5190.00	103.99	-----	-----	91.76	36.09	8.59	32.45	379	172 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5142.31	59.15	74.00	-14.85	47.02	36.11	8.52	32.50	379	172 PEAK																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5190.00	103.99	-----	-----	91.76	36.09	8.59	32.45	379	172 PEAK																																									
Level (dBuV/m) Date: 2024-01-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5138.32</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>36.90</td><td>36.12</td><td>8.51</td><td>32.51</td><td>379</td><td>172 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2024-01-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5190.00</td><td>95.57</td><td>-----</td><td>-----</td><td>83.35</td><td>36.09</td><td>8.58</td><td>32.45</td><td>379</td><td>172 AVERAGE</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5138.32	49.02	54.00	-4.98	36.90	36.12	8.51	32.51	379	172 AVERAGE	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5190.00	95.57	-----	-----	83.35	36.09	8.58	32.45	379	172 AVERAGE	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5138.32	49.02	54.00	-4.98	36.90	36.12	8.51	32.51	379	172 AVERAGE																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5190.00	95.57	-----	-----	83.35	36.09	8.58	32.45	379	172 AVERAGE																																									



Mode	59																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																										
ANT	CDD																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.93</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>37.90</td><td>35.95</td><td>9.67</td><td>32.11</td><td>379</td><td>172 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5421.93	51.41	74.00	-22.59	37.90	35.95	9.67	32.11	379	172 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5421.93	51.41	74.00	-22.59	37.90	35.95	9.67	32.11	379	172 PEAK																																	
Avg	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.46</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>28.92</td><td>35.92</td><td>9.69</td><td>32.06</td><td>379</td><td>172 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.46	42.47	54.00	-11.53	28.92	35.92	9.69	32.06	379	172 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5459.46	42.47	54.00	-11.53	28.92	35.92	9.69	32.06	379	172 AVERAGE																																	



Mode	59																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)								Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>47.36</td><td>68.30</td><td>-20.94</td><td>60.18</td><td>38.75</td><td>12.08</td><td>63.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15570.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>59.10</td><td>40.76</td><td>14.60</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	47.36	68.30	-20.94	60.18	38.75	12.08	63.65	---	---	Peak	2 15570.00	50.46	74.00	-23.54	59.10	40.76	14.60	64.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>47.48</td><td>68.30</td><td>-20.82</td><td>60.30</td><td>38.75</td><td>12.08</td><td>63.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15570.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>58.00</td><td>40.76</td><td>14.60</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	47.48	68.30	-20.82	60.30	38.75	12.08	63.65	---	---	Peak	2 15570.00	49.36	74.00	-24.64	58.00	40.76	14.60	64.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10380.00	47.36	68.30	-20.94	60.18	38.75	12.08	63.65	---	---	Peak																																																																																																										
2 15570.00	50.46	74.00	-23.54	59.10	40.76	14.60	64.00	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10380.00	47.48	68.30	-20.82	60.30	38.75	12.08	63.65	---	---	Peak																																																																																																										
2 15570.00	49.36	74.00	-24.64	58.00	40.76	14.60	64.00	---	---	Peak																																																																																																										







Mode	60																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)								Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10460.00</td><td>47.96</td><td>68.30</td><td>-20.34</td><td>60.67</td><td>38.78</td><td>12.13</td><td>63.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15690.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>59.71</td><td>40.85</td><td>14.65</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	47.96	68.30	-20.34	60.67	38.78	12.13	63.62	---	---	Peak	2 15690.00	51.17	74.00	-22.83	59.71	40.85	14.65	64.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10460.00</td><td>47.54</td><td>68.30</td><td>-20.76</td><td>60.25</td><td>38.78</td><td>12.13</td><td>63.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15690.00</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>58.74</td><td>40.85</td><td>14.65</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	47.54	68.30	-20.76	60.25	38.78	12.13	63.62	---	---	Peak	2 15690.00	50.20	74.00	-23.80	58.74	40.85	14.65	64.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10460.00	47.96	68.30	-20.34	60.67	38.78	12.13	63.62	---	---	Peak																																																																																																										
2 15690.00	51.17	74.00	-22.83	59.71	40.85	14.65	64.04	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10460.00	47.54	68.30	-20.76	60.25	38.78	12.13	63.62	---	---	Peak																																																																																																										
2 15690.00	50.20	74.00	-23.80	58.74	40.85	14.65	64.04	---	---	Peak																																																																																																										



Mode	61																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-01-12 PART 15.407 PART 15.407 AVG						Level (dBuV/m) Date: 2024-01-12 PART 15.407 PART 15.407 AVG																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>48.09</td><td>68.30</td><td>-20.21</td><td>60.67</td><td>38.82</td><td>12.19</td><td>63.59</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15810.00</td><td>49.85</td><td>74.00</td><td>-24.15</td><td>58.27</td><td>40.95</td><td>14.71</td><td>64.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	48.09	68.30	-20.21	60.67	38.82	12.19	63.59	---	---	Peak	2	15810.00	49.85	74.00	-24.15	58.27	40.95	14.71	64.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>48.02</td><td>68.30</td><td>-20.28</td><td>60.60</td><td>38.82</td><td>12.19</td><td>63.59</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15810.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>57.84</td><td>40.95</td><td>14.71</td><td>64.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	48.02	68.30	-20.28	60.60	38.82	12.19	63.59	---	---	Peak	2	15810.00	49.42	74.00	-24.58	57.84	40.95	14.71	64.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10540.00	48.09	68.30	-20.21	60.67	38.82	12.19	63.59	---	---	Peak																																																																																																									
2	15810.00	49.85	74.00	-24.15	58.27	40.95	14.71	64.08	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10540.00	48.02	68.30	-20.28	60.60	38.82	12.19	63.59	---	---	Peak																																																																																																									
2	15810.00	49.42	74.00	-24.58	57.84	40.95	14.71	64.08	---	---	Peak																																																																																																									



		62																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																								
ANT		CDD																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5042.16</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>40.46</td><td>36.17</td><td>8.34</td><td>32.64</td><td>378</td><td>93 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1 5042.16	52.33	74.00	-21.67	40.46	36.17	8.34	32.64	378	93 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>107.37</td><td>-----</td><td>-----</td><td>94.37</td><td>36.00</td><td>9.24</td><td>32.24</td><td>378</td><td>93 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	107.37	-----	-----	94.37	36.00	9.24	32.24	378	93 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5042.16	52.33	74.00	-21.67	40.46	36.17	8.34	32.64	378	93 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5310.00	107.37	-----	-----	94.37	36.00	9.24	32.24	378	93 PEAK																																																																																	
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5066.34</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>30.43</td><td>36.16</td><td>8.38</td><td>32.61</td><td>378</td><td>93 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1 5066.34	42.36	54.00	-11.64	30.43	36.16	8.38	32.61	378	93 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>99.16</td><td>-----</td><td>-----</td><td>86.16</td><td>36.00</td><td>9.24</td><td>32.24</td><td>378</td><td>93 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	99.16	-----	-----	86.16	36.00	9.24	32.24	378	93 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5066.34	42.36	54.00	-11.64	30.43	36.16	8.38	32.61	378	93 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5310.00	99.16	-----	-----	86.16	36.00	9.24	32.24	378	93 AVERAGE																																																																																	



Mode	62									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz									
ANT	CDD									
Pol.	Horizontal					Fundamental				
Peak										



Mode	62	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-01-06 1 5003.41 51.87 74.00 -22.13 40.04 36.20 8.33 32.70 274 162 PEAK	Level (dBuV/m) Date: 2024-01-06 1 5310.00 103.64 ----- 90.78 36.02 9.12 32.28 274 162 PEAK
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5003.41 51.87 74.00 -22.13 40.04 36.20 8.33 32.70 274 162 PEAK	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5310.00 103.64 ----- 90.78 36.02 9.12 32.28 274 162 PEAK
Avg	Level (dBuV/m) Date: 2024-01-06 1 5064.79 42.29 54.00 -11.71 30.36 36.16 8.38 32.61 274 162 AVERAGE	Level (dBuV/m) Date: 2024-01-06 1 5310.00 95.20 ----- 82.34 36.02 9.12 32.28 274 162 AVERAGE
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5064.79 42.29 54.00 -11.71 30.36 36.16 8.38 32.61 274 162 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5310.00 95.20 ----- 82.34 36.02 9.12 32.28 274 162 AVERAGE



Mode	62																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																										
ANT	CDD																																										
Pol.	Vertical	Fundamental																																									
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.60</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>42.85</td><td>35.99</td><td>9.38</td><td>32.21</td><td>274</td><td>162 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.60	56.01	74.00	-17.99	42.85	35.99	9.38	32.21	274	162 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5352.60	56.01	74.00	-17.99	42.85	35.99	9.38	32.21	274	162 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>47.33</td><td>54.00</td><td>-6.67</td><td>34.18</td><td>35.99</td><td>9.37</td><td>32.21</td><td>274</td><td>162 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	47.33	54.00	-6.67	34.18	35.99	9.37	32.21	274	162 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5350.05	47.33	54.00	-6.67	34.18	35.99	9.37	32.21	274	162 AVERAGE																																	



Mode	62																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal					Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10620.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>60.90</td><td>38.85</td><td>12.25</td><td>63.56</td><td>--- Peak</td></tr><tr><td>2 15930.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>58.78</td><td>41.04</td><td>14.76</td><td>64.12</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10620.00	48.44	74.00	-25.56	60.90	38.85	12.25	63.56	--- Peak	2 15930.00	50.46	74.00	-23.54	58.78	41.04	14.76	64.12	--- Peak	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10620.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>60.36</td><td>38.85</td><td>12.25</td><td>63.56</td><td>--- Peak</td></tr><tr><td>2 15930.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>57.53</td><td>41.04</td><td>14.76</td><td>64.12</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10620.00	47.90	74.00	-26.10	60.36	38.85	12.25	63.56	--- Peak	2 15930.00	49.21	74.00	-24.79	57.53	41.04	14.76	64.12	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1 10620.00	48.44	74.00	-25.56	60.90	38.85	12.25	63.56	--- Peak																																																																																												
2 15930.00	50.46	74.00	-23.54	58.78	41.04	14.76	64.12	--- Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1 10620.00	47.90	74.00	-26.10	60.36	38.85	12.25	63.56	--- Peak																																																																																												
2 15930.00	49.21	74.00	-24.79	57.53	41.04	14.76	64.12	--- Peak																																																																																												



		63																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																												
ANT		CDD																																																																																																												
Pol.	Horizontal										Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.48</td><td>60.95</td><td>74.00</td><td>-13.05</td><td>47.40</td><td>35.93</td><td>9.68</td><td>32.06</td><td>300 241 PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>65.36</td><td>68.30</td><td>-2.94</td><td>51.79</td><td>35.92</td><td>9.69</td><td>32.04</td><td>300 241 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.48	60.95	74.00	-13.05	47.40	35.93	9.68	32.06	300 241 PEAK	2	5469.36	65.36	68.30	-2.94	51.79	35.92	9.69	32.04	300 241 PEAK	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.12</td><td>-----</td><td>-----</td><td>95.51</td><td>35.91</td><td>9.71</td><td>32.01</td><td>300 241 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.12	-----	-----	95.51	35.91	9.71	32.01	300 241 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5454.48	60.95	74.00	-13.05	47.40	35.93	9.68	32.06	300 241 PEAK																																																																																																					
2	5469.36	65.36	68.30	-2.94	51.79	35.92	9.69	32.04	300 241 PEAK																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5510.00	109.12	-----	-----	95.51	35.91	9.71	32.01	300 241 PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.12</td><td>50.23</td><td>54.00</td><td>-3.77</td><td>36.69</td><td>35.93</td><td>9.68</td><td>32.07</td><td>300 241 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5451.12	50.23	54.00	-3.77	36.69	35.93	9.68	32.07	300 241 AVERAGE	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.09</td><td>-----</td><td>-----</td><td>84.48</td><td>35.91</td><td>9.71</td><td>32.01</td><td>300 241 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.09	-----	-----	84.48	35.91	9.71	32.01	300 241 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5451.12	50.23	54.00	-3.77	36.69	35.93	9.68	32.07	300 241 AVERAGE																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5510.00	98.09	-----	-----	84.48	35.91	9.71	32.01	300 241 AVERAGE																																																																																																					



Mode	63																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																									
ANT	CDD																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.91</td><td>53.33</td><td>68.30</td><td>-14.97</td><td>39.29</td><td>36.23</td><td>10.04</td><td>32.23</td><td>300</td><td>241</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5734.91	53.33	68.30	-14.97	39.29	36.23	10.04	32.23	300	241	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5734.91	53.33	68.30	-14.97	39.29	36.23	10.04	32.23	300	241	PEAK																															



Mode	63																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Vertical					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.76</td><td>63.15</td><td>74.00</td><td>-10.85</td><td>49.59</td><td>35.93</td><td>9.69</td><td>32.06</td><td>332</td><td>196 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>65.14</td><td>68.30</td><td>-3.16</td><td>51.57</td><td>35.92</td><td>9.69</td><td>32.04</td><td>332</td><td>196 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5455.76	63.15	74.00	-10.85	49.59	35.93	9.69	32.06	332	196 PEAK	2	5469.52	65.14	68.30	-3.16	51.57	35.92	9.69	32.04	332	196 PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.83</td><td>-----</td><td>-----</td><td>93.22</td><td>35.91</td><td>9.71</td><td>32.01</td><td>332</td><td>196 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	106.83	-----	-----	93.22	35.91	9.71	32.01	332	196 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5455.76	63.15	74.00	-10.85	49.59	35.93	9.69	32.06	332	196 PEAK																																																																									
2	5469.52	65.14	68.30	-3.16	51.57	35.92	9.69	32.04	332	196 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5510.00	106.83	-----	-----	93.22	35.91	9.71	32.01	332	196 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.68</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>37.26</td><td>35.93</td><td>9.69</td><td>32.06</td><td>332</td><td>196 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5457.68	50.82	54.00	-3.18	37.26	35.93	9.69	32.06	332	196 AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>97.09</td><td>-----</td><td>-----</td><td>83.47</td><td>35.92</td><td>9.71</td><td>32.01</td><td>332</td><td>196 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	97.09	-----	-----	83.47	35.92	9.71	32.01	332	196 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5457.68	50.82	54.00	-3.18	37.26	35.93	9.69	32.06	332	196 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																										
1	5510.00	97.09	-----	-----	83.47	35.92	9.71	32.01	332	196 AVERAGE																																																																									



Mode	63																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.91</td><td>53.05</td><td>68.30</td><td>-15.25</td><td>39.01</td><td>36.23</td><td>10.04</td><td>32.23</td><td>332</td><td>196</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5734.91	53.05	68.30	-15.25	39.01	36.23	10.04	32.23	332	196	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5734.91	53.05	68.30	-15.25	39.01	36.23	10.04	32.23	332	196	PEAK																															







Mode	63																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11020.00</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>60.86</td><td>39.01</td><td>12.54</td><td>63.42 --- Peak</td></tr><tr><td>2</td><td>16530.00</td><td>49.91</td><td>68.30</td><td>-18.39</td><td>58.05</td><td>41.36</td><td>15.19</td><td>64.69 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11020.00	48.99	74.00	-25.01	60.86	39.01	12.54	63.42 --- Peak	2	16530.00	49.91	68.30	-18.39	58.05	41.36	15.19	64.69 --- Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11020.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>61.13</td><td>39.01</td><td>12.54</td><td>63.42 --- Peak</td></tr><tr><td>2</td><td>16530.00</td><td>50.11</td><td>68.30</td><td>-18.19</td><td>58.25</td><td>41.36</td><td>15.19</td><td>64.69 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11020.00	49.26	74.00	-24.74	61.13	39.01	12.54	63.42 --- Peak	2	16530.00	50.11	68.30	-18.19	58.25	41.36	15.19	64.69 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
1	11020.00	48.99	74.00	-25.01	60.86	39.01	12.54	63.42 --- Peak																																																																										
2	16530.00	49.91	68.30	-18.39	58.05	41.36	15.19	64.69 --- Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
1	11020.00	49.26	74.00	-24.74	61.13	39.01	12.54	63.42 --- Peak																																																																										
2	16530.00	50.11	68.30	-18.19	58.25	41.36	15.19	64.69 --- Peak																																																																										



Mode	64																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>49.13</td><td>74.00</td><td>-24.87</td><td>60.92</td><td>39.04</td><td>12.59</td><td>63.42</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16650.00</td><td>49.95</td><td>68.30</td><td>-18.35</td><td>58.07</td><td>41.42</td><td>15.28</td><td>64.82</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	49.13	74.00	-24.87	60.92	39.04	12.59	63.42	---	--- Peak	2 16650.00	49.95	68.30	-18.35	58.07	41.42	15.28	64.82	---	--- Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>61.09</td><td>39.04</td><td>12.59</td><td>63.42</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16650.00</td><td>49.55</td><td>68.30</td><td>-18.75</td><td>57.67</td><td>41.42</td><td>15.28</td><td>64.82</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	49.30	74.00	-24.70	61.09	39.04	12.59	63.42	---	--- Peak	2 16650.00	49.55	68.30	-18.75	57.67	41.42	15.28	64.82	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11100.00	49.13	74.00	-24.87	60.92	39.04	12.59	63.42	---	--- Peak																																																																																									
2 16650.00	49.95	68.30	-18.35	58.07	41.42	15.28	64.82	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11100.00	49.30	74.00	-24.70	61.09	39.04	12.59	63.42	---	--- Peak																																																																																									
2 16650.00	49.55	68.30	-18.75	57.67	41.42	15.28	64.82	---	--- Peak																																																																																									



Mode	65																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																								
ANT	CDD																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.48</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>38.77</td><td>35.96</td><td>9.60</td><td>32.15</td><td>303</td><td>110 PEAK</td></tr><tr><td>2</td><td>5467.44</td><td>51.88</td><td>68.30</td><td>-16.42</td><td>38.32</td><td>35.92</td><td>9.69</td><td>32.05</td><td>303</td><td>110 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5394.48	52.18	74.00	-21.82	38.77	35.96	9.60	32.15	303	110 PEAK	2	5467.44	51.88	68.30	-16.42	38.32	35.92	9.69	32.05	303	110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.57</td><td>-----</td><td>-----</td><td>91.66</td><td>36.16</td><td>9.94</td><td>32.19</td><td>303</td><td>110 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.57	-----	-----	91.66	36.16	9.94	32.19	303	110 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5394.48	52.18	74.00	-21.82	38.77	35.96	9.60	32.15	303	110 PEAK																																																																																															
2	5467.44	51.88	68.30	-16.42	38.32	35.92	9.69	32.05	303	110 PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5670.00	105.57	-----	-----	91.66	36.16	9.94	32.19	303	110 PEAK																																																																																															
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.04</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>29.04</td><td>35.94</td><td>9.68</td><td>32.09</td><td>303</td><td>110 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5437.04	42.57	54.00	-11.43	29.04	35.94	9.68	32.09	303	110 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.95</td><td>-----</td><td>-----</td><td>84.08</td><td>36.14</td><td>9.90</td><td>32.17</td><td>303</td><td>110 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.95	-----	-----	84.08	36.14	9.90	32.17	303	110 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5437.04	42.57	54.00	-11.43	29.04	35.94	9.68	32.09	303	110 AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5670.00	97.95	-----	-----	84.08	36.14	9.90	32.17	303	110 AVERAGE																																																																																															



Mode	65																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																									
ANT	CDD																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-06 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.29</td><td>66.26</td><td>68.30</td><td>-2.04</td><td>52.21</td><td>36.24</td><td>10.06</td><td>32.25</td><td>303</td><td>110</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5746.29	66.26	68.30	-2.04	52.21	36.24	10.06	32.25	303	110	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5746.29	66.26	68.30	-2.04	52.21	36.24	10.06	32.25	303	110	PEAK																															



		65																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																		
ANT		CDD																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-01-06 1 2 5350 5414 5478 5542 5606 5670 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5387.12</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>38.07</td><td>35.97</td><td>9.56</td><td>32.16</td><td>367 177 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>51.21</td><td>68.30</td><td>-17.09</td><td>37.65</td><td>35.92</td><td>9.69</td><td>32.05</td><td>367 177 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5387.12	51.44	74.00	-22.56	38.07	35.97	9.56	32.16	367 177 PEAK	2	5466.16	51.21	68.30	-17.09	37.65	35.92	9.69	32.05	367 177 PEAK	Level (dBuV/m) Date: 2024-01-06 1 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>106.87</td><td>-----</td><td>-----</td><td>93.05</td><td>36.11</td><td>9.86</td><td>32.15</td><td>367 177 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.87	-----	-----	93.05	36.11	9.86	32.15	367 177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5387.12	51.44	74.00	-22.56	38.07	35.97	9.56	32.16	367 177 PEAK																																																																																											
2	5466.16	51.21	68.30	-17.09	37.65	35.92	9.69	32.05	367 177 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	106.87	-----	-----	93.05	36.11	9.86	32.15	367 177 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-06 1 5350 5414 5478 5542 5606 5670 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>29.27</td><td>35.92</td><td>9.69</td><td>32.06</td><td>367 177 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	42.82	54.00	-11.18	29.27	35.92	9.69	32.06	367 177 AVERAGE	Level (dBuV/m) Date: 2024-01-06 1 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.75</td><td>-----</td><td>-----</td><td>84.92</td><td>36.12</td><td>9.87</td><td>32.16</td><td>367 177 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.75	-----	-----	84.92	36.12	9.87	32.16	367 177 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.12	42.82	54.00	-11.18	29.27	35.92	9.69	32.06	367 177 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	98.75	-----	-----	84.92	36.12	9.87	32.16	367 177 AVERAGE																																																																																											







Mode	65																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.69</td><td>64.99</td><td>68.30</td><td>-3.31</td><td>50.96</td><td>36.23</td><td>10.04</td><td>32.24</td><td>367</td><td>177</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5736.69	64.99	68.30	-3.31	50.96	36.23	10.04	32.24	367	177	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5736.69	64.99	68.30	-3.31	50.96	36.23	10.04	32.24	367	177	PEAK																															



Mode	65																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)					Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11340.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>59.99</td><td>39.14</td><td>12.77</td><td>63.44 --- Peak</td></tr><tr><td>2</td><td>17010.00</td><td>49.87</td><td>68.30</td><td>-18.43</td><td>57.90</td><td>41.61</td><td>15.55</td><td>65.19 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11340.00	48.46	74.00	-25.54	59.99	39.14	12.77	63.44 --- Peak	2	17010.00	49.87	68.30	-18.43	57.90	41.61	15.55	65.19 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11340.00</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>60.31</td><td>39.14</td><td>12.77</td><td>63.44 --- Peak</td></tr><tr><td>2</td><td>17010.00</td><td>50.12</td><td>68.30</td><td>-18.18</td><td>58.15</td><td>41.61</td><td>15.55</td><td>65.19 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11340.00	48.78	74.00	-25.22	60.31	39.14	12.77	63.44 --- Peak	2	17010.00	50.12	68.30	-18.18	58.15	41.61	15.55	65.19 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
1	11340.00	48.46	74.00	-25.54	59.99	39.14	12.77	63.44 --- Peak																																																																										
2	17010.00	49.87	68.30	-18.43	57.90	41.61	15.55	65.19 --- Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
1	11340.00	48.78	74.00	-25.22	60.31	39.14	12.77	63.44 --- Peak																																																																										
2	17010.00	50.12	68.30	-18.18	58.15	41.61	15.55	65.19 --- Peak																																																																										



		66																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																							
ANT		CDD																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.32</td><td>63.97</td><td>74.00</td><td>-10.03</td><td>51.88</td><td>36.13</td><td>8.49</td><td>32.53</td><td>379</td><td>112</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5124.32	63.97	74.00	-10.03	51.88	36.13	8.49	32.53	379	112	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>104.98</td><td>-----</td><td>-----</td><td>92.44</td><td>36.05</td><td>8.84</td><td>32.35</td><td>379</td><td>112</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	104.98	-----	-----	92.44	36.05	8.84	32.35	379	112
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5124.32	63.97	74.00	-10.03	51.88	36.13	8.49	32.53	379	112	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5210.00	104.98	-----	-----	92.44	36.05	8.84	32.35	379	112	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.27</td><td>53.25</td><td>54.00</td><td>-0.75</td><td>41.16</td><td>36.13</td><td>8.49</td><td>32.53</td><td>379</td><td>112</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.27	53.25	54.00	-0.75	41.16	36.13	8.49	32.53	379	112	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.84</td><td>-----</td><td>-----</td><td>83.30</td><td>36.05</td><td>8.84</td><td>32.35</td><td>379</td><td>112</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	95.84	-----	-----	83.30	36.05	8.84	32.35	379	112
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5123.27	53.25	54.00	-0.75	41.16	36.13	8.49	32.53	379	112	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5210.00	95.84	-----	-----	83.30	36.05	8.84	32.35	379	112	AVERAGE																																																																														



Mode	66																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																		
ANT	CDD																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.25</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>39.84</td><td>35.99</td><td>9.37</td><td>32.21</td><td>379</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.25	52.99	74.00	-21.01	39.84	35.99	9.37	32.21	379	112	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5351.25	52.99	74.00	-21.01	39.84	35.99	9.37	32.21	379	112	PEAK																																								
Avg	Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>31.44</td><td>35.99</td><td>9.36</td><td>32.21</td><td>379</td><td>112</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.00	44.58	54.00	-9.42	31.44	35.99	9.36	32.21	379	112	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.00	44.58	54.00	-9.42	31.44	35.99	9.36	32.21	379	112	AVERAGE																																								



Mode	66																																																																	
	Band Edge - L																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																	
ANT	CDD																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5122.22</td><td>57.77</td><td>74.00</td><td>-16.23</td><td>45.69</td><td>36.13</td><td>8.48</td><td>32.53 400 135 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 5122.22	57.77	74.00	-16.23	45.69	36.13	8.48	32.53 400 135 PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5210.00</td><td>102.05</td><td>-----</td><td>-----</td><td>89.51</td><td>36.05</td><td>8.84</td><td>32.35 400 135 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 5210.00	102.05	-----	-----	89.51	36.05	8.84	32.35 400 135 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																											
1 5122.22	57.77	74.00	-16.23	45.69	36.13	8.48	32.53 400 135 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																											
1 5210.00	102.05	-----	-----	89.51	36.05	8.84	32.35 400 135 PEAK																																																											
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5120.75</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>36.04</td><td>36.13</td><td>8.48</td><td>32.53 400 135 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 5120.75	48.12	54.00	-5.88	36.04	36.13	8.48	32.53 400 135 AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5210.00</td><td>93.71</td><td>-----</td><td>-----</td><td>81.21</td><td>36.05</td><td>8.81</td><td>32.36 400 135 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 5210.00	93.71	-----	-----	81.21	36.05	8.81	32.36 400 135 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																											
1 5120.75	48.12	54.00	-5.88	36.04	36.13	8.48	32.53 400 135 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																											
1 5210.00	93.71	-----	-----	81.21	36.05	8.81	32.36 400 135 AVERAGE																																																											







Mode	66																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																		
ANT	CDD																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>39.54</td><td>35.99</td><td>9.37</td><td>32.21</td><td>400</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.75	52.69	74.00	-21.31	39.54	35.99	9.37	32.21	400	135	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.75	52.69	74.00	-21.31	39.54	35.99	9.37	32.21	400	135	PEAK																																								
Avg	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>30.18</td><td>35.99</td><td>9.36</td><td>32.21</td><td>400</td><td>135</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.00	43.32	54.00	-10.68	30.18	35.99	9.36	32.21	400	135	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.00	43.32	54.00	-10.68	30.18	35.99	9.36	32.21	400	135	AVERAGE																																								





Mode	66																																																									
	Harmonic																																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																									
ANT	CDD																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg	Data: 1 Level (dBuV/m) Date: 2024-01-15 Frequency (MHz) PART 15.407 PART 15.407 AVG					Data: 2 Level (dBuV/m) Date: 2024-01-15 Frequency (MHz) PART 15.407 PART 15.407 AVG																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Antenna Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>* 10420.00</td><td>47.39</td><td>-20.91</td><td>68.30</td><td>60.13</td><td>38.77</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>49.04</td><td>-24.96</td><td>74.00</td><td>57.64</td><td>40.80</td><td>14.62</td><td>64.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	* 10420.00	47.39	-20.91	68.30	60.13	38.77	12.12	63.63	---	---	Peak	2	15630.00	49.04	-24.96	74.00	57.64	40.80	14.62	64.02	---	---	Peak
		Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark																																														
	MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	* 10420.00	47.39	-20.91	68.30	60.13	38.77	12.12	63.63	---	---	Peak																																															
2	15630.00	49.04	-24.96	74.00	57.64	40.80	14.62	64.02	---	---	Peak																																															
<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Antenna Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>* 10420.00</td><td>47.96</td><td>-20.34</td><td>68.30</td><td>60.70</td><td>38.77</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>49.46</td><td>-24.54</td><td>74.00</td><td>58.06</td><td>40.80</td><td>14.62</td><td>64.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	* 10420.00	47.96	-20.34	68.30	60.70	38.77	12.12	63.63	---	---	Peak	2	15630.00	49.46	-24.54	74.00	58.06	40.80	14.62	64.02	---	---	Peak	
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark																																															
	MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	* 10420.00	47.96	-20.34	68.30	60.70	38.77	12.12	63.63	---	---	Peak																																															
2	15630.00	49.46	-24.54	74.00	58.06	40.80	14.62	64.02	---	---	Peak																																															



		67																																																	
Mode		Band Edge - L																																																	
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																	
ANT		CDD																																																	
Pol.		Horizontal																																																	
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.42</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>41.76</td><td>36.11</td><td>8.53</td><td>32.50</td><td>305</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.42	53.90	74.00	-20.10	41.76	36.11	8.53	32.50	305	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5144.42	53.90	74.00	-20.10	41.76	36.11	8.53	32.50	305	119	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>104.08</td><td>-----</td><td>-----</td><td>91.08</td><td>36.00</td><td>9.24</td><td>32.24</td><td>305</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	104.08	-----	-----	91.08	36.00	9.24	32.24	305	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5290.00	104.08	-----	-----	91.08	36.00	9.24	32.24	305	119	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.35</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>32.55</td><td>36.11</td><td>8.53</td><td>32.49</td><td>305</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.35	44.70	54.00	-9.30	32.55	36.11	8.53	32.49	305	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5149.35	44.70	54.00	-9.30	32.55	36.11	8.53	32.49	305	119	AVERAGE																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>95.72</td><td>-----</td><td>-----</td><td>82.82</td><td>36.02</td><td>9.15</td><td>32.27</td><td>305</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	95.72	-----	-----	82.82	36.02	9.15	32.27	305	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5290.00	95.72	-----	-----	82.82	36.02	9.15	32.27	305	119	AVERAGE																																								



Mode	67																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																		
ANT	CDD																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.90</td><td>63.69</td><td>74.00</td><td>-10.31</td><td>50.42</td><td>35.98</td><td>9.47</td><td>32.18</td><td>305</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5369.90	63.69	74.00	-10.31	50.42	35.98	9.47	32.18	305	119	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5369.90	63.69	74.00	-10.31	50.42	35.98	9.47	32.18	305	119	PEAK																																								
Avg	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>53.05</td><td>54.00</td><td>-0.95</td><td>39.91</td><td>35.99</td><td>9.36</td><td>32.21</td><td>305</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	53.05	54.00	-0.95	39.91	35.99	9.36	32.21	305	119	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.01	53.05	54.00	-0.95	39.91	35.99	9.36	32.21	305	119	AVERAGE																																								





Mode	67																																																																																												
	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																												
ANT	CDD																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.01</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>39.88</td><td>36.12</td><td>8.51</td><td>32.51</td><td>346</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.01	52.00	74.00	-22.00	39.88	36.12	8.51	32.51	346	170	PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.15</td><td>-----</td><td>-----</td><td>89.18</td><td>36.01</td><td>9.21</td><td>32.25</td><td>346</td><td>170</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.15	-----	-----	89.18	36.01	9.21	32.25	346	170	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5136.01	52.00	74.00	-22.00	39.88	36.12	8.51	32.51	346	170	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	102.15	-----	-----	89.18	36.01	9.21	32.25	346	170	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.06</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>31.06</td><td>36.11</td><td>8.53</td><td>32.49</td><td>346</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.06	43.21	54.00	-10.79	31.06	36.11	8.53	32.49	346	170	AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.45</td><td>-----</td><td>-----</td><td>80.48</td><td>36.01</td><td>9.21</td><td>32.25</td><td>346</td><td>170</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.45	-----	-----	80.48	36.01	9.21	32.25	346	170	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5149.06	43.21	54.00	-10.79	31.06	36.11	8.53	32.49	346	170	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	93.45	-----	-----	80.48	36.01	9.21	32.25	346	170	AVERAGE																																																																																		



Mode	67																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																		
ANT	CDD																																																		
Pol.	Vertical						Fundamental																																												
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.35</td><td>60.24</td><td>74.00</td><td>-13.76</td><td>46.89</td><td>35.97</td><td>9.54</td><td>32.16</td><td>346</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5384.35	60.24	74.00	-13.76	46.89	35.97	9.54	32.16	346	170	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5384.35	60.24	74.00	-13.76	46.89	35.97	9.54	32.16	346	170	PEAK																																								
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.74</td><td>51.31</td><td>54.00</td><td>-2.69</td><td>38.09</td><td>35.98</td><td>9.43</td><td>32.19</td><td>346</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5361.74	51.31	54.00	-2.69	38.09	35.98	9.43	32.19	346	170	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5361.74	51.31	54.00	-2.69	38.09	35.98	9.43	32.19	346	170	AVERAGE																																								



Mode	67																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10580.00</td><td>48.45</td><td>68.30</td><td>-19.85</td><td>60.98</td><td>38.83</td><td>12.22</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>49.04</td><td>74.00</td><td>-24.96</td><td>57.41</td><td>41.00</td><td>14.73</td><td>64.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10580.00	48.45	68.30	-19.85	60.98	38.83	12.22	63.58	---	---	Peak	2	15870.00	49.04	74.00	-24.96	57.41	41.00	14.73	64.10	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10580.00</td><td>47.70</td><td>68.30</td><td>-20.60</td><td>60.23</td><td>38.83</td><td>12.22</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>59.17</td><td>41.00</td><td>14.73</td><td>64.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10580.00	47.70	68.30	-20.60	60.23	38.83	12.22	63.58	---	---	Peak	2	15870.00	50.80	74.00	-23.20	59.17	41.00	14.73	64.10	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10580.00	48.45	68.30	-19.85	60.98	38.83	12.22	63.58	---	---	Peak																																																																																																									
2	15870.00	49.04	74.00	-24.96	57.41	41.00	14.73	64.10	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10580.00	47.70	68.30	-20.60	60.23	38.83	12.22	63.58	---	---	Peak																																																																																																									
2	15870.00	50.80	74.00	-23.20	59.17	41.00	14.73	64.10	---	---	Peak																																																																																																									



Mode	68																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5441.44</td><td>64.64</td><td>74.00</td><td>-9.36</td><td>51.10</td><td>35.94</td><td>9.68</td><td>32.08</td><td>100</td><td>143</td><td>PEAK</td></tr><tr><td>2</td><td>5463.22</td><td>60.19</td><td>68.30</td><td>-8.11</td><td>46.63</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>143</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5441.44	64.64	74.00	-9.36	51.10	35.94	9.68	32.08	100	143	PEAK	2	5463.22	60.19	68.30	-8.11	46.63	35.92	9.69	32.05	100	143	PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>105.86</td><td>-----</td><td>-----</td><td>92.20</td><td>35.98</td><td>9.74</td><td>32.06</td><td>100</td><td>143</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	105.86	-----	-----	92.20	35.98	9.74	32.06	100	143	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5441.44	64.64	74.00	-9.36	51.10	35.94	9.68	32.08	100	143	PEAK																																																																																												
2	5463.22	60.19	68.30	-8.11	46.63	35.92	9.69	32.05	100	143	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	105.86	-----	-----	92.20	35.98	9.74	32.06	100	143	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.82</td><td>53.46</td><td>54.00</td><td>-0.54</td><td>39.92</td><td>35.94</td><td>9.68</td><td>32.08</td><td>100</td><td>143</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.82	53.46	54.00	-0.54	39.92	35.94	9.68	32.08	100	143	AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.65</td><td>-----</td><td>-----</td><td>82.99</td><td>35.98</td><td>9.74</td><td>32.06</td><td>100</td><td>143</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	96.65	-----	-----	82.99	35.98	9.74	32.06	100	143	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5439.82	53.46	54.00	-0.54	39.92	35.94	9.68	32.08	100	143	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	96.65	-----	-----	82.99	35.98	9.74	32.06	100	143	AVERAGE																																																																																												



Mode	68																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																	
ANT	CDD																																	
Pol.	Horizontal	Fundamental																																
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5740.80</td><td>54.03</td><td>68.30</td><td>-14.27</td><td>39.98</td><td>36.24</td><td>10.05</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5740.80	54.03	68.30	-14.27	39.98	36.24	10.05	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																											
1	5740.80	54.03	68.30	-14.27	39.98	36.24	10.05																											





Mode	68																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.66</td><td>63.35</td><td>74.00</td><td>-10.65</td><td>49.82</td><td>35.94</td><td>9.68</td><td>32.09</td><td>300</td><td>157</td><td>PEAK</td></tr><tr><td>2</td><td>5460.70</td><td>58.73</td><td>68.30</td><td>-9.57</td><td>45.18</td><td>35.92</td><td>9.69</td><td>32.06</td><td>300</td><td>157</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5437.66	63.35	74.00	-10.65	49.82	35.94	9.68	32.09	300	157	PEAK	2	5460.70	58.73	68.30	-9.57	45.18	35.92	9.69	32.06	300	157	PEAK	Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.50</td><td>-----</td><td>-----</td><td>90.84</td><td>35.98</td><td>9.74</td><td>32.06</td><td>300</td><td>157</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	104.50	-----	-----	90.84	35.98	9.74	32.06	300	157	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5437.66	63.35	74.00	-10.65	49.82	35.94	9.68	32.09	300	157	PEAK																																																																																												
2	5460.70	58.73	68.30	-9.57	45.18	35.92	9.69	32.06	300	157	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	104.50	-----	-----	90.84	35.98	9.74	32.06	300	157	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.04</td><td>53.52</td><td>54.00</td><td>-0.48</td><td>40.00</td><td>35.94</td><td>9.67</td><td>32.09</td><td>300</td><td>157</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5436.04	53.52	54.00	-0.48	40.00	35.94	9.67	32.09	300	157	AVERAGE	Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.36</td><td>-----</td><td>-----</td><td>81.70</td><td>35.98</td><td>9.74</td><td>32.06</td><td>300</td><td>157</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	95.36	-----	-----	81.70	35.98	9.74	32.06	300	157	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5436.04	53.52	54.00	-0.48	40.00	35.94	9.67	32.09	300	157	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	95.36	-----	-----	81.70	35.98	9.74	32.06	300	157	AVERAGE																																																																																												







Mode	68																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																	
ANT	CDD																																	
Pol.	Vertical	Fundamental																																
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5753.96</td><td>53.22</td><td>68.30</td><td>-15.08</td><td>39.13</td><td>36.26</td><td>10.08</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5753.96	53.22	68.30	-15.08	39.13	36.26	10.08	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																											
1	5753.96	53.22	68.30	-15.08	39.13	36.26	10.08																											




Mode	68																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>61.17</td><td>39.02</td><td>12.57</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.17</td><td>68.30</td><td>-20.13</td><td>56.30</td><td>41.39</td><td>15.23</td><td>64.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	49.34	74.00	-24.66	61.17	39.02	12.57	63.42	---	---	Peak	2	16590.00	48.17	68.30	-20.13	56.30	41.39	15.23	64.75	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>60.06</td><td>39.02</td><td>12.57</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>49.62</td><td>68.30</td><td>-18.68</td><td>57.75</td><td>41.39</td><td>15.23</td><td>64.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	48.23	74.00	-25.77	60.06	39.02	12.57	63.42	---	---	Peak	2	16590.00	49.62	68.30	-18.68	57.75	41.39	15.23	64.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11060.00	49.34	74.00	-24.66	61.17	39.02	12.57	63.42	---	---	Peak																																																																																																									
2	16590.00	48.17	68.30	-20.13	56.30	41.39	15.23	64.75	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11060.00	48.23	74.00	-25.77	60.06	39.02	12.57	63.42	---	---	Peak																																																																																																									
2	16590.00	49.62	68.30	-18.68	57.75	41.39	15.23	64.75	---	---	Peak																																																																																																									

Note: Only the worst case has assessed 18G ~40GHz to test.



		69																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																													
ANT		CDD																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)										Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.68</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>43.04</td><td>35.92</td><td>9.69</td><td>32.06</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5462.06</td><td>57.35</td><td>68.30</td><td>-10.95</td><td>43.79</td><td>35.92</td><td>9.69</td><td>32.05</td><td>300</td><td>116</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.68	56.59	74.00	-17.41	43.04	35.92	9.69	32.06	300	116	PEAK	2	5462.06	57.35	68.30	-10.95	43.79	35.92	9.69	32.05	300	116	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>107.43</td><td>-----</td><td>-----</td><td>93.74</td><td>36.02</td><td>9.75</td><td>32.08</td><td>300</td><td>116</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	107.43	-----	-----	93.74	36.02	9.75	32.08	300	116
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5458.68	56.59	74.00	-17.41	43.04	35.92	9.69	32.06	300	116	PEAK																																																																																																				
2	5462.06	57.35	68.30	-10.95	43.79	35.92	9.69	32.05	300	116	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5610.00	107.43	-----	-----	93.74	36.02	9.75	32.08	300	116	PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)										Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.72</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>34.98</td><td>35.92</td><td>9.69</td><td>32.06</td><td>300</td><td>116</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.72	48.53	54.00	-5.47	34.98	35.92	9.69	32.06	300	116	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.85</td><td>-----</td><td>-----</td><td>84.16</td><td>36.02</td><td>9.75</td><td>32.08</td><td>300</td><td>116</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	97.85	-----	-----	84.16	36.02	9.75	32.08	300	116	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5459.72	48.53	54.00	-5.47	34.98	35.92	9.69	32.06	300	116	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5610.00	97.85	-----	-----	84.16	36.02	9.75	32.08	300	116	AVERAGE																																																																																																				



Mode	69																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																											
ANT	CDD																																											
Pol.	Horizontal	Fundamental																																										
Peak	Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5728.58</td><td>66.96</td><td>68.30</td><td>-1.34</td><td>52.94</td><td>36.22</td><td>10.03</td><td>32.23</td><td>300</td><td>116</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5728.58	66.96	68.30	-1.34	52.94	36.22	10.03	32.23	300	116	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5728.58	66.96	68.30	-1.34	52.94	36.22	10.03	32.23	300	116	PEAK																																	



Mode	69																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.22</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>41.11</td><td>35.93</td><td>9.68</td><td>32.07</td><td>400</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>5468.04</td><td>55.38</td><td>68.30</td><td>-12.92</td><td>41.81</td><td>35.92</td><td>9.69</td><td>32.04</td><td>400</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.22	54.65	74.00	-19.35	41.11	35.93	9.68	32.07	400	182	PEAK	2	5468.04	55.38	68.30	-12.92	41.81	35.92	9.69	32.04	400	182	PEAK	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>107.04</td><td>-----</td><td>-----</td><td>93.37</td><td>36.00</td><td>9.74</td><td>32.07</td><td>400</td><td>182</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	107.04	-----	-----	93.37	36.00	9.74	32.07	400	182	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5453.22	54.65	74.00	-19.35	41.11	35.93	9.68	32.07	400	182	PEAK																																																																																												
2	5468.04	55.38	68.30	-12.92	41.81	35.92	9.69	32.04	400	182	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5610.00	107.04	-----	-----	93.37	36.00	9.74	32.07	400	182	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.62</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>32.19</td><td>35.93</td><td>9.68</td><td>32.07</td><td>400</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5450.62	45.73	54.00	-8.27	32.19	35.93	9.68	32.07	400	182	AVERAGE	Level (dBuV/m) Date: 2024-01-06 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.61</td><td>-----</td><td>-----</td><td>84.94</td><td>36.00</td><td>9.74</td><td>32.07</td><td>400</td><td>182</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	98.61	-----	-----	84.94	36.00	9.74	32.07	400	182	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5450.62	45.73	54.00	-8.27	32.19	35.93	9.68	32.07	400	182	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5610.00	98.61	-----	-----	84.94	36.00	9.74	32.07	400	182	AVERAGE																																																																																												



Mode	69																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																									
ANT	CDD																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)					Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11220.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>61.37</td><td>39.09</td><td>12.68</td><td>63.43</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16830.00</td><td>49.63</td><td>68.30</td><td>-18.67</td><td>57.71</td><td>41.51</td><td>15.41</td><td>65.00</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	49.71	74.00	-24.29	61.37	39.09	12.68	63.43	---	--- Peak	2 16830.00	49.63	68.30	-18.67	57.71	41.51	15.41	65.00	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11220.00</td><td>49.04</td><td>74.00</td><td>-24.96</td><td>60.70</td><td>39.09</td><td>12.68</td><td>63.43</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16830.00</td><td>49.40</td><td>68.30</td><td>-18.90</td><td>57.48</td><td>41.51</td><td>15.41</td><td>65.00</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	49.04	74.00	-24.96	60.70	39.09	12.68	63.43	---	--- Peak	2 16830.00	49.40	68.30	-18.90	57.48	41.51	15.41	65.00	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11220.00	49.71	74.00	-24.29	61.37	39.09	12.68	63.43	---	--- Peak																																																																																																	
2 16830.00	49.63	68.30	-18.67	57.71	41.51	15.41	65.00	---	--- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11220.00	49.04	74.00	-24.96	60.70	39.09	12.68	63.43	---	--- Peak																																																																																																	
2 16830.00	49.40	68.30	-18.90	57.48	41.51	15.41	65.00	---	--- Peak																																																																																																	



Mode	70																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.00</td><td>62.85</td><td>74.00</td><td>-11.15</td><td>50.70</td><td>36.11</td><td>8.53</td><td>32.49</td><td>380</td><td>108</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.00	62.85	74.00	-11.15	50.70	36.11	8.53	32.49	380	108	PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>102.33</td><td>-----</td><td>-----</td><td>89.69</td><td>36.04</td><td>8.93</td><td>32.33</td><td>380</td><td>108</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	102.33	-----	-----	89.69	36.04	8.93	32.33	380	108	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5149.00	62.85	74.00	-11.15	50.70	36.11	8.53	32.49	380	108	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	102.33	-----	-----	89.69	36.04	8.93	32.33	380	108	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>53.24</td><td>54.00</td><td>-0.76</td><td>41.09</td><td>36.11</td><td>8.53</td><td>32.49</td><td>380</td><td>108</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.00	53.24	54.00	-0.76	41.09	36.11	8.53	32.49	380	108	AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.55</td><td>-----</td><td>-----</td><td>80.91</td><td>36.04</td><td>8.93</td><td>32.33</td><td>380</td><td>108</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	93.55	-----	-----	80.91	36.04	8.93	32.33	380	108	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5148.00	53.24	54.00	-0.76	41.09	36.11	8.53	32.49	380	108	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	93.55	-----	-----	80.91	36.04	8.93	32.33	380	108	AVERAGE																																																																																	



Mode	70																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																					
ANT	CDD																																					
Pol.	Horizontal					Fundamental																																
Peak	Date: 2024-01-06 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5376.21</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>42.84</td><td>35.97</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5376.21	56.14	74.00	-17.86	42.84	35.97	Blank				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																
1	5376.21	56.14	74.00	-17.86	42.84	35.97																																
Avg	Date: 2024-01-06 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5351.43</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>33.44</td><td>35.99</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5351.43	46.59	54.00	-7.41	33.44	35.99	Blank				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																
1	5351.43	46.59	54.00	-7.41	33.44	35.99																																





Mode	70																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.25</td><td>59.26</td><td>74.00</td><td>-14.74</td><td>47.11</td><td>36.11</td><td>8.53</td><td>32.49</td><td>300</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5147.25	59.26	74.00	-14.74	47.11	36.11	8.53	32.49	300	159	PEAK	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>98.60</td><td>-----</td><td>-----</td><td>85.74</td><td>36.02</td><td>9.12</td><td>32.28</td><td>300</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	98.60	-----	-----	85.74	36.02	9.12	32.28	300	159	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5147.25	59.26	74.00	-14.74	47.11	36.11	8.53	32.49	300	159	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	98.60	-----	-----	85.74	36.02	9.12	32.28	300	159	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.50</td><td>45.34</td><td>54.00</td><td>-8.66</td><td>33.20</td><td>36.12</td><td>8.52</td><td>32.50</td><td>300</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5140.50	45.34	54.00	-8.66	33.20	36.12	8.52	32.50	300	159	AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.94</td><td>-----</td><td>-----</td><td>77.19</td><td>36.03</td><td>9.02</td><td>32.30</td><td>300</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	89.94	-----	-----	77.19	36.03	9.02	32.30	300	159	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5140.50	45.34	54.00	-8.66	33.20	36.12	8.52	32.50	300	159	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	89.94	-----	-----	77.19	36.03	9.02	32.30	300	159	AVERAGE																																																																																	







Mode	70																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.85</td><td>61.36</td><td>74.00</td><td>-12.64</td><td>48.21</td><td>35.99</td><td>9.37</td><td>32.21</td><td>300</td><td>159</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.85	61.36	74.00	-12.64	48.21	35.99	9.37	32.21	300	159	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5351.85	61.36	74.00	-12.64	48.21	35.99	9.37	32.21	300	159	PEAK																															
Avg	Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.22</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>33.39</td><td>35.99</td><td>9.37</td><td>32.21</td><td>300</td><td>159</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.22	46.54	54.00	-7.46	33.39	35.99	9.37	32.21	300	159	AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5351.22	46.54	54.00	-7.46	33.39	35.99	9.37	32.21	300	159	AVERAGE																															




Mode	70																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																		
ANT	CDD																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg	 Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG						 Level (dBuV/m) Date: 2024-01-12 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.67</td><td>68.30</td><td>-20.63</td><td>60.31</td><td>38.80</td><td>12.16</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>57.04</td><td>40.90</td><td>14.68</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10500.00	47.67	68.30	-20.63	60.31	38.80	12.16	63.60	---	---	Peak	2	15750.00	48.56	74.00	-25.44	57.04	40.90	14.68	64.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>49.16</td><td>68.30</td><td>-19.14</td><td>61.80</td><td>38.80</td><td>12.16</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>57.11</td><td>40.90</td><td>14.68</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10500.00	49.16	68.30	-19.14	61.80	38.80	12.16	63.60	---	---	Peak	2	15750.00	48.63	74.00	-25.37	57.11	40.90	14.68	64.06	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	10500.00	47.67	68.30	-20.63	60.31	38.80	12.16	63.60	---	---	Peak																																																																																																								
2	15750.00	48.56	74.00	-25.44	57.04	40.90	14.68	64.06	---	---	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	10500.00	49.16	68.30	-19.14	61.80	38.80	12.16	63.60	---	---	Peak																																																																																																								
2	15750.00	48.63	74.00	-25.37	57.11	40.90	14.68	64.06	---	---	Peak																																																																																																								







		71																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																			
ANT		CDD																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.80</td><td>59.97</td><td>74.00</td><td>-14.03</td><td>46.43</td><td>35.93</td><td>9.68</td><td>32.07</td><td>100</td><td>215</td><td>PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>64.27</td><td>68.30</td><td>-4.03</td><td>50.70</td><td>35.92</td><td>9.69</td><td>32.04</td><td>100</td><td>215</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.80	59.97	74.00	-14.03	46.43	35.93	9.68	32.07	100	215	PEAK	2	5467.92	64.27	68.30	-4.03	50.70	35.92	9.69	32.04	100	215	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.32</td><td>-----</td><td>-----</td><td>89.66</td><td>35.99</td><td>9.74</td><td>32.07</td><td>100</td><td>215</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.32	-----	-----	89.66	35.99	9.74	32.07	100	215
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5446.80	59.97	74.00	-14.03	46.43	35.93	9.68	32.07	100	215	PEAK																																																																																										
2	5467.92	64.27	68.30	-4.03	50.70	35.92	9.69	32.04	100	215	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	103.32	-----	-----	89.66	35.99	9.74	32.07	100	215	PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.72</td><td>51.20</td><td>54.00</td><td>-2.80</td><td>37.67</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.72	51.20	54.00	-2.80	37.67	35.93	9.68	32.08	100	215	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.23</td><td>-----</td><td>-----</td><td>80.57</td><td>35.99</td><td>9.74</td><td>32.07</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.23	-----	-----	80.57	35.99	9.74	32.07	100	215	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5443.72	51.20	54.00	-2.80	37.67	35.93	9.68	32.08	100	215	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	94.23	-----	-----	80.57	35.99	9.74	32.07	100	215	AVERAGE																																																																																										




Mode	71																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																									
ANT	CDD																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-06 Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.32</td><td>62.94</td><td>68.30</td><td>-5.36</td><td>48.92</td><td>36.22</td><td>10.03</td><td>32.23</td><td>100</td><td>215</td><td>PEAK</td></tr></table> Blank		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.32	62.94	68.30	-5.36	48.92	36.22	10.03	32.23	100	215	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5729.32	62.94	68.30	-5.36	48.92	36.22	10.03	32.23	100	215	PEAK																															



		71																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																				
ANT		CDD																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.60</td><td>61.62</td><td>74.00</td><td>-12.38</td><td>48.10</td><td>35.94</td><td>9.67</td><td>32.09</td><td>374</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5468.58</td><td>59.44</td><td>68.30</td><td>-8.86</td><td>45.87</td><td>35.92</td><td>9.69</td><td>32.04</td><td>374</td><td>174</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5433.60	61.62	74.00	-12.38	48.10	35.94	9.67	32.09	374	174	PEAK	2	5468.58	59.44	68.30	-8.86	45.87	35.92	9.69	32.04	374	174	PEAK	 Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>103.84</td><td>-----</td><td>-----</td><td>90.17</td><td>35.98</td><td>9.74</td><td>32.05</td><td>374</td><td>174</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	103.84	-----	-----	90.17	35.98	9.74	32.05	374	174	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5433.60	61.62	74.00	-12.38	48.10	35.94	9.67	32.09	374	174	PEAK																																																																																											
2	5468.58	59.44	68.30	-8.86	45.87	35.92	9.69	32.04	374	174	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	103.84	-----	-----	90.17	35.98	9.74	32.05	374	174	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.16</td><td>51.85</td><td>54.00</td><td>-2.15</td><td>38.30</td><td>35.93</td><td>9.68</td><td>32.06</td><td>374</td><td>174</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.16	51.85	54.00	-2.15	38.30	35.93	9.68	32.06	374	174	AVERAGE	 Level (dBuV/m) Date: 2024-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>94.37</td><td>-----</td><td>-----</td><td>80.70</td><td>36.00</td><td>9.74</td><td>32.07</td><td>374</td><td>174</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	94.37	-----	-----	80.70	36.00	9.74	32.07	374	174	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5455.16	51.85	54.00	-2.15	38.30	35.93	9.68	32.06	374	174	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	94.37	-----	-----	80.70	36.00	9.74	32.07	374	174	AVERAGE																																																																																											







Mode	71																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-06 Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.39</td><td>66.21</td><td>68.30</td><td>-2.09</td><td>52.20</td><td>36.22</td><td>10.02</td><td>32.23</td><td>374</td><td>174</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.39	66.21	68.30	-2.09	52.20	36.22	10.02	32.23	374	174	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5726.39	66.21	68.30	-2.09	52.20	36.22	10.02	32.23	374	174	PEAK																															



Mode	71																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																					
ANT	CDD																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td></tr><tr><td>1</td><td>11140.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>60.27</td><td>39.06</td><td>12.62</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>50.00</td><td>68.30</td><td>-18.30</td><td>58.11</td><td>41.45</td><td>15.32</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11140.00	48.52	74.00	-25.48	60.27	39.06	12.62	63.43	---	---	Peak	2	16710.00	50.00	68.30	-18.30	58.11	41.45	15.32	64.88	---	---	Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td></tr><tr><td>1</td><td>11140.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>60.61</td><td>39.06</td><td>12.62</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>50.30</td><td>68.30</td><td>-18.00</td><td>58.41</td><td>41.45</td><td>15.32</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11140.00	48.86	74.00	-25.14	60.61	39.06	12.62	63.43	---	---	Peak	2	16710.00	50.30	68.30	-18.00	58.41	41.45	15.32	64.88	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	11140.00	48.52	74.00	-25.48	60.27	39.06	12.62	63.43	---	---	Peak																																																																																											
2	16710.00	50.00	68.30	-18.30	58.11	41.45	15.32	64.88	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	11140.00	48.86	74.00	-25.14	60.61	39.06	12.62	63.43	---	---	Peak																																																																																											
2	16710.00	50.30	68.30	-18.00	58.41	41.45	15.32	64.88	---	---	Peak																																																																																											



		72																																																																																
Mode		Band Edge																																																																																
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																
ANT		CDD																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5144.54</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>42.43</td><td>36.11</td><td>8.53</td><td>32.50</td><td>100</td><td>96 PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5144.54	54.57	74.00	-19.43	42.43	36.11	8.53	32.50	100	96 PEAK	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>110.43</td><td>-----</td><td>-----</td><td>98.21</td><td>36.09</td><td>8.58</td><td>32.45</td><td>100</td><td>96 PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	110.43	-----	-----	98.21	36.09	8.58	32.45	100	96 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5144.54	54.57	74.00	-19.43	42.43	36.11	8.53	32.50	100	96 PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5180.00	110.43	-----	-----	98.21	36.09	8.58	32.45	100	96 PEAK																																																																									
Avg	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5140.76</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>33.42</td><td>36.12</td><td>8.52</td><td>32.50</td><td>100</td><td>96 AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5140.76	45.56	54.00	-8.44	33.42	36.12	8.52	32.50	100	96 AVERAGE	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>101.88</td><td>-----</td><td>-----</td><td>89.66</td><td>36.09</td><td>8.58</td><td>32.45</td><td>100</td><td>96 AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	101.88	-----	-----	89.66	36.09	8.58	32.45	100	96 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5140.76	45.56	54.00	-8.44	33.42	36.12	8.52	32.50	100	96 AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5180.00	101.88	-----	-----	89.66	36.09	8.58	32.45	100	96 AVERAGE																																																																									



Mode	72																																																			
	Band Edge																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																			
ANT	CDD																																																			
Pol.	Vertical																																																			
Peak	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz)																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.68</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>43.45</td><td>36.11</td><td>8.53</td><td>32.49</td><td>264</td><td>169</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.68	55.60	74.00	-18.40	43.45	36.11	8.53	32.49	264	169	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5148.68	55.60	74.00	-18.40	43.45	36.11	8.53	32.49	264	169	PEAK																																									
Fundamental	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz)																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.73</td><td>-----</td><td>-----</td><td>94.47</td><td>36.09</td><td>8.61</td><td>32.44</td><td>264</td><td>169</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.73	-----	-----	94.47	36.09	8.61	32.44	264	169	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5180.00	106.73	-----	-----	94.47	36.09	8.61	32.44	264	169	PEAK																																									
Avg	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz)																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>45.34</td><td>54.00</td><td>-8.66</td><td>33.18</td><td>36.11</td><td>8.54</td><td>32.49</td><td>264</td><td>169</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	45.34	54.00	-8.66	33.18	36.11	8.54	32.49	264	169	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5149.76	45.34	54.00	-8.66	33.18	36.11	8.54	32.49	264	169	AVERAGE																																									
AVERAGE	Level (dBuV/m) Date: 2024-01-06 Frequency (MHz)																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.93</td><td>-----</td><td>-----</td><td>86.72</td><td>36.10</td><td>8.57</td><td>32.46</td><td>264</td><td>169</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.93	-----	-----	86.72	36.10	8.57	32.46	264	169	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5180.00	98.93	-----	-----	86.72	36.10	8.57	32.46	264	169	AVERAGE																																									



Mode	72																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																							
ANT	CDD																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1</td><td>10360.00</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>61.01</td><td>38.74</td><td>12.06</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>58.25</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1	10360.00	48.15	68.30	-20.15	61.01	38.74	12.06	63.66	---	---	Peak	2	15540.00	49.57	74.00	-24.43	58.25	40.73	14.58	63.99	---	---	Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1</td><td>10360.00</td><td>47.24</td><td>68.30</td><td>-21.06</td><td>60.10</td><td>38.74</td><td>12.06</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>57.59</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1	10360.00	47.24	68.30	-21.06	60.10	38.74	12.06	63.66	---	---	Peak	2	15540.00	48.91	74.00	-25.09	57.59	40.73	14.58	63.99	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
1	10360.00	48.15	68.30	-20.15	61.01	38.74	12.06	63.66	---	---	Peak																																																																													
2	15540.00	49.57	74.00	-24.43	58.25	40.73	14.58	63.99	---	---	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
1	10360.00	47.24	68.30	-21.06	60.10	38.74	12.06	63.66	---	---	Peak																																																																													
2	15540.00	48.91	74.00	-25.09	57.59	40.73	14.58	63.99	---	---	Peak																																																																													



Mode	73																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																																																							
ANT	CDD																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>47.51</td><td>68.30</td><td>-20.79</td><td>60.24</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>58.45</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.51	68.30	-20.79	60.24	38.78	12.12	63.63	---	---	Peak	2	15660.00	49.89	74.00	-24.11	58.45	40.83	14.64	64.03	---	---	Peak	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>48.13</td><td>68.30</td><td>-20.17</td><td>60.86</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>58.99</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	48.13	68.30	-20.17	60.86	38.78	12.12	63.63	---	---	Peak	2	15660.00	50.43	74.00	-23.57	58.99	40.83	14.64	64.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	47.51	68.30	-20.79	60.24	38.78	12.12	63.63	---	---	Peak																																																																																																													
2	15660.00	49.89	74.00	-24.11	58.45	40.83	14.64	64.03	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	48.13	68.30	-20.17	60.86	38.78	12.12	63.63	---	---	Peak																																																																																																													
2	15660.00	50.43	74.00	-23.57	58.99	40.83	14.64	64.03	---	---	Peak																																																																																																													





Mode	74																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-01-12 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10480.00</td><td>47.31</td><td>68.30</td><td>-20.99</td><td>59.98</td><td>38.79</td><td>12.15</td><td>63.61</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15720.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>57.08</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1 10480.00	47.31	68.30	-20.99	59.98	38.79	12.15	63.61	---	---	---	Peak	2 15720.00	48.57	74.00	-25.43	57.08	40.88	14.66	64.05	---	---	---	Peak	Level (dBuV/m) Date: 2024-01-12 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10480.00</td><td>48.12</td><td>68.30</td><td>-20.18</td><td>60.79</td><td>38.79</td><td>12.15</td><td>63.61</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15720.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>57.45</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1 10480.00	48.12	68.30	-20.18	60.79	38.79	12.15	63.61	---	---	---	Peak	2 15720.00	48.94	74.00	-25.06	57.45	40.88	14.66	64.05	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																								
1 10480.00	47.31	68.30	-20.99	59.98	38.79	12.15	63.61	---	---	---	Peak																																																																																																																							
2 15720.00	48.57	74.00	-25.43	57.08	40.88	14.66	64.05	---	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1 10480.00	48.12	68.30	-20.18	60.79	38.79	12.15	63.61	---	---	---	Peak																																																																																																																							
2 15720.00	48.94	74.00	-25.06	57.45	40.88	14.66	64.05	---	---	---	Peak																																																																																																																							







Mode	75																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																																																		
ANT	CDD																																																																																																																		
Pol.	Horizontal										Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>47.96</td><td>68.30</td><td>-20.34</td><td>60.57</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>58.16</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.96	68.30	-20.34	60.57	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.70	74.00	-24.30	58.16	40.92	14.69	64.07	---	---	Peak	Level (dBuV/m) Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>47.90</td><td>68.30</td><td>-20.40</td><td>60.51</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>49.05</td><td>74.00</td><td>-24.95</td><td>57.51</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.90	68.30	-20.40	60.51	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.05	74.00	-24.95	57.51	40.92	14.69	64.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10520.00	47.96	68.30	-20.34	60.57	38.81	12.18	63.60	---	---	Peak																																																																																																								
2	15780.00	49.70	74.00	-24.30	58.16	40.92	14.69	64.07	---	---	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10520.00	47.90	68.30	-20.40	60.51	38.81	12.18	63.60	---	---	Peak																																																																																																								
2	15780.00	49.05	74.00	-24.95	57.51	40.92	14.69	64.07	---	---	Peak																																																																																																								



Mode	76																																																																																									
	Harmonic																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																									
ANT	CDD																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10600.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>60.32</td><td>38.84</td><td>12.23</td><td>63.57</td></tr><tr><td>2 15900.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>58.28</td><td>41.02</td><td>14.75</td><td>64.11</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10600.00	47.82	74.00	-26.18	60.32	38.84	12.23	63.57	2 15900.00	49.94	74.00	-24.06	58.28	41.02	14.75	64.11	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 10600.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>59.55</td><td>38.84</td><td>12.23</td><td>63.57</td></tr><tr><td>2 15900.00</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>57.83</td><td>41.02</td><td>14.75</td><td>64.11</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10600.00	47.05	74.00	-26.95	59.55	38.84	12.23	63.57	2 15900.00	49.49	74.00	-24.51	57.83	41.02	14.75	64.11
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1 10600.00	47.82	74.00	-26.18	60.32	38.84	12.23	63.57																																																																																			
2 15900.00	49.94	74.00	-24.06	58.28	41.02	14.75	64.11																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1 10600.00	47.05	74.00	-26.95	59.55	38.84	12.23	63.57																																																																																			
2 15900.00	49.49	74.00	-24.51	57.83	41.02	14.75	64.11																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>60.32</td><td>38.84</td><td>12.23</td><td>63.57</td></tr><tr><td>2 15900.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>58.28</td><td>41.02</td><td>14.75</td><td>64.11</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 10600.00	47.82	74.00	-26.18	60.32	38.84	12.23	63.57	2 15900.00	49.94	74.00	-24.06	58.28	41.02	14.75	64.11	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>deg</th></tr><tr><td>1 10600.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>59.55</td><td>38.84</td><td>12.23</td><td>63.57</td></tr><tr><td>2 15900.00</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>57.83</td><td>41.02</td><td>14.75</td><td>64.11</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg	1 10600.00	47.05	74.00	-26.95	59.55	38.84	12.23	63.57	2 15900.00	49.49	74.00	-24.51	57.83	41.02	14.75	64.11	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
1 10600.00	47.82	74.00	-26.18	60.32	38.84	12.23	63.57																																																																																			
2 15900.00	49.94	74.00	-24.06	58.28	41.02	14.75	64.11																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg																																																																																			
1 10600.00	47.05	74.00	-26.95	59.55	38.84	12.23	63.57																																																																																			
2 15900.00	49.49	74.00	-24.51	57.83	41.02	14.75	64.11																																																																																			



		77																																																																																															
Mode		Band Edge																																																																																															
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																															
ANT		CDD																																																																																															
Pol.	Horizontal										Fundamental																																																																																						
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>63.60</td><td>74.00</td><td>-10.40</td><td>50.45</td><td>35.99</td><td>9.37</td><td>32.21</td><td>398</td><td>94 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.10	63.60	74.00	-10.40	50.45	35.99	9.37	32.21	398	94 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.54</td><td>-----</td><td>-----</td><td>96.57</td><td>36.01</td><td>9.21</td><td>32.25</td><td>398</td><td>94 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	109.54	-----	-----	96.57	36.01	9.21	32.25	398
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5350.10	63.60	74.00	-10.40	50.45	35.99	9.37	32.21	398	94 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5320.00	109.54	-----	-----	96.57	36.01	9.21	32.25	398	94 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>50.99</td><td>54.00</td><td>-3.01</td><td>37.84</td><td>35.99</td><td>9.37</td><td>32.21</td><td>398</td><td>94 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.24	50.99	54.00	-3.01	37.84	35.99	9.37	32.21	398	94 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.10</td><td>-----</td><td>-----</td><td>88.13</td><td>36.01</td><td>9.21</td><td>32.25</td><td>398</td><td>94 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	101.10	-----	-----	88.13	36.01	9.21	32.25	398
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5350.24	50.99	54.00	-3.01	37.84	35.99	9.37	32.21	398	94 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5320.00	101.10	-----	-----	88.13	36.01	9.21	32.25	398	94 AVERAGE																																																																																							



		77									
Mode	Band Edge										
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz										
ANT	CDD										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										



Date: 2024-01-06																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>59.25</td><td>74.00</td><td>-14.75</td><td>46.10</td><td>35.99</td><td>9.37</td><td>32.21</td><td>300</td><td>166</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.10	59.25	74.00	-14.75	46.10	35.99	9.37	32.21	300	166	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.10	59.25	74.00	-14.75	46.10	35.99	9.37	32.21	300	166	PEAK																																								

Date: 2024-01-06																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.06</td><td>-----</td><td>-----</td><td>96.13</td><td>36.01</td><td>9.18</td><td>32.26</td><td>300</td><td>166</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	109.06	-----	-----	96.13	36.01	9.18	32.26	300	166	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5320.00	109.06	-----	-----	96.13	36.01	9.18	32.26	300	166	PEAK																																								





Date: 2024-01-06																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>47.01</td><td>54.00</td><td>-6.99</td><td>33.86</td><td>35.99</td><td>9.37</td><td>32.21</td><td>300</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.10	47.01	54.00	-6.99	33.86	35.99	9.37	32.21	300	166	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.10	47.01	54.00	-6.99	33.86	35.99	9.37	32.21	300	166	AVERAGE																																								

Date: 2024-01-06																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.19</td><td>-----</td><td>-----</td><td>88.26</td><td>36.01</td><td>9.18</td><td>32.26</td><td>300</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	101.19	-----	-----	88.26	36.01	9.18	32.26	300	166	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5320.00	101.19	-----	-----	88.26	36.01	9.18	32.26	300	166	AVERAGE																																								







Mode	77																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																																													
ANT	CDD																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	 Level (dBuV/m) Date: 2024-01-12 15.407 15.407 AVG					 Level (dBuV/m) Date: 2024-01-12 15.407 15.407 AVG																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>59.53</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>58.56</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	47.10	74.00	-26.90	59.53	38.86	12.26	63.55	---	---	Peak	2 15960.00	50.27	74.00	-23.73	58.56	41.07	14.77	64.13	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>59.11</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>56.71</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	46.68	74.00	-27.32	59.11	38.86	12.26	63.55	---	---	Peak	2 15960.00	48.42	74.00	-25.58	56.71	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 10640.00	47.10	74.00	-26.90	59.53	38.86	12.26	63.55	---	---	Peak																																																																																																				
2 15960.00	50.27	74.00	-23.73	58.56	41.07	14.77	64.13	---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 10640.00	46.68	74.00	-27.32	59.11	38.86	12.26	63.55	---	---	Peak																																																																																																				
2 15960.00	48.42	74.00	-25.58	56.71	41.07	14.77	64.13	---	---	Peak																																																																																																				



		78																																																																																																																
Mode		Band Edge																																																																																																																
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																																
ANT		CDD																																																																																																																
Pol.		Horizontal							Fundamental																																																																																																									
Peak	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5453.05</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>39.00</td><td>35.93</td><td>9.68</td><td>32.07</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>53.22</td><td>68.30</td><td>-15.08</td><td>39.66</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5453.05	52.54	74.00	-21.46	39.00	35.93	9.68	32.07	100	243	PEAK	2	5462.80	53.22	68.30	-15.08	39.66	35.92	9.69	32.05	100	243	PEAK	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.46</td><td>-----</td><td>-----</td><td>96.85</td><td>35.90</td><td>9.71</td><td>32.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5500.00	110.46	-----	-----	96.85	35.90	9.71	32.00	100	243	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5453.05	52.54	74.00	-21.46	39.00	35.93	9.68	32.07	100	243	PEAK																																																																																																							
2	5462.80	53.22	68.30	-15.08	39.66	35.92	9.69	32.05	100	243	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5500.00	110.46	-----	-----	96.85	35.90	9.71	32.00	100	243	PEAK																																																																																																							
Avg	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.15</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>30.78</td><td>35.93</td><td>9.68</td><td>32.06</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5455.15	44.33	54.00	-9.67	30.78	35.93	9.68	32.06	100	243	AVERAGE	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.61</td><td>-----</td><td>-----</td><td>88.02</td><td>35.90</td><td>9.70</td><td>32.01</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5500.00	101.61	-----	-----	88.02	35.90	9.70	32.01	100	243	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5455.15	44.33	54.00	-9.67	30.78	35.93	9.68	32.06	100	243	AVERAGE																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5500.00	101.61	-----	-----	88.02	35.90	9.70	32.01	100	243	AVERAGE																																																																																																							



		78																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																				
ANT		CDD																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5434.75</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>38.62</td><td>35.94</td><td>9.67</td><td>32.09</td><td>300</td><td>155</td><td>PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>51.86</td><td>68.30</td><td>-16.44</td><td>38.29</td><td>35.92</td><td>9.69</td><td>32.04</td><td>300</td><td>155</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5434.75	52.14	74.00	-21.86	38.62	35.94	9.67	32.09	300	155	PEAK	2	5467.90	51.86	68.30	-16.44	38.29	35.92	9.69	32.04	300	155	PEAK	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.39</td><td>-----</td><td>-----</td><td>93.78</td><td>35.91</td><td>9.71</td><td>32.01</td><td>300</td><td>155</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	107.39	-----	-----	93.78	35.91	9.71	32.01	300	155	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5434.75	52.14	74.00	-21.86	38.62	35.94	9.67	32.09	300	155	PEAK																																																																																											
2	5467.90	51.86	68.30	-16.44	38.29	35.92	9.69	32.04	300	155	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5500.00	107.39	-----	-----	93.78	35.91	9.71	32.01	300	155	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.05</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>29.80</td><td>35.93</td><td>9.68</td><td>32.07</td><td>300</td><td>155</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5450.05	43.34	54.00	-10.66	29.80	35.93	9.68	32.07	300	155	AVERAGE	 Level (dBuV/m) Date: 2024-01-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.64</td><td>-----</td><td>-----</td><td>85.03</td><td>35.91</td><td>9.71</td><td>32.01</td><td>300</td><td>155</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	98.64	-----	-----	85.03	35.91	9.71	32.01	300	155	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5450.05	43.34	54.00	-10.66	29.80	35.93	9.68	32.07	300	155	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5500.00	98.64	-----	-----	85.03	35.91	9.71	32.01	300	155	AVERAGE																																																																																											



Mode	78																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																									
ANT	CDD																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>61.14</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16500.00</td><td>48.37</td><td>68.30</td><td>-19.93</td><td>56.51</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	49.24	74.00	-24.76	61.14	39.00	12.52	63.42	---	--- Peak	2 16500.00	48.37	68.30	-19.93	56.51	41.35	15.17	64.66	---	--- Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>48.64</td><td>74.00</td><td>-25.36</td><td>60.54</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16500.00</td><td>49.84</td><td>68.30</td><td>-18.46</td><td>57.98</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	48.64	74.00	-25.36	60.54	39.00	12.52	63.42	---	--- Peak	2 16500.00	49.84	68.30	-18.46	57.98	41.35	15.17	64.66	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11000.00	49.24	74.00	-24.76	61.14	39.00	12.52	63.42	---	--- Peak																																																																																																	
2 16500.00	48.37	68.30	-19.93	56.51	41.35	15.17	64.66	---	--- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11000.00	48.64	74.00	-25.36	60.54	39.00	12.52	63.42	---	--- Peak																																																																																																	
2 16500.00	49.84	68.30	-18.46	57.98	41.35	15.17	64.66	---	--- Peak																																																																																																	






Mode	79																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																																									
ANT	CDD																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)					Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>60.29</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>49.86</td><td>68.30</td><td>-18.44</td><td>57.95</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	48.56	74.00	-25.44	60.29	39.06	12.64	63.43	---	--- Peak	2 16740.00	49.86	68.30	-18.44	57.95	41.47	15.35	64.91	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>61.43</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>49.93</td><td>68.30</td><td>-18.37</td><td>58.02</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.70	74.00	-24.30	61.43	39.06	12.64	63.43	---	--- Peak	2 16740.00	49.93	68.30	-18.37	58.02	41.47	15.35	64.91	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11160.00	48.56	74.00	-25.44	60.29	39.06	12.64	63.43	---	--- Peak																																																																																																	
2 16740.00	49.86	68.30	-18.44	57.95	41.47	15.35	64.91	---	--- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11160.00	49.70	74.00	-24.30	61.43	39.06	12.64	63.43	---	--- Peak																																																																																																	
2 16740.00	49.93	68.30	-18.37	58.02	41.47	15.35	64.91	---	--- Peak																																																																																																	



Mode	80										
	Band Edge										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz										
ANT	CDD										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2024-01-06 <										







Mode	80																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-01-06  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.81</td><td>58.13</td><td>68.30</td><td>-10.17</td><td>44.12</td><td>36.22</td><td>10.02</td><td>32.23</td><td>375</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.81	58.13	68.30	-10.17	44.12	36.22	10.02	32.23	375	176	PEAK	Level (dBuV/m) Date: 2024-01-06  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.57</td><td>-----</td><td>-----</td><td>98.61</td><td>36.19</td><td>9.97</td><td>32.20</td><td>375</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	112.57	-----	-----	98.61	36.19	9.97	32.20	375	176	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5725.81	58.13	68.30	-10.17	44.12	36.22	10.02	32.23	375	176	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	112.57	-----	-----	98.61	36.19	9.97	32.20	375	176	PEAK																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2024-01-06  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.02</td><td>-----</td><td>-----</td><td>89.06</td><td>36.19</td><td>9.97</td><td>32.20</td><td>375</td><td>176</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	103.02	-----	-----	89.06	36.19	9.97	32.20	375	176	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	103.02	-----	-----	89.06	36.19	9.97	32.20	375	176	AVERAGE																																																																																	





Mode	80																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-12 Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11400.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>59.95</td><td>39.16</td><td>12.81 63.44 --- --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.33</td><td>68.30</td><td>-18.97</td><td>57.23</td><td>41.71</td><td>15.62 65.23 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	48.48	74.00	-25.52	59.95	39.16	12.81 63.44 --- --- Peak	2	17100.00	49.33	68.30	-18.97	57.23	41.71	15.62 65.23 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11400.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>59.28</td><td>39.16</td><td>12.81 63.44 --- --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.83</td><td>68.30</td><td>-18.47</td><td>57.73</td><td>41.71</td><td>15.62 65.23 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	47.81	74.00	-26.19	59.28	39.16	12.81 63.44 --- --- Peak	2	17100.00	49.83	68.30	-18.47	57.73	41.71	15.62 65.23 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11400.00	48.48	74.00	-25.52	59.95	39.16	12.81 63.44 --- --- Peak																																																																																					
2	17100.00	49.33	68.30	-18.97	57.23	41.71	15.62 65.23 --- --- Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11400.00	47.81	74.00	-26.19	59.28	39.16	12.81 63.44 --- --- Peak																																																																																					
2	17100.00	49.83	68.30	-18.47	57.73	41.71	15.62 65.23 --- --- Peak																																																																																					



		81																																																																																			
Mode		Band Edge - L																																																																																			
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																			
ANT		CDD																																																																																			
Pol.		Horizontal					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.06</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>45.55</td><td>36.11</td><td>8.53</td><td>32.49</td><td>107</td><td>98 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5147.06	57.70	74.00	-16.30	45.55	36.11	8.53	32.49	107	98 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>107.73</td><td>-----</td><td>-----</td><td>95.47</td><td>36.09</td><td>8.61</td><td>32.44</td><td>107</td><td>98 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	107.73	-----	-----	95.47	36.09	8.61	32.44	107
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5147.06	57.70	74.00	-16.30	45.55	36.11	8.53	32.49	107	98 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5190.00	107.73	-----	-----	95.47	36.09	8.61	32.44	107	98 PEAK																																																																												
Avg	Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-06  Frequency (MHz)																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.91</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>36.73</td><td>36.11</td><td>8.54</td><td>32.49</td><td>107</td><td>98 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.91	48.89	54.00	-5.11	36.73	36.11	8.54	32.49	107	98 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>99.63</td><td>-----</td><td>-----</td><td>87.37</td><td>36.09</td><td>8.61</td><td>32.44</td><td>107</td><td>98 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	99.63	-----	-----	87.37	36.09	8.61	32.44	107
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5149.91	48.89	54.00	-5.11	36.73	36.11	8.54	32.49	107	98 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5190.00	99.63	-----	-----	87.37	36.09	8.61	32.44	107	98 AVERAGE																																																																												



Mode	81																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																												
ANT	CDD																																												
Pol.	Horizontal						Fundamental																																						
Peak	Date: 2024-01-06 						Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.89</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>38.92</td><td>35.94</td><td>9.67</td><td>32.09</td><td>107</td><td>98</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5434.89	52.44	74.00	-21.56	38.92
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	5434.89	52.44	74.00	-21.56	38.92	35.94	9.67	32.09	107	98	PEAK																																		
Avg	Date: 2024-01-06 						Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>28.86</td><td>35.92</td><td>9.69</td><td>32.06</td><td>107</td><td>98</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5460.00	42.41	54.00	-11.59	28.86
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	5460.00	42.41	54.00	-11.59	28.86	35.92	9.69	32.06	107	98	AVERAGE																																		