



Mode	118																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																											
ANT	CDD																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>50.44</td><td>111.17</td><td>-60.73</td><td>36.10</td><td>36.40</td><td>10.29</td><td>32.35</td><td>300</td><td>354 PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>52.24</td><td>105.71</td><td>-53.47</td><td>37.86</td><td>36.42</td><td>10.33</td><td>32.37</td><td>300</td><td>354 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>50.95</td><td>68.41</td><td>-17.46</td><td>36.44</td><td>36.49</td><td>10.44</td><td>32.42</td><td>300</td><td>354 PEAK</td></tr><tr><td>4</td><td>5944.74</td><td>52.52</td><td>68.30</td><td>-15.78</td><td>37.96</td><td>36.52</td><td>10.48</td><td>32.44</td><td>300</td><td>354 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.84	50.44	111.17	-60.73	36.10	36.40	10.29	32.35	300	354 PEAK	2	5873.17	52.24	105.71	-53.47	37.86	36.42	10.33	32.37	300	354 PEAK	3	5924.85	50.95	68.41	-17.46	36.44	36.49	10.44	32.42	300	354 PEAK	4	5944.74	52.52	68.30	-15.78	37.96	36.52	10.48	32.44	300	354 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.84	50.44	111.17	-60.73	36.10	36.40	10.29	32.35	300	354 PEAK																																																																		
2	5873.17	52.24	105.71	-53.47	37.86	36.42	10.33	32.37	300	354 PEAK																																																																		
3	5924.85	50.95	68.41	-17.46	36.44	36.49	10.44	32.42	300	354 PEAK																																																																		
4	5944.74	52.52	68.30	-15.78	37.96	36.52	10.48	32.44	300	354 PEAK																																																																		



Mode	118																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																		
ANT	CDD																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.90</td><td>52.36</td><td>68.30</td><td>-15.94</td><td>38.54</td><td>36.11</td><td>9.86</td><td>32.15</td><td>363</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>51.82</td><td>69.38</td><td>-17.56</td><td>38.00</td><td>36.11</td><td>9.86</td><td>32.15</td><td>363</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5709.12</td><td>54.44</td><td>107.76</td><td>-53.32</td><td>40.47</td><td>36.19</td><td>9.99</td><td>32.21</td><td>363</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>51.14</td><td>111.09</td><td>-59.95</td><td>37.14</td><td>36.21</td><td>10.01</td><td>32.22</td><td>363</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5647.90	52.36	68.30	-15.94	38.54	36.11	9.86	32.15	363	360	PEAK	2	5651.46	51.82	69.38	-17.56	38.00	36.11	9.86	32.15	363	360	PEAK	3	5709.12	54.44	107.76	-53.32	40.47	36.19	9.99	32.21	363	360	PEAK	4	5720.13	51.14	111.09	-59.95	37.14	36.21	10.01	32.22	363	360	PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.95</td><td>-----</td><td>-----</td><td>83.83</td><td>36.28</td><td>10.11</td><td>32.27</td><td>363</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.95	-----	-----	83.83	36.28	10.11	32.27	363	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5647.90	52.36	68.30	-15.94	38.54	36.11	9.86	32.15	363	360	PEAK																																																																																																																								
2	5651.46	51.82	69.38	-17.56	38.00	36.11	9.86	32.15	363	360	PEAK																																																																																																																								
3	5709.12	54.44	107.76	-53.32	40.47	36.19	9.99	32.21	363	360	PEAK																																																																																																																								
4	5720.13	51.14	111.09	-59.95	37.14	36.21	10.01	32.22	363	360	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5755.00	97.95	-----	-----	83.83	36.28	10.11	32.27	363	360	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>89.63</td><td>-----</td><td>-----</td><td>75.51</td><td>36.28</td><td>10.11</td><td>32.27</td><td>363</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	89.63	-----	-----	75.51	36.28	10.11	32.27	363	360	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5755.00	89.63	-----	-----	75.51	36.28	10.11	32.27	363	360	AVERAGE																																																																																																																								



Mode	118																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>59.18</td><td>39.20</td><td>12.89</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>48.39</td><td>68.30</td><td>-19.91</td><td>56.08</td><td>41.89</td><td>15.74</td><td>65.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.82	74.00	-26.18	59.18	39.20	12.89	63.45	---	---	Peak	2	17265.00	48.39	68.30	-19.91	56.08	41.89	15.74	65.32	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>59.18</td><td>39.20</td><td>12.89</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>49.00</td><td>68.30</td><td>-19.30</td><td>56.69</td><td>41.89</td><td>15.74</td><td>65.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.82	74.00	-26.18	59.18	39.20	12.89	63.45	---	---	Peak	2	17265.00	49.00	68.30	-19.30	56.69	41.89	15.74	65.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11510.00	47.82	74.00	-26.18	59.18	39.20	12.89	63.45	---	---	Peak																																																																																																									
2	17265.00	48.39	68.30	-19.91	56.08	41.89	15.74	65.32	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11510.00	47.82	74.00	-26.18	59.18	39.20	12.89	63.45	---	---	Peak																																																																																																									
2	17265.00	49.00	68.30	-19.30	56.69	41.89	15.74	65.32	---	---	Peak																																																																																																									



Mode	119																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Date: 2024-01-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.80</td><td>52.44</td><td>68.30</td><td>-15.86</td><td>38.71</td><td>36.06</td><td>9.79</td><td>32.12</td><td>100</td><td>119 PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>50.71</td><td>68.67</td><td>-17.96</td><td>36.89</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>119 PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>51.77</td><td>105.21</td><td>-53.44</td><td>37.82</td><td>36.18</td><td>9.97</td><td>32.20</td><td>100</td><td>119 PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>51.57</td><td>111.96</td><td>-60.39</td><td>37.57</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>119 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5615.80	52.44	68.30	-15.86	38.71	36.06	9.79	32.12	100	119 PEAK	2	5650.51	50.71	68.67	-17.96	36.89	36.11	9.86	32.15	100	119 PEAK	3	5700.04	51.77	105.21	-53.44	37.82	36.18	9.97	32.20	100	119 PEAK	4	5720.51	51.57	111.96	-60.39	37.57	36.21	10.01	32.22	100	119 PEAK	Date: 2024-01-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.46</td><td>-----</td><td>-----</td><td>82.25</td><td>36.33</td><td>10.19</td><td>32.31</td><td>100</td><td>119 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.46	-----	-----	82.25	36.33	10.19	32.31	100	119 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5615.80	52.44	68.30	-15.86	38.71	36.06	9.79	32.12	100	119 PEAK																																																																																																																			
2	5650.51	50.71	68.67	-17.96	36.89	36.11	9.86	32.15	100	119 PEAK																																																																																																																			
3	5700.04	51.77	105.21	-53.44	37.82	36.18	9.97	32.20	100	119 PEAK																																																																																																																			
4	5720.51	51.57	111.96	-60.39	37.57	36.21	10.01	32.22	100	119 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5795.00	96.46	-----	-----	82.25	36.33	10.19	32.31	100	119 PEAK																																																																																																																			
Avg	Blank					Date: 2024-01-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>88.49</td><td>-----</td><td>-----</td><td>74.28</td><td>36.33</td><td>10.19</td><td>32.31</td><td>100</td><td>119 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	88.49	-----	-----	74.28	36.33	10.19	32.31	100	119 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5795.00	88.49	-----	-----	74.28	36.33	10.19	32.31	100	119 AVERAGE																																																																																																																			



Mode	119																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																											
ANT	CDD																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>50.20</td><td>110.83</td><td>-60.63</td><td>35.86</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100</td><td>119 PEAK</td></tr><tr><td>2</td><td>5874.36</td><td>51.85</td><td>105.38</td><td>-53.53</td><td>37.47</td><td>36.42</td><td>10.33</td><td>32.37</td><td>100</td><td>119 PEAK</td></tr><tr><td>3</td><td>5924.27</td><td>51.85</td><td>68.84</td><td>-16.99</td><td>37.34</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>119 PEAK</td></tr><tr><td>4</td><td>5943.96</td><td>52.81</td><td>68.30</td><td>-15.49</td><td>38.25</td><td>36.52</td><td>10.48</td><td>32.44</td><td>100</td><td>119 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.99	50.20	110.83	-60.63	35.86	36.40	10.29	32.35	100	119 PEAK	2	5874.36	51.85	105.38	-53.53	37.47	36.42	10.33	32.37	100	119 PEAK	3	5924.27	51.85	68.84	-16.99	37.34	36.49	10.44	32.42	100	119 PEAK	4	5943.96	52.81	68.30	-15.49	38.25	36.52	10.48	32.44	100	119 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.99	50.20	110.83	-60.63	35.86	36.40	10.29	32.35	100	119 PEAK																																																																		
2	5874.36	51.85	105.38	-53.53	37.47	36.42	10.33	32.37	100	119 PEAK																																																																		
3	5924.27	51.85	68.84	-16.99	37.34	36.49	10.44	32.42	100	119 PEAK																																																																		
4	5943.96	52.81	68.30	-15.49	38.25	36.52	10.48	32.44	100	119 PEAK																																																																		



Mode	119									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz									
ANT	CDD									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2024-01-12 <									



Mode	119																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11590.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>58.69</td><td>39.24</td><td>12.95 63.45 --- --- Peak</td></tr><tr><td>2</td><td>17385.00</td><td>49.35</td><td>68.30</td><td>-18.95</td><td>56.88</td><td>42.02</td><td>15.83 65.38 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	47.43	74.00	-26.57	58.69	39.24	12.95 63.45 --- --- Peak	2	17385.00	49.35	68.30	-18.95	56.88	42.02	15.83 65.38 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11590.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>59.58</td><td>39.24</td><td>12.95 63.45 --- --- Peak</td></tr><tr><td>2</td><td>17385.00</td><td>49.89</td><td>68.30</td><td>-18.41</td><td>57.42</td><td>42.02</td><td>15.83 65.38 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	48.32	74.00	-25.68	59.58	39.24	12.95 63.45 --- --- Peak	2	17385.00	49.89	68.30	-18.41	57.42	42.02	15.83 65.38 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11590.00	47.43	74.00	-26.57	58.69	39.24	12.95 63.45 --- --- Peak																																																																																					
2	17385.00	49.35	68.30	-18.95	56.88	42.02	15.83 65.38 --- --- Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11590.00	48.32	74.00	-25.68	59.58	39.24	12.95 63.45 --- --- Peak																																																																																					
2	17385.00	49.89	68.30	-18.41	57.42	42.02	15.83 65.38 --- --- Peak																																																																																					



Mode	120										
	Band Edge - L										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz										
ANT	CDD										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2024-01-09										



Mode	120																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>53.67</td><td>110.86</td><td>-57.19</td><td>39.33</td><td>36.40</td><td>10.29</td><td>32.35</td><td>300</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5873.18</td><td>56.23</td><td>105.71</td><td>-49.48</td><td>41.85</td><td>36.42</td><td>10.33</td><td>32.37</td><td>300</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>52.00</td><td>68.32</td><td>-16.32</td><td>37.49</td><td>36.49</td><td>10.44</td><td>32.42</td><td>300</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5930.93</td><td>52.66</td><td>68.30</td><td>-15.64</td><td>38.14</td><td>36.50</td><td>10.45</td><td>32.43</td><td>300</td><td>288</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	53.67	110.86	-57.19	39.33	36.40	10.29	32.35	300	288	PEAK	2	5873.18	56.23	105.71	-49.48	41.85	36.42	10.33	32.37	300	288	PEAK	3	5924.98	52.00	68.32	-16.32	37.49	36.49	10.44	32.42	300	288	PEAK	4	5930.93	52.66	68.30	-15.64	38.14	36.50	10.45	32.43	300	288	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.98	53.67	110.86	-57.19	39.33	36.40	10.29	32.35	300	288	PEAK																																																																					
2	5873.18	56.23	105.71	-49.48	41.85	36.42	10.33	32.37	300	288	PEAK																																																																					
3	5924.98	52.00	68.32	-16.32	37.49	36.49	10.44	32.42	300	288	PEAK																																																																					
4	5930.93	52.66	68.30	-15.64	38.14	36.50	10.45	32.43	300	288	PEAK																																																																					



Mode	120																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-09 PEAK_BEB[9]_10-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.80</td><td>54.38</td><td>68.30</td><td>-13.92</td><td>40.59</td><td>36.09</td><td>9.84</td><td>32.14</td><td>227</td><td>176 PEAK</td></tr><tr><td>2</td><td>5651.28</td><td>52.87</td><td>69.24</td><td>-16.37</td><td>39.05</td><td>36.11</td><td>9.86</td><td>32.15</td><td>227</td><td>176 PEAK</td></tr><tr><td>3</td><td>5701.33</td><td>59.38</td><td>105.57</td><td>-46.19</td><td>45.43</td><td>36.18</td><td>9.97</td><td>32.20</td><td>227</td><td>176 PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>62.52</td><td>111.31</td><td>-48.79</td><td>48.52</td><td>36.21</td><td>10.01</td><td>32.22</td><td>227</td><td>176 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5637.80	54.38	68.30	-13.92	40.59	36.09	9.84	32.14	227	176 PEAK	2	5651.28	52.87	69.24	-16.37	39.05	36.11	9.86	32.15	227	176 PEAK	3	5701.33	59.38	105.57	-46.19	45.43	36.18	9.97	32.20	227	176 PEAK	4	5720.23	62.52	111.31	-48.79	48.52	36.21	10.01	32.22	227	176 PEAK	Level (dBuV/m) Date: 2024-01-09 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.30</td><td>-----</td><td>-----</td><td>92.25</td><td>36.24</td><td>10.06</td><td>32.25</td><td>227</td><td>176 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.30	-----	-----	92.25	36.24	10.06	32.25	227	176 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5637.80	54.38	68.30	-13.92	40.59	36.09	9.84	32.14	227	176 PEAK																																																																																																																			
2	5651.28	52.87	69.24	-16.37	39.05	36.11	9.86	32.15	227	176 PEAK																																																																																																																			
3	5701.33	59.38	105.57	-46.19	45.43	36.18	9.97	32.20	227	176 PEAK																																																																																																																			
4	5720.23	62.52	111.31	-48.79	48.52	36.21	10.01	32.22	227	176 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	106.30	-----	-----	92.25	36.24	10.06	32.25	227	176 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-01-09 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.85</td><td>-----</td><td>-----</td><td>83.65</td><td>36.32</td><td>10.18</td><td>32.30</td><td>227</td><td>176 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.85	-----	-----	83.65	36.32	10.18	32.30	227	176 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	97.85	-----	-----	83.65	36.32	10.18	32.30	227	176 AVERAGE																																																																																																																			



Mode	120																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																											
ANT	CDD																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>n</th><th>dBuV/m</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>57.00</td><td>112.05</td><td>-55.05</td><td>42.66</td><td>36.40</td><td>10.29</td><td>32.35</td><td>227</td><td>176 PEAK</td></tr><tr><td>2</td><td>5868.98</td><td>66.47</td><td>106.89</td><td>-40.42</td><td>52.10</td><td>36.42</td><td>10.32</td><td>32.37</td><td>227</td><td>176 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>54.84</td><td>68.32</td><td>-13.48</td><td>40.33</td><td>36.49</td><td>10.44</td><td>32.42</td><td>227</td><td>176 PEAK</td></tr><tr><td>4</td><td>5931.45</td><td>56.24</td><td>68.30</td><td>-12.06</td><td>41.72</td><td>36.50</td><td>10.45</td><td>32.43</td><td>227</td><td>176 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	n	dBuV/m	dBuV	dB/n	dB	dB	cm	deg	1	5854.45	57.00	112.05	-55.05	42.66	36.40	10.29	32.35	227	176 PEAK	2	5868.98	66.47	106.89	-40.42	52.10	36.42	10.32	32.37	227	176 PEAK	3	5924.98	54.84	68.32	-13.48	40.33	36.49	10.44	32.42	227	176 PEAK	4	5931.45	56.24	68.30	-12.06	41.72	36.50	10.45	32.43	227	176 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	n	dBuV/m	dBuV	dB/n	dB	dB	cm	deg																																																																			
1	5854.45	57.00	112.05	-55.05	42.66	36.40	10.29	32.35	227	176 PEAK																																																																		
2	5868.98	66.47	106.89	-40.42	52.10	36.42	10.32	32.37	227	176 PEAK																																																																		
3	5924.98	54.84	68.32	-13.48	40.33	36.49	10.44	32.42	227	176 PEAK																																																																		
4	5931.45	56.24	68.30	-12.06	41.72	36.50	10.45	32.43	227	176 PEAK																																																																		



Mode	120																																																																																							
	Harmonic																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																							
ANT	CDD																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11550.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>59.46</td><td>39.22</td><td>12.92</td><td>63.45 --- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>50.15</td><td>68.30</td><td>-18.15</td><td>57.75</td><td>41.96</td><td>15.79</td><td>65.35 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11550.00	48.15	74.00	-25.85	59.46	39.22	12.92	63.45 --- Peak	2	17325.00	50.15	68.30	-18.15	57.75	41.96	15.79	65.35 --- Peak	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11550.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>60.18</td><td>39.22</td><td>12.92</td><td>63.45 --- Peak</td></tr><tr><td>2</td><td>17325.00</td><td>50.19</td><td>68.30</td><td>-18.11</td><td>57.79</td><td>41.96</td><td>15.79</td><td>65.35 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11550.00	48.87	74.00	-25.13	60.18	39.22	12.92	63.45 --- Peak	2	17325.00	50.19	68.30	-18.11	57.79	41.96	15.79	65.35 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	11550.00	48.15	74.00	-25.85	59.46	39.22	12.92	63.45 --- Peak																																																																																
2	17325.00	50.15	68.30	-18.15	57.75	41.96	15.79	65.35 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11550.00	48.87	74.00	-25.13	60.18	39.22	12.92	63.45 --- Peak																																																																																
2	17325.00	50.19	68.30	-18.11	57.79	41.96	15.79	65.35 --- Peak																																																																																



Mode	121																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH144_5720MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11440.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>58.22</td><td>39.18</td><td>12.84</td><td>63.44 --- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>50.57</td><td>68.30</td><td>-17.73</td><td>58.39</td><td>41.78</td><td>15.66</td><td>65.26 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11440.00	46.80	74.00	-27.20	58.22	39.18	12.84	63.44 --- Peak	2	17160.00	50.57	68.30	-17.73	58.39	41.78	15.66	65.26 --- Peak	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11440.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>59.25</td><td>39.18</td><td>12.84</td><td>63.44 --- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.09</td><td>68.30</td><td>-19.21</td><td>56.91</td><td>41.78</td><td>15.66</td><td>65.26 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11440.00	47.83	74.00	-26.17	59.25	39.18	12.84	63.44 --- Peak	2	17160.00	49.09	68.30	-19.21	56.91	41.78	15.66	65.26 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
1	11440.00	46.80	74.00	-27.20	58.22	39.18	12.84	63.44 --- Peak																																																																										
2	17160.00	50.57	68.30	-17.73	58.39	41.78	15.66	65.26 --- Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
1	11440.00	47.83	74.00	-26.17	59.25	39.18	12.84	63.44 --- Peak																																																																										
2	17160.00	49.09	68.30	-19.21	56.91	41.78	15.66	65.26 --- Peak																																																																										



Mode	123																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH144_5720MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11440.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>59.34</td><td>39.18</td><td>12.84</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.17</td><td>68.30</td><td>-19.13</td><td>56.99</td><td>41.78</td><td>15.66</td><td>65.26</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11440.00	47.92	74.00	-26.08	59.34	39.18	12.84	63.44	---	---	Peak	2	17160.00	49.17	68.30	-19.13	56.99	41.78	15.66	65.26	---	---	Peak	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11440.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>59.81</td><td>39.18</td><td>12.84</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>48.50</td><td>68.30</td><td>-19.80</td><td>56.32</td><td>41.78</td><td>15.66</td><td>65.26</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11440.00	48.39	74.00	-25.61	59.81	39.18	12.84	63.44	---	---	Peak	2	17160.00	48.50	68.30	-19.80	56.32	41.78	15.66	65.26	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11440.00	47.92	74.00	-26.08	59.34	39.18	12.84	63.44	---	---	Peak																																																																																																																							
2	17160.00	49.17	68.30	-19.13	56.99	41.78	15.66	65.26	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11440.00	48.39	74.00	-25.61	59.81	39.18	12.84	63.44	---	---	Peak																																																																																																																							
2	17160.00	48.50	68.30	-19.80	56.32	41.78	15.66	65.26	---	---	Peak																																																																																																																							



Mode	124																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH142_5710MHz																																																																																																											
ANT	CDD																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11420.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>59.03</td><td>39.17</td><td>12.82</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17130.00</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>56.86</td><td>41.74</td><td>15.64</td><td>65.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	47.58	74.00	-26.42	59.03	39.17	12.82	63.44	---	---	Peak	2	17130.00	48.99	68.30	-19.31	56.86	41.74	15.64	65.25	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11420.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>58.77</td><td>39.17</td><td>12.82</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17130.00</td><td>49.20</td><td>68.30</td><td>-19.10</td><td>57.07</td><td>41.74</td><td>15.64</td><td>65.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	47.32	74.00	-26.68	58.77	39.17	12.82	63.44	---	---	Peak	2	17130.00	49.20	68.30	-19.10	57.07	41.74	15.64	65.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11420.00	47.58	74.00	-26.42	59.03	39.17	12.82	63.44	---	---	Peak																																																																																																	
2	17130.00	48.99	68.30	-19.31	56.86	41.74	15.64	65.25	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11420.00	47.32	74.00	-26.68	58.77	39.17	12.82	63.44	---	---	Peak																																																																																																	
2	17130.00	49.20	68.30	-19.10	57.07	41.74	15.64	65.25	---	---	Peak																																																																																																	



Mode	125																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH138_5690MHz																																																																										
ANT	CDD																																																																										
Pol.	Horizontal										Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)										Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11380.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>58.96</td><td>39.15</td><td>12.80 63.44</td></tr><tr><td>2 17070.00</td><td>49.71</td><td>68.30</td><td>-18.59</td><td>57.65</td><td>41.68</td><td>15.60 65.22</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11380.00	47.47	74.00	-26.53	58.96	39.15	12.80 63.44	2 17070.00	49.71	68.30	-18.59	57.65	41.68	15.60 65.22	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11380.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>59.62</td><td>39.15</td><td>12.80 63.44</td></tr><tr><td>2 17070.00</td><td>50.87</td><td>68.30</td><td>-17.43</td><td>58.81</td><td>41.68</td><td>15.60 65.22</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11380.00	48.13	74.00	-25.87	59.62	39.15	12.80 63.44	2 17070.00	50.87	68.30	-17.43	58.81	41.68	15.60 65.22			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
1 11380.00	47.47	74.00	-26.53	58.96	39.15	12.80 63.44																																																																					
2 17070.00	49.71	68.30	-18.59	57.65	41.68	15.60 65.22																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																					
1 11380.00	48.13	74.00	-25.87	59.62	39.15	12.80 63.44																																																																					
2 17070.00	50.87	68.30	-17.43	58.81	41.68	15.60 65.22																																																																					
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>58.96</td><td>39.15</td><td>12.80</td><td>63.44</td><td>---</td><td>---</td></tr><tr><td>2 17070.00</td><td>49.71</td><td>68.30</td><td>-18.59</td><td>57.65</td><td>41.68</td><td>15.60</td><td>65.22</td><td>---</td><td>---</td></tr></table>										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	47.47	74.00	-26.53	58.96	39.15	12.80	63.44	---	---	2 17070.00	49.71	68.30	-18.59	57.65	41.68	15.60	65.22	---	---	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>59.62</td><td>39.15</td><td>12.80</td><td>63.44</td><td>---</td><td>---</td></tr><tr><td>2 17070.00</td><td>50.87</td><td>68.30</td><td>-17.43</td><td>58.81</td><td>41.68</td><td>15.60</td><td>65.22</td><td>---</td><td>---</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	48.13	74.00	-25.87	59.62	39.15	12.80	63.44	---	---	2 17070.00	50.87	68.30	-17.43	58.81	41.68	15.60	65.22	---	---
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 11380.00	47.47	74.00	-26.53	58.96	39.15	12.80	63.44	---	---																																																																		
2 17070.00	49.71	68.30	-18.59	57.65	41.68	15.60	65.22	---	---																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 11380.00	48.13	74.00	-25.87	59.62	39.15	12.80	63.44	---	---																																																																		
2 17070.00	50.87	68.30	-17.43	58.81	41.68	15.60	65.22	---	---																																																																		
Peak										Peak																																																																	
Avg										Avg																																																																	



Mode	126																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH144_Full_5710MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11440.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>58.89</td><td>39.18</td><td>12.84 63.44 --- --- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.08</td><td>68.30</td><td>-19.22</td><td>56.90</td><td>41.78</td><td>15.66 65.26 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	47.47	74.00	-26.53	58.89	39.18	12.84 63.44 --- --- Peak	2	17160.00	49.08	68.30	-19.22	56.90	41.78	15.66 65.26 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11440.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>58.96</td><td>39.18</td><td>12.84 63.44 --- --- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>48.48</td><td>68.30</td><td>-19.82</td><td>56.30</td><td>41.78</td><td>15.66 65.26 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	47.54	74.00	-26.46	58.96	39.18	12.84 63.44 --- --- Peak	2	17160.00	48.48	68.30	-19.82	56.30	41.78	15.66 65.26 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11440.00	47.47	74.00	-26.53	58.89	39.18	12.84 63.44 --- --- Peak																																																																																					
2	17160.00	49.08	68.30	-19.22	56.90	41.78	15.66 65.26 --- --- Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11440.00	47.54	74.00	-26.46	58.96	39.18	12.84 63.44 --- --- Peak																																																																																					
2	17160.00	48.48	68.30	-19.82	56.30	41.78	15.66 65.26 --- --- Peak																																																																																					





Mode	127																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH142_Full_5690MHz																																																																																																											
ANT	CDD																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-13 Frequency (MHz)																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11420.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>58.74</td><td>39.17</td><td>12.82</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17130.00</td><td>49.24</td><td>68.30</td><td>-19.06</td><td>57.11</td><td>41.74</td><td>15.64</td><td>65.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	47.29	74.00	-26.71	58.74	39.17	12.82	63.44	---	---	Peak	2	17130.00	49.24	68.30	-19.06	57.11	41.74	15.64	65.25	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11420.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>60.14</td><td>39.17</td><td>12.82</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17130.00</td><td>49.35</td><td>68.30</td><td>-18.95</td><td>57.22</td><td>41.74</td><td>15.64</td><td>65.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	48.69	74.00	-25.31	60.14	39.17	12.82	63.44	---	---	Peak	2	17130.00	49.35	68.30	-18.95	57.22	41.74	15.64	65.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11420.00	47.29	74.00	-26.71	58.74	39.17	12.82	63.44	---	---	Peak																																																																																																	
2	17130.00	49.24	68.30	-19.06	57.11	41.74	15.64	65.25	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11420.00	48.69	74.00	-25.31	60.14	39.17	12.82	63.44	---	---	Peak																																																																																																	
2	17130.00	49.35	68.30	-18.95	57.22	41.74	15.64	65.25	---	---	Peak																																																																																																	



Mode	128																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH138_Full_5720MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal										Vertical																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-01-13 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>58.59</td><td>39.15</td><td>12.80</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17070.00</td><td>49.95</td><td>68.30</td><td>-18.35</td><td>57.89</td><td>41.68</td><td>15.60</td><td>65.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	47.10	74.00	-26.90	58.59	39.15	12.80	63.44	---	---	Peak	2 17070.00	49.95	68.30	-18.35	57.89	41.68	15.60	65.22	---	---	Peak	Level (dBuV/m) Date: 2024-01-13 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>58.61</td><td>39.15</td><td>12.80</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17070.00</td><td>49.73</td><td>68.30</td><td>-18.57</td><td>57.67</td><td>41.68</td><td>15.60</td><td>65.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	47.12	74.00	-26.88	58.61	39.15	12.80	63.44	---	---	Peak	2 17070.00	49.73	68.30	-18.57	57.67	41.68	15.60	65.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11380.00	47.10	74.00	-26.90	58.59	39.15	12.80	63.44	---	---	Peak																																																																																																										
2 17070.00	49.95	68.30	-18.35	57.89	41.68	15.60	65.22	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11380.00	47.12	74.00	-26.88	58.61	39.15	12.80	63.44	---	---	Peak																																																																																																										
2 17070.00	49.73	68.30	-18.57	57.67	41.68	15.60	65.22	---	---	Peak																																																																																																										







Mode	129																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																																											
ANT	CDD																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11420.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>58.65</td><td>39.17</td><td>12.82</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17130.00</td><td>49.01</td><td>68.30</td><td>-19.29</td><td>56.88</td><td>41.74</td><td>15.64</td><td>65.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	47.20	74.00	-26.80	58.65	39.17	12.82	63.44	---	---	Peak	2	17130.00	49.01	68.30	-19.29	56.88	41.74	15.64	65.25	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11420.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>61.02</td><td>39.17</td><td>12.82</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17130.00</td><td>49.22</td><td>68.30</td><td>-19.08</td><td>57.09</td><td>41.74</td><td>15.64</td><td>65.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	49.57	74.00	-24.43	61.02	39.17	12.82	63.44	---	---	Peak	2	17130.00	49.22	68.30	-19.08	57.09	41.74	15.64	65.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11420.00	47.20	74.00	-26.80	58.65	39.17	12.82	63.44	---	---	Peak																																																																																																	
2	17130.00	49.01	68.30	-19.29	56.88	41.74	15.64	65.25	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11420.00	49.57	74.00	-24.43	61.02	39.17	12.82	63.44	---	---	Peak																																																																																																	
2	17130.00	49.22	68.30	-19.08	57.09	41.74	15.64	65.25	---	---	Peak																																																																																																	



Mode	130																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																																																					
ANT	CDD																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td></tr><tr><td>1</td><td>11380.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>58.33</td><td>39.15</td><td>12.80</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17070.00</td><td>49.73</td><td>68.30</td><td>-18.57</td><td>57.67</td><td>41.68</td><td>15.60</td><td>65.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11380.00	46.84	74.00	-27.16	58.33	39.15	12.80	63.44	---	---	Peak	2	17070.00	49.73	68.30	-18.57	57.67	41.68	15.60	65.22	---	---	Peak	Level (dBuV/m) Date: 2024-01-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td></tr><tr><td>1</td><td>11380.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>58.32</td><td>39.15</td><td>12.80</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17070.00</td><td>49.50</td><td>68.30</td><td>-18.80</td><td>57.44</td><td>41.68</td><td>15.60</td><td>65.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11380.00	46.83	74.00	-27.17	58.32	39.15	12.80	63.44	---	---	Peak	2	17070.00	49.50	68.30	-18.80	57.44	41.68	15.60	65.22	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	11380.00	46.84	74.00	-27.16	58.33	39.15	12.80	63.44	---	---	Peak																																																																																											
2	17070.00	49.73	68.30	-18.57	57.67	41.68	15.60	65.22	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	11380.00	46.83	74.00	-27.17	58.32	39.15	12.80	63.44	---	---	Peak																																																																																											
2	17070.00	49.50	68.30	-18.80	57.44	41.68	15.60	65.22	---	---	Peak																																																																																											







		131																																																																																		
Mode		Band Edge																																																																																		
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																																		
ANT		CDD																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak																																																																																				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5143.82	52.08	74.00	-21.92	39.95	36.11	8.52	32.50	388	262 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>103.49</td><td>-----</td><td>-----</td><td>91.27</td><td>36.09</td><td>8.58</td><td>32.45</td><td>388</td><td>262 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	103.49	-----	-----	91.27	36.09	8.58	32.45	388
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5143.82	52.08	74.00	-21.92	39.95	36.11	8.52	32.50	388	262 PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5180.00	103.49	-----	-----	91.27	36.09	8.58	32.45	388	262 PEAK																																																																											
Avg																																																																																				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5142.20	42.65	54.00	-11.35	30.52	36.11	8.52	32.50	388	262 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>96.52</td><td>-----</td><td>-----</td><td>84.30</td><td>36.09</td><td>8.58</td><td>32.45</td><td>388</td><td>262 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	96.52	-----	-----	84.30	36.09	8.58	32.45	388
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5142.20	42.65	54.00	-11.35	30.52	36.11	8.52	32.50	388	262 AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5180.00	96.52	-----	-----	84.30	36.09	8.58	32.45	388	262 AVERAGE																																																																											



Mode	131																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5141.48</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>39.32</td><td>36.12</td><td>8.52</td><td>32.50</td><td>300 203 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5141.48	51.46	74.00	-22.54	39.32	36.12	8.52	32.50	300 203 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>95.42</td><td>-----</td><td>-----</td><td>83.21</td><td>36.10</td><td>8.57</td><td>32.46</td><td>300 203 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	95.42	-----	-----	83.21	36.10	8.57	32.46	300 203 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5141.48	51.46	74.00	-22.54	39.32	36.12	8.52	32.50	300 203 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	95.42	-----	-----	83.21	36.10	8.57	32.46	300 203 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5062.10</td><td>41.89</td><td>54.00</td><td>-12.11</td><td>29.97</td><td>36.16</td><td>8.37</td><td>32.61</td><td>300 203 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5062.10	41.89	54.00	-12.11	29.97	36.16	8.37	32.61	300 203 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>87.72</td><td>-----</td><td>-----</td><td>75.51</td><td>36.10</td><td>8.57</td><td>32.46</td><td>300 203 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	87.72	-----	-----	75.51	36.10	8.57	32.46	300 203 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5062.10	41.89	54.00	-12.11	29.97	36.16	8.37	32.61	300 203 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	87.72	-----	-----	75.51	36.10	8.57	32.46	300 203 AVERAGE																																																																		







		132																																																																																							
Mode		Band Edge																																																																																							
		U-NII-1_5.25-5.35_802.11be EHT20_CH64_Single RU 106/54_5320MHz																																																																																							
ANT		CDD																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5376.28</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>38.75</td><td>35.97</td><td>9.50</td><td>32.17</td><td>319</td><td>91 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5376.28	52.05	74.00	-21.95	38.75	35.97	9.50	32.17	319	91 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>47.36</td><td>-----</td><td>-----</td><td>38.12</td><td>34.02</td><td>7.45</td><td>32.23</td><td>319</td><td>91 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	47.36	-----	-----	38.12	34.02	7.45	32.23	319
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5376.28	52.05	74.00	-21.95	38.75	35.97	9.50	32.17	319	91 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	47.36	-----	-----	38.12	34.02	7.45	32.23	319	91 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-07  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5352.34</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>30.04</td><td>35.99</td><td>9.38</td><td>32.21</td><td>319</td><td>91 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5352.34	43.20	54.00	-10.80	30.04	35.99	9.38	32.21	319	91 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>104.18</td><td>-----</td><td>-----</td><td>91.21</td><td>36.01</td><td>9.21</td><td>32.25</td><td>319</td><td>91 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	104.18	-----	-----	91.21	36.01	9.21	32.25	319
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5352.34	43.20	54.00	-10.80	30.04	35.99	9.38	32.21	319	91 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	104.18	-----	-----	91.21	36.01	9.21	32.25	319	91 AVERAGE																																																																																



Mode	132																																																																									
	Band Edge																																																																									
	U-NII-1_5.25-5.35_802.11be EHT20_CH64_Single RU 106/54_5320MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5436.34</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>37.96</td><td>35.94</td><td>9.68</td><td>32.09</td><td>300 136 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5436.34	51.49	74.00	-22.51	37.96	35.94	9.68	32.09	300 136 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>98.27</td><td>-----</td><td>-----</td><td>85.27</td><td>36.00</td><td>9.24</td><td>32.24</td><td>300 136 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	98.27	-----	-----	85.27	36.00	9.24	32.24	300 136 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5436.34	51.49	74.00	-22.51	37.96	35.94	9.68	32.09	300 136 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	98.27	-----	-----	85.27	36.00	9.24	32.24	300 136 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5389.16</td><td>41.24</td><td>54.00</td><td>-12.76</td><td>27.86</td><td>35.97</td><td>9.57</td><td>32.16</td><td>300 136 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5389.16	41.24	54.00	-12.76	27.86	35.97	9.57	32.16	300 136 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>90.43</td><td>-----</td><td>-----</td><td>77.43</td><td>36.00</td><td>9.24</td><td>32.24</td><td>300 136 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	90.43	-----	-----	77.43	36.00	9.24	32.24	300 136 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5389.16	41.24	54.00	-12.76	27.86	35.97	9.57	32.16	300 136 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	90.43	-----	-----	77.43	36.00	9.24	32.24	300 136 AVERAGE																																																																		






Mode	133																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.47-5.725_802.11be EHT20_CH100_Single RU 106/53_5500MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.40</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>38.88</td><td>35.94</td><td>9.67</td><td>32.10</td><td>200 159 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>52.29</td><td>68.30</td><td>-16.01</td><td>38.73</td><td>35.92</td><td>9.69</td><td>32.05</td><td>200 159 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5427.40	52.39	74.00	-21.61	38.88	35.94	9.67	32.10	200 159 PEAK	2	5467.60	52.29	68.30	-16.01	38.73	35.92	9.69	32.05	200 159 PEAK	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.58</td><td>-----</td><td>-----</td><td>90.99</td><td>35.90</td><td>9.70</td><td>32.01</td><td>200 159 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.58	-----	-----	90.99	35.90	9.70	32.01	200 159 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5427.40	52.39	74.00	-21.61	38.88	35.94	9.67	32.10	200 159 PEAK																																																																																											
2	5467.60	52.29	68.30	-16.01	38.73	35.92	9.69	32.05	200 159 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	104.58	-----	-----	90.99	35.90	9.70	32.01	200 159 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.35</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>29.21</td><td>35.92</td><td>9.69</td><td>32.06</td><td>200 159 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.35	42.76	54.00	-11.24	29.21	35.92	9.69	32.06	200 159 AVERAGE	Level (dBuV/m) Date: 2024-01-12  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.94</td><td>-----</td><td>-----</td><td>83.35</td><td>35.90</td><td>9.70</td><td>32.01</td><td>200 159 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.94	-----	-----	83.35	35.90	9.70	32.01	200 159 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.35	42.76	54.00	-11.24	29.21	35.92	9.69	32.06	200 159 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	96.94	-----	-----	83.35	35.90	9.70	32.01	200 159 AVERAGE																																																																																											



Mode	133																																																			
	Band Edge																																																			
	U-NII-2A_5.47-5.725_802.11be EHT20_CH100_Single RU 106/53_5500MHz																																																			
ANT	CDD																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5438.80</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>39.08</td><td>35.94</td><td>9.68</td><td>32.09</td><td>381</td><td>186 PEAK</td></tr><tr><td>2 5468.20</td><td>53.02</td><td>68.30</td><td>-15.28</td><td>39.45</td><td>35.92</td><td>9.69</td><td>32.04</td><td>381</td><td>186 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1 5438.80	52.61	74.00	-21.39	39.08	35.94	9.68	32.09	381	186 PEAK	2 5468.20	53.02	68.30	-15.28	39.45	35.92	9.69	32.04	381	186 PEAK	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>101.03</td><td>-----</td><td>-----</td><td>87.44</td><td>35.90</td><td>9.70</td><td>32.01</td><td>381</td><td>186 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1 5500.00	101.03	-----	-----	87.44	35.90	9.70	32.01	381	186 PEAK
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																										
1 5438.80	52.61	74.00	-21.39	39.08	35.94	9.68	32.09	381	186 PEAK																																											
2 5468.20	53.02	68.30	-15.28	39.45	35.92	9.69	32.04	381	186 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	101.03	-----	-----	87.44	35.90	9.70	32.01	381	186 PEAK																																											
Avg	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5458.00</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>29.56</td><td>35.93</td><td>9.69</td><td>32.06</td><td>381</td><td>186 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1 5458.00	43.12	54.00	-10.88	29.56	35.93	9.69	32.06	381	186 AVERAGE	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>90.92</td><td>-----</td><td>-----</td><td>77.33</td><td>35.91</td><td>9.70</td><td>32.02</td><td>381</td><td>186 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1 5500.00	90.92	-----	-----	77.33	35.91	9.70	32.02	381	186 AVERAGE										
MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																											
1 5458.00	43.12	54.00	-10.88	29.56	35.93	9.69	32.06	381	186 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	90.92	-----	-----	77.33	35.91	9.70	32.02	381	186 AVERAGE																																											



		134																																																																																						
Mode		Band Edge																																																																																						
		U-NII-2A_5.47-5.725_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																						
ANT		CDD																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5747.91</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>38.51</td><td>36.25</td><td>10.07</td><td>32.25</td><td>300</td><td>115</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5747.91	52.58	68.30	-15.72	38.51	36.25	10.07	32.25	300	115	PEAK	Level (dBuV/m) Date: 2024-01-07  Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.70</td><td>-----</td><td>-----</td><td>91.73</td><td>36.19</td><td>9.99</td><td>32.21</td><td>300</td><td>115</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.70	-----	-----	91.73	36.19	9.99	32.21	300	115	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5747.91	52.58	68.30	-15.72	38.51	36.25	10.07	32.25	300	115	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	105.70	-----	-----	91.73	36.19	9.99	32.21	300	115	PEAK																																																																													
Avg	Blank					Level (dBuV/m) Date: 2024-01-07  Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.37</td><td>-----</td><td>-----</td><td>83.40</td><td>36.19</td><td>9.99</td><td>32.21</td><td>300</td><td>115</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.37	-----	-----	83.40	36.19	9.99	32.21	300	115	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	97.37	-----	-----	83.40	36.19	9.99	32.21	300	115	AVERAGE																																																																													



Mode	134																																																																																					
	Band Edge																																																																																					
	U-NII-2A_5.47-5.725_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																					
ANT	CDD																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5700 5713 5726 5739 5752 5765 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.91</td><td>52.42</td><td>68.30</td><td>-15.88</td><td>38.32</td><td>36.27</td><td>10.09</td><td>32.26</td><td>375</td><td>180</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5760.91	52.42	68.30	-15.88	38.32	36.27	10.09	32.26	375	180	PEAK	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.18</td><td>-----</td><td>-----</td><td>96.22</td><td>36.19</td><td>9.97</td><td>32.20</td><td>375</td><td>180</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.18	-----	-----	96.22	36.19	9.97	32.20	375	180	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5760.91	52.42	68.30	-15.88	38.32	36.27	10.09	32.26	375	180	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5700.00	110.18	-----	-----	96.22	36.19	9.97	32.20	375	180	PEAK																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-01-07 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.58</td><td>-----</td><td>-----</td><td>88.62</td><td>36.19</td><td>9.97</td><td>32.20</td><td>375</td><td>180</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.58	-----	-----	88.62	36.19	9.97	32.20	375	180	AVERAGE																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5700.00	102.58	-----	-----	88.62	36.19	9.97	32.20	375	180	AVERAGE																																																																											



Mode	135									
	Band Edge									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 106/53_5745MHz									
ANT	CDD									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-01-12 <									



Mode	135																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 106/53_5745MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5602.18</td><td>52.49</td><td>68.30</td><td>-15.81</td><td>38.79</td><td>36.04</td><td>9.76</td><td>32.10</td><td>200</td><td>238 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>50.62</td><td>68.43</td><td>-17.81</td><td>36.80</td><td>36.11</td><td>9.86</td><td>32.15</td><td>200</td><td>238 PEAK</td></tr><tr><td>3</td><td>5700.63</td><td>51.63</td><td>105.38</td><td>-53.75</td><td>37.68</td><td>36.18</td><td>9.97</td><td>32.20</td><td>200</td><td>238 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>50.35</td><td>110.94</td><td>-60.59</td><td>36.35</td><td>36.21</td><td>10.01</td><td>32.22</td><td>200</td><td>238 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5602.18	52.49	68.30	-15.81	38.79	36.04	9.76	32.10	200	238 PEAK	2	5650.17	50.62	68.43	-17.81	36.80	36.11	9.86	32.15	200	238 PEAK	3	5700.63	51.63	105.38	-53.75	37.68	36.18	9.97	32.20	200	238 PEAK	4	5720.06	50.35	110.94	-60.59	36.35	36.21	10.01	32.22	200	238 PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>89.19</td><td>-----</td><td>-----</td><td>75.15</td><td>36.23</td><td>10.04</td><td>32.23</td><td>200</td><td>238 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	89.19	-----	-----	75.15	36.23	10.04	32.23	200	238 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5602.18	52.49	68.30	-15.81	38.79	36.04	9.76	32.10	200	238 PEAK																																																																																																																			
2	5650.17	50.62	68.43	-17.81	36.80	36.11	9.86	32.15	200	238 PEAK																																																																																																																			
3	5700.63	51.63	105.38	-53.75	37.68	36.18	9.97	32.20	200	238 PEAK																																																																																																																			
4	5720.06	50.35	110.94	-60.59	36.35	36.21	10.01	32.22	200	238 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	89.19	-----	-----	75.15	36.23	10.04	32.23	200	238 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>81.93</td><td>-----</td><td>-----</td><td>67.89</td><td>36.23</td><td>10.04</td><td>32.23</td><td>200</td><td>238 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	81.93	-----	-----	67.89	36.23	10.04	32.23	200	238 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	81.93	-----	-----	67.89	36.23	10.04	32.23	200	238 AVERAGE																																																																																																																			







Mode	136																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 106/54_5825MHz																																																																																																																																			
ANT	CDD																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-01-12 PEAK_BE(B4)_16-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>52.08</td><td>110.80</td><td>-58.72</td><td>37.74</td><td>36.40</td><td>10.29</td><td>32.35</td><td>291</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>51.44</td><td>105.58</td><td>-54.14</td><td>37.06</td><td>36.42</td><td>10.33</td><td>32.37</td><td>291</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>50.73</td><td>68.39</td><td>-17.66</td><td>36.22</td><td>36.49</td><td>10.44</td><td>32.42</td><td>291</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5933.75</td><td>53.30</td><td>68.30</td><td>-15.00</td><td>38.76</td><td>36.51</td><td>10.46</td><td>32.43</td><td>291</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	52.08	110.80	-58.72	37.74	36.40	10.29	32.35	291	360	PEAK	2	5873.63	51.44	105.58	-54.14	37.06	36.42	10.33	32.37	291	360	PEAK	3	5924.88	50.73	68.39	-17.66	36.22	36.49	10.44	32.42	291	360	PEAK	4	5933.75	53.30	68.30	-15.00	38.76	36.51	10.46	32.43	291	360	PEAK	Level (dBuV/m) Date: 2024-01-12 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>92.19</td><td>-----</td><td>-----</td><td>77.92</td><td>36.36</td><td>10.24</td><td>32.33</td><td>291</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.19	-----	-----	77.92	36.36	10.24	32.33	291	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5855.00	52.08	110.80	-58.72	37.74	36.40	10.29	32.35	291	360	PEAK																																																																																																																									
2	5873.63	51.44	105.58	-54.14	37.06	36.42	10.33	32.37	291	360	PEAK																																																																																																																									
3	5924.88	50.73	68.39	-17.66	36.22	36.49	10.44	32.42	291	360	PEAK																																																																																																																									
4	5933.75	53.30	68.30	-15.00	38.76	36.51	10.46	32.43	291	360	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	92.19	-----	-----	77.92	36.36	10.24	32.33	291	360	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-01-12 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>84.11</td><td>-----</td><td>-----</td><td>69.84</td><td>36.36</td><td>10.24</td><td>32.33</td><td>291</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	84.11	-----	-----	69.84	36.36	10.24	32.33	291	360	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	84.11	-----	-----	69.84	36.36	10.24	32.33	291	360	AVERAGE																																																																																																																									







Mode	136																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 106/54_5825MHz																																																																																																															
ANT	CDD																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.88</td><td>52.25</td><td>111.08</td><td>-58.83</td><td>37.91</td><td>36.40</td><td>10.29</td><td>32.35</td><td>400</td><td>297 PEAK</td></tr><tr><td>2 5873.88</td><td>52.02</td><td>105.51</td><td>-53.49</td><td>37.64</td><td>36.42</td><td>10.33</td><td>32.37</td><td>400</td><td>297 PEAK</td></tr><tr><td>3 5925.00</td><td>51.66</td><td>68.30</td><td>-16.64</td><td>37.15</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>297 PEAK</td></tr><tr><td>4 5927.75</td><td>53.45</td><td>68.30</td><td>-14.85</td><td>38.94</td><td>36.50</td><td>10.44</td><td>32.43</td><td>400</td><td>297 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.88	52.25	111.08	-58.83	37.91	36.40	10.29	32.35	400	297 PEAK	2 5873.88	52.02	105.51	-53.49	37.64	36.42	10.33	32.37	400	297 PEAK	3 5925.00	51.66	68.30	-16.64	37.15	36.49	10.44	32.42	400	297 PEAK	4 5927.75	53.45	68.30	-14.85	38.94	36.50	10.44	32.43	400	297 PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>107.10</td><td>-----</td><td>-----</td><td>92.83</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>297 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	107.10	-----	-----	92.83	36.36	10.24	32.33	400	297 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.88	52.25	111.08	-58.83	37.91	36.40	10.29	32.35	400	297 PEAK																																																																																																							
2 5873.88	52.02	105.51	-53.49	37.64	36.42	10.33	32.37	400	297 PEAK																																																																																																							
3 5925.00	51.66	68.30	-16.64	37.15	36.49	10.44	32.42	400	297 PEAK																																																																																																							
4 5927.75	53.45	68.30	-14.85	38.94	36.50	10.44	32.43	400	297 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	107.10	-----	-----	92.83	36.36	10.24	32.33	400	297 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>98.93</td><td>-----</td><td>-----</td><td>84.66</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>297 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	98.93	-----	-----	84.66	36.36	10.24	32.33	400	297 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	98.93	-----	-----	84.66	36.36	10.24	32.33	400	297 AVERAGE																																																																																																							







Mode	137																																										
	Band Edge																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 53+4_5180MHz																																										
ANT	CDD																																										
Pol.	Horizontal	Fundamental																																									
Peak	Level (dBuV/m) Date: 2024-01-07  1 5083.16 51.72 74.00 -22.28 39.74 36.15 8.41 32.58 400 111 PEAK	Level (dBuV/m) Date: 2024-01-07  1 5180.00 110.99 ----- 98.77 36.09 8.58 32.45 400 111 PEAK																																									
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5083.16</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>39.74</td><td>36.15</td><td>8.41</td><td>32.58</td><td>400</td><td>111 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5083.16	51.72	74.00	-22.28	39.74	36.15	8.41	32.58	400	111 PEAK	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5180.00</td><td>110.99</td><td>-----</td><td>-----</td><td>98.77</td><td>36.09</td><td>8.58</td><td>32.45</td><td>400</td><td>111 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5180.00	110.99	-----	-----	98.77	36.09	8.58	32.45	400
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																		
1	5083.16	51.72	74.00	-22.28	39.74	36.15	8.41	32.58	400	111 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																		
1	5180.00	110.99	-----	-----	98.77	36.09	8.58	32.45	400	111 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-01-07  1 5149.22 42.65 54.00 -11.35 30.50 36.11 8.53 32.49 400 111 AVERAGE	Level (dBuV/m) Date: 2024-01-07  1 5180.00 101.52 ----- 89.30 36.09 8.58 32.45 400 111 AVERAGE																																									
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5149.22</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>30.50</td><td>36.11</td><td>8.53</td><td>32.49</td><td>400</td><td>111 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5149.22	42.65	54.00	-11.35	30.50	36.11	8.53	32.49	400	111 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5180.00</td><td>101.52</td><td>-----</td><td>-----</td><td>89.30</td><td>36.09</td><td>8.58</td><td>32.45</td><td>400</td><td>111 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5180.00	101.52	-----	-----	89.30	36.09	8.58	32.45	400
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																		
1	5149.22	42.65	54.00	-11.35	30.50	36.11	8.53	32.49	400	111 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																		
1	5180.00	101.52	-----	-----	89.30	36.09	8.58	32.45	400	111 AVERAGE																																	







		137																																																																																		
Mode		Band Edge																																																																																		
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 53+4_5180MHz																																																																																		
ANT		CDD																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak																																																																																				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5034.92	51.98	74.00	-22.02	40.13	36.18	8.32	32.65	400	44 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>95.07</td><td>-----</td><td>-----</td><td>82.85</td><td>36.09</td><td>8.58</td><td>32.45</td><td>400</td><td>44 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	95.07	-----	-----	82.85	36.09	8.58	32.45	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5034.92	51.98	74.00	-22.02	40.13	36.18	8.32	32.65	400	44 PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5180.00	95.07	-----	-----	82.85	36.09	8.58	32.45	400	44 PEAK																																																																											
Avg																																																																																				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5058.68	42.24	54.00	-11.76	30.33	36.16	8.37	32.62	400	44 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>87.59</td><td>-----</td><td>-----</td><td>75.37</td><td>36.09</td><td>8.58</td><td>32.45</td><td>400</td><td>44 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	87.59	-----	-----	75.37	36.09	8.58	32.45	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5058.68	42.24	54.00	-11.76	30.33	36.16	8.37	32.62	400	44 AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5180.00	87.59	-----	-----	75.37	36.09	8.58	32.45	400	44 AVERAGE																																																																											



		138																																																																																						
Mode		Band Edge																																																																																						
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 40+6_5320MHz																																																																																						
ANT		CDD																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-07. A blue line shows the spectrum with a peak at 5457.62 MHz. A red line indicates the limit at 74.00 dB. A vertical blue line marks the peak at 5457.62 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-07. A blue line shows the spectrum with a peak at 5320.00 MHz. A red line indicates the limit at 114.81 dB. A vertical blue line marks the peak at 5320.00 MHz.																																																																																		
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5457.62	52.10	74.00	-21.90	38.54	35.93	9.69	32.06	319	94	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>114.81</td><td>-----</td><td>-----</td><td>101.84</td><td>36.01</td><td>9.21</td><td>32.25</td><td>319</td><td>94</td><td>PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5320.00	114.81	-----	-----	101.84	36.01	9.21	32.25	319	94
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5457.62	52.10	74.00	-21.90	38.54	35.93	9.69	32.06	319	94	PEAK																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5320.00	114.81	-----	-----	101.84	36.01	9.21	32.25	319	94	PEAK																																																																														
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-07. A blue line shows the average spectrum. A red line indicates the limit at 54.00 dB. A vertical blue line marks the peak at 5352.34 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-07. A blue line shows the average spectrum. A red line indicates the limit at 105.54 dB. A vertical blue line marks the peak at 5320.00 MHz.																																																																																		
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5352.34	43.53	54.00	-10.47	30.37	35.99	9.38	32.21	319	94	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>105.54</td><td>-----</td><td>-----</td><td>92.57</td><td>36.01</td><td>9.21</td><td>32.25</td><td>319</td><td>94</td><td>AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5320.00	105.54	-----	-----	92.57	36.01	9.21	32.25	319	94
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5352.34	43.53	54.00	-10.47	30.37	35.99	9.38	32.21	319	94	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5320.00	105.54	-----	-----	92.57	36.01	9.21	32.25	319	94	AVERAGE																																																																														



Mode	138																																																																																								
	Band Edge																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 40+6_5320MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.06</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>36.98</td><td>35.95</td><td>9.66</td><td>32.12</td><td>400 27 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5415.06	50.47	74.00	-23.53	36.98	35.95	9.66	32.12	400 27 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>93.40</td><td>-----</td><td>-----</td><td>80.40</td><td>36.00</td><td>9.24</td><td>32.24</td><td>400 27 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.40	-----	-----	80.40	36.00	9.24	32.24
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5415.06	50.47	74.00	-23.53	36.98	35.95	9.66	32.12	400 27 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	93.40	-----	-----	80.40	36.00	9.24	32.24	400 27 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.04</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>28.56</td><td>35.93</td><td>9.69</td><td>32.06</td><td>400 27 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.04	42.12	54.00	-11.88	28.56	35.93	9.69	32.06	400 27 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>86.07</td><td>-----</td><td>-----</td><td>73.07</td><td>36.00</td><td>9.24</td><td>32.24</td><td>400 27 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	86.07	-----	-----	73.07	36.00	9.24	32.24
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5458.04	42.12	54.00	-11.88	28.56	35.93	9.69	32.06	400 27 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	86.07	-----	-----	73.07	36.00	9.24	32.24	400 27 AVERAGE																																																																																






Mode	139																																																																
	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Small RU 37+2_5500MHz																																																																
ANT	CDD																																																																
Pol.	Horizontal					Fundamental																																																											
Peak	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5444.65</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>38.81</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td>132 PEAK</td></tr><tr><td>2</td><td>5462.20</td><td>52.88</td><td>68.30</td><td>-15.42</td><td>39.32</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>132 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5444.65	52.34	74.00	-21.66	38.81	35.93	9.68	32.08	100	132 PEAK	2	5462.20	52.88	68.30	-15.42	39.32	35.92	9.69	32.05	100	132 PEAK	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>105.31</td><td>-----</td><td>-----</td><td>91.70</td><td>35.90</td><td>9.71</td><td>32.00</td><td>100</td><td>132 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5500.00	105.31	-----	-----	91.70	35.90	9.71	32.00	100	132 PEAK
		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																							
1	5444.65	52.34	74.00	-21.66	38.81	35.93	9.68	32.08	100	132 PEAK																																																							
2	5462.20	52.88	68.30	-15.42	39.32	35.92	9.69	32.05	100	132 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																								
1	5500.00	105.31	-----	-----	91.70	35.90	9.71	32.00	100	132 PEAK																																																							
Avg	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.05</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>29.23</td><td>35.93</td><td>9.69</td><td>32.06</td><td>100</td><td>132 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5456.05	42.79	54.00	-11.21	29.23	35.93	9.69	32.06	100	132 AVERAGE	Level (dBuV/m) Date: 2024-01-12 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>97.15</td><td>-----</td><td>-----</td><td>83.54</td><td>35.90</td><td>9.71</td><td>32.00</td><td>100</td><td>132 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5500.00	97.15	-----	-----	83.54	35.90	9.71	32.00	100	132 AVERAGE											
		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																							
1	5456.05	42.79	54.00	-11.21	29.23	35.93	9.69	32.06	100	132 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																								
1	5500.00	97.15	-----	-----	83.54	35.90	9.71	32.00	100	132 AVERAGE																																																							



Mode	139	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Small RU 37+2_5500MHz	
ANT	CDD	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-01-12 <	



Mode	140																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Small RU 54+4_5700MHz																																																																																												
ANT	CDD																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.62</td><td>51.76</td><td>68.30</td><td>-16.54</td><td>37.74</td><td>36.22</td><td>10.03</td><td>32.23</td><td>300</td><td>107</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5730.62	51.76	68.30	-16.54	37.74	36.22	10.03	32.23	300	107	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.32</td><td>-----</td><td>-----</td><td>89.36</td><td>36.19</td><td>9.97</td><td>32.20</td><td>300</td><td>107</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.32	-----	-----	89.36	36.19	9.97	32.20	300	107
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5730.62	51.76	68.30	-16.54	37.74	36.22	10.03	32.23	300	107	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	103.32	-----	-----	89.36	36.19	9.97	32.20	300	107	PEAK																																																																																		
Avg	Blank																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.41</td><td>-----</td><td>-----</td><td>81.45</td><td>36.19</td><td>9.97</td><td>32.20</td><td>300</td><td>107</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	95.41	-----	-----	81.45	36.19	9.97	32.20	300	107	AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	95.41	-----	-----	81.45	36.19	9.97	32.20	300	107	AVERAGE																																																																																		



Mode	140																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Small RU 54+4_5700MHz																																																																																										
ANT	CDD																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.29</td><td>53.36</td><td>68.30</td><td>-14.94</td><td>39.34</td><td>36.22</td><td>10.03</td><td>32.23</td><td>369</td><td>179</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5730.29	53.36	68.30	-14.94	39.34	36.22	10.03	32.23	369	179	PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.13</td><td>-----</td><td>-----</td><td>96.17</td><td>36.19</td><td>9.97</td><td>32.20</td><td>369</td><td>179</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.13	-----	-----	96.17	36.19	9.97	32.20	369	179	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5730.29	53.36	68.30	-14.94	39.34	36.22	10.03	32.23	369	179	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	110.13	-----	-----	96.17	36.19	9.97	32.20	369	179	PEAK																																																																																
Avg	Blank						Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.52</td><td>-----</td><td>-----</td><td>86.56</td><td>36.19</td><td>9.97</td><td>32.20</td><td>369</td><td>179</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.52	-----	-----	86.56	36.19	9.97	32.20	369	179	AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	100.52	-----	-----	86.56	36.19	9.97	32.20	369	179	AVERAGE																																																																																



Mode	141									
	Band Edge									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 37+2_5745MHz									
ANT	CDD									
Pol.	Horizontal					Fundamental				
Peak	</									



Mode	141																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 37+2_5745MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-12 PEAK_BE[B9]_16-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.98</td><td>52.38</td><td>68.30</td><td>-15.92</td><td>38.60</td><td>36.09</td><td>9.83</td><td>32.14</td><td>160</td><td>0° PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>52.21</td><td>69.50</td><td>-17.29</td><td>38.39</td><td>36.11</td><td>9.86</td><td>32.15</td><td>160</td><td>0° PEAK</td></tr><tr><td>3</td><td>5704.26</td><td>52.80</td><td>106.39</td><td>-53.59</td><td>38.84</td><td>36.19</td><td>9.97</td><td>32.20</td><td>160</td><td>0° PEAK</td></tr><tr><td>4</td><td>5722.67</td><td>57.60</td><td>116.89</td><td>-59.29</td><td>43.60</td><td>36.21</td><td>10.01</td><td>32.22</td><td>160</td><td>0° PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5636.98	52.38	68.30	-15.92	38.60	36.09	9.83	32.14	160	0° PEAK	2	5651.62	52.21	69.50	-17.29	38.39	36.11	9.86	32.15	160	0° PEAK	3	5704.26	52.80	106.39	-53.59	38.84	36.19	9.97	32.20	160	0° PEAK	4	5722.67	57.60	116.89	-59.29	43.60	36.21	10.01	32.22	160	0° PEAK	Level (dBuV/m) Date: 2024-01-12 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.68</td><td>-----</td><td>-----</td><td>95.64</td><td>36.23</td><td>10.04</td><td>32.23</td><td>160</td><td>0° PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.68	-----	-----	95.64	36.23	10.04	32.23	160	0° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5636.98	52.38	68.30	-15.92	38.60	36.09	9.83	32.14	160	0° PEAK																																																																																																																			
2	5651.62	52.21	69.50	-17.29	38.39	36.11	9.86	32.15	160	0° PEAK																																																																																																																			
3	5704.26	52.80	106.39	-53.59	38.84	36.19	9.97	32.20	160	0° PEAK																																																																																																																			
4	5722.67	57.60	116.89	-59.29	43.60	36.21	10.01	32.22	160	0° PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	109.68	-----	-----	95.64	36.23	10.04	32.23	160	0° PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-01-12 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.42</td><td>-----</td><td>-----</td><td>85.38</td><td>36.23</td><td>10.04</td><td>32.23</td><td>160</td><td>0° AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.42	-----	-----	85.38	36.23	10.04	32.23	160	0° AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	99.42	-----	-----	85.38	36.23	10.04	32.23	160	0° AVERAGE																																																																																																																			







Mode	142																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 54+4_5825MHz																																																																																																																																			
ANT	CDD																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>50.04</td><td>110.80</td><td>-60.76</td><td>35.70</td><td>36.40</td><td>10.29</td><td>32.35</td><td>177</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.25</td><td>52.24</td><td>105.69</td><td>-53.45</td><td>37.86</td><td>36.42</td><td>10.33</td><td>32.37</td><td>177</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>50.84</td><td>68.30</td><td>-17.46</td><td>36.33</td><td>36.49</td><td>10.44</td><td>32.42</td><td>177</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5946.63</td><td>52.64</td><td>68.30</td><td>-15.66</td><td>38.08</td><td>36.53</td><td>10.48</td><td>32.45</td><td>177</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	50.04	110.80	-60.76	35.70	36.40	10.29	32.35	177	360	PEAK	2	5873.25	52.24	105.69	-53.45	37.86	36.42	10.33	32.37	177	360	PEAK	3	5925.00	50.84	68.30	-17.46	36.33	36.49	10.44	32.42	177	360	PEAK	4	5946.63	52.64	68.30	-15.66	38.08	36.53	10.48	32.45	177	360	PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.79</td><td>-----</td><td>-----</td><td>80.52</td><td>36.36</td><td>10.24</td><td>32.33</td><td>177</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.79	-----	-----	80.52	36.36	10.24	32.33	177	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5855.00	50.04	110.80	-60.76	35.70	36.40	10.29	32.35	177	360	PEAK																																																																																																																									
2	5873.25	52.24	105.69	-53.45	37.86	36.42	10.33	32.37	177	360	PEAK																																																																																																																									
3	5925.00	50.84	68.30	-17.46	36.33	36.49	10.44	32.42	177	360	PEAK																																																																																																																									
4	5946.63	52.64	68.30	-15.66	38.08	36.53	10.48	32.45	177	360	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	94.79	-----	-----	80.52	36.36	10.24	32.33	177	360	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>86.27</td><td>-----</td><td>-----</td><td>72.01</td><td>36.35</td><td>10.23</td><td>32.32</td><td>177</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	86.27	-----	-----	72.01	36.35	10.23	32.32	177	360	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	86.27	-----	-----	72.01	36.35	10.23	32.32	177	360	AVERAGE																																																																																																																									



Mode	142																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 54+4_5825MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>52.18</td><td>110.80</td><td>-58.62</td><td>37.84</td><td>36.40</td><td>10.29</td><td>32.35</td><td>400</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>5873.25</td><td>53.32</td><td>105.69</td><td>-52.37</td><td>38.94</td><td>36.42</td><td>10.33</td><td>32.37</td><td>400</td><td>318</td><td>PEAK</td></tr><tr><td>3</td><td>5923.38</td><td>51.90</td><td>69.49</td><td>-17.59</td><td>37.39</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>318</td><td>PEAK</td></tr><tr><td>4</td><td>5931.00</td><td>53.17</td><td>68.30</td><td>-15.13</td><td>38.65</td><td>36.50</td><td>10.45</td><td>32.43</td><td>400</td><td>318</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	52.18	110.80	-58.62	37.84	36.40	10.29	32.35	400	318	PEAK	2	5873.25	53.32	105.69	-52.37	38.94	36.42	10.33	32.37	400	318	PEAK	3	5923.38	51.90	69.49	-17.59	37.39	36.49	10.44	32.42	400	318	PEAK	4	5931.00	53.17	68.30	-15.13	38.65	36.50	10.45	32.43	400	318	PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.15</td><td>-----</td><td>-----</td><td>94.88</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>318</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.15	-----	-----	94.88	36.36	10.24	32.33	400	318	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5855.00	52.18	110.80	-58.62	37.84	36.40	10.29	32.35	400	318	PEAK																																																																																																																							
2	5873.25	53.32	105.69	-52.37	38.94	36.42	10.33	32.37	400	318	PEAK																																																																																																																							
3	5923.38	51.90	69.49	-17.59	37.39	36.49	10.44	32.42	400	318	PEAK																																																																																																																							
4	5931.00	53.17	68.30	-15.13	38.65	36.50	10.45	32.43	400	318	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	109.15	-----	-----	94.88	36.36	10.24	32.33	400	318	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.33</td><td>-----</td><td>-----</td><td>87.06</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>318</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.33	-----	-----	87.06	36.36	10.24	32.33	400	318	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	101.33	-----	-----	87.06	36.36	10.24	32.33	400	318	AVERAGE																																																																																																																							







Mode	143																																																																																								
	Band Edge - L																																																																																								
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.92</td><td>61.27</td><td>74.00</td><td>-12.73</td><td>49.15</td><td>36.12</td><td>8.51</td><td>32.51</td><td>400 113 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5136.92	61.27	74.00	-12.73	49.15	36.12	8.51	32.51	400 113 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.83</td><td>-----</td><td>-----</td><td>91.60</td><td>36.09</td><td>8.59</td><td>32.45</td><td>400 113 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.83	-----	-----	91.60	36.09	8.59	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5136.92	61.27	74.00	-12.73	49.15	36.12	8.51	32.51	400 113 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	103.83	-----	-----	91.60	36.09	8.59	32.45	400 113 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>50.00</td><td>54.00</td><td>-4.00</td><td>37.84</td><td>36.11</td><td>8.54</td><td>32.49</td><td>400 113 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	50.00	54.00	-4.00	37.84	36.11	8.54	32.49	400 113 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.65</td><td>-----</td><td>-----</td><td>82.39</td><td>36.09</td><td>8.61</td><td>32.44</td><td>400 113 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.65	-----	-----	82.39	36.09	8.61	32.44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.94	50.00	54.00	-4.00	37.84	36.11	8.54	32.49	400 113 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	94.65	-----	-----	82.39	36.09	8.61	32.44	400 113 AVERAGE																																																																																



Mode	143									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④5210MHz									
ANT	CDD									
Pol.	Horizontal					Fundamental				
Peak	</									



Mode	143																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																																																																										
ANT	CDD																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak	 Date: 2024-01-07					 Date: 2024-01-07																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.89</td><td>58.45</td><td>74.00</td><td>-15.55</td><td>46.30</td><td>36.11</td><td>8.53</td><td>32.49</td><td>300</td><td>181 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.89	58.45	74.00	-15.55	46.30	36.11	8.53	32.49	300	181 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>101.76</td><td>-----</td><td>-----</td><td>89.40</td><td>36.07</td><td>8.68</td><td>32.39</td><td>300</td><td>181 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	101.76	-----	-----	89.40	36.07	8.68	32.39	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5148.89	58.45	74.00	-15.55	46.30	36.11	8.53	32.49	300	181 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	101.76	-----	-----	89.40	36.07	8.68	32.39	300	181 PEAK																																																																																	
Avg	 Date: 2024-01-07					 Date: 2024-01-07																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.52</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>34.92</td><td>36.11</td><td>8.53</td><td>32.49</td><td>300</td><td>181 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.52	47.07	54.00	-6.93	34.92	36.11	8.53	32.49	300	181 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.95</td><td>-----</td><td>-----</td><td>80.59</td><td>36.07</td><td>8.68</td><td>32.39</td><td>300</td><td>181 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.95	-----	-----	80.59	36.07	8.68	32.39	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.52	47.07	54.00	-6.93	34.92	36.11	8.53	32.49	300	181 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	92.95	-----	-----	80.59	36.07	8.68	32.39	300	181 AVERAGE																																																																																	







Mode	144	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ① 5290MHz	
ANT	CDD	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m)	





Mode	144									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ① 5290MHz									
ANT	CDD									
Pol.	Horizontal					Fundamental				
Peak										







		144																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																																																																										
ANT		CDD																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-01-07 					Level (dBuV/m) Date: 2024-01-07 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5058.58</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>40.32</td><td>36.16</td><td>8.37</td><td>32.62</td><td>343</td><td>186</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5058.58	52.23	74.00	-21.77	40.32	36.16	8.37	32.62	343	186	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>101.63</td><td>-----</td><td>88.70</td><td>36.01</td><td>9.18</td><td>32.26</td><td>343</td><td>186</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.63	-----	88.70	36.01	9.18	32.26	343	186
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5058.58	52.23	74.00	-21.77	40.32	36.16	8.37	32.62	343	186	PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	101.63	-----	88.70	36.01	9.18	32.26	343	186	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 					Level (dBuV/m) Date: 2024-01-07 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5058.29</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>30.15</td><td>36.17</td><td>8.37</td><td>32.62</td><td>343</td><td>186</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5058.29	42.07	54.00	-11.93	30.15	36.17	8.37	32.62	343	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.40</td><td>-----</td><td>80.47</td><td>36.01</td><td>9.18</td><td>32.26</td><td>343</td><td>186</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.40	-----	80.47	36.01	9.18	32.26	343	186
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5058.29	42.07	54.00	-11.93	30.15	36.17	8.37	32.62	343	186	AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	93.40	-----	80.47	36.01	9.18	32.26	343	186	AVERAGE																																																																																		



Mode	144																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ⓘ 5290MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-07  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.92</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>47.22</td><td>35.99</td><td>9.39</td><td>32.20</td><td>343 186 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.92	60.40	74.00	-13.60	47.22	35.99	9.39	32.20	343 186 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5353.92	60.40	74.00	-13.60	47.22	35.99	9.39	32.20	343 186 PEAK																																	
Avg	Date: 2024-01-07  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.94</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>37.02</td><td>35.99</td><td>9.39</td><td>32.20</td><td>343 186 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.94	50.20	54.00	-3.80	37.02	35.99	9.39	32.20	343 186 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.94	50.20	54.00	-3.80	37.02	35.99	9.39	32.20	343 186 AVERAGE																																	



		145																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M①5530MHz																																																																																																					
ANT		CDD																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.32</td><td>57.11</td><td>74.00</td><td>-16.89</td><td>43.58</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td>248 PEAK</td></tr><tr><td>2</td><td>5464.84</td><td>57.07</td><td>68.30</td><td>-11.23</td><td>43.51</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>248 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5444.32	57.11	74.00	-16.89	43.58	35.93	9.68	32.08	100	248 PEAK	2	5464.84	57.07	68.30	-11.23	43.51	35.92	9.69	32.05	100	248 PEAK	 Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>102.22</td><td>-----</td><td>-----</td><td>88.61</td><td>35.91</td><td>9.71</td><td>32.01</td><td>100</td><td>248 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.22	-----	-----	88.61	35.91	9.71	32.01	100	248 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5444.32	57.11	74.00	-16.89	43.58	35.93	9.68	32.08	100	248 PEAK																																																																																													
2	5464.84	57.07	68.30	-11.23	43.51	35.92	9.69	32.05	100	248 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5530.00	102.22	-----	-----	88.61	35.91	9.71	32.01	100	248 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.76</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>32.81</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td>248 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5445.76	46.34	54.00	-7.66	32.81	35.93	9.68	32.08	100	248 AVERAGE	 Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.56</td><td>-----</td><td>-----</td><td>80.93</td><td>35.93</td><td>9.72</td><td>32.02</td><td>100</td><td>248 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.56	-----	-----	80.93	35.93	9.72	32.02	100	248 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5445.76	46.34	54.00	-7.66	32.81	35.93	9.68	32.08	100	248 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5530.00	94.56	-----	-----	80.93	35.93	9.72	32.02	100	248 AVERAGE																																																																																													



Mode	145																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20MHz5530MHz																																										
ANT	CDD																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-01-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.57</td><td>52.48</td><td>68.30</td><td>-15.82</td><td>38.45</td><td>36.23</td><td>10.04</td><td>32.24</td><td>100</td><td>248 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5736.57	52.48	68.30	-15.82	38.45	36.23	10.04	32.24	100	248 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5736.57	52.48	68.30	-15.82	38.45	36.23	10.04	32.24	100	248 PEAK																																	



Mode	145																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M 5530MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5447.74</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>42.33</td><td>35.93</td><td>9.68</td><td>32.07</td><td>314 203 PEAK</td></tr><tr><td>2 5466.10</td><td>56.04</td><td>68.30</td><td>-12.26</td><td>42.48</td><td>35.92</td><td>9.69</td><td>32.05</td><td>314 203 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5447.74	55.87	74.00	-18.13	42.33	35.93	9.68	32.07	314 203 PEAK	2 5466.10	56.04	68.30	-12.26	42.48	35.92	9.69	32.05	314 203 PEAK	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5530.00</td><td>102.79</td><td>-----</td><td>-----</td><td>89.18</td><td>35.91</td><td>9.71</td><td>32.01</td><td>314 203 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5530.00	102.79	-----	-----	89.18	35.91	9.71	32.01	314 203 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																											
1 5447.74	55.87	74.00	-18.13	42.33	35.93	9.68	32.07	314 203 PEAK																																																																											
2 5466.10	56.04	68.30	-12.26	42.48	35.92	9.69	32.05	314 203 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																											
1 5530.00	102.79	-----	-----	89.18	35.91	9.71	32.01	314 203 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5449.18</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>31.99</td><td>35.93</td><td>9.68</td><td>32.07</td><td>314 203 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5449.18	45.53	54.00	-8.47	31.99	35.93	9.68	32.07	314 203 AVERAGE	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5530.00</td><td>94.15</td><td>-----</td><td>-----</td><td>80.53</td><td>35.92</td><td>9.71</td><td>32.01</td><td>314 203 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5530.00	94.15	-----	-----	80.53	35.92	9.71	32.01	314 203 AVERAGE									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																											
1 5449.18	45.53	54.00	-8.47	31.99	35.93	9.68	32.07	314 203 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																											
1 5530.00	94.15	-----	-----	80.53	35.92	9.71	32.01	314 203 AVERAGE																																																																											



Mode	145																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M①5530MHz																																										
ANT	CDD																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.52</td><td>52.36</td><td>68.30</td><td>-15.94</td><td>38.34</td><td>36.22</td><td>10.03</td><td>32.23</td><td>314</td><td>203 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5729.52	52.36	68.30	-15.94	38.34	36.22	10.03	32.23	314	203 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5729.52	52.36	68.30	-15.94	38.34	36.22	10.03	32.23	314	203 PEAK																																	



		146																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M①_5610MHz																																																																																												
ANT		CDD																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-08					Level (dBuV/m) Date: 2024-01-08																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5403.04	51.38	74.00	-22.62	37.92	35.96	9.64	32.14	391 118 PEAK	2	5469.08	52.46	68.30	-15.84	38.89	35.92	9.69	32.04	391 118 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>101.23</td><td>-----</td><td>-----</td><td>87.53</td><td>36.04</td><td>9.76</td><td>32.10</td><td>391 118 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5610.00	101.23	-----	-----	87.53	36.04	9.76	32.10
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	5403.04	51.38	74.00	-22.62	37.92	35.96	9.64	32.14	391 118 PEAK																																																																																					
2	5469.08	52.46	68.30	-15.84	38.89	35.92	9.69	32.04	391 118 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	5610.00	101.23	-----	-----	87.53	36.04	9.76	32.10	391 118 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-01-08					Level (dBuV/m) Date: 2024-01-08																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5459.46	43.04	54.00	-10.96	29.49	35.92	9.69	32.06	391 118 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>91.61</td><td>-----</td><td>-----</td><td>77.85</td><td>36.08</td><td>9.81</td><td>32.13</td><td>391 118 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5610.00	91.61	-----	-----	77.85	36.08	9.81	32.13	391 118 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	5459.46	43.04	54.00	-10.96	29.49	35.92	9.69	32.06	391 118 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	5610.00	91.61	-----	-----	77.85	36.08	9.81	32.13	391 118 AVERAGE																																																																																					







Mode	146																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M①_5610MHz																																																																
ANT	CDD																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5726.87</td><td>59.51</td><td>68.30</td><td>-8.79</td><td>45.50</td><td>36.22</td><td>10.02</td><td>32.23</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>391</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5726.87	59.51	68.30	-8.79	45.50	36.22	10.02	32.23									391									118									PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																									
1	5726.87	59.51	68.30	-8.79	45.50	36.22	10.02	32.23																																																									
								391																																																									
								118																																																									
								PEAK																																																									







Mode	146																																																			
	Band Edge - L																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M①_5610MHz																																																			
ANT	CDD																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2024-01-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5352.08</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>37.65</td><td>35.99</td><td>9.38</td><td>32.21</td><td>400</td><td>200 PEAK</td></tr><tr><td>2 5460.76</td><td>50.76</td><td>68.30</td><td>-17.54</td><td>37.20</td><td>35.92</td><td>9.69</td><td>32.05</td><td>400</td><td>200 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5352.08	50.81	74.00	-23.19	37.65	35.99	9.38	32.21	400	200 PEAK	2 5460.76	50.76	68.30	-17.54	37.20	35.92	9.69	32.05	400	200 PEAK	Level (dBuV/m) Date: 2024-01-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5610.00</td><td>102.70</td><td>-----</td><td>-----</td><td>89.01</td><td>36.03</td><td>9.75</td><td>32.09</td><td>400</td><td>200 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5610.00	102.70	-----	-----	89.01	36.03	9.75	32.09	400	200 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 5352.08	50.81	74.00	-23.19	37.65	35.99	9.38	32.21	400	200 PEAK																																											
2 5460.76	50.76	68.30	-17.54	37.20	35.92	9.69	32.05	400	200 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5610.00	102.70	-----	-----	89.01	36.03	9.75	32.09	400	200 PEAK																																											
Avg	Level (dBuV/m) Date: 2024-01-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5456.34</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>29.05</td><td>35.93</td><td>9.69</td><td>32.06</td><td>400</td><td>200 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5456.34	42.61	54.00	-11.39	29.05	35.93	9.69	32.06	400	200 AVERAGE	Level (dBuV/m) Date: 2024-01-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5610.00</td><td>92.93</td><td>-----</td><td>-----</td><td>79.19</td><td>36.06</td><td>9.79</td><td>32.11</td><td>400</td><td>200 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5610.00	92.93	-----	-----	79.19	36.06	9.79	32.11	400	200 AVERAGE										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5456.34	42.61	54.00	-11.39	29.05	35.93	9.69	32.06	400	200 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5610.00	92.93	-----	-----	79.19	36.06	9.79	32.11	400	200 AVERAGE																																											





		147																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M④5250MHz																																																																																										
ANT		CDD																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.00</td><td>64.55</td><td>74.00</td><td>-9.45</td><td>52.42</td><td>36.11</td><td>8.52</td><td>32.50</td><td>300</td><td>108</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5143.00	64.55	74.00	-9.45	52.42	36.11	8.52	32.50	300	108	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.15</td><td>-----</td><td>86.51</td><td>36.04</td><td>8.93</td><td>32.33</td><td>300</td><td>108</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.15	-----	86.51	36.04	8.93	32.33	300	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5143.00	64.55	74.00	-9.45	52.42	36.11	8.52	32.50	300	108	PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	99.15	-----	86.51	36.04	8.93	32.33	300	108	PEAK																																																																																		
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.50</td><td>51.54</td><td>54.00</td><td>-2.46</td><td>39.39</td><td>36.11</td><td>8.53</td><td>32.49</td><td>300</td><td>108</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.50	51.54	54.00	-2.46	39.39	36.11	8.53	32.49	300	108	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.29</td><td>-----</td><td>77.54</td><td>36.03</td><td>9.02</td><td>32.30</td><td>300</td><td>108</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.29	-----	77.54	36.03	9.02	32.30	300	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5147.50	51.54	54.00	-2.46	39.39	36.11	8.53	32.49	300	108	AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	90.29	-----	77.54	36.03	9.02	32.30	300	108	AVERAGE																																																																																		







		147																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M 5250MHz																																																																																																	
ANT		CDD																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5095.75</td><td>59.83</td><td>74.00</td><td>-14.17</td><td>47.82</td><td>36.14</td><td>8.44</td><td>32.57</td><td>280 186 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5095.75	59.83	74.00	-14.17	47.82	36.14	8.44	32.57	280 186 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.65</td><td>-----</td><td>-----</td><td>87.29</td><td>36.07</td><td>8.68</td><td>32.39</td><td>280 186 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.65	-----	-----	87.29	36.07	8.68	32.39
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5095.75	59.83	74.00	-14.17	47.82	36.14	8.44	32.57	280 186 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	99.65	-----	-----	87.29	36.07	8.68	32.39	280 186 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>34.43</td><td>36.11</td><td>8.54</td><td>32.49</td><td>280 186 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5150.00	46.59	54.00	-7.41	34.43	36.11	8.54	32.49	280 186 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.38</td><td>-----</td><td>-----</td><td>77.80</td><td>36.05</td><td>8.87</td><td>32.34</td><td>280 186 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.38	-----	-----	77.80	36.05	8.87	32.34
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5150.00	46.59	54.00	-7.41	34.43	36.11	8.54	32.49	280 186 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	90.38	-----	-----	77.80	36.05	8.87	32.34	280 186 AVERAGE																																																																																										





Mode	147																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40MHz①5250MHz																																																		
ANT	CDD																																																		
Pol.	Vertical					Fundamental																																													
Peak	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.21</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>43.09</td><td>35.99</td><td>9.39</td><td>32.20</td><td>280</td><td>186 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.21	56.27	74.00	-17.73	43.09	35.99	9.39	32.20	280	186 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5355.21	56.27	74.00	-17.73	43.09	35.99	9.39	32.20	280	186 PEAK																																									
Avg	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.26</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>30.23</td><td>35.99</td><td>9.40</td><td>32.20</td><td>280</td><td>186 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5356.26	43.42	54.00	-10.58	30.23	35.99	9.40	32.20	280	186 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5356.26	43.42	54.00	-10.58	30.23	35.99	9.40	32.20	280	186 AVERAGE																																									







Mode	148																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M① 5250MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	 Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.25</td><td>63.97</td><td>74.00</td><td>-10.03</td><td>51.88</td><td>36.12</td><td>8.49</td><td>32.52</td><td>100</td><td>251 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5127.25	63.97	74.00	-10.03	51.88	36.12	8.49	32.52	100	251 PEAK	 Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>101.51</td><td>-----</td><td>-----</td><td>88.93</td><td>36.05</td><td>8.87</td><td>32.34</td><td>100</td><td>251 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.51	-----	-----	88.93	36.05	8.87	32.34	100	251 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5127.25	63.97	74.00	-10.03	51.88	36.12	8.49	32.52	100	251 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	101.51	-----	-----	88.93	36.05	8.87	32.34	100	251 PEAK																																																																																		
Avg	 Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.50</td><td>50.18</td><td>54.00</td><td>-3.82</td><td>38.03</td><td>36.11</td><td>8.53</td><td>32.49</td><td>100</td><td>251 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.50	50.18	54.00	-3.82	38.03	36.11	8.53	32.49	100	251 AVERAGE	 Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>92.03</td><td>-----</td><td>-----</td><td>79.53</td><td>36.05</td><td>8.81</td><td>32.36</td><td>100</td><td>251 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	92.03	-----	-----	79.53	36.05	8.81	32.36	100	251 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5147.50	50.18	54.00	-3.82	38.03	36.11	8.53	32.49	100	251 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	92.03	-----	-----	79.53	36.05	8.81	32.36	100	251 AVERAGE																																																																																		



Mode	148																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M① 5250MHz																																																	
ANT	CDD																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Date: 2024-01-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.83</td><td>58.76</td><td>74.00</td><td>-15.24</td><td>45.56</td><td>35.98</td><td>9.42</td><td>32.20</td><td>100 251 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.83	58.76	74.00	-15.24	45.56	35.98	9.42	32.20	100 251 PEAK	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5359.83	58.76	74.00	-15.24	45.56	35.98	9.42	32.20	100 251 PEAK																																									
Avg	Date: 2024-01-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.41</td><td>48.09</td><td>54.00</td><td>-5.91</td><td>34.90</td><td>35.98</td><td>9.41</td><td>32.20</td><td>100 251 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.41	48.09	54.00	-5.91	34.90	35.98	9.41	32.20	100 251 AVERAGE	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5359.41	48.09	54.00	-5.91	34.90	35.98	9.41	32.20	100 251 AVERAGE																																									



Mode	148																																																																																		
	Band Edge - L																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M①_5250MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-01-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.00</td><td>65.07</td><td>74.00</td><td>-8.93</td><td>52.93</td><td>36.11</td><td>8.53</td><td>32.50</td><td>400</td><td>159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.00	65.07	74.00	-8.93	52.93	36.11	8.53	32.50	400	159 PEAK	Level (dBuV/m) Date: 2024-01-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>97.77</td><td>-----</td><td>85.06</td><td>36.03</td><td>8.99</td><td>32.31</td><td>400</td><td>159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.77	-----	85.06	36.03	8.99	32.31	400	159 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5145.00	65.07	74.00	-8.93	52.93	36.11	8.53	32.50	400	159 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5250.00	97.77	-----	85.06	36.03	8.99	32.31	400	159 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-01-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.25</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>36.97</td><td>36.11</td><td>8.53</td><td>32.49</td><td>400</td><td>159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.25	49.12	54.00	-4.88	36.97	36.11	8.53	32.49	400	159 AVERAGE	Level (dBuV/m) Date: 2024-01-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>87.70</td><td>-----</td><td>74.99</td><td>36.03</td><td>8.99</td><td>32.31</td><td>400</td><td>159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.70	-----	74.99	36.03	8.99	32.31	400	159 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5147.25	49.12	54.00	-4.88	36.97	36.11	8.53	32.49	400	159 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5250.00	87.70	-----	74.99	36.03	8.99	32.31	400	159 AVERAGE																																																																										



Mode	148																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M ⓘ 5250MHz																																										
ANT	CDD																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.39</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>41.43</td><td>35.98</td><td>9.45</td><td>32.19</td><td>400</td><td>159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5367.39	54.67	74.00	-19.33	41.43	35.98	9.45	32.19	400	159 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5367.39	54.67	74.00	-19.33	41.43	35.98	9.45	32.19	400	159 PEAK																																	
Avg	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.67</td><td>44.42</td><td>54.00</td><td>-9.58</td><td>31.22</td><td>35.98</td><td>9.42</td><td>32.20</td><td>400</td><td>159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5360.67	44.42	54.00	-9.58	31.22	35.98	9.42	32.20	400	159 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5360.67	44.42	54.00	-9.58	31.22	35.98	9.42	32.20	400	159 AVERAGE																																	



		149																		
Mode		Band Edge - L																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																		
ANT		CDD																		
Pol.	Horizontal										Fundamental									
Peak	Level (dBuV/m) Date: 2024-01-09 <																			



Mode	149																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																											
ANT	CDD																																											
Pol.	Horizontal	Fundamental																																										
Peak	Date: 2024-01-09 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.90</td><td>53.44</td><td>68.30</td><td>-14.86</td><td>39.42</td><td>36.22</td><td>10.03</td><td>32.23</td><td>103</td><td>208 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5729.90	53.44	68.30	-14.86	39.42	36.22	10.03	32.23	103	208 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5729.90	53.44	68.30	-14.86	39.42	36.22	10.03	32.23	103	208 PEAK																																		



		149																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																																																																		
ANT		CDD																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.74</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>42.76</td><td>35.93</td><td>9.68</td><td>32.07</td><td>350 196 PEAK</td></tr><tr><td>2</td><td>5467.26</td><td>59.07</td><td>68.30</td><td>-9.23</td><td>45.51</td><td>35.92</td><td>9.69</td><td>32.05</td><td>350 196 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.74	56.30	74.00	-17.70	42.76	35.93	9.68	32.07	350 196 PEAK	2	5467.26	59.07	68.30	-9.23	45.51	35.92	9.69	32.05	350 196 PEAK	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.97</td><td>-----</td><td>-----</td><td>86.30</td><td>35.98</td><td>9.74</td><td>32.05</td><td>350 196 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.97	-----	-----	86.30	35.98	9.74	32.05	350 196 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5452.74	56.30	74.00	-17.70	42.76	35.93	9.68	32.07	350 196 PEAK																																																																																											
2	5467.26	59.07	68.30	-9.23	45.51	35.92	9.69	32.05	350 196 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	99.97	-----	-----	86.30	35.98	9.74	32.05	350 196 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.06</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>36.02</td><td>35.93</td><td>9.68</td><td>32.06</td><td>350 196 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.06	49.57	54.00	-4.43	36.02	35.93	9.68	32.06	350 196 AVERAGE	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>90.48</td><td>-----</td><td>-----</td><td>76.81</td><td>36.00</td><td>9.74</td><td>32.07</td><td>350 196 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.48	-----	-----	76.81	36.00	9.74	32.07	350 196 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5454.06	49.57	54.00	-4.43	36.02	35.93	9.68	32.06	350 196 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	90.48	-----	-----	76.81	36.00	9.74	32.07	350 196 AVERAGE																																																																																											







Mode	149																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																								
ANT	CDD																																								
Pol.	Vertical	Fundamental																																							
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.25</td><td>52.33</td><td>68.30</td><td>-15.97</td><td>38.25</td><td>36.26</td><td>10.08</td><td>32.26</td><td>350</td><td>196 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5755.25	52.33	68.30	-15.97	38.25	36.26	10.08	32.26	350	196 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5755.25	52.33	68.30	-15.97	38.25	36.26	10.08	32.26	350	196 PEAK																															



Mode	150																																																																																									
	Band Edge - L																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①_5570MHz																																																																																									
ANT	CDD																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5456.48</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>40.30</td><td>35.93</td><td>9.69</td><td>32.06</td><td>300</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5464.62</td><td>57.54</td><td>68.30</td><td>-10.76</td><td>43.98</td><td>35.92</td><td>9.69</td><td>32.05</td><td>300</td><td>246</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5456.48	53.86	74.00	-20.14	40.30	35.93	9.69	32.06	300	246	PEAK	2	5464.62	57.54	68.30	-10.76	43.98	35.92	9.69	32.05	300	246	PEAK	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5570.00</td><td>97.72</td><td>-----</td><td>-----</td><td>84.05</td><td>35.98</td><td>9.74</td><td>32.05</td><td>300</td><td>246</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5570.00	97.72	-----	-----	84.05	35.98	9.74	32.05	300	246	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5456.48	53.86	74.00	-20.14	40.30	35.93	9.69	32.06	300	246	PEAK																																																																															
2	5464.62	57.54	68.30	-10.76	43.98	35.92	9.69	32.05	300	246	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5570.00	97.72	-----	-----	84.05	35.98	9.74	32.05	300	246	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5458.68</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>30.81</td><td>35.92</td><td>9.69</td><td>32.06</td><td>300</td><td>246</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5458.68	44.36	54.00	-9.64	30.81	35.92	9.69	32.06	300	246	AVERAGE	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5570.00</td><td>88.48</td><td>-----</td><td>-----</td><td>74.81</td><td>35.98</td><td>9.74</td><td>32.05</td><td>300</td><td>246</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5570.00	88.48	-----	-----	74.81	35.98	9.74	32.05	300	246	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5458.68	44.36	54.00	-9.64	30.81	35.92	9.69	32.06	300	246	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5570.00	88.48	-----	-----	74.81	35.98	9.74	32.05	300	246	AVERAGE																																																																															







Mode	150																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①_5570MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.12</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>46.10</td><td>35.92</td><td>9.69</td><td>32.06</td><td>400</td><td>154 PEAK</td></tr><tr><td>2 5467.70</td><td>57.28</td><td>68.30</td><td>-11.02</td><td>43.72</td><td>35.92</td><td>9.69</td><td>32.05</td><td>400</td><td>154 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.12	59.65	74.00	-14.35	46.10	35.92	9.69	32.06	400	154 PEAK	2 5467.70	57.28	68.30	-11.02	43.72	35.92	9.69	32.05	400	154 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>98.65</td><td>-----</td><td>-----</td><td>84.98</td><td>35.98</td><td>9.74</td><td>32.05</td><td>400</td><td>154 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	98.65	-----	-----	84.98	35.98	9.74	32.05	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5459.12	59.65	74.00	-14.35	46.10	35.92	9.69	32.06	400	154 PEAK																																																																																										
2 5467.70	57.28	68.30	-11.02	43.72	35.92	9.69	32.05	400	154 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5570.00	98.65	-----	-----	84.98	35.98	9.74	32.05	400	154 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5458.68</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>30.51</td><td>35.92</td><td>9.69</td><td>32.06</td><td>400</td><td>154 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.68	44.06	54.00	-9.94	30.51	35.92	9.69	32.06	400	154 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>88.55</td><td>-----</td><td>-----</td><td>74.88</td><td>35.98</td><td>9.74</td><td>32.05</td><td>400</td><td>154 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	88.55	-----	-----	74.88	35.98	9.74	32.05	400	154 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5458.68	44.06	54.00	-9.94	30.51	35.92	9.69	32.06	400	154 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5570.00	88.55	-----	-----	74.88	35.98	9.74	32.05	400	154 AVERAGE																																																																																										



Mode	150																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①_5570MHz																																														
ANT	CDD																																														
Pol.	Vertical	Fundamental																																													
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5725.42</td><td>66.95</td><td>68.30</td><td>-1.35</td><td>52.94</td><td>36.22</td><td>10.02</td><td>32.23</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>400</td><td>154 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5725.42	66.95	68.30	-1.35	52.94	36.22	10.02	32.23								400	154 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																							
1	5725.42	66.95	68.30	-1.35	52.94	36.22	10.02	32.23																																							
							400	154 PEAK																																							



		151																																																																																															
Mode		Band Edge - L																																																																																															
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M①5250MHz																																																																																															
ANT		CDD																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5129.25</td><td>61.99</td><td>74.00</td><td>-12.01</td><td>49.89</td><td>36.12</td><td>8.50</td><td>32.52</td><td>400</td><td>113</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5129.25	61.99	74.00	-12.01	49.89	36.12	8.50	32.52	400	113	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5250.00</td><td>100.39</td><td>-----</td><td>-----</td><td>87.85</td><td>36.05</td><td>8.84</td><td>32.35</td><td>400</td><td>113</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5250.00	100.39	-----	-----	87.85	36.05	8.84	32.35	400	113
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5129.25	61.99	74.00	-12.01	49.89	36.12	8.50	32.52	400	113	PEAK																																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	100.39	-----	-----	87.85	36.05	8.84	32.35	400	113	PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5141.25</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>38.44</td><td>36.12</td><td>8.52</td><td>32.50</td><td>400</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5141.25	50.58	54.00	-3.42	38.44	36.12	8.52	32.50	400	113	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5250.00</td><td>91.99</td><td>-----</td><td>-----</td><td>79.41</td><td>36.05</td><td>8.87</td><td>32.34</td><td>400</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5250.00	91.99	-----	-----	79.41	36.05	8.87	32.34	400	113
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5141.25	50.58	54.00	-3.42	38.44	36.12	8.52	32.50	400	113	AVERAGE																																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	91.99	-----	-----	79.41	36.05	8.87	32.34	400	113	AVERAGE																																																																																						





Mode	151																																																																	
	Band Edge - R																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M①5250MHz																																																																	
ANT	CDD																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	Date: 2024-01-09 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5365.50</td><td>57.26</td><td>74.00</td><td>-16.74</td><td>44.02</td><td>35.98</td><td>9.45</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>32.19</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5365.50	57.26	74.00	-16.74	44.02	35.98	9.45								32.19								400								113								PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																											
1	5365.50	57.26	74.00	-16.74	44.02	35.98	9.45																																																											
							32.19																																																											
							400																																																											
							113																																																											
							PEAK																																																											
Avg	Date: 2024-01-09 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5354.58</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>33.26</td><td>35.99</td><td>9.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>32.20</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5354.58	46.44	54.00	-7.56	33.26	35.99	9.39								32.20								400								113								AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																											
1	5354.58	46.44	54.00	-7.56	33.26	35.99	9.39																																																											
							32.20																																																											
							400																																																											
							113																																																											
							AVERAGE																																																											







Mode	151	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M①5250MHz	
ANT	CDD	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-01-09 <	



Mode	151																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M①5250MHz																																										
ANT	CDD																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5389.65</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>40.61</td><td>35.97</td><td>9.57</td><td>32.15</td><td>380</td><td>163 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5389.65	54.00	74.00	-20.00	40.61	35.97	9.57	32.15	380	163 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5389.65	54.00	74.00	-20.00	40.61	35.97	9.57	32.15	380	163 PEAK																																	
Avg	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.10</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>30.99</td><td>35.99</td><td>9.40</td><td>32.20</td><td>380</td><td>163 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.10	44.18	54.00	-9.82	30.99	35.99	9.40	32.20	380	163 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5357.10	44.18	54.00	-9.82	30.99	35.99	9.40	32.20	380	163 AVERAGE																																	



		152																																																																																
Mode		Band Edge - L																																																																																
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																																																																
ANT		CDD																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-09. A red limit line is at 70.0 dBuV/m. A blue trace shows the spectrum with a peak at 5120.25 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-09. A red limit line is at 70.0 dBuV/m. A blue trace shows the spectrum with a peak at 5250.00 MHz.																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5120.25	65.52	74.00	-8.48	53.44	36.13	8.48	32.53	100	249	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	101.58	-----	-----	88.94	36.04	8.93	32.33	100	249	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5120.25	65.52	74.00	-8.48	53.44	36.13	8.48	32.53	100	249	PEAK																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5250.00	101.58	-----	-----	88.94	36.04	8.93	32.33	100	249	PEAK																																																																								
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-09. A red limit line is at 52.5 dBuV/m. A blue trace shows the average spectrum with a peak at 5351.22 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-01-09. A red limit line is at 52.5 dBuV/m. A blue trace shows the average spectrum with a peak at 5250.00 MHz.																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.22	47.81	54.00	-6.19	34.66	35.99	9.37	32.21	100	249	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	92.42	-----	-----	79.96	36.06	8.77	32.37	100	249	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5351.22	47.81	54.00	-6.19	34.66	35.99	9.37	32.21	100	249	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5250.00	92.42	-----	-----	79.96	36.06	8.77	32.37	100	249	AVERAGE																																																																								



Mode	152																																																																	
	Band Edge - R																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20MHz5250MHz																																																																	
ANT	CDD																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	Date: 2024-01-09 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5356.05</td><td>62.06</td><td>74.00</td><td>-11.94</td><td>48.87</td><td>35.99</td><td>9.40</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>32.20</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>249</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5356.05	62.06	74.00	-11.94	48.87	35.99	9.40								32.20								100								249								PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																											
1	5356.05	62.06	74.00	-11.94	48.87	35.99	9.40																																																											
							32.20																																																											
							100																																																											
							249																																																											
							PEAK																																																											







		152												
Mode		Band Edge - L												
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz												
ANT		CDD												
Pol.		Vertical						Fundamental						
Peak	Level (dBuV/m) Date: 2024-01-09													



Mode	152																																	
	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																	
ANT	CDD																																	
Pol.	Vertical	Fundamental																																
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5385.45</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>38.32</td><td>35.97</td><td>9.55</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5385.45	51.68	74.00	-22.32	38.32	35.97	9.55	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5385.45	51.68	74.00	-22.32	38.32	35.97	9.55																											
Avg	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5351.43</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>31.48</td><td>35.99</td><td>9.37</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.43	44.63	54.00	-9.37	31.48	35.99	9.37	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5351.43	44.63	54.00	-9.37	31.48	35.99	9.37																											



		153																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M①5570MHz																																																																																																				
ANT		CDD																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2024-01-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>65.25</td><td>74.00</td><td>-8.75</td><td>51.70</td><td>35.92</td><td>9.69</td><td>32.06</td><td>100</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5462.42</td><td>59.47</td><td>68.30</td><td>-8.83</td><td>45.91</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>135</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.90	65.25	74.00	-8.75	51.70	35.92	9.69	32.06	100	135	PEAK	2	5462.42	59.47	68.30	-8.83	45.91	35.92	9.69	32.05	100	135	PEAK	Level (dBuV/m) Date: 2024-01-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>97.22</td><td>-----</td><td>-----</td><td>83.56</td><td>35.98</td><td>9.74</td><td>32.06</td><td>100</td><td>135</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	97.22	-----	-----	83.56	35.98	9.74	32.06	100	135	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5458.90	65.25	74.00	-8.75	51.70	35.92	9.69	32.06	100	135	PEAK																																																																																											
2	5462.42	59.47	68.30	-8.83	45.91	35.92	9.69	32.05	100	135	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	97.22	-----	-----	83.56	35.98	9.74	32.06	100	135	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.46</td><td>51.10</td><td>54.00</td><td>-2.90</td><td>37.55</td><td>35.92</td><td>9.69</td><td>32.06</td><td>100</td><td>135</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.46	51.10	54.00	-2.90	37.55	35.92	9.69	32.06	100	135	AVERAGE	Level (dBuV/m) Date: 2024-01-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>88.73</td><td>-----</td><td>-----</td><td>75.07</td><td>35.99</td><td>9.74</td><td>32.07</td><td>100</td><td>135</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	88.73	-----	-----	75.07	35.99	9.74	32.07	100	135	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5458.46	51.10	54.00	-2.90	37.55	35.92	9.69	32.06	100	135	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	88.73	-----	-----	75.07	35.99	9.74	32.07	100	135	AVERAGE																																																																																											



Mode	153																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M①5570MHz																																																									
ANT	CDD																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5727.76</td><td>65.40</td><td>68.30</td><td>-2.90</td><td>51.39</td><td>36.22</td><td>10.02</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.23</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>135</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5727.76	65.40	68.30	-2.90	51.39	36.22	10.02							32.23	100								135								PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																			
1	5727.76	65.40	68.30	-2.90	51.39	36.22	10.02																																																			
						32.23	100																																																			
							135																																																			
							PEAK																																																			



		153																																																																																																			
Mode			Band Edge - L																																																																																																		
			U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M①5570MHz																																																																																																		
ANT			CDD																																																																																																		
Pol.	Vertical										Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>5454.28</td><td>67.77</td><td>74.00</td><td>-6.23</td><td>54.22</td><td>35.93</td><td>9.68</td><td>32.06 400 181 PEAK</td></tr><tr><td>2</td><td>5469.90</td><td>66.94</td><td>68.30</td><td>-1.36</td><td>53.37</td><td>35.92</td><td>9.69</td><td>32.04 400 181 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	5454.28	67.77	74.00	-6.23	54.22	35.93	9.68	32.06 400 181 PEAK	2	5469.90	66.94	68.30	-1.36	53.37	35.92	9.69	32.04 400 181 PEAK	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>100.81</td><td>-----</td><td>-----</td><td>87.14</td><td>36.00</td><td>9.74</td><td>32.07 400 181 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	5570.00	100.81	-----	-----	87.14	36.00	9.74	32.07 400 181 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	5454.28	67.77	74.00	-6.23	54.22	35.93	9.68	32.06 400 181 PEAK																																																																																													
2	5469.90	66.94	68.30	-1.36	53.37	35.92	9.69	32.04 400 181 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	5570.00	100.81	-----	-----	87.14	36.00	9.74	32.07 400 181 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>5441.30</td><td>53.47</td><td>54.00</td><td>-0.53</td><td>39.93</td><td>35.94</td><td>9.68</td><td>32.08 400 181 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	5441.30	53.47	54.00	-0.53	39.93	35.94	9.68	32.08 400 181 AVERAGE	Level (dBuV/m) Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>90.99</td><td>-----</td><td>-----</td><td>77.32</td><td>36.00</td><td>9.74</td><td>32.07 400 181 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	5570.00	90.99	-----	-----	77.32	36.00	9.74	32.07 400 181 AVERAGE									
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	5441.30	53.47	54.00	-0.53	39.93	35.94	9.68	32.08 400 181 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																														
1	5570.00	90.99	-----	-----	77.32	36.00	9.74	32.07 400 181 AVERAGE																																																																																													



		154																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz 5570MHz																																																																																																		
ANT		CDD																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-01-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.56</td><td>64.86</td><td>74.00</td><td>-9.14</td><td>51.37</td><td>35.95</td><td>9.66</td><td>32.12</td><td>100 250 PEAK</td></tr><tr><td>2</td><td>5465.72</td><td>65.48</td><td>68.30</td><td>-2.82</td><td>51.92</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100 250 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5415.56	64.86	74.00	-9.14	51.37	35.95	9.66	32.12	100 250 PEAK	2	5465.72	65.48	68.30	-2.82	51.92	35.92	9.69	32.05	100 250 PEAK	Level (dBuV/m) Date: 2024-01-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.16</td><td>-----</td><td>86.49</td><td>35.98</td><td>9.74</td><td>32.05</td><td>100</td><td>250 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.16	-----	86.49	35.98	9.74	32.05	100	250 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5415.56	64.86	74.00	-9.14	51.37	35.95	9.66	32.12	100 250 PEAK																																																																																											
2	5465.72	65.48	68.30	-2.82	51.92	35.92	9.69	32.05	100 250 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	100.16	-----	86.49	35.98	9.74	32.05	100	250 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.68</td><td>52.55</td><td>54.00</td><td>-1.45</td><td>39.00</td><td>35.92</td><td>9.69</td><td>32.06</td><td>100 250 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.68	52.55	54.00	-1.45	39.00	35.92	9.69	32.06	100 250 AVERAGE	Level (dBuV/m) Date: 2024-01-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.03</td><td>-----</td><td>77.36</td><td>35.98</td><td>9.74</td><td>32.05</td><td>100</td><td>250 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.03	-----	77.36	35.98	9.74	32.05	100	250 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.68	52.55	54.00	-1.45	39.00	35.92	9.69	32.06	100 250 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	91.03	-----	77.36	35.98	9.74	32.05	100	250 AVERAGE																																																																																											



Mode	154																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz5570MHz																																									
ANT	CDD																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.87</td><td>61.48</td><td>68.30</td><td>-6.82</td><td>47.42</td><td>36.25</td><td>10.06</td><td>32.25</td><td>100</td><td>250</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5746.87	61.48	68.30	-6.82	47.42	36.25	10.06	32.25	100	250	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5746.87	61.48	68.30	-6.82	47.42	36.25	10.06	32.25	100	250	PEAK																															



		154																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M 5570MHz																																																																																												
ANT		CDD																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	Date: 2024-01-09					Date: 2024-01-09																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.56	65.79	74.00	-8.21	52.24	35.92	9.69	32.06	314 159 PEAK	2	5463.52	65.62	68.30	-2.68	52.06	35.92	9.69	32.05	314 159 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.19</td><td>-----</td><td>-----</td><td>85.50</td><td>36.02</td><td>9.75</td><td>32.08</td><td>314 159 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.19	-----	-----	85.50	36.02	9.75	32.08
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5459.56	65.79	74.00	-8.21	52.24	35.92	9.69	32.06	314 159 PEAK																																																																																					
2	5463.52	65.62	68.30	-2.68	52.06	35.92	9.69	32.05	314 159 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5570.00	99.19	-----	-----	85.50	36.02	9.75	32.08	314 159 PEAK																																																																																					
Avg	Date: 2024-01-09					Date: 2024-01-09																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.68	53.17	54.00	-0.83	39.62	35.92	9.69	32.06	314 159 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>90.16</td><td>-----</td><td>-----</td><td>76.47</td><td>36.02</td><td>9.75</td><td>32.08</td><td>314 159 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.16	-----	-----	76.47	36.02	9.75	32.08	314 159 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5458.68	53.17	54.00	-0.83	39.62	35.92	9.69	32.06	314 159 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5570.00	90.16	-----	-----	76.47	36.02	9.75	32.08	314 159 AVERAGE																																																																																					

Mode	154																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz @ 5570MHz																																																					
ANT	CDD																																																					
Pol.	Vertical					Fundamental																																																
Peak	Date: 2024-01-09 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 Frequency (MHz) 5570 5609 5648 5687 5726 5765 PART 15.407 1 <table><tr><th></th><th>Freq</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th></th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5736.34</td><td>58.55</td><td>68.30</td><td>-9.75</td><td>44.52</td><td>36.23</td><td>10.04</td><td>32.24</td><td>314</td><td>159 PEAK</td></tr></table>						Freq	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos			Level	Line	(dB)	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5736.34	58.55	68.30	-9.75	44.52	36.23	10.04	32.24	314	159 PEAK	Blank				
	Freq	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																													
	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																													
1	5736.34	58.55	68.30	-9.75	44.52	36.23	10.04	32.24	314	159 PEAK																																												



Mode	155																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M①_5775MHz																																																																																																																																		
ANT	CDD																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.28</td><td>52.28</td><td>68.30</td><td>-16.02</td><td>38.50</td><td>36.09</td><td>9.83</td><td>32.14</td><td>100</td><td>129</td><td>PEAK</td></tr><tr><td>2</td><td>5650.23</td><td>50.92</td><td>68.47</td><td>-17.55</td><td>37.10</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>129</td><td>PEAK</td></tr><tr><td>3</td><td>5700.98</td><td>52.49</td><td>105.47</td><td>-52.98</td><td>38.54</td><td>36.18</td><td>9.97</td><td>32.20</td><td>100</td><td>129</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>51.59</td><td>110.91</td><td>-59.32</td><td>37.59</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>129</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5637.28	52.28	68.30	-16.02	38.50	36.09	9.83	32.14	100	129	PEAK	2	5650.23	50.92	68.47	-17.55	37.10	36.11	9.86	32.15	100	129	PEAK	3	5700.98	52.49	105.47	-52.98	38.54	36.18	9.97	32.20	100	129	PEAK	4	5720.05	51.59	110.91	-59.32	37.59	36.21	10.01	32.22	100	129	PEAK	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>89.86</td><td>-----</td><td>-----</td><td>75.65</td><td>36.33</td><td>10.19</td><td>32.31</td><td>100</td><td>129</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	89.86	-----	-----	75.65	36.33	10.19	32.31	100	129	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5637.28	52.28	68.30	-16.02	38.50	36.09	9.83	32.14	100	129	PEAK																																																																																																																								
2	5650.23	50.92	68.47	-17.55	37.10	36.11	9.86	32.15	100	129	PEAK																																																																																																																								
3	5700.98	52.49	105.47	-52.98	38.54	36.18	9.97	32.20	100	129	PEAK																																																																																																																								
4	5720.05	51.59	110.91	-59.32	37.59	36.21	10.01	32.22	100	129	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	89.86	-----	-----	75.65	36.33	10.19	32.31	100	129	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>82.25</td><td>-----</td><td>-----</td><td>68.02</td><td>36.34</td><td>10.20</td><td>32.31</td><td>100</td><td>129</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	82.25	-----	-----	68.02	36.34	10.20	32.31	100	129	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	82.25	-----	-----	68.02	36.34	10.20	32.31	100	129	AVERAGE																																																																																																																								



Mode	155																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M①_5775MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.20</td><td>52.96</td><td>68.30</td><td>-15.34</td><td>39.20</td><td>36.08</td><td>9.81</td><td>32.13</td><td>226</td><td>176 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.47</td><td>68.60</td><td>-16.13</td><td>38.65</td><td>36.11</td><td>9.86</td><td>32.15</td><td>226</td><td>176 PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>60.61</td><td>105.42</td><td>-44.81</td><td>46.66</td><td>36.18</td><td>9.97</td><td>32.20</td><td>226</td><td>176 PEAK</td></tr><tr><td>4</td><td>5721.10</td><td>62.93</td><td>113.31</td><td>-50.38</td><td>48.93</td><td>36.21</td><td>10.01</td><td>32.22</td><td>226</td><td>176 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5625.20	52.96	68.30	-15.34	39.20	36.08	9.81	32.13	226	176 PEAK	2	5650.40	52.47	68.60	-16.13	38.65	36.11	9.86	32.15	226	176 PEAK	3	5700.80	60.61	105.42	-44.81	46.66	36.18	9.97	32.20	226	176 PEAK	4	5721.10	62.93	113.31	-50.38	48.93	36.21	10.01	32.22	226	176 PEAK	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.02</td><td>-----</td><td>-----</td><td>91.82</td><td>36.32</td><td>10.18</td><td>32.30</td><td>226</td><td>176 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.02	-----	-----	91.82	36.32	10.18	32.30	226	176 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5625.20	52.96	68.30	-15.34	39.20	36.08	9.81	32.13	226	176 PEAK																																																																																																																			
2	5650.40	52.47	68.60	-16.13	38.65	36.11	9.86	32.15	226	176 PEAK																																																																																																																			
3	5700.80	60.61	105.42	-44.81	46.66	36.18	9.97	32.20	226	176 PEAK																																																																																																																			
4	5721.10	62.93	113.31	-50.38	48.93	36.21	10.01	32.22	226	176 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	106.02	-----	-----	91.82	36.32	10.18	32.30	226	176 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.46</td><td>-----</td><td>-----</td><td>83.25</td><td>36.33</td><td>10.19</td><td>32.31</td><td>226</td><td>176 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.46	-----	-----	83.25	36.33	10.19	32.31	226	176 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	97.46	-----	-----	83.25	36.33	10.19	32.31	226	176 AVERAGE																																																																																																																			



Mode	155																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M①_5775MHz																																																																											
ANT	CDD																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>53.86</td><td>110.86</td><td>-57.00</td><td>39.52</td><td>36.40</td><td>10.29</td><td>32.35</td><td>226</td><td>176 PEAK</td></tr><tr><td>2</td><td>5865.48</td><td>62.59</td><td>107.86</td><td>-45.27</td><td>48.24</td><td>36.41</td><td>10.31</td><td>32.37</td><td>226</td><td>176 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>52.46</td><td>68.32</td><td>-15.86</td><td>37.95</td><td>36.49</td><td>10.44</td><td>32.42</td><td>226</td><td>176 PEAK</td></tr><tr><td>4</td><td>5934.60</td><td>54.26</td><td>68.30</td><td>-14.04</td><td>39.72</td><td>36.51</td><td>10.46</td><td>32.43</td><td>226</td><td>176 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	53.86	110.86	-57.00	39.52	36.40	10.29	32.35	226	176 PEAK	2	5865.48	62.59	107.86	-45.27	48.24	36.41	10.31	32.37	226	176 PEAK	3	5924.98	52.46	68.32	-15.86	37.95	36.49	10.44	32.42	226	176 PEAK	4	5934.60	54.26	68.30	-14.04	39.72	36.51	10.46	32.43	226	176 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	53.86	110.86	-57.00	39.52	36.40	10.29	32.35	226	176 PEAK																																																																		
2	5865.48	62.59	107.86	-45.27	48.24	36.41	10.31	32.37	226	176 PEAK																																																																		
3	5924.98	52.46	68.32	-15.86	37.95	36.49	10.44	32.42	226	176 PEAK																																																																		
4	5934.60	54.26	68.30	-14.04	39.72	36.51	10.46	32.43	226	176 PEAK																																																																		



Mode	156										
	Band Edge - L										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M④5775MHz										
ANT	CDD										
Pol.	Horizontal						Fundamental				
Peak											



Mode	156																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M④5775MHz																																																																																																																																
ANT	CDD																																																																																																																																
Pol.	Vertical					Fundamental																																																																																																																											
Peak	Level (dBuV/m) Date: 2024-01-12 PEAK_BE(BA)_10-24 Frequency (MHz)					Level (dBuV/m) Date: 2024-01-12 PART 15.407 Frequency (MHz)																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.85</td><td>52.61</td><td>68.30</td><td>-15.69</td><td>38.82</td><td>36.09</td><td>9.84</td><td>32.14</td><td>200</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>52.03</td><td>68.86</td><td>-16.83</td><td>38.21</td><td>36.11</td><td>9.86</td><td>32.15</td><td>200</td><td>210</td><td>PEAK</td></tr><tr><td>3</td><td>5705.70</td><td>55.54</td><td>106.80</td><td>-51.26</td><td>41.58</td><td>36.19</td><td>9.98</td><td>32.21</td><td>200</td><td>210</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>55.61</td><td>111.31</td><td>-55.70</td><td>41.61</td><td>36.21</td><td>10.01</td><td>32.22</td><td>200</td><td>210</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5638.85	52.61	68.30	-15.69	38.82	36.09	9.84	32.14	200	210	PEAK	2	5650.75	52.03	68.86	-16.83	38.21	36.11	9.86	32.15	200	210	PEAK	3	5705.70	55.54	106.80	-51.26	41.58	36.19	9.98	32.21	200	210	PEAK	4	5720.23	55.61	111.31	-55.70	41.61	36.21	10.01	32.22	200	210	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>99.97</td><td>-----</td><td>-----</td><td>85.82</td><td>36.29</td><td>10.14</td><td>32.28</td><td>200</td><td>210</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	99.97	-----	-----	85.82	36.29	10.14	32.28	200	210
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5638.85	52.61	68.30	-15.69	38.82	36.09	9.84	32.14	200	210	PEAK																																																																																																																						
2	5650.75	52.03	68.86	-16.83	38.21	36.11	9.86	32.15	200	210	PEAK																																																																																																																						
3	5705.70	55.54	106.80	-51.26	41.58	36.19	9.98	32.21	200	210	PEAK																																																																																																																						
4	5720.23	55.61	111.31	-55.70	41.61	36.21	10.01	32.22	200	210	PEAK																																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5775.00	99.97	-----	-----	85.82	36.29	10.14	32.28	200	210	PEAK																																																																																																																						
Avg	Blank					Level (dBuV/m) Date: 2024-01-12 PART 15.407 AVG Frequency (MHz)					<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.88</td><td>-----</td><td>-----</td><td>76.72</td><td>36.30</td><td>10.15</td><td>32.29</td><td>200</td><td>210</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.88	-----	-----	76.72	36.30	10.15	32.29	200	210	AVERAGE																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5775.00	90.88	-----	-----	76.72	36.30	10.15	32.29	200	210	AVERAGE																																																																																																																						



Mode	57										
	Band Edge - L										
	U-NII-3_5.47-5.725-3_802.11be EHT80_CH138_Puncturing 20M①_5690MHz										
ANT	CDD										
Pol.	Horizontal					Fundamental					
Peak	Blank					Data: 1 Level (dBuV/m) <					



Mode	157										
	Band Edge - L										
	U-NII-3_5.47-5.725-3_802.11be EHT80_CH138_Puncturing 20M①_5690MHz										
ANT	CDD										
Pol.	Vertical					Fundamental					
Peak	Blank					Data: 3 Level (dBuV/m) <					



Mode	158																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																																																											
ANT	CDD																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.75</td><td>59.82</td><td>74.00</td><td>-14.18</td><td>47.69</td><td>36.11</td><td>8.52</td><td>32.50</td><td>100 101 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5141.75	59.82	74.00	-14.18	47.69	36.11	8.52	32.50	100 101 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>104.72</td><td>-----</td><td>-----</td><td>92.40</td><td>36.07</td><td>8.65</td><td>32.40</td><td>100 101 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	104.72	-----	-----	92.40	36.07	8.65	32.40	100 101 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5141.75	59.82	74.00	-14.18	47.69	36.11	8.52	32.50	100 101 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5210.00	104.72	-----	-----	92.40	36.07	8.65	32.40	100 101 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.64</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>36.70</td><td>36.11</td><td>8.52</td><td>32.50</td><td>100 101 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5143.64	48.83	54.00	-5.17	36.70	36.11	8.52	32.50	100 101 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.99</td><td>-----</td><td>-----</td><td>83.68</td><td>36.08</td><td>8.64</td><td>32.41</td><td>100 101 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	95.99	-----	-----	83.68	36.08	8.64	32.41	100 101 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5143.64	48.83	54.00	-5.17	36.70	36.11	8.52	32.50	100 101 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5210.00	95.99	-----	-----	83.68	36.08	8.64	32.41	100 101 AVERAGE																																																																			



Mode	158																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																																
ANT	CDD																																																
Pol.	Horizontal						Fundamental																																										
Peak	Date: 2024-01-07 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>50.82</td><td>68.30</td><td>-17.48</td><td>37.27</td><td>35.92</td><td>9.69</td><td>32.06</td><td>100</td><td>101</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	50.82	68.30	-17.48	37.27	35.92	9.69	32.06	100	101	PEAK	Blank					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5460.00	50.82	68.30	-17.48	37.27	35.92	9.69	32.06	100	101	PEAK																																						
Avg	Date: 2024-01-07 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.50</td><td>41.92</td><td>54.00</td><td>-12.08</td><td>28.37</td><td>35.92</td><td>9.69</td><td>32.06</td><td>100</td><td>101</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.50	41.92	54.00	-12.08	28.37	35.92	9.69	32.06	100	101	AVERAGE	Blank					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5458.50	41.92	54.00	-12.08	28.37	35.92	9.69	32.06	100	101	AVERAGE																																						







Mode	158																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.73</td><td>60.06</td><td>74.00</td><td>-13.94</td><td>47.90</td><td>36.11</td><td>8.54</td><td>32.49</td><td>295 184 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.73	60.06	74.00	-13.94	47.90	36.11	8.54	32.49	295 184 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>101.26</td><td>-----</td><td>-----</td><td>89.04</td><td>36.09</td><td>8.58</td><td>32.45</td><td>295 184 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	101.26	-----	-----	89.04	36.09	8.58	32.45	295 184 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.73	60.06	74.00	-13.94	47.90	36.11	8.54	32.49	295 184 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5210.00	101.26	-----	-----	89.04	36.09	8.58	32.45	295 184 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.10</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>37.23</td><td>36.11</td><td>8.53</td><td>32.49</td><td>295 184 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.10	49.38	54.00	-4.62	37.23	36.11	8.53	32.49	295 184 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>91.84</td><td>-----</td><td>-----</td><td>79.52</td><td>36.07</td><td>8.65</td><td>32.40</td><td>295 184 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	91.84	-----	-----	79.52	36.07	8.65	32.40	295 184 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.10	49.38	54.00	-4.62	37.23	36.11	8.53	32.49	295 184 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5210.00	91.84	-----	-----	79.52	36.07	8.65	32.40	295 184 AVERAGE																																																																		



Mode	158									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242④5210MHz									
ANT	CDD									
Pol.	Vertical					Fundamental				
Peak										



		159																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242①_5290MHz																																																																																												
ANT		CDD																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-08  500050585116517452325290 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.75</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>40.16</td><td>36.12</td><td>8.51</td><td>32.51</td><td>100</td><td>103 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5137.75	52.28	74.00	-21.72	40.16	36.12	8.51	32.51	100	103 PEAK	Level (dBuV/m) Date: 2024-01-08  100022003400460058007000 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>102.34</td><td>-----</td><td>-----</td><td>89.44</td><td>36.02</td><td>9.15</td><td>32.27</td><td>100</td><td>103 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.34	-----	-----	89.44	36.02	9.15	32.27	100	103 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5137.75	52.28	74.00	-21.72	40.16	36.12	8.51	32.51	100	103 PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5290.00	102.34	-----	-----	89.44	36.02	9.15	32.27	100	103 PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2024-01-08  500050585116517452325290 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.33</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>30.98</td><td>36.12</td><td>8.51</td><td>32.51</td><td>100</td><td>103 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5138.33	43.10	54.00	-10.90	30.98	36.12	8.51	32.51	100	103 AVERAGE	Level (dBuV/m) Date: 2024-01-08  100022003400460058007000 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>93.96</td><td>-----</td><td>-----</td><td>81.06</td><td>36.02</td><td>9.15</td><td>32.27</td><td>100</td><td>103 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.96	-----	-----	81.06	36.02	9.15	32.27	100	103 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5138.33	43.10	54.00	-10.90	30.98	36.12	8.51	32.51	100	103 AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5290.00	93.96	-----	-----	81.06	36.02	9.15	32.27	100	103 AVERAGE																																																																																				



Mode	159																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242①_5290MHz																																										
ANT	CDD																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-01-08 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.05</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>44.26</td><td>35.99</td><td>9.38</td><td>32.21</td><td>100</td><td>103 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.05	57.42	74.00	-16.58	44.26	35.99	9.38	32.21	100	103 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5352.05	57.42	74.00	-16.58	44.26	35.99	9.38	32.21	100	103 PEAK																																	
Avg	Date: 2024-01-08 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.37</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>36.42</td><td>35.99</td><td>9.37</td><td>32.21</td><td>100</td><td>103 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.37	49.57	54.00	-4.43	36.42	35.99	9.37	32.21	100	103 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.37	49.57	54.00	-4.43	36.42	35.99	9.37	32.21	100	103 AVERAGE																																	