







		159																																																																																				
Mode		Band Edge - L																																																																																				
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242①_5290MHz																																																																																				
ANT		CDD																																																																																				
Pol.		Vertical					Fundamental																																																																															
Peak																																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5040.89	51.89	74.00	-22.11	40.02	36.18	8.33	32.64	368	192 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.01</td><td>-----</td><td>-----</td><td>85.08</td><td>36.01</td><td>9.18</td><td>32.26</td><td>368</td><td>192 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.01	-----	-----	85.08	36.01	9.18	32.26	368
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5040.89	51.89	74.00	-22.11	40.02	36.18	8.33	32.64	368	192 PEAK																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5290.00	98.01	-----	-----	85.08	36.01	9.18	32.26	368	192 PEAK																																																																												
Avg																																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5067.57	42.63	54.00	-11.37	30.70	36.16	8.38	32.61	368	192 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.09</td><td>-----</td><td>-----</td><td>75.41</td><td>36.04</td><td>8.96</td><td>32.32</td><td>368</td><td>192 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.09	-----	-----	75.41	36.04	8.96	32.32	368
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5067.57	42.63	54.00	-11.37	30.70	36.16	8.38	32.61	368	192 AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5290.00	88.09	-----	-----	75.41	36.04	8.96	32.32	368	192 AVERAGE																																																																												



Mode	159									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242①_5290MHz									
ANT	CDD									
Pol.	Vertical					Fundamental				
Peak	</									







		160																																																													
Mode		Band Edge - L																																																													
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④5530MHz																																																													
ANT		CDD																																																													
Pol.		Horizontal					Fundamental																																																								
Peak	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5445.94</td><td>57.69</td><td>74.00</td><td>-16.31</td><td>44.16</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td>212 PEAK</td></tr><tr><td>2</td><td>5466.82</td><td>57.38</td><td>68.30</td><td>-10.92</td><td>43.82</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>212 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5445.94	57.69	74.00	-16.31	44.16	35.93	9.68	32.08	100	212 PEAK	2	5466.82	57.38	68.30	-10.92	43.82	35.92	9.69	32.05	100	212 PEAK	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5530.00</td><td>102.32</td><td>-----</td><td>-----</td><td>88.67</td><td>35.97</td><td>9.73</td><td>32.05</td><td>100</td><td>212 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5530.00	102.32	-----	-----	88.67	35.97	9.73	32.05	100	212 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																					
1	5445.94	57.69	74.00	-16.31	44.16	35.93	9.68	32.08	100	212 PEAK																																																					
2	5466.82	57.38	68.30	-10.92	43.82	35.92	9.69	32.05	100	212 PEAK																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5530.00	102.32	-----	-----	88.67	35.97	9.73	32.05	100	212 PEAK																																																					
Avg	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5446.48</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>32.36</td><td>35.93</td><td>9.68</td><td>32.07</td><td>100</td><td>212 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5446.48	45.90	54.00	-8.10	32.36	35.93	9.68	32.07	100	212 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5530.00</td><td>93.33</td><td>-----</td><td>-----</td><td>79.72</td><td>35.91</td><td>9.71</td><td>32.01</td><td>100</td><td>212 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5530.00	93.33	-----	-----	79.72	35.91	9.71	32.01	100	212 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																					
1	5446.48	45.90	54.00	-8.10	32.36	35.93	9.68	32.07	100	212 AVERAGE																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5530.00	93.33	-----	-----	79.72	35.91	9.71	32.01	100	212 AVERAGE																																																					



Mode	160																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④5530MHz																																									
ANT	CDD																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.17</td><td>53.00</td><td>68.30</td><td>-15.30</td><td>38.99</td><td>36.22</td><td>10.02</td><td>32.23</td><td>100</td><td>212</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.17	53.00	68.30	-15.30	38.99	36.22	10.02	32.23	100	212	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5727.17	53.00	68.30	-15.30	38.99	36.22	10.02	32.23	100	212	PEAK																															



		160																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④ 5530MHz																																																																																											
ANT		CDD																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak																																																																																													
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5447.20	57.49	74.00	-16.51	43.95	35.93	9.68	32.07	315	201 PEAK	2	5466.82	58.24	68.30	-10.06	44.68	35.92	9.69	32.05	315	201 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>102.87</td><td>-----</td><td>-----</td><td>89.22</td><td>35.97</td><td>9.73</td><td>32.05</td><td>315</td><td>201 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.87	-----	-----	89.22	35.97	9.73	32.05	315
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5447.20	57.49	74.00	-16.51	43.95	35.93	9.68	32.07	315	201 PEAK																																																																																			
2	5466.82	58.24	68.30	-10.06	44.68	35.92	9.69	32.05	315	201 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	102.87	-----	-----	89.22	35.97	9.73	32.05	315	201 PEAK																																																																																			
Avg																																																																																													
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5449.00	46.20	54.00	-7.80	32.66	35.93	9.68	32.07	315	201 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.01</td><td>-----</td><td>-----</td><td>80.39</td><td>35.92</td><td>9.71</td><td>32.01</td><td>315</td><td>201 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.01	-----	-----	80.39	35.92	9.71	32.01	315	201 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5449.00	46.20	54.00	-7.80	32.66	35.93	9.68	32.07	315	201 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	94.01	-----	-----	80.39	35.92	9.71	32.01	315	201 AVERAGE																																																																																			

Mode	160																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④ 5530MHz																																										
ANT	CDD																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2024-01-07 <table><tr><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin (dB)</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5761.24</td><td>52.50</td><td>68.30</td><td>-15.80</td><td>38.40</td><td>36.27</td><td>10.09</td><td>32.26</td><td>315</td><td>201</td><td>PEAK</td></tr></table>					Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamplifier	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5761.24	52.50	68.30	-15.80	38.40	36.27	10.09	32.26	315	201	PEAK	Blank				
Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamplifier	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1 5761.24	52.50	68.30	-15.80	38.40	36.27	10.09	32.26	315	201	PEAK																																	



Mode	161																																																																										
	Band Edge - L																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242① 5610MHz																																																																										
ANT	CDD																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.52</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>37.57</td><td>35.95</td><td>9.66</td><td>32.12</td><td>101</td><td>111 PEAK</td></tr><tr><td>2</td><td>5461.28</td><td>52.29</td><td>68.30</td><td>-16.01</td><td>38.73</td><td>35.92</td><td>9.69</td><td>32.05</td><td>101</td><td>111 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5415.52	51.06	74.00	-22.94	37.57	35.95	9.66	32.12	101	111 PEAK	2	5461.28	52.29	68.30	-16.01	38.73	35.92	9.69	32.05	101	111 PEAK	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.91</td><td>-----</td><td>-----</td><td>89.09</td><td>36.11</td><td>9.86</td><td>32.15</td><td>101</td><td>111 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5610.00	102.91	-----	-----	89.09	36.11	9.86	32.15	101	111 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5415.52	51.06	74.00	-22.94	37.57	35.95	9.66	32.12	101	111 PEAK																																																																	
2	5461.28	52.29	68.30	-16.01	38.73	35.92	9.69	32.05	101	111 PEAK																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5610.00	102.91	-----	-----	89.09	36.11	9.86	32.15	101	111 PEAK																																																																	
Avg	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.86</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>29.91</td><td>35.93</td><td>9.69</td><td>32.06</td><td>101</td><td>111 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5456.86	43.47	54.00	-10.53	29.91	35.93	9.69	32.06	101	111 AVERAGE	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.75</td><td>-----</td><td>-----</td><td>80.99</td><td>36.08</td><td>9.81</td><td>32.13</td><td>101</td><td>111 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5610.00	94.75	-----	-----	80.99	36.08	9.81	32.13	101	111 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5456.86	43.47	54.00	-10.53	29.91	35.93	9.69	32.06	101	111 AVERAGE																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5610.00	94.75	-----	-----	80.99	36.08	9.81	32.13	101	111 AVERAGE																																																																	



Mode	161																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242①_5610MHz																																								
ANT	CDD																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2024-01-08 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.94</td><td>54.01</td><td>68.30</td><td>-14.29</td><td>40.00</td><td>36.22</td><td>10.02</td><td>32.23</td><td>101</td><td>111</td><td>PEAK</td></tr></tbody></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.94	54.01	68.30	-14.29	40.00	36.22	10.02	32.23	101	111	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5725.94	54.01	68.30	-14.29	40.00	36.22	10.02	32.23	101	111	PEAK																														







		161																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242① 5610MHz																																																																																												
ANT		CDD																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	Date: 2024-01-08					Date: 2024-01-08																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5410.06	50.03	74.00	-23.97	36.55	35.95	9.66	32.13	113	283 PEAK	2 5466.74	49.35	68.30	-18.95	35.79	35.92	9.69	32.05	113	283 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>87.48</td><td>-----</td><td>-----</td><td>73.79</td><td>36.03</td><td>9.75</td><td>32.09</td><td>113</td><td>283 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	87.48	-----	-----	73.79	36.03	9.75	32.09	113
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5410.06	50.03	74.00	-23.97	36.55	35.95	9.66	32.13	113	283 PEAK																																																																																					
2 5466.74	49.35	68.30	-18.95	35.79	35.92	9.69	32.05	113	283 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5610.00	87.48	-----	-----	73.79	36.03	9.75	32.09	113	283 PEAK																																																																																					
Avg	Date: 2024-01-08					Date: 2024-01-08																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5446.20	42.64	54.00	-11.36	29.11	35.93	9.68	32.08	113	283 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>80.12</td><td>-----</td><td>-----</td><td>66.43</td><td>36.03</td><td>9.75</td><td>32.09</td><td>113</td><td>283 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	80.12	-----	-----	66.43	36.03	9.75	32.09	113	283 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5446.20	42.64	54.00	-11.36	29.11	35.93	9.68	32.08	113	283 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5610.00	80.12	-----	-----	66.43	36.03	9.75	32.09	113	283 AVERAGE																																																																																					



Mode	161																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242①_5610MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.89</td><td>53.47</td><td>68.30</td><td>-14.83</td><td>39.38</td><td>36.26</td><td>10.09</td><td>32.26</td><td>113</td><td>283</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5759.89	53.47	68.30	-14.83	39.38	36.26	10.09	32.26	113	283	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5759.89	53.47	68.30	-14.83	39.38	36.26	10.09	32.26	113	283	PEAK																															







		162																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																																																																		
ANT		CDD																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak																																																																																				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5148.75	59.70	74.00	-14.30	47.55	36.11	8.53	32.49	400	118 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>99.74</td><td>-----</td><td>-----</td><td>87.06</td><td>36.04</td><td>8.96</td><td>32.32</td><td>400</td><td>118 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	99.74	-----	-----	87.06	36.04	8.96	32.32	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5148.75	59.70	74.00	-14.30	47.55	36.11	8.53	32.49	400	118 PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5250.00	99.74	-----	-----	87.06	36.04	8.96	32.32	400	118 PEAK																																																																											
Avg																																																																																				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5150.00	48.49	54.00	-5.51	36.33	36.11	8.54	32.49	400	118 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>91.06</td><td>-----</td><td>-----</td><td>78.42</td><td>36.04</td><td>8.93</td><td>32.33</td><td>400</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	91.06	-----	-----	78.42	36.04	8.93	32.33	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5150.00	48.49	54.00	-5.51	36.33	36.11	8.54	32.49	400	118 AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5250.00	91.06	-----	-----	78.42	36.04	8.93	32.33	400	118 AVERAGE																																																																											



Mode	162																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																										
ANT	CDD																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-01-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.78</td><td>58.17</td><td>74.00</td><td>-15.83</td><td>44.98</td><td>35.98</td><td>9.41</td><td>32.20</td><td>400</td><td>118 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.78	58.17	74.00	-15.83	44.98	35.98	9.41	32.20	400	118 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5358.78	58.17	74.00	-15.83	44.98	35.98	9.41	32.20	400	118 PEAK																																	
Avg	Date: 2024-01-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.15</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>34.20</td><td>35.99</td><td>9.41</td><td>32.20</td><td>400</td><td>118 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.15	47.40	54.00	-6.60	34.20	35.99	9.41	32.20	400	118 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5358.15	47.40	54.00	-6.60	34.20	35.99	9.41	32.20	400	118 AVERAGE																																	



Mode	162																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-01-07  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5143.50</td><td>55.82</td><td>74.00</td><td>-18.18</td><td>43.69</td><td>36.11</td><td>8.52</td><td>32.50</td><td>326</td><td>176 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5143.50	55.82	74.00	-18.18	43.69	36.11	8.52	32.50	326	176 PEAK	Level (dBuV/m) Date: 2024-01-07  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5250.00</td><td>98.49</td><td>-----</td><td>-----</td><td>85.89</td><td>36.04</td><td>8.90</td><td>32.34</td><td>326</td><td>176 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5250.00	98.49	-----	-----	85.89	36.04	8.90	32.34	326	176 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5143.50	55.82	74.00	-18.18	43.69	36.11	8.52	32.50	326	176 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5250.00	98.49	-----	-----	85.89	36.04	8.90	32.34	326	176 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-01-07  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5147.00</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>31.33</td><td>36.11</td><td>8.53</td><td>32.49</td><td>326</td><td>176 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5147.00	43.48	54.00	-10.52	31.33	36.11	8.53	32.49	326	176 AVERAGE	Level (dBuV/m) Date: 2024-01-07  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5250.00</td><td>88.43</td><td>-----</td><td>-----</td><td>76.01</td><td>36.06</td><td>8.74</td><td>32.38</td><td>326</td><td>176 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5250.00	88.43	-----	-----	76.01	36.06	8.74	32.38	326	176 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5147.00	43.48	54.00	-10.52	31.33	36.11	8.53	32.49	326	176 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5250.00	88.43	-----	-----	76.01	36.06	8.74	32.38	326	176 AVERAGE																																	





Mode	162																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																									
ANT	CDD																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-01-07 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.09</td><td>58.62</td><td>74.00</td><td>-15.38</td><td>45.41</td><td>35.98</td><td>9.42</td><td>32.19</td><td>326 176 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.09	58.62	74.00	-15.38	45.41	35.98	9.42	32.19	326 176 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5361.09	58.62	74.00	-15.38	45.41	35.98	9.42	32.19	326 176 PEAK																																	
Avg	Date: 2024-01-07 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.16</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>35.83</td><td>35.99</td><td>9.39</td><td>32.20</td><td>326 176 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.16	49.01	54.00	-4.99	35.83	35.99	9.39	32.20	326 176 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.16	49.01	54.00	-4.99	35.83	35.99	9.39	32.20	326 176 AVERAGE																																	







		163																																																																																																										
Mode		Band Edge - L																																																																																																										
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484①_5250MHz																																																																																																										
ANT		CDD																																																																																																										
Pol.	Horizontal										Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5147.50</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>44.62</td><td>36.11</td><td>8.53</td><td>32.49</td><td>106</td><td>98</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 5147.50	56.77	74.00	-17.23	44.62	36.11	8.53	32.49	106	98	PEAK	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5250.00</td><td>101.08</td><td>-----</td><td>-----</td><td>88.54</td><td>36.05</td><td>8.84</td><td>32.35</td><td>106</td><td>98</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 5250.00	101.08	-----	-----	88.54	36.05	8.84	32.35	106	98	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5147.50	56.77	74.00	-17.23	44.62	36.11	8.53	32.49	106	98	PEAK																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5250.00	101.08	-----	-----	88.54	36.05	8.84	32.35	106	98	PEAK																																																																																																		
Avg	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5148.50</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>32.65</td><td>36.11</td><td>8.53</td><td>32.49</td><td>106</td><td>98</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 5148.50	44.80	54.00	-9.20	32.65	36.11	8.53	32.49	106	98	AVERAGE	Level (dBuV/m) Date: 2024-01-08 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5250.00</td><td>92.83</td><td>-----</td><td>-----</td><td>80.29</td><td>36.05</td><td>8.84</td><td>32.35</td><td>106</td><td>98</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 5250.00	92.83	-----	-----	80.29	36.05	8.84	32.35	106	98	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5148.50	44.80	54.00	-9.20	32.65	36.11	8.53	32.49	106	98	AVERAGE																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5250.00	92.83	-----	-----	80.29	36.05	8.84	32.35	106	98	AVERAGE																																																																																																		



Mode	163																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484① 5250MHz																																										
ANT	CDD																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.53</td><td>60.82</td><td>74.00</td><td>-13.18</td><td>47.66</td><td>35.99</td><td>9.38</td><td>32.21</td><td>106</td><td>98 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.53	60.82	74.00	-13.18	47.66	35.99	9.38	32.21	106	98 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5353.53	60.82	74.00	-13.18	47.66	35.99	9.38	32.21	106	98 PEAK																																	
Avg	Date: 2024-01-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.64</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>33.56</td><td>35.99</td><td>9.37</td><td>32.21</td><td>106</td><td>98 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.64	46.71	54.00	-7.29	33.56	35.99	9.37	32.21	106	98 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.64	46.71	54.00	-7.29	33.56	35.99	9.37	32.21	106	98 AVERAGE																																	



		163																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484① 5250MHz																																																																																								
ANT		CDD																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-01-08  500050505100515052005250 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>42.00</td><td>36.11</td><td>8.53</td><td>32.49</td><td>378 167 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	54.15	74.00	-19.85	42.00	36.11	8.53	32.49	378 167 PEAK	Level (dBuV/m) Date: 2024-01-08  100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.74</td><td>-----</td><td>-----</td><td>82.03</td><td>36.03</td><td>8.99</td><td>32.31</td><td>378 167 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.74	-----	-----	82.03	36.03	8.99	32.31	378 167 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5148.50	54.15	74.00	-19.85	42.00	36.11	8.53	32.49	378 167 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5250.00	94.74	-----	-----	82.03	36.03	8.99	32.31	378 167 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-01-08  500050505100515052005250 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.75</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>31.66</td><td>36.12</td><td>8.52</td><td>32.50</td><td>378 167 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5139.75	43.80	54.00	-10.20	31.66	36.12	8.52	32.50	378 167 AVERAGE	Level (dBuV/m) Date: 2024-01-08  100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>86.05</td><td>-----</td><td>-----</td><td>73.34</td><td>36.03</td><td>8.99</td><td>32.31</td><td>378 167 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	86.05	-----	-----	73.34	36.03	8.99	32.31	378 167 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5139.75	43.80	54.00	-10.20	31.66	36.12	8.52	32.50	378 167 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5250.00	86.05	-----	-----	73.34	36.03	8.99	32.31	378 167 AVERAGE																																																																																	



Mode	163									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484① 5250MHz									
ANT	CDD									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m)									



Mode	164																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①5570MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5445.26</td><td>63.14</td><td>74.00</td><td>-10.86</td><td>49.61</td><td>35.93</td><td>9.68</td><td>32.08</td><td>400</td><td>102 PEAK</td></tr><tr><td>2 5463.52</td><td>57.94</td><td>68.30</td><td>-10.36</td><td>44.38</td><td>35.92</td><td>9.69</td><td>32.05</td><td>400</td><td>102 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5445.26	63.14	74.00	-10.86	49.61	35.93	9.68	32.08	400	102 PEAK	2 5463.52	57.94	68.30	-10.36	44.38	35.92	9.69	32.05	400	102 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>95.59</td><td>-----</td><td>-----</td><td>81.89</td><td>36.04</td><td>9.76</td><td>32.10</td><td>400</td><td>102 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	95.59	-----	-----	81.89	36.04	9.76	32.10	400	102 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5445.26	63.14	74.00	-10.86	49.61	35.93	9.68	32.08	400	102 PEAK																																																																																											
2 5463.52	57.94	68.30	-10.36	44.38	35.92	9.69	32.05	400	102 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5570.00	95.59	-----	-----	81.89	36.04	9.76	32.10	400	102 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5443.72</td><td>51.15</td><td>54.00</td><td>-2.85</td><td>37.62</td><td>35.93</td><td>9.68</td><td>32.08</td><td>400</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5443.72	51.15	54.00	-2.85	37.62	35.93	9.68	32.08	400	102 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>87.70</td><td>-----</td><td>-----</td><td>74.04</td><td>35.99</td><td>9.74</td><td>32.07</td><td>400</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	87.70	-----	-----	74.04	35.99	9.74	32.07	400	102 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5443.72	51.15	54.00	-2.85	37.62	35.93	9.68	32.08	400	102 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5570.00	87.70	-----	-----	74.04	35.99	9.74	32.07	400	102 AVERAGE																																																																																											



Mode	164	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①5570MHz	
ANT	CDD	
Pol.	Horizontal	Fundamental
Peak	Date: 2024-01-07 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5570 5609 5648 5687 5726 5765 Frequency (MHz) 1 5762.08 57.70 68.30 -10.60 43.59 36.27 10.10 32.26 400 102 PEAK	Blank







Mode	164																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①5570MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.84</td><td>59.74</td><td>74.00</td><td>-14.26</td><td>46.23</td><td>35.95</td><td>9.67</td><td>32.11</td><td>315 200 PEAK</td></tr><tr><td>2</td><td>5469.02</td><td>56.57</td><td>68.30</td><td>-11.73</td><td>43.00</td><td>35.92</td><td>9.69</td><td>32.04</td><td>315 200 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5420.84	59.74	74.00	-14.26	46.23	35.95	9.67	32.11	315 200 PEAK	2	5469.02	56.57	68.30	-11.73	43.00	35.92	9.69	32.04	315 200 PEAK	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.50</td><td>-----</td><td>-----</td><td>85.83</td><td>36.00</td><td>9.74</td><td>32.07</td><td>315 200 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.50	-----	-----	85.83	36.00	9.74	32.07	315 200 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5420.84	59.74	74.00	-14.26	46.23	35.95	9.67	32.11	315 200 PEAK																																																																																											
2	5469.02	56.57	68.30	-11.73	43.00	35.92	9.69	32.04	315 200 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	99.50	-----	-----	85.83	36.00	9.74	32.07	315 200 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.54</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>34.59</td><td>35.94</td><td>9.68</td><td>32.08</td><td>315 200 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5439.54	48.13	54.00	-5.87	34.59	35.94	9.68	32.08	315 200 AVERAGE	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.24</td><td>-----</td><td>-----</td><td>77.57</td><td>36.00</td><td>9.74</td><td>32.07</td><td>315 200 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.24	-----	-----	77.57	36.00	9.74	32.07	315 200 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5439.54	48.13	54.00	-5.87	34.59	35.94	9.68	32.08	315 200 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	91.24	-----	-----	77.57	36.00	9.74	32.07	315 200 AVERAGE																																																																																											



Mode	164																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①5570MHz																																										
ANT	CDD																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-01-07 Level (dBuV/m) Frequency (MHz) PART 15.407 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5760.13</td><td>59.45</td><td>68.30</td><td>-8.85</td><td>45.36</td><td>36.26</td><td>10.09</td><td>32.26</td><td>315</td><td>200 PEAK</td></tr></tbody></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5760.13	59.45	68.30	-8.85	45.36	36.26	10.09	32.26	315	200 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5760.13	59.45	68.30	-8.85	45.36	36.26	10.09	32.26	315	200 PEAK																																	



		165																																																																																																														
Mode		Band Edge - L																																																																																																														
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①_5570MHz																																																																																																														
ANT		CDD																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-01-09  Frequency (MHz)										Level (dBuV/m) Date: 2024-01-09  Frequency (MHz)																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.60</td><td>58.04</td><td>74.00</td><td>-15.96</td><td>44.51</td><td>35.93</td><td>9.68</td><td>32.08</td><td>105</td><td>214 PEAK</td></tr><tr><td>2</td><td>5469.46</td><td>63.79</td><td>68.30</td><td>-4.51</td><td>50.22</td><td>35.92</td><td>9.69</td><td>32.04</td><td>105</td><td>214 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5444.60	58.04	74.00	-15.96	44.51	35.93	9.68	32.08	105	214 PEAK	2	5469.46	63.79	68.30	-4.51	50.22	35.92	9.69	32.04	105	214 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>102.91</td><td>-----</td><td>-----</td><td>89.26</td><td>35.97</td><td>9.73</td><td>32.05</td><td>105</td><td>214 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.91	-----	-----	89.26	35.97	9.73	32.05	105
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5444.60	58.04	74.00	-15.96	44.51	35.93	9.68	32.08	105	214 PEAK																																																																																																						
2	5469.46	63.79	68.30	-4.51	50.22	35.92	9.69	32.04	105	214 PEAK																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	102.91	-----	-----	89.26	35.97	9.73	32.05	105	214 PEAK																																																																																																						
Avg	Level (dBuV/m) Date: 2024-01-09  Frequency (MHz)										Level (dBuV/m) Date: 2024-01-09  Frequency (MHz)																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.36</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>35.81</td><td>35.93</td><td>9.68</td><td>32.08</td><td>105</td><td>214 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5446.36	49.34	54.00	-4.66	35.81	35.93	9.68	32.08	105	214 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.91</td><td>-----</td><td>-----</td><td>80.26</td><td>35.97</td><td>9.73</td><td>32.05</td><td>105</td><td>214 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.91	-----	-----	80.26	35.97	9.73	32.05	105	214 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5446.36	49.34	54.00	-4.66	35.81	35.93	9.68	32.08	105	214 AVERAGE																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	93.91	-----	-----	80.26	35.97	9.73	32.05	105	214 AVERAGE																																																																																																						



Mode	165																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①_5570MHz																																									
ANT	CDD																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.00</td><td>61.03</td><td>68.30</td><td>-7.27</td><td>47.02</td><td>36.22</td><td>10.02</td><td>32.23</td><td>105</td><td>214</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.00	61.03	68.30	-7.27	47.02	36.22	10.02	32.23	105	214	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5726.00	61.03	68.30	-7.27	47.02	36.22	10.02	32.23	105	214	PEAK																															



Mode	165																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①_5570MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5370.24</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>37.47</td><td>35.98</td><td>9.47</td><td>32.18</td><td>100</td><td>280 PEAK</td></tr><tr><td>2 5467.70</td><td>52.20</td><td>68.30</td><td>-16.10</td><td>38.64</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>280 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5370.24	50.74	74.00	-23.26	37.47	35.98	9.47	32.18	100	280 PEAK	2 5467.70	52.20	68.30	-16.10	38.64	35.92	9.69	32.05	100	280 PEAK	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>88.03</td><td>-----</td><td>-----</td><td>74.26</td><td>36.08</td><td>9.82</td><td>32.13</td><td>100</td><td>280 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	88.03	-----	-----	74.26	36.08	9.82	32.13	100	280 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5370.24	50.74	74.00	-23.26	37.47	35.98	9.47	32.18	100	280 PEAK																																																																																			
2 5467.70	52.20	68.30	-16.10	38.64	35.92	9.69	32.05	100	280 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5570.00	88.03	-----	-----	74.26	36.08	9.82	32.13	100	280 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5454.28</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>29.69</td><td>35.93</td><td>9.68</td><td>32.06</td><td>100</td><td>280 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5454.28	43.24	54.00	-10.76	29.69	35.93	9.68	32.06	100	280 AVERAGE	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>79.62</td><td>-----</td><td>-----</td><td>65.97</td><td>35.97</td><td>9.73</td><td>32.05</td><td>100</td><td>280 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	79.62	-----	-----	65.97	35.97	9.73	32.05	100	280 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5454.28	43.24	54.00	-10.76	29.69	35.93	9.68	32.06	100	280 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5570.00	79.62	-----	-----	65.97	35.97	9.73	32.05	100	280 AVERAGE																																																																																			



Mode	165	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①_5570MHz	
ANT	CDD	
Pol.	Vertical	Fundamental
Peak	Date: 2024-01-09 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5570 5609 5648 5687 5726 5765 Frequency (MHz) <	



Mode	166																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																																																																																			
ANT	CDD																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5611.38</td><td>52.84</td><td>68.30</td><td>-15.46</td><td>39.11</td><td>36.06</td><td>9.78</td><td>32.11</td><td>100</td><td>209</td><td>PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>50.34</td><td>68.34</td><td>-18.00</td><td>36.52</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>209</td><td>PEAK</td></tr><tr><td>3</td><td>5707.80</td><td>54.36</td><td>107.39</td><td>-53.03</td><td>40.40</td><td>36.19</td><td>9.98</td><td>32.21</td><td>100</td><td>209</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>49.94</td><td>110.91</td><td>-60.97</td><td>35.94</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>209</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5611.38	52.84	68.30	-15.46	39.11	36.06	9.78	32.11	100	209	PEAK	2	5650.05	50.34	68.34	-18.00	36.52	36.11	9.86	32.15	100	209	PEAK	3	5707.80	54.36	107.39	-53.03	40.40	36.19	9.98	32.21	100	209	PEAK	4	5720.05	49.94	110.91	-60.97	35.94	36.21	10.01	32.22	100	209	PEAK	Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.84</td><td>-----</td><td>-----</td><td>76.66</td><td>36.31</td><td>10.16</td><td>32.29</td><td>100</td><td>209</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.84	-----	-----	76.66	36.31	10.16	32.29	100	209	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5611.38	52.84	68.30	-15.46	39.11	36.06	9.78	32.11	100	209	PEAK																																																																																																																									
2	5650.05	50.34	68.34	-18.00	36.52	36.11	9.86	32.15	100	209	PEAK																																																																																																																									
3	5707.80	54.36	107.39	-53.03	40.40	36.19	9.98	32.21	100	209	PEAK																																																																																																																									
4	5720.05	49.94	110.91	-60.97	35.94	36.21	10.01	32.22	100	209	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	90.84	-----	-----	76.66	36.31	10.16	32.29	100	209	PEAK																																																																																																																									
Avg	Blank						Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>82.30</td><td>-----</td><td>-----</td><td>68.14</td><td>36.30</td><td>10.15</td><td>32.29</td><td>100</td><td>209</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	82.30	-----	-----	68.14	36.30	10.15	32.29	100	209	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	82.30	-----	-----	68.14	36.30	10.15	32.29	100	209	AVERAGE																																																																																																																									



Mode	166																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																										
ANT	CDD																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>51.80</td><td>110.86</td><td>-59.06</td><td>37.46</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100</td><td>209 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>51.99</td><td>106.15</td><td>-54.16</td><td>37.61</td><td>36.42</td><td>10.33</td><td>32.37</td><td>100</td><td>209 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>50.35</td><td>68.32</td><td>-17.97</td><td>35.84</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>209 PEAK</td></tr><tr><td>4</td><td>5948.43</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>38.01</td><td>36.53</td><td>10.49</td><td>32.45</td><td>100</td><td>209 PEAK</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	51.80	110.86	-59.06	37.46	36.40	10.29	32.35	100	209 PEAK	2	5871.60	51.99	106.15	-54.16	37.61	36.42	10.33	32.37	100	209 PEAK	3	5924.98	50.35	68.32	-17.97	35.84	36.49	10.44	32.42	100	209 PEAK	4	5948.43	52.58	68.30	-15.72	38.01	36.53	10.49	32.45	100	209 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5854.98	51.80	110.86	-59.06	37.46	36.40	10.29	32.35	100	209 PEAK																																																																	
2	5871.60	51.99	106.15	-54.16	37.61	36.42	10.33	32.37	100	209 PEAK																																																																	
3	5924.98	50.35	68.32	-17.97	35.84	36.49	10.44	32.42	100	209 PEAK																																																																	
4	5948.43	52.58	68.30	-15.72	38.01	36.53	10.49	32.45	100	209 PEAK																																																																	



Mode	166									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz									
ANT	CDD									
Pol.	Vertical					Fundamental				
Peak	<									



Mode	166																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																											
ANT	CDD																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2024-01-12 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>58.89</td><td>110.86</td><td>-51.97</td><td>44.55</td><td>36.40</td><td>10.29</td><td>32.35</td><td>295</td><td>140 PEAK</td></tr><tr><td>2</td><td>5874.23</td><td>57.29</td><td>105.42</td><td>-48.13</td><td>42.91</td><td>36.42</td><td>10.33</td><td>32.37</td><td>295</td><td>140 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>51.58</td><td>68.32</td><td>-16.74</td><td>37.07</td><td>36.49</td><td>10.44</td><td>32.42</td><td>295</td><td>140 PEAK</td></tr><tr><td>4</td><td>5934.25</td><td>53.20</td><td>68.30</td><td>-15.10</td><td>38.66</td><td>36.51</td><td>10.46</td><td>32.43</td><td>295</td><td>140 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	58.89	110.86	-51.97	44.55	36.40	10.29	32.35	295	140 PEAK	2	5874.23	57.29	105.42	-48.13	42.91	36.42	10.33	32.37	295	140 PEAK	3	5924.98	51.58	68.32	-16.74	37.07	36.49	10.44	32.42	295	140 PEAK	4	5934.25	53.20	68.30	-15.10	38.66	36.51	10.46	32.43	295	140 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	58.89	110.86	-51.97	44.55	36.40	10.29	32.35	295	140 PEAK																																																																		
2	5874.23	57.29	105.42	-48.13	42.91	36.42	10.33	32.37	295	140 PEAK																																																																		
3	5924.98	51.58	68.32	-16.74	37.07	36.49	10.44	32.42	295	140 PEAK																																																																		
4	5934.25	53.20	68.30	-15.10	38.66	36.51	10.46	32.43	295	140 PEAK																																																																		



Mode	167																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242① 5775MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.20</td><td>52.75</td><td>68.30</td><td>-15.55</td><td>38.96</td><td>36.09</td><td>9.84</td><td>32.14</td><td>300</td><td>53 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>50.84</td><td>68.60</td><td>-17.76</td><td>37.02</td><td>36.11</td><td>9.86</td><td>32.15</td><td>300</td><td>53 PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>52.66</td><td>105.62</td><td>-52.96</td><td>38.71</td><td>36.18</td><td>9.97</td><td>32.20</td><td>300</td><td>53 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.97</td><td>111.71</td><td>-59.74</td><td>37.97</td><td>36.21</td><td>10.01</td><td>32.22</td><td>300</td><td>53 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5639.20	52.75	68.30	-15.55	38.96	36.09	9.84	32.14	300	53 PEAK	2	5650.40	50.84	68.60	-17.76	37.02	36.11	9.86	32.15	300	53 PEAK	3	5701.50	52.66	105.62	-52.96	38.71	36.18	9.97	32.20	300	53 PEAK	4	5720.40	51.97	111.71	-59.74	37.97	36.21	10.01	32.22	300	53 PEAK	Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.41</td><td>-----</td><td>-----</td><td>82.23</td><td>36.31</td><td>10.16</td><td>32.29</td><td>300</td><td>53 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.41	-----	-----	82.23	36.31	10.16	32.29	300	53 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5639.20	52.75	68.30	-15.55	38.96	36.09	9.84	32.14	300	53 PEAK																																																																																																																			
2	5650.40	50.84	68.60	-17.76	37.02	36.11	9.86	32.15	300	53 PEAK																																																																																																																			
3	5701.50	52.66	105.62	-52.96	38.71	36.18	9.97	32.20	300	53 PEAK																																																																																																																			
4	5720.40	51.97	111.71	-59.74	37.97	36.21	10.01	32.22	300	53 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	96.41	-----	-----	82.23	36.31	10.16	32.29	300	53 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-01-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.79</td><td>-----</td><td>-----</td><td>73.61</td><td>36.31</td><td>10.16</td><td>32.29</td><td>300</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	87.79	-----	-----	73.61	36.31	10.16	32.29	300	53 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	87.79	-----	-----	73.61	36.31	10.16	32.29	300	53 AVERAGE																																																																																																																			



Mode	167																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①_5775MHz																																																																											
ANT	CDD																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>51.22</td><td>110.86</td><td>-59.64</td><td>36.88</td><td>36.40</td><td>10.29</td><td>32.35</td><td>300</td><td>53 PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>51.77</td><td>105.27</td><td>-53.50</td><td>37.39</td><td>36.42</td><td>10.33</td><td>32.37</td><td>300</td><td>53 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.09</td><td>68.45</td><td>-17.36</td><td>36.58</td><td>36.49</td><td>10.44</td><td>32.42</td><td>300</td><td>53 PEAK</td></tr><tr><td>4</td><td>5926.55</td><td>52.75</td><td>68.30</td><td>-15.55</td><td>38.24</td><td>36.50</td><td>10.44</td><td>32.43</td><td>300</td><td>53 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	51.22	110.86	-59.64	36.88	36.40	10.29	32.35	300	53 PEAK	2	5874.75	51.77	105.27	-53.50	37.39	36.42	10.33	32.37	300	53 PEAK	3	5924.80	51.09	68.45	-17.36	36.58	36.49	10.44	32.42	300	53 PEAK	4	5926.55	52.75	68.30	-15.55	38.24	36.50	10.44	32.43	300	53 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	51.22	110.86	-59.64	36.88	36.40	10.29	32.35	300	53 PEAK																																																																		
2	5874.75	51.77	105.27	-53.50	37.39	36.42	10.33	32.37	300	53 PEAK																																																																		
3	5924.80	51.09	68.45	-17.36	36.58	36.49	10.44	32.42	300	53 PEAK																																																																		
4	5926.55	52.75	68.30	-15.55	38.24	36.50	10.44	32.43	300	53 PEAK																																																																		





Mode	167											
	Band Edge - L											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242① 5775MHz											
ANT	CDD											
Pol.	Vertical						Fundamental					
Peak												





Mode	167																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①_5775MHz																																																																											
ANT	CDD																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2024-01-09 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>52.59</td><td>110.86</td><td>-58.27</td><td>38.25</td><td>36.40</td><td>10.29</td><td>32.35</td><td>200</td><td>177 PEAK</td></tr><tr><td>2</td><td>5860.93</td><td>62.30</td><td>109.14</td><td>-46.84</td><td>47.95</td><td>36.41</td><td>10.30</td><td>32.36</td><td>200</td><td>177 PEAK</td></tr><tr><td>3</td><td>5924.45</td><td>55.07</td><td>68.70</td><td>-13.63</td><td>40.56</td><td>36.49</td><td>10.44</td><td>32.42</td><td>200</td><td>177 PEAK</td></tr><tr><td>4</td><td>5925.33</td><td>54.72</td><td>68.30</td><td>-13.58</td><td>40.21</td><td>36.50</td><td>10.44</td><td>32.43</td><td>200</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	52.59	110.86	-58.27	38.25	36.40	10.29	32.35	200	177 PEAK	2	5860.93	62.30	109.14	-46.84	47.95	36.41	10.30	32.36	200	177 PEAK	3	5924.45	55.07	68.70	-13.63	40.56	36.49	10.44	32.42	200	177 PEAK	4	5925.33	54.72	68.30	-13.58	40.21	36.50	10.44	32.43	200	177 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	52.59	110.86	-58.27	38.25	36.40	10.29	32.35	200	177 PEAK																																																																		
2	5860.93	62.30	109.14	-46.84	47.95	36.41	10.30	32.36	200	177 PEAK																																																																		
3	5924.45	55.07	68.70	-13.63	40.56	36.49	10.44	32.42	200	177 PEAK																																																																		
4	5925.33	54.72	68.30	-13.58	40.21	36.50	10.44	32.43	200	177 PEAK																																																																		







Mode	168																																																																																																																																																																																																																			
	LF																																																																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80-LF_CH106_Full_5530MHz																																																																																																																																																																																																																			
ANT	CDD																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																													
QPI/ Peak																																																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>23.97</td><td>40.00</td><td>-16.03</td><td>29.84</td><td>25.20</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>128.94</td><td>19.03</td><td>43.50</td><td>-24.47</td><td>31.85</td><td>17.80</td><td>1.16</td><td>31.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>264.74</td><td>25.09</td><td>46.00</td><td>-20.91</td><td>36.07</td><td>18.90</td><td>1.69</td><td>31.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>463.59</td><td>25.00</td><td>46.00</td><td>-21.00</td><td>30.86</td><td>23.38</td><td>2.23</td><td>31.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>633.34</td><td>27.93</td><td>46.00</td><td>-18.07</td><td>30.16</td><td>26.32</td><td>2.62</td><td>31.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>912.70</td><td>32.32</td><td>46.00</td><td>-13.68</td><td>30.65</td><td>29.36</td><td>3.18</td><td>30.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	23.97	40.00	-16.03	29.84	25.20	0.53	31.60	---	---	Peak	2	128.94	19.03	43.50	-24.47	31.85	17.80	1.16	31.78	---	---	Peak	3	264.74	25.09	46.00	-20.91	36.07	18.90	1.69	31.57	---	---	Peak	4	463.59	25.00	46.00	-21.00	30.86	23.38	2.23	31.47	---	---	Peak	5	633.34	27.93	46.00	-18.07	30.16	26.32	2.62	31.17	---	---	Peak	6	912.70	32.32	46.00	-13.68	30.65	29.36	3.18	30.87	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>28.52</td><td>40.00</td><td>-11.48</td><td>34.39</td><td>25.20</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>104.69</td><td>18.89</td><td>43.50</td><td>-24.61</td><td>33.03</td><td>16.70</td><td>1.04</td><td>31.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>256.98</td><td>19.81</td><td>46.00</td><td>-26.19</td><td>30.37</td><td>19.36</td><td>1.67</td><td>31.59</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>547.01</td><td>26.15</td><td>46.00</td><td>-19.85</td><td>29.93</td><td>24.98</td><td>2.45</td><td>31.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>738.10</td><td>29.29</td><td>46.00</td><td>-16.71</td><td>29.54</td><td>28.12</td><td>2.83</td><td>31.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>964.11</td><td>33.66</td><td>54.00</td><td>-20.34</td><td>29.96</td><td>31.28</td><td>3.25</td><td>30.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	28.52	40.00	-11.48	34.39	25.20	0.53	31.60	---	---	Peak	2	104.69	18.89	43.50	-24.61	33.03	16.70	1.04	31.88	---	---	Peak	3	256.98	19.81	46.00	-26.19	30.37	19.36	1.67	31.59	---	---	Peak	4	547.01	26.15	46.00	-19.85	29.93	24.98	2.45	31.21	---	---	Peak	5	738.10	29.29	46.00	-16.71	29.54	28.12	2.83	31.20	---	---	Peak	6	964.11	33.66	54.00	-20.34	29.96	31.28	3.25	30.83	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																										
	1	30.00	23.97	40.00	-16.03	29.84	25.20	0.53	31.60	---	---	Peak																																																																																																																																																																																																								
	2	128.94	19.03	43.50	-24.47	31.85	17.80	1.16	31.78	---	---	Peak																																																																																																																																																																																																								
	3	264.74	25.09	46.00	-20.91	36.07	18.90	1.69	31.57	---	---	Peak																																																																																																																																																																																																								
	4	463.59	25.00	46.00	-21.00	30.86	23.38	2.23	31.47	---	---	Peak																																																																																																																																																																																																								
	5	633.34	27.93	46.00	-18.07	30.16	26.32	2.62	31.17	---	---	Peak																																																																																																																																																																																																								
6	912.70	32.32	46.00	-13.68	30.65	29.36	3.18	30.87	---	---	Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	30.00	28.52	40.00	-11.48	34.39	25.20	0.53	31.60	---	---	Peak																																																																																																																																																																																																									
2	104.69	18.89	43.50	-24.61	33.03	16.70	1.04	31.88	---	---	Peak																																																																																																																																																																																																									
3	256.98	19.81	46.00	-26.19	30.37	19.36	1.67	31.59	---	---	Peak																																																																																																																																																																																																									
4	547.01	26.15	46.00	-19.85	29.93	24.98	2.45	31.21	---	---	Peak																																																																																																																																																																																																									
5	738.10	29.29	46.00	-16.71	29.54	28.12	2.83	31.20	---	---	Peak																																																																																																																																																																																																									
6	964.11	33.66	54.00	-20.34	29.96	31.28	3.25	30.83	---	---	Peak																																																																																																																																																																																																									



Mode	169																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a-LF_CH165_Full_5825MHz																																																																																																																																																																																																																											
ANT	CDD																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QPI/ Peak																																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>23.87</td><td>40.00</td><td>-16.13</td><td>29.74</td><td>25.20</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>110.51</td><td>18.61</td><td>43.50</td><td>-24.89</td><td>32.40</td><td>17.00</td><td>1.07</td><td>31.86</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>261.83</td><td>24.59</td><td>46.00</td><td>-21.41</td><td>35.16</td><td>19.32</td><td>1.69</td><td>31.58</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>567.38</td><td>28.13</td><td>46.00</td><td>-17.87</td><td>30.43</td><td>26.38</td><td>2.49</td><td>31.17</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>846.74</td><td>31.30</td><td>46.00</td><td>-14.70</td><td>30.28</td><td>29.08</td><td>3.04</td><td>31.10</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>935.98</td><td>33.49</td><td>46.00</td><td>-12.51</td><td>31.05</td><td>30.06</td><td>3.21</td><td>30.83</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	30.00	23.87	40.00	-16.13	29.74	25.20	0.53	31.60	---	---	---	Peak	2	110.51	18.61	43.50	-24.89	32.40	17.00	1.07	31.86	---	---	---	Peak	3	261.83	24.59	46.00	-21.41	35.16	19.32	1.69	31.58	---	---	---	Peak	4	567.38	28.13	46.00	-17.87	30.43	26.38	2.49	31.17	---	---	---	Peak	5	846.74	31.30	46.00	-14.70	30.28	29.08	3.04	31.10	---	---	---	Peak	6	935.98	33.49	46.00	-12.51	31.05	30.06	3.21	30.83	---	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>28.44</td><td>40.00</td><td>-11.56</td><td>34.31</td><td>25.20</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>106.63</td><td>19.09</td><td>43.50</td><td>-24.41</td><td>33.11</td><td>16.80</td><td>1.05</td><td>31.87</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>356.89</td><td>22.38</td><td>46.00</td><td>-23.62</td><td>31.05</td><td>20.74</td><td>2.00</td><td>31.41</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>634.31</td><td>28.45</td><td>46.00</td><td>-17.55</td><td>30.64</td><td>26.36</td><td>2.62</td><td>31.17</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>816.67</td><td>31.29</td><td>46.00</td><td>-14.71</td><td>31.41</td><td>28.00</td><td>2.98</td><td>31.10</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>915.61</td><td>32.75</td><td>46.00</td><td>-13.25</td><td>31.02</td><td>29.42</td><td>3.18</td><td>30.87</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	30.00	28.44	40.00	-11.56	34.31	25.20	0.53	31.60	---	---	---	Peak	2	106.63	19.09	43.50	-24.41	33.11	16.80	1.05	31.87	---	---	---	Peak	3	356.89	22.38	46.00	-23.62	31.05	20.74	2.00	31.41	---	---	---	Peak	4	634.31	28.45	46.00	-17.55	30.64	26.36	2.62	31.17	---	---	---	Peak	5	816.67	31.29	46.00	-14.71	31.41	28.00	2.98	31.10	---	---	---	Peak	6	915.61	32.75	46.00	-13.25	31.02	29.42	3.18	30.87	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																
	1	30.00	23.87	40.00	-16.13	29.74	25.20	0.53	31.60	---	---	---	Peak																																																																																																																																																																																																															
	2	110.51	18.61	43.50	-24.89	32.40	17.00	1.07	31.86	---	---	---	Peak																																																																																																																																																																																																															
	3	261.83	24.59	46.00	-21.41	35.16	19.32	1.69	31.58	---	---	---	Peak																																																																																																																																																																																																															
	4	567.38	28.13	46.00	-17.87	30.43	26.38	2.49	31.17	---	---	---	Peak																																																																																																																																																																																																															
	5	846.74	31.30	46.00	-14.70	30.28	29.08	3.04	31.10	---	---	---	Peak																																																																																																																																																																																																															
	6	935.98	33.49	46.00	-12.51	31.05	30.06	3.21	30.83	---	---	---	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	30.00	28.44	40.00	-11.56	34.31	25.20	0.53	31.60	---	---	---	Peak																																																																																																																																																																																																																
2	106.63	19.09	43.50	-24.41	33.11	16.80	1.05	31.87	---	---	---	Peak																																																																																																																																																																																																																
3	356.89	22.38	46.00	-23.62	31.05	20.74	2.00	31.41	---	---	---	Peak																																																																																																																																																																																																																
4	634.31	28.45	46.00	-17.55	30.64	26.36	2.62	31.17	---	---	---	Peak																																																																																																																																																																																																																
5	816.67	31.29	46.00	-14.71	31.41	28.00	2.98	31.10	---	---	---	Peak																																																																																																																																																																																																																
6	915.61	32.75	46.00	-13.25	31.02	29.42	3.18	30.87	---	---	---	Peak																																																																																																																																																																																																																



		170																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																			
ANT		CDD																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.98</td><td>65.70</td><td>74.00</td><td>-8.30</td><td>52.18</td><td>35.94</td><td>9.67</td><td>32.09</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5461.24</td><td>60.27</td><td>68.30</td><td>-8.03</td><td>46.71</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>112</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.98	65.70	74.00	-8.30	52.18	35.94	9.67	32.09	100	112	PEAK	2	5461.24	60.27	68.30	-8.03	46.71	35.92	9.69	32.05	100	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>106.41</td><td>-----</td><td>-----</td><td>92.79</td><td>35.92</td><td>9.71</td><td>32.01</td><td>100</td><td>112</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	106.41	-----	-----	92.79	35.92	9.71	32.01	100	112
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5432.98	65.70	74.00	-8.30	52.18	35.94	9.67	32.09	100	112	PEAK																																																																																										
2	5461.24	60.27	68.30	-8.03	46.71	35.92	9.69	32.05	100	112	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	106.41	-----	-----	92.79	35.92	9.71	32.01	100	112	PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5434.42</td><td>53.25</td><td>54.00</td><td>-0.75</td><td>39.73</td><td>35.94</td><td>9.67</td><td>32.09</td><td>100</td><td>112</td><td>Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.42	53.25	54.00	-0.75	39.73	35.94	9.67	32.09	100	112	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.13</td><td>-----</td><td>-----</td><td>83.51</td><td>35.92</td><td>9.71</td><td>32.01</td><td>100</td><td>112</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.13	-----	-----	83.51	35.92	9.71	32.01	100	112	AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5434.42	53.25	54.00	-0.75	39.73	35.94	9.67	32.09	100	112	Average																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	97.13	-----	-----	83.51	35.92	9.71	32.01	100	112	AVERAGE																																																																																										



		170																																																																																																																
Mode		Band Edge - L																																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																
ANT		CDD																																																																																																																
Pol.		Vertical											Fundamental																																																																																																					
Peak		Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5437.48</td><td>63.49</td><td>74.00</td><td>-10.51</td><td>49.96</td><td>35.94</td><td>9.68</td><td>32.09</td><td>337</td><td>171</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>5462.14</td><td>59.17</td><td>68.30</td><td>-9.13</td><td>45.61</td><td>35.92</td><td>9.69</td><td>32.05</td><td>337</td><td>171</td><td>PEAK</td><td></td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5437.48	63.49	74.00	-10.51	49.96	35.94	9.68	32.09	337	171	PEAK		2	5462.14	59.17	68.30	-9.13	45.61	35.92	9.69	32.05	337	171	PEAK		Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.37</td><td>-----</td><td>-----</td><td>89.76</td><td>35.90</td><td>9.71</td><td>32.00</td><td>337</td><td>171</td><td>PEAK</td><td></td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5530.00	103.37	-----	-----	89.76	35.90	9.71	32.00	337	171	PEAK	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5437.48	63.49	74.00	-10.51	49.96	35.94	9.68	32.09	337	171	PEAK																																																																																																							
2	5462.14	59.17	68.30	-9.13	45.61	35.92	9.69	32.05	337	171	PEAK																																																																																																							
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5530.00	103.37	-----	-----	89.76	35.90	9.71	32.00	337	171	PEAK																																																																																																							
Avg		Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5434.42</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>38.68</td><td>35.94</td><td>9.67</td><td>32.09</td><td>337</td><td>171</td><td>AVERAGE</td><td></td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5434.42	52.20	54.00	-1.80	38.68	35.94	9.67	32.09	337	171	AVERAGE		Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.86</td><td>-----</td><td>-----</td><td>81.25</td><td>35.90</td><td>9.71</td><td>32.00</td><td>337</td><td>171</td><td>AVERAGE</td><td></td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5530.00	94.86	-----	-----	81.25	35.90	9.71	32.00	337	171	AVERAGE														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5434.42	52.20	54.00	-1.80	38.68	35.94	9.67	32.09	337	171	AVERAGE																																																																																																							
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5530.00	94.86	-----	-----	81.25	35.90	9.71	32.00	337	171	AVERAGE																																																																																																							



Mode	170																																																																									
	Band Edge - L																																																																									
	11ax HE40_Ch09_Full_2452MHz																																																																									
ANT	CDD																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.80</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>46.14</td><td>30.72</td><td>5.36</td><td>33.25</td><td>400 267 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.80	48.97	74.00	-25.03	46.14	30.72	5.36	33.25	400 267 PEAK	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2452.00</td><td>94.04</td><td>-----</td><td>-----</td><td>91.09</td><td>30.71</td><td>5.42</td><td>33.18</td><td>400 267 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	94.04	-----	-----	91.09	30.71	5.42	33.18	400 267 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2389.80	48.97	74.00	-25.03	46.14	30.72	5.36	33.25	400 267 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2452.00	94.04	-----	-----	91.09	30.71	5.42	33.18	400 267 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.80</td><td>38.05</td><td>54.00</td><td>-15.95</td><td>35.22</td><td>30.72</td><td>5.36</td><td>33.25</td><td>400 267 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.80	38.05	54.00	-15.95	35.22	30.72	5.36	33.25	400 267 AVERAGE	Level (dBuV/m) Date: 2024-01-12 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2452.00</td><td>84.69</td><td>-----</td><td>-----</td><td>81.73</td><td>30.71</td><td>5.42</td><td>33.17</td><td>400 267 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	84.69	-----	-----	81.73	30.71	5.42	33.17	400 267 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2389.80	38.05	54.00	-15.95	35.22	30.72	5.36	33.25	400 267 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2452.00	84.69	-----	-----	81.73	30.71	5.42	33.17	400 267 AVERAGE																																																																		





Mode	170																																										
	Band Edge - R																																										
	11ax HE40_Ch09_Full_2452MHz																																										
ANT	CDD																																										
Pol.	Horizontal					Fundamental																																					
Peak	Level (dBuV/m) Date: 2024-01-12 PEAK_BE_74 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2486.70</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>50.75</td><td>30.70</td><td>5.46</td><td>33.12</td><td>400</td><td>267 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB		1	2486.70	53.79	74.00	-20.21	50.75	30.70	5.46	33.12	400	267 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB																																		
1	2486.70	53.79	74.00	-20.21	50.75	30.70	5.46	33.12	400	267 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-01-12 AVG_BE_54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2485.70</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>40.28</td><td>30.70</td><td>5.46</td><td>33.12</td><td>400</td><td>267 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB		1	2485.70	43.32	54.00	-10.68	40.28	30.70	5.46	33.12	400	267 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB																																		
1	2485.70	43.32	54.00	-10.68	40.28	30.70	5.46	33.12	400	267 AVERAGE																																	





Mode	170																																																																																									
	Band Edge - L																																																																																									
	11ax HE40_Ch09_Full_2452MHz																																																																																									
ANT	CDD																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-01-12 23102338.42366.82395.22423.62452 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.38</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>46.20</td><td>30.72</td><td>5.36</td><td>33.25</td><td>200</td><td>124 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.38	49.03	74.00	-24.97	46.20	30.72	5.36	33.25	200	124 PEAK	Level (dBuV/m) Date: 2024-01-12 10001400.1800.2200.2600.3000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2452.00</td><td>103.57</td><td>-----</td><td>-----</td><td>100.62</td><td>30.71</td><td>5.42</td><td>33.18</td><td>200</td><td>124 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2452.00	103.57	-----	-----	100.62	30.71	5.42	33.18	200	124 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2389.38	49.03	74.00	-24.97	46.20	30.72	5.36	33.25	200	124 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2452.00	103.57	-----	-----	100.62	30.71	5.42	33.18	200	124 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-01-12 23102338.42366.82395.22423.62452 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.52</td><td>39.14</td><td>54.00</td><td>-14.86</td><td>36.31</td><td>30.72</td><td>5.36</td><td>33.25</td><td>200</td><td>124 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.52	39.14	54.00	-14.86	36.31	30.72	5.36	33.25	200	124 AVERAGE	Level (dBuV/m) Date: 2024-01-12 10001400.1800.2200.2600.3000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2452.00</td><td>93.44</td><td>-----</td><td>-----</td><td>90.49</td><td>30.71</td><td>5.42</td><td>33.18</td><td>200</td><td>124 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2452.00	93.44	-----	-----	90.49	30.71	5.42	33.18	200	124 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2389.52	39.14	54.00	-14.86	36.31	30.72	5.36	33.25	200	124 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2452.00	93.44	-----	-----	90.49	30.71	5.42	33.18	200	124 AVERAGE																																																																																	



Mode	170																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																																																			
ANT	CDD																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>38.68</td><td>35.97</td><td>8.63</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>31.05</td><td>36.86</td><td>10.18</td><td>33.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11060.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>28.64</td><td>39.02</td><td>12.57</td><td>33.11</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>16590.00</td><td>49.50</td><td>68.30</td><td>-18.80</td><td>27.93</td><td>41.39</td><td>15.23</td><td>35.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4904.00	50.43	74.00	-23.57	38.68	35.97	8.63	32.85	---	---	Peak	2	7356.00	44.73	74.00	-29.27	31.05	36.86	10.18	33.36	---	---	Peak	3	11060.00	47.12	74.00	-26.88	28.64	39.02	12.57	33.11	---	---	Peak	4	16590.00	49.50	68.30	-18.80	27.93	41.39	15.23	35.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>36.64</td><td>35.97</td><td>8.63</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>30.99</td><td>36.86</td><td>10.18</td><td>33.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11060.00</td><td>49.85</td><td>74.00</td><td>-24.15</td><td>31.37</td><td>39.02</td><td>12.57</td><td>33.11</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>16590.00</td><td>49.87</td><td>68.30</td><td>-18.43</td><td>28.30</td><td>41.39</td><td>15.23</td><td>35.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4904.00	48.39	74.00	-25.61	36.64	35.97	8.63	32.85	---	---	Peak	2	7356.00	44.67	74.00	-29.33	30.99	36.86	10.18	33.36	---	---	Peak	3	11060.00	49.85	74.00	-24.15	31.37	39.02	12.57	33.11	---	---	Peak	4	16590.00	49.87	68.30	-18.43	28.30	41.39	15.23	35.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																										
1	4904.00	50.43	74.00	-23.57	38.68	35.97	8.63	32.85	---	---	Peak																																																																																																																																																									
2	7356.00	44.73	74.00	-29.27	31.05	36.86	10.18	33.36	---	---	Peak																																																																																																																																																									
3	11060.00	47.12	74.00	-26.88	28.64	39.02	12.57	33.11	---	---	Peak																																																																																																																																																									
4	16590.00	49.50	68.30	-18.80	27.93	41.39	15.23	35.05	---	---	Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																											
1	4904.00	48.39	74.00	-25.61	36.64	35.97	8.63	32.85	---	---	Peak																																																																																																																																																									
2	7356.00	44.67	74.00	-29.33	30.99	36.86	10.18	33.36	---	---	Peak																																																																																																																																																									
3	11060.00	49.85	74.00	-24.15	31.37	39.02	12.57	33.11	---	---	Peak																																																																																																																																																									
4	16590.00	49.87	68.30	-18.43	28.30	41.39	15.23	35.05	---	---	Peak																																																																																																																																																									

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.




Mode	171																																																																																																															
	Harmonic																																																																																																															
	UNII 2C-3_5.47-5.85_802.11ax HE20_CH144_Full_5510MHz																																																																																																															
ANT	CDD																																																																																																															
Pol.	Horizontal										Vertical																																																																																																					
Peak Avg	Data: 1 Level (dBuV/m) Date: 2024-01-13  <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.63</td><td>-26.37</td><td>74.00</td><td>59.04</td><td>39.18</td><td>12.85</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>17160.00</td><td>48.64</td><td>-19.66</td><td>68.30</td><td>56.47</td><td>41.78</td><td>15.65</td><td>65.26</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.63	-26.37	74.00	59.04	39.18	12.85	63.44	---	---	Peak	2 *	17160.00	48.64	-19.66	68.30	56.47	41.78	15.65	65.26	---	---	Peak	Data: 2 Level (dBuV/m) Date: 2024-01-13  <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.07</td><td>-26.93</td><td>74.00</td><td>58.48</td><td>39.18</td><td>12.85</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>17160.00</td><td>48.81</td><td>-19.49</td><td>68.30</td><td>56.64</td><td>41.78</td><td>15.65</td><td>65.26</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.07	-26.93	74.00	58.48	39.18	12.85	63.44	---	---	Peak	2 *	17160.00	48.81	-19.49	68.30	56.64	41.78	15.65	65.26	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11440.00	47.63	-26.37	74.00	59.04	39.18	12.85	63.44	---	---	Peak																																																																																																					
2 *	17160.00	48.64	-19.66	68.30	56.47	41.78	15.65	65.26	---	---	Peak																																																																																																					
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11440.00	47.07	-26.93	74.00	58.48	39.18	12.85	63.44	---	---	Peak																																																																																																					
2 *	17160.00	48.81	-19.49	68.30	56.64	41.78	15.65	65.26	---	---	Peak																																																																																																					

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.06	-	-	10Hz
802.11ac VHT20	100	-	-	10Hz
802.11ac VHT40	99.62	-	-	10Hz
802.11ac VHT80	99.26	-	-	10Hz
802.11ax HE20	99.63	-	-	10Hz
802.11ax HE40	99.45	-	-	10Hz
802.11ax HE80	99.43	-	-	10Hz
802.11ax HE160	99.77	-	-	10Hz
802.11be EHT20	99.63	-	-	10Hz
802.11be EHT40	99.82	-	-	10Hz
802.11be EHT80	99.62	-	-	10Hz
802.11be EHT160	99.77	-	-	10Hz
802.11be EHT160 Puncturing 20M	100	-	-	10Hz
802.11be EHT80 LargeRU484+242	97.59	0.810	1.235	3KHz
802.11be EHT160 LargeRU996+484	97.50	0.780	1.283	3KHz
802.11be EHT80 Puncturing 20M	100	-	-	10Hz
802.11be EHT160 Puncturing 40M	100	-	-	10Hz

802.11a







802.11ac VHT20




802.11ac VHT40



802.11ac VHT80




802.11ax HE20







802.11ax HE40




802.11ax HE80



802.11ax HE160




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT80 _LargeRU484+242







802.11be EHT160 _LargeRU996+484



802.11be EHT80- Puncturing 20M



802.11be EHT160- Puncturing 20M



802.11be EHT160- Puncturing 40M

