









Mode	34																																																																																																										
	Harmonic																																																																																																										
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 20M_5815MHz																																																																																																										
ANT	CDD																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11630.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>52.37</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11630.00	45.28	74.00	-28.72	52.37	38.50	18.63	64.22	0.00	--	--	PEAK	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11630.00</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>56.84</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>324</td><td>208</td><td>PEAK</td></tr><tr><td>2 11630.00</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>54.74</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>324</td><td>208</td><td>AVERAGE</td></tr></table>					Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11630.00	49.75	74.00	-24.25	56.84	38.50	18.63	64.22	0.00	324	208	PEAK	2 11630.00	47.65	54.00	-6.35	54.74	38.50	18.63	64.22	0.00	324	208	AVERAGE
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 11630.00	45.28	74.00	-28.72	52.37	38.50	18.63	64.22	0.00	--	--	PEAK																																																																																																
Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 11630.00	49.75	74.00	-24.25	56.84	38.50	18.63	64.22	0.00	324	208	PEAK																																																																																																
2 11630.00	47.65	54.00	-6.35	54.74	38.50	18.63	64.22	0.00	324	208	AVERAGE																																																																																																





Mode	35																																																																																											
	Band Edge																																																																																											
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 40M_5815MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5639.80</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>39.56</td><td>34.50</td><td>13.04</td><td>29.29</td></tr><tr><td>2</td><td>5931.40</td><td>67.38</td><td>88.20</td><td>-20.82</td><td>48.92</td><td>35.16</td><td>13.71</td><td>30.41</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5639.80	57.81	68.20	-10.39	39.56	34.50	13.04	29.29	2	5931.40	67.38	88.20	-20.82	48.92	35.16	13.71	30.41	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5815.00</td><td>102.15</td><td>-----</td><td>-----</td><td>83.26</td><td>34.83</td><td>14.23</td><td>30.17</td></tr><tr><td>2</td><td>5815.00</td><td>90.85</td><td>-----</td><td>-----</td><td>71.96</td><td>34.83</td><td>14.23</td><td>30.17</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5815.00	102.15	-----	-----	83.26	34.83	14.23	30.17	2	5815.00	90.85	-----	-----	71.96	34.83	14.23	30.17
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5639.80	57.81	68.20	-10.39	39.56	34.50	13.04	29.29																																																																																				
2	5931.40	67.38	88.20	-20.82	48.92	35.16	13.71	30.41																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5815.00	102.15	-----	-----	83.26	34.83	14.23	30.17																																																																																				
2	5815.00	90.85	-----	-----	71.96	34.83	14.23	30.17																																																																																				



Mode	35																																																																																											
	Band Edge																																																																																											
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 40M_5815MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5645.00</td><td>56.93</td><td>68.20</td><td>-11.27</td><td>38.73</td><td>34.50</td><td>13.02</td><td>29.32</td></tr><tr><td>2</td><td>5933.00</td><td>61.09</td><td>88.20</td><td>-27.11</td><td>42.63</td><td>35.17</td><td>13.70</td><td>30.41</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5645.00	56.93	68.20	-11.27	38.73	34.50	13.02	29.32	2	5933.00	61.09	88.20	-27.11	42.63	35.17	13.70	30.41	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5815.00</td><td>94.26</td><td>-----</td><td>-----</td><td>75.37</td><td>34.83</td><td>14.23</td><td>30.17</td></tr><tr><td>2</td><td>5815.00</td><td>82.96</td><td>-----</td><td>-----</td><td>64.07</td><td>34.83</td><td>14.23</td><td>30.17</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5815.00	94.26	-----	-----	75.37	34.83	14.23	30.17	2	5815.00	82.96	-----	-----	64.07	34.83	14.23	30.17
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5645.00	56.93	68.20	-11.27	38.73	34.50	13.02	29.32																																																																																				
2	5933.00	61.09	88.20	-27.11	42.63	35.17	13.70	30.41																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5815.00	94.26	-----	-----	75.37	34.83	14.23	30.17																																																																																				
2	5815.00	82.96	-----	-----	64.07	34.83	14.23	30.17																																																																																				



		35																																																																			
Mode		Harmonic																																																																			
		U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 40M_5815MHz																																																																			
ANT		CDD																																																																			
Pol.		Horizontal						Vertical																																																													
Peak Avg																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11630.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>52.94</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11630.00	45.85	74.00	-28.15	52.94	38.50	18.63	64.22	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11630.00	45.85	74.00	-28.15	52.94	38.50	18.63	64.22	0.00	--	--	PEAK																																																									
																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11630.00</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>57.58</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>260</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>11630.00</td><td>47.50</td><td>54.00</td><td>-6.50</td><td>54.59</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>260</td><td>205</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11630.00	50.49	74.00	-23.51	57.58	38.50	18.63	64.22	0.00	260	205	PEAK	2	11630.00	47.50	54.00	-6.50	54.59	38.50	18.63	64.22	0.00	260	205	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11630.00	50.49	74.00	-23.51	57.58	38.50	18.63	64.22	0.00	260	205	PEAK																																																									
2	11630.00	47.50	54.00	-6.50	54.59	38.50	18.63	64.22	0.00	260	205	AVERAGE																																																									





Mode	36																																																																																																																																																							
	Band Edge																																																																																																																																																							
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 40M_5815MHz																																																																																																																																																							
ANT	CDD																																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																																	
Peak																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.00</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>39.50</td><td>34.50</td><td>13.02</td><td>29.32</td><td>0.00</td><td>103</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>84.81</td><td>110.20</td><td>-25.39</td><td>66.31</td><td>35.00</td><td>13.81</td><td>30.39</td><td>0.00</td><td>103</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5926.60</td><td>68.27</td><td>88.20</td><td>-19.93</td><td>49.81</td><td>35.15</td><td>13.72</td><td>30.41</td><td>0.00</td><td>103</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5926.60</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>38.00</td><td>35.15</td><td>13.72</td><td>30.41</td><td>0.00</td><td>103</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.00	57.70	68.20	-10.50	39.50	34.50	13.02	29.32	0.00	103	173	PEAK	2	5895.00	84.81	110.20	-25.39	66.31	35.00	13.81	30.39	0.00	103	173	PEAK	3	5926.60	68.27	88.20	-19.93	49.81	35.15	13.72	30.41	0.00	103	173	PEAK	4	5926.60	56.46	68.20	-11.74	38.00	35.15	13.72	30.41	0.00	103	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5815.00</td><td>102.15</td><td>-----</td><td>-----</td><td>83.26</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>103</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5815.00</td><td>91.03</td><td>-----</td><td>-----</td><td>72.14</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>103</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5815.00	102.15	-----	-----	83.26	34.83	14.23	30.17	0.00	103	173	PEAK	2	5815.00	91.03	-----	-----	72.14	34.83	14.23	30.17	0.00	103	173	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5645.00	57.70	68.20	-10.50	39.50	34.50	13.02	29.32	0.00	103	173	PEAK																																																																																																																																												
2	5895.00	84.81	110.20	-25.39	66.31	35.00	13.81	30.39	0.00	103	173	PEAK																																																																																																																																												
3	5926.60	68.27	88.20	-19.93	49.81	35.15	13.72	30.41	0.00	103	173	PEAK																																																																																																																																												
4	5926.60	56.46	68.20	-11.74	38.00	35.15	13.72	30.41	0.00	103	173	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5815.00	102.15	-----	-----	83.26	34.83	14.23	30.17	0.00	103	173	PEAK																																																																																																																																												
2	5815.00	91.03	-----	-----	72.14	34.83	14.23	30.17	0.00	103	173	AVERAGE																																																																																																																																												





Mode	36																																																																			
	Band Edge																																																																			
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 40M_5815MHz																																																																			
ANT	CDD																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5575.60</td><td>56.07</td><td>68.20</td><td>-12.13</td><td>37.72</td><td>34.65</td><td>13.09</td><td>29.39</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr><tr><td>2</td><td>5938.60</td><td>62.80</td><td>88.20</td><td>-25.40</td><td>44.35</td><td>35.18</td><td>13.68</td><td>30.41</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5575.60	56.07	68.20	-12.13	37.72	34.65	13.09	29.39	0.00	299	75 PEAK	2	5938.60	62.80	88.20	-25.40	44.35	35.18	13.68	30.41	0.00	299	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5575.60	56.07	68.20	-12.13	37.72	34.65	13.09	29.39	0.00	299	75 PEAK																																																									
2	5938.60	62.80	88.20	-25.40	44.35	35.18	13.68	30.41	0.00	299	75 PEAK																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5815.00</td><td>96.58</td><td>-----</td><td>-----</td><td>77.69</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr><tr><td>2</td><td>5815.00</td><td>85.18</td><td>-----</td><td>-----</td><td>66.29</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>299</td><td>75 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.00	96.58	-----	-----	77.69	34.83	14.23	30.17	0.00	299	75 PEAK	2	5815.00	85.18	-----	-----	66.29	34.83	14.23	30.17	0.00	299	75 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5815.00	96.58	-----	-----	77.69	34.83	14.23	30.17	0.00	299	75 PEAK																																																									
2	5815.00	85.18	-----	-----	66.29	34.83	14.23	30.17	0.00	299	75 AVERAGE																																																									





Mode	36																																																																																																															
	Harmonic																																																																																																															
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Puncturing 40M_5815MHz																																																																																																															
ANT	CDD																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11630.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>53.93</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11630.00	46.84	74.00	-27.16	53.93	38.50	18.63	64.22	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11630.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>57.07</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>308</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>11630.00</td><td>47.64</td><td>54.00</td><td>-6.36</td><td>54.73</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>308</td><td>210</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11630.00	49.98	74.00	-24.02	57.07	38.50	18.63	64.22	0.00	308	210	PEAK	2	11630.00	47.64	54.00	-6.36	54.73	38.50	18.63	64.22	0.00	308	210	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11630.00	46.84	74.00	-27.16	53.93	38.50	18.63	64.22	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11630.00	49.98	74.00	-24.02	57.07	38.50	18.63	64.22	0.00	308	210	PEAK																																																																																																				
2	11630.00	47.64	54.00	-6.36	54.73	38.50	18.63	64.22	0.00	308	210	AVERAGE																																																																																																				



Mode	37																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																																																																								
ANT	CDD																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7471.53</td><td>50.34</td><td>74.00</td><td>-23.66</td><td>64.49</td><td>35.80</td><td>15.33</td><td>65.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11630.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>52.60</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7471.53	50.34	74.00	-23.66	64.49	35.80	15.33	65.28	0.00	--	PEAK	2	11630.00	45.51	74.00	-28.49	52.60	38.50	18.63	64.22	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11630.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>56.91</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>300</td><td>213 PEAK</td></tr><tr><td>2</td><td>11630.00</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>54.61</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>300</td><td>213 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11630.00	49.82	74.00	-24.18	56.91	38.50	18.63	64.22	0.00	300	213 PEAK	2	11630.00	47.52	54.00	-6.48	54.61	38.50	18.63	64.22	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	7471.53	50.34	74.00	-23.66	64.49	35.80	15.33	65.28	0.00	--	PEAK																																																																																																														
2	11630.00	45.51	74.00	-28.49	52.60	38.50	18.63	64.22	0.00	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11630.00	49.82	74.00	-24.18	56.91	38.50	18.63	64.22	0.00	300	213 PEAK																																																																																																														
2	11630.00	47.52	54.00	-6.48	54.61	38.50	18.63	64.22	0.00	300	213 AVERAGE																																																																																																														







Mode	38																																																																																																																																																							
	Band Edge																																																																																																																																																							
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																																																																																																							
ANT	CDD																																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																																	
Peak																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.00</td><td>58.93</td><td>68.20</td><td>-9.27</td><td>40.67</td><td>34.50</td><td>13.06</td><td>29.30</td><td>0.00</td><td>114</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>95.75</td><td>110.20</td><td>-14.45</td><td>77.25</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>114</td><td>174</td><td>PEAK</td></tr><tr><td>3</td><td>5895.00</td><td>88.49</td><td>90.20</td><td>-1.71</td><td>69.99</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>114</td><td>174</td><td>AVERAGE</td></tr><tr><td>4</td><td>5927.20</td><td>67.48</td><td>88.20</td><td>-20.72</td><td>49.02</td><td>35.15</td><td>13.72</td><td>30.41</td><td>0.00</td><td>114</td><td>174</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.00	58.93	68.20	-9.27	40.67	34.50	13.06	29.30	0.00	114	174	PEAK	2	5895.00	95.75	110.20	-14.45	77.25	35.08	13.81	30.39	0.00	114	174	PEAK	3	5895.00	88.49	90.20	-1.71	69.99	35.08	13.81	30.39	0.00	114	174	AVERAGE	4	5927.20	67.48	88.20	-20.72	49.02	35.15	13.72	30.41	0.00	114	174	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5815.00</td><td>102.11</td><td>-----</td><td>-----</td><td>83.22</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>114</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5815.00</td><td>90.81</td><td>-----</td><td>-----</td><td>71.92</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>114</td><td>174</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.00	102.11	-----	-----	83.22	34.83	14.23	30.17	0.00	114	174	PEAK	2	5815.00	90.81	-----	-----	71.92	34.83	14.23	30.17	0.00	114	174	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	5632.00	58.93	68.20	-9.27	40.67	34.50	13.06	29.30	0.00	114	174	PEAK																																																																																																																																												
2	5895.00	95.75	110.20	-14.45	77.25	35.08	13.81	30.39	0.00	114	174	PEAK																																																																																																																																												
3	5895.00	88.49	90.20	-1.71	69.99	35.08	13.81	30.39	0.00	114	174	AVERAGE																																																																																																																																												
4	5927.20	67.48	88.20	-20.72	49.02	35.15	13.72	30.41	0.00	114	174	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	5815.00	102.11	-----	-----	83.22	34.83	14.23	30.17	0.00	114	174	PEAK																																																																																																																																												
2	5815.00	90.81	-----	-----	71.92	34.83	14.23	30.17	0.00	114	174	AVERAGE																																																																																																																																												





		38																																																																														
Mode		Band Edge																																																																														
		U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																														
ANT		CDD																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.40</td><td>57.08</td><td>68.20</td><td>-11.12</td><td>38.78</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>77.88</td><td>110.20</td><td>-32.32</td><td>59.38</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr><tr><td>3</td><td>5926.00</td><td>61.96</td><td>88.20</td><td>-26.24</td><td>43.50</td><td>35.15</td><td>13.72</td><td>30.41</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5601.40	57.08	68.20	-11.12	38.78	34.50	13.15	29.35	0.00	299	75 PEAK	2	5895.00	77.88	110.20	-32.32	59.38	35.08	13.81	30.39	0.00	299	75 PEAK	3	5926.00	61.96	88.20	-26.24	43.50	35.15	13.72	30.41	0.00	299	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5601.40	57.08	68.20	-11.12	38.78	34.50	13.15	29.35	0.00	299	75 PEAK																																																																					
2	5895.00	77.88	110.20	-32.32	59.38	35.08	13.81	30.39	0.00	299	75 PEAK																																																																					
3	5926.00	61.96	88.20	-26.24	43.50	35.15	13.72	30.41	0.00	299	75 PEAK																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5815.00</td><td>95.21</td><td>-----</td><td>-----</td><td>76.32</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>299</td><td>75 PEAK</td></tr><tr><td>2</td><td>5815.00</td><td>83.91</td><td>-----</td><td>-----</td><td>65.02</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>299</td><td>75 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.00	95.21	-----	-----	76.32	34.83	14.23	30.17	0.00	299	75 PEAK	2	5815.00	83.91	-----	-----	65.02	34.83	14.23	30.17	0.00	299	75 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5815.00	95.21	-----	-----	76.32	34.83	14.23	30.17	0.00	299	75 PEAK																																																																					
2	5815.00	83.91	-----	-----	65.02	34.83	14.23	30.17	0.00	299	75 AVERAGE																																																																					





Mode	38																																																																																																							
	Harmonic																																																																																																							
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																																																							
ANT	CDD																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11630.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>52.86</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11630.00	45.77	74.00	-28.23	52.86	38.50	18.63	64.22	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11630.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>57.03</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>300</td><td>210 PEAK</td></tr><tr><td>2 11630.00</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>54.75</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>300</td><td>210 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11630.00	49.94	74.00	-24.06	57.03	38.50	18.63	64.22	0.00	300	210 PEAK	2 11630.00	47.66	54.00	-6.34	54.75	38.50	18.63	64.22	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 11630.00	45.77	74.00	-28.23	52.86	38.50	18.63	64.22	0.00	--	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 11630.00	49.94	74.00	-24.06	57.03	38.50	18.63	64.22	0.00	300	210 PEAK																																																																																														
2 11630.00	47.66	54.00	-6.34	54.75	38.50	18.63	64.22	0.00	300	210 AVERAGE																																																																																														
Peak Avg																																																																																																								

Note: Only the worst case has assessed 18G ~40GHz to test.





Mode	39																																																																																																									
	Band Edge																																																																																																									
	U-NII-4_5.85-5.895_802.11be EHT80_CH171_Large RU 484+242_5855MHz																																																																																																									
ANT	CDD																																																																																																									
Pol.	Horizontal												Fundamental																																																																																													
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5637.40</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.58</td><td>34.50</td><td>13.05</td><td>29.29</td></tr><tr><td>2</td><td>5927.20</td><td>59.56</td><td>88.20</td><td>-28.64</td><td>41.10</td><td>35.15</td><td>13.72</td><td>30.41</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5637.40	57.84	68.20	-10.36	39.58	34.50	13.05	29.29	2	5927.20	59.56	88.20	-28.64	41.10	35.15	13.72	30.41	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5855.00</td><td>104.64</td><td>-----</td><td>-----</td><td>86.21</td><td>34.92</td><td>13.88</td><td>30.37</td></tr><tr><td>2</td><td>5855.00</td><td>93.34</td><td>-----</td><td>-----</td><td>74.91</td><td>34.92</td><td>13.88</td><td>30.37</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5855.00	104.64	-----	-----	86.21	34.92	13.88	30.37	2	5855.00	93.34	-----	-----	74.91	34.92	13.88	30.37
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	5637.40	57.84	68.20	-10.36	39.58	34.50	13.05	29.29																																																																																																		
2	5927.20	59.56	88.20	-28.64	41.10	35.15	13.72	30.41																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	5855.00	104.64	-----	-----	86.21	34.92	13.88	30.37																																																																																																		
2	5855.00	93.34	-----	-----	74.91	34.92	13.88	30.37																																																																																																		





Mode	39																																																																																											
	Band Edge																																																																																											
	U-NII-4_5.85-5.895_802.11be EHT80_CH171_Large RU 484+242_5855MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5635.00</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>38.21</td><td>34.50</td><td>13.05</td><td>29.30</td></tr><tr><td>2</td><td>5998.60</td><td>57.69</td><td>88.20</td><td>-30.51</td><td>39.28</td><td>35.30</td><td>13.55</td><td>30.44</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5635.00	56.46	68.20	-11.74	38.21	34.50	13.05	29.30	2	5998.60	57.69	88.20	-30.51	39.28	35.30	13.55	30.44	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5855.00</td><td>97.21</td><td>-----</td><td>-----</td><td>78.78</td><td>34.92</td><td>13.88</td><td>30.37</td></tr><tr><td>2</td><td>5855.00</td><td>85.91</td><td>-----</td><td>-----</td><td>67.48</td><td>34.92</td><td>13.88</td><td>30.37</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5855.00	97.21	-----	-----	78.78	34.92	13.88	30.37	2	5855.00	85.91	-----	-----	67.48	34.92	13.88	30.37
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5635.00	56.46	68.20	-11.74	38.21	34.50	13.05	29.30																																																																																				
2	5998.60	57.69	88.20	-30.51	39.28	35.30	13.55	30.44																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5855.00	97.21	-----	-----	78.78	34.92	13.88	30.37																																																																																				
2	5855.00	85.91	-----	-----	67.48	34.92	13.88	30.37																																																																																				





Mode	40																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-4_5.85-5.895_802.11be EHT80_CH171_Large RU 484+242_5855MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.00</td><td>56.91</td><td>68.20</td><td>-11.29</td><td>38.65</td><td>34.50</td><td>13.05</td><td>29.29</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>86.87</td><td>110.20</td><td>-23.33</td><td>68.37</td><td>35.00</td><td>13.81</td><td>30.39</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>3</td><td>5927.20</td><td>65.16</td><td>88.20</td><td>-23.04</td><td>46.70</td><td>35.15</td><td>13.72</td><td>30.41</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.00	56.91	68.20	-11.29	38.65	34.50	13.05	29.29	0.00	100	175	PEAK	2	5895.00	86.87	110.20	-23.33	68.37	35.00	13.81	30.39	0.00	100	175	PEAK	3	5927.20	65.16	88.20	-23.04	46.70	35.15	13.72	30.41	0.00	100	175	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>103.24</td><td>-----</td><td>-----</td><td>84.81</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>5855.00</td><td>91.94</td><td>-----</td><td>-----</td><td>73.51</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>175</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	103.24	-----	-----	84.81	34.92	13.88	30.37	0.00	100	175	PEAK	2	5855.00	91.94	-----	-----	73.51	34.92	13.88	30.37	0.00	100	175	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5636.00	56.91	68.20	-11.29	38.65	34.50	13.05	29.29	0.00	100	175	PEAK																																																																																																																															
2	5895.00	86.87	110.20	-23.33	68.37	35.00	13.81	30.39	0.00	100	175	PEAK																																																																																																																															
3	5927.20	65.16	88.20	-23.04	46.70	35.15	13.72	30.41	0.00	100	175	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5855.00	103.24	-----	-----	84.81	34.92	13.88	30.37	0.00	100	175	PEAK																																																																																																																															
2	5855.00	91.94	-----	-----	73.51	34.92	13.88	30.37	0.00	100	175	AVERAGE																																																																																																																															







Mode	40																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-4_5.85-5.895_802.11be EHT80_CH171_Large RU 484+242_5855MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.00</td><td>56.38</td><td>68.20</td><td>-11.82</td><td>38.12</td><td>34.50</td><td>13.07</td><td>29.31</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>78.20</td><td>110.20</td><td>-32.00</td><td>59.70</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5930.00</td><td>60.62</td><td>88.20</td><td>-27.58</td><td>42.16</td><td>35.16</td><td>13.71</td><td>30.41</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.00	56.38	68.20	-11.82	38.12	34.50	13.07	29.31	0.00	303	118	PEAK	2	5895.00	78.20	110.20	-32.00	59.70	35.08	13.81	30.39	0.00	303	118	PEAK	3	5930.00	60.62	88.20	-27.58	42.16	35.16	13.71	30.41	0.00	303	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>98.39</td><td>-----</td><td>-----</td><td>79.96</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>303</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5855.00</td><td>87.09</td><td>-----</td><td>-----</td><td>68.66</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>303</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	98.39	-----	-----	79.96	34.92	13.88	30.37	0.00	303	118	PEAK	2	5855.00	87.09	-----	-----	68.66	34.92	13.88	30.37	0.00	303	118	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5629.00	56.38	68.20	-11.82	38.12	34.50	13.07	29.31	0.00	303	118	PEAK																																																																																																																															
2	5895.00	78.20	110.20	-32.00	59.70	35.08	13.81	30.39	0.00	303	118	PEAK																																																																																																																															
3	5930.00	60.62	88.20	-27.58	42.16	35.16	13.71	30.41	0.00	303	118	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5855.00	98.39	-----	-----	79.96	34.92	13.88	30.37	0.00	303	118	PEAK																																																																																																																															
2	5855.00	87.09	-----	-----	68.66	34.92	13.88	30.37	0.00	303	118	AVERAGE																																																																																																																															





Mode	38																																																																																																							
	LF																																																																																																							
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																																																							
ANT	CDD																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak																																																																																																								
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>104.69</td><td>15.84</td><td>43.50</td><td>-27.66</td><td>30.14</td><td>16.40</td><td>1.49</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>239.52</td><td>22.41</td><td>46.00</td><td>-23.59</td><td>35.26</td><td>17.08</td><td>2.25</td><td>32.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>450.01</td><td>23.23</td><td>46.00</td><td>-22.77</td><td>29.58</td><td>22.76</td><td>3.09</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>584.84</td><td>25.13</td><td>46.00</td><td>-20.87</td><td>28.35</td><td>25.56</td><td>3.52</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>746.83</td><td>29.84</td><td>46.00</td><td>-16.16</td><td>30.14</td><td>28.01</td><td>3.98</td><td>32.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>945.68</td><td>32.56</td><td>46.00</td><td>-13.44</td><td>30.64</td><td>29.65</td><td>4.47</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	104.69	15.84	43.50	-27.66	30.14	16.40	1.49	32.19	---	---	Peak	2	239.52	22.41	46.00	-23.59	35.26	17.08	2.25	32.18	---	---	Peak	3	450.01	23.23	46.00	-22.77	29.58	22.76	3.09	32.20	---	---	Peak	4	584.84	25.13	46.00	-20.87	28.35	25.56	3.52	32.30	---	---	Peak	5	746.83	29.84	46.00	-16.16	30.14	28.01	3.98	32.29	---	---	Peak	6	945.68	32.56	46.00	-13.44	30.64	29.65	4.47	32.20	---	---	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
	1	104.69	15.84	43.50	-27.66	30.14	16.40	1.49	32.19	---	---	Peak																																																																																												
	2	239.52	22.41	46.00	-23.59	35.26	17.08	2.25	32.18	---	---	Peak																																																																																												
	3	450.01	23.23	46.00	-22.77	29.58	22.76	3.09	32.20	---	---	Peak																																																																																												
4	584.84	25.13	46.00	-20.87	28.35	25.56	3.52	32.30	---	---	Peak																																																																																													
5	746.83	29.84	46.00	-16.16	30.14	28.01	3.98	32.29	---	---	Peak																																																																																													
6	945.68	32.56	46.00	-13.44	30.64	29.65	4.47	32.20	---	---	Peak																																																																																													
																																																																																																								
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>30.14</td><td>40.00</td><td>-9.86</td><td>37.28</td><td>24.55</td><td>0.51</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>116.33</td><td>18.61</td><td>43.50</td><td>-24.89</td><td>31.97</td><td>17.25</td><td>1.56</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>316.15</td><td>18.82</td><td>46.00</td><td>-27.18</td><td>28.83</td><td>19.52</td><td>2.60</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>507.24</td><td>23.84</td><td>46.00</td><td>-22.16</td><td>28.89</td><td>24.06</td><td>3.28</td><td>32.39</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>680.87</td><td>26.54</td><td>46.00</td><td>-19.46</td><td>28.51</td><td>26.42</td><td>3.81</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>851.59</td><td>30.36</td><td>46.00</td><td>-15.64</td><td>29.53</td><td>28.98</td><td>4.24</td><td>32.39</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	30.14	40.00	-9.86	37.28	24.55	0.51	32.20	---	---	Peak	2	116.33	18.61	43.50	-24.89	31.97	17.25	1.56	32.17	---	---	Peak	3	316.15	18.82	46.00	-27.18	28.83	19.52	2.60	32.13	---	---	Peak	4	507.24	23.84	46.00	-22.16	28.89	24.06	3.28	32.39	---	---	Peak	5	680.87	26.54	46.00	-19.46	28.51	26.42	3.81	32.20	---	---	Peak	6	851.59	30.36	46.00	-15.64	29.53	28.98	4.24	32.39	---	---	Peak	
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	30.97	30.14	40.00	-9.86	37.28	24.55	0.51	32.20	---	---	Peak																																																																																													
2	116.33	18.61	43.50	-24.89	31.97	17.25	1.56	32.17	---	---	Peak																																																																																													
3	316.15	18.82	46.00	-27.18	28.83	19.52	2.60	32.13	---	---	Peak																																																																																													
4	507.24	23.84	46.00	-22.16	28.89	24.06	3.28	32.39	---	---	Peak																																																																																													
5	680.87	26.54	46.00	-19.46	28.51	26.42	3.81	32.20	---	---	Peak																																																																																													
6	851.59	30.36	46.00	-15.64	29.53	28.98	4.24	32.39	---	---	Peak																																																																																													







Mode	41																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.60</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>39.62</td><td>32.30</td><td>8.68</td><td>30.94</td><td>6.00</td><td>194</td><td>337</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.60	55.66	74.00	-18.34	39.62	32.30	8.68	30.94	6.00	194	337	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>98.97</td><td>-----</td><td>-----</td><td>82.63</td><td>32.40</td><td>8.89</td><td>30.95</td><td>6.00</td><td>194</td><td>337</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	98.97	-----	-----	82.63	32.40	8.89	30.95	6.00	194	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2351.60	55.66	74.00	-18.34	39.62	32.30	8.68	30.94	6.00	194	337	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	98.97	-----	-----	82.63	32.40	8.89	30.95	6.00	194	337	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>26.93</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>194</td><td>337</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	43.16	54.00	-10.84	26.93	32.38	8.78	30.93	6.00	194	337	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>88.64</td><td>-----</td><td>-----</td><td>72.30</td><td>32.40</td><td>8.89</td><td>30.95</td><td>6.00</td><td>194</td><td>337</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	88.64	-----	-----	72.30	32.40	8.89	30.95	6.00	194	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	43.16	54.00	-10.84	26.93	32.38	8.78	30.93	6.00	194	337	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	88.64	-----	-----	72.30	32.40	8.89	30.95	6.00	194	337	AVERAGE																																																																																							



Mode	41																																																				
	Band Edge - R																																																				
	2400-2483.5_2400-2483.5_802.11ax HE40_CH09_2452MHz																																																				
ANT	CDD																																																				
Pol.	Horizontal										Fundamental																																										
Peak											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>57.64</td><td>74.00</td><td>-16.36</td><td>41.33</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>194</td><td>337</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	57.64	74.00	-16.36	41.33	32.40	8.88	30.97	6.00	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.28	57.64	74.00	-16.36	41.33	32.40	8.88	30.97	6.00	194	337	PEAK																																									
Avg											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>28.80</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>194</td><td>337</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	45.11	54.00	-8.89	28.80	32.40	8.88	30.97	6.00	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2483.62	45.11	54.00	-8.89	28.80	32.40	8.88	30.97	6.00	194	337	AVERAGE																																									







Mode	41																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>40.99</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>304</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	57.22	74.00	-16.78	40.99	32.38	8.78	30.93	6.00	304	348	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>108.39</td><td>-----</td><td>-----</td><td>92.04</td><td>32.40</td><td>8.90</td><td>30.95</td><td>6.00</td><td>304</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	108.39	-----	-----	92.04	32.40	8.90	30.95	6.00	304	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	57.22	74.00	-16.78	40.99	32.38	8.78	30.93	6.00	304	348	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	108.39	-----	-----	92.04	32.40	8.90	30.95	6.00	304	348	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>29.28</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>304</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	45.50	54.00	-8.50	29.28	32.38	8.77	30.93	6.00	304	348	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>98.33</td><td>-----</td><td>-----</td><td>81.99</td><td>32.40</td><td>8.89</td><td>30.95</td><td>6.00</td><td>304</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	98.33	-----	-----	81.99	32.40	8.89	30.95	6.00	304	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.04	45.50	54.00	-8.50	29.28	32.38	8.77	30.93	6.00	304	348	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	98.33	-----	-----	81.99	32.40	8.89	30.95	6.00	304	348	AVERAGE																																																																																							





Mode	41																																																							
	Band Edge - R																																																							
	2400-2483.5_2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	CDD																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>65.44</td><td>74.00</td><td>-8.56</td><td>49.13</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>304</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	65.44	74.00	-8.56	49.13	32.40	8.88	30.97	6.00	304	348	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.22	65.44	74.00	-8.56	49.13	32.40	8.88	30.97	6.00	304	348	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.06</td><td>54.00</td><td>-0.94</td><td>36.75</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>304</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.06	54.00	-0.94	36.75	32.40	8.88	30.97	6.00	304	348	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	53.06	54.00	-0.94	36.75	32.40	8.88	30.97	6.00	304	348	AVERAGE																																												





Mode	41																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>58.43</td><td>34.21</td><td>12.00</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>58.51</td><td>35.00</td><td>15.05</td><td>64.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	39.14	74.00	-34.86	58.43	34.21	12.00	65.50	0.00	--	--	PEAK	2	7356.00	44.41	74.00	-29.59	58.51	35.00	15.05	64.95	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>38.39</td><td>74.00</td><td>-35.61</td><td>57.68</td><td>34.21</td><td>12.00</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>59.25</td><td>35.00</td><td>15.05</td><td>64.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	38.39	74.00	-35.61	57.68	34.21	12.00	65.50	0.00	--	--	PEAK	2	7356.00	45.15	74.00	-28.85	59.25	35.00	15.05	64.95	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4904.00	39.14	74.00	-34.86	58.43	34.21	12.00	65.50	0.00	--	--	PEAK																																																																																																																	
2	7356.00	44.41	74.00	-29.59	58.51	35.00	15.05	64.95	0.00	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4904.00	38.39	74.00	-35.61	57.68	34.21	12.00	65.50	0.00	--	--	PEAK																																																																																																																	
2	7356.00	45.15	74.00	-28.85	59.25	35.00	15.05	64.95	0.00	--	--	PEAK																																																																																																																	
Peak Avg																																																																																																																													







Mode	41																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>65.90</td><td>108.10</td><td>-42.20</td><td>47.74</td><td>34.62</td><td>13.18</td><td>29.64</td><td>0.00</td><td>316</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>79.02</td><td>110.20</td><td>-31.18</td><td>60.52</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>316</td><td>16</td><td>PEAK</td></tr><tr><td>3</td><td>5943.40</td><td>59.76</td><td>88.20</td><td>-28.44</td><td>41.31</td><td>35.19</td><td>13.67</td><td>30.41</td><td>0.00</td><td>316</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5710.00	65.90	108.10	-42.20	47.74	34.62	13.18	29.64	0.00	316	16	PEAK	2	5895.00	79.02	110.20	-31.18	60.52	35.08	13.81	30.39	0.00	316	16	PEAK	3	5943.40	59.76	88.20	-28.44	41.31	35.19	13.67	30.41	0.00	316	16	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5815.00</td><td>99.22</td><td>-----</td><td>-----</td><td>80.33</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>316</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5815.00</td><td>87.82</td><td>-----</td><td>-----</td><td>68.93</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>316</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.00	99.22	-----	-----	80.33	34.83	14.23	30.17	0.00	316	16	PEAK	2	5815.00	87.82	-----	-----	68.93	34.83	14.23	30.17	0.00	316	16	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5710.00	65.90	108.10	-42.20	47.74	34.62	13.18	29.64	0.00	316	16	PEAK																																																																																																																															
2	5895.00	79.02	110.20	-31.18	60.52	35.08	13.81	30.39	0.00	316	16	PEAK																																																																																																																															
3	5943.40	59.76	88.20	-28.44	41.31	35.19	13.67	30.41	0.00	316	16	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5815.00	99.22	-----	-----	80.33	34.83	14.23	30.17	0.00	316	16	PEAK																																																																																																																															
2	5815.00	87.82	-----	-----	68.93	34.83	14.23	30.17	0.00	316	16	AVERAGE																																																																																																																															





Mode	41																																																																												
	Band Edge																																																																												
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																												
ANT	CDD																																																																												
Pol.	Vertical																																																																												
Peak																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5704.00</td><td>64.90</td><td>106.42</td><td>-41.52</td><td>46.78</td><td>34.61</td><td>13.12</td><td>29.61</td><td>0.00</td><td>282 116 PEAK</td></tr><tr><td>2</td><td>5895.00</td><td>81.04</td><td>110.20</td><td>-29.16</td><td>62.54</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>282 116 PEAK</td></tr><tr><td>3</td><td>5959.00</td><td>66.57</td><td>88.20</td><td>-21.63</td><td>48.14</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>282 116 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5704.00	64.90	106.42	-41.52	46.78	34.61	13.12	29.61	0.00	282 116 PEAK	2	5895.00	81.04	110.20	-29.16	62.54	35.08	13.81	30.39	0.00	282 116 PEAK	3	5959.00	66.57	88.20	-21.63	48.14	35.22	13.63	30.42	0.00	282 116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5704.00	64.90	106.42	-41.52	46.78	34.61	13.12	29.61	0.00	282 116 PEAK																																																																			
2	5895.00	81.04	110.20	-29.16	62.54	35.08	13.81	30.39	0.00	282 116 PEAK																																																																			
3	5959.00	66.57	88.20	-21.63	48.14	35.22	13.63	30.42	0.00	282 116 PEAK																																																																			
Fundamental																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5815.00</td><td>98.32</td><td>-----</td><td>-----</td><td>79.43</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>282 116 PEAK</td></tr><tr><td>2</td><td>5815.00</td><td>87.02</td><td>-----</td><td>-----</td><td>68.13</td><td>34.83</td><td>14.23</td><td>30.17</td><td>0.00</td><td>282 116 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.00	98.32	-----	-----	79.43	34.83	14.23	30.17	0.00	282 116 PEAK	2	5815.00	87.02	-----	-----	68.13	34.83	14.23	30.17	0.00	282 116 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5815.00	98.32	-----	-----	79.43	34.83	14.23	30.17	0.00	282 116 PEAK																																																																			
2	5815.00	87.02	-----	-----	68.13	34.83	14.23	30.17	0.00	282 116 AVERAGE																																																																			

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.



Mode	41																																																																															
	Harmonic																																																																															
	U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7467.13</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>62.79</td><td>35.80</td><td>15.33</td><td>65.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11630.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>55.39</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7467.13	48.65	74.00	-25.35	62.79	35.80	15.33	65.27	0.00	--	PEAK	2	11630.00	48.30	74.00	-25.70	55.39	38.50	18.63	64.22	0.00	--	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	7467.13	48.65	74.00	-25.35	62.79	35.80	15.33	65.27	0.00	--	PEAK																																																																					
2	11630.00	48.30	74.00	-25.70	55.39	38.50	18.63	64.22	0.00	--	PEAK																																																																					
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7484.73</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>62.52</td><td>35.80</td><td>15.33</td><td>65.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11630.00</td><td>50.14</td><td>74.00</td><td>-23.86</td><td>57.23</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>275</td><td>102 PEAK</td></tr><tr><td>3</td><td>11630.00</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>54.64</td><td>38.50</td><td>18.63</td><td>64.22</td><td>0.00</td><td>275</td><td>102 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7484.73	48.33	74.00	-25.67	62.52	35.80	15.33	65.32	0.00	--	PEAK	2	11630.00	50.14	74.00	-23.86	57.23	38.50	18.63	64.22	0.00	275	102 PEAK	3	11630.00	47.55	54.00	-6.45	54.64	38.50	18.63	64.22	0.00	275	102 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7484.73	48.33	74.00	-25.67	62.52	35.80	15.33	65.32	0.00	--	PEAK																																																																					
2	11630.00	50.14	74.00	-23.86	57.23	38.50	18.63	64.22	0.00	275	102 PEAK																																																																					
3	11630.00	47.55	54.00	-6.45	54.64	38.50	18.63	64.22	0.00	275	102 AVERAGE																																																																					
Peak Avg																																																																																
																																																																																




Mode	41																																																																																																								
	LF																																																																																																								
	2400-2483.5_2400-2483.5_802.11ax HE40_CH09_2452MHz U-NII-4_5.85-5.895_802.11be EHT160_CH163_Large RU 996+484_5815MHz																																																																																																								
ANT	CDD																																																																																																								
Pol.	Horizontal																																																																																																								
Peak QP																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>31.29</td><td>40.00</td><td>-8.71</td><td>38.94</td><td>24.03</td><td>0.52</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>90.14</td><td>20.36</td><td>43.50</td><td>-23.14</td><td>36.74</td><td>14.60</td><td>1.32</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>324.88</td><td>20.02</td><td>46.00</td><td>-25.98</td><td>29.82</td><td>19.72</td><td>2.63</td><td>32.15</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>450.01</td><td>24.07</td><td>46.00</td><td>-21.93</td><td>30.42</td><td>22.76</td><td>3.09</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>681.84</td><td>27.37</td><td>46.00</td><td>-18.63</td><td>29.33</td><td>26.42</td><td>3.82</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>837.04</td><td>31.28</td><td>46.00</td><td>-14.72</td><td>30.68</td><td>28.76</td><td>4.21</td><td>32.37</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	31.29	40.00	-8.71	38.94	24.03	0.52	32.20	---	---	Peak	2	90.14	20.36	43.50	-23.14	36.74	14.60	1.32	32.30	---	---	Peak	3	324.88	20.02	46.00	-25.98	29.82	19.72	2.63	32.15	---	---	Peak	4	450.01	24.07	46.00	-21.93	30.42	22.76	3.09	32.20	---	---	Peak	5	681.84	27.37	46.00	-18.63	29.33	26.42	3.82	32.20	---	---	Peak	6	837.04	31.28	46.00	-14.72	30.68	28.76	4.21	32.37	---	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
	1	31.94	31.29	40.00	-8.71	38.94	24.03	0.52	32.20	---	---	Peak																																																																																													
	2	90.14	20.36	43.50	-23.14	36.74	14.60	1.32	32.30	---	---	Peak																																																																																													
	3	324.88	20.02	46.00	-25.98	29.82	19.72	2.63	32.15	---	---	Peak																																																																																													
	4	450.01	24.07	46.00	-21.93	30.42	22.76	3.09	32.20	---	---	Peak																																																																																													
5	681.84	27.37	46.00	-18.63	29.33	26.42	3.82	32.20	---	---	Peak																																																																																														
6	837.04	31.28	46.00	-14.72	30.68	28.76	4.21	32.37	---	---	Peak																																																																																														
Vertical																																																																																																									
																																																																																																									
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>25.69</td><td>40.00</td><td>-14.31</td><td>32.83</td><td>24.55</td><td>0.51</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>104.69</td><td>17.84</td><td>43.50</td><td>-25.66</td><td>32.14</td><td>16.40</td><td>1.49</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>249.22</td><td>23.21</td><td>46.00</td><td>-22.79</td><td>34.86</td><td>18.25</td><td>2.30</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>498.51</td><td>24.17</td><td>46.00</td><td>-21.83</td><td>29.50</td><td>23.81</td><td>3.25</td><td>32.39</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>649.83</td><td>27.01</td><td>46.00</td><td>-18.99</td><td>28.94</td><td>26.55</td><td>3.72</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>906.88</td><td>31.29</td><td>46.00</td><td>-14.71</td><td>29.91</td><td>29.19</td><td>4.39</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	25.69	40.00	-14.31	32.83	24.55	0.51	32.20	---	---	Peak	2	104.69	17.84	43.50	-25.66	32.14	16.40	1.49	32.19	---	---	Peak	3	249.22	23.21	46.00	-22.79	34.86	18.25	2.30	32.20	---	---	Peak	4	498.51	24.17	46.00	-21.83	29.50	23.81	3.25	32.39	---	---	Peak	5	649.83	27.01	46.00	-18.99	28.94	26.55	3.72	32.20	---	---	Peak	6	906.88	31.29	46.00	-14.71	29.91	29.19	4.39	32.20	---	---	Peak	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	30.97	25.69	40.00	-14.31	32.83	24.55	0.51	32.20	---	---	Peak																																																																																														
2	104.69	17.84	43.50	-25.66	32.14	16.40	1.49	32.19	---	---	Peak																																																																																														
3	249.22	23.21	46.00	-22.79	34.86	18.25	2.30	32.20	---	---	Peak																																																																																														
4	498.51	24.17	46.00	-21.83	29.50	23.81	3.25	32.39	---	---	Peak																																																																																														
5	649.83	27.01	46.00	-18.99	28.94	26.55	3.72	32.20	---	---	Peak																																																																																														
6	906.88	31.29	46.00	-14.71	29.91	29.19	4.39	32.20	---	---	Peak																																																																																														

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.05	-	-	10Hz
802.11ac VHT20	99.63	-	-	10Hz
802.11ac VHT40	99.61	-	-	10Hz
802.11ac VHT80	99.26	-	-	10Hz
802.11ac VHT160	98.74	-	-	10Hz
802.11ax HE20	99.62	-	-	10Hz
802.11ax HE40	99.81	-	-	10Hz
802.11ax HE80	99.62	-	-	10Hz
802.11ax HE160	99.77	-	-	10Hz
802.11be EHT20	99.81	-	-	10Hz
802.11be EHT40	99.81	-	-	10Hz
802.11be EHT80	99.62	-	-	10Hz
802.11be EHT160	99.77	-	-	10Hz
802.11be EHT20 Small RU 52+26	99.78	-	-	10Hz
802.11be EHT20 Small RU 106+26	99.54	-	-	10Hz
802.11be EHT80 Puncturing 20M	98.36	-	-	10Hz
802.11be EHT160 Puncturing 20M	98.75	-	-	10Hz
802.11be EHT160 Puncturing 40M	98.82	-	-	10Hz
802.11be EHT160 LargeRU996+484	97.87	0.92	1.087	3KHz
802.11be EHT80 LargeRU484+242	98.23	-	-	10Hz




802.11a




802.11ac VHT20



802.11ac VHT40




802.11ac VHT80






802.11ac VHT160




802.11ax HE20







802.11ax HE40




802.11ax HE80



802.11ax HE160




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT20 Small RU 52+26







802.11be EHT20 Small RU 106+26




802.11be EHT80- Puncturing 20M



802.11be EHT160- Puncturing 20M




802.11be EHT160- Puncturing 40M





802.11be EHT160 _LargeRU996+484



802.11be EHT80 _LargeRU484+242

