


802.11ax20 Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8039.0833	56.54	36.78	-41.82	51.50	74.00	22.50	Horizontal
2	10518.770	41.80	38.46	-38.62	41.64	68.30	26.66	Horizontal
3	12836.979	38.82	39.05	-36.71	41.16	68.30	27.14	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 145 of 362

802.11ax20 Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8036.6875	61.77	36.78	-41.84	56.71	74.00	17.29	Vertical
2	11442.604	40.04	38.74	-37.08	41.70	74.00	32.30	Vertical
3	13430.666	38.34	39.88	-36.25	41.97	68.30	26.33	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 146 of 362

802.11ax20 Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8103.7708	53.96	36.75	-41.37	49.34	74.00	24.66	Horizontal
2	11156.062	40.12	38.72	-37.11	41.73	74.00	32.27	Horizontal
3	12858.062	38.84	39.06	-36.77	41.13	68.30	27.17	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 147 of 362

802.11ax20 Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8099.9375	57.40	36.75	-41.34	52.81	74.00	21.19	Vertical
2	11141.208	40.26	38.71	-37.28	41.70	74.00	32.30	Vertical
3	13603.166	37.13	40.19	-36.04	41.28	68.30	27.02	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 148 of 362


802.11ax20 Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7766.9167	49.21	36.71	-42.70	43.21	68.30	25.09	Horizontal
2	10022.833	42.71	38.21	-39.22	41.70	68.30	26.60	Horizontal
3	12074.145	38.36	38.82	-37.19	39.99	74.00	34.01	Horizontal

802.11ax20 Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7766.9167	51.29	36.71	-42.70	45.29	68.30	23.01	Vertical
2	10477.083	42.01	38.44	-38.75	41.70	68.30	26.60	Vertical
3	11469.916	40.47	38.75	-36.81	42.41	74.00	31.59	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 150 of 362


802.11ax20 Channel 120



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7832.5625	58.06	36.73	-42.63	52.16	68.30	16.14	Horizontal
2	10210.187	43.00	38.31	-39.25	42.06	68.30	26.24	Horizontal
3	13340.104	38.11	39.71	-36.64	41.18	74.00	32.82	Horizontal


802.11ax20 Channel 120



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7837.3542	61.50	36.73	-42.64	55.60	68.30	12.70	Vertical
2	10091.354	42.84	38.25	-38.76	42.33	68.30	25.97	Vertical
3	12297.916	37.75	38.89	-36.65	39.99	74.00	34.01	Vertical


802.11ax20 Channel 124



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7871.375	58.05	36.75	-42.69	52.10	68.30	16.20	Horizontal
2	10526.916	42.00	38.46	-38.56	41.91	68.30	26.39	Horizontal
3	12849.916	37.98	39.05	-36.74	40.29	68.30	28.01	Horizontal

802.11ax20 Channel 124



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7869.4583	60.56	36.75	-42.69	54.62	68.30	13.68	Vertical
2	8853.1875	46.17	36.37	-41.02	41.53	68.30	26.77	Vertical
3	11199.666	40.12	38.72	-36.60	42.24	74.00	31.76	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 154 of 362

802.11ax20 Channel 128



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7892.9375	57.83	36.76	-42.73	51.86	68.30	16.44	Horizontal
2	9645.7292	43.82	37.53	-39.33	42.02	68.30	26.28	Horizontal
3	12226.041	38.70	38.87	-36.99	40.58	74.00	33.42	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 155 of 362


802.11ax20 Channel 128



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7897.7292	60.98	36.76	-42.74	55.00	68.30	13.30	Vertical
2	9590.625	43.71	37.42	-39.27	41.86	68.30	26.44	Vertical
3	12211.187	37.86	38.86	-37.06	39.67	74.00	34.33	Vertical

802.11ax40 Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6919.75	57.27	35.06	-43.72	48.61	68.30	19.69	Horizontal
2	8424.3333	47.01	36.59	-41.47	42.12	74.00	31.88	Horizontal
3	11491.479	37.81	38.75	-36.60	39.96	74.00	34.04	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 157 of 362

802.11ax40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6920.2292	59.14	35.06	-43.72	50.48	68.30	17.82	Vertical
2	9100.9167	45.10	36.49	-40.41	41.19	74.00	32.81	Vertical
3	12305.104	37.60	38.89	-36.66	39.83	74.00	34.17	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 158 of 362

802.11ax40 Channel 46



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4900.3462	39.75	31.18	-20.03	50.90	74.00	23.10	Horizontal
2	6973.4167	56.98	35.15	-43.23	48.90	68.30	19.40	Horizontal
3	9185.25	45.43	36.65	-40.02	42.06	74.00	31.94	Horizontal
4	12378.895	37.22	38.91	-36.92	39.22	74.00	34.78	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 159 of 362

802.11ax40 Channel 46



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6973.4167	57.58	35.15	-43.23	49.50	68.30	18.80	Vertical
2	9647.6458	42.98	37.53	-39.33	41.18	68.30	27.12	Vertical
3	12110.083	37.53	38.83	-37.18	39.18	74.00	34.82	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 160 of 362


802.11ax40 Channel 54



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.6042	58.24	35.27	-43.17	50.35	68.30	17.95	Horizontal
2	8709.4375	46.04	36.45	-41.32	41.16	68.30	27.14	Horizontal
3	11227.937	38.84	38.72	-36.78	40.79	74.00	33.21	Horizontal

802.11ax40 Channel 54



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.6042	58.55	35.27	-43.17	50.66	68.30	17.64	Vertical
2	9508.6875	44.17	37.27	-39.89	41.54	68.30	26.76	Vertical
3	11441.166	38.31	38.74	-37.10	39.96	74.00	34.04	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 162 of 362

802.11ax40 Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7079.7917	56.43	35.42	-43.52	48.33	68.30	19.97	Horizontal
2	8937.5208	46.01	36.33	-40.89	41.45	68.30	26.85	Horizontal
3	11706.145	35.34	38.77	-36.16	37.95	74.00	36.05	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 163 of 362

802.11ax40 Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7079.7917	56.93	35.42	-43.52	48.83	68.30	19.47	Vertical
2	8916.9167	44.81	36.34	-40.90	40.25	68.30	28.05	Vertical
3	12219.812	36.75	38.87	-37.02	38.60	74.00	35.40	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 164 of 362

802.11ax40 Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7394.125	48.11	36.30	-42.82	41.59	74.00	32.41	Horizontal
2	8956.6875	45.59	36.32	-40.89	41.02	68.30	27.28	Horizontal
3	13625.687	35.17	40.23	-36.03	39.37	68.30	28.93	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 165 of 362

802.11ax40 Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7709.4167	52.78	36.68	-42.92	46.55	74.00	27.45	Vertical
2	10313.208	40.77	38.36	-38.94	40.19	68.30	28.11	Vertical
3	12382.25	36.94	38.91	-36.93	38.93	74.00	35.07	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 166 of 362

802.11ax40 Channel 110



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7758.2917	49.24	36.70	-42.73	43.21	68.30	25.09	Horizontal
2	10502.479	41.28	38.45	-38.74	40.99	68.30	27.31	Horizontal
3	12654.416	37.30	39.00	-37.00	39.30	74.00	34.70	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 167 of 362

802.11ax40 Channel 110



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7760.2083	52.57	36.70	-42.73	46.55	68.30	21.75	Vertical
2	10663	39.02	38.53	-37.68	39.87	74.00	34.13	Vertical
3	13392.333	35.27	39.81	-36.14	38.93	74.00	35.07	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 168 of 362

802.11ax40 Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7936.0625	53.90	36.77	-42.52	48.15	68.30	20.15	Horizontal
2	9647.6458	44.01	37.53	-39.33	42.21	68.30	26.09	Horizontal
3	11582.520	37.99	38.76	-36.90	39.85	74.00	34.15	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 169 of 362

802.11ax40 Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7940.375	57.20	36.78	-42.49	51.48	68.30	16.82	Vertical
2	9606.9167	44.69	37.45	-39.22	42.92	68.30	25.38	Vertical
3	11481.416	38.11	38.75	-36.70	40.16	74.00	33.84	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 170 of 362


802.11ax40 Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8049.625	52.98	36.78	-41.74	48.02	74.00	25.98	Horizontal
2	10045.354	42.09	38.22	-39.07	41.24	68.30	27.06	Horizontal
3	12231.791	37.39	38.87	-36.96	39.30	74.00	34.70	Horizontal

802.11ax40 Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8043.875	56.73	36.78	-41.78	51.72	74.00	22.28	Vertical
2	10038.645	41.52	38.22	-39.12	40.62	68.30	27.68	Vertical
3	12216.458	37.31	38.86	-37.03	39.14	74.00	34.86	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 172 of 362


802.11ax40 Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8108.0833	50.94	36.75	-41.41	46.28	74.00	27.72	Horizontal
2	11157.979	37.94	38.72	-37.08	39.57	74.00	34.43	Horizontal
3	13427.312	34.97	39.87	-36.23	38.61	68.30	29.69	Horizontal

802.11ax40 Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8103.2917	52.92	36.75	-41.37	48.30	74.00	25.70	Vertical
2	10679.770	38.83	38.54	-37.60	39.77	74.00	34.23	Vertical
3	12267.25	36.15	38.88	-36.79	38.24	74.00	35.76	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 174 of 362

802.11ax80 Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5833	55.66	35.10	-43.48	47.29	68.30	21.01	Horizontal
2	9421.9583	43.80	37.10	-39.93	40.97	74.00	33.03	Horizontal
3	13446	36.23	39.90	-36.34	39.80	68.30	28.50	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 175 of 362

802.11ax80 Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6946.5833	57.85	35.10	-43.48	49.48	68.30	18.82	Vertical
2	9647.6458	44.10	37.53	-39.33	42.30	68.30	26.00	Vertical
3	11480.937	37.52	38.75	-36.70	39.57	74.00	34.43	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 176 of 362


802.11ax80 Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7053.4375	57.87	35.35	-43.35	49.87	68.30	18.43	Horizontal
2	8409.4792	46.59	36.60	-41.41	41.77	74.00	32.23	Horizontal
3	10664.916	39.17	38.53	-37.67	40.03	74.00	33.97	Horizontal

802.11ax80 Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5100.0385	37.12	31.64	-19.26	49.50	74.00	24.50	Vertical
2	7053.4375	57.79	35.35	-43.35	49.79	68.30	18.51	Vertical
3	10358.25	40.38	38.38	-38.82	39.93	68.30	28.37	Vertical
4	12882.020	36.16	39.06	-36.83	38.40	68.30	29.90	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 178 of 362

802.11ax80 Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7618.8542	48.14	36.65	-42.78	42.01	74.00	31.99	Horizontal
2	9608.3542	42.98	37.46	-39.22	41.21	68.30	27.09	Horizontal
3	13603.166	35.10	40.19	-36.04	39.25	68.30	29.05	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 179 of 362


802.11ax80 Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7753.0208	50.51	36.70	-42.75	44.46	68.30	23.84	Vertical
2	8658.6458	45.86	36.47	-41.15	41.18	68.30	27.12	Vertical
3	11400.437	38.31	38.74	-37.51	39.54	74.00	34.46	Vertical


802.11ax80 Channel 122



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7846.4583	52.09	36.74	-42.65	46.17	68.30	22.13	Horizontal
2	9604.5208	43.00	37.45	-39.21	41.24	68.30	27.06	Horizontal
3	11455.541	37.36	38.75	-36.95	39.15	74.00	34.85	Horizontal

802.11ax80 Channel 122



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7846.4583	54.31	36.74	-42.65	48.39	68.30	19.91	Vertical
2	9648.125	42.68	37.53	-39.33	40.88	68.30	27.42	Vertical
3	12249.041	35.83	38.87	-36.88	37.83	74.00	36.17	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 182 of 362

802.11ax80 Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8076.9375	49.84	36.76	-41.52	45.08	74.00	28.92	Horizontal
2	10068.833	40.92	38.23	-38.91	40.24	68.30	28.06	Horizontal
3	12705.208	36.62	39.01	-36.82	38.81	68.30	29.49	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 183 of 362

802.11ax80 Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8067.3542	53.00	36.77	-41.60	48.17	74.00	25.83	Vertical
2	10081.291	40.38	38.24	-38.83	39.79	68.30	28.51	Vertical
3	12866.208	36.20	39.06	-36.79	38.47	68.30	29.83	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 184 of 362

802.11ax40 Channel 118



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7820.5833	53.74	36.73	-42.61	47.86	68.30	20.44	Horizontal
2	10634.25	39.90	38.52	-37.83	40.59	74.00	33.41	Horizontal
3	12397.104	37.22	38.92	-36.98	39.16	74.00	34.84	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 185 of 362


802.11ax40 Channel 118



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7814.8333	56.90	36.73	-42.60	51.02	68.30	17.28	Vertical
2	9648.125	43.00	37.53	-39.33	41.20	68.30	27.10	Vertical
3	11451.708	38.08	38.75	-36.99	39.83	74.00	34.17	Vertical

802.11ax40 Channel 126



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7873.7708	54.33	36.75	-42.70	48.38	68.30	19.92	Horizontal
2	9642.375	43.48	37.52	-39.32	41.68	68.30	26.62	Horizontal
3	12169.5	37.06	38.85	-37.13	38.78	74.00	35.22	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 187 of 362

802.11ax40 Channel 126



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7864.1875	57.24	36.75	-42.68	51.30	68.30	17.00	Vertical
2	10010.375	41.72	38.21	-39.31	40.62	68.30	27.68	Vertical
3	12776.125	36.93	39.03	-36.67	39.29	68.30	29.01	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 188 of 362

802.11ac160 Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6999.7708	58.65	35.20	-42.99	50.86	68.30	17.44	Horizontal
2	9563.3125	44.21	37.37	-39.48	42.10	68.30	26.20	Horizontal
3	11216.437	38.93	38.72	-36.70	40.95	74.00	33.05	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 189 of 362


802.11ac160 Channel 50



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6999.7708	60.41	35.20	-42.99	52.62	68.30	15.68	Vertical
2	9083.6667	44.92	36.46	-40.49	40.89	74.00	33.11	Vertical
3	11479.5	37.87	38.75	-36.72	39.90	74.00	34.10	Vertical

802.11ac160 Channel 114



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7030.4375	48.47	35.29	-43.19	40.56	68.30	27.74	Horizontal
2	9576.7292	42.97	37.40	-39.38	40.99	68.30	27.31	Horizontal
3	11443.562	38.09	38.74	-37.07	39.76	74.00	34.24	Horizontal


802.11ac160 Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7609.75	48.99	36.64	-42.76	42.87	74.00	31.13	Vertical
2	10823.041	39.67	38.61	-38.32	39.96	74.00	34.04	Vertical
3	12342	36.69	38.90	-36.79	38.81	74.00	35.19	Vertical

802.11ax160 Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7000.25	58.16	35.20	-42.99	50.37	68.30	17.93	Horizontal
2	8546.5208	46.90	36.53	-41.38	42.05	68.30	26.25	Horizontal
3	12240.895	37.47	38.87	-36.92	39.42	74.00	34.58	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 193 of 362

802.11ax160 Channel 50



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7000.25	60.77	35.20	-42.99	52.98	68.30	15.32	Vertical
2	9651	43.26	37.54	-39.34	41.45	68.30	26.85	Vertical
3	12757.916	37.03	39.03	-36.71	39.35	68.30	28.95	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 194 of 362

802.11ax160 Channel 114



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7034.75	49.71	35.30	-43.22	41.78	68.30	26.52	Horizontal
2	8486.625	47.91	36.56	-41.74	42.72	74.00	31.28	Horizontal
3	11199.666	39.63	38.72	-36.60	41.75	74.00	32.25	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 195 of 362

802.11ax160 Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7788.4792	49.66	36.72	-42.62	43.75	68.30	24.55	Vertical
2	10114.833	42.01	38.26	-38.79	41.48	68.30	26.82	Vertical
3	13385.145	37.24	39.79	-36.21	40.82	74.00	33.18	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 196 of 362

802.11a Channel 144 Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10963.360	51.82	-7.48	44.34	74.00	-29.66	peak
2	12203.000	52.08	-7.59	44.49	74.00	-29.51	peak
3	15773.680	50.06	-7.14	42.92	74.00	-31.08	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 197 of 362

802.11a_Channel 144 Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9128.040	54.39	-9.86	44.53	74.00	-29.47	peak
2	10137.840	53.09	-8.71	44.38	68.30	-23.92	peak
3	12609.640	52.52	-7.52	45.00	74.00	-29.00	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 198 of 362

802.11n20_Channel 144 Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.720	52.72	-7.43	45.29	74.00	-28.71	peak
2	12452.560	51.82	-7.55	44.27	74.00	-29.73	peak
3	15571.720	52.83	-7.62	45.21	74.00	-28.79	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 199 of 362

802.11n20_Channel 144_Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11705.240	53.85	-7.38	46.47	74.00	-27.53	peak
2	12596.040	54.06	-7.52	46.54	74.00	-27.46	peak
3	15776.400	52.95	-7.14	45.81	74.00	-28.19	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 200 of 362

802.11n40_Channel 142 Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12283.920	51.89	-7.57	44.32	74.00	-29.68	peak
2	13327.720	52.63	-7.58	45.05	74.00	-28.95	peak
3	15746.480	52.31	-7.21	45.10	74.00	-28.90	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 201 of 362

802.11n40_Channel 142_Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11973.160	52.14	-7.60	44.54	74.00	-29.46	peak
2	13345.400	53.38	-7.59	45.79	74.00	-28.21	peak
3	15605.720	51.29	-7.54	43.75	74.00	-30.25	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 202 of 362

802.11ax20_Channel 144 Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11151.720	53.81	-7.40	46.41	74.00	-27.59	peak
2	13328.400	52.06	-7.58	44.48	74.00	-29.52	peak
3	15843.040	51.83	-6.99	44.84	74.00	-29.16	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 203 of 362

802.11ax20_Channel 144 Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11086.440	53.76	-7.44	46.32	74.00	-27.68	peak
2	12617.800	51.50	-7.52	43.98	74.00	-30.02	peak
3	15515.960	52.92	-7.75	45.17	74.00	-28.83	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 204 of 362

802.11ax40_Channel 142 Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12381.160	52.07	-7.56	44.51	74.00	-29.49	peak
2	13328.400	52.06	-7.58	44.48	74.00	-29.52	peak
3	15743.080	52.28	-7.22	45.06	74.00	-28.94	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 205 of 362

802.11ax40_Channel 142_Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11926.240	52.95	-7.58	45.37	74.00	-28.63	peak
2	13410.680	52.83	-7.61	45.22	68.30	-23.08	peak
3	16528.480	51.20	-6.32	44.88	68.30	-23.42	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 206 of 362

802.11ax80_Channel 138 Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12421.960	52.90	-7.56	45.34	74.00	-28.66	peak
2	15572.400	51.31	-7.62	43.69	74.00	-30.31	peak
3	16070.840	50.21	-6.50	43.71	74.00	-30.29	peak


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 207 of 362

802.11ax80_Channel 138 Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correction factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10915.080	51.64	-7.48	44.16	74.00	-29.84	peak
2	12469.560	51.63	-7.55	44.08	74.00	-29.92	peak
3	13325.000	51.61	-7.58	44.03	74.00	-29.97	peak

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 208 of 362

7.10 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(4) For transmitters operating in the 5.725-5.85 GHz band:

(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.10.1 E.U.T. Operation

Operating Environment:

Temperature: 20.5 °C

Humidity: 51.3 % RH


Atmospheric Pressure: 1010 mbar

7.10.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0

		is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	02	TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	03	TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.10.3 Test Setup Diagram



7.10.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark:

1. $\text{Level} = \text{Read Level} + \text{Cable Loss} + \text{Antenna Factor} - \text{Preamplifier Factor}$
2. This test item was investigated while operating in SISO and MIMO mode, however, it was determined that SISO antenna 1 operation for a modulation and MIMO antenna operation for n/ac/ax modulation produced the worst emissions. So the emissions produced from other operation are not recorded in report.


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 211 of 362

802.11a Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.7667	25.64	31.74	-19.16	38.22	54.00	15.78	Horizontal
2	5146.4667	25.43	31.75	-19.15	38.03	54.00	15.97	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 212 of 362

802.11a Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.4333	25.69	31.74	-19.16	38.28	54.00	15.72	Vertical
2	5147.6667	25.75	31.75	-19.15	38.36	54.00	15.64	Vertical

802.11a Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5141.9	37.13	31.74	-19.16	49.71	74.00	24.29	Horizontal
2	5145.5	37.02	31.75	-19.15	49.62	74.00	24.38	Horizontal




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 214 of 362

802.11a Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.0667	36.83	31.74	-19.16	49.40	74.00	24.60	Vertical
2	5146.9333	37.05	31.75	-19.15	49.66	74.00	24.34	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 215 of 362

802.11a Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.8667	25.89	32.24	-18.90	39.23	54.00	14.77	Horizontal
2	5358.0333	25.99	32.26	-18.92	39.33	54.00	14.67	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 216 of 362

802.11a Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5356.1333	26.24	32.25	-18.91	39.58	54.00	14.42	Vertical
2	5365.8667	26.09	32.28	-18.94	39.43	54.00	14.57	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 217 of 362

802.11a Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5354.8667	37.17	32.25	-18.91	50.51	74.00	23.49	Horizontal
2	5362.2333	37.11	32.27	-18.93	50.45	74.00	23.55	Horizontal

802.11a Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5355.8	37.89	32.25	-18.91	51.23	74.00	22.77	Vertical
2	5362.3667	37.10	32.27	-18.93	50.44	74.00	23.56	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 219 of 362

802.11a Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.56	25.83	32.46	-19.09	39.20	54.00	14.80	Horizontal
2	5454.64	25.95	32.49	-19.11	39.33	54.00	14.67	Horizontal

802.11a Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.02	26.00	32.43	-19.07	39.36	54.00	14.64	Vertical
2	5451.52	26.16	32.48	-19.10	39.54	54.00	14.46	Vertical

802.11a Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.34	37.59	32.46	-19.09	50.96	74.00	23.04	Horizontal
2	5463.28	37.88	32.51	-19.12	51.27	68.30	17.03	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 222 of 362

802.11a Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5426.02	37.12	32.42	-19.06	50.48	74.00	23.52	Vertical
2	5465.14	38.44	32.52	-19.12	51.83	68.30	16.47	Vertical

802.11a Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5731.4	40.70	32.65	-18.82	54.52	68.30	13.78	Horizontal
2	5734.25	37.89	32.65	-18.83	51.70	68.30	16.60	Horizontal

802.11a Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5730.1	42.65	32.65	-18.82	56.48	68.30	11.82	Vertical
2	5733.7	43.97	32.65	-18.83	57.79	68.30	10.51	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 225 of 362

802.11a Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.2375	37.72	32.63	-18.72	51.62	68.30	16.68	Horizontal
2	5675.375	38.13	32.64	-18.73	52.04	87.12	35.08	Horizontal
3	5717.7875	46.80	32.64	-18.78	60.66	110.28	49.62	Horizontal
4	5723.3125	45.18	32.64	-18.80	59.02	118.45	59.43	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 226 of 362

802.11a Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.2	38.45	32.63	-18.72	52.35	68.30	15.95	Vertical
2	5668.0625	38.04	32.63	-18.73	51.95	81.70	29.75	Vertical
3	5710.3125	43.34	32.64	-18.76	57.22	108.19	50.97	Vertical
4	5723.9625	49.25	32.64	-18.80	63.09	119.94	56.85	Vertical


802.11a Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.6875	40.15	32.67	-18.88	53.94	118.45	64.51	Horizontal
2	5864.85	38.94	32.67	-18.84	52.77	108.14	55.37	Horizontal
3	5901.25	38.96	32.68	-18.74	52.90	85.84	32.94	Horizontal
4	5936.025	38.87	32.69	-18.82	52.74	68.30	15.56	Horizontal

802.11a Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.0375	44.40	32.67	-18.88	58.19	119.93	61.74	Vertical
2	5869.075	40.47	32.67	-18.83	54.31	106.96	52.65	Vertical
3	5907.75	38.84	32.68	-18.76	52.77	81.03	28.26	Vertical
4	5936.35	38.10	32.69	-18.82	51.97	68.30	16.33	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 229 of 362

802.11n20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144	25.78	31.75	-19.15	38.37	54.00	15.63	Horizontal
2	5148.7333	26.32	31.76	-19.14	38.93	54.00	15.07	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 230 of 362

802.11n20 Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.7667	26.70	31.74	-19.16	39.28	54.00	14.72	Vertical
2	5148.3333	27.51	31.76	-19.14	40.12	54.00	13.88	Vertical

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904
 Page: 231 of 362

802.11n20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.1	37.71	31.74	-19.16	50.29	74.00	23.71	Horizontal
2	5147.1	37.48	31.75	-19.15	50.09	74.00	23.91	Horizontal




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 232 of 362

802.11n20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.7667	37.95	31.75	-19.15	50.55	74.00	23.45	Vertical
2	5149.4667	41.87	31.76	-19.14	54.49	74.00	19.51	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 233 of 362

802.11n20 Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.5333	26.42	32.25	-18.91	39.76	54.00	14.24	Horizontal
2	5357.7	26.28	32.26	-18.92	39.62	54.00	14.38	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 234 of 362

802.11n20 Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.8333	27.53	32.25	-18.91	40.87	54.00	13.13	Vertical
2	5359.5333	27.25	32.26	-18.92	40.59	54.00	13.41	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 235 of 362

802.11n20 Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353	37.58	32.25	-18.91	50.92	74.00	23.08	Horizontal
2	5362.8667	37.71	32.27	-18.93	51.05	74.00	22.95	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 236 of 362

802.11n20 Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.7667	38.36	32.25	-18.91	51.70	74.00	22.30	Vertical
2	5362.2333	37.75	32.27	-18.93	51.09	74.00	22.91	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 237 of 362

802.11n20 Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.04	26.36	32.48	-19.10	39.74	54.00	14.26	Horizontal
2	5456.26	26.84	32.50	-19.11	40.23	54.00	13.77	Horizontal

802.11n20 Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.58	27.65	32.46	-19.09	41.02	54.00	12.98	Vertical
2	5452.24	28.25	32.49	-19.10	41.63	54.00	12.37	Vertical

802.11n20 Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.08	38.85	32.47	-19.09	52.23	74.00	21.77	Horizontal
2	5465.5	38.26	32.52	-19.12	51.65	68.30	16.65	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 240 of 362

802.11n20 Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.38	39.24	32.47	-19.09	52.62	74.00	21.38	Vertical
2	5464.96	42.21	32.52	-19.12	55.60	68.30	12.70	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 241 of 362


802.11n20 Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.25	41.28	32.65	-18.81	55.11	68.30	13.19	Horizontal
2	5731.05	39.09	32.65	-18.82	52.91	68.30	15.39	Horizontal

Compliance Certification Services (Kunshan) Inc.

802.11n20 Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.05	44.01	32.65	-18.81	57.85	68.30	10.45	Vertical
2	5731.8	42.04	32.65	-18.83	55.86	68.30	12.44	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 243 of 362


802.11n20 Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.575	38.51	32.63	-18.72	52.41	68.30	15.89	Horizontal
2	5672.9375	37.91	32.63	-18.73	51.82	85.31	33.49	Horizontal
3	5713.075	42.46	32.64	-18.77	56.33	108.96	52.63	Horizontal
4	5723.475	47.10	32.64	-18.80	60.94	118.82	57.88	Horizontal

802.11n20 Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.925	37.78	32.63	-18.72	51.68	68.30	16.62	Vertical
2	5672.125	38.49	32.63	-18.73	52.40	84.71	32.31	Vertical
3	5715.025	47.77	32.64	-18.78	61.64	109.51	47.87	Vertical
4	5720.7125	53.13	32.64	-18.79	66.98	112.53	45.55	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 245 of 362


802.11n20 Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3625	39.64	32.67	-18.88	53.43	119.19	65.76	Horizontal
2	5863.0625	38.97	32.67	-18.85	52.80	108.64	55.84	Horizontal
3	5910.1875	38.75	32.68	-18.76	52.67	79.23	26.56	Horizontal
4	5936.025	39.14	32.69	-18.82	53.01	68.30	15.29	Horizontal

802.11n20 Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	44.72	32.67	-18.88	58.51	121.05	62.54	Vertical
2	5860.95	39.71	32.67	-18.85	53.53	109.23	55.70	Vertical
3	5893.45	39.69	32.68	-18.76	53.61	91.61	38.00	Vertical
4	5936.025	38.86	32.69	-18.82	52.73	68.30	15.57	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 247 of 362

802.11n40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.0533	28.01	31.76	-19.14	40.62	54.00	13.38	Horizontal
2	5350.51	25.60	32.24	-18.90	38.94	54.00	15.06	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 248 of 362

802.11n40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6933	31.80	31.76	-19.14	44.41	54.00	9.59	Vertical
2	5358.5775	25.50	32.26	-18.92	38.84	54.00	15.16	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 249 of 362

802.11n40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.7	39.45	31.75	-19.15	52.05	74.00	21.95	Horizontal
2	5367.625	38.04	32.28	-18.94	51.38	74.00	22.62	Horizontal

802.11n40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.26	44.01	31.76	-19.14	56.62	74.00	17.38	Vertical
2	5366.3825	38.08	32.28	-18.94	51.42	74.00	22.58	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 251 of 362

802.11n40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.5	25.99	31.74	-19.16	38.58	54.00	15.42	Horizontal
2	5352.575	27.71	32.25	-18.91	41.05	54.00	12.95	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 252 of 362

802.11n40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.8	26.23	31.75	-19.15	38.83	54.00	15.17	Vertical
2	5352.925	29.50	32.25	-18.91	42.84	54.00	11.16	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 253 of 362

802.11n40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.1333	37.90	31.74	-19.16	50.48	74.00	23.52	Horizontal
2	5365.125	38.84	32.28	-18.94	52.18	74.00	21.82	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 254 of 362

802.11n40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.3333	38.18	31.74	-19.16	50.76	74.00	23.24	Vertical
2	5354.2	42.96	32.25	-18.91	56.30	74.00	17.70	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 255 of 362

802.11n40 Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.9783	39.07	32.44	-19.08	52.44	74.00	21.56	Horizontal
2	5465.3517	43.36	32.52	-19.12	56.75	68.30	11.55	Horizontal
3	5745.15	38.68	32.65	-18.87	52.46	68.30	15.84	Horizontal

802.11n40 Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.485	41.48	32.47	-19.10	54.86	74.00	19.14	Vertical
2	5468.0317	46.09	32.52	-19.13	59.48	68.30	8.82	Vertical
3	5743.02	39.22	32.65	-18.86	53.01	68.30	15.29	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904


Page: 257 of 362

802.11n40 Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5427.9433	26.13	32.43	-19.06	39.49	54.00	14.51	Horizontal
2	5457.0883	26.13	32.50	-19.11	39.52	54.00	14.48	Horizontal

802.11n40 Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.1867	26.90	32.44	-19.07	40.27	54.00	13.73	Vertical
2	5458.54	27.73	32.50	-19.11	41.12	54.00	12.88	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 259 of 362

802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.6233	25.35	32.43	-19.07	38.71	54.00	15.29	Horizontal
2	5452.845	25.65	32.49	-19.10	39.03	54.00	14.97	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 260 of 362

802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5424.705	25.65	32.42	-19.06	39.01	54.00	14.99	Vertical
2	5452.3983	25.59	32.49	-19.10	38.97	54.00	15.03	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 261 of 362

802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.365	38.31	32.42	-19.06	51.67	74.00	22.33	Horizontal
2	5467.585	38.37	32.52	-19.13	51.76	68.30	16.54	Horizontal
3	5738.5	39.10	32.65	-18.85	52.90	68.30	15.40	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 262 of 362

802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5427.4967	38.37	32.43	-19.06	51.73	74.00	22.27	Vertical
2	5466.58	38.27	32.52	-19.13	51.66	68.30	16.64	Vertical
3	5737.59	40.26	32.65	-18.84	54.06	68.30	14.24	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 263 of 362

802.11n40 Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.5	38.04	32.63	-18.72	51.94	68.30	16.36	Horizontal
2	5689.35	38.24	32.64	-18.73	52.15	97.45	45.30	Horizontal
3	5707.0625	38.85	32.64	-18.75	52.74	107.28	54.54	Horizontal
4	5722.0125	41.11	32.64	-18.80	54.96	115.49	60.53	Horizontal
5	5851.525	38.41	32.67	-18.88	52.20	118.82	66.62	Horizontal
6	5865.6625	38.16	32.67	-18.84	51.99	107.91	55.92	Horizontal
7	5888.7375	38.58	32.68	-18.77	52.49	95.10	42.61	Horizontal
8	5932.9375	38.91	32.69	-18.81	52.79	68.30	15.51	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 264 of 362


802.11n40 Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.2375	38.45	32.63	-18.72	52.35	68.30	15.95	Vertical
2	5671.8	39.22	32.63	-18.73	53.13	84.47	31.34	Vertical
3	5711.9375	42.81	32.64	-18.77	56.69	108.64	51.95	Vertical
4	5724.775	45.70	32.64	-18.80	59.54	121.79	62.25	Vertical
5	5852.3375	39.28	32.67	-18.88	53.07	116.97	63.90	Vertical
6	5863.875	38.63	32.67	-18.84	52.46	108.41	55.95	Vertical
7	5901.575	39.59	32.68	-18.74	53.53	85.60	32.07	Vertical
8	5938.4625	38.56	32.69	-18.82	52.43	68.30	15.87	Vertical

802.11n40 Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.1125	37.70	32.63	-18.72	51.60	68.30	16.70	Horizontal
2	5676.5125	38.88	32.64	-18.73	52.79	87.96	35.17	Horizontal
3	5710.15	38.21	32.64	-18.76	52.09	108.14	56.05	Horizontal
4	5723.3125	38.43	32.64	-18.80	52.27	118.45	66.18	Horizontal
5	5850.875	39.03	32.67	-18.88	52.82	120.30	67.48	Horizontal
6	5863.875	39.23	32.67	-18.84	53.06	108.41	55.35	Horizontal
7	5893.6125	38.42	32.68	-18.76	52.34	91.49	39.15	Horizontal
8	5939.4375	39.82	32.69	-18.82	53.69	68.30	14.61	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 266 of 362

802.11n40 Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.4875	38.47	32.63	-18.72	52.37	68.30	15.93	Vertical
2	5677.325	38.80	32.64	-18.73	52.71	88.56	35.85	Vertical
3	5714.5375	39.14	32.64	-18.77	53.01	109.37	56.36	Vertical
4	5722.6625	39.73	32.64	-18.80	53.58	116.97	63.39	Vertical
5	5851.2	40.78	32.67	-18.88	54.57	119.56	64.99	Vertical
6	5859.975	39.64	32.67	-18.86	53.46	109.51	56.05	Vertical
7	5910.025	38.93	32.68	-18.76	52.85	79.35	26.50	Vertical
8	5937.4875	38.50	32.69	-18.82	52.37	68.30	15.93	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 267 of 362

802.11ac80 Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.08	41.05	31.75	-19.15	53.65	74.00	20.35	Horizontal
2	5366.505	37.58	32.28	-18.94	50.92	74.00	23.08	Horizontal


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 268 of 362

802.11ac80 Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.4	47.81	31.74	-19.16	60.40	74.00	13.60	Vertical
2	5351.1575	38.45	32.24	-18.90	51.79	74.00	22.21	Vertical


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240200030904

Page: 269 of 362

802.11ac80 Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.3067	29.69	31.74	-19.16	42.28	54.00	11.72	Horizontal
2	5366.6625	25.76	32.28	-18.94	39.10	54.00	14.90	Horizontal