





Radiated Spurious Emissions

Test Result


Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.40	41.38	2.24	43.62	-	-	Horizontal	NA
2	2688.20	37.39	3.85	41.24	54.00	12.76	Horizontal	PASS
3	3994.00	44.88	-11.29	33.59	54.00	20.41	Horizontal	PASS
4	17352.00	33.49	12.78	46.27	54.00	7.73	Horizontal	PASS
5	2409.20	45.03	2.24	47.27	-	-	Horizontal	NA
6	2688.00	41.53	3.85	45.38	74.00	28.62	Horizontal	PASS
7	3994.00	48.37	-11.29	37.08	74.00	36.92	Horizontal	PASS
8	17348.00	40.46	12.77	53.23	74.00	20.77	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2410.00	46.34	2.23	48.57	-	-	Vertical	NA
2	2688.20	40.94	3.85	44.79	54.00	9.21	Vertical	PASS
3	3994.00	45.66	-11.29	34.37	54.00	19.63	Vertical	PASS
4	17351.50	33.11	12.80	45.91	54.00	8.09	Vertical	PASS
5	2409.40	49.36	2.24	51.60	-	-	Vertical	NA
6	2687.80	43.78	3.85	47.63	74.00	26.37	Vertical	PASS
7	3993.50	48.92	-11.29	37.63	74.00	36.37	Vertical	PASS
8	17350.00	40.19	12.86	53.05	74.00	20.95	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	47.58	2.29	49.87	-	-	Horizontal	NA
2	2688.20	38.03	3.85	41.88	54.00	12.12	Horizontal	PASS
3	3994.00	43.51	-11.29	32.22	54.00	21.78	Horizontal	PASS
4	17340.50	33.34	12.42	45.76	54.00	8.24	Horizontal	PASS
5	2438.00	50.51	2.29	52.80	-	-	Horizontal	NA
6	2688.00	41.56	3.85	45.41	74.00	28.59	Horizontal	PASS
7	3994.00	47.71	-11.29	36.42	74.00	37.58	Horizontal	PASS
8	17342.50	40.11	12.51	52.62	74.00	21.38	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.20	49.82	2.28	52.10	-	-	Vertical	NA
2	2688.20	39.99	3.85	43.84	54.00	10.16	Vertical	PASS
3	3994.00	46.45	-11.29	35.16	54.00	18.84	Vertical	PASS
4	17351.50	33.30	12.80	46.10	54.00	7.90	Vertical	PASS
5	2437.80	52.22	2.29	54.51	-	-	Vertical	NA
6	2688.00	43.42	3.85	47.27	74.00	26.73	Vertical	PASS
7	3993.50	49.11	-11.29	37.82	74.00	36.18	Vertical	PASS
8	17363.00	40.64	12.35	52.99	74.00	21.01	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	44.54	2.33	46.87	-	-	Horizontal	NA
2	2688.20	37.69	3.85	41.54	54.00	12.46	Horizontal	PASS
3	3994.00	42.35	-11.29	31.06	54.00	22.94	Horizontal	PASS
4	17352.00	32.98	12.78	45.76	54.00	8.24	Horizontal	PASS
5	2461.40	47.75	2.34	50.09	-	-	Horizontal	NA
6	2687.80	41.68	3.85	45.53	74.00	28.47	Horizontal	PASS
7	3993.50	46.75	-11.29	35.46	74.00	38.54	Horizontal	PASS
8	17325.50	40.98	11.74	52.72	74.00	21.28	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	51.78	2.33	54.11	-	-	Vertical	NA
2	2688.20	41.47	3.85	45.32	54.00	8.68	Vertical	PASS
3	7387.50	39.20	-1.15	38.05	54.00	15.95	Vertical	PASS
4	17353.00	33.26	12.74	46.00	54.00	8.00	Vertical	PASS
5	2461.20	54.27	2.33	56.60	-	-	Vertical	NA
6	2688.00	44.67	3.85	48.52	74.00	25.48	Vertical	PASS
7	7386.50	45.30	-1.16	44.14	74.00	29.86	Vertical	PASS
8	17368.50	40.57	12.14	52.71	74.00	21.29	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.60	43.82	2.23	46.05	-	-	Horizontal	NA
2	2688.20	38.03	3.85	41.88	54.00	12.12	Horizontal	PASS
3	14320.50	35.03	8.62	43.65	54.00	10.35	Horizontal	PASS
4	17336.50	33.68	12.25	45.93	54.00	8.07	Horizontal	PASS
5	2408.40	50.98	2.23	53.21	-	-	Horizontal	NA
6	2688.00	41.69	3.85	45.54	74.00	28.46	Horizontal	PASS
7	14667.50	41.05	9.44	50.49	74.00	23.51	Horizontal	PASS
8	17360.00	40.08	12.47	52.55	74.00	21.45	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.40	46.54	2.23	48.77	-	-	Vertical	NA
2	2688.20	41.47	3.85	45.32	54.00	8.68	Vertical	PASS
3	15240.50	34.10	9.13	43.23	54.00	10.77	Vertical	PASS
4	17356.00	33.23	12.63	45.86	54.00	8.14	Vertical	PASS
5	2408.60	53.59	2.23	55.82	-	-	Vertical	NA
6	2687.80	45.55	3.85	49.40	74.00	24.60	Vertical	PASS
7	15077.50	41.39	8.98	50.37	74.00	23.63	Vertical	PASS
8	17358.00	40.69	12.55	53.24	74.00	20.76	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	55.82	2.27	58.09	-	-	Horizontal	NA
2	2688.20	38.10	3.85	41.95	54.00	12.05	Horizontal	PASS
3	14665.50	34.08	9.49	43.57	54.00	10.43	Horizontal	PASS
4	17351.00	33.05	12.82	45.87	54.00	8.13	Horizontal	PASS
5	2429.20	62.15	2.27	64.42	-	-	Horizontal	NA
6	2688.20	41.88	3.85	45.73	74.00	28.27	Horizontal	PASS
7	14781.50	41.26	8.96	50.22	74.00	23.78	Horizontal	PASS
8	17337.00	40.12	12.27	52.39	74.00	21.61	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	55.61	2.27	57.88	-	-	Vertical	NA
2	2688.20	41.43	3.85	45.28	54.00	8.72	Vertical	PASS
3	14663.00	34.00	9.56	43.56	54.00	10.44	Vertical	PASS
4	17350.50	33.29	12.84	46.13	54.00	7.87	Vertical	PASS
5	2429.40	62.61	2.27	64.88	-	-	Vertical	NA
6	2688.00	44.33	3.85	48.18	74.00	25.82	Vertical	PASS
7	15246.00	40.87	9.25	50.12	74.00	23.88	Vertical	PASS
8	17360.50	40.81	12.45	53.26	74.00	20.74	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2455.00	47.32	2.32	49.64	-	-	Horizontal	NA
2	2688.20	38.30	3.85	42.15	54.00	11.85	Horizontal	PASS
3	3994.00	43.70	-11.29	32.41	54.00	21.59	Horizontal	PASS
4	17359.50	33.46	12.49	45.95	54.00	8.05	Horizontal	PASS
5	2454.80	53.98	2.32	56.30	-	-	Horizontal	NA
6	2688.00	42.05	3.85	45.90	74.00	28.10	Horizontal	PASS
7	3993.50	47.57	-11.29	36.28	74.00	37.72	Horizontal	PASS
8	17347.00	40.04	12.73	52.77	74.00	21.23	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.00	49.02	2.33	51.35	-	-	Vertical	NA
2	2688.20	41.30	3.85	45.15	54.00	8.85	Vertical	PASS
3	3994.00	47.26	-11.29	35.97	54.00	18.03	Vertical	PASS
4	17352.00	33.13	12.78	45.91	54.00	8.09	Vertical	PASS
5	2461.00	55.80	2.33	58.13	-	-	Vertical	NA
6	2688.00	43.97	3.85	47.82	74.00	26.18	Vertical	PASS
7	3993.50	50.64	-11.29	39.35	74.00	34.65	Vertical	PASS
8	17364.00	40.20	12.31	52.51	74.00	21.49	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.20	42.38	2.23	44.61	-	-	Horizontal	NA
2	2688.20	38.06	3.85	41.91	54.00	12.09	Horizontal	PASS
3	15248.50	33.95	9.31	43.26	54.00	10.74	Horizontal	PASS
4	17352.50	33.13	12.76	45.89	54.00	8.11	Horizontal	PASS
5	2409.00	50.85	2.24	53.09	-	-	Horizontal	NA
6	2688.00	41.58	3.85	45.43	74.00	28.57	Horizontal	PASS
7	15237.50	40.99	9.05	50.04	74.00	23.96	Horizontal	PASS
8	17338.50	40.25	12.33	52.58	74.00	21.42	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.20	44.22	2.24	46.46	-	-	Vertical	NA
2	2688.20	41.39	3.85	45.24	54.00	8.76	Vertical	PASS
3	3994.00	46.84	-11.29	35.55	54.00	18.45	Vertical	PASS
4	17346.00	33.72	12.68	46.40	54.00	7.60	Vertical	PASS
5	2409.20	53.15	2.24	55.39	-	-	Vertical	NA
6	2688.00	44.56	3.85	48.41	74.00	25.59	Vertical	PASS
7	3993.50	50.03	-11.29	38.74	74.00	35.26	Vertical	PASS
8	17356.00	40.15	12.63	52.78	74.00	21.22	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	53.69	2.27	55.96	-	-	Horizontal	NA
2	2688.20	38.06	3.85	41.91	54.00	12.09	Horizontal	PASS
3	3994.00	43.66	-11.29	32.37	54.00	21.63	Horizontal	PASS
4	17344.50	33.12	12.60	45.72	54.00	8.28	Horizontal	PASS
5	2429.40	63.25	2.27	65.52	-	-	Horizontal	NA
6	2688.20	41.89	3.85	45.74	74.00	28.26	Horizontal	PASS
7	3994.00	48.50	-11.29	37.21	74.00	36.79	Horizontal	PASS
8	17327.50	40.46	11.83	52.29	74.00	21.71	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	56.90	2.27	59.17	-	-	Vertical	NA
2	2688.20	41.30	3.85	45.15	54.00	8.85	Vertical	PASS
3	14093.00	35.15	8.13	43.28	54.00	10.72	Vertical	PASS
4	17357.50	33.50	12.57	46.07	54.00	7.93	Vertical	PASS
5	2428.80	64.86	2.27	67.13	-	-	Vertical	NA
6	2688.00	43.72	3.85	47.57	74.00	26.43	Vertical	PASS
7	14635.50	40.92	9.58	50.50	74.00	23.50	Vertical	PASS
8	17342.00	40.15	12.49	52.64	74.00	21.36	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2458.80	42.48	2.33	44.81	-	-	Horizontal	NA
2	2688.20	36.97	3.85	40.82	54.00	13.18	Horizontal	PASS
3	3994.00	43.59	-11.29	32.30	54.00	21.70	Horizontal	PASS
4	17357.00	33.65	12.59	46.24	54.00	7.76	Horizontal	PASS
5	2459.40	50.69	2.33	53.02	-	-	Horizontal	NA
6	2764.80	40.03	4.28	44.31	74.00	29.69	Horizontal	PASS
7	4006.00	47.49	-11.22	36.27	74.00	37.73	Horizontal	PASS
8	17351.50	39.66	12.80	52.46	74.00	21.54	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.20	45.33	2.32	47.65	-	-	Vertical	NA
2	2688.20	40.10	3.85	43.95	54.00	10.05	Vertical	PASS
3	3994.00	46.51	-11.29	35.22	54.00	18.78	Vertical	PASS
4	17355.00	33.38	12.67	46.05	54.00	7.95	Vertical	PASS
5	2454.60	54.53	2.32	56.85	-	-	Vertical	NA
6	2688.20	43.10	3.85	46.95	74.00	27.05	Vertical	PASS
7	3993.50	49.59	-11.29	38.30	74.00	35.70	Vertical	PASS
8	17355.50	40.87	12.65	53.52	74.00	20.48	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.20	50.68	2.27	52.95	-	-	Horizontal	NA
2	2688.20	37.09	3.85	40.94	54.00	13.06	Horizontal	PASS
3	14332.50	34.81	8.92	43.73	54.00	10.27	Horizontal	PASS
4	17345.50	33.74	12.66	46.40	54.00	7.60	Horizontal	PASS
5	2429.20	59.45	2.27	61.72	-	-	Horizontal	NA
6	2688.20	40.49	3.85	44.34	74.00	29.66	Horizontal	PASS
7	15248.00	41.11	9.30	50.41	74.00	23.59	Horizontal	PASS
8	17345.00	40.45	12.64	53.09	74.00	20.91	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	52.61	2.27	54.88	-	-	Vertical	NA
2	2688.20	40.57	3.85	44.42	54.00	9.58	Vertical	PASS
3	15070.50	34.30	8.96	43.26	54.00	10.74	Vertical	PASS
4	17351.50	33.25	12.80	46.05	54.00	7.95	Vertical	PASS
5	2429.00	60.05	2.27	62.32	-	-	Vertical	NA
6	2688.00	43.27	3.85	47.12	74.00	26.88	Vertical	PASS
7	14622.50	40.82	9.27	50.09	74.00	23.91	Vertical	PASS
8	17337.00	42.03	12.27	54.30	74.00	19.70	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	50.44	2.27	52.71	-	-	Horizontal	NA
2	2688.20	37.14	3.85	40.99	54.00	13.01	Horizontal	PASS
3	14364.00	34.26	9.06	43.32	54.00	10.68	Horizontal	PASS
4	17358.00	33.35	12.55	45.90	54.00	8.10	Horizontal	PASS
5	2428.80	57.71	2.27	59.98	-	-	Horizontal	NA
6	2688.00	41.17	3.85	45.02	74.00	28.98	Horizontal	PASS
7	14621.50	40.94	9.25	50.19	74.00	23.81	Horizontal	PASS
8	17339.50	40.12	12.38	52.50	74.00	21.50	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	53.00	2.27	55.27	-	-	Vertical	NA
2	2688.20	40.04	3.85	43.89	54.00	10.11	Vertical	PASS
3	14636.50	34.17	9.60	43.77	54.00	10.23	Vertical	PASS
4	17347.50	33.99	12.75	46.74	54.00	7.26	Vertical	PASS
5	2429.40	61.97	2.27	64.24	-	-	Vertical	NA
6	2688.00	42.94	3.85	46.79	74.00	27.21	Vertical	PASS
7	14915.00	42.12	8.16	50.28	74.00	23.72	Vertical	PASS
8	17331.50	40.73	12.01	52.74	74.00	21.26	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.00	38.91	2.32	41.23	-	-	Horizontal	NA
2	2688.20	36.70	3.85	40.55	54.00	13.45	Horizontal	PASS
3	3994.00	44.01	-11.29	32.72	54.00	21.28	Horizontal	PASS
4	17351.50	33.12	12.80	45.92	54.00	8.08	Horizontal	PASS
5	2454.20	46.67	2.32	48.99	-	-	Horizontal	NA
6	2688.00	40.65	3.85	44.50	74.00	29.50	Horizontal	PASS
7	3993.50	47.58	-11.29	36.29	74.00	37.71	Horizontal	PASS
8	17350.50	40.28	12.84	53.12	74.00	20.88	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.00	46.11	2.32	48.43	-	-	Vertical	NA
2	2688.20	39.74	3.85	43.59	54.00	10.41	Vertical	PASS
3	3994.00	45.60	-11.29	34.31	54.00	19.69	Vertical	PASS
4	17349.50	33.19	12.84	46.03	54.00	7.97	Vertical	PASS
5	2454.00	54.92	2.32	57.24	-	-	Vertical	NA
6	2688.20	43.71	3.85	47.56	74.00	26.44	Vertical	PASS
7	3993.50	50.12	-11.29	38.83	74.00	35.17	Vertical	PASS
8	17355.50	40.47	12.65	53.12	74.00	20.88	Vertical	PASS

Project Information			
Mode:	802.11ax20 26-0	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.80	39.70	2.22	41.92	-	-	Horizontal	NA
2	2688.20	37.83	3.85	41.68	54.00	12.32	Horizontal	PASS
3	15242.00	34.14	9.16	43.30	54.00	10.70	Horizontal	PASS
4	17366.50	34.81	12.22	47.03	54.00	6.97	Horizontal	PASS
5	2402.80	47.55	2.22	49.77	-	-	Horizontal	NA
6	2688.00	41.40	3.85	45.25	74.00	28.75	Horizontal	PASS
7	15110.50	41.36	8.91	50.27	74.00	23.73	Horizontal	PASS
8	17349.50	40.55	12.84	53.39	74.00	20.61	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26-0	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.80	45.54	2.22	47.76	-	-	Vertical	NA
2	2688.20	40.98	3.85	44.83	54.00	9.17	Vertical	PASS
3	14631.00	33.68	9.47	43.15	54.00	10.85	Vertical	PASS
4	17364.50	33.89	12.29	46.18	54.00	7.82	Vertical	PASS
5	2402.60	53.12	2.22	55.34	-	-	Vertical	NA
6	2687.80	43.67	3.85	47.52	74.00	26.48	Vertical	PASS
7	13830.50	41.99	8.42	50.41	74.00	23.59	Vertical	PASS
8	17344.50	41.33	12.60	53.93	74.00	20.07	Vertical	PASS

Project Information			
Mode:	802.11ax20 26-0	Band:	/
Bandwidth	20MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	59.24	2.27	61.51	-	-	Horizontal	NA
2	2688.20	38.25	3.85	42.10	54.00	11.90	Horizontal	PASS
3	3994.00	45.14	-11.29	33.85	54.00	20.15	Horizontal	PASS
4	17381.00	34.17	11.64	45.81	54.00	8.19	Horizontal	PASS
5	2428.60	66.90	2.26	69.16	-	-	Horizontal	NA
6	2688.00	42.05	3.85	45.90	74.00	28.10	Horizontal	PASS
7	3993.50	49.52	-11.29	38.23	74.00	35.77	Horizontal	PASS
8	17341.50	41.08	12.47	53.55	74.00	20.45	Horizontal	PASS


Project Information			
Mode:	802.11ax20 26-0	Band:	/
Bandwidth	20MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	66.47	2.27	68.74	-	-	Vertical	NA
2	2688.20	40.63	3.85	44.48	54.00	9.52	Vertical	PASS
3	3533.50	45.55	-12.13	33.42	54.00	20.58	Vertical	PASS
4	17351.50	33.38	12.80	46.18	54.00	7.82	Vertical	PASS
5	2429.20	74.91	2.27	77.18	-	-	Vertical	NA
6	2687.80	44.04	3.85	47.89	74.00	26.11	Vertical	PASS
7	3532.50	50.57	-12.11	38.46	74.00	35.54	Vertical	PASS
8	17357.00	40.79	12.59	53.38	74.00	20.62	Vertical	PASS


Project Information			
Mode:	802.11ax20 26-8	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2464.00	41.98	2.34	44.32	-	-	Horizontal	NA
2	2688.20	37.84	3.85	41.69	54.00	12.31	Horizontal	PASS
3	3994.00	43.56	-11.29	32.27	54.00	21.73	Horizontal	PASS
4	17350.00	34.86	12.86	47.72	54.00	6.28	Horizontal	PASS
5	2464.00	50.76	2.34	53.10	-	-	Horizontal	NA
6	2764.80	41.25	4.28	45.53	74.00	28.47	Horizontal	PASS
7	3993.50	47.75	-11.29	36.46	74.00	37.54	Horizontal	PASS
8	17351.50	40.10	12.80	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26-8	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2463.80	49.59	2.34	51.93	-	-	Vertical	NA
2	2688.20	40.78	3.85	44.63	54.00	9.37	Vertical	PASS
3	3994.00	45.39	-11.29	34.10	54.00	19.90	Vertical	PASS
4	17351.50	33.26	12.80	46.06	54.00	7.94	Vertical	PASS
5	2464.00	58.04	2.34	60.38	-	-	Vertical	NA
6	2688.00	43.27	3.85	47.12	74.00	26.88	Vertical	PASS
7	3993.50	50.07	-11.29	38.78	74.00	35.22	Vertical	PASS
8	17351.00	39.75	12.82	52.57	74.00	21.43	Vertical	PASS

Project Information			
Mode:	802.11ax40 242-61	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	42.52	2.27	44.79	-	-	Horizontal	NA
2	2765.00	37.19	4.28	41.47	54.00	12.53	Horizontal	PASS
3	13825.50	34.80	8.34	43.14	54.00	10.86	Horizontal	PASS
4	17375.50	34.23	11.86	46.09	54.00	7.91	Horizontal	PASS
5	2428.80	49.21	2.27	51.48	-	-	Horizontal	NA
6	2764.80	42.03	4.28	46.31	74.00	27.69	Horizontal	PASS
7	13809.50	41.86	8.08	49.94	74.00	24.06	Horizontal	PASS
8	17342.00	39.78	12.49	52.27	74.00	21.73	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242-61	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.80	50.03	2.27	52.30	-	-	Vertical	NA
2	2688.20	40.87	3.85	44.72	54.00	9.28	Vertical	PASS
3	3994.00	45.69	-11.29	34.40	54.00	19.60	Vertical	PASS
4	17351.50	33.34	12.80	46.14	54.00	7.86	Vertical	PASS
5	2429.40	53.59	2.27	55.86	-	-	Vertical	NA
6	2841.60	42.56	5.00	47.56	74.00	26.44	Vertical	PASS
7	3993.50	49.32	-11.29	38.03	74.00	35.97	Vertical	PASS
8	17348.50	40.37	12.79	53.16	74.00	20.84	Vertical	PASS

Project Information			
Mode:	802.11ax40 242-61	Band:	/
Bandwidth	40MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	47.89	2.27	50.16	-	-	Horizontal	NA
2	2688.20	37.91	3.85	41.76	54.00	12.24	Horizontal	PASS
3	3994.00	43.75	-11.29	32.46	54.00	21.54	Horizontal	PASS
4	17345.50	33.76	12.66	46.42	54.00	7.58	Horizontal	PASS
5	2428.60	54.40	2.26	56.66	-	-	Horizontal	NA
6	2688.00	42.06	3.85	45.91	74.00	28.09	Horizontal	PASS
7	3993.50	48.47	-11.29	37.18	74.00	36.82	Horizontal	PASS
8	17363.50	40.50	12.33	52.83	74.00	21.17	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242-61	Band:	/
Bandwidth	40MHz	Channel	6
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	52.21	2.27	54.48	-	-	Vertical	NA
2	2688.20	40.91	3.85	44.76	54.00	9.24	Vertical	PASS
3	3994.00	46.19	-11.29	34.90	54.00	19.10	Vertical	PASS
4	17358.50	33.45	12.53	45.98	54.00	8.02	Vertical	PASS
5	2429.60	60.70	2.27	62.97	-	-	Vertical	NA
6	2687.80	43.75	3.85	47.60	74.00	26.40	Vertical	PASS
7	3993.50	49.64	-11.29	38.35	74.00	35.65	Vertical	PASS
8	17343.50	39.79	12.56	52.35	74.00	21.65	Vertical	PASS

Project Information			
Mode:	802.11ax40 242-62	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.60	38.60	2.32	40.92	-	-	Horizontal	NA
2	2688.20	38.16	3.85	42.01	54.00	11.99	Horizontal	PASS
3	14350.50	34.25	9.34	43.59	-	-	Horizontal	NA
4	17366.50	33.75	12.22	45.97	54.00	8.03	Horizontal	PASS
5	2454.40	46.41	2.32	48.73	-	-	Horizontal	NA
6	2688.00	41.69	3.85	45.54	74.00	28.46	Horizontal	PASS
7	14389.50	42.22	8.51	50.73	-	-	Horizontal	NA
8	17366.00	41.46	12.24	53.70	74.00	20.30	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242-62	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2453.80	45.72	2.32	48.04	-	-	Vertical	NA
2	2688.20	40.97	3.85	44.82	54.00	9.18	Vertical	PASS
3	14651.50	33.98	9.88	43.86	54.00	10.14	Vertical	PASS
4	17338.00	33.42	12.31	45.73	54.00	8.27	Vertical	PASS
5	2453.40	54.45	2.31	56.76	-	-	Vertical	NA
6	2688.00	43.90	3.85	47.75	74.00	26.25	Vertical	PASS
7	15066.00	41.30	8.94	50.24	74.00	23.76	Vertical	PASS
8	17330.00	40.61	11.94	52.55	74.00	21.45	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2315.00	39.96	1.15	41.11	54.00	12.89	Horizontal	PASS
2	2373.34	36.93	1.44	38.37	54.00	15.63	Horizontal	PASS
3	2388.91	37.34	1.43	38.77	54.00	15.23	Horizontal	PASS
4	2311.57	50.88	1.12	52.00	74.00	22.00	Horizontal	PASS
5	2374.12	47.73	1.44	49.17	74.00	24.83	Horizontal	PASS
6	2389.29	46.88	1.43	48.31	74.00	25.69	Horizontal	PASS