



Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2311.98	38.92	1.12	40.04	54.00	13.96	Vertical	PASS
2	2380.96	36.96	1.43	38.39	54.00	15.61	Vertical	PASS
3	2389.99	36.83	1.43	38.26	54.00	15.74	Vertical	PASS
4	2313.21	49.06	1.13	50.19	74.00	23.81	Vertical	PASS
5	2382.94	46.36	1.43	47.79	74.00	26.21	Vertical	PASS
6	2389.55	48.15	1.43	49.58	74.00	24.42	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	37.76	1.86	39.62	54.00	14.38	Horizontal	PASS
2	2485.47	35.36	1.88	37.24	54.00	16.76	Horizontal	PASS
3	2492.70	33.76	1.95	35.71	54.00	18.29	Horizontal	PASS
4	2483.58	45.89	1.85	47.74	74.00	26.26	Horizontal	PASS
5	2485.16	45.77	1.88	47.65	74.00	26.35	Horizontal	PASS
6	2492.24	44.90	1.95	46.85	74.00	27.15	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	38.10	1.86	39.96	54.00	14.04	Vertical	PASS
2	2485.71	36.02	1.88	37.90	54.00	16.10	Vertical	PASS
3	2494.84	34.21	1.98	36.19	54.00	17.81	Vertical	PASS
4	2483.58	47.35	1.85	49.20	74.00	24.80	Vertical	PASS
5	2485.59	46.61	1.88	48.49	74.00	25.51	Vertical	PASS
6	2490.80	45.25	1.93	47.18	74.00	26.82	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 14		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.92	34.86	1.43	36.29	54.00	17.71	Horizontal	PASS
2	2388.13	39.35	1.43	40.78	54.00	13.22	Horizontal	PASS
3	2389.58	45.37	1.43	46.80	54.00	7.20	Horizontal	PASS
4	2378.34	44.62	1.44	46.06	74.00	27.94	Horizontal	PASS
5	2388.09	55.79	1.43	57.22	74.00	16.78	Horizontal	PASS
6	2389.55	61.21	1.43	62.64	74.00	11.36	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 14		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.60	36.32	1.42	37.74	54.00	16.26	Vertical	PASS
2	2388.80	44.99	1.43	46.42	54.00	7.58	Vertical	PASS
3	2389.85	46.66	1.43	48.09	54.00	5.91	Vertical	PASS
4	2385.33	48.78	1.43	50.21	74.00	23.79	Vertical	PASS
5	2388.16	58.66	1.43	60.09	74.00	13.91	Vertical	PASS
6	2389.73	61.99	1.43	63.42	74.00	10.58	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.10	45.47	1.87	47.34	54.00	6.66	Horizontal	PASS
2	2485.50	40.64	1.88	42.52	54.00	11.48	Horizontal	PASS
3	2486.84	37.15	1.90	39.05	54.00	14.95	Horizontal	PASS
4	2483.50	59.98	1.85	61.83	74.00	12.17	Horizontal	PASS
5	2485.98	58.07	1.88	59.95	74.00	14.05	Horizontal	PASS
6	2486.82	55.32	1.90	57.22	74.00	16.78	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.58	47.73	1.85	49.58	54.00	4.42	Vertical	PASS
2	2484.68	45.25	1.87	47.12	54.00	6.88	Vertical	PASS
3	2485.66	43.47	1.88	45.35	54.00	8.65	Vertical	PASS
4	2483.86	61.90	1.87	63.77	74.00	10.23	Vertical	PASS
5	2485.95	61.64	1.88	63.52	74.00	10.48	Vertical	PASS
6	2486.41	58.76	1.89	60.65	74.00	13.35	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 14		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.77	34.81	1.43	36.24	54.00	17.76	Horizontal	PASS
2	2387.68	38.66	1.43	40.09	54.00	13.91	Horizontal	PASS
3	2389.88	44.88	1.43	46.31	54.00	7.69	Horizontal	PASS
4	2374.91	44.42	1.44	45.86	74.00	28.14	Horizontal	PASS
5	2387.38	50.51	1.42	51.93	74.00	22.07	Horizontal	PASS
6	2389.70	57.10	1.43	58.53	74.00	15.47	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 14		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.73	36.35	1.43	37.78	54.00	16.22	Vertical	PASS
2	2388.58	43.97	1.43	45.40	54.00	8.60	Vertical	PASS
3	2389.58	46.07	1.43	47.50	54.00	6.50	Vertical	PASS
4	2380.84	44.71	1.43	46.14	74.00	27.86	Vertical	PASS
5	2388.35	56.17	1.43	57.60	74.00	16.40	Vertical	PASS
6	2389.58	60.94	1.43	62.37	74.00	11.63	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	44.75	1.86	46.61	54.00	7.39	Horizontal	PASS
2	2484.90	44.61	1.87	46.48	54.00	7.52	Horizontal	PASS
3	2486.19	42.18	1.88	44.06	54.00	9.94	Horizontal	PASS
4	2483.72	58.14	1.86	60.00	74.00	14.00	Horizontal	PASS
5	2484.66	57.71	1.87	59.58	74.00	14.42	Horizontal	PASS
6	2485.74	57.55	1.88	59.43	74.00	14.57	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	48.19	1.86	50.05	54.00	3.95	Vertical	PASS
2	2484.73	46.83	1.87	48.70	54.00	5.30	Vertical	PASS
3	2486.10	43.69	1.88	45.57	54.00	8.43	Vertical	PASS
4	2483.62	61.27	1.86	63.13	74.00	10.87	Vertical	PASS
5	2484.70	61.02	1.87	62.89	74.00	11.11	Vertical	PASS
6	2486.41	57.76	1.89	59.65	74.00	14.35	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.82	34.84	1.43	36.27	54.00	17.73	Horizontal	PASS
2	2388.48	44.39	1.43	45.82	54.00	8.18	Horizontal	PASS
3	2389.49	45.87	1.43	47.30	54.00	6.70	Horizontal	PASS
4	2381.08	44.15	1.43	45.58	74.00	28.42	Horizontal	PASS
5	2388.08	54.99	1.43	56.42	74.00	17.58	Horizontal	PASS
6	2389.97	57.31	1.43	58.74	74.00	15.26	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2381.04	35.73	1.43	37.16	54.00	16.84	Vertical	PASS
2	2386.85	42.42	1.42	43.84	54.00	10.16	Vertical	PASS
3	2389.36	48.55	1.43	49.98	54.00	4.02	Vertical	PASS
4	2379.06	45.00	1.43	46.43	74.00	27.57	Vertical	PASS
5	2386.63	53.35	1.42	54.77	74.00	19.23	Vertical	PASS
6	2389.31	62.65	1.43	64.08	74.00	9.92	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.66	42.36	1.87	44.23	54.00	9.77	Horizontal	PASS
2	2486.70	39.69	1.89	41.58	54.00	12.42	Horizontal	PASS
3	2488.47	37.26	1.91	39.17	54.00	14.83	Horizontal	PASS
4	2484.45	53.26	1.87	55.13	74.00	18.87	Horizontal	PASS
5	2486.53	51.45	1.89	53.34	74.00	20.66	Horizontal	PASS
6	2488.43	48.08	1.91	49.99	74.00	24.01	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.98	48.80	1.87	50.67	54.00	3.33	Vertical	PASS
2	2485.64	48.62	1.88	50.50	54.00	3.50	Vertical	PASS
3	2487.92	41.71	1.90	43.61	54.00	10.39	Vertical	PASS
4	2484.42	60.69	1.87	62.56	74.00	11.44	Vertical	PASS
5	2485.64	60.88	1.88	62.76	74.00	11.24	Vertical	PASS
6	2488.13	52.94	1.90	54.84	74.00	19.16	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	Low
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.29	43.04	1.42	44.46	54.00	9.54	Horizontal	PASS
2	2388.17	45.30	1.43	46.73	54.00	7.27	Horizontal	PASS
3	2389.31	48.15	1.43	49.58	54.00	4.42	Horizontal	PASS
4	2387.03	55.04	1.42	56.46	74.00	17.54	Horizontal	PASS
5	2388.57	57.89	1.43	59.32	74.00	14.68	Horizontal	PASS
6	2389.97	58.50	1.43	59.93	74.00	14.07	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	Low
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.76	43.49	1.42	44.91	54.00	9.09	Vertical	PASS
2	2388.65	48.53	1.43	49.96	54.00	4.04	Vertical	PASS
3	2389.97	50.80	1.43	52.23	54.00	1.77	Vertical	PASS
4	2387.03	55.56	1.42	56.98	74.00	17.02	Vertical	PASS
5	2388.57	59.69	1.43	61.12	74.00	12.88	Vertical	PASS
6	2389.40	62.80	1.43	64.23	74.00	9.77	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.73	37.66	1.43	39.09	54.00	14.91	Horizontal	PASS
2	2388.50	37.62	1.43	39.05	54.00	14.95	Horizontal	PASS
3	2389.92	41.37	1.43	42.80	54.00	11.20	Horizontal	PASS
4	2383.76	48.09	1.43	49.52	74.00	24.48	Horizontal	PASS
5	2388.16	50.51	1.43	51.94	74.00	22.06	Horizontal	PASS
6	2389.85	56.73	1.43	58.16	74.00	15.84	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.96	38.04	1.43	39.47	54.00	14.53	Vertical	PASS
2	2388.87	38.59	1.43	40.02	54.00	13.98	Vertical	PASS
3	2389.92	43.06	1.43	44.49	54.00	9.51	Vertical	PASS
4	2380.58	47.98	1.43	49.41	74.00	24.59	Vertical	PASS
5	2387.38	50.83	1.42	52.25	74.00	21.75	Vertical	PASS
6	2389.51	57.17	1.43	58.60	74.00	15.40	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.92	37.76	1.43	39.19	54.00	14.81	Horizontal	PASS
2	2387.87	37.67	1.43	39.10	54.00	14.90	Horizontal	PASS
3	2389.99	41.81	1.43	43.24	54.00	10.76	Horizontal	PASS
4	2380.88	48.12	1.43	49.55	74.00	24.45	Horizontal	PASS
5	2387.42	51.87	1.42	53.29	74.00	20.71	Horizontal	PASS
6	2389.85	60.41	1.43	61.84	74.00	12.16	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.62	37.84	1.43	39.27	54.00	14.73	Vertical	PASS
2	2387.64	37.71	1.43	39.14	54.00	14.86	Vertical	PASS
3	2389.99	43.97	1.43	45.40	54.00	8.60	Vertical	PASS
4	2381.70	47.24	1.43	48.67	74.00	25.33	Vertical	PASS
5	2387.49	51.75	1.42	53.17	74.00	20.83	Vertical	PASS
6	2389.96	61.70	1.43	63.13	74.00	10.87	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2371.88	37.01	1.43	38.44	54.00	15.56	Horizontal	PASS
2	2387.72	39.60	1.43	41.03	54.00	12.97	Horizontal	PASS
3	2389.73	44.78	1.43	46.21	54.00	7.79	Horizontal	PASS
4	2373.26	47.78	1.44	49.22	74.00	24.78	Horizontal	PASS
5	2387.46	53.56	1.42	54.98	74.00	19.02	Horizontal	PASS
6	2389.88	59.30	1.43	60.73	74.00	13.27	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	/
Bandwidth	20MHz	Channel	1
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2374.16	36.94	1.44	38.38	54.00	15.62	Vertical	PASS
2	2386.56	38.47	1.42	39.89	54.00	14.11	Vertical	PASS
3	2389.77	45.20	1.43	46.63	54.00	7.37	Vertical	PASS
4	2375.39	47.64	1.43	49.07	74.00	24.93	Vertical	PASS
5	2386.41	52.04	1.43	53.47	74.00	20.53	Vertical	PASS
6	2389.77	62.73	1.43	64.16	74.00	9.84	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.96	44.03	1.87	45.90	54.00	8.10	Horizontal	PASS
2	2485.95	43.11	1.88	44.99	54.00	9.01	Horizontal	PASS
3	2488.86	42.96	1.92	44.88	54.00	9.12	Horizontal	PASS
4	2483.62	56.80	1.86	58.66	74.00	15.34	Horizontal	PASS
5	2484.92	55.57	1.87	57.44	74.00	16.56	Horizontal	PASS
6	2488.57	53.39	1.91	55.30	74.00	18.70	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	49.20	1.85	51.05	54.00	2.95	Vertical	PASS
2	2485.90	45.25	1.88	47.13	54.00	6.87	Vertical	PASS
3	2487.95	43.49	1.90	45.39	54.00	8.61	Vertical	PASS
4	2483.62	64.62	1.86	66.48	74.00	7.52	Vertical	PASS
5	2486.17	61.41	1.88	63.29	74.00	10.71	Vertical	PASS
6	2487.25	56.58	1.90	58.48	74.00	15.52	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	43.45	1.85	45.30	54.00	8.70	Horizontal	PASS
2	2488.88	42.95	1.92	44.87	54.00	9.13	Horizontal	PASS
3	2495.13	42.98	1.98	44.96	54.00	9.04	Horizontal	PASS
4	2485.09	54.99	1.87	56.86	74.00	17.14	Horizontal	PASS
5	2489.99	53.95	1.93	55.88	74.00	18.12	Horizontal	PASS
6	2495.08	54.18	1.98	56.16	74.00	17.84	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-40	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.92	48.46	1.87	50.33	54.00	3.67	Vertical	PASS
2	2487.23	43.35	1.90	45.25	54.00	8.75	Vertical	PASS
3	2495.10	42.90	1.98	44.88	54.00	9.12	Vertical	PASS
4	2484.90	61.09	1.87	62.96	74.00	11.04	Vertical	PASS
5	2487.23	55.34	1.90	57.24	74.00	16.76	Vertical	PASS
6	2492.72	54.01	1.95	55.96	74.00	18.04	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-54	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	43.83	1.86	45.69	54.00	8.31	Horizontal	PASS
2	2485.23	43.13	1.88	45.01	54.00	8.99	Horizontal	PASS
3	2494.45	43.00	1.97	44.97	54.00	9.03	Horizontal	PASS
4	2483.62	56.52	1.86	58.38	74.00	15.62	Horizontal	PASS
5	2485.28	54.69	1.88	56.57	74.00	17.43	Horizontal	PASS
6	2493.71	54.33	1.96	56.29	74.00	17.71	Horizontal	PASS


Project Information			
Mode:	802.11ax20 106t-54	Band:	/
Bandwidth	20MHz	Channel	11
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	48.53	1.85	50.38	54.00	3.62	Vertical	PASS
2	2485.09	46.10	1.87	47.97	54.00	6.03	Vertical	PASS
3	2486.82	43.95	1.90	45.85	54.00	8.15	Vertical	PASS
4	2483.84	64.71	1.87	66.58	74.00	7.42	Vertical	PASS
5	2485.26	63.12	1.88	65.00	74.00	9.00	Vertical	PASS
6	2486.58	57.76	1.89	59.65	74.00	14.35	Vertical	PASS

Project Information			
Mode:	802.11ax40 242-61	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.56	37.36	1.43	38.79	54.00	15.21	Horizontal	PASS
2	2387.42	41.55	1.42	42.97	54.00	11.03	Horizontal	PASS
3	2389.58	47.05	1.43	48.48	54.00	5.52	Horizontal	PASS
4	2384.30	48.94	1.43	50.37	74.00	23.63	Horizontal	PASS
5	2387.20	55.27	1.42	56.69	74.00	17.31	Horizontal	PASS
6	2389.71	61.67	1.43	63.10	74.00	10.90	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242-61	Band:	/
Bandwidth	40MHz	Channel	3
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.95	38.45	1.43	39.88	54.00	14.12	Vertical	PASS
2	2387.51	42.54	1.43	43.97	54.00	10.03	Vertical	PASS
3	2389.67	48.67	1.43	50.10	54.00	3.90	Vertical	PASS
4	2380.34	48.18	1.43	49.61	74.00	24.39	Vertical	PASS
5	2387.69	56.21	1.43	57.64	74.00	16.36	Vertical	PASS
6	2389.67	63.28	1.43	64.71	74.00	9.29	Vertical	PASS

Project Information			
Mode:	802.11ax40 242-62	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	41.34	1.86	43.20	54.00	10.80	Horizontal	PASS
2	2485.98	39.77	1.88	41.65	54.00	12.35	Horizontal	PASS
3	2492.01	37.06	1.95	39.01	54.00	14.99	Horizontal	PASS
4	2483.84	54.70	1.87	56.57	74.00	17.43	Horizontal	PASS
5	2485.64	52.89	1.88	54.77	74.00	19.23	Horizontal	PASS
6	2491.77	48.87	1.95	50.82	74.00	23.18	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242-62	Band:	/
Bandwidth	40MHz	Channel	9
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 12.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.64	49.02	1.86	50.88	54.00	3.12	Vertical	PASS
2	2487.04	43.43	1.90	45.33	54.00	8.67	Vertical	PASS
3	2490.00	38.21	1.93	40.14	54.00	13.86	Vertical	PASS
4	2483.64	63.17	1.86	65.03	74.00	8.97	Vertical	PASS
5	2487.04	57.20	1.90	59.10	74.00	14.90	Vertical	PASS
6	2489.45	51.96	1.92	53.88	74.00	20.12	Vertical	PASS

~The End~