



Project Information			
Mode:	802.11ax80 484t-65	Band:	U-NII-5
Bandwidth	80MHz	Channel	6385
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -1		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7485.15	27.42	19.00	46.42	54.00	7.58	Vertical	PASS
2	12111.33	35.20	4.84	40.04	54.00	13.96	Vertical	PASS
3	17977.67	32.67	13.87	46.54	54.00	7.46	Vertical	PASS
4	7602.05	35.22	18.66	53.88	74.00	20.12	Vertical	PASS
5	12044.00	41.59	5.66	47.25	74.00	26.75	Vertical	PASS
6	17861.67	38.99	13.82	52.81	74.00	21.19	Vertical	PASS


Project Information			
Mode:	802.11ax160 996t-67	Band:	U-NII-5
Bandwidth	160MHz	Channel	6345
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7411.30	27.10	18.96	46.06	54.00	7.94	Horizontal	PASS
2	11418.67	35.18	5.29	40.47	54.00	13.53	Horizontal	PASS
3	17855.67	32.06	13.92	45.98	54.00	8.02	Horizontal	PASS
4	7491.80	35.53	19.02	54.55	74.00	19.45	Horizontal	PASS
5	11600.00	42.69	5.56	48.25	74.00	25.75	Horizontal	PASS
6	17846.67	39.00	13.93	52.93	74.00	21.07	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-NII-5
Bandwidth	160MHz	Channel	6345
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7455.75	27.31	18.89	46.20	54.00	7.80	Vertical	PASS
2	12125.00	35.88	4.70	40.58	54.00	13.42	Vertical	PASS
3	17980.33	31.90	13.89	45.79	54.00	8.21	Vertical	PASS
4	7390.65	34.75	18.91	53.66	74.00	20.34	Vertical	PASS
5	12166.67	42.61	4.60	47.21	74.00	26.79	Vertical	PASS
6	17972.00	39.09	13.82	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-NII-7
Bandwidth	20MHz	Channel	6695
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -7		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.00	27.46	18.80	46.26	54.00	7.74	Horizontal	PASS
2	12088.33	35.38	5.13	40.51	54.00	13.49	Horizontal	PASS
3	17847.33	31.91	13.94	45.85	54.00	8.15	Horizontal	PASS
4	7447.00	35.14	18.78	53.92	74.00	20.08	Horizontal	PASS
5	12033.00	41.41	5.60	47.01	74.00	26.99	Horizontal	PASS
6	17960.33	39.09	13.73	52.82	74.00	21.18	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-NII-7
Bandwidth	20MHz	Channel	6695
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7733.30	26.60	19.52	46.12	54.00	7.88	Vertical	PASS
2	12055.33	35.20	5.63	40.83	54.00	13.17	Vertical	PASS
3	17843.33	32.30	13.84	46.14	54.00	7.86	Vertical	PASS
4	7601.35	35.71	18.47	54.18	74.00	19.82	Vertical	PASS
5	12064.33	41.54	5.48	47.02	74.00	26.98	Vertical	PASS
6	17889.67	39.58	13.35	52.93	74.00	21.07	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-7
Bandwidth	40MHz	Channel	6565
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -3		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7403.60	26.98	18.87	45.85	54.00	8.15	Horizontal	PASS
2	12056.00	34.29	5.62	39.91	54.00	14.09	Horizontal	PASS
3	17850.67	31.97	14.01	45.98	54.00	8.02	Horizontal	PASS
4	7440.70	35.25	18.80	54.05	74.00	19.95	Horizontal	PASS
5	12177.67	42.80	4.72	47.52	74.00	26.48	Horizontal	PASS
6	17851.00	38.40	14.00	52.40	74.00	21.60	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-7
Bandwidth	40MHz	Channel	6565
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -3		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7459.25	26.99	18.79	45.78	54.00	8.22	Vertical	PASS
2	12049.33	34.53	5.70	40.23	54.00	13.77	Vertical	PASS
3	17853.00	32.13	13.97	46.10	54.00	7.90	Vertical	PASS
4	7464.50	34.71	18.79	53.50	74.00	20.50	Vertical	PASS
5	12094.00	41.81	5.04	46.85	74.00	27.15	Vertical	PASS
6	17860.67	39.55	13.84	53.39	74.00	20.61	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-7
Bandwidth	80MHz	Channel	6625
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7401.50	27.73	18.86	46.59	54.00	7.41	Horizontal	PASS
2	12012.00	34.69	5.47	40.16	54.00	13.84	Horizontal	PASS
3	17880.33	32.41	13.50	45.91	54.00	8.09	Horizontal	PASS
4	7421.80	34.75	18.83	53.58	74.00	20.42	Horizontal	PASS
5	11981.67	41.78	5.19	46.97	74.00	27.03	Horizontal	PASS
6	17845.67	38.70	13.90	52.60	74.00	21.40	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-7
Bandwidth	80MHz	Channel	6625
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -1		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7410.60	27.59	18.85	46.44	54.00	7.56	Vertical	PASS
2	12047.33	35.11	5.69	40.80	54.00	13.20	Vertical	PASS
3	17997.00	32.70	14.02	46.72	54.00	7.28	Vertical	PASS
4	7455.75	35.08	18.78	53.86	74.00	20.14	Vertical	PASS
5	12091.33	42.07	5.09	47.16	74.00	26.84	Vertical	PASS
6	17863.00	39.70	13.80	53.50	74.00	20.50	Vertical	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-NII-7
Bandwidth	160MHz	Channel	6665
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 0.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7480.25	27.34	18.79	46.13	54.00	7.87	Horizontal	PASS
2	11477.33	35.34	5.03	40.37	54.00	13.63	Horizontal	PASS
3	17991.67	32.58	13.98	46.56	54.00	7.44	Horizontal	PASS
4	7480.25	35.39	18.79	54.18	74.00	19.82	Horizontal	PASS
5	11392.67	42.12	5.46	47.58	74.00	26.42	Horizontal	PASS
6	17847.67	38.75	13.96	52.71	74.00	21.29	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-67	Band:	U-NII-7
Bandwidth	160MHz	Channel	6665
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 0.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7448.75	27.63	18.79	46.42	54.00	7.58	Vertical	PASS
2	12042.00	34.73	5.65	40.38	54.00	13.62	Vertical	PASS
3	17997.00	31.98	14.02	46.00	54.00	8.00	Vertical	PASS
4	7397.30	35.03	18.84	53.87	74.00	20.13	Vertical	PASS
5	12043.00	41.87	5.66	47.53	74.00	26.47	Vertical	PASS
6	17857.00	39.27	13.90	53.17	74.00	20.83	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5901.37	36.41	10.75	47.16	68.20	21.04	Horizontal	PASS
2	5911.37	36.40	10.80	47.20	68.20	21.00	Horizontal	PASS
3	5924.31	36.69	10.87	47.56	68.20	20.64	Horizontal	PASS
4	5900.70	47.02	10.75	57.77	88.20	30.43	Horizontal	PASS
5	5912.21	47.09	10.80	57.89	88.20	30.31	Horizontal	PASS
6	5924.14	46.51	10.87	57.38	88.20	30.82	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5904.17	36.48	10.77	47.25	68.20	20.95	Vertical	PASS
2	5915.49	36.66	10.82	47.48	68.20	20.72	Vertical	PASS
3	5924.25	36.25	10.87	47.12	68.20	21.08	Vertical	PASS
4	5893.98	46.83	10.75	57.58	88.20	30.62	Vertical	PASS
5	5906.97	47.31	10.78	58.09	88.20	30.11	Vertical	PASS
6	5919.15	47.36	10.84	58.20	88.20	30.00	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	5965
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 4		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5877.68	36.74	10.73	47.47	68.20	20.73	Horizontal	PASS
2	5893.30	36.63	10.74	47.37	68.20	20.83	Horizontal	PASS
3	5924.32	36.51	10.87	47.38	68.20	20.82	Horizontal	PASS
4	5878.13	47.13	10.73	57.86	88.20	30.34	Horizontal	PASS
5	5893.33	47.02	10.74	57.76	88.20	30.44	Horizontal	PASS
6	5923.48	47.47	10.87	58.34	88.20	29.86	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	5965
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 4		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5881.94	36.64	10.74	47.38	68.20	20.82	Vertical	PASS
2	5903.03	36.45	10.77	47.22	68.20	20.98	Vertical	PASS
3	5924.54	36.65	10.87	47.52	68.20	20.68	Vertical	PASS
4	5882.39	47.43	10.74	58.17	88.20	30.03	Vertical	PASS
5	5902.71	47.02	10.77	57.79	88.20	30.41	Vertical	PASS
6	5924.48	46.58	10.87	57.45	88.20	30.75	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	5985
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5893.05	36.51	10.74	47.25	68.20	20.95	Horizontal	PASS
2	5904.86	37.29	10.77	48.06	68.20	20.14	Horizontal	PASS
3	5923.50	36.75	10.87	47.62	68.20	20.58	Horizontal	PASS
4	5893.65	47.28	10.74	58.02	88.20	30.18	Horizontal	PASS
5	5906.58	47.31	10.78	58.09	88.20	30.11	Horizontal	PASS
6	5922.50	46.50	10.85	57.35	88.20	30.85	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	5985
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5873.13	36.74	10.73	47.47	68.20	20.73	Vertical	PASS
2	5900.22	37.05	10.75	47.80	68.20	20.40	Vertical	PASS
3	5923.14	37.49	10.86	48.35	68.20	19.85	Vertical	PASS
4	5874.41	46.88	10.73	57.61	88.20	30.59	Vertical	PASS
5	5900.18	47.47	10.75	58.22	88.20	29.98	Vertical	PASS
6	5923.18	46.59	10.86	57.45	88.20	30.75	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	6025
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5888.91	36.70	10.74	47.44	68.20	20.76	Horizontal	PASS
2	5913.39	36.95	10.82	47.77	68.20	20.43	Horizontal	PASS
3	5924.25	36.81	10.87	47.68	68.20	20.52	Horizontal	PASS
4	5889.97	47.03	10.74	57.77	88.20	30.43	Horizontal	PASS
5	5913.50	46.98	10.82	57.80	88.20	30.40	Horizontal	PASS
6	5923.24	46.94	10.87	57.81	88.20	30.39	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	6025
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5886.61	41.26	10.74	52.00	68.20	16.20	Vertical	PASS
2	5896.53	42.39	10.75	53.14	68.20	15.06	Vertical	PASS
3	5916.41	44.18	10.83	55.01	68.20	13.19	Vertical	PASS
4	5884.09	51.23	10.74	61.97	88.20	26.23	Vertical	PASS
5	5896.25	53.09	10.75	63.84	88.20	24.36	Vertical	PASS
6	5916.30	53.27	10.83	64.10	88.20	24.10	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5892.80	36.87	10.74	47.61	68.20	20.59	Horizontal	PASS
2	5907.08	36.93	10.78	47.71	68.20	20.49	Horizontal	PASS
3	5921.03	36.93	10.85	47.78	68.20	20.42	Horizontal	PASS
4	5895.27	46.84	10.75	57.59	88.20	30.61	Horizontal	PASS
5	5910.03	46.67	10.80	57.47	88.20	30.73	Horizontal	PASS
6	5920.61	47.11	10.85	57.96	88.20	30.24	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5898.63	37.06	10.75	47.81	68.20	20.39	Vertical	PASS
2	5910.53	36.76	10.80	47.56	68.20	20.64	Vertical	PASS
3	5923.92	36.62	10.87	47.49	68.20	20.71	Vertical	PASS
4	5898.85	46.97	10.75	57.72	88.20	30.48	Vertical	PASS
5	5912.13	47.33	10.80	58.13	88.20	30.07	Vertical	PASS
6	5921.45	46.41	10.85	57.26	88.20	30.94	Vertical	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5910.84	36.74	10.80	47.54	68.20	20.66	Horizontal	PASS
2	5918.90	36.81	10.84	47.65	68.20	20.55	Horizontal	PASS
3	5924.06	36.40	10.87	47.27	68.20	20.93	Horizontal	PASS
4	5912.57	47.13	10.82	57.95	88.20	30.25	Horizontal	PASS
5	5919.63	46.67	10.84	57.51	88.20	30.69	Horizontal	PASS
6	5924.76	46.64	10.87	57.51	88.20	30.69	Horizontal	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5900.34	36.86	10.75	47.61	68.20	20.59	Vertical	PASS
2	5918.51	36.95	10.84	47.79	68.20	20.41	Vertical	PASS
3	5923.97	36.84	10.87	47.71	68.20	20.49	Vertical	PASS
4	5900.50	47.16	10.75	57.91	88.20	30.29	Vertical	PASS
5	5918.48	48.05	10.84	58.89	88.20	29.31	Vertical	PASS
6	5923.61	46.59	10.87	57.46	88.20	30.74	Vertical	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5902.69	36.81	10.77	47.58	68.20	20.62	Horizontal	PASS
2	5915.46	36.51	10.82	47.33	68.20	20.87	Horizontal	PASS
3	5923.64	36.63	10.87	47.50	68.20	20.70	Horizontal	PASS
4	5902.88	46.55	10.77	57.32	88.20	30.88	Horizontal	PASS
5	5916.77	47.93	10.83	58.76	88.20	29.44	Horizontal	PASS
6	5922.88	46.54	10.86	57.40	88.20	30.80	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5902.55	36.74	10.77	47.51	68.20	20.69	Vertical	PASS
2	5912.83	36.65	10.82	47.47	68.20	20.73	Vertical	PASS
3	5923.33	36.85	10.87	47.72	68.20	20.48	Vertical	PASS
4	5903.56	47.16	10.77	57.93	88.20	30.27	Vertical	PASS
5	5913.16	46.83	10.82	57.65	88.20	30.55	Vertical	PASS
6	5922.99	47.53	10.86	58.39	88.20	29.81	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	U-NII-5
Bandwidth	40MHz	Channel	5965
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5898.58	36.87	10.75	47.62	68.20	20.58	Horizontal	PASS
2	5914.17	37.01	10.82	47.83	68.20	20.37	Horizontal	PASS
3	5923.87	36.56	10.87	47.43	68.20	20.77	Horizontal	PASS
4	5898.49	46.68	10.75	57.43	88.20	30.77	Horizontal	PASS
5	5915.48	46.92	10.82	57.74	88.20	30.46	Horizontal	PASS
6	5924.16	46.63	10.87	57.50	88.20	30.70	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-5
Bandwidth	40MHz	Channel	5965
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5890.71	36.53	10.74	47.27	68.20	20.93	Vertical	PASS
2	5903.64	36.81	10.77	47.58	68.20	20.62	Vertical	PASS
3	5922.01	36.75	10.85	47.60	68.20	20.60	Vertical	PASS
4	5891.00	46.97	10.74	57.71	88.20	30.49	Vertical	PASS
5	5903.86	47.16	10.77	57.93	88.20	30.27	Vertical	PASS
6	5921.05	47.50	10.85	58.35	88.20	29.85	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-5
Bandwidth	80MHz	Channel	5985
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5897.93	36.65	10.75	47.40	68.20	20.80	Horizontal	PASS
2	5913.54	36.74	10.82	47.56	68.20	20.64	Horizontal	PASS
3	5923.34	36.76	10.87	47.63	68.20	20.57	Horizontal	PASS
4	5899.41	46.69	10.75	57.44	88.20	30.76	Horizontal	PASS
5	5913.46	47.09	10.82	57.91	88.20	30.29	Horizontal	PASS
6	5922.46	46.34	10.85	57.19	88.20	31.01	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-5
Bandwidth	80MHz	Channel	5985
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5901.10	37.11	10.75	47.86	68.20	20.34	Vertical	PASS
2	5910.34	37.90	10.80	48.70	68.20	19.50	Vertical	PASS
3	5921.58	37.95	10.85	48.80	68.20	19.40	Vertical	PASS
4	5901.06	48.53	10.75	59.28	88.20	28.92	Vertical	PASS
5	5910.30	49.81	10.80	60.61	88.20	27.59	Vertical	PASS
6	5921.82	50.32	10.85	61.17	88.20	27.03	Vertical	PASS

Project Information

Mode:	802.11ax160 996t-67	Band:	U-NII-5
Bandwidth	160MHz	Channel	6025
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5887.45	36.84	10.74	47.58	68.20	20.62	Horizontal	PASS
2	5908.01	36.74	10.79	47.53	68.20	20.67	Horizontal	PASS
3	5921.28	36.94	10.85	47.79	68.20	20.41	Horizontal	PASS
4	5881.01	47.37	10.73	58.10	88.20	30.10	Horizontal	PASS
5	5900.78	47.06	10.75	57.81	88.20	30.39	Horizontal	PASS
6	5920.22	47.03	10.85	57.88	88.20	30.32	Horizontal	PASS

Project Information

Mode:	802.11ax160 996t-67	Band:	U-NII-5
Bandwidth	160MHz	Channel	6025
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.29	39.18	10.72	49.90	68.20	18.30	Vertical	PASS
2	5905.88	39.56	10.78	50.34	68.20	17.86	Vertical	PASS
3	5922.12	40.66	10.85	51.51	68.20	16.69	Vertical	PASS
4	5860.23	52.96	10.72	63.68	88.20	24.52	Vertical	PASS
5	5905.82	52.65	10.78	63.43	88.20	24.77	Vertical	PASS
6	5922.07	55.57	10.85	66.42	88.20	21.78	Vertical	PASS

~The End~