









**Duty Cycle
Test Result**

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
1MHz	Ant1	903.5	29.00	30.00	96.67	0.15
1MHz	Ant1	915.5	29.00	30.00	96.67	0.15
1MHz	Ant1	926.5	29.16	30.16	96.68	0.15
2MHz	Ant1	905	12.68	13.64	92.96	0.32
2MHz	Ant1	915	12.68	13.64	92.96	0.32
2MHz	Ant1	925	12.68	13.64	92.96	0.32
4MHz	Ant1	906	6.23	7.18	86.77	0.62
4MHz	Ant1	910	6.23	7.18	86.77	0.62
4MHz	Ant1	914	6.23	7.18	86.77	0.62
4MHz	Ant1	922	6.25	7.19	86.93	0.61
4MHz	Ant1	926	6.25	7.19	86.93	0.61
8MHz	Ant1	908	3.04	3.98	76.38	1.17
8MHz	Ant1	916	3.05	3.98	76.63	1.16
8MHz	Ant1	920	3.04	3.99	76.19	1.18
8MHz	Ant1	922	3.04	3.98	76.38	1.17
8MHz	Ant1	924	3.03	3.98	76.13	1.18

Test Graphs








Radiated Spurious Emissions

Test Result


Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	03
SN:	E1M24KA0H000111	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1807.30	55.04	-18.72	36.32	54.00	17.68	Horizontal	PASS
2	2710.60	54.34	-15.13	39.21	54.00	14.79	Horizontal	PASS
3	3613.60	51.12	-11.86	39.26	54.00	14.74	Horizontal	PASS
4	1807.00	61.10	-18.72	42.38	74.00	31.62	Horizontal	PASS
5	2710.90	59.65	-15.13	44.52	74.00	29.48	Horizontal	PASS
6	3613.60	57.35	-11.86	45.49	74.00	28.51	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	03
SN:	E1M24KA0H000111	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1807.30	61.90	-18.72	43.18	54.00	10.82	Vertical	PASS
2	2710.60	63.30	-15.13	48.17	54.00	5.83	Vertical	PASS
3	5421.10	45.93	-6.29	39.64	54.00	14.36	Vertical	PASS
4	1807.30	66.87	-18.72	48.15	74.00	25.85	Vertical	PASS
5	2710.60	68.58	-15.13	53.45	74.00	20.55	Vertical	PASS
6	5420.50	53.67	-6.29	47.38	74.00	26.62	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	27
SN:	E1M24KA0H000111	Engineer:	Shen Zhuang
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1831.00	56.64	-18.69	37.95	54.00	16.05	Horizontal	PASS
2	2746.90	52.89	-14.77	38.12	54.00	15.88	Horizontal	PASS
3	3662.20	54.07	-12.02	42.05	54.00	11.95	Horizontal	PASS
4	1830.70	62.11	-18.69	43.42	74.00	30.58	Horizontal	PASS
5	2746.60	59.62	-14.77	44.85	74.00	29.15	Horizontal	PASS
6	3661.30	60.65	-12.01	48.64	74.00	25.36	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	27
SN:	E1M24KA0H000111	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1831.60	60.56	-18.69	41.87	54.00	12.13	Vertical	PASS
2	2746.60	62.39	-14.77	47.62	54.00	6.38	Vertical	PASS
3	5493.10	47.65	-5.85	41.80	54.00	12.20	Vertical	PASS
4	1831.30	63.54	-18.69	44.85	74.00	29.15	Vertical	PASS
5	2746.60	67.91	-14.77	53.14	74.00	20.86	Vertical	PASS
6	5492.80	54.35	-5.85	48.50	74.00	25.50	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	49
SN:	E1M24KA0H000111	Engineer:	Shen Zhuang
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1853.20	52.20	-18.64	33.56	54.00	20.44	Horizontal	PASS
2	2779.60	54.67	-14.70	39.97	54.00	14.03	Horizontal	PASS
3	3706.30	47.30	-12.21	35.09	54.00	18.91	Horizontal	PASS
4	1852.90	57.66	-18.64	39.02	74.00	34.98	Horizontal	PASS
5	2779.60	59.72	-14.70	45.02	74.00	28.98	Horizontal	PASS
6	3706.90	54.03	-12.21	41.82	74.00	32.18	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	49
SN:	E1M24KA0H000111	Engineer:	Shen Zhuang
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1852.90	60.18	-18.64	41.54	54.00	12.46	Vertical	PASS
2	2779.60	61.47	-14.70	46.77	54.00	7.23	Vertical	PASS
3	5558.80	46.47	-5.19	41.28	54.00	12.72	Vertical	PASS
4	1852.60	66.36	-18.64	47.72	74.00	26.28	Vertical	PASS
5	2779.30	67.07	-14.70	52.37	74.00	21.63	Vertical	PASS
6	5558.50	52.98	-5.18	47.80	74.00	26.20	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	27
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	915.38	108.41	2.74	111.15	-	-	Horizontal	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	27
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	915.64	119.33	2.64	121.97	-	-	Vertical	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	03
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.96	72.47	2.74	75.21	91.97	16.76	Horizontal	PASS
2	928.02	42.36	2.61	44.97	91.97	47.00	Horizontal	PASS
3	929.96	45.03	2.72	47.75	91.97	44.22	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	03
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.96	88.29	2.57	90.86	91.97	1.11	Vertical	PASS
2	928.02	54.38	2.37	56.75	91.97	35.22	Vertical	PASS
3	928.28	55.22	2.36	57.58	91.97	34.39	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	49
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	898.77	50.45	2.65	53.10	91.97	38.87	Horizontal	PASS
2	900.92	50.99	2.77	53.76	91.97	38.21	Horizontal	PASS
3	928.02	68.93	2.61	71.54	91.97	20.43	Horizontal	PASS
4	928.40	71.24	2.63	73.87	91.97	18.10	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	1MHz	Channel	49
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.36	59.40	2.67	62.07	91.97	29.90	Vertical	PASS
2	928.02	82.42	2.37	84.79	91.97	7.18	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	2MHz	Channel	26
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	914.78	105.77	2.71	108.48	-	-	Horizontal	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	2MHz	Channel	26
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	914.58	116.55	2.56	119.11	-	-	Vertical	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	2MHz	Channel	06
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.52	74.44	2.75	77.19	89.11	11.92	Horizontal	PASS
2	901.68	71.87	2.75	74.62	89.11	14.49	Horizontal	PASS
3	928.02	43.75	2.61	46.36	89.11	42.75	Horizontal	PASS
4	932.68	47.25	2.79	50.04	89.11	39.07	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	2MHz	Channel	06
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.92	85.39	2.57	87.96	89.11	1.15	Vertical	PASS
2	928.02	54.30	2.37	56.67	89.11	32.44	Vertical	PASS
3	930.88	55.92	2.47	58.39	89.11	30.72	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	2MHz	Channel	46
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.00	47.77	2.77	50.54	89.11	38.57	Horizontal	PASS
2	901.68	46.56	2.75	49.31	89.11	39.80	Horizontal	PASS
3	928.02	66.22	2.61	68.83	89.11	20.28	Horizontal	PASS
4	928.10	68.73	2.61	71.34	89.11	17.77	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	2MHz	Channel	46
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.90	55.54	2.58	58.12	89.11	30.99	Vertical	PASS
2	928.02	79.97	2.37	82.34	89.11	6.77	Vertical	PASS
3	928.12	81.89	2.37	84.26	89.11	4.85	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	24
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	915.07	115.16	2.63	117.79	-	-	Vertical	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	24
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	913.31	108.21	2.58	110.79	-	-	Horizontal	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	08
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	902.02	59.85	2.74	62.59	87.79	25.20	Horizontal	PASS
2	928.02	45.15	2.61	47.76	87.79	40.03	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	08
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	902.02	72.95	2.56	75.51	87.79	12.28	Vertical	PASS
2	928.02	54.63	2.37	57.00	87.79	30.79	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	48
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-10		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	85.03	2.37	87.40	87.79	0.39	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	48
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-10		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	73.77	2.61	76.38	87.79	11.41	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Channel	28
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	917.75	111.79	2.70	114.49	-	-	Vertical	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Channel	28
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	913.99	105.15	2.64	107.79	-	-	Horizontal	NA

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Channel	12
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-7		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	900.60	63.25	2.78	66.03	84.49	18.46	Horizontal	PASS
2	901.98	61.69	2.74	64.43	84.49	20.06	Horizontal	PASS
3	928.02	43.90	2.61	46.51	84.49	37.98	Horizontal	PASS
4	931.02	48.45	2.75	51.20	84.49	33.29	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Channel	12
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.54	79.68	2.63	82.31	84.49	2.18	Vertical	PASS
2	901.98	78.42	2.56	80.98	84.49	3.51	Vertical	PASS
3	928.02	56.13	2.37	58.50	84.49	25.99	Vertical	PASS
4	932.90	58.44	2.81	61.25	84.49	23.24	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Channel	44
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-10		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	81.09	2.37	83.46	84.49	1.03	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Channel	44
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-10		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	69.82	2.61	72.43	84.49	12.06	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Freq.	920MHz
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.07	80.95	2.37	83.32	84.49	1.17	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Freq.	920MHz
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	61.64	2.61	64.25	84.49	20.24	Horizontal	PASS
2	929.07	67.37	2.67	70.04	84.49	14.45	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Freq.	922MHz
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-6		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	78.44	2.37	80.81	84.49	3.68	Vertical	PASS
2	928.11	79.77	2.37	82.14	84.49	2.35	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	8MHz	Freq.	922MHz
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=-6		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	928.03	59.99	2.61	62.60	84.49	21.89	Horizontal	PASS
2	929.03	63.46	2.66	66.12	84.49	18.37	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	16
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	902.00	64.37	2.74	67.11	87.79	20.68	Horizontal	PASS
2	928.02	45.32	2.61	47.93	87.79	39.86	Horizontal	PASS
3	928.88	48.20	2.66	50.86	87.79	36.93	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	16
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	901.98	76.98	2.56	79.54	87.79	8.25	Vertical	PASS
2	928.14	62.24	2.36	64.60	87.79	23.19	Vertical	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	40
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	896.03	50.64	2.29	52.93	87.79	34.86	Horizontal	PASS
2	901.62	49.69	2.75	52.44	87.79	35.35	Horizontal	PASS
3	928.02	66.47	2.61	69.08	87.79	18.71	Horizontal	PASS

Project Information			
Mode:	MCS0	Band:	902-928MHz
Bandwidth	4MHz	Channel	40
SN:	E1M24KA0H000111	Engineer:	Ou Shuyan
Remark:	Psetting=2		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	899.83	62.86	2.87	65.73	87.79	22.06	Vertical	PASS
2	901.86	62.60	2.58	65.18	87.79	22.61	Vertical	PASS
3	928.02	82.39	2.37	84.76	87.79	3.03	Vertical	PASS
4	928.04	83.13	2.37	85.50	87.79	2.29	Vertical	PASS

~The End~