



802.11b CH1



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,124.750	47.74	74.00	26.26	38.28	54.00	15.72	-4.02	V	295.9	2.00	1.000
1,385.750	52.86	74.00	21.14	47.97	54.00	6.03	-3.35	H	3.2	2.00	1.000
1,641.000	49.46	74.00	24.54	37.56	54.00	16.44	-3.04	H	332.6	2.00	1.000
1,750.250	49.83	74.00	24.17	38.69	54.00	15.31	-2.80	H	327.9	1.00	1.000
2,057.750	52.40	74.00	21.60	40.28	54.00	13.72	-0.73	H	346.6	2.00	1.000
2,665.000	56.36	74.00	17.64	40.27	54.00	13.73	1.51	V	353.2	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11b CH6



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,124.500	47.07	74.00	26.93	36.67	54.00	17.33	-4.03	V	302.2	2.00	1.000
1,385.500	51.74	74.00	22.26	45.96	54.00	8.04	-3.35	H	358.7	2.00	1.000
1,646.750	49.72	74.00	24.28	38.33	54.00	15.67	-2.98	H	333.4	1.00	1.000
1,750.000	50.04	74.00	23.96	40.06	54.00	13.94	-2.80	H	333.4	1.00	1.000
2,141.000	52.85	74.00	21.15	41.02	54.00	12.98	-0.46	H	333.4	1.00	1.000
2,656.750	54.19	74.00	19.81	39.11	54.00	14.89	1.51	V	350.1	2.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11b CH11



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,124.750	47.22	74.00	26.78	36.05	54.00	17.95	-4.02	V	327.1	2.00	1.000
1,385.750	52.71	74.00	21.29	47.96	54.00	6.04	-3.35	H	357.2	2.00	1.000
1,578.750	48.20	74.00	25.80	35.97	54.00	18.03	-3.04	H	349.8	1.00	1.000
1,814.500	48.25	74.00	25.75	36.56	54.00	17.44	-2.53	H	319	2.00	1.000
2,158.250	53.51	74.00	20.49	41.53	54.00	12.47	-0.38	H	336.1	1.00	1.000
2,661.750	55.77	74.00	18.23	40.21	54.00	13.79	1.51	V	106.4	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11g CH1



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,139.250	52.19	74.00	21.81	40.63	54.00	13.37	-4.00	V	147.3	1.00	1.000
1,249.000	53.24	74.00	20.76	41.00	54.00	13.00	-3.58	V	4.1	1.00	1.000
1,382.750	53.44	74.00	20.56	41.68	54.00	12.32	-3.37	V	293.9	2.00	1.000
1,647.250	54.13	74.00	19.87	42.32	54.00	11.68	-2.97	V	355	2.00	1.000
1,753.000	54.05	74.00	19.95	42.48	54.00	11.52	-2.80	V	181.3	1.00	1.000
2,039.000	56.13	74.00	17.87	44.56	54.00	9.44	-0.62	V	85.4	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11g CH6



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,131.750	52.05	74.00	21.95	40.61	54.00	13.39	-3.98	V	78.5	1.00	1.000
1,385.250	54.00	74.00	20.00	42.49	54.00	11.51	-3.35	V	312.8	2.00	1.000
1,548.750	53.50	74.00	20.50	41.91	54.00	12.09	-3.12	V	357.6	2.00	1.000
1,641.750	53.91	74.00	20.09	42.11	54.00	11.89	-3.04	V	0	1.00	1.000
1,827.500	54.37	74.00	19.63	42.78	54.00	11.22	-2.44	V	153.9	1.00	1.000
2,051.500	56.85	74.00	17.15	45.13	54.00	8.87	-0.66	V	167.7	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11g CH11



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,123.750	52.37	74.00	21.63	40.44	54.00	13.56	-4.04	V	346.9	1.00	1.000
1,385.250	53.85	74.00	20.15	42.23	54.00	11.77	-3.35	V	360	2.00	1.000
1,640.250	54.91	74.00	19.09	42.08	54.00	11.92	-3.04	V	16.6	1.00	1.000
1,755.000	54.31	74.00	19.69	42.66	54.00	11.34	-2.80	V	243.9	1.00	1.000
2,066.000	56.29	74.00	17.71	44.35	54.00	9.65	-0.81	V	358.6	1.00	1.000
2,670.750	58.48	74.00	15.52	47.12	54.00	6.88	1.52	V	10.1	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11n (HT20) CH1



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,126.000	52.44	74.00	21.56	40.69	54.00	13.31	-4.00	V	284.5	1.00	1.000
1,386.750	54.62	74.00	19.38	42.07	54.00	11.93	-3.35	V	358.1	2.00	1.000
1,643.250	54.09	74.00	19.91	42.83	54.00	11.17	-3.04	V	187.5	1.00	1.000
1,974.750	56.33	74.00	17.67	44.30	54.00	9.70	-1.01	V	277.4	1.00	1.000
2,150.500	56.63	74.00	17.37	45.11	54.00	8.89	-0.44	V	270.5	1.00	1.000
2,730.750	59.17	74.00	14.83	47.47	54.00	6.53	1.90	V	354.5	2.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11n (HT20) CH6



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,124.750	52.62	74.00	21.38	40.77	54.00	13.23	-4.02	V	49.8	1.00	1.000
1,284.000	52.99	74.00	21.01	41.38	54.00	12.62	-3.55	V	271	1.00	1.000
1,386.000	53.90	74.00	20.10	42.74	54.00	11.26	-3.35	V	298.4	1.00	1.000
1,639.000	54.00	74.00	20.00	42.16	54.00	11.84	-3.04	V	195	1.00	1.000
2,144.000	56.13	74.00	17.87	44.58	54.00	9.42	-0.46	V	183.5	2.00	1.000
2,901.500	60.12	74.00	13.88	48.34	54.00	5.66	2.70	V	15.5	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11n (HT20) CH11



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,121.500	51.84	74.00	22.16	40.33	54.00	13.67	-4.09	V	110.9	1.00	1.000
1,384.500	53.79	74.00	20.21	41.62	54.00	12.38	-3.36	V	48.1	1.00	1.000
1,640.500	54.16	74.00	19.84	42.30	54.00	11.70	-3.04	V	263.3	1.00	1.000
1,752.000	54.42	74.00	19.58	42.55	54.00	11.45	-2.80	V	0.5	1.00	1.000
2,145.250	56.17	74.00	17.83	44.49	54.00	9.51	-0.46	V	211.1	2.00	1.000
2,749.500	59.96	74.00	14.04	47.78	54.00	6.22	2.01	V	62.1	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11n (HT40) CH3



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,187.760	52.65	74.00	21.35	44.55	54.00	9.45	-3.61	H	360	2.00	1.000
1,385.960	55.91	74.00	18.09	50.25	54.00	3.75	-3.35	H	213.8	1.00	1.000
1,588.680	53.67	74.00	20.33	44.80	54.00	9.20	-3.09	H	348.8	2.00	1.000
1,842.140	53.98	74.00	20.02	46.19	54.00	7.81	-2.30	H	174.5	2.00	1.000
2,099.660	56.01	74.00	17.99	47.74	54.00	6.26	-0.57	V	28.4	2.00	1.000
2,657.920	58.66	74.00	15.34	50.26	54.00	3.74	1.51	H	268.2	1.00	1.000


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11n (HT40) CH6



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,131.940	52.09	74.00	21.91	44.32	54.00	9.68	-3.98	H	3.1	2.00	1.000
1,386.140	56.15	74.00	17.85	50.23	54.00	3.77	-3.35	H	216.9	1.00	1.000
1,630.480	53.72	74.00	20.28	45.26	54.00	8.74	-3.02	H	53.6	2.00	1.000
1,966.520	56.22	74.00	17.78	46.95	54.00	7.05	-1.12	H	280.1	2.00	1.000
2,179.420	56.32	74.00	17.68	48.05	54.00	5.95	-0.25	H	19.4	2.00	1.000
2,770.080	59.82	74.00	14.18	50.79	54.00	3.21	2.06	H	280.1	2.00	1.000

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)


2. Margin = Limit –MAX Peak/ Average

802.11n (HT40) CH9



N

ote: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	MaxPeak Limit (dBμV/m)	MaxPeak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Corr. (dB/m)	Pol	Azimuth (deg)	Height (m)	Meas. Time (ms)
1,187.920	52.22	74.00	21.78	43.67	54.00	10.33	-3.61	H	297.7	2.00	1.000
1,385.980	56.96	74.00	17.04	51.65	54.00	2.35	-3.35	H	230	1.00	1.000
1,519.860	53.36	74.00	20.64	44.68	54.00	9.32	-3.15	H	280.5	2.00	1.000
1,723.800	54.67	74.00	19.33	45.64	54.00	8.36	-2.83	V	358.6	1.00	1.000
2,046.400	56.61	74.00	17.39	48.26	54.00	5.74	-0.59	H	212.3	1.00	1.000
2,836.200	59.98	74.00	14.02	51.13	54.00	2.87	2.33	H	315.2	2.00	1.000

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average