



### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V)	Average (dB $\mu$ V)	Limit (dB $\mu$ V)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	37.41	54.00	16.59	500.00	100.0	H	32.00	-5
1271.25	43.80	---	68.20	24.40	500.00	200.0	H	4.00	-4
1599.38	---	34.89	54.00	19.11	500.00	200.0	V	326.00	-2
1999.25	46.26	---	68.20	21.94	500.00	200.0	V	346.00	0
2260.88	---	35.04	54.00	18.96	500.00	100.0	H	106.00	1
2680.88	47.98	---	68.20	20.22	500.00	200.0	H	141.00	2
2827.00	---	36.87	54.00	17.13	500.00	100.0	V	5.00	3
3457.00	48.75	---	68.20	19.45	500.00	100.0	H	320.00	4
4000.38	---	49.86	54.00	4.14	500.00	200.0	V	58.00	6
4442.25	50.87	---	68.20	17.33	500.00	200.0	V	334.00	7
4960.25	---	41.33	54.00	12.67	500.00	100.0	H	227.00	9
5285.75	53.81	---	68.20	14.39	500.00	100.0	H	183.00	10




### Final Result

Frequency (MHz)	MaxPeak (dB V/m)	Average (dB V/m)	Limit (dB V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8485.000000	---	31.36	54.00	22.64	500.0	100.0	H	349.0	-1.8
8907.500000	43.29	---	68.20	24.91	500.0	100.0	H	120.0	-1.3
9118.750000	---	31.99	54.00	22.01	500.0	200.0	V	136.0	-1.2
9637.500000	44.44	---	68.20	23.76	500.0	200.0	H	130.0	-0.6
10518.750000	43.95	---	68.20	24.25	500.0	100.0	V	327.0	-1.0
10651.250000	---	32.89	54.00	21.11	500.0	200.0	V	239.0	-0.8
12461.250000	---	32.16	54.00	21.84	500.0	200.0	H	112.0	0.3
13361.250000	---	34.48	54.00	19.52	500.0	200.0	H	15.0	2.4
13646.250000	45.55	---	68.20	22.65	500.0	100.0	H	28.0	3.1
15077.500000	47.89	---	68.20	20.31	500.0	200.0	H	138.0	5.1
15592.500000	---	37.77	54.00	16.23	500.0	200.0	V	47.0	6.5
17645.000000	52.12	---	68.20	16.08	500.0	100.0	V	161.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V)	Average (dB $\mu$ V)	Limit (dB $\mu$ V)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	37.00	54.00	17.00	500.00	100.0	H	32.00	-5
1279.13	43.70	---	68.20	24.50	500.00	200.0	H	236.00	-4
1599.38	---	34.42	54.00	19.58	500.00	100.0	V	186.00	-2
1999.25	46.10	---	68.20	22.10	500.00	200.0	V	309.00	0
2555.75	47.51	---	68.20	20.69	500.00	200.0	H	3.00	3
2771.00	---	36.62	54.00	17.38	500.00	100.0	H	324.00	3
3534.88	48.54	---	68.20	19.66	500.00	100.0	H	0.00	4
3681.00	---	38.27	54.00	15.73	500.00	200.0	V	0.00	5
4000.38	---	49.98	54.00	4.02	500.00	200.0	V	70.00	6
4445.75	51.13	---	68.20	17.07	500.00	100.0	H	357.00	7
4891.13	---	40.67	54.00	13.33	500.00	200.0	V	328.00	9
5335.63	53.29	---	68.20	14.91	500.00	100.0	H	344.00	10




### Final Result

Frequency (MHz)	MaxPeak (dB V/m)	Average (dB V/m)	Limit (dB V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8412.500000	---	30.22	54.00	23.78	500.0	100.0	V	352.0	-2.2
8952.500000	43.37	---	68.20	24.83	500.0	100.0	H	323.0	-1.3
9110.000000	---	32.09	54.00	21.91	500.0	200.0	V	214.0	-1.2
9608.750000	44.97	---	68.20	23.23	500.0	100.0	V	240.0	-0.7
10540.000000	43.19	---	68.20	25.01	500.0	100.0	V	213.0	-0.9
10662.500000	---	32.86	54.00	21.14	500.0	100.0	H	203.0	-0.8
12495.000000	---	32.08	54.00	21.92	500.0	200.0	V	347.0	0.3
13340.000000	---	34.30	54.00	19.70	500.0	100.0	H	84.0	2.3
13677.500000	45.98	---	68.20	22.22	500.0	100.0	V	170.0	3.1
15327.500000	47.93	---	68.20	20.27	500.0	100.0	H	238.0	5.7
15722.500000	---	37.59	54.00	16.41	500.0	100.0	V	187.0	6.7
17692.500000	52.32	---	68.20	15.88	500.0	100.0	H	248.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V)	Average (dB $\mu$ V)	Limit (dB $\mu$ V)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	--	37.03	54.00	16.97	500.00	100.0	H	46.00	-5
1279.13	43.97	--	68.20	24.23	500.00	100.0	H	328.00	4
1476.88	--	32.33	54.00	21.67	500.00	100.0	H	262.00	-3
1599.38	--	34.51	54.00	19.49	500.00	200.0	V	334.00	-2
1999.25	45.95	--	68.20	22.25	500.00	200.0	V	317.00	0
2582.88	47.83	--	68.20	20.37	500.00	100.0	V	1.00	2
2795.50	--	36.76	54.00	17.24	500.00	100.0	H	59.00	3
3457.88	48.68	--	68.20	19.52	500.00	200.0	H	6.00	4
4000.38	--	50.19	54.00	3.81	500.00	200.0	V	146.00	6
4454.50	49.94	--	68.20	18.26	500.00	100.0	V	113.00	7
4848.25	--	40.20	54.00	13.80	500.00	100.0	H	124.00	9
5604.25	53.98	--	68.20	14.22	500.00	100.0	V	2.00	11




### Final Result

Frequency (MHz)	MaxPeak (dB V/m)	Average (dB V/m)	Limit (dB V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8718.750000	45.17	---	68.20	23.03	500.0	100.0	V	264.0	-1.6
9138.750000	---	33.32	54.00	20.68	500.0	100.0	V	167.0	-1.1
9481.250000	---	34.72	54.00	19.28	500.0	200.0	H	58.0	0.0
9532.500000	46.34	---	68.20	21.86	500.0	200.0	H	214.0	-0.2
10486.250000	45.01	---	68.20	23.19	500.0	200.0	V	19.0	-1.0
10697.500000	---	34.33	54.00	19.67	500.0	100.0	V	136.0	-0.8
12608.750000	---	33.53	54.00	20.47	500.0	200.0	V	354.0	0.2
13307.500000	---	35.74	54.00	18.26	500.0	100.0	V	102.0	2.3
13567.500000	47.51	---	68.20	20.69	500.0	200.0	V	203.0	2.9
15140.000000	49.33	---	68.20	18.87	500.0	100.0	V	136.0	5.2
15597.500000	---	38.95	54.00	15.05	500.0	200.0	V	231.0	6.5
17641.250000	54.02	---	68.20	14.18	500.0	200.0	V	133.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V)	Average (dB $\mu$ V)	Limit (dB $\mu$ V)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	37.08	54.00	16.92	500.00	200.0	H	51.00	-5
1296.63	43.93	---	68.20	24.27	500.00	100.0	H	264.00	4
1439.25	---	34.89	54.00	19.11	500.00	100.0	H	290.00	-3
1999.25	45.71	---	68.20	22.49	500.00	200.0	V	314.00	0
2273.13	---	34.59	54.00	19.41	500.00	200.0	H	163.00	1
2532.13	47.70	---	68.20	20.50	500.00	100.0	H	0.00	2
2792.00	---	36.92	54.00	17.08	500.00	100.0	H	251.00	3
3326.63	49.70	---	68.20	18.50	500.00	200.0	V	352.00	4
4000.38	---	49.70	54.00	4.30	500.00	200.0	V	166.00	6
4461.50	50.07	---	68.20	18.13	500.00	100.0	V	0.00	7
4696.88	---	40.50	54.00	13.50	500.00	200.0	V	115.00	8
5624.38	53.95	---	68.20	14.25	500.00	100.0	H	275.00	11




### Final Result

Frequency (MHz)	MaxPeak (dB V/m)	Average (dB V/m)	Limit (dB V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8975.000000	44.59	—	68.20	23.61	500.0	100.0	V	285.0	-1.3
9133.750000	—	33.06	54.00	20.94	500.0	100.0	V	179.0	-1.2
9486.250000	—	34.37	54.00	19.63	500.0	100.0	V	61.0	0.0
9660.000000	46.25	—	68.20	21.95	500.0	100.0	V	241.0	-0.6
10511.250000	44.89	—	68.20	23.31	500.0	100.0	H	5.0	-1.0
10693.750000	—	34.15	54.00	19.85	500.0	200.0	H	93.0	-0.8
12540.000000	—	33.56	54.00	20.44	500.0	200.0	V	176.0	0.2
13347.500000	—	35.39	54.00	18.61	500.0	200.0	H	64.0	2.4
13605.000000	47.56	—	68.20	20.64	500.0	100.0	V	241.0	3.0
15290.000000	49.22	—	68.20	18.98	500.0	200.0	H	336.0	5.6
15608.750000	—	38.60	54.00	15.40	500.0	200.0	H	309.0	6.5
17447.500000	53.54	—	68.20	14.66	500.0	100.0	V	179.0	9.7




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V)	Average (dB $\mu$ V)	Limit (dB $\mu$ V)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	37.17	54.00	16.83	500.00	100.0	H	46.00	-5
1279.13	43.36	---	68.20	24.84	500.00	100.0	V	10.00	-4
1439.25	---	34.86	54.00	19.14	500.00	100.0	H	250.00	-3
1999.25	46.47	---	68.20	21.73	500.00	200.0	V	347.00	0
2661.63	47.51	---	68.20	20.69	500.00	100.0	V	219.00	2
2778.00	---	36.98	54.00	17.02	500.00	100.0	V	15.00	3
3527.88	48.54	---	68.20	19.66	500.00	100.0	V	219.00	4
3663.50	---	38.01	54.00	15.99	500.00	100.0	H	335.00	5
4000.38	---	50.21	54.00	3.79	500.00	200.0	V	59.00	6
4451.00	50.30	---	68.20	17.90	500.00	100.0	V	1.00	7
4851.75	---	40.62	54.00	13.38	500.00	100.0	H	353.00	9
5209.63	54.28	---	68.20	13.92	500.00	200.0	H	50.00	10




### Final Result

Frequency (MHz)	MaxPeak (dB V/m)	Average (dB V/m)	Limit (dB V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8901.250000	44.06	---	68.20	24.14	500.0	200.0	V	40.0	-1.4
9141.250000	---	32.57	54.00	21.43	500.0	100.0	H	1.0	-1.1
9491.250000	---	34.12	54.00	19.88	500.0	200.0	V	6.0	0.0
9647.500000	45.42	---	68.20	22.78	500.0	100.0	V	281.0	-0.5
10502.500000	45.01	---	68.20	23.19	500.0	100.0	H	272.0	-1.0
10668.750000	---	33.49	54.00	20.51	500.0	100.0	V	316.0	-0.8
12505.000000	---	32.49	54.00	21.51	500.0	100.0	H	28.0	0.3
13340.000000	---	35.00	54.00	19.00	500.0	200.0	H	7.0	2.3
13697.500000	46.88	---	68.20	21.32	500.0	100.0	H	80.0	3.2
15321.250000	48.75	---	68.20	19.45	500.0	200.0	H	53.0	5.7
15602.500000	---	38.26	54.00	15.74	500.0	100.0	V	263.0	6.5
17586.250000	52.45	---	68.20	15.75	500.0	100.0	H	222.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	41.12	--	68.20	27.08	500.0	200.0	H	212.0	-8.2
1385.875000	--	37.32	54.00	16.68	500.0	100.0	H	197.0	-7.7
1624.750000	--	31.91	54.00	22.09	500.0	100.0	V	203.0	-6.2
1820.750000	45.91	--	68.20	22.29	500.0	200.0	V	337.0	-5.3
2505.875000	46.17	--	68.20	22.03	500.0	200.0	V	348.0	-2.1
2806.875000	--	35.44	54.00	18.56	500.0	200.0	H	78.0	-1.2
3269.750000	50.99	--	68.20	17.21	500.0	200.0	V	184.0	0.5
3989.000000	--	38.60	54.00	15.40	500.0	100.0	V	43.0	3.2
4835.125000	--	37.56	54.00	16.44	500.0	100.0	H	320.0	4.0
5542.125000	51.37	--	68.20	16.83	500.0	200.0	H	202.0	5.4
6061.875000	52.81	--	68.20	15.39	500.0	100.0	V	305.0	5.8
7494.250000	--	40.59	54.00	13.41	500.0	100.0	V	58.0	6.9




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8995.000000	43.26	—	68.20	24.94	500.0	100.0	V	6.0	-1.3
9140.000000	—	32.01	54.00	21.99	500.0	100.0	V	130.0	-1.1
9446.250000	—	33.50	54.00	20.50	500.0	200.0	V	74.0	-0.4
9780.000000	44.92	—	68.20	23.28	500.0	100.0	V	139.0	-0.5
10483.750000	43.87	—	68.20	24.33	500.0	100.0	H	33.0	-1.0
10708.750000	—	33.10	54.00	20.90	500.0	100.0	H	82.0	-0.8
12406.250000	—	32.75	54.00	21.25	500.0	100.0	H	290.0	0.4
13326.250000	—	34.36	54.00	19.64	500.0	100.0	H	263.0	2.3
13518.750000	46.08	—	68.20	22.13	500.0	100.0	V	6.0	2.8
15138.750000	47.97	—	68.20	20.23	500.0	200.0	V	270.0	5.2
15586.250000	—	37.51	54.00	16.49	500.0	200.0	H	139.0	6.5
17685.000000	53.17	—	68.20	15.03	500.0	200.0	V	270.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.000000	40.72	--	68.20	27.48	500.0	200.0	V	106.0	-8.5
1385.875000	---	37.46	54.00	16.54	500.0	100.0	H	300.0	-7.7
1624.750000	---	32.07	54.00	21.93	500.0	100.0	V	232.0	-6.2
1793.625000	48.00	--	68.20	20.20	500.0	200.0	V	350.0	-5.4
2519.000000	49.38	--	68.20	18.82	500.0	100.0	H	236.0	-2.2
2787.625000	---	35.78	54.00	18.22	500.0	100.0	H	117.0	-1.3
3400.125000	49.74	--	68.20	18.46	500.0	100.0	H	250.0	1.3
3997.750000	---	39.53	54.00	14.47	500.0	100.0	H	334.0	3.2
5084.500000	---	41.30	54.00	12.70	500.0	100.0	H	245.0	5.1
5589.375000	52.49	--	68.20	15.71	500.0	100.0	H	182.0	5.7
6881.750000	55.19	--	68.20	13.01	500.0	100.0	H	210.0	6.7
7265.875000	---	43.39	54.00	10.61	500.0	100.0	H	126.0	7.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8965.000000	43.86	---	68.20	24.34	500.0	100.0	V	169.0	-1.3
9140.000000	---	31.97	54.00	22.03	500.0	200.0	V	213.0	-1.1
9476.250000	---	33.48	54.00	20.52	500.0	200.0	V	310.0	0.0
9617.500000	44.70	---	68.20	23.50	500.0	200.0	H	42.0	-0.6
10558.750000	43.29	---	68.20	24.91	500.0	100.0	V	273.0	-0.9
10707.500000	---	33.00	54.00	21.00	500.0	100.0	H	315.0	-0.8
12478.750000	---	32.16	54.00	21.84	500.0	100.0	V	161.0	0.3
13358.750000	---	34.28	54.00	19.72	500.0	200.0	V	301.0	2.4
13736.250000	46.52	---	68.20	21.68	500.0	200.0	H	167.0	3.4
14631.250000	48.10	---	68.20	20.10	500.0	100.0	H	147.0	4.9
15615.000000	---	37.60	54.00	16.40	500.0	200.0	V	221.0	6.5
17653.750000	52.00	---	68.20	16.20	500.0	100.0	V	55.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.375000	41.06	—	68.20	27.14	500.0	100.0	V	207.0	-8.3
1385.875000	—	37.61	54.00	16.39	500.0	200.0	H	196.0	-7.7
1624.750000	—	31.86	54.00	22.14	500.0	100.0	V	221.0	-6.2
1913.500000	43.67	—	68.20	24.53	500.0	200.0	V	138.0	-4.9
2122.625000	49.48	—	68.20	18.72	500.0	100.0	H	241.0	-3.6
2804.250000	—	35.68	54.00	18.32	500.0	100.0	H	241.0	-1.2
3154.250000	50.78	—	68.20	17.42	500.0	200.0	V	176.0	-0.2
3985.500000	—	39.74	54.00	14.26	500.0	100.0	H	150.0	3.2
5109.000000	—	41.13	54.00	12.87	500.0	100.0	H	300.0	5.1
5592.875000	52.61	—	68.20	15.59	500.0	100.0	H	195.0	5.7
6997.250000	56.14	—	68.20	12.06	500.0	100.0	H	272.0	7.1
7716.500000	—	43.37	54.00	10.63	500.0	100.0	H	296.0	7.5




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8811.250000	43.67	--	68.20	24.53	500.0	200.0	V	358.0	-1.5
9145.000000	--	32.10	54.00	21.90	500.0	200.0	V	282.0	-1.1
9483.750000	--	33.23	54.00	20.77	500.0	200.0	H	13.0	0.0
9748.750000	45.03	--	68.20	23.17	500.0	100.0	V	28.0	-0.5
10502.500000	43.98	--	68.20	24.22	500.0	200.0	H	246.0	-1.0
10661.250000	--	32.88	54.00	21.12	500.0	200.0	H	13.0	-0.8
12466.250000	--	31.74	54.00	22.26	500.0	200.0	H	101.0	0.3
13342.500000	--	34.42	54.00	19.58	500.0	200.0	H	190.0	2.3
13700.000000	45.85	--	68.20	22.35	500.0	200.0	H	355.0	3.2
15292.500000	48.04	--	68.20	20.16	500.0	200.0	H	305.0	5.6
15715.000000	--	37.49	54.00	16.51	500.0	100.0	V	317.0	6.6
17616.250000	53.07	--	68.20	15.13	500.0	200.0	H	101.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.625000	44.41	—	68.20	23.79	1000.0	200.0	H	194.0	2.8
1385.875000	—	41.77	54.00	12.23	1000.0	200.0	V	288.0	3.7
1624.750000	—	35.67	54.00	18.33	1000.0	100.0	V	158.0	5.0
1781.375000	46.79	—	68.20	21.41	1000.0	100.0	V	194.0	5.6
2561.875000	49.00	—	68.20	19.20	1000.0	200.0	V	332.0	8.5
2776.250000	—	36.96	54.00	17.04	1000.0	100.0	H	115.0	9.0
3597.000000	52.11	—	68.20	16.09	1000.0	100.0	H	313.0	11.4
3990.750000	—	40.56	54.00	13.44	1000.0	100.0	H	336.0	12.5
5093.250000	—	42.11	54.00	11.89	1000.0	200.0	H	179.0	13.8
5557.875000	54.67	—	68.20	13.53	1000.0	100.0	H	129.0	14.3
7050.625000	56.79	—	68.20	11.41	1000.0	100.0	H	270.0	17.3
7532.750000	—	44.25	54.00	9.75	1000.0	100.0	V	237.0	17.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8696.250000	43.26	—	68.20	24.94	500.0	100.0	H	0.0	-1.5
9138.750000	—	31.77	54.00	22.23	500.0	100.0	V	0.0	-1.1
9481.250000	—	33.59	54.00	20.41	500.0	200.0	V	0.0	0.0
9720.000000	44.39	—	68.20	23.81	500.0	100.0	V	219.0	-0.7
10540.000000	43.71	—	68.20	24.49	500.0	100.0	H	355.0	-0.9
10655.000000	—	33.02	54.00	20.98	500.0	200.0	V	291.0	-0.8
12542.500000	—	32.04	54.00	21.96	500.0	100.0	H	329.0	0.2
13381.250000	—	34.24	54.00	19.76	500.0	200.0	H	218.0	2.4
13595.000000	46.04	—	68.20	22.16	500.0	200.0	V	19.0	3.0
15287.500000	47.88	—	68.20	20.32	500.0	200.0	V	177.0	5.6
15571.250000	—	37.49	54.00	16.51	500.0	200.0	H	296.0	6.4
17693.750000	51.99	—	68.20	16.21	500.0	100.0	H	79.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	44.85	--	68.20	23.35	1000.0	200.0	V	73.0	3.2
1385.875000	--	41.74	54.00	12.26	1000.0	200.0	V	281.0	3.7
1624.750000	--	35.45	54.00	18.55	1000.0	100.0	V	156.0	5.0
1749.875000	46.99	--	68.20	21.21	1000.0	200.0	V	349.0	5.4
2651.125000	48.63	--	68.20	19.57	1000.0	100.0	V	193.0	8.6
2789.375000	--	36.97	54.00	17.03	1000.0	100.0	V	289.0	9.1
3548.000000	51.86	--	68.20	16.34	1000.0	100.0	V	111.0	11.5
3985.500000	--	40.88	54.00	13.12	1000.0	200.0	H	321.0	12.5
5351.375000	--	42.95	54.00	11.05	1000.0	100.0	H	173.0	14.0
5586.750000	54.36	--	68.20	13.84	1000.0	100.0	H	34.0	14.6
7033.125000	57.08	--	68.20	11.12	1000.0	200.0	V	21.0	17.3
7366.500000	--	44.23	54.00	9.77	1000.0	200.0	V	0.0	17.7




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8622.500000	43.60	--	68.20	24.60	500.0	200.0	V	246.0	-1.6
9140.000000	--	32.08	54.00	21.92	500.0	100.0	H	353.0	-1.1
9476.250000	--	33.48	54.00	20.52	500.0	100.0	H	221.0	0.0
9640.000000	44.40	--	68.20	23.80	500.0	100.0	V	73.0	-0.6
10545.000000	43.78	--	68.20	24.42	500.0	100.0	V	160.0	-0.9
10667.500000	--	32.99	54.00	21.01	500.0	100.0	H	0.0	-0.8
13282.500000	--	34.45	54.00	19.55	500.0	200.0	H	0.0	2.2
13721.250000	46.23	--	68.20	21.97	500.0	100.0	H	319.0	3.3
14645.000000	47.94	--	68.20	20.26	500.0	100.0	V	117.0	4.9
15600.000000	--	37.63	54.00	16.37	500.0	100.0	H	0.0	6.5
17368.750000	52.30	--	68.20	15.90	500.0	100.0	H	28.0	9.6
17750.000000	--	40.73	54.00	13.27	500.0	100.0	V	222.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.750000	44.31	--	68.20	23.89	1000.0	200.0	H	277.0	3.1
1385.875000	--	41.71	54.00	12.29	1000.0	200.0	V	277.0	3.7
1624.750000	--	35.31	54.00	18.69	1000.0	200.0	V	168.0	5.0
1741.125000	57.10	--	68.20	11.10	1000.0	100.0	V	211.0	5.4
2335.250000	--	35.27	54.00	18.73	1000.0	200.0	V	197.0	7.8
2537.375000	48.77	--	68.20	19.43	1000.0	100.0	V	86.0	8.5
2787.625000	--	36.98	54.00	17.02	1000.0	200.0	V	168.0	9.1
3474.500000	51.66	--	68.20	16.54	1000.0	100.0	V	290.0	11.5
3986.375000	--	40.47	54.00	13.53	1000.0	100.0	V	342.0	12.5
6134.500000	53.33	--	68.20	14.87	1000.0	200.0	V	211.0	14.7
7529.250000	--	44.14	54.00	9.86	1000.0	200.0	V	314.0	17.8
7979.875000	57.18	--	68.20	11.02	1000.0	100.0	V	181.0	19.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8965.000000	43.24	---	68.20	24.96	500.0	100.0	H	261.0	-1.3
9101.250000	---	31.79	54.00	22.21	500.0	100.0	H	340.0	-1.2
9478.750000	---	33.62	54.00	20.38	500.0	200.0	V	152.0	0.0
9605.000000	44.91	---	68.20	23.29	500.0	100.0	H	242.0	-0.7
10526.250000	44.07	---	68.20	24.13	500.0	200.0	H	9.0	-1.0
10706.250000	---	33.13	54.00	20.87	500.0	200.0	H	292.0	-0.8
13345.000000	---	34.27	54.00	19.73	500.0	200.0	H	44.0	2.3
13690.000000	46.10	---	68.20	22.10	500.0	200.0	H	134.0	3.1
15246.250000	47.97	---	68.20	20.23	500.0	200.0	V	282.0	5.5
15600.000000	---	37.55	54.00	16.45	500.0	200.0	V	160.0	6.5
17695.000000	51.67	---	68.20	16.53	500.0	100.0	V	178.0	10.3
17741.250000	---	40.73	54.00	13.27	500.0	100.0	H	332.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.375000	45.48	—	68.20	22.72	1000.0	100.0	H	254.0	3.0
1385.875000	—	41.71	54.00	12.29	1000.0	200.0	V	277.0	3.7
1624.750000	—	35.68	54.00	18.32	1000.0	100.0	V	350.0	5.0
1781.375000	46.29	—	68.20	21.91	1000.0	200.0	H	313.0	5.6
2624.000000	49.21	—	68.20	18.99	1000.0	200.0	V	233.0	8.6
2785.000000	—	36.88	54.00	17.12	1000.0	200.0	V	330.0	9.0
3449.125000	52.08	—	68.20	16.12	1000.0	200.0	H	121.0	11.4
3986.375000	—	40.47	54.00	13.53	1000.0	200.0	V	233.0	12.5
5115.125000	—	42.04	54.00	11.96	1000.0	100.0	H	57.0	13.7
5463.375000	54.66	—	68.20	13.54	1000.0	200.0	V	330.0	14.1
7721.750000	—	44.19	54.00	9.81	1000.0	100.0	V	102.0	18.5
7999.125000	57.05	—	68.20	11.15	1000.0	100.0	V	273.0	18.9




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8952.500000	43.61	—	68.20	24.59	500.0	200.0	V	37.0	-1.3
9093.750000	—	31.92	54.00	22.08	500.0	200.0	V	350.0	-1.2
9478.750000	—	33.46	54.00	20.54	500.0	200.0	H	154.0	0.0
9636.250000	44.51	—	68.20	23.69	500.0	100.0	V	87.0	-0.6
10515.000000	43.66	—	68.20	24.54	500.0	200.0	H	111.0	-1.0
10701.250000	—	33.09	54.00	20.91	500.0	200.0	V	263.0	-0.8
13325.000000	—	34.37	54.00	19.63	500.0	200.0	V	228.0	2.3
13666.250000	46.05	—	68.20	22.15	500.0	200.0	V	139.0	3.1
15272.500000	47.98	—	68.20	20.22	500.0	200.0	H	0.0	5.6
15595.000000	—	37.68	54.00	16.32	500.0	100.0	V	0.0	6.5
17333.750000	52.11	—	68.20	16.09	500.0	100.0	H	73.0	9.5
17735.000000	—	40.84	54.00	13.16	500.0	200.0	H	215.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	44.55	--	68.20	23.65	1000.0	100.0	H	272.0	3.2
1385.875000	--	41.50	54.00	12.50	1000.0	200.0	V	276.0	3.7
1624.750000	--	35.52	54.00	18.48	1000.0	200.0	V	305.0	5.0
1832.125000	52.66	--	68.20	15.54	1000.0	200.0	H	274.0	5.8
2596.000000	49.21	--	68.20	18.99	1000.0	200.0	V	329.0	8.7
2789.375000	--	37.05	54.00	16.95	1000.0	200.0	V	210.0	9.1
3131.500000	54.70	--	68.20	13.50	1000.0	200.0	H	266.0	9.7
3985.500000	--	40.61	54.00	13.39	1000.0	200.0	H	163.0	12.5
5089.750000	--	42.19	54.00	11.81	1000.0	100.0	H	338.0	13.7
5214.000000	53.69	--	68.20	14.51	1000.0	200.0	H	200.0	14.1
7489.875000	--	44.17	54.00	9.83	1000.0	100.0	V	339.0	17.6
7913.375000	57.52	--	68.20	10.68	1000.0	200.0	H	84.0	19.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8966.250000	43.60	—	68.20	24.60	500.0	200.0	H	245.0	-1.3
9141.250000	—	31.79	54.00	22.21	500.0	100.0	H	269.0	-1.1
9473.750000	—	34.04	54.00	19.96	500.0	200.0	V	0.0	0.0
9612.500000	44.55	—	68.20	23.65	500.0	100.0	H	66.0	-0.7
10583.750000	43.98	—	68.20	24.22	500.0	100.0	V	186.0	-0.9
10682.500000	—	33.03	54.00	20.97	500.0	200.0	H	131.0	-0.8
12581.250000	—	31.96	54.00	22.04	500.0	100.0	H	20.0	0.2
13335.000000	—	34.26	54.00	19.74	500.0	200.0	H	262.0	2.3
13635.000000	45.63	—	68.20	22.57	500.0	200.0	H	217.0	3.0
14508.750000	48.02	—	68.20	20.18	500.0	200.0	V	319.0	4.5
15598.750000	—	37.56	54.00	16.44	500.0	200.0	H	227.0	6.5
17643.750000	52.43	—	68.20	15.77	500.0	200.0	V	214.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	44.38	--	68.20	23.82	1000.0	200.0	H	201.0	3.2
1385.875000	--	41.53	54.00	12.47	1000.0	200.0	V	282.0	3.7
1624.750000	--	35.99	54.00	18.01	1000.0	100.0	V	345.0	5.0
1965.125000	46.18	--	68.20	22.02	1000.0	200.0	V	312.0	6.3
2561.875000	48.75	--	68.20	19.45	1000.0	100.0	H	161.0	8.5
2783.250000	--	36.76	54.00	17.24	1000.0	200.0	H	103.0	9.0
3582.125000	51.64	--	68.20	16.56	1000.0	200.0	H	140.0	11.4
3999.500000	--	40.53	54.00	13.47	1000.0	200.0	H	23.0	12.6
5090.625000	--	41.96	54.00	12.04	1000.0	200.0	H	1.0	13.7
5229.750000	53.85	--	68.20	14.35	1000.0	200.0	H	23.0	14.1
7029.625000	57.19	--	68.20	11.01	1000.0	200.0	H	230.0	17.3
7371.750000	--	44.27	54.00	9.73	1000.0	200.0	V	187.0	17.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8942.500000	43.74	—	68.20	24.46	500.0	200.0	V	87.0	-1.3
9140.000000	—	31.98	54.00	22.02	500.0	100.0	V	290.0	-1.1
9477.500000	—	33.34	54.00	20.66	500.0	100.0	H	0.0	0.0
9642.500000	44.81	—	68.20	23.39	500.0	100.0	V	0.0	-0.5
10541.250000	44.18	—	68.20	24.02	500.0	100.0	H	233.0	-0.9
10663.750000	—	33.08	54.00	20.92	500.0	100.0	H	311.0	-0.8
12633.750000	—	31.88	54.00	22.12	500.0	100.0	H	250.0	0.2
13306.250000	—	34.24	54.00	19.76	500.0	100.0	H	107.0	2.3
13651.250000	45.77	—	68.20	22.43	500.0	100.0	H	233.0	3.1
15285.000000	47.94	—	68.20	20.26	500.0	200.0	H	132.0	5.6
15582.500000	—	37.78	54.00	16.22	500.0	200.0	V	235.0	6.4
17641.250000	52.37	—	68.20	15.83	500.0	200.0	V	137.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.250000	43.32	---	68.20	24.88	1000.0	100.0	H	167.0	3.0
1385.875000	---	41.71	54.00	12.29	1000.0	200.0	V	279.0	3.7
1624.750000	---	35.62	54.00	18.38	1000.0	200.0	V	351.0	5.0
1909.125000	46.59	---	68.20	21.61	1000.0	100.0	H	131.0	6.1
2511.125000	49.13	---	68.20	19.07	1000.0	200.0	V	337.0	8.5
2806.875000	---	36.85	54.00	17.15	1000.0	200.0	H	164.0	9.1
3408.000000	51.94	---	68.20	16.26	1000.0	100.0	H	327.0	11.2
3999.500000	---	40.64	54.00	13.36	1000.0	100.0	H	327.0	12.6
5093.250000	---	42.15	54.00	11.85	1000.0	200.0	H	0.0	13.8
5510.625000	54.54	---	68.20	13.66	1000.0	100.0	H	218.0	14.2
7716.500000	---	44.27	54.00	9.73	1000.0	100.0	H	349.0	18.5
7988.625000	57.03	---	68.20	11.17	1000.0	200.0	V	344.0	18.9




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8932.500000	44.33	—	68.20	23.87	500.0	200.0	H	343.0	-1.3
9140.000000	—	32.50	54.00	21.50	500.0	100.0	V	155.0	-1.1
9473.750000	—	34.07	54.00	19.93	500.0	100.0	V	296.0	0.0
9786.250000	45.78	—	68.20	22.42	500.0	200.0	V	292.0	-0.5
10506.250000	44.76	—	68.20	23.44	500.0	200.0	H	239.0	-1.0
10650.000000	—	33.71	54.00	20.29	500.0	200.0	H	247.0	-0.8
12661.250000	—	32.95	54.00	21.05	500.0	200.0	H	185.0	0.4
13365.000000	—	35.16	54.00	18.84	500.0	200.0	H	0.0	2.4
13543.750000	46.74	—	68.20	21.46	500.0	100.0	H	26.0	2.9
14650.000000	48.70	—	68.20	19.50	500.0	200.0	V	80.0	4.9
15621.250000	—	38.24	54.00	15.76	500.0	100.0	H	236.0	6.5
17663.750000	52.84	—	68.20	15.36	500.0	200.0	V	150.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	45.04	--	68.20	23.16	1000.0	100.0	H	143.0	3.2
1385.875000	--	41.53	54.00	12.47	1000.0	200.0	V	275.0	3.7
1624.750000	--	35.24	54.00	18.76	1000.0	100.0	V	326.0	5.0
1782.250000	45.71	--	68.20	22.49	1000.0	200.0	V	282.0	5.6
2500.625000	48.92	--	68.20	19.28	1000.0	200.0	V	121.0	8.5
2812.125000	--	36.94	54.00	17.06	1000.0	100.0	H	3.0	9.1
2957.375000	52.21	--	68.20	15.99	1000.0	100.0	H	216.0	9.4
3986.375000	--	40.62	54.00	13.38	1000.0	200.0	H	211.0	12.5
5088.875000	--	42.09	54.00	11.91	1000.0	100.0	H	33.0	13.7
5216.625000	54.62	--	68.20	13.58	1000.0	100.0	H	99.0	14.1
7668.375000	--	44.14	54.00	9.86	1000.0	100.0	H	121.0	18.3
7985.125000	57.34	--	68.20	10.86	1000.0	200.0	H	305.0	19.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8933.750000	<b>44.14</b>	---	68.20	24.06	500.0	200.0	H	21.0	-1.3
9145.000000	---	32.39	54.00	21.61	500.0	200.0	V	98.0	-1.1
9446.250000	---	34.20	54.00	19.80	500.0	200.0	V	89.0	-0.4
9567.500000	<b>45.19</b>	---	68.20	23.01	500.0	200.0	H	66.0	-0.5
10535.000000	<b>44.76</b>	---	68.20	23.44	500.0	100.0	H	52.0	-1.0
10860.000000	---	33.66	54.00	20.34	500.0	200.0	V	230.0	-0.7
12550.000000	---	32.43	54.00	21.57	500.0	100.0	H	356.0	0.2
13358.750000	---	34.97	54.00	19.03	500.0	100.0	V	149.0	2.4
13522.500000	<b>47.01</b>	---	68.20	21.19	500.0	100.0	V	264.0	2.8
14420.000000	<b>49.37</b>	---	68.20	18.83	500.0	200.0	H	260.0	4.5
15573.750000	---	38.24	54.00	15.76	500.0	200.0	V	54.0	6.4
17493.750000	<b>52.98</b>	---	68.20	15.22	500.0	200.0	H	200.0	9.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.500000	44.73	--	68.20	23.47	1000.0	100.0	H	241.0	2.8
1385.875000	--	41.52	54.00	12.48	1000.0	200.0	V	245.0	3.7
1624.750000	--	35.34	54.00	18.66	1000.0	100.0	V	344.0	5.0
1985.250000	45.07	--	68.20	23.13	1000.0	200.0	H	2.0	6.4
2596.000000	48.75	--	68.20	19.45	1000.0	200.0	V	0.0	8.7
2786.750000	--	36.74	54.00	17.26	1000.0	100.0	H	350.0	9.0
3575.125000	51.51	--	68.20	16.69	1000.0	200.0	H	276.0	11.4
3998.625000	--	40.63	54.00	13.37	1000.0	200.0	H	343.0	12.6
5092.375000	--	42.04	54.00	11.96	1000.0	100.0	H	188.0	13.7
5557.875000	54.26	--	68.20	13.94	1000.0	200.0	H	254.0	14.3
7001.625000	56.94	--	68.20	11.26	1000.0	100.0	V	48.0	17.3
7723.500000	--	44.37	54.00	9.63	1000.0	100.0	H	5.0	18.5




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8970.000000	44.08	---	68.20	24.12	500.0	200.0	V	100.0	-1.3
9141.250000	---	32.53	54.00	21.47	500.0	100.0	V	108.0	-1.1
9446.250000	---	33.88	54.00	20.12	500.0	200.0	V	11.0	-0.4
9761.250000	45.02	---	68.20	23.18	500.0	100.0	V	100.0	-0.5
10592.500000	43.85	---	68.20	24.35	500.0	100.0	V	307.0	-0.9
10670.000000	---	33.57	54.00	20.43	500.0	200.0	V	284.0	-0.8
12642.500000	---	32.95	54.00	21.05	500.0	100.0	H	56.0	0.3
13341.250000	---	35.00	54.00	19.00	500.0	200.0	V	64.0	2.3
13685.000000	46.54	---	68.20	21.66	500.0	100.0	H	56.0	3.1
15308.750000	48.97	---	68.20	19.23	500.0	200.0	H	275.0	5.6
15611.250000	---	38.31	54.00	15.69	500.0	200.0	H	275.0	6.5
17427.500000	52.61	---	68.20	15.59	500.0	100.0	V	342.0	9.7




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.625000	44.45	—	68.20	23.75	1000.0	200.0	V	333.0	2.8
1385.875000	—	41.40	54.00	12.60	1000.0	200.0	V	275.0	3.7
1624.750000	—	35.15	54.00	18.85	1000.0	100.0	V	159.0	5.0
1910.000000	46.56	—	68.20	21.64	1000.0	200.0	H	69.0	6.1
2659.875000	48.37	—	68.20	19.83	1000.0	200.0	H	98.0	8.6
2811.250000	—	36.95	54.00	17.05	1000.0	100.0	V	340.0	9.1
3016.000000	56.39	—	68.20	11.81	1000.0	100.0	H	127.0	9.4
3993.375000	—	40.33	54.00	13.67	1000.0	100.0	H	0.0	12.6
4885.875000	—	40.91	54.00	13.09	1000.0	100.0	H	201.0	13.1
5566.625000	54.97	—	68.20	13.23	1000.0	100.0	V	137.0	14.4
6835.375000	55.95	—	68.20	12.25	1000.0	100.0	V	246.0	16.7
7424.250000	—	44.22	54.00	9.78	1000.0	200.0	V	1.0	17.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8990.000000	43.80	—	68.20	24.40	500.0	200.0	V	248.0	-1.3
9125.000000	—	31.98	54.00	22.02	500.0	200.0	H	19.0	-1.2
9472.500000	—	33.42	54.00	20.58	500.0	100.0	V	62.0	-0.1
10043.750000	44.88	—	68.20	23.32	500.0	100.0	V	72.0	-0.6
10596.250000	44.04	—	68.20	24.16	500.0	100.0	H	270.0	-0.9
10666.250000	—	33.21	54.00	20.79	500.0	200.0	V	47.0	-0.8
12466.250000	—	31.70	54.00	22.30	500.0	200.0	H	19.0	0.3
13340.000000	—	34.18	54.00	19.82	500.0	100.0	V	209.0	2.3
13613.750000	46.04	—	68.20	22.16	500.0	100.0	H	252.0	3.0
15346.250000	48.08	—	68.20	20.12	500.0	100.0	H	244.0	5.7
15612.500000	—	37.54	54.00	16.46	500.0	100.0	V	19.0	6.5
17647.500000	52.19	—	68.20	16.01	500.0	100.0	V	201.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.625000	54.14	--	68.20	14.06	1000.0	200.0	V	49.0	2.9
1385.875000	--	41.70	54.00	12.30	1000.0	200.0	V	292.0	3.7
1624.750000	--	35.29	54.00	18.71	1000.0	100.0	V	186.0	5.0
1927.500000	47.05	--	68.20	21.15	1000.0	200.0	V	49.0	6.2
2507.625000	48.44	--	68.20	19.76	1000.0	100.0	V	91.0	8.5
2762.250000	--	36.91	54.00	17.09	1000.0	100.0	H	246.0	8.9
3419.375000	51.43	--	68.20	16.77	1000.0	200.0	V	284.0	11.3
3988.125000	--	40.41	54.00	13.59	1000.0	100.0	H	173.0	12.5
5147.500000	--	42.34	54.00	11.66	1000.0	100.0	H	180.0	13.7
5588.500000	54.00	--	68.20	14.20	1000.0	200.0	H	70.0	14.6
6264.875000	53.76	--	68.20	14.44	1000.0	100.0	H	311.0	14.9
7545.875000	--	44.13	54.00	9.87	1000.0	100.0	V	171.0	17.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8968.750000	43.47	—	68.20	24.73	500.0	200.0	H	343.0	-1.3
9141.250000	—	32.45	54.00	21.55	500.0	100.0	H	259.0	-1.1
9466.250000	—	33.48	54.00	20.52	500.0	100.0	H	303.0	-0.1
9623.750000	44.62	—	68.20	23.58	500.0	100.0	H	285.0	-0.6
10560.000000	43.84	—	68.20	24.36	500.0	100.0	V	345.0	-0.9
10667.500000	—	33.09	54.00	20.91	500.0	200.0	H	195.0	-0.8
12516.250000	—	32.14	54.00	21.86	500.0	100.0	V	0.0	0.2
13343.750000	—	34.39	54.00	19.61	500.0	200.0	H	272.0	2.3
13548.750000	45.82	—	68.20	22.38	500.0	100.0	V	0.0	2.9
13867.500000	47.65	—	68.20	20.55	500.0	100.0	V	289.0	3.9
15613.750000	—	37.57	54.00	16.43	500.0	100.0	V	0.0	6.5
17608.750000	52.26	—	68.20	15.94	500.0	200.0	V	350.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	44.03	—	68.20	24.17	1000.0	100.0	V	213.0	3.2
1385.875000	—	41.64	54.00	12.36	1000.0	200.0	V	290.0	3.7
1624.750000	—	35.56	54.00	18.44	1000.0	100.0	V	161.0	5.0
1781.375000	46.62	—	68.20	21.58	1000.0	200.0	H	312.0	5.6
2463.875000	48.72	—	68.20	19.48	1000.0	200.0	V	246.0	8.4
2771.875000	—	36.95	54.00	17.05	1000.0	100.0	V	81.0	9.0
3430.750000	51.47	—	68.20	16.73	1000.0	100.0	H	347.0	11.3
3998.625000	—	40.75	54.00	13.25	1000.0	200.0	H	0.0	12.6
5123.875000	—	42.15	54.00	11.85	1000.0	100.0	H	333.0	13.7
5574.500000	54.08	—	68.20	14.12	1000.0	100.0	V	59.0	14.5
6481.875000	53.19	—	68.20	15.01	1000.0	100.0	H	101.0	15.4
7725.250000	—	44.24	54.00	9.76	1000.0	200.0	V	357.0	18.5




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8957.500000	43.88	---	68.20	24.32	500.0	200.0	H	0.0	-1.3
9142.500000	---	31.91	54.00	22.09	500.0	100.0	V	91.0	-1.1
9460.000000	---	33.39	54.00	20.61	500.0	200.0	H	316.0	-0.2
9663.750000	44.68	---	68.20	23.52	500.0	200.0	H	25.0	-0.6
10560.000000	43.61	---	68.20	24.59	500.0	200.0	V	155.0	-0.9
10668.750000	---	33.34	54.00	20.66	500.0	200.0	V	87.0	-0.8
12380.000000	---	32.20	54.00	21.80	500.0	100.0	H	16.0	0.4
13350.000000	---	34.58	54.00	19.42	500.0	100.0	V	57.0	2.4
13735.000000	45.75	---	68.20	22.45	500.0	100.0	V	66.0	3.4
15120.000000	48.20	---	68.20	20.00	500.0	200.0	H	223.0	5.1
15590.000000	---	37.45	54.00	16.55	500.0	200.0	V	242.0	6.5
17645.000000	52.26	---	68.20	15.94	500.0	100.0	H	276.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.750000	44.16	—	68.20	24.04	1000.0	200.0	H	129.0	3.0
1385.875000	—	41.64	54.00	12.36	1000.0	200.0	V	136.0	3.7
1624.750000	—	35.84	54.00	18.16	1000.0	100.0	V	190.0	5.0
1854.875000	46.51	—	68.20	21.69	1000.0	100.0	H	13.0	5.9
2676.500000	55.00	—	68.20	13.20	1000.0	200.0	V	100.0	8.7
2810.375000	—	37.02	54.00	16.98	1000.0	100.0	V	205.0	9.1
2900.500000	56.53	—	68.20	11.67	1000.0	200.0	V	304.0	9.4
3985.500000	—	40.50	54.00	13.50	1000.0	100.0	V	328.0	12.5
4869.250000	—	40.92	54.00	13.08	1000.0	200.0	H	85.0	13.0
5497.500000	53.96	—	68.20	14.24	1000.0	200.0	V	223.0	14.2
6596.500000	55.69	—	68.20	12.51	1000.0	200.0	V	78.0	15.9
7531.000000	—	44.24	54.00	9.76	1000.0	100.0	V	161.0	17.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8962.500000	43.90	—	68.20	24.30	500.0	100.0	H	269.0	-1.3
9142.500000	—	31.84	54.00	22.16	500.0	200.0	H	335.0	-1.1
9475.000000	—	33.57	54.00	20.43	500.0	100.0	H	163.0	0.0
9753.750000	44.89	—	68.20	23.31	500.0	200.0	V	198.0	-0.5
10538.750000	43.45	—	68.20	24.75	500.0	100.0	H	340.0	-0.9
10713.750000	—	32.88	54.00	21.12	500.0	200.0	H	271.0	-0.8
12366.250000	—	32.16	54.00	21.84	500.0	200.0	H	184.0	0.3
13332.500000	—	34.64	54.00	19.36	500.0	200.0	H	0.0	2.3
13688.750000	45.87	—	68.20	22.33	500.0	100.0	V	88.0	3.1
15288.750000	48.61	—	68.20	19.59	500.0	100.0	H	313.0	5.6
15587.500000	—	37.51	54.00	16.49	500.0	100.0	H	357.0	6.5
17611.250000	52.35	—	68.20	15.85	500.0	100.0	V	211.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	44.49	—	68.20	23.71	1000.0	100.0	V	190.0	3.2
1385.875000	—	41.50	54.00	12.50	1000.0	200.0	V	291.0	3.7
1624.750000	—	35.43	54.00	18.57	1000.0	100.0	V	32.0	5.0
1905.625000	46.49	—	68.20	21.71	1000.0	200.0	H	253.0	6.1
2499.750000	—	37.45	54.00	16.55	1000.0	100.0	H	102.0	8.5
2677.375000	48.69	—	68.20	19.51	1000.0	200.0	H	239.0	8.7
3463.125000	51.71	—	68.20	16.49	1000.0	100.0	V	68.0	11.4
3983.750000	—	40.43	54.00	13.57	1000.0	200.0	H	239.0	12.5
4420.375000	53.09	—	68.20	15.11	1000.0	100.0	H	80.0	12.7
4938.375000	—	40.52	54.00	13.48	1000.0	100.0	H	283.0	13.3
6215.875000	53.75	—	68.20	14.45	1000.0	200.0	V	270.0	15.0
7566.000000	—	44.37	54.00	9.63	1000.0	100.0	V	112.0	17.9




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8988.750000	43.02	--	68.20	25.18	500.0	200.0	H	179.0	-1.3
9125.000000	--	31.74	54.00	22.26	500.0	100.0	H	191.0	-1.2
9463.750000	--	33.46	54.00	20.54	500.0	200.0	H	179.0	-0.2
9638.750000	45.09	--	68.20	23.11	500.0	100.0	V	21.0	-0.6
10535.000000	43.66	--	68.20	24.54	500.0	200.0	V	156.0	-1.0
10671.250000	--	32.89	54.00	21.11	500.0	100.0	V	57.0	-0.8
12611.250000	--	32.65	54.00	21.35	500.0	100.0	H	348.0	0.2
13351.250000	--	34.14	54.00	19.86	500.0	100.0	H	199.0	2.4
13731.250000	46.15	--	68.20	22.05	500.0	100.0	V	117.0	3.3
14920.000000	47.76	--	68.20	20.44	500.0	100.0	H	252.0	5.1
15593.750000	--	37.52	54.00	16.48	500.0	200.0	V	253.0	6.5
17560.000000	52.35	--	68.20	15.85	500.0	200.0	H	0.0	10.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.250000	44.26	—	68.20	23.94	1000.0	100.0	H	261.0	2.9
1385.875000	—	41.63	54.00	12.37	1000.0	200.0	V	282.0	3.7
1624.750000	—	35.09	54.00	18.91	1000.0	100.0	V	200.0	5.0
1782.250000	46.58	—	68.20	21.62	1000.0	100.0	H	305.0	5.6
2540.000000	49.12	—	68.20	19.08	1000.0	200.0	H	252.0	8.5
2789.375000	—	37.04	54.00	16.96	1000.0	200.0	H	157.0	9.1
3477.125000	52.95	—	68.20	15.25	1000.0	100.0	H	49.0	11.5
3989.000000	—	40.46	54.00	13.54	1000.0	100.0	H	313.0	12.5
5208.750000	53.86	—	68.20	14.34	1000.0	200.0	V	296.0	14.1
5394.250000	—	41.96	54.00	12.04	1000.0	200.0	H	0.0	14.0
6610.500000	55.75	—	68.20	12.45	1000.0	200.0	H	9.0	15.9
7725.250000	—	44.28	54.00	9.72	1000.0	200.0	V	289.0	18.5




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8965.000000	43.63	---	68.20	24.57	500.0	100.0	V	55.0	-1.3
9123.750000	---	32.02	54.00	21.98	500.0	100.0	V	180.0	-1.2
9482.500000	---	33.63	54.00	20.37	500.0	200.0	H	2.0	0.0
10043.750000	44.98	---	68.20	23.22	500.0	100.0	H	116.0	-0.6
10558.750000	43.75	---	68.20	24.45	500.0	100.0	H	0.0	-0.9
10645.000000	---	32.83	54.00	21.17	500.0	200.0	H	330.0	-0.8
12317.500000	---	32.60	54.00	21.40	500.0	200.0	V	338.0	0.2
13341.250000	---	34.36	54.00	19.64	500.0	200.0	H	174.0	2.3
13690.000000	45.86	---	68.20	22.34	500.0	200.0	V	323.0	3.1
15297.500000	48.10	---	68.20	20.10	500.0	200.0	H	292.0	5.6
15722.500000	---	37.58	54.00	16.42	500.0	100.0	H	338.0	6.7
17345.000000	52.06	---	68.20	16.14	500.0	100.0	V	307.0	9.5




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	44.11	--	68.20	24.09	1000.0	100.0	H	342.0	3.2
1385.875000	--	41.47	54.00	12.53	1000.0	200.0	V	284.0	3.7
1624.750000	--	35.26	54.00	18.74	1000.0	200.0	V	356.0	5.0
1969.500000	45.35	--	68.20	22.85	1000.0	200.0	H	104.0	6.3
2463.000000	49.32	--	68.20	18.88	1000.0	200.0	H	350.0	8.4
2499.750000	--	36.93	54.00	17.07	1000.0	100.0	H	240.0	8.5
3529.625000	51.93	--	68.20	16.27	1000.0	200.0	H	90.0	11.5
3990.750000	--	40.48	54.00	13.52	1000.0	100.0	H	0.0	12.5
5123.875000	--	42.09	54.00	11.91	1000.0	100.0	H	335.0	13.7
5216.625000	53.62	--	68.20	14.58	1000.0	200.0	V	173.0	14.1
7035.750000	57.16	--	68.20	11.04	1000.0	200.0	H	61.0	17.3
7668.375000	--	44.12	54.00	9.88	1000.0	100.0	H	167.0	18.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8963.750000	44.31	--	68.20	23.89	500.0	100.0	V	304.0	-1.3
9145.000000	--	32.08	54.00	21.92	500.0	100.0	H	127.0	-1.1
9458.750000	--	33.57	54.00	20.43	500.0	200.0	H	38.0	-0.2
10018.750000	44.79	--	68.20	23.41	500.0	100.0	H	232.0	-0.8
10600.000000	44.06	--	68.20	24.14	500.0	100.0	V	0.0	-0.8
10668.750000	--	33.01	54.00	20.99	500.0	100.0	V	246.0	-0.8
12341.250000	--	31.95	54.00	22.05	500.0	100.0	H	154.0	0.3
13347.500000	--	34.34	54.00	19.66	500.0	100.0	V	220.0	2.4
13725.000000	45.69	--	68.20	22.51	500.0	100.0	V	58.0	3.3
15300.000000	48.49	--	68.20	19.71	500.0	100.0	V	67.0	5.6
15603.750000	--	37.40	54.00	16.60	500.0	200.0	V	87.0	6.5
17667.500000	51.75	--	68.20	16.45	500.0	200.0	H	154.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.625000	43.90	--	68.20	24.30	1000.0	100.0	H	67.0	2.9
1385.875000	--	41.57	54.00	12.43	1000.0	200.0	V	280.0	3.7
1624.750000	--	35.29	54.00	18.71	1000.0	100.0	V	327.0	5.0
1929.250000	44.96	--	68.20	23.24	1000.0	200.0	V	16.0	6.2
2563.625000	50.23	--	68.20	17.97	1000.0	100.0	V	115.0	8.5
2770.125000	--	36.84	54.00	17.16	1000.0	200.0	V	37.0	8.9
3590.875000	51.67	--	68.20	16.53	1000.0	200.0	H	255.0	11.4
3999.500000	--	40.51	54.00	13.49	1000.0	200.0	H	348.0	12.6
4457.125000	53.64	--	68.20	14.56	1000.0	100.0	H	53.0	12.8
5096.750000	--	41.87	54.00	12.13	1000.0	200.0	H	130.0	13.8
7640.375000	--	44.22	54.00	9.78	1000.0	200.0	V	22.0	18.2
7980.750000	56.88	--	68.20	11.32	1000.0	100.0	H	0.0	19.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8978.750000	43.68	---	68.20	24.52	500.0	200.0	H	188.0	-1.3
9120.000000	---	31.87	54.00	22.13	500.0	200.0	V	109.0	-1.2
9477.500000	---	33.33	54.00	20.67	500.0	200.0	H	48.0	0.0
9666.250000	44.67	---	68.20	23.53	500.0	200.0	H	57.0	-0.6
10497.500000	43.66	---	68.20	24.54	500.0	100.0	H	292.0	-1.0
10702.500000	---	33.14	54.00	20.86	500.0	100.0	H	0.0	-0.8
12560.000000	---	32.10	54.00	21.90	500.0	100.0	H	265.0	0.2
13345.000000	---	34.62	54.00	19.38	500.0	200.0	V	117.0	2.3
13662.500000	46.79	---	68.20	21.41	500.0	200.0	H	197.0	3.1
15266.250000	47.80	---	68.20	20.40	500.0	200.0	H	188.0	5.6
15597.500000	---	37.64	54.00	16.36	500.0	200.0	V	0.0	6.5
17692.500000	52.54	---	68.20	15.66	500.0	100.0	V	49.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.000000	44.77	--	68.20	23.43	1000.0	100.0	V	77.0	2.9
1385.875000	--	41.41	54.00	12.59	1000.0	200.0	V	276.0	3.7
1624.750000	--	34.99	54.00	19.01	1000.0	100.0	V	223.0	5.0
1906.500000	46.01	--	68.20	22.19	1000.0	100.0	H	140.0	6.1
2072.750000	52.56	--	68.20	15.64	1000.0	100.0	H	359.0	6.9
2765.750000	--	36.91	54.00	17.09	1000.0	100.0	V	107.0	8.9
3057.125000	52.90	--	68.20	15.30	1000.0	100.0	H	176.0	9.5
3987.250000	--	40.33	54.00	13.67	1000.0	100.0	H	293.0	12.5
5093.250000	--	42.01	54.00	11.99	1000.0	200.0	H	40.0	13.8
5573.625000	54.07	--	68.20	14.13	1000.0	200.0	V	181.0	14.5
7373.500000	--	44.31	54.00	9.69	1000.0	200.0	H	346.0	17.8
7961.500000	57.05	--	68.20	11.15	1000.0	100.0	V	274.0	19.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8506.250000	43.47	—	68.20	24.73	500.0	100.0	V	92.0	-1.8
9138.750000	—	31.98	54.00	22.02	500.0	200.0	H	342.0	-1.1
9486.250000	—	33.71	54.00	20.29	500.0	100.0	V	74.0	0.0
9626.250000	45.02	—	68.20	23.18	500.0	100.0	H	172.0	-0.6
10575.000000	43.82	—	68.20	24.38	500.0	200.0	V	346.0	-0.9
10652.500000	—	33.05	54.00	20.95	500.0	100.0	H	181.0	-0.8
12620.000000	—	32.13	54.00	21.87	500.0	100.0	H	80.0	0.2
13348.750000	—	34.35	54.00	19.65	500.0	200.0	H	65.0	2.4
13636.250000	46.10	—	68.20	22.10	500.0	200.0	H	48.0	3.0
14748.750000	48.26	—	68.20	19.94	500.0	100.0	V	279.0	4.9
15603.750000	—	37.52	54.00	16.48	500.0	200.0	H	0.0	6.5
17673.750000	52.46	—	68.20	15.74	500.0	200.0	V	248.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	44.65	—	68.20	23.55	1000.0	200.0	V	342.0	3.2
1385.875000	—	41.41	54.00	12.59	1000.0	200.0	V	291.0	3.7
1624.750000	—	35.54	54.00	18.46	1000.0	100.0	V	167.0	5.0
1807.625000	55.61	—	68.20	12.59	1000.0	200.0	V	3.0	5.7
2580.250000	48.77	—	68.20	19.43	1000.0	100.0	H	340.0	8.6
2785.000000	—	37.05	54.00	16.95	1000.0	100.0	H	348.0	9.0
3435.125000	51.50	—	68.20	16.70	1000.0	100.0	V	44.0	11.3
3988.125000	—	40.29	54.00	13.71	1000.0	100.0	H	275.0	12.5
5096.750000	—	42.09	54.00	11.91	1000.0	200.0	H	216.0	13.8
5587.625000	54.02	—	68.20	14.18	1000.0	100.0	H	348.0	14.6
7668.375000	—	44.10	54.00	9.90	1000.0	200.0	H	128.0	18.3
7866.125000	56.95	—	68.20	11.25	1000.0	200.0	H	19.0	18.9




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8927.500000	43.60	--	68.20	24.60	500.0	200.0	V	345.0	-1.3
9143.750000	--	32.03	54.00	21.97	500.0	100.0	V	325.0	-1.1
9478.750000	--	33.35	54.00	20.65	500.0	100.0	H	199.0	0.0
10063.750000	44.64	--	68.20	23.56	500.0	100.0	H	181.0	-0.6
10553.750000	43.30	--	68.20	24.90	500.0	100.0	H	95.0	-0.9
10632.500000	--	33.07	54.00	20.93	500.0	100.0	H	172.0	-0.8
12355.000000	--	33.02	54.00	20.98	500.0	200.0	H	279.0	0.3
13371.250000	--	34.17	54.00	19.83	500.0	100.0	V	73.0	2.4
13580.000000	45.85	--	68.20	22.35	500.0	200.0	V	0.0	2.9
14368.750000	48.09	--	68.20	20.11	500.0	100.0	H	0.0	4.5
15620.000000	--	37.68	54.00	16.32	500.0	200.0	V	237.0	6.5
17687.500000	52.14	--	68.20	16.06	500.0	100.0	H	303.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	40.68	—	68.20	27.52	1000.0	200.0	H	0.0	-8.6
1385.875000	—	34.61	54.00	19.39	1000.0	200.0	V	257.0	-7.7
1624.750000	—	31.52	54.00	22.48	1000.0	100.0	V	346.0	-6.2
1931.875000	43.40	—	68.20	24.80	1000.0	200.0	V	145.0	-4.8
2499.750000	—	35.01	54.00	18.99	1000.0	100.0	V	280.0	-2.1
2612.625000	46.76	—	68.20	21.44	1000.0	100.0	V	131.0	-2.0
3453.500000	49.41	—	68.20	18.79	1000.0	100.0	V	266.0	1.6
3987.250000	—	38.37	54.00	15.63	1000.0	100.0	V	0.0	3.2
4439.625000	49.46	—	68.20	18.74	1000.0	100.0	H	108.0	3.5
4719.625000	—	38.01	54.00	15.99	1000.0	200.0	H	303.0	4.2
7006.875000	53.41	—	68.20	14.79	1000.0	100.0	H	332.0	7.0
7447.875000	—	40.28	54.00	13.72	1000.0	100.0	H	27.0	7.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8975.000000	44.01	—	68.20	24.19	500.0	100.0	H	297.0	-1.3
9155.000000	—	32.70	54.00	21.30	500.0	200.0	H	313.0	-1.1
9492.500000	—	33.94	54.00	20.07	500.0	100.0	V	56.0	0.0
9738.750000	45.72	—	68.20	22.48	500.0	200.0	H	48.0	-0.6
10518.750000	43.92	—	68.20	24.28	500.0	200.0	H	0.0	-1.0
10708.750000	—	33.42	54.00	20.58	500.0	200.0	V	32.0	-0.8
12556.250000	—	32.11	54.00	21.89	500.0	200.0	H	357.0	0.2
13340.000000	—	34.99	54.00	19.01	500.0	200.0	H	147.0	2.3
13663.750000	46.28	—	68.20	21.92	500.0	200.0	H	295.0	3.1
15211.250000	48.92	—	68.20	19.28	500.0	200.0	H	94.0	5.4
15582.500000	—	37.94	54.00	16.06	500.0	200.0	V	178.0	6.4
17507.500000	52.71	—	68.20	15.49	500.0	200.0	H	121.0	9.8




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.000000	40.65	--	68.20	27.55	1000.0	200.0	V	295.0	-8.3
1385.875000	--	34.36	54.00	19.64	1000.0	200.0	V	250.0	-7.7
1624.750000	--	31.44	54.00	22.56	1000.0	100.0	V	142.0	-6.2
1913.500000	43.70	--	68.20	24.50	1000.0	100.0	H	288.0	-4.9
2648.500000	46.55	--	68.20	21.65	1000.0	200.0	H	265.0	-2.0
2805.125000	--	34.83	54.00	19.17	1000.0	100.0	V	200.0	-1.2
3458.750000	49.12	--	68.20	19.08	1000.0	100.0	V	45.0	1.6
3988.125000	--	38.38	54.00	15.62	1000.0	200.0	V	332.0	3.2
4423.875000	49.88	--	68.20	18.32	1000.0	200.0	H	0.0	3.5
4822.000000	--	37.29	54.00	16.71	1000.0	200.0	H	0.0	3.9
6873.000000	53.10	--	68.20	15.10	1000.0	100.0	V	207.0	6.7
7430.375000	--	40.19	54.00	13.81	1000.0	100.0	V	104.0	7.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8747.500000	44.48	—	68.20	23.72	500.0	200.0	H	119.0	-1.7
9152.500000	—	32.73	54.00	21.27	500.0	100.0	H	67.0	-1.1
9477.500000	—	33.98	54.00	20.02	500.0	200.0	V	109.0	0.0
9611.250000	45.12	—	68.20	23.08	500.0	200.0	V	100.0	-0.7
10503.750000	43.99	—	68.20	24.21	500.0	100.0	H	40.0	-1.0
10648.750000	—	33.62	54.00	20.38	500.0	100.0	H	137.0	-0.8
12430.000000	—	32.82	54.00	21.18	500.0	200.0	H	332.0	0.4
13346.250000	—	34.89	54.00	19.11	500.0	100.0	V	328.0	2.4
13728.750000	46.76	—	68.20	21.44	500.0	100.0	H	31.0	3.3
15133.750000	48.63	—	68.20	19.57	500.0	100.0	V	0.0	5.2
15566.250000	—	38.23	54.00	15.77	500.0	100.0	V	328.0	6.4
17575.000000	52.63	—	68.20	15.57	500.0	200.0	H	350.0	10.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	41.35	—	68.20	26.85	1000.0	100.0	V	294.0	-8.2
1385.875000	—	35.12	54.00	18.88	1000.0	100.0	V	250.0	-7.7
1624.750000	—	32.30	54.00	21.70	1000.0	100.0	V	128.0	-6.2
1865.375000	44.23	—	68.20	23.97	1000.0	100.0	H	82.0	-5.1
2663.375000	47.10	—	68.20	21.10	1000.0	200.0	H	147.0	-1.9
2750.000000	—	35.66	54.00	18.34	1000.0	100.0	V	143.0	-1.5
3542.750000	50.81	—	68.20	17.39	1000.0	200.0	V	0.0	1.7
3978.500000	—	38.65	54.00	15.35	1000.0	100.0	H	120.0	3.1
4494.750000	50.40	—	68.20	17.80	1000.0	200.0	V	264.0	3.9
4935.750000	—	38.35	54.00	15.65	1000.0	100.0	V	128.0	4.6
7025.250000	53.32	—	68.20	14.88	1000.0	100.0	V	98.0	6.9
7397.125000	—	40.92	54.00	13.08	1000.0	100.0	H	178.0	7.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	44.28	—	68.20	23.92	500.0	200.0	H	0.0	-1.3
9105.000000	—	32.49	54.00	21.51	500.0	200.0	V	306.0	-1.2
9420.000000	—	34.04	54.00	19.96	500.0	200.0	V	346.0	-0.6
9822.500000	45.28	—	68.20	22.92	500.0	100.0	V	97.0	-0.4
10518.750000	44.14	—	68.20	24.06	500.0	100.0	H	27.0	-1.0
10685.000000	—	33.76	54.00	20.24	500.0	200.0	V	306.0	-0.8
12623.750000	—	33.04	54.00	20.96	500.0	100.0	H	185.0	0.2
13308.750000	—	34.89	54.00	19.11	500.0	200.0	H	337.0	2.3
13718.750000	46.28	—	68.20	21.92	500.0	200.0	V	19.0	3.3
15106.250000	48.57	—	68.20	19.63	500.0	100.0	V	185.0	5.1
15640.000000	—	38.14	54.00	15.86	500.0	100.0	V	221.0	6.5
17587.500000	52.44	—	68.20	15.76	500.0	200.0	H	178.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.875000	41.15	—	68.20	27.05	500.0	200.0	H	247.0	-8.3
1385.875000	—	38.54	54.00	15.46	500.0	200.0	V	307.0	-7.7
1624.750000	—	32.08	54.00	21.92	500.0	100.0	V	113.0	-6.2
1977.375000	44.06	—	68.20	24.14	500.0	100.0	H	0.0	-4.7
2652.875000	46.83	—	68.20	21.37	500.0	200.0	V	116.0	-2.0
2792.875000	—	35.69	54.00	18.31	500.0	200.0	V	54.0	-1.3
3459.625000	50.40	—	68.20	17.80	500.0	100.0	V	168.0	1.6
3982.000000	—	39.47	54.00	14.53	500.0	100.0	H	121.0	3.2
5123.000000	—	39.99	54.00	14.01	500.0	100.0	H	22.0	5.1
5223.625000	51.46	—	68.20	16.74	500.0	200.0	H	256.0	5.3
6960.500000	53.81	—	68.20	14.39	500.0	100.0	V	39.0	7.1
7301.750000	—	41.79	54.00	12.21	500.0	200.0	H	319.0	7.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8908.750000	44.69	—	68.20	23.51	500.0	100.0	H	88.0	-1.3
9142.500000	—	32.36	54.00	21.64	500.0	100.0	V	289.0	-1.1
9485.000000	—	33.96	54.00	20.04	500.0	100.0	V	306.0	0.0
9523.750000	45.73	—	68.20	22.47	500.0	200.0	H	126.0	-0.1
10501.250000	44.29	—	68.20	23.91	500.0	100.0	V	263.0	-1.0
10688.750000	—	33.50	54.00	20.50	500.0	100.0	V	341.0	-0.8
12548.750000	—	32.98	54.00	21.02	500.0	100.0	V	350.0	0.2
13340.000000	—	34.84	54.00	19.16	500.0	100.0	V	332.0	2.3
13672.500000	46.29	—	68.20	21.91	500.0	100.0	H	123.0	3.1
15303.750000	48.64	—	68.20	19.56	500.0	200.0	V	42.0	5.6
15626.250000	—	38.29	54.00	15.71	500.0	200.0	H	86.0	6.5
17281.250000	52.69	—	68.20	15.51	500.0	200.0	V	158.0	9.4




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.000000	41.08	—	68.20	27.12	500.0	100.0	V	340.0	-8.3
1385.875000	—	38.18	54.00	15.82	500.0	200.0	V	309.0	-7.7
1624.750000	—	31.71	54.00	22.29	500.0	100.0	V	306.0	-6.2
1963.375000	44.06	—	68.20	24.14	500.0	100.0	V	354.0	-4.7
2642.375000	46.35	—	68.20	21.85	500.0	100.0	V	349.0	-2.0
2827.875000	—	35.68	54.00	18.32	500.0	200.0	H	214.0	-1.1
3368.625000	49.49	—	68.20	18.71	500.0	100.0	V	158.0	1.0
3982.000000	—	39.37	54.00	14.63	500.0	200.0	V	39.0	3.2
4430.000000	50.14	—	68.20	18.06	500.0	100.0	V	335.0	3.5
5122.125000	—	39.86	54.00	14.14	500.0	100.0	V	340.0	5.1
6746.125000	52.87	—	68.20	15.33	500.0	100.0	H	68.0	6.5
7423.375000	—	41.89	54.00	12.11	500.0	100.0	H	155.0	7.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8966.250000	44.81	---	68.20	23.39	500.0	100.0	H	32.0	-1.3
9142.500000	---	32.55	54.00	21.45	500.0	100.0	V	199.0	-1.1
9486.250000	---	33.86	54.00	20.14	500.0	200.0	H	94.0	0.0
9677.500000	45.60	---	68.20	22.60	500.0	200.0	H	358.0	-0.7
10555.000000	44.22	---	68.20	23.98	500.0	200.0	H	179.0	-0.9
10652.500000	---	33.70	54.00	20.30	500.0	100.0	H	0.0	-0.8
12595.000000	---	32.71	54.00	21.29	500.0	100.0	H	331.0	0.2
13347.500000	---	35.13	54.00	18.87	500.0	200.0	H	153.0	2.4
13505.000000	46.56	---	68.20	21.64	500.0	200.0	V	55.0	2.7
14926.250000	49.14	---	68.20	19.06	500.0	100.0	H	340.0	5.1
15615.000000	---	38.08	54.00	15.92	500.0	200.0	V	272.0	6.5
17627.500000	52.45	---	68.20	15.75	500.0	200.0	H	231.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.62	—	68.20	27.58	500.0	200.0	H	355.0	-8.2
1385.875000	—	38.42	54.00	15.58	500.0	200.0	V	309.0	-7.7
1624.750000	—	31.90	54.00	22.10	500.0	100.0	V	181.0	-6.2
1931.875000	43.94	—	68.20	24.26	500.0	200.0	H	209.0	-4.8
2658.125000	47.19	—	68.20	21.01	500.0	100.0	H	215.0	-1.9
2806.000000	—	35.78	54.00	18.22	500.0	200.0	H	355.0	-1.2
3313.500000	50.07	—	68.20	18.13	500.0	100.0	H	189.0	0.9
3979.375000	—	39.29	54.00	14.71	500.0	100.0	V	128.0	3.1
4884.125000	—	39.23	54.00	14.77	500.0	100.0	H	254.0	4.3
5573.625000	52.53	—	68.20	15.67	500.0	200.0	H	264.0	5.5
6637.625000	53.46	—	68.20	14.74	500.0	200.0	H	336.0	6.6
7390.125000	—	41.53	54.00	12.47	500.0	100.0	V	359.0	7.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8931.250000	43.84	---	68.20	24.36	500.0	200.0	V	122.0	-1.3
9141.250000	---	32.79	54.00	21.21	500.0	100.0	V	346.0	-1.1
9478.750000	---	34.17	54.00	19.83	500.0	200.0	V	238.0	0.0
9528.750000	45.83	---	68.20	22.37	500.0	100.0	H	326.0	-0.2
10595.000000	44.80	---	68.20	23.40	500.0	100.0	H	151.0	-0.9
10648.750000	---	33.67	54.00	20.33	500.0	100.0	H	211.0	-0.8
12495.000000	---	32.63	54.00	21.37	500.0	200.0	H	74.0	0.3
13310.000000	---	35.28	54.00	18.72	500.0	100.0	V	0.0	2.3
13561.250000	46.65	---	68.20	21.55	500.0	200.0	H	325.0	2.9
14660.000000	48.51	---	68.20	19.69	500.0	200.0	V	122.0	4.9
15583.750000	---	38.29	54.00	15.71	500.0	100.0	H	72.0	6.5
17262.500000	52.89	---	68.20	15.31	500.0	200.0	V	184.0	9.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	41.64	—	68.20	26.56	500.0	200.0	V	249.0	-8.3
1385.875000	—	38.46	54.00	15.54	500.0	200.0	V	309.0	-7.7
1624.750000	—	32.16	54.00	21.84	500.0	100.0	V	178.0	-6.2
1966.000000	44.29	—	68.20	23.91	500.0	100.0	V	0.0	-4.7
2636.250000	46.61	—	68.20	21.59	500.0	100.0	V	356.0	-2.0
2760.500000	—	35.54	54.00	18.46	500.0	100.0	V	236.0	-1.5
3476.250000	49.79	—	68.20	18.41	500.0	100.0	H	47.0	1.7
3954.875000	—	39.17	54.00	14.83	500.0	200.0	H	357.0	2.9
5061.750000	—	39.79	54.00	14.21	500.0	200.0	H	144.0	5.0
5651.500000	51.15	—	68.20	17.05	500.0	200.0	H	347.0	5.4
7021.750000	53.42	—	68.20	14.78	500.0	200.0	V	34.0	7.0
7391.000000	—	41.68	54.00	12.32	500.0	200.0	V	258.0	7.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8921.250000	44.43	—	68.20	23.77	500.0	100.0	H	292.0	-1.3
9137.500000	—	32.61	54.00	21.39	500.0	200.0	H	343.0	-1.1
9478.750000	—	33.90	54.00	20.10	500.0	200.0	V	104.0	0.0
9741.250000	45.46	—	68.20	22.74	500.0	100.0	V	212.0	-0.6
10568.750000	44.05	—	68.20	24.15	500.0	100.0	H	80.0	-0.9
10662.500000	—	33.57	54.00	20.43	500.0	200.0	V	297.0	-0.8
12606.250000	—	32.90	54.00	21.10	500.0	200.0	H	352.0	0.2
13332.500000	—	35.09	54.00	18.91	500.0	100.0	H	26.0	2.3
13550.000000	46.30	—	68.20	21.90	500.0	200.0	H	282.0	2.9
15328.750000	49.74	—	68.20	18.46	500.0	100.0	V	0.0	5.7
15617.500000	—	38.05	54.00	15.95	500.0	200.0	H	132.0	6.5
17656.250000	52.68	—	68.20	15.52	500.0	100.0	H	44.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1251.125000	41.01	---	68.20	27.19	500.0	100.0	V	133.0	-8.6
1385.875000	---	38.71	54.00	15.29	500.0	200.0	V	313.0	-7.7
1624.750000	---	32.23	54.00	21.77	500.0	200.0	V	345.0	-6.2
1987.875000	44.25	---	68.20	23.95	500.0	200.0	V	267.0	-4.6
2618.750000	47.37	---	68.20	20.83	500.0	200.0	V	5.0	-2.0
2760.500000	---	35.54	54.00	18.46	500.0	100.0	H	49.0	-1.5
3376.500000	49.63	---	68.20	18.57	500.0	200.0	H	1.0	1.1
3995.125000	---	39.28	54.00	14.72	500.0	200.0	H	211.0	3.2
5123.875000	---	39.88	54.00	14.12	500.0	100.0	H	39.0	5.1
5544.750000	51.77	---	68.20	16.43	500.0	200.0	V	165.0	5.4
6886.125000	54.03	---	68.20	14.17	500.0	100.0	H	1.0	6.7
7394.500000	---	41.30	54.00	12.70	500.0	100.0	V	331.0	7.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8961.250000	44.77	—	68.20	23.43	500.0	100.0	H	79.0	-1.3
9100.000000	—	32.69	54.00	21.31	500.0	200.0	H	285.0	-1.2
9491.250000	—	33.86	54.00	20.14	500.0	200.0	V	186.0	0.0
10075.000000	45.23	—	68.20	22.97	500.0	100.0	H	35.0	-0.7
10516.250000	44.92	—	68.20	23.28	500.0	100.0	H	96.0	-1.0
10702.500000	—	33.71	54.00	20.29	500.0	200.0	H	134.0	-0.8
12592.500000	—	32.84	54.00	21.16	500.0	100.0	H	8.0	0.2
13345.000000	—	35.09	54.00	18.91	500.0	100.0	V	47.0	2.3
13425.000000	46.49	—	68.20	21.71	500.0	200.0	V	186.0	2.4
13897.500000	48.60	—	68.20	19.60	500.0	200.0	H	338.0	3.9
15597.500000	—	38.11	54.00	15.89	500.0	100.0	H	254.0	6.5
17592.500000	53.10	—	68.20	15.10	500.0	100.0	H	52.0	10.1




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	41.01	—	68.20	27.19	500.0	200.0	H	92.0	-8.4
1385.875000	—	38.28	54.00	15.72	500.0	200.0	H	146.0	-7.7
1624.750000	—	32.16	54.00	21.84	500.0	100.0	H	234.0	-6.2
1954.625000	43.91	—	68.20	24.29	500.0	100.0	H	229.0	-4.7
2634.500000	47.41	—	68.20	20.79	500.0	200.0	V	137.0	-2.0
2791.125000	—	36.01	54.00	17.99	500.0	200.0	H	197.0	-1.3
3320.500000	50.49	—	68.20	17.71	500.0	100.0	V	173.0	0.9
3982.875000	—	39.59	54.00	14.41	500.0	200.0	V	0.0	3.2
5089.750000	—	39.99	54.00	14.01	500.0	100.0	V	72.0	5.1
5631.375000	51.48	—	68.20	16.72	500.0	200.0	V	0.0	5.5
6859.875000	53.53	—	68.20	14.67	500.0	200.0	H	111.0	6.8
7383.125000	—	41.62	54.00	12.38	500.0	200.0	V	68.0	7.2




### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8932.500000	43.97	—	68.20	24.23	500.0	100.0	H	181.0	-1.3
9142.500000	—	32.61	54.00	21.39	500.0	200.0	V	204.0	-1.1
9443.750000	—	34.09	54.00	19.91	500.0	200.0	V	256.0	-0.4
9528.750000	45.07	—	68.20	23.13	500.0	200.0	H	187.0	-0.2
10566.250000	44.60	—	68.20	23.60	500.0	200.0	V	0.0	-0.9
10631.250000	—	33.67	54.00	20.33	500.0	100.0	H	146.0	-0.8
12575.000000	—	32.85	54.00	21.15	500.0	100.0	H	299.0	0.2
13332.500000	—	34.92	54.00	19.08	500.0	200.0	H	1.0	2.3
13618.750000	46.48	—	68.20	21.72	500.0	100.0	V	177.0	3.0
15312.500000	48.57	—	68.20	19.63	500.0	200.0	H	37.0	5.6
15693.750000	—	37.94	54.00	16.06	500.0	100.0	H	32.0	6.6
17618.750000	53.63	—	68.20	14.57	500.0	200.0	H	178.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.625000	40.36	—	68.20	27.84	500.0	100.0	H	0.0	-8.6
1385.875000	—	38.31	54.00	15.69	500.0	200.0	V	311.0	-7.7
1624.750000	—	32.07	54.00	21.93	500.0	100.0	H	300.0	-6.2
1978.250000	43.80	—	68.20	24.40	500.0	100.0	V	185.0	-4.7
2657.250000	46.76	—	68.20	21.44	500.0	200.0	H	186.0	-1.9
2794.625000	—	35.85	54.00	18.15	500.0	100.0	V	223.0	-1.3
3464.000000	50.47	—	68.20	17.73	500.0	100.0	V	50.0	1.6
3996.875000	—	39.63	54.00	14.37	500.0	200.0	H	134.0	3.2
4822.000000	—	38.29	54.00	15.71	500.0	200.0	H	44.0	3.9
5579.750000	51.36	—	68.20	16.84	500.0	100.0	H	195.0	5.6
7041.000000	53.86	—	68.20	14.34	500.0	100.0	V	93.0	6.9
7339.375000	—	41.71	54.00	12.29	500.0	100.0	H	316.0	7.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8720.000000	44.28	--	68.20	23.92	500.0	200.0	V	0.0	-1.6
9142.500000	--	32.90	54.00	21.10	500.0	200.0	H	263.0	-1.1
9450.000000	--	33.86	54.00	20.14	500.0	200.0	H	272.0	-0.3
9656.250000	45.39	--	68.20	22.81	500.0	200.0	V	152.0	-0.6
10572.500000	45.21	--	68.20	22.99	500.0	200.0	H	298.0	-0.9
10648.750000	--	33.51	54.00	20.49	500.0	200.0	V	12.0	-0.8
12606.250000	--	32.89	54.00	21.11	500.0	200.0	H	110.0	0.2
13340.000000	--	34.88	54.00	19.12	500.0	100.0	V	292.0	2.3
13610.000000	47.20	--	68.20	21.00	500.0	100.0	H	95.0	3.0
14671.250000	48.91	--	68.20	19.29	500.0	100.0	V	95.0	4.9
15606.250000	--	38.15	54.00	15.85	500.0	200.0	H	180.0	6.5
17682.500000	52.78	--	68.20	15.42	500.0	100.0	H	42.0	10.3




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.000000	41.01	—	68.20	27.19	500.0	100.0	H	281.0	-8.6
1385.875000	—	38.56	54.00	15.44	500.0	200.0	V	310.0	-7.7
1624.750000	—	31.95	54.00	22.05	500.0	100.0	V	178.0	-6.2
1996.625000	44.50	—	68.20	23.70	500.0	200.0	H	117.0	-4.6
2689.625000	47.17	—	68.20	21.03	500.0	100.0	H	134.0	-1.7
2825.250000	—	36.03	54.00	17.97	500.0	100.0	H	286.0	-1.2
3461.375000	50.99	—	68.20	17.21	500.0	100.0	V	213.0	1.6
3926.875000	—	39.33	54.00	14.67	500.0	200.0	V	240.0	2.7
5457.250000	—	39.95	54.00	14.05	500.0	200.0	H	0.0	5.3
5614.750000	51.41	—	68.20	16.79	500.0	100.0	V	77.0	5.6
7396.250000	—	41.81	54.00	12.19	500.0	200.0	V	357.0	7.3
7902.000000	53.66	—	68.20	14.54	500.0	100.0	V	41.0	7.7




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8953.750000	44.45	--	68.20	23.75	500.0	200.0	H	68.0	-1.3
9126.250000	--	32.69	54.00	21.31	500.0	200.0	V	72.0	-1.2
9445.000000	--	33.92	54.00	20.08	500.0	100.0	V	286.0	-0.4
9501.250000	45.70	--	68.20	22.50	500.0	100.0	H	26.0	0.0
10536.250000	44.02	--	68.20	24.18	500.0	200.0	V	0.0	-1.0
10651.250000	--	33.65	54.00	20.35	500.0	100.0	V	339.0	-0.8
12633.750000	--	32.82	54.00	21.18	500.0	200.0	H	0.0	0.2
13348.750000	--	35.09	54.00	18.91	500.0	200.0	V	312.0	2.4
13571.250000	46.42	--	68.20	21.78	500.0	100.0	V	356.0	2.9
15125.000000	48.66	--	68.20	19.54	500.0	200.0	H	319.0	5.1
15601.250000	--	38.21	54.00	15.79	500.0	200.0	V	1.0	6.5
17647.500000	53.32	--	68.20	14.88	500.0	200.0	V	106.0	10.2




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.375000	41.13	--	68.20	27.07	500.0	100.0	H	353.0	-8.6
1385.875000	--	38.49	54.00	15.51	500.0	200.0	V	311.0	-7.7
1624.750000	--	32.09	54.00	21.91	500.0	100.0	V	133.0	-6.2
1859.250000	44.09	--	68.20	24.11	500.0	200.0	V	48.0	-5.2
2522.500000	50.21	--	68.20	17.99	500.0	200.0	V	210.0	-2.2
2792.875000	--	35.88	54.00	18.12	500.0	200.0	V	210.0	-1.3
3436.000000	50.10	--	68.20	18.10	500.0	100.0	V	200.0	1.5
3997.750000	--	39.51	54.00	14.49	500.0	200.0	V	316.0	3.2
5120.375000	--	39.93	54.00	14.07	500.0	200.0	H	9.0	5.1
5195.625000	51.25	--	68.20	16.95	500.0	200.0	V	306.0	5.3
6795.125000	54.13	--	68.20	14.07	500.0	200.0	H	139.0	6.8
7305.250000	--	41.73	54.00	12.27	500.0	100.0	V	98.0	7.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8932.500000	44.76	---	68.20	23.44	500.0	100.0	H	2.0	-1.3
9147.500000	---	32.58	54.00	21.42	500.0	200.0	H	282.0	-1.1
9468.750000	---	33.93	54.00	20.07	500.0	200.0	V	222.0	-0.1
9573.750000	45.01	---	68.20	23.19	500.0	200.0	H	359.0	-0.5
10563.750000	44.24	---	68.20	23.96	500.0	100.0	V	0.0	-0.9
10647.500000	---	33.67	54.00	20.33	500.0	200.0	H	290.0	-0.8
12622.500000	---	33.11	54.00	20.89	500.0	200.0	V	1.0	0.2
13335.000000	---	35.00	54.00	19.00	500.0	100.0	H	121.0	2.3
13713.750000	47.15	---	68.20	21.05	500.0	100.0	H	96.0	3.3
15291.250000	48.49	---	68.20	19.71	500.0	200.0	V	293.0	5.6
15598.750000	---	38.08	54.00	15.92	500.0	200.0	V	53.0	6.5
17565.000000	52.41	---	68.20	15.79	500.0	200.0	V	79.0	10.0




### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	40.92	—	68.20	27.28	500.0	100.0	H	307.0	-8.3
1385.875000	—	38.63	54.00	15.37	500.0	200.0	V	312.0	-7.7
1624.750000	—	31.78	54.00	22.22	500.0	100.0	V	125.0	-6.2
1959.875000	44.01	—	68.20	24.19	500.0	100.0	V	0.0	-4.7
2107.750000	50.66	—	68.20	17.54	500.0	100.0	H	5.0	-3.7
2792.000000	—	35.90	54.00	18.10	500.0	200.0	H	156.0	-1.3
3408.000000	50.24	—	68.20	17.96	500.0	200.0	V	65.0	1.4
3978.500000	—	39.21	54.00	14.79	500.0	200.0	V	0.0	3.1
5087.125000	—	39.92	54.00	14.08	500.0	200.0	V	80.0	5.1
5308.500000	51.32	—	68.20	16.88	500.0	100.0	V	101.0	5.4
7240.500000	53.81	—	68.20	14.39	500.0	200.0	V	143.0	7.1
7339.375000	—	41.70	54.00	12.30	500.0	200.0	H	213.0	7.0



### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8953.750000	44.56	--	68.20	23.64	500.0	100.0	H	233.0	-1.3
9127.500000	--	32.68	54.00	21.32	500.0	100.0	H	13.0	-1.2
9470.000000	--	33.86	54.00	20.14	500.0	100.0	V	102.0	-0.1
9597.500000	46.03	--	68.20	22.17	500.0	100.0	V	79.0	-0.7
10545.000000	44.08	--	68.20	24.12	500.0	200.0	H	306.0	-0.9
10633.750000	--	33.68	54.00	20.32	500.0	100.0	H	0.0	-0.8
12492.500000	--	32.27	54.00	21.73	500.0	200.0	H	252.0	0.3
13328.750000	--	35.27	54.00	18.73	500.0	100.0	V	358.0	2.3
13567.500000	46.47	--	68.20	21.73	500.0	200.0	H	349.0	2.9
15341.250000	49.37	--	68.20	18.83	500.0	200.0	V	142.0	5.7
15595.000000	--	38.10	54.00	15.90	500.0	200.0	H	40.0	6.5
17678.750000	53.63	--	68.20	14.57	500.0	200.0	V	20.0	10.3



### Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1275.625000	40.97	—	68.20	27.23	500.0	200.0	H	316.0	-8.4
1385.875000	—	38.54	54.00	15.46	500.0	200.0	V	311.0	-7.7
1624.750000	—	32.19	54.00	21.81	500.0	100.0	V	122.0	-6.2
1938.000000	44.43	—	68.20	23.77	500.0	200.0	H	296.0	-4.8
2578.500000	46.39	—	68.20	21.81	500.0	200.0	H	151.0	-2.0
2760.500000	—	35.65	54.00	18.35	500.0	100.0	V	337.0	-1.5
3445.625000	51.57	—	68.20	16.63	500.0	200.0	V	28.0	1.5
3920.750000	—	39.35	54.00	14.65	500.0	200.0	V	238.0	2.6
5175.500000	50.91	—	68.20	17.29	500.0	200.0	H	43.0	5.2
5360.125000	—	39.93	54.00	14.07	500.0	100.0	H	301.0	5.1
7040.125000	53.99	—	68.20	14.21	500.0	100.0	V	288.0	6.9
7397.125000	—	41.82	54.00	12.18	500.0	200.0	V	129.0	7.3