


### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8933.750000	44.57	---	68.20	23.63	500.0	100.0	V	74.0	-1.3
9138.750000	---	32.49	54.00	21.51	500.0	100.0	H	359.0	-1.1
9468.750000	---	33.83	54.00	20.17	500.0	200.0	H	228.0	-0.1
9666.250000	45.85	---	68.20	22.35	500.0	200.0	H	3.0	-0.6
10546.250000	44.43	---	68.20	23.77	500.0	200.0	V	224.0	-0.9
10685.000000	---	33.61	54.00	20.39	500.0	100.0	V	219.0	-0.8
12541.250000	---	33.03	54.00	20.97	500.0	100.0	H	0.0	0.2
13378.750000	---	35.02	54.00	18.98	500.0	200.0	V	187.0	2.4
13670.000000	46.62	---	68.20	21.58	500.0	100.0	V	342.0	3.1
15145.000000	48.09	---	68.20	20.11	500.0	200.0	V	187.0	5.2
15608.750000	---	38.08	54.00	15.92	500.0	200.0	H	183.0	6.5
17687.500000	52.47	---	68.20	15.73	500.0	100.0	V	254.0	10.3

802.11ax HE20 CH144




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	41.32	---	68.20	26.88	500.0	200.0	H	87.0	-8.2
1385.875000	---	38.63	54.00	15.37	500.0	200.0	V	309.0	-7.7
1624.750000	---	32.00	54.00	22.00	500.0	100.0	V	18.0	-6.2
1983.500000	44.16	---	68.20	24.04	500.0	100.0	H	323.0	-4.6
2604.750000	46.56	---	68.20	21.64	500.0	200.0	V	339.0	-2.0
2750.000000	---	35.84	54.00	18.16	500.0	100.0	V	310.0	-1.5
3386.125000	51.67	---	68.20	16.53	500.0	100.0	V	250.0	1.2
3950.500000	---	39.46	54.00	14.54	500.0	200.0	V	102.0	2.8
5092.375000	---	39.74	54.00	14.26	500.0	100.0	H	287.0	5.1
5247.250000	51.46	---	68.20	16.74	500.0	200.0	H	87.0	5.3
7398.000000	---	41.61	54.00	12.39	500.0	100.0	V	219.0	7.3
7882.750000	54.09	---	68.20	14.11	500.0	200.0	H	143.0	7.7




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8950.000000	44.49	---	68.20	23.71	500.0	200.0	V	66.0	-1.3
9136.250000	---	32.82	54.00	21.18	500.0	100.0	H	148.0	-1.2
9447.500000	---	34.11	54.00	19.89	500.0	200.0	H	5.0	-0.4
10071.250000	46.17	---	68.20	22.03	500.0	100.0	V	281.0	-0.7
10543.750000	44.82	---	68.20	23.38	500.0	100.0	H	230.0	-0.9
10661.250000	---	33.77	54.00	20.23	500.0	100.0	V	246.0	-0.8
12542.500000	---	32.96	54.00	21.04	500.0	100.0	H	230.0	0.2
13337.500000	---	35.12	54.00	18.88	500.0	100.0	V	218.0	2.3
13691.250000	46.84	---	68.20	21.36	500.0	200.0	V	66.0	3.1
14862.500000	48.87	---	68.20	19.33	500.0	200.0	H	20.0	4.9
15603.750000	---	38.35	54.00	15.65	500.0	100.0	H	335.0	6.5
17558.750000	52.98	---	68.20	15.22	500.0	100.0	V	358.0	10.0



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	39.41	---	68.20	28.79	500.0	200.0	H	128.0	-8.4
1385.875000	---	38.34	54.00	15.66	500.0	200.0	V	307.0	-7.7
1624.750000	---	32.19	54.00	21.81	500.0	200.0	H	231.0	-6.2
2126.125000	44.43	---	68.20	23.77	500.0	200.0	H	265.0	-3.6
2593.375000	46.29	---	68.20	21.91	500.0	200.0	H	181.0	-2.0
2819.125000	---	35.77	54.00	18.23	500.0	100.0	V	62.0	-1.2
3583.000000	50.52	---	68.20	17.68	500.0	100.0	V	234.0	1.8
3953.125000	---	40.01	54.00	13.99	500.0	100.0	V	161.0	2.8
4458.875000	51.23	---	68.20	16.97	500.0	200.0	V	307.0	3.6
5126.500000	---	39.97	54.00	14.03	500.0	200.0	V	79.0	5.1
7007.750000	53.51	---	68.20	14.69	500.0	100.0	H	242.0	7.0
7281.625000	---	41.76	54.00	12.24	500.0	100.0	V	3.0	7.1



## Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8916.250000	44.40	---	68.20	23.80	500.0	200.0	V	84.0	-1.3
9145.000000	---	32.60	54.00	21.40	500.0	200.0	V	147.0	-1.1
9481.250000	---	34.02	54.00	19.98	500.0	100.0	V	257.0	0.0
10162.500000	45.36	---	68.20	22.84	500.0	200.0	V	112.0	-1.0
10543.750000	44.30	---	68.20	23.90	500.0	200.0	V	67.0	-0.9
10688.750000	---	33.66	54.00	20.34	500.0	200.0	H	245.0	-0.8
13313.750000	---	35.11	54.00	18.89	500.0	100.0	V	0.0	2.3
13510.000000	46.53	---	68.20	21.67	500.0	200.0	V	183.0	2.7
14886.250000	48.55	---	68.20	19.65	500.0	200.0	V	102.0	5.0
15600.000000	---	38.26	54.00	15.74	500.0	100.0	H	41.0	6.5
17553.750000	52.69	---	68.20	15.51	500.0	200.0	V	192.0	10.0
17748.750000	---	41.78	54.00	12.22	500.0	100.0	V	92.0	10.3

802.11ax HE20 CH157




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1289.625000	40.95	---	68.20	27.25	500.0	200.0	H	111.0	-8.3
1385.875000	---	38.61	54.00	15.39	500.0	200.0	V	310.0	-7.7
1624.750000	---	31.82	54.00	22.18	500.0	100.0	V	114.0	-6.2
1989.625000	44.59	---	68.20	23.61	500.0	100.0	V	0.0	-4.6
2468.250000	48.06	---	68.20	20.14	500.0	100.0	H	43.0	-2.3
2815.625000	---	36.05	54.00	17.95	500.0	100.0	H	24.0	-1.2
3394.000000	50.73	---	68.20	17.47	500.0	200.0	H	19.0	1.3
3979.375000	---	39.24	54.00	14.76	500.0	100.0	V	204.0	3.1
5088.875000	---	39.85	54.00	14.15	500.0	100.0	H	72.0	5.1
5545.625000	52.01	---	68.20	16.19	500.0	200.0	H	296.0	5.4
6829.250000	54.16	---	68.20	14.04	500.0	200.0	H	24.0	6.8
7335.000000	---	41.87	54.00	12.13	500.0	200.0	V	204.0	7.0



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8726.250000	44.83	---	68.20	23.37	500.0	100.0	V	66.0	-1.6
9140.000000	---	32.81	54.00	21.19	500.0	100.0	H	128.0	-1.1
9467.500000	---	33.82	54.00	20.18	500.0	200.0	V	279.0	-0.1
9608.750000	45.24	---	68.20	22.96	500.0	200.0	V	62.0	-0.7
10552.500000	44.17	---	68.20	24.03	500.0	200.0	V	107.0	-0.9
10666.250000	---	33.48	54.00	20.52	500.0	200.0	V	263.0	-0.8
12618.750000	---	32.99	54.00	21.01	500.0	200.0	V	2.0	0.2
13363.750000	---	35.02	54.00	18.98	500.0	200.0	H	262.0	2.4
13608.750000	46.91	---	68.20	21.29	500.0	100.0	V	226.0	3.0
15193.750000	48.10	---	68.20	20.10	500.0	200.0	H	54.0	5.3
15583.750000	---	38.05	54.00	15.95	500.0	100.0	V	234.0	6.5
17647.500000	52.82	---	68.20	15.38	500.0	100.0	V	322.0	10.2



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.375000	40.76	---	68.20	27.44	500.0	200.0	H	294.0	-8.4
1385.875000	---	38.55	54.00	15.45	500.0	200.0	V	312.0	-7.7
1624.750000	---	31.82	54.00	22.18	500.0	100.0	H	228.0	-6.2
2022.000000	51.64	---	68.20	16.56	500.0	100.0	H	30.0	-4.4
2587.250000	45.97	---	68.20	22.23	500.0	100.0	H	102.0	-2.0
2822.625000	---	35.89	54.00	18.11	500.0	100.0	H	188.0	-1.2
3580.375000	50.24	---	68.20	17.96	500.0	200.0	V	212.0	1.8
3961.000000	---	39.35	54.00	14.65	500.0	100.0	V	277.0	2.9
5458.125000	---	39.81	54.00	14.19	500.0	100.0	H	34.0	5.3
5494.000000	51.58	---	68.20	16.62	500.0	100.0	V	357.0	5.5
7379.625000	---	41.79	54.00	12.21	500.0	100.0	H	53.0	7.2
7921.250000	53.22	---	68.20	14.98	500.0	200.0	H	137.0	7.6






### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8948.750000	44.41	---	68.20	23.79	500.0	200.0	V	359.0	-1.3
9112.500000	---	32.51	54.00	21.49	500.0	200.0	V	144.0	-1.2
9486.250000	---	34.12	54.00	19.88	500.0	100.0	V	192.0	0.0
9538.750000	45.36	---	68.20	22.84	500.0	200.0	V	28.0	-0.2
10568.750000	44.47	---	68.20	23.73	500.0	100.0	V	82.0	-0.9
10636.250000	---	33.68	54.00	20.32	500.0	100.0	V	44.0	-0.8
12578.750000	---	32.98	54.00	21.02	500.0	100.0	H	139.0	0.2
13348.750000	---	34.96	54.00	19.04	500.0	100.0	V	297.0	2.4
13733.750000	46.46	---	68.20	21.74	500.0	100.0	V	166.0	3.3
14885.000000	48.42	---	68.20	19.78	500.0	200.0	H	70.0	5.0
15596.250000	---	37.99	54.00	16.01	500.0	100.0	V	29.0	6.5
17320.000000	52.90	---	68.20	15.30	500.0	100.0	H	245.0	9.5

802.11ax HE40 CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1152.250000	---	27.69	54.00	26.31	500.0	100.0	H	301.0	-9.8
1267.750000	40.90	---	68.20	27.30	500.0	200.0	H	273.0	-8.5
1624.750000	---	31.74	54.00	22.26	500.0	100.0	V	248.0	-6.2
1968.625000	43.96	---	68.20	24.24	500.0	100.0	V	353.0	-4.7
2504.125000	46.40	---	68.20	21.80	500.0	200.0	V	123.0	-2.1
2808.625000	---	35.66	54.00	18.34	500.0	100.0	V	248.0	-1.2
3454.375000	49.31	---	68.20	18.89	500.0	200.0	H	287.0	1.6
3992.500000	---	39.11	54.00	14.89	500.0	100.0	V	282.0	3.2
4822.875000	---	38.46	54.00	15.54	500.0	200.0	H	53.0	3.9
5620.000000	50.52	---	68.20	17.68	500.0	200.0	V	123.0	5.5
7016.500000	53.54	---	68.20	14.66	500.0	200.0	V	55.0	7.0
7489.000000	---	41.12	54.00	12.88	500.0	100.0	H	277.0	6.9



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8502.500000	44.57	---	68.20	23.63	500.0	100.0	V	99.0	-1.8
9152.500000	---	32.76	54.00	21.24	500.0	100.0	H	100.0	-1.1
9473.750000	---	34.00	54.00	20.00	500.0	200.0	V	24.0	0.0
9641.250000	45.42	---	68.20	22.78	500.0	200.0	V	94.0	-0.6
10567.500000	44.15	---	68.20	24.05	500.0	200.0	V	243.0	-0.9
10683.750000	---	33.52	54.00	20.48	500.0	100.0	V	0.0	-0.8
12568.750000	---	32.85	54.00	21.15	500.0	200.0	V	103.0	0.2
13331.250000	---	34.95	54.00	19.05	500.0	100.0	V	273.0	2.3
13518.750000	47.11	---	68.20	21.09	500.0	200.0	H	55.0	2.8
15146.250000	48.50	---	68.20	19.70	500.0	200.0	V	32.0	5.2
15715.000000	---	37.96	54.00	16.04	500.0	100.0	V	76.0	6.6
17688.750000	52.77	---	68.20	15.43	500.0	200.0	H	0.0	10.3

802.11ax HE40 CH46



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	40.95	---	68.20	27.25	500.0	200.0	V	227.0	-8.6
1385.875000	---	37.77	54.00	16.23	500.0	100.0	H	302.0	-7.7
1624.750000	---	31.96	54.00	22.04	500.0	100.0	V	50.0	-6.2
1959.000000	43.96	---	68.20	24.24	500.0	200.0	V	62.0	-4.7
2526.875000	46.43	---	68.20	21.77	500.0	100.0	H	171.0	-2.2
2810.375000	---	35.66	54.00	18.34	500.0	200.0	H	0.0	-1.2
3391.375000	49.36	---	68.20	18.84	500.0	200.0	H	99.0	1.3
3990.750000	---	39.28	54.00	14.72	500.0	100.0	H	232.0	3.2
5415.250000	---	39.55	54.00	14.45	500.0	100.0	V	218.0	5.1
5570.125000	50.87	---	68.20	17.33	500.0	200.0	H	99.0	5.5
6887.875000	52.95	---	68.20	15.25	500.0	200.0	H	51.0	6.7
7431.250000	---	40.94	54.00	13.06	500.0	200.0	H	56.0	7.1



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8945.000000	44.02	---	68.20	24.18	500.0	200.0	H	172.0	-1.3
9138.750000	---	32.79	54.00	21.21	500.0	100.0	H	91.0	-1.1
9417.500000	---	34.09	54.00	19.91	500.0	200.0	V	139.0	-0.7
10130.000000	45.63	---	68.20	22.57	500.0	100.0	V	164.0	-1.0
10517.500000	45.43	---	68.20	22.77	500.0	100.0	V	208.0	-1.0
10690.000000	---	33.57	54.00	20.44	500.0	100.0	V	180.0	-0.8
12501.250000	---	32.84	54.00	21.16	500.0	100.0	H	339.0	0.3
13340.000000	---	35.15	54.00	18.85	500.0	100.0	V	269.0	2.3
13617.500000	46.90	---	68.20	21.30	500.0	100.0	V	348.0	3.0
15155.000000	48.12	---	68.20	20.08	500.0	200.0	V	254.0	5.2
15721.250000	---	38.17	54.00	15.83	500.0	100.0	V	0.0	6.7
17407.500000	52.96	---	68.20	15.24	500.0	100.0	H	57.0	9.7

802.11ax HE40 CH54



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1235.375000	49.26	---	74.00	24.74	500.0	200.0	V	255.0	-8.7
1385.875000	---	37.47	54.00	16.53	500.0	100.0	H	195.0	-7.7
1624.750000	---	31.96	54.00	22.04	500.0	100.0	V	187.0	-6.2
1973.000000	43.80	---	68.20	24.40	500.0	100.0	H	83.0	-4.7
2510.250000	47.05	---	68.20	21.15	500.0	100.0	H	149.0	-2.1
2827.875000	---	35.51	54.00	18.49	500.0	100.0	H	225.0	-1.1
3405.375000	49.21	---	68.20	18.99	500.0	200.0	H	53.0	1.4
3987.250000	---	39.02	54.00	14.98	500.0	100.0	H	27.0	3.2
5088.875000	---	39.62	54.00	14.38	500.0	100.0	V	23.0	5.1
5585.000000	51.07	---	68.20	17.13	500.0	100.0	H	185.0	5.6
6980.625000	53.20	---	68.20	15.00	500.0	200.0	H	63.0	7.1
7429.500000	---	40.89	54.00	13.11	500.0	100.0	V	115.0	7.1



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8900.000000	44.18	---	68.20	24.02	500.0	100.0	H	65.0	-1.4
9141.250000	---	32.80	54.00	21.20	500.0	100.0	H	83.0	-1.1
9477.500000	---	34.07	54.00	19.93	500.0	200.0	H	0.0	0.0
10047.500000	45.25	---	68.20	22.95	500.0	100.0	H	83.0	-0.6
10565.000000	44.19	---	68.20	24.01	500.0	100.0	V	273.0	-0.9
10696.250000	---	33.84	54.00	20.16	500.0	200.0	V	352.0	-0.8
12416.250000	---	32.90	54.00	21.10	500.0	100.0	V	335.0	0.4
13348.750000	---	34.91	54.00	19.09	500.0	100.0	V	308.0	2.4
13731.250000	47.97	---	68.20	20.23	500.0	100.0	V	0.0	3.3
15322.500000	48.60	---	68.20	19.60	500.0	200.0	V	0.0	5.7
15603.750000	---	38.13	54.00	15.87	500.0	100.0	V	162.0	6.5
17645.000000	52.66	---	68.20	15.54	500.0	200.0	V	209.0	10.2


## 802.11ax HE40 CH62



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.625000	41.01	---	68.20	27.19	500.0	100.0	H	346.0	-8.6
1385.875000	---	37.57	54.00	16.43	500.0	100.0	H	194.0	-7.7
1624.750000	---	31.98	54.00	22.02	500.0	100.0	V	256.0	-6.2
1959.875000	44.00	---	68.20	24.20	500.0	100.0	H	140.0	-4.7
2463.875000	48.86	---	68.20	19.34	500.0	100.0	H	253.0	-2.3
2805.125000	---	35.66	54.00	18.34	500.0	100.0	H	0.0	-1.2
3401.000000	49.52	---	68.20	18.68	500.0	200.0	H	244.0	1.3
3989.000000	---	38.95	54.00	15.05	500.0	200.0	H	170.0	3.2
5093.250000	---	39.77	54.00	14.23	500.0	200.0	H	151.0	5.1
5574.500000	51.35	---	68.20	16.85	500.0	200.0	H	88.0	5.6
7021.750000	52.88	---	68.20	15.32	500.0	100.0	H	117.0	7.0
7513.500000	---	40.97	54.00	13.03	500.0	100.0	H	126.0	7.0






### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8893.750000	43.84	---	68.20	24.36	500.0	100.0	H	260.0	-1.4
9135.000000	---	32.58	54.00	21.42	500.0	200.0	V	227.0	-1.2
9478.750000	---	33.99	54.00	20.01	500.0	200.0	H	348.0	0.0
9523.750000	45.57	---	68.20	22.63	500.0	200.0	V	129.0	-0.1
10541.250000	44.05	---	68.20	24.15	500.0	100.0	V	0.0	-0.9
10672.500000	---	33.60	54.00	20.40	500.0	100.0	V	26.0	-0.8
12607.500000	---	33.10	54.00	20.90	500.0	100.0	H	13.0	0.2
13346.250000	---	35.37	54.00	18.63	500.0	100.0	V	167.0	2.4
13598.750000	46.33	---	68.20	21.87	500.0	200.0	V	0.0	3.0
15138.750000	48.36	---	68.20	19.84	500.0	200.0	H	224.0	5.2
15600.000000	---	38.22	54.00	15.78	500.0	100.0	V	115.0	6.5
17611.250000	52.49	---	68.20	15.71	500.0	200.0	H	304.0	10.1

802.11ax HE40 CH102




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.500000	40.23	---	68.20	27.97	500.0	100.0	V	271.0	-8.4
1385.875000	---	37.76	54.00	16.24	500.0	100.0	H	307.0	-7.7
1624.750000	---	32.31	54.00	21.69	500.0	100.0	V	238.0	-6.2
1932.750000	43.76	---	68.20	24.44	500.0	200.0	H	117.0	-4.8
2593.375000	44.75	---	68.20	23.45	500.0	100.0	V	39.0	-2.0
2808.625000	---	35.51	54.00	18.49	500.0	100.0	H	307.0	-1.2
3458.750000	49.43	---	68.20	18.77	500.0	100.0	H	154.0	1.6
3987.250000	---	39.09	54.00	14.91	500.0	100.0	V	281.0	3.2
5456.375000	---	39.80	54.00	14.20	500.0	100.0	H	0.0	5.3
5466.875000	52.86	---	68.20	15.34	500.0	100.0	H	0.0	5.4
7011.250000	53.12	---	68.20	15.08	500.0	100.0	H	208.0	7.0
7429.500000	---	41.08	54.00	12.92	500.0	100.0	V	116.0	7.1




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8927.500000	44.46	---	68.20	23.74	500.0	200.0	H	335.0	-1.3
9143.750000	---	32.70	54.00	21.30	500.0	100.0	H	24.0	-1.1
9468.750000	---	34.13	54.00	19.87	500.0	100.0	H	183.0	-0.1
9562.500000	45.15	---	68.20	23.05	500.0	100.0	H	16.0	-0.4
10535.000000	44.31	---	68.20	23.89	500.0	100.0	V	95.0	-1.0
10670.000000	---	33.62	54.00	20.38	500.0	200.0	H	317.0	-0.8
12380.000000	---	32.96	54.00	21.04	500.0	200.0	V	0.0	0.4
13333.750000	---	34.99	54.00	19.01	500.0	200.0	H	309.0	2.3
13727.500000	47.57	---	68.20	20.63	500.0	100.0	H	261.0	3.3
15321.250000	48.43	---	68.20	19.77	500.0	100.0	V	103.0	5.7
15607.500000	---	38.21	54.00	15.80	500.0	200.0	H	300.0	6.5
17331.250000	53.12	---	68.20	15.08	500.0	200.0	V	182.0	9.5




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	40.77	---	68.20	27.43	500.0	200.0	V	63.0	-8.4
1385.875000	---	37.68	54.00	16.32	500.0	100.0	H	193.0	-7.7
1624.750000	---	32.24	54.00	21.76	500.0	100.0	V	243.0	-6.2
1826.000000	43.52	---	68.20	24.68	500.0	100.0	H	290.0	-5.3
2630.125000	46.30	---	68.20	21.90	500.0	200.0	V	238.0	-2.0
2765.750000	---	35.62	54.00	18.38	500.0	100.0	H	300.0	-1.5
3399.250000	49.09	---	68.20	19.11	500.0	200.0	H	335.0	1.3
3992.500000	---	38.82	54.00	15.18	500.0	200.0	V	8.0	3.2
5006.625000	---	36.64	54.00	17.36	500.0	100.0	V	229.0	4.4
5467.750000	50.78	---	68.20	17.42	500.0	200.0	V	73.0	5.4
6626.250000	53.36	---	68.20	14.84	500.0	200.0	H	285.0	6.6
7482.875000	---	40.77	54.00	13.23	500.0	200.0	H	0.0	6.9




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8936.250000	44.48	---	68.20	23.72	500.0	200.0	H	180.0	-1.3
9121.250000	---	32.51	54.00	21.49	500.0	200.0	H	126.0	-1.2
9485.000000	---	33.99	54.00	20.01	500.0	200.0	V	355.0	0.0
9600.000000	45.45	---	68.20	22.75	500.0	200.0	V	105.0	-0.7
10541.250000	44.55	---	68.20	23.65	500.0	200.0	V	79.0	-0.9
10668.750000	---	33.50	54.00	20.50	500.0	200.0	H	215.0	-0.8
12468.750000	---	32.42	54.00	21.58	500.0	200.0	H	316.0	0.3
13345.000000	---	35.14	54.00	18.86	500.0	100.0	V	0.0	2.3
13507.500000	46.41	---	68.20	21.79	500.0	200.0	H	47.0	2.7
15275.000000	49.06	---	68.20	19.14	500.0	200.0	V	96.0	5.6
15565.000000	---	38.10	54.00	15.90	500.0	100.0	V	300.0	6.4
17626.250000	52.58	---	68.20	15.62	500.0	200.0	V	18.0	10.2



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	41.21	---	68.20	26.99	500.0	200.0	H	209.0	-8.3
1385.875000	---	37.64	54.00	16.36	500.0	100.0	H	181.0	-7.7
1624.750000	---	31.68	54.00	22.32	500.0	100.0	V	243.0	-6.2
1962.500000	43.73	---	68.20	24.47	500.0	100.0	H	0.0	-4.7
2657.250000	46.55	---	68.20	21.65	500.0	100.0	V	322.0	-1.9
2768.375000	---	35.56	54.00	18.44	500.0	200.0	H	283.0	-1.4
3467.500000	49.46	---	68.20	18.74	500.0	200.0	V	235.0	1.6
3988.125000	---	39.04	54.00	14.96	500.0	200.0	H	116.0	3.2
5089.750000	---	39.47	54.00	14.53	500.0	100.0	V	247.0	5.1
5463.375000	51.34	---	68.20	16.86	500.0	200.0	H	273.0	5.3
7011.250000	53.04	---	68.20	15.16	500.0	200.0	V	17.0	7.0
7462.750000	---	40.85	54.00	13.15	500.0	200.0	H	0.0	7.0



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8936.250000	44.28	---	68.20	23.92	500.0	200.0	V	283.0	-1.3
9137.500000	---	32.75	54.00	21.25	500.0	200.0	H	171.0	-1.1
9467.500000	---	33.86	54.00	20.14	500.0	200.0	H	171.0	-0.1
9827.500000	45.30	---	68.20	22.90	500.0	200.0	H	355.0	-0.4
10530.000000	44.29	---	68.20	23.91	500.0	200.0	V	155.0	-1.0
10676.250000	---	33.49	54.00	20.51	500.0	100.0	H	172.0	-0.8
12308.750000	---	33.67	54.00	20.33	500.0	200.0	V	111.0	0.2
13337.500000	---	34.87	54.00	19.13	500.0	200.0	H	241.0	2.3
13723.750000	46.32	---	68.20	21.88	500.0	100.0	V	212.0	3.3
14921.250000	48.50	---	68.20	19.70	500.0	100.0	V	336.0	5.1
15602.500000	---	38.21	54.00	15.79	500.0	200.0	H	93.0	6.5
17556.250000	52.47	---	68.20	15.73	500.0	200.0	V	121.0	10.0


802.11ax HE40 CH142



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.625000	41.49	---	68.20	26.71	500.0	200.0	V	126.0	-8.5
1385.875000	---	37.64	54.00	16.36	500.0	100.0	H	199.0	-7.7
1624.750000	---	32.09	54.00	21.91	500.0	100.0	V	157.0	-6.2
1932.750000	43.43	---	68.20	24.77	500.0	200.0	H	192.0	-4.8
2548.750000	46.80	---	68.20	21.40	500.0	200.0	H	227.0	-2.1
2827.875000	---	35.57	54.00	18.43	500.0	100.0	V	0.0	-1.1
3324.000000	49.04	---	68.20	19.16	500.0	200.0	V	74.0	0.9
3990.750000	---	38.89	54.00	15.11	500.0	100.0	V	163.0	3.2
5094.125000	---	39.28	54.00	14.72	500.0	100.0	H	164.0	5.1
5212.250000	50.74	---	68.20	17.46	500.0	100.0	V	71.0	5.3
7005.125000	53.27	---	68.20	14.93	500.0	200.0	V	26.0	7.0
7432.125000	---	40.88	54.00	13.12	500.0	200.0	V	150.0	7.1






### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8753.750000	44.44	---	68.20	23.76	500.0	200.0	V	79.0	-1.7
9141.250000	---	32.72	54.00	21.28	500.0	100.0	H	36.0	-1.1
9477.500000	---	33.93	54.00	20.07	500.0	100.0	H	229.0	0.0
9611.250000	45.58	---	68.20	22.62	500.0	200.0	H	290.0	-0.7
10518.750000	43.99	---	68.20	24.21	500.0	100.0	H	11.0	-1.0
10706.250000	---	33.68	54.00	20.32	500.0	100.0	V	316.0	-0.8
12587.500000	---	33.03	54.00	20.97	500.0	200.0	H	317.0	0.2
13350.000000	---	35.20	54.00	18.80	500.0	200.0	V	62.0	2.4
13696.250000	46.71	---	68.20	21.49	500.0	200.0	V	150.0	3.2
14900.000000	48.11	---	68.20	20.09	500.0	200.0	H	273.0	5.0
15690.000000	---	37.98	54.00	16.02	500.0	100.0	V	247.0	6.6
17623.750000	53.13	---	68.20	15.07	500.0	100.0	V	351.0	10.2



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.000000	40.56	---	68.20	27.64	500.0	100.0	V	242.0	-8.6
1385.875000	---	37.08	54.00	16.92	500.0	100.0	H	114.0	-7.7
1624.750000	---	32.27	54.00	21.73	500.0	100.0	V	242.0	-6.2
1962.500000	43.61	---	68.20	24.59	500.0	100.0	V	300.0	-4.7
2651.125000	46.58	---	68.20	21.62	500.0	200.0	H	49.0	-2.0
2788.500000	---	35.37	54.00	18.63	500.0	200.0	H	159.0	-1.3
3443.875000	49.53	---	68.20	18.67	500.0	200.0	H	357.0	1.5
3991.625000	---	38.71	54.00	15.29	500.0	100.0	H	75.0	3.2
5116.875000	---	39.38	54.00	14.62	500.0	200.0	H	247.0	5.1
5586.750000	50.96	---	68.20	17.24	500.0	100.0	V	63.0	5.6
6526.500000	52.96	---	68.20	15.24	500.0	200.0	V	239.0	6.4
7481.125000	---	40.88	54.00	13.12	500.0	100.0	V	280.0	6.9



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8951.250000	44.40	---	68.20	23.80	500.0	200.0	H	251.0	-1.3
9140.000000	---	32.67	54.00	21.33	500.0	200.0	V	21.0	-1.1
9450.000000	---	34.06	54.00	19.94	500.0	200.0	H	180.0	-0.3
9560.000000	45.39	---	68.20	22.81	500.0	100.0	H	91.0	-0.4
10505.000000	44.68	---	68.20	23.52	500.0	200.0	H	94.0	-1.0
10650.000000	---	33.49	54.00	20.51	500.0	100.0	V	38.0	-0.8
13346.250000	---	34.97	54.00	19.03	500.0	200.0	H	251.0	2.4
13698.750000	46.53	---	68.20	21.67	500.0	200.0	H	225.0	3.2
14871.250000	48.47	---	68.20	19.73	500.0	100.0	H	349.0	5.0
15606.250000	---	38.11	54.00	15.89	500.0	200.0	V	21.0	6.5
17397.500000	53.30	---	68.20	14.90	500.0	200.0	V	164.0	9.7
17896.250000	---	41.40	54.00	12.60	500.0	100.0	V	243.0	10.1

802.11ax HE40 CH159



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.750000	40.27	---	68.20	27.93	500.0	200.0	V	39.0	-8.3
1385.875000	---	37.47	54.00	16.53	500.0	100.0	H	193.0	-7.7
1624.750000	---	32.29	54.00	21.71	500.0	100.0	V	243.0	-6.2
1987.000000	42.78	---	68.20	25.42	500.0	200.0	V	63.0	-4.6
2620.500000	52.86	---	68.20	15.34	500.0	100.0	H	72.0	-2.0
2810.375000	---	35.43	54.00	18.57	500.0	200.0	V	96.0	-1.2
3444.750000	49.05	---	68.20	19.15	500.0	200.0	V	116.0	1.5
3985.500000	---	38.98	54.00	15.02	500.0	200.0	V	34.0	3.2
5450.250000	---	39.36	54.00	14.64	500.0	200.0	H	352.0	5.2
5571.000000	51.41	---	68.20	16.79	500.0	200.0	V	86.0	5.5
7008.625000	53.43	---	68.20	14.77	500.0	200.0	V	189.0	7.0
7370.875000	---	40.68	54.00	13.32	500.0	200.0	H	169.0	7.1



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8951.250000	43.81	---	68.20	24.39	500.0	100.0	H	307.0	-1.3
9142.500000	---	32.63	54.00	21.37	500.0	200.0	H	244.0	-1.1
9477.500000	---	34.05	54.00	19.95	500.0	200.0	V	143.0	0.0
10097.500000	45.11	---	68.20	23.09	500.0	100.0	H	73.0	-0.9
10486.250000	44.74	---	68.20	23.46	500.0	100.0	H	81.0	-1.0
10655.000000	---	33.87	54.00	20.13	500.0	200.0	V	125.0	-0.8
12530.000000	---	32.48	54.00	21.52	500.0	100.0	H	11.0	0.2
13341.250000	---	34.92	54.00	19.08	500.0	200.0	V	231.0	2.3
13710.000000	46.71	---	68.20	21.49	500.0	200.0	V	74.0	3.2
14848.750000	48.30	---	68.20	19.90	500.0	100.0	V	342.0	4.9
15590.000000	---	38.21	54.00	15.79	500.0	200.0	V	294.0	6.5
17566.250000	52.79	---	68.20	15.41	500.0	200.0	V	343.0	10.0

802.11ax HE80 CH42



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.375000	40.91	---	68.20	27.29	1000.0	200.0	V	252.0	-8.3
1385.875000	---	34.51	54.00	19.49	1000.0	200.0	V	252.0	-7.7
1624.750000	---	31.66	54.00	22.34	1000.0	100.0	V	136.0	-6.2
1988.750000	44.70	---	68.20	23.50	1000.0	100.0	V	340.0	-4.6
2501.500000	47.53	---	68.20	20.67	1000.0	100.0	V	276.0	-2.1
2825.250000	---	34.84	54.00	19.16	1000.0	200.0	V	201.0	-1.2
3485.000000	49.45	---	68.20	18.75	1000.0	200.0	H	300.0	1.7
3986.375000	---	38.26	54.00	15.74	1000.0	200.0	V	30.0	3.2
5118.625000	---	40.37	54.00	13.63	1000.0	100.0	H	172.0	5.1
5585.875000	51.09	---	68.20	17.11	1000.0	200.0	V	107.0	5.6
7041.875000	52.90	---	68.20	15.30	1000.0	100.0	V	297.0	6.9
7308.750000	---	40.33	54.00	13.67	1000.0	200.0	V	201.0	7.0



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8943.750000	44.45	---	68.20	23.75	500.0	100.0	H	339.0	-1.3
9145.000000	---	32.76	54.00	21.24	500.0	200.0	H	0.0	-1.1
9446.250000	---	33.95	54.00	20.05	500.0	100.0	H	151.0	-0.4
9611.250000	45.69	---	68.20	22.51	500.0	200.0	H	54.0	-0.7
10500.000000	44.15	---	68.20	24.05	500.0	100.0	V	16.0	-1.0
10683.750000	---	33.67	54.00	20.33	500.0	200.0	V	14.0	-0.8
12610.000000	---	32.89	54.00	21.11	500.0	200.0	H	163.0	0.2
13362.500000	---	34.92	54.00	19.08	500.0	100.0	H	23.0	2.4
13680.000000	46.22	---	68.20	21.98	500.0	100.0	V	234.0	3.1
15275.000000	48.85	---	68.20	19.35	500.0	100.0	H	177.0	5.6
15605.000000	---	38.02	54.00	15.98	500.0	200.0	V	120.0	6.5
17638.750000	53.63	---	68.20	14.57	500.0	200.0	H	20.0	10.2


## 802.11ax HE80 CH58



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	40.51	---	68.20	27.69	1000.0	100.0	H	123.0	-8.2
1385.875000	---	34.39	54.00	19.61	1000.0	200.0	V	300.0	-7.7
1624.750000	---	31.50	54.00	22.50	1000.0	100.0	V	125.0	-6.2
1933.625000	43.37	---	68.20	24.83	1000.0	200.0	V	359.0	-4.8
2635.375000	46.02	---	68.20	22.18	1000.0	100.0	H	34.0	-2.0
2789.375000	---	34.80	54.00	19.20	1000.0	100.0	H	26.0	-1.3
3399.250000	49.76	---	68.20	18.44	1000.0	100.0	V	140.0	1.3
3990.750000	---	38.41	54.00	15.59	1000.0	200.0	H	215.0	3.2
5354.875000	---	39.57	54.00	14.43	1000.0	100.0	H	212.0	5.2
5558.750000	50.57	---	68.20	17.63	1000.0	200.0	H	296.0	5.4
6782.000000	53.87	---	68.20	14.33	1000.0	100.0	V	104.0	6.7
7266.750000	---	40.38	54.00	13.62	1000.0	200.0	H	237.0	7.1






### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8963.750000	44.40	---	68.20	23.80	500.0	100.0	H	231.0	-1.3
9147.500000	---	32.67	54.00	21.33	500.0	100.0	V	353.0	-1.1
9461.250000	---	33.97	54.00	20.03	500.0	100.0	V	114.0	-0.2
9532.500000	45.46	---	68.20	22.74	500.0	200.0	V	0.0	-0.2
10543.750000	44.07	---	68.20	24.13	500.0	200.0	V	227.0	-0.9
10653.750000	---	33.72	54.00	20.28	500.0	200.0	V	157.0	-0.8
13341.250000	---	34.91	54.00	19.09	500.0	100.0	H	53.0	2.3
13490.000000	47.15	---	68.20	21.05	500.0	100.0	V	82.0	2.7
14676.250000	48.78	---	68.20	19.42	500.0	200.0	V	103.0	4.9
15652.500000	---	38.09	54.00	15.91	500.0	100.0	H	342.0	6.5
17610.000000	52.65	---	68.20	15.55	500.0	100.0	V	0.0	10.1
17717.500000	---	41.32	54.00	12.68	500.0	200.0	V	338.0	10.3

802.11ax HE80 CH106



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.69	---	68.20	27.51	1000.0	100.0	V	168.0	-8.2
1385.875000	---	34.45	54.00	19.55	1000.0	200.0	V	251.0	-7.7
1624.750000	---	31.68	54.00	22.32	1000.0	100.0	V	132.0	-6.2
1954.625000	43.77	---	68.20	24.43	1000.0	200.0	V	244.0	-4.7
2598.625000	46.38	---	68.20	21.82	1000.0	100.0	H	312.0	-2.0
2768.375000	---	34.87	54.00	19.13	1000.0	100.0	V	328.0	-1.4
3478.875000	49.11	---	68.20	19.09	1000.0	200.0	H	260.0	1.7
3985.500000	---	38.23	54.00	15.77	1000.0	200.0	V	18.0	3.2
5454.625000	---	40.99	54.00	13.01	1000.0	100.0	H	208.0	5.3
5464.250000	51.32	---	68.20	16.88	1000.0	200.0	H	209.0	5.3
6632.375000	52.95	---	68.20	15.25	1000.0	100.0	H	150.0	6.6
7452.250000	---	40.27	54.00	13.73	1000.0	100.0	V	277.0	7.0



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8715.000000	44.39	---	68.20	23.81	500.0	200.0	H	89.0	-1.6
9138.750000	---	32.85	54.00	21.15	500.0	100.0	H	131.0	-1.1
9423.750000	---	34.15	54.00	19.85	500.0	200.0	H	236.0	-0.6
9833.750000	45.32	---	68.20	22.88	500.0	100.0	H	235.0	-0.4
10531.250000	44.26	---	68.20	23.94	500.0	100.0	H	7.0	-1.0
10637.500000	---	33.72	54.00	20.28	500.0	100.0	H	296.0	-0.8
12507.500000	---	32.47	54.00	21.53	500.0	200.0	H	227.0	0.3
13376.250000	---	34.90	54.00	19.10	500.0	100.0	V	0.0	2.4
13696.250000	46.54	---	68.20	21.66	500.0	100.0	H	131.0	3.2
15303.750000	48.69	---	68.20	19.51	500.0	100.0	H	140.0	5.6
15627.500000	---	38.04	54.00	15.96	500.0	200.0	V	27.0	6.5
17336.250000	52.36	---	68.20	15.84	500.0	200.0	H	71.0	9.5

## 802.11ax HE40 CH138



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	41.07	---	68.20	27.13	1000.0	100.0	V	340.0	-8.2
1385.875000	---	34.49	54.00	19.51	1000.0	200.0	V	251.0	-7.7
1624.750000	---	31.38	54.00	22.62	1000.0	100.0	V	135.0	-6.2
1906.500000	43.67	---	68.20	24.53	1000.0	100.0	H	214.0	-5.0
2444.625000	46.21	---	68.20	21.99	1000.0	200.0	V	199.0	-2.4
2499.750000	---	34.79	54.00	19.21	1000.0	100.0	V	121.0	-2.1
3541.000000	49.39	---	68.20	18.81	1000.0	100.0	H	54.0	1.7
3989.000000	---	38.19	54.00	15.81	1000.0	100.0	H	294.0	3.2
4436.125000	50.59	---	68.20	17.61	1000.0	200.0	V	326.0	3.5
5082.750000	---	38.81	54.00	15.19	1000.0	200.0	V	51.0	5.1
6670.000000	53.30	---	68.20	14.90	1000.0	200.0	H	0.0	6.6
7487.250000	---	40.23	54.00	13.77	1000.0	200.0	H	220.0	6.9



### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8972.500000	44.37	---	68.20	23.83	500.0	200.0	V	114.0	-1.3
9150.000000	---	32.75	54.00	21.25	500.0	200.0	H	223.0	-1.1
9465.000000	---	34.02	54.00	19.98	500.0	100.0	H	260.0	-0.1
9517.500000	45.32	---	68.20	22.88	500.0	100.0	H	138.0	-0.1
10548.750000	44.67	---	68.20	23.53	500.0	200.0	V	185.0	-0.9
10686.250000	---	33.52	54.00	20.48	500.0	100.0	V	287.0	-0.8
12466.250000	---	32.53	54.00	21.47	500.0	100.0	H	138.0	0.3
13305.000000	---	34.88	54.00	19.12	500.0	100.0	H	190.0	2.3
13727.500000	46.88	---	68.20	21.32	500.0	100.0	V	0.0	3.3
15327.500000	48.78	---	68.20	19.42	500.0	200.0	V	352.0	5.7
15603.750000	---	38.02	54.00	15.98	500.0	100.0	H	348.0	6.5
17687.500000	53.19	---	68.20	15.01	500.0	100.0	V	181.0	10.3

## 802.11ax HE80 CH155



### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1251.125000	40.98	---	68.20	27.22	1000.0	100.0	V	132.0	-8.6
1385.875000	---	34.73	54.00	19.27	1000.0	200.0	V	293.0	-7.7
1624.750000	---	31.51	54.00	22.49	1000.0	100.0	V	147.0	-6.2
1954.625000	44.24	---	68.20	23.96	1000.0	100.0	V	206.0	-4.7
2624.875000	46.20	---	68.20	22.00	1000.0	100.0	H	335.0	-2.0
2790.250000	---	34.75	54.00	19.25	1000.0	200.0	H	25.0	-1.3
3441.250000	49.41	---	68.20	18.79	1000.0	100.0	V	15.0	1.5
3990.750000	---	38.38	54.00	15.62	1000.0	200.0	V	190.0	3.2
5123.000000	---	38.51	54.00	15.49	1000.0	200.0	V	70.0	5.1
5561.375000	51.19	---	68.20	17.01	1000.0	100.0	H	70.0	5.5
6588.625000	53.03	---	68.20	15.17	1000.0	200.0	V	161.0	6.6
7419.875000	---	40.22	54.00	13.78	1000.0	200.0	V	197.0	7.2




### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8945.000000	44.03	---	68.20	24.17	500.0	100.0	H	98.0	-1.3
9147.500000	---	32.90	54.00	21.10	500.0	100.0	H	215.0	-1.1
9473.750000	---	34.09	54.00	19.91	500.0	200.0	H	274.0	0.0
9642.500000	44.84	---	68.20	23.36	500.0	100.0	V	232.0	-0.5
10556.250000	43.85	---	68.20	24.35	500.0	100.0	H	323.0	-0.9
10651.250000	---	33.63	54.00	20.37	500.0	200.0	H	108.0	-0.8
12627.500000	---	33.04	54.00	20.96	500.0	100.0	H	169.0	0.2
13346.250000	---	34.92	54.00	19.08	500.0	100.0	V	303.0	2.4
13481.250000	46.73	---	68.20	21.47	500.0	200.0	V	184.0	2.6
15236.250000	48.14	---	68.20	20.06	500.0	200.0	H	231.0	5.5
15576.250000	---	38.13	54.00	15.87	500.0	100.0	H	0.0	6.4
17286.250000	52.95	---	68.20	15.25	500.0	200.0	V	12.0	9.4


# TB Mode

802.11ax HE20 CH36



## Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.07	54.00	17.93	500.00	200.0	H	345.00	-5
1279.13	44.00	---	68.20	24.20	500.00	200.0	H	327.00	-4
1599.38	---	35.22	54.00	18.78	500.00	200.0	H	318.00	-2
1838.25	43.45	---	68.20	24.75	500.00	200.0	H	341.00	-1
1999.25	45.96	---	68.20	22.24	500.00	200.0	H	356.00	0
2223.25	---	34.18	54.00	19.82	500.00	200.0	H	335.00	1
2582.00	47.50	---	68.20	20.70	500.00	200.0	V	236.00	2
2799.88	---	37.19	54.00	16.81	500.00	200.0	V	25.00	3
3061.50	47.52	---	68.20	20.68	500.00	200.0	H	126.00	3
4000.38	---	51.24	54.00	2.76	500.00	200.0	V	1.00	6
4472.00	50.34	---	68.20	17.86	500.00	200.0	V	161.00	7
4801.00	---	40.08	54.00	13.92	500.00	200.0	H	298.00	8




## Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8185.00	---	37.86	54.00	16.14	500.00	200.0	H	35.00	7
8798.75	49.96	---	68.20	18.24	500.00	200.0	V	104.00	7
9303.75	---	37.69	54.00	16.31	500.00	200.0	V	158.00	7
10025.00	51.72	---	68.20	16.48	500.00	200.0	H	274.00	8
10581.25	50.49	---	68.20	17.71	500.00	200.0	H	287.00	8
11631.25	---	39.80	54.00	14.20	500.00	200.0	V	0.00	9
12001.25	---	39.30	54.00	14.70	500.00	200.0	V	19.00	9
13488.75	50.91	---	68.20	17.29	500.00	200.0	H	209.00	10
14410.00	53.29	---	68.20	14.91	500.00	200.0	V	1.00	11
14487.50	---	40.47	54.00	13.53	500.00	200.0	V	1.00	11
14946.25	50.69	---	68.20	17.51	500.00	200.0	V	104.00	11
15685.00	---	39.06	54.00	14.94	500.00	200.0	H	287.00	9




802.11ax HE20 CH52



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.28	54.00	17.72	500.00	100.0	H	0.00	-5
1252.00	44.03	---	68.20	24.17	500.00	100.0	V	2.00	-4
1599.38	---	35.20	54.00	18.80	500.00	200.0	H	332.00	-2
1999.25	45.48	---	68.20	22.72	500.00	200.0	V	190.00	0
2121.75	45.75	---	68.20	22.45	500.00	100.0	H	144.00	0
2280.13	---	34.59	54.00	19.41	500.00	200.0	H	131.00	1
2602.13	47.83	---	68.20	20.37	500.00	100.0	V	15.00	2
2799.88	---	37.27	54.00	16.73	500.00	100.0	V	0.00	3
4000.38	---	50.97	54.00	3.03	500.00	200.0	V	0.00	6
4448.38	50.30	---	68.20	17.90	500.00	200.0	V	115.00	7
4825.50	---	40.72	54.00	13.28	500.00	200.0	H	0.00	8
5637.50	54.30	---	68.20	13.90	500.00	200.0	H	168.00	11



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8211.25	---	38.07	54.00	15.93	500.00	200.0	V	6.00	7
8698.75	49.40	---	68.20	18.80	500.00	200.0	V	0.00	7
9305.00	---	37.71	54.00	16.29	500.00	200.0	V	166.00	7
10415.00	51.27	---	68.20	16.93	500.00	200.0	H	6.00	8
10560.00	50.45	---	68.20	17.75	500.00	200.0	V	1.00	8
11346.25	---	39.88	54.00	14.12	500.00	200.0	H	256.00	9
12692.50	---	39.04	54.00	14.96	500.00	200.0	V	271.00	9
13490.00	51.07	---	68.20	17.13	500.00	200.0	V	246.00	10
13908.75	52.87	---	68.20	15.33	500.00	200.0	V	50.00	11
14488.75	---	40.53	54.00	13.47	500.00	200.0	H	177.00	11
15047.50	51.35	---	68.20	16.85	500.00	200.0	V	9.00	10
15703.75	---	39.53	54.00	14.47	500.00	200.0	H	138.00	9

802.11ax HE20 CH100



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.30	54.00	17.70	500.00	100.0	H	315.00	-5
1279.13	43.76	---	68.20	24.44	500.00	100.0	H	332.00	-4
1599.38	---	34.83	54.00	19.17	500.00	200.0	H	315.00	-2
1999.25	45.63	---	68.20	22.58	500.00	100.0	V	216.00	0
2218.00	---	34.28	54.00	19.72	500.00	200.0	H	305.00	1
2563.63	48.20	---	68.20	20.00	500.00	100.0	V	280.00	3
2799.88	---	37.51	54.00	16.49	500.00	100.0	V	12.00	3
3105.25	47.53	---	68.20	20.67	500.00	200.0	V	178.00	3
4000.38	---	51.11	54.00	2.89	500.00	100.0	V	4.00	6
4465.88	50.42	---	68.20	17.78	500.00	200.0	V	0.00	7
4807.13	---	40.39	54.00	13.61	500.00	200.0	H	315.00	8
5466.88	55.79	---	68.20	12.41	500.00	200.0	H	31.00	10



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8206.25	---	37.87	54.00	16.13	500.00	200.0	V	7.00	7
8725.00	49.68	---	68.20	18.52	500.00	200.0	V	0.00	7
9302.50	---	37.71	54.00	16.29	500.00	200.0	V	20.00	7
9996.25	50.49	---	68.20	17.71	500.00	200.0	H	352.00	8
10590.00	50.71	---	68.20	17.49	500.00	200.0	H	62.00	8
11340.00	---	39.62	54.00	14.38	500.00	200.0	H	245.00	9
13336.25	---	39.28	54.00	14.72	500.00	200.0	V	173.00	9
13661.25	51.34	---	68.20	16.86	500.00	200.0	H	127.00	10
13921.25	53.32	---	68.20	14.88	500.00	200.0	H	359.00	11
14487.50	---	40.61	54.00	13.39	500.00	200.0	H	35.00	11
15076.25	51.17	---	68.20	17.03	500.00	200.0	H	359.00	10
15725.00	---	39.38	54.00	14.62	500.00	200.0	V	0.00	9

802.11ax HE20 CH149



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.15	54.00	17.85	500.00	100.0	H	326.00	-5
1266.88	43.29	---	68.20	24.91	500.00	100.0	V	0.00	-4
1599.38	---	35.12	54.00	18.88	500.00	200.0	H	316.00	-2
1936.25	45.40	---	68.20	22.80	500.00	200.0	V	349.00	0
2295.00	---	34.58	54.00	19.42	500.00	100.0	H	254.00	1
2569.75	48.25	---	68.20	19.95	500.00	100.0	H	352.00	3
2827.00	---	36.70	54.00	17.30	500.00	100.0	V	5.00	3
3025.63	47.87	---	68.20	20.33	500.00	200.0	V	330.00	3
4000.38	---	51.00	54.00	3.00	500.00	200.0	V	2.00	6
4452.75	51.70	---	68.20	16.50	500.00	100.0	H	356.00	7
4714.38	---	40.31	54.00	13.69	500.00	100.0	V	20.00	8
5189.50	53.88	---	68.20	14.32	500.00	200.0	H	106.00	10



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	38.01	54.00	15.99	500.00	200.0	H	359.00	7
8687.50	49.38	---	68.20	18.82	500.00	200.0	V	12.00	7
9308.75	---	37.95	54.00	16.05	500.00	200.0	V	88.00	7
10372.50	51.13	---	68.20	17.07	500.00	200.0	H	336.00	8
10563.75	50.41	---	68.20	17.79	500.00	200.0	H	1.00	8
11707.50	---	39.92	54.00	14.08	500.00	200.0	V	338.00	9
13335.00	---	39.44	54.00	14.56	500.00	200.0	V	1.00	9
13731.25	50.90	---	68.20	17.30	500.00	200.0	V	100.00	10
14487.50	---	40.72	54.00	13.28	500.00	200.0	H	259.00	11
14602.50	53.03	---	68.20	15.17	500.00	200.0	V	6.00	11
15081.25	51.99	---	68.20	16.21	500.00	200.0	H	230.00	10
15686.25	---	39.56	54.00	14.44	500.00	200.0	H	178.00	9

802.11ax HE40 CH38




### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	35.79	54.00	18.21	500.00	100.0	H	354.00	-5
1249.38	43.90	---	68.20	24.30	500.00	100.0	H	32.00	-4
1599.38	---	35.03	54.00	18.97	500.00	200.0	H	323.00	-2
1999.25	46.78	---	68.20	21.42	500.00	200.0	V	190.00	0
2686.13	47.52	---	68.20	20.68	500.00	100.0	V	90.00	2
2799.88	---	37.28	54.00	16.72	500.00	200.0	V	15.00	3
3121.00	47.68	---	68.20	20.52	500.00	100.0	V	10.00	4
3756.25	---	38.94	54.00	15.06	500.00	100.0	H	0.00	5
4000.38	---	51.23	54.00	2.77	500.00	200.0	V	2.00	6
4461.50	50.18	---	68.20	18.02	500.00	100.0	H	292.00	7
4754.63	---	40.17	54.00	13.83	500.00	200.0	H	358.00	8
5586.75	53.85	---	68.20	14.35	500.00	200.0	H	313.00	10




### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8247.50	---	37.83	54.00	16.17	500.00	200.0	V	1.00	6
8772.50	49.43	---	68.20	18.77	500.00	200.0	H	99.00	7
9301.25	---	37.62	54.00	16.38	500.00	200.0	H	0.00	7
9926.25	50.64	---	68.20	17.56	500.00	200.0	V	338.00	8
10558.75	51.67	---	68.20	16.53	500.00	200.0	H	330.00	8
12000.00	---	39.91	54.00	14.09	500.00	200.0	V	18.00	9
13333.75	---	39.41	54.00	14.59	500.00	200.0	V	6.00	9
13677.50	51.28	---	68.20	16.92	500.00	200.0	H	312.00	10
13983.75	52.95	---	68.20	15.25	500.00	200.0	V	114.00	11
14485.00	---	40.56	54.00	13.44	500.00	200.0	V	89.00	11
15082.50	52.07	---	68.20	16.13	500.00	200.0	H	73.00	10
15725.00	---	39.46	54.00	14.54	500.00	200.0	H	262.00	9



### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	35.95	54.00	18.05	500.00	100.0	H	334.00	-5
1279.13	42.98	---	68.20	25.22	500.00	100.0	H	357.00	-4
1599.38	---	35.57	54.00	18.43	500.00	200.0	H	319.00	-2
1999.25	46.14	---	68.20	22.06	500.00	100.0	V	188.00	0
2224.13	---	34.24	54.00	19.76	500.00	100.0	H	319.00	1
2448.13	47.80	---	68.20	20.40	500.00	200.0	H	358.00	2
2799.88	---	36.87	54.00	17.13	500.00	100.0	V	2.00	3
3065.88	48.21	---	68.20	19.99	500.00	1000.0	H	357.00	3
4000.38	---	51.04	54.00	2.96	500.00	200.0	V	1.00	6
4447.50	50.71	---	68.20	17.49	500.00	200.0	H	46.00	7
4694.25	---	40.37	54.00	13.63	500.00	200.0	H	0.00	8
5635.75	54.39	---	68.20	13.81	500.00	200.0	V	1.00	11




### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8191.25	---	37.94	54.00	16.06	500.00	200.0	H	6.00	7
8825.00	49.28	---	68.20	18.92	500.00	200.0	V	164.00	6
9302.50	---	37.76	54.00	16.24	500.00	200.0	V	2.00	7
10000.00	51.35	---	68.20	16.85	500.00	200.0	V	0.00	8
10560.00	50.36	---	68.20	17.84	500.00	200.0	H	343.00	8
11335.00	---	39.78	54.00	14.22	500.00	200.0	H	247.00	9
13096.25	48.44	---	68.20	19.76	500.00	200.0	V	113.00	9
13341.25	---	39.54	54.00	14.46	500.00	200.0	H	0.00	9
13640.00	51.14	---	68.20	17.06	500.00	200.0	V	188.00	10
14488.75	---	40.48	54.00	13.52	500.00	200.0	H	358.00	11
15073.75	53.04	---	68.20	15.16	500.00	200.0	H	234.00	10
15738.75	---	39.58	54.00	14.42	500.00	200.0	V	3.00	9




802.11ax HE40 CH102



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.30	54.00	17.70	500.00	100.0	H	333.00	-5
1246.75	43.53	---	68.20	24.67	500.00	100.0	V	179.00	-4
1599.38	---	35.57	54.00	18.43	500.00	200.0	H	325.00	-2
1999.25	46.26	---	68.20	21.94	500.00	200.0	V	179.00	0
2246.88	---	34.65	54.00	19.35	500.00	100.0	H	259.00	1
2582.88	48.32	---	68.20	19.88	500.00	200.0	V	0.00	2
2799.88	---	37.32	54.00	16.68	500.00	100.0	V	0.00	3
3116.63	48.21	---	68.20	19.99	500.00	100.0	V	29.00	3
4000.38	---	51.19	54.00	2.81	500.00	200.0	V	0.00	6
4436.13	50.24	---	68.20	17.96	500.00	200.0	H	356.00	7
4811.50	---	40.60	54.00	13.40	500.00	200.0	H	356.00	8
5329.50	53.08	---	68.20	15.12	500.00	200.0	V	156.00	10



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8267.50	---	37.79	54.00	16.21	500.00	200.0	V	58.00	6
8916.25	49.78	---	68.20	18.42	500.00	200.0	V	96.00	6
9308.75	---	37.77	54.00	16.23	500.00	200.0	H	198.00	7
10001.25	50.96	---	68.20	17.24	500.00	200.0	V	0.00	8
10593.75	50.44	---	68.20	17.76	500.00	200.0	H	344.00	8
11630.00	---	40.02	54.00	13.98	500.00	200.0	V	1.00	9
13333.75	---	39.57	54.00	14.43	500.00	200.0	H	68.00	9
13576.25	51.16	---	68.20	17.04	500.00	200.0	H	0.00	10
14490.00	---	40.83	54.00	13.17	500.00	200.0	V	0.00	11
14588.75	53.36	---	68.20	14.84	500.00	200.0	V	189.00	11
15067.50	51.37	---	68.20	16.83	500.00	200.0	H	119.00	10
15726.25	---	39.44	54.00	14.56	500.00	200.0	V	8.00	9

802.11ax HE40 CH151



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.29	54.00	17.71	500.00	100.0	H	312.00	-5
1280.00	43.41	---	68.20	24.79	500.00	100.0	H	358.00	-4
1599.38	---	35.02	54.00	18.98	500.00	200.0	H	322.00	-2
1999.25	45.52	---	68.20	22.68	500.00	200.0	V	213.00	0
2218.88	---	34.47	54.00	19.53	500.00	100.0	V	347.00	1
2561.88	47.61	---	68.20	20.59	500.00	200.0	H	347.00	3
2799.88	---	37.02	54.00	16.98	500.00	100.0	V	0.00	3
3071.13	48.28	---	68.20	19.92	500.00	100.0	V	0.00	3
4000.38	---	51.02	54.00	2.98	500.00	100.0	V	354.00	6
4447.50	51.02	---	68.20	17.18	500.00	200.0	V	164.00	7
4942.75	---	40.73	54.00	13.27	500.00	100.0	H	202.00	9
5644.50	54.24	---	68.20	13.96	500.00	200.0	H	354.00	11



### Final Result


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8205.00	---	37.94	54.00	16.06	500.00	200.0	V	269.00	7
8688.75	49.98	---	68.20	18.22	500.00	200.0	V	172.00	7
9303.75	---	37.99	54.00	16.01	500.00	200.0	H	355.00	7
9998.75	51.29	---	68.20	16.91	500.00	200.0	V	358.00	8
10596.25	52.09	---	68.20	16.11	500.00	200.0	V	92.00	8
12000.00	---	40.39	54.00	13.61	500.00	200.0	V	14.00	9
13335.00	---	39.32	54.00	14.68	500.00	200.0	V	67.00	9
13678.75	50.96	---	68.20	17.24	500.00	200.0	H	355.00	10
14417.50	53.16	---	68.20	15.04	500.00	200.0	V	212.00	11
14470.00	---	40.88	54.00	13.12	500.00	200.0	H	247.00	11
15112.50	51.39	---	68.20	16.81	500.00	200.0	V	55.00	10
15703.75	---	40.37	54.00	13.63	500.00	200.0	V	336.00	9

802.11ax HE80 CH42



### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	35.57	54.00	18.43	500.00	100.0	H	308.00	-5
1279.13	43.99	---	68.20	24.21	500.00	100.0	V	2.00	-4
1599.38	---	35.42	54.00	18.58	500.00	200.0	H	327.00	-2
1981.75	46.01	---	68.20	22.19	500.00	200.0	V	13.00	0
2365.88	---	35.04	54.00	18.96	500.00	100.0	H	184.00	1
2517.25	47.17	---	68.20	21.03	500.00	200.0	H	327.00	2
2799.88	---	37.69	54.00	16.31	500.00	200.0	V	59.00	3
3055.38	47.69	---	68.20	20.51	500.00	100.0	H	0.00	3
4000.38	---	51.06	54.00	2.94	500.00	200.0	V	0.00	6
4449.25	50.64	---	68.20	17.56	500.00	200.0	V	247.00	7
4790.50	---	40.27	54.00	13.73	500.00	200.0	H	0.00	8
5655.00	54.42	---	68.20	13.78	500.00	100.0	V	18.00	11




### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8186.25	---	38.18	54.00	15.82	500.00	200.0	H	358.00	7
8667.50	50.75	---	68.20	17.45	500.00	200.0	H	352.00	7
9300.00	---	37.86	54.00	16.14	500.00	200.0	H	354.00	7
9998.75	51.46	---	68.20	16.74	500.00	200.0	V	1.00	8
10506.25	50.73	---	68.20	17.47	500.00	200.0	H	0.00	8
12000.00	---	39.99	54.00	14.01	500.00	200.0	V	16.00	9
13335.00	---	39.67	54.00	14.33	500.00	200.0	V	298.00	9
13726.25	51.71	---	68.20	16.49	500.00	200.0	V	2.00	10
14487.50	---	41.12	54.00	12.88	500.00	200.0	H	337.00	11
14615.00	53.33	---	68.20	14.87	500.00	200.0	H	249.00	11
15073.75	52.06	---	68.20	16.14	500.00	200.0	H	356.00	10
15708.75	---	39.86	54.00	14.14	500.00	200.0	H	343.00	9




802.11ax HE80 CH58




### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.65	54.00	17.35	500.00	100.0	H	339.00	-5
1264.25	43.65	---	68.20	24.55	500.00	100.0	H	112.00	-4
1599.38	---	35.04	54.00	18.96	500.00	200.0	H	324.00	-2
1999.25	46.42	---	68.20	21.78	500.00	100.0	H	0.00	0
2249.50	---	34.68	54.00	19.32	500.00	200.0	H	0.00	1
2654.63	47.56	---	68.20	20.64	500.00	100.0	H	359.00	2
2799.88	---	37.60	54.00	16.40	500.00	200.0	V	276.00	3
2977.50	47.93	---	68.20	20.27	500.00	200.0	V	2.00	3
4000.38	---	50.87	54.00	3.13	500.00	200.0	V	4.00	6
4488.63	50.94	---	68.20	17.26	500.00	100.0	H	196.00	7
4836.88	---	40.42	54.00	13.58	500.00	100.0	H	316.00	9
5520.25	53.78	---	68.20	14.42	500.00	200.0	V	152.00	10



### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	38.07	54.00	15.93	500.00	200.0	H	352.00	7
8652.50	49.76	---	68.20	18.44	500.00	200.0	H	102.00	7
9308.75	---	38.03	54.00	15.97	500.00	200.0	V	153.00	7
10007.50	50.92	---	68.20	17.28	500.00	200.0	V	1.00	8
10591.25	50.38	---	68.20	17.82	500.00	200.0	V	99.00	8
11998.75	---	40.25	54.00	13.75	500.00	200.0	V	18.00	9
13336.25	---	39.77	54.00	14.23	500.00	200.0	H	264.00	9
13732.50	51.71	---	68.20	16.49	500.00	200.0	V	140.00	10
14411.25	53.93	---	68.20	14.27	500.00	200.0	V	12.00	11
14497.50	---	41.27	54.00	12.73	500.00	200.0	V	126.00	11
15026.25	51.33	---	68.20	16.87	500.00	200.0	V	300.00	10
15672.50	---	39.53	54.00	14.47	500.00	200.0	V	51.00	9



### Final Result

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	36.23	54.00	17.77	500.00	100.0	H	322.00	-5
1249.38	43.35	---	68.20	24.85	500.00	100.0	V	203.00	-4
1599.38	---	34.91	54.00	19.09	500.00	200.0	H	322.00	-2
1981.75	45.62	---	68.20	22.58	500.00	100.0	V	105.00	0
2250.38	---	34.94	54.00	19.06	500.00	200.0	H	160.00	1
2563.63	47.62	---	68.20	20.58	500.00	100.0	H	135.00	3
2799.88	---	37.61	54.00	16.39	500.00	200.0	V	80.00	3
3164.75	48.60	---	68.20	19.60	500.00	100.0	H	358.00	4
4000.38	---	50.99	54.00	3.01	500.00	200.0	V	0.00	6
4452.75	50.11	---	68.20	18.09	500.00	100.0	V	8.00	7
4693.38	---	40.19	54.00	13.81	500.00	200.0	H	254.00	8
5225.38	54.22	---	68.20	13.98	500.00	200.0	H	135.00	10