

**NR Band 38\_Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4060	49.79	-48.11	29.40	-64.18	-25.00	39.18	Horizontal
2	5142	62.33	-47.85	31.60	-49.18	-25.00	24.18	Horizontal
3	7716.27	48.24	-45.16	36.36	-55.82	-25.00	30.82	Horizontal
4	10288.36	48.07	-41.26	39.00	-49.45	-25.00	24.45	Horizontal
5	12860.45	49.27	-39.38	38.88	-46.48	-25.00	21.48	Horizontal
6	15432.54	51.58	-37.50	39.42	-41.76	-25.00	16.76	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3644	51.13	-48.38	28.73	-63.78	-25.00	38.78	Vertical
2	5142.5	71.23	-47.85	31.60	-40.28	-25.00	15.28	Vertical
3	7716.27	48.31	-45.16	36.36	-55.75	-25.00	30.75	Vertical
4	10288.36	47.84	-41.26	39.00	-49.68	-25.00	24.68	Vertical
5	12860.45	49.18	-39.38	38.88	-46.57	-25.00	21.57	Vertical
6	15432.54	51.01	-37.50	39.42	-42.33	-25.00	17.33	Vertical

**NR Band 38\_Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4047	49.84	-48.12	29.38	-64.17	-25.00	39.17	Horizontal
2	5152.5	62.26	-47.86	31.63	-49.23	-25.00	24.23	Horizontal
3	7731.27	47.93	-45.12	36.35	-56.09	-25.00	31.09	Horizontal
4	10308.36	47.28	-41.16	39.02	-50.12	-25.00	25.12	Horizontal
5	12885.45	50.08	-39.41	38.87	-45.72	-25.00	20.72	Horizontal
6	15462.54	51.14	-37.76	39.37	-42.51	-25.00	17.51	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3660.5	51.18	-48.42	28.76	-63.74	-25.00	38.74	Vertical
2	5164.18	50.26	-47.87	31.66	-61.20	-25.00	36.20	Vertical
3	7746.27	48.09	-45.07	36.35	-55.89	-25.00	30.89	Vertical
4	10328.36	47.91	-41.18	39.03	-49.50	-25.00	24.50	Vertical
5	12910.45	48.50	-39.43	38.85	-47.33	-25.00	22.33	Vertical
6	15492.54	51.93	-38.01	39.31	-42.03	-25.00	17.03	Vertical

**NR Band 38\_High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3641.5	51.66	-48.38	28.73	-63.25	-25.00	38.25	Horizontal
2	5162	61.51	-47.86	31.65	-49.96	-25.00	24.96	Horizontal
3	7746.27	47.73	-45.07	36.35	-56.25	-25.00	31.25	Horizontal
4	10328.36	47.73	-41.18	39.03	-49.68	-25.00	24.68	Horizontal
5	12910.45	49.38	-39.43	38.85	-46.45	-25.00	21.45	Horizontal
6	15492.54	50.86	-38.01	39.31	-43.10	-25.00	18.10	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3685	51.25	-48.48	28.80	-63.69	-25.00	38.69	Vertical
2	5162.5	65.68	-47.86	31.66	-45.79	-25.00	20.79	Vertical
3	7746.27	47.61	-45.07	36.35	-56.37	-25.00	31.37	Vertical
4	10328.36	48.54	-41.18	39.03	-48.87	-25.00	23.87	Vertical
5	12910.45	49.10	-39.43	38.85	-46.73	-25.00	21.73	Vertical
6	15492.54	51.34	-38.01	39.31	-42.62	-25.00	17.62	Vertical

**NR Band 7\_Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.18	49.03	-48.01	31.21	-63.03	-25.00	38.03	Horizontal
2	7503.27	48.83	-46.11	36.40	-56.14	-25.00	31.14	Horizontal
3	10004.36	46.85	-41.71	38.80	-51.31	-25.00	26.31	Horizontal
4	12505.45	48.57	-39.84	39.10	-47.43	-25.00	22.43	Horizontal
5	15006.54	48.86	-38.03	40.19	-44.24	-25.00	19.24	Horizontal
6	17507.63	50.25	-36.82	41.85	-39.98	-25.00	14.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.18	48.42	-48.01	31.21	-63.64	-25.00	38.64	Vertical
2	7503.27	48.75	-46.11	36.40	-56.22	-25.00	31.22	Vertical
3	10004.36	47.48	-41.71	38.80	-50.68	-25.00	25.68	Vertical
4	12505.45	48.82	-39.84	39.10	-47.18	-25.00	22.18	Vertical
5	15006.54	48.76	-38.03	40.19	-44.34	-25.00	19.34	Vertical
6	17507.63	49.57	-36.82	41.85	-40.66	-25.00	15.66	Vertical

**NR Band 7\_Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052.18	49.50	-47.91	31.35	-62.32	-25.00	37.32	Horizontal
2	7578.27	47.73	-44.91	36.38	-56.06	-25.00	31.06	Horizontal
3	10104.36	48.73	-41.88	38.87	-49.54	-25.00	24.54	Horizontal
4	12630.45	49.46	-39.08	39.02	-45.85	-25.00	20.85	Horizontal
5	15156.54	49.62	-37.42	39.92	-43.15	-25.00	18.15	Horizontal
6	17682.63	49.96	-37.64	42.90	-40.05	-25.00	15.05	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052.18	49.00	-47.91	31.35	-62.82	-25.00	37.82	Vertical
2	7578.27	48.38	-44.91	36.38	-55.41	-25.00	30.41	Vertical
3	10104.36	47.90	-41.88	38.87	-50.37	-25.00	25.37	Vertical
4	12630.45	48.67	-39.08	39.02	-46.64	-25.00	21.64	Vertical
5	15156.54	48.86	-37.42	39.92	-43.91	-25.00	18.91	Vertical
6	17682.63	50.02	-37.64	42.90	-39.99	-25.00	14.99	Vertical

**NR Band 7\_High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5102.18	49.93	-47.82	31.49	-61.66	-25.00	36.66	Horizontal
2	7653.27	48.32	-44.91	36.37	-55.48	-25.00	30.48	Horizontal
3	10204.36	47.47	-42.10	38.94	-50.94	-25.00	25.94	Horizontal
4	12755.45	49.37	-39.29	38.95	-46.23	-25.00	21.23	Horizontal
5	15306.54	50.77	-37.87	39.65	-42.71	-25.00	17.71	Horizontal
6	17857.63	49.99	-36.85	43.95	-38.17	-25.00	13.17	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5102.18	49.31	-47.82	31.49	-62.28	-25.00	37.28	Vertical
2	7653.27	48.11	-44.91	36.37	-55.69	-25.00	30.69	Vertical
3	10204.36	47.40	-42.10	38.94	-51.01	-25.00	26.01	Vertical
4	12755.45	48.97	-39.29	38.95	-46.63	-25.00	21.63	Vertical
5	15306.54	50.27	-37.87	39.65	-43.21	-25.00	18.21	Vertical
6	17857.63	50.61	-36.85	43.95	-37.55	-25.00	12.55	Vertical

**NR Band 41\_Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.5	50.75	-48.34	28.90	-63.95	-25.00	38.95	Horizontal
2	4994	60.40	-48.01	31.19	-51.68	-25.00	26.68	Horizontal
3	6498	50.61	-46.99	34.69	-56.95	-25.00	31.95	Horizontal
4	8000.5	50.08	-44.30	36.30	-53.18	-25.00	28.18	Horizontal
5	12383.5	50.70	-39.59	39.17	-44.98	-25.00	19.98	Horizontal
6	17378.5	52.39	-37.34	41.07	-39.14	-25.00	14.14	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3603.5	50.69	-48.29	28.67	-64.19	-25.00	39.19	Vertical
2	4994	70.62	-48.01	31.19	-41.46	-25.00	16.46	Vertical
3	6432.5	50.28	-46.95	34.44	-57.49	-25.00	32.49	Vertical
4	10081.5	49.97	-41.84	38.86	-48.27	-25.00	23.27	Vertical
5	13693	49.63	-38.05	39.84	-43.84	-25.00	18.84	Vertical
6	17312.5	52.62	-37.26	40.68	-39.23	-25.00	14.23	Vertical

**NR Band 41\_Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5096.16	48.83	-47.83	31.47	-62.79	-25.00	37.79	Horizontal
2	7644.24	48.02	-44.85	36.37	-55.72	-25.00	30.72	Horizontal
3	10192.32	47.76	-42.12	38.93	-50.69	-25.00	25.69	Horizontal
4	12740.4	49.58	-39.28	38.96	-46.01	-25.00	21.01	Horizontal
5	15288.48	49.70	-37.77	39.68	-43.65	-25.00	18.65	Horizontal
6	17836.56	49.52	-37.06	43.82	-38.98	-25.00	13.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5096.16	49.05	-47.83	31.47	-62.57	-25.00	37.57	Vertical
2	7644.24	48.20	-44.85	36.37	-55.54	-25.00	30.54	Vertical
3	10192.32	47.50	-42.12	38.93	-50.95	-25.00	25.95	Vertical
4	12740.4	48.84	-39.28	38.96	-46.75	-25.00	21.75	Vertical
5	15288.48	50.14	-37.77	39.68	-43.21	-25.00	18.21	Vertical
6	17836.56	50.34	-37.06	43.82	-38.16	-25.00	13.16	Vertical



**NR Band 41\_High**

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4115.5	49.63	-48.11	29.48	-64.25	-25.00	39.25	Horizontal
2	5190.18	51.12	-47.88	31.73	-60.29	-25.00	35.29	Horizontal
3	7785.27	47.02	-44.95	36.34	-56.85	-25.00	31.85	Horizontal
4	10380.36	47.69	-41.22	39.07	-49.73	-25.00	24.73	Horizontal
5	12975.45	48.60	-39.40	38.81	-47.25	-25.00	22.25	Horizontal
6	15570.54	50.89	-37.75	39.17	-42.95	-25.00	17.95	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3798	50.00	-48.19	28.98	-64.47	-25.00	39.47	Vertical
2	5190.18	50.28	-47.88	31.73	-61.13	-25.00	36.13	Vertical
3	7785.27	47.02	-44.95	36.34	-56.85	-25.00	31.85	Vertical
4	10380.36	47.34	-41.22	39.07	-50.08	-25.00	25.08	Vertical
5	12975.45	49.40	-39.40	38.81	-46.45	-25.00	21.45	Vertical
6	15570.54	50.86	-37.75	39.17	-42.98	-25.00	17.98	Vertical

**NR Band 66\_Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	55.55	-48.38	28.44	-59.66	-13.00	46.66	Horizontal
2	5132.625	51.73	-47.84	31.57	-59.80	-13.00	46.80	Horizontal
3	6844.36	41.71	-46.82	35.25	-65.12	-13.00	52.12	Horizontal
4	8555.45	38.65	-44.11	36.91	-63.81	-13.00	50.81	Horizontal
5	10266.54	37.68	-41.48	38.99	-60.07	-13.00	47.07	Horizontal
6	11977.63	34.37	-39.55	39.40	-61.03	-13.00	48.03	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	64.12	-48.38	28.44	-51.09	-13.00	38.09	Vertical
2	5132.25	57.36	-47.84	31.57	-54.17	-13.00	41.17	Vertical
3	6843	50.09	-46.82	35.25	-56.74	-13.00	43.74	Vertical
4	8554.125	46.15	-44.11	36.91	-56.31	-13.00	43.31	Vertical
5	10266.54	36.67	-41.48	38.99	-61.08	-13.00	48.08	Vertical
6	11977.63	34.74	-39.55	39.40	-60.66	-13.00	47.66	Vertical

**NR Band 66\_ Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.18	43.01	-48.32	28.48	-72.10	-13.00	59.10	Horizontal
2	5208.27	44.50	-47.88	31.78	-66.86	-13.00	53.86	Horizontal
3	6944.36	41.78	-46.67	35.41	-64.74	-13.00	51.74	Horizontal
4	8680.45	37.94	-44.09	37.05	-64.36	-13.00	51.36	Horizontal
5	10416.54	37.33	-41.14	39.09	-59.98	-13.00	46.98	Horizontal
6	12152.63	32.99	-39.73	39.31	-62.69	-13.00	49.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB $\mu$ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.18	42.42	-48.32	28.48	-72.69	-13.00	59.69	Vertical
2	5208.27	42.52	-47.88	31.78	-68.84	-13.00	55.84	Vertical
3	6944.36	40.98	-46.67	35.41	-65.54	-13.00	52.54	Vertical
4	8680.45	38.37	-44.09	37.05	-63.93	-13.00	50.93	Vertical
5	10416.54	36.44	-41.14	39.09	-60.87	-13.00	47.87	Vertical
6	12152.63	34.18	-39.73	39.31	-61.50	-13.00	48.50	Vertical

**NR Band 66\_High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.18	42.11	-48.29	28.54	-72.90	-13.00	59.90	Horizontal
2	5283.27	44.34	-47.80	31.99	-66.72	-13.00	53.72	Horizontal
3	7044.36	42.35	-46.26	35.58	-63.59	-13.00	50.59	Horizontal
4	8805.45	38.67	-43.99	37.19	-63.40	-13.00	50.40	Horizontal
5	10566.54	35.68	-41.05	39.20	-61.43	-13.00	48.43	Horizontal
6	12327.63	34.62	-39.68	39.20	-61.12	-13.00	48.12	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.18	42.84	-48.29	28.54	-72.17	-13.00	59.17	Vertical
2	5283.27	43.03	-47.80	31.99	-68.03	-13.00	55.03	Vertical
3	7044.36	41.54	-46.26	35.58	-64.40	-13.00	51.40	Vertical
4	8805.45	38.70	-43.99	37.19	-63.37	-13.00	50.37	Vertical
5	10566.54	35.83	-41.05	39.20	-61.28	-13.00	48.28	Vertical
6	12327.63	34.44	-39.68	39.20	-61.30	-13.00	48.30	Vertical