

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_S_10M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3555	Outer_Full	23.35	/	/	17.23	/	/	<=23	Pass
		Inner_Full	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Left	23.91	/	/	17.79	/	/	<=23	Pass
		Inner_1RB_Right	24.14	/	/	18.02	/	/	<=23	Pass
	3624.99	Outer_Full	23.51	/	/	17.39	/	/	<=23	Pass
		Inner_Full	24.13	/	/	18.01	/	/	<=23	Pass
		Inner_1RB_Left	24.05	/	/	17.93	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
	3694.98	Outer_Full	23.47	/	/	17.35	/	/	<=23	Pass
		Inner_Full	24.03	/	/	17.91	/	/	<=23	Pass
		Inner_1RB_Left	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Right	24.12	/	/	18.00	/	/	<=23	Pass
DFT-s-OFDM QPSK	3555	Outer_Full	22.87	/	/	16.75	/	/	<=23	Pass
		Inner_Full	23.96	/	/	17.84	/	/	<=23	Pass
		Inner_1RB_Left	23.91	/	/	17.79	/	/	<=23	Pass
		Inner_1RB_Right	24.09	/	/	17.97	/	/	<=23	Pass
	3624.99	Outer_Full	23.02	/	/	16.90	/	/	<=23	Pass
		Inner_Full	24.08	/	/	17.96	/	/	<=23	Pass
		Inner_1RB_Left	24.12	/	/	18.00	/	/	<=23	Pass
		Inner_1RB_Right	24.12	/	/	18.00	/	/	<=23	Pass
	3694.98	Outer_Full	22.98	/	/	16.86	/	/	<=23	Pass
		Inner_Full	24.07	/	/	17.95	/	/	<=23	Pass
		Inner_1RB_Left	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Right	24.12	/	/	18.00	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3555	Outer_Full	21.93	/	/	15.81	/	/	<=23	Pass
		Inner_Full	22.89	/	/	16.77	/	/	<=23	Pass
		Inner_1RB_Left	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_1RB_Right	23.12	/	/	17.00	/	/	<=23	Pass
	3624.99	Outer_Full	22.05	/	/	15.93	/	/	<=23	Pass
		Inner_Full	23.08	/	/	16.96	/	/	<=23	Pass
		Inner_1RB_Left	23.14	/	/	17.02	/	/	<=23	Pass
		Inner_1RB_Right	23.09	/	/	16.97	/	/	<=23	Pass
	3694.98	Outer_Full	21.94	/	/	15.82	/	/	<=23	Pass
		Inner_Full	23.02	/	/	16.90	/	/	<=23	Pass
		Inner_1RB_Left	22.86	/	/	16.74	/	/	<=23	Pass
		Inner_1RB_Right	23.07	/	/	16.95	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3555	Outer_Full	21.98	/	/	15.86	/	/	<=23	Pass
		Inner_Full	21.87	/	/	15.75	/	/	<=23	Pass
		Inner_1RB_Left	21.88	/	/	15.76	/	/	<=23	Pass
		Inner_1RB_Right	22.05	/	/	15.93	/	/	<=23	Pass
	3624.99	Outer_Full	22.11	/	/	15.99	/	/	<=23	Pass
		Inner_Full	22.04	/	/	15.92	/	/	<=23	Pass
		Inner_1RB_Left	22.09	/	/	15.97	/	/	<=23	Pass
		Inner_1RB_Right	22.04	/	/	15.92	/	/	<=23	Pass
	3694.98	Outer_Full	22.08	/	/	15.96	/	/	<=23	Pass
		Inner_Full	21.96	/	/	15.84	/	/	<=23	Pass
		Inner_1RB_Left	21.92	/	/	15.80	/	/	<=23	Pass
		Inner_1RB_Right	22.14	/	/	16.02	/	/	<=23	Pass
DFT-s-OFDM 256	3555	Outer_Full	19.86	/	/	13.74	/	/	<=23	Pass

QAM		Inner_Full	19.85	/	/	13.73	/	/	<=23	Pass
		Inner_1RB_Left	19.83	/	/	13.71	/	/	<=23	Pass
		Inner_1RB_Right	19.91	/	/	13.79	/	/	<=23	Pass
	3624.99	Outer_Full	20.01	/	/	13.89	/	/	<=23	Pass
		Inner_Full	19.95	/	/	13.83	/	/	<=23	Pass
		Inner_1RB_Left	19.96	/	/	13.84	/	/	<=23	Pass
		Inner_1RB_Right	19.94	/	/	13.82	/	/	<=23	Pass
	3694.98	Outer_Full	19.93	/	/	13.81	/	/	<=23	Pass
		Inner_Full	19.92	/	/	13.80	/	/	<=23	Pass
		Inner_1RB_Left	19.74	/	/	13.62	/	/	<=23	Pass
		Inner_1RB_Right	19.93	/	/	13.81	/	/	<=23	Pass
CP-OFDM QPSK	3555	Outer_Full	21.54	/	/	15.42	/	/	<=23	Pass
		Inner_Full	22.98	/	/	16.86	/	/	<=23	Pass
		Inner_1RB_Left	23.07	/	/	16.95	/	/	<=23	Pass
		Inner_1RB_Right	23.19	/	/	17.07	/	/	<=23	Pass
	3624.99	Outer_Full	21.65	/	/	15.53	/	/	<=23	Pass
		Inner_Full	23.12	/	/	17.00	/	/	<=23	Pass
		Inner_1RB_Left	23.17	/	/	17.05	/	/	<=23	Pass
		Inner_1RB_Right	23.16	/	/	17.04	/	/	<=23	Pass
	3694.98	Outer_Full	21.48	/	/	15.36	/	/	<=23	Pass
		Inner_Full	23.07	/	/	16.95	/	/	<=23	Pass
		Inner_1RB_Left	22.98	/	/	16.86	/	/	<=23	Pass
		Inner_1RB_Right	23.22	/	/	17.10	/	/	<=23	Pass
CP-OFDM 16 QAM	3555	Outer_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_Full	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_1RB_Left	22.58	/	/	16.46	/	/	<=23	Pass
		Inner_1RB_Right	22.74	/	/	16.62	/	/	<=23	Pass
	3624.99	Outer_Full	21.67	/	/	15.55	/	/	<=23	Pass
		Inner_Full	22.65	/	/	16.53	/	/	<=23	Pass
		Inner_1RB_Left	22.74	/	/	16.62	/	/	<=23	Pass
		Inner_1RB_Right	22.62	/	/	16.50	/	/	<=23	Pass
	3694.98	Outer_Full	21.52	/	/	15.40	/	/	<=23	Pass
		Inner_Full	22.60	/	/	16.48	/	/	<=23	Pass
		Inner_1RB_Left	22.59	/	/	16.47	/	/	<=23	Pass
		Inner_1RB_Right	22.74	/	/	16.62	/	/	<=23	Pass
CP-OFDM 64 QAM	3555	Outer_Full	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_Full	20.97	/	/	14.85	/	/	<=23	Pass
		Inner_1RB_Left	21.05	/	/	14.93	/	/	<=23	Pass
		Inner_1RB_Right	21.23	/	/	15.11	/	/	<=23	Pass
	3624.99	Outer_Full	21.06	/	/	14.94	/	/	<=23	Pass
		Inner_Full	21.09	/	/	14.97	/	/	<=23	Pass
		Inner_1RB_Left	21.22	/	/	15.10	/	/	<=23	Pass
		Inner_1RB_Right	21.25	/	/	15.13	/	/	<=23	Pass
	3694.98	Outer_Full	20.97	/	/	14.85	/	/	<=23	Pass
		Inner_Full	20.97	/	/	14.85	/	/	<=23	Pass
		Inner_1RB_Left	21.09	/	/	14.97	/	/	<=23	Pass
		Inner_1RB_Right	21.28	/	/	15.16	/	/	<=23	Pass
CP-OFDM 256 QAM	3555	Outer_Full	17.90	/	/	11.78	/	/	<=23	Pass
		Inner_Full	17.93	/	/	11.81	/	/	<=23	Pass
		Inner_1RB_Left	17.85	/	/	11.73	/	/	<=23	Pass
		Inner_1RB_Right	17.99	/	/	11.87	/	/	<=23	Pass
	3624.99	Outer_Full	17.97	/	/	11.85	/	/	<=23	Pass
		Inner_Full	18.01	/	/	11.89	/	/	<=23	Pass
		Inner_1RB_Left	18.01	/	/	11.89	/	/	<=23	Pass
		Inner_1RB_Right	18.02	/	/	11.90	/	/	<=23	Pass
	3694.98	Outer_Full	17.95	/	/	11.83	/	/	<=23	Pass
		Inner_Full	17.91	/	/	11.79	/	/	<=23	Pass
		Inner_1RB_Left	17.84	/	/	11.72	/	/	<=23	Pass
		Inner_1RB_Right	18.00	/	/	11.88	/	/	<=23	Pass

Note1: Antenna Gain: Ant1: -6.12dBi;
 Note2: EIRP=Conducted Power+Antenna Gain

1.1.2 30_S_15M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3557.52	Outer_Full	23.29	/	/	17.17	/	/	<=23	Pass
		Inner_Full	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Left	23.86	/	/	17.74	/	/	<=23	Pass
		Inner_1RB_Right	23.98	/	/	17.86	/	/	<=23	Pass
	3624.99	Outer_Full	23.44	/	/	17.32	/	/	<=23	Pass
		Inner_Full	24.01	/	/	17.89	/	/	<=23	Pass
		Inner_1RB_Left	24.15	/	/	18.03	/	/	<=23	Pass
		Inner_1RB_Right	23.93	/	/	17.81	/	/	<=23	Pass
	3692.49	Outer_Full	23.35	/	/	17.23	/	/	<=23	Pass
		Inner_Full	23.83	/	/	17.71	/	/	<=23	Pass
		Inner_1RB_Left	23.84	/	/	17.72	/	/	<=23	Pass
		Inner_1RB_Right	24.01	/	/	17.89	/	/	<=23	Pass
DFT-s-OFDM QPSK	3557.52	Outer_Full	22.76	/	/	16.64	/	/	<=23	Pass
		Inner_Full	23.98	/	/	17.86	/	/	<=23	Pass
		Inner_1RB_Left	23.89	/	/	17.77	/	/	<=23	Pass
		Inner_1RB_Right	23.99	/	/	17.87	/	/	<=23	Pass
	3624.99	Outer_Full	23.03	/	/	16.91	/	/	<=23	Pass
		Inner_Full	24.07	/	/	17.95	/	/	<=23	Pass
		Inner_1RB_Left	24.08	/	/	17.96	/	/	<=23	Pass
		Inner_1RB_Right	23.92	/	/	17.80	/	/	<=23	Pass
	3692.49	Outer_Full	22.75	/	/	16.63	/	/	<=23	Pass
		Inner_Full	23.78	/	/	17.66	/	/	<=23	Pass
		Inner_1RB_Left	23.78	/	/	17.66	/	/	<=23	Pass
		Inner_1RB_Right	24.00	/	/	17.88	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3557.52	Outer_Full	21.80	/	/	15.68	/	/	<=23	Pass
		Inner_Full	22.76	/	/	16.64	/	/	<=23	Pass
		Inner_1RB_Left	22.89	/	/	16.77	/	/	<=23	Pass
		Inner_1RB_Right	22.96	/	/	16.84	/	/	<=23	Pass
	3624.99	Outer_Full	21.92	/	/	15.80	/	/	<=23	Pass
		Inner_Full	22.87	/	/	16.75	/	/	<=23	Pass
		Inner_1RB_Left	22.99	/	/	16.87	/	/	<=23	Pass
		Inner_1RB_Right	22.96	/	/	16.84	/	/	<=23	Pass
	3692.49	Outer_Full	21.75	/	/	15.63	/	/	<=23	Pass
		Inner_Full	22.72	/	/	16.60	/	/	<=23	Pass
		Inner_1RB_Left	22.75	/	/	16.63	/	/	<=23	Pass
		Inner_1RB_Right	23.03	/	/	16.91	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3557.52	Outer_Full	21.31	/	/	15.19	/	/	<=23	Pass
		Inner_Full	21.30	/	/	15.18	/	/	<=23	Pass
		Inner_1RB_Left	21.30	/	/	15.18	/	/	<=23	Pass
		Inner_1RB_Right	21.48	/	/	15.36	/	/	<=23	Pass
	3624.99	Outer_Full	21.42	/	/	15.30	/	/	<=23	Pass
		Inner_Full	21.52	/	/	15.40	/	/	<=23	Pass
		Inner_1RB_Left	21.53	/	/	15.41	/	/	<=23	Pass
		Inner_1RB_Right	21.40	/	/	15.28	/	/	<=23	Pass
	3692.49	Outer_Full	21.20	/	/	15.08	/	/	<=23	Pass
		Inner_Full	21.21	/	/	15.09	/	/	<=23	Pass
		Inner_1RB_Left	21.27	/	/	15.15	/	/	<=23	Pass
		Inner_1RB_Right	21.46	/	/	15.34	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3557.52	Outer_Full	19.87	/	/	13.75	/	/	<=23	Pass
		Inner_Full	19.89	/	/	13.77	/	/	<=23	Pass

		Inner_1RB_Left	19.80	/	/	13.68	/	/	<=23	Pass
		Inner_1RB_Right	19.88	/	/	13.76	/	/	<=23	Pass
	3624.99	Outer_Full	19.99	/	/	13.87	/	/	<=23	Pass
		Inner_Full	20.00	/	/	13.88	/	/	<=23	Pass
		Inner_1RB_Left	19.91	/	/	13.79	/	/	<=23	Pass
		Inner_1RB_Right	19.94	/	/	13.82	/	/	<=23	Pass
	3692.49	Outer_Full	19.82	/	/	13.70	/	/	<=23	Pass
		Inner_Full	19.75	/	/	13.63	/	/	<=23	Pass
		Inner_1RB_Left	19.63	/	/	13.51	/	/	<=23	Pass
		Inner_1RB_Right	19.80	/	/	13.68	/	/	<=23	Pass
CP-OFDM QPSK	3557.52	Outer_Full	21.41	/	/	15.29	/	/	<=23	Pass
		Inner_Full	23.10	/	/	16.98	/	/	<=23	Pass
		Inner_1RB_Left	23.00	/	/	16.88	/	/	<=23	Pass
		Inner_1RB_Right	23.17	/	/	17.05	/	/	<=23	Pass
	3624.99	Outer_Full	21.71	/	/	15.59	/	/	<=23	Pass
		Inner_Full	23.26	/	/	17.14	/	/	<=23	Pass
		Inner_1RB_Left	23.23	/	/	17.11	/	/	<=23	Pass
		Inner_1RB_Right	23.14	/	/	17.02	/	/	<=23	Pass
	3692.49	Outer_Full	21.34	/	/	15.22	/	/	<=23	Pass
		Inner_Full	23.07	/	/	16.95	/	/	<=23	Pass
		Inner_1RB_Left	22.93	/	/	16.81	/	/	<=23	Pass
		Inner_1RB_Right	23.07	/	/	16.95	/	/	<=23	Pass
CP-OFDM 16 QAM	3557.52	Outer_Full	21.54	/	/	15.42	/	/	<=23	Pass
		Inner_Full	22.57	/	/	16.45	/	/	<=23	Pass
		Inner_1RB_Left	22.64	/	/	16.52	/	/	<=23	Pass
		Inner_1RB_Right	22.72	/	/	16.60	/	/	<=23	Pass
	3624.99	Outer_Full	21.63	/	/	15.51	/	/	<=23	Pass
		Inner_Full	22.69	/	/	16.57	/	/	<=23	Pass
		Inner_1RB_Left	22.74	/	/	16.62	/	/	<=23	Pass
		Inner_1RB_Right	22.67	/	/	16.55	/	/	<=23	Pass
	3692.49	Outer_Full	21.36	/	/	15.24	/	/	<=23	Pass
		Inner_Full	22.53	/	/	16.41	/	/	<=23	Pass
		Inner_1RB_Left	22.50	/	/	16.38	/	/	<=23	Pass
		Inner_1RB_Right	22.62	/	/	16.50	/	/	<=23	Pass
CP-OFDM 64 QAM	3557.52	Outer_Full	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_Full	20.98	/	/	14.86	/	/	<=23	Pass
		Inner_1RB_Left	21.14	/	/	15.02	/	/	<=23	Pass
		Inner_1RB_Right	21.23	/	/	15.11	/	/	<=23	Pass
	3624.99	Outer_Full	21.00	/	/	14.88	/	/	<=23	Pass
		Inner_Full	21.13	/	/	15.01	/	/	<=23	Pass
		Inner_1RB_Left	21.25	/	/	15.13	/	/	<=23	Pass
		Inner_1RB_Right	21.16	/	/	15.04	/	/	<=23	Pass
	3692.49	Outer_Full	20.86	/	/	14.74	/	/	<=23	Pass
		Inner_Full	20.84	/	/	14.72	/	/	<=23	Pass
		Inner_1RB_Left	21.00	/	/	14.88	/	/	<=23	Pass
		Inner_1RB_Right	21.15	/	/	15.03	/	/	<=23	Pass
CP-OFDM 256 QAM	3557.52	Outer_Full	17.88	/	/	11.76	/	/	<=23	Pass
		Inner_Full	17.93	/	/	11.81	/	/	<=23	Pass
		Inner_1RB_Left	17.82	/	/	11.70	/	/	<=23	Pass
		Inner_1RB_Right	17.93	/	/	11.81	/	/	<=23	Pass
	3624.99	Outer_Full	18.14	/	/	12.02	/	/	<=23	Pass
		Inner_Full	18.14	/	/	12.02	/	/	<=23	Pass
		Inner_1RB_Left	18.04	/	/	11.92	/	/	<=23	Pass
		Inner_1RB_Right	18.03	/	/	11.91	/	/	<=23	Pass
	3692.49	Outer_Full	17.85	/	/	11.73	/	/	<=23	Pass
		Inner_Full	17.85	/	/	11.73	/	/	<=23	Pass
		Inner_1RB_Left	17.77	/	/	11.65	/	/	<=23	Pass
		Inner_1RB_Right	17.94	/	/	11.82	/	/	<=23	Pass

Note1: Antenna Gain: Ant1: -6.12dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.3 30_S_20M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	23.51	/	/	17.39	/	/	<=23	Pass
		Inner_Full	24.03	/	/	17.91	/	/	<=23	Pass
		Inner_1RB_Left	23.94	/	/	17.82	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
	3624.99	Outer_Full	23.63	/	/	17.51	/	/	<=23	Pass
		Inner_Full	24.12	/	/	18.00	/	/	<=23	Pass
		Inner_1RB_Left	24.15	/	/	18.03	/	/	<=23	Pass
		Inner_1RB_Right	23.94	/	/	17.82	/	/	<=23	Pass
	3690	Outer_Full	23.46	/	/	17.34	/	/	<=23	Pass
		Inner_Full	23.85	/	/	17.73	/	/	<=23	Pass
		Inner_1RB_Left	23.83	/	/	17.71	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	23.06	/	/	16.94	/	/	<=23	Pass
		Inner_Full	23.99	/	/	17.87	/	/	<=23	Pass
		Inner_1RB_Left	23.83	/	/	17.71	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
	3624.99	Outer_Full	23.00	/	/	16.88	/	/	<=23	Pass
		Inner_Full	24.07	/	/	17.95	/	/	<=23	Pass
		Inner_1RB_Left	24.13	/	/	18.01	/	/	<=23	Pass
		Inner_1RB_Right	24.06	/	/	17.94	/	/	<=23	Pass
	3690	Outer_Full	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_Full	23.85	/	/	17.73	/	/	<=23	Pass
		Inner_1RB_Left	23.84	/	/	17.72	/	/	<=23	Pass
		Inner_1RB_Right	24.02	/	/	17.90	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3560.01	Outer_Full	21.96	/	/	15.84	/	/	<=23	Pass
		Inner_Full	22.96	/	/	16.84	/	/	<=23	Pass
		Inner_1RB_Left	22.81	/	/	16.69	/	/	<=23	Pass
		Inner_1RB_Right	23.00	/	/	16.88	/	/	<=23	Pass
	3624.99	Outer_Full	22.09	/	/	15.97	/	/	<=23	Pass
		Inner_Full	23.10	/	/	16.98	/	/	<=23	Pass
		Inner_1RB_Left	23.06	/	/	16.94	/	/	<=23	Pass
		Inner_1RB_Right	22.97	/	/	16.85	/	/	<=23	Pass
	3690	Outer_Full	21.80	/	/	15.68	/	/	<=23	Pass
		Inner_Full	22.81	/	/	16.69	/	/	<=23	Pass
		Inner_1RB_Left	22.64	/	/	16.52	/	/	<=23	Pass
		Inner_1RB_Right	22.90	/	/	16.78	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3560.01	Outer_Full	21.43	/	/	15.31	/	/	<=23	Pass
		Inner_Full	21.43	/	/	15.31	/	/	<=23	Pass
		Inner_1RB_Left	21.29	/	/	15.17	/	/	<=23	Pass
		Inner_1RB_Right	21.44	/	/	15.32	/	/	<=23	Pass
	3624.99	Outer_Full	21.58	/	/	15.46	/	/	<=23	Pass
		Inner_Full	21.61	/	/	15.49	/	/	<=23	Pass
		Inner_1RB_Left	21.50	/	/	15.38	/	/	<=23	Pass
		Inner_1RB_Right	21.42	/	/	15.30	/	/	<=23	Pass
	3690	Outer_Full	21.28	/	/	15.16	/	/	<=23	Pass
		Inner_Full	21.27	/	/	15.15	/	/	<=23	Pass
		Inner_1RB_Left	21.20	/	/	15.08	/	/	<=23	Pass
		Inner_1RB_Right	21.38	/	/	15.26	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3560.01	Outer_Full	19.93	/	/	13.81	/	/	<=23	Pass
		Inner_Full	19.90	/	/	13.78	/	/	<=23	Pass

		Inner_1RB_Left	19.80	/	/	13.68	/	/	<=23	Pass
		Inner_1RB_Right	19.90	/	/	13.78	/	/	<=23	Pass
	3624.99	Outer_Full	20.11	/	/	13.99	/	/	<=23	Pass
		Inner_Full	19.97	/	/	13.85	/	/	<=23	Pass
		Inner_1RB_Left	20.01	/	/	13.89	/	/	<=23	Pass
		Inner_1RB_Right	19.92	/	/	13.80	/	/	<=23	Pass
	3690	Outer_Full	19.82	/	/	13.70	/	/	<=23	Pass
		Inner_Full	19.74	/	/	13.62	/	/	<=23	Pass
		Inner_1RB_Left	19.58	/	/	13.46	/	/	<=23	Pass
		Inner_1RB_Right	19.79	/	/	13.67	/	/	<=23	Pass
CP-OFDM QPSK	3560.01	Outer_Full	21.47	/	/	15.35	/	/	<=23	Pass
		Inner_Full	23.07	/	/	16.95	/	/	<=23	Pass
		Inner_1RB_Left	23.07	/	/	16.95	/	/	<=23	Pass
		Inner_1RB_Right	23.18	/	/	17.06	/	/	<=23	Pass
	3624.99	Outer_Full	21.68	/	/	15.56	/	/	<=23	Pass
		Inner_Full	23.17	/	/	17.05	/	/	<=23	Pass
		Inner_1RB_Left	23.12	/	/	17.00	/	/	<=23	Pass
		Inner_1RB_Right	23.00	/	/	16.88	/	/	<=23	Pass
	3690	Outer_Full	21.41	/	/	15.29	/	/	<=23	Pass
		Inner_Full	22.94	/	/	16.82	/	/	<=23	Pass
		Inner_1RB_Left	22.86	/	/	16.74	/	/	<=23	Pass
		Inner_1RB_Right	23.06	/	/	16.94	/	/	<=23	Pass
CP-OFDM 16 QAM	3560.01	Outer_Full	21.46	/	/	15.34	/	/	<=23	Pass
		Inner_Full	22.54	/	/	16.42	/	/	<=23	Pass
		Inner_1RB_Left	22.62	/	/	16.50	/	/	<=23	Pass
		Inner_1RB_Right	22.73	/	/	16.61	/	/	<=23	Pass
	3624.99	Outer_Full	21.58	/	/	15.46	/	/	<=23	Pass
		Inner_Full	22.64	/	/	16.52	/	/	<=23	Pass
		Inner_1RB_Left	22.58	/	/	16.46	/	/	<=23	Pass
		Inner_1RB_Right	22.72	/	/	16.60	/	/	<=23	Pass
	3690	Outer_Full	21.30	/	/	15.18	/	/	<=23	Pass
		Inner_Full	22.44	/	/	16.32	/	/	<=23	Pass
		Inner_1RB_Left	22.42	/	/	16.30	/	/	<=23	Pass
		Inner_1RB_Right	22.62	/	/	16.50	/	/	<=23	Pass
CP-OFDM 64 QAM	3560.01	Outer_Full	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_Full	20.98	/	/	14.86	/	/	<=23	Pass
		Inner_1RB_Left	21.00	/	/	14.88	/	/	<=23	Pass
		Inner_1RB_Right	21.10	/	/	14.98	/	/	<=23	Pass
	3624.99	Outer_Full	21.06	/	/	14.94	/	/	<=23	Pass
		Inner_Full	21.11	/	/	14.99	/	/	<=23	Pass
		Inner_1RB_Left	21.23	/	/	15.11	/	/	<=23	Pass
		Inner_1RB_Right	21.17	/	/	15.05	/	/	<=23	Pass
	3690	Outer_Full	20.79	/	/	14.67	/	/	<=23	Pass
		Inner_Full	20.87	/	/	14.75	/	/	<=23	Pass
		Inner_1RB_Left	20.86	/	/	14.74	/	/	<=23	Pass
		Inner_1RB_Right	21.11	/	/	14.99	/	/	<=23	Pass
CP-OFDM 256 QAM	3560.01	Outer_Full	17.93	/	/	11.81	/	/	<=23	Pass
		Inner_Full	17.94	/	/	11.82	/	/	<=23	Pass
		Inner_1RB_Left	17.83	/	/	11.71	/	/	<=23	Pass
		Inner_1RB_Right	17.89	/	/	11.77	/	/	<=23	Pass
	3624.99	Outer_Full	18.06	/	/	11.94	/	/	<=23	Pass
		Inner_Full	18.03	/	/	11.91	/	/	<=23	Pass
		Inner_1RB_Left	18.06	/	/	11.94	/	/	<=23	Pass
		Inner_1RB_Right	17.87	/	/	11.75	/	/	<=23	Pass
	3690	Outer_Full	17.87	/	/	11.75	/	/	<=23	Pass
		Inner_Full	17.83	/	/	11.71	/	/	<=23	Pass
		Inner_1RB_Left	17.69	/	/	11.57	/	/	<=23	Pass
		Inner_1RB_Right	17.87	/	/	11.75	/	/	<=23	Pass

Note1: Antenna Gain: Ant1: -6.12dBi;

Note2: EIRP=Conducted Power+Antenna Gain
--

1.1.4 30_S_30M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3565.02	Outer_Full	23.44	/	/	17.32	/	/	<=23	Pass
		Inner_Full	23.95	/	/	17.83	/	/	<=23	Pass
		Inner_1RB_Left	23.96	/	/	17.84	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
	3624.99	Outer_Full	23.48	/	/	17.36	/	/	<=23	Pass
		Inner_Full	23.88	/	/	17.76	/	/	<=23	Pass
		Inner_1RB_Left	24.15	/	/	18.03	/	/	<=23	Pass
		Inner_1RB_Right	24.00	/	/	17.88	/	/	<=23	Pass
	3684.99	Outer_Full	23.25	/	/	17.13	/	/	<=23	Pass
		Inner_Full	23.75	/	/	17.63	/	/	<=23	Pass
		Inner_1RB_Left	23.84	/	/	17.72	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
DFT-s-OFDM QPSK	3565.02	Outer_Full	22.91	/	/	16.79	/	/	<=23	Pass
		Inner_Full	24.00	/	/	17.88	/	/	<=23	Pass
		Inner_1RB_Left	23.93	/	/	17.81	/	/	<=23	Pass
		Inner_1RB_Right	24.07	/	/	17.95	/	/	<=23	Pass
	3624.99	Outer_Full	22.98	/	/	16.86	/	/	<=23	Pass
		Inner_Full	23.88	/	/	17.76	/	/	<=23	Pass
		Inner_1RB_Left	24.05	/	/	17.93	/	/	<=23	Pass
		Inner_1RB_Right	23.92	/	/	17.8	/	/	<=23	Pass
	3684.99	Outer_Full	22.75	/	/	16.63	/	/	<=23	Pass
		Inner_Full	23.80	/	/	17.68	/	/	<=23	Pass
		Inner_1RB_Left	23.85	/	/	17.73	/	/	<=23	Pass
		Inner_1RB_Right	24.04	/	/	17.92	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3565.02	Outer_Full	21.84	/	/	15.72	/	/	<=23	Pass
		Inner_Full	22.86	/	/	16.74	/	/	<=23	Pass
		Inner_1RB_Left	22.81	/	/	16.69	/	/	<=23	Pass
		Inner_1RB_Right	22.92	/	/	16.8	/	/	<=23	Pass
	3624.99	Outer_Full	21.98	/	/	15.86	/	/	<=23	Pass
		Inner_Full	22.96	/	/	16.84	/	/	<=23	Pass
		Inner_1RB_Left	23.04	/	/	16.92	/	/	<=23	Pass
		Inner_1RB_Right	22.90	/	/	16.78	/	/	<=23	Pass
	3684.99	Outer_Full	21.71	/	/	15.59	/	/	<=23	Pass
		Inner_Full	22.70	/	/	16.58	/	/	<=23	Pass
		Inner_1RB_Left	22.70	/	/	16.58	/	/	<=23	Pass
		Inner_1RB_Right	22.88	/	/	16.76	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3565.02	Outer_Full	21.42	/	/	15.3	/	/	<=23	Pass
		Inner_Full	21.37	/	/	15.25	/	/	<=23	Pass
		Inner_1RB_Left	21.40	/	/	15.28	/	/	<=23	Pass
		Inner_1RB_Right	21.50	/	/	15.38	/	/	<=23	Pass
	3624.99	Outer_Full	21.48	/	/	15.36	/	/	<=23	Pass
		Inner_Full	21.43	/	/	15.31	/	/	<=23	Pass
		Inner_1RB_Left	21.63	/	/	15.51	/	/	<=23	Pass
		Inner_1RB_Right	21.52	/	/	15.4	/	/	<=23	Pass
	3684.99	Outer_Full	21.27	/	/	15.15	/	/	<=23	Pass
		Inner_Full	21.17	/	/	15.05	/	/	<=23	Pass
		Inner_1RB_Left	21.28	/	/	15.16	/	/	<=23	Pass
		Inner_1RB_Right	21.49	/	/	15.37	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3565.02	Outer_Full	20.04	/	/	13.92	/	/	<=23	Pass
		Inner_Full	19.93	/	/	13.81	/	/	<=23	Pass

		Inner_1RB_Left	19.74	/	/	13.62	/	/	<=23	Pass
		Inner_1RB_Right	20.08	/	/	13.96	/	/	<=23	Pass
	3624.99	Outer_Full	20.08	/	/	13.96	/	/	<=23	Pass
		Inner_Full	19.99	/	/	13.87	/	/	<=23	Pass
		Inner_1RB_Left	20.08	/	/	13.96	/	/	<=23	Pass
		Inner_1RB_Right	19.96	/	/	13.84	/	/	<=23	Pass
	3684.99	Outer_Full	19.84	/	/	13.72	/	/	<=23	Pass
		Inner_Full	19.81	/	/	13.69	/	/	<=23	Pass
		Inner_1RB_Left	19.79	/	/	13.67	/	/	<=23	Pass
		Inner_1RB_Right	19.90	/	/	13.78	/	/	<=23	Pass
CP-OFDM QPSK	3565.02	Outer_Full	21.54	/	/	15.42	/	/	<=23	Pass
		Inner_Full	23.10	/	/	16.98	/	/	<=23	Pass
		Inner_1RB_Left	23.07	/	/	16.95	/	/	<=23	Pass
		Inner_1RB_Right	23.16	/	/	17.04	/	/	<=23	Pass
	3624.99	Outer_Full	21.58	/	/	15.46	/	/	<=23	Pass
		Inner_Full	23.09	/	/	16.97	/	/	<=23	Pass
		Inner_1RB_Left	23.30	/	/	17.18	/	/	<=23	Pass
		Inner_1RB_Right	23.13	/	/	17.01	/	/	<=23	Pass
	3684.99	Outer_Full	21.36	/	/	15.24	/	/	<=23	Pass
		Inner_Full	22.89	/	/	16.77	/	/	<=23	Pass
		Inner_1RB_Left	23.04	/	/	16.92	/	/	<=23	Pass
		Inner_1RB_Right	23.20	/	/	17.08	/	/	<=23	Pass
CP-OFDM 16 QAM	3565.02	Outer_Full	21.49	/	/	15.37	/	/	<=23	Pass
		Inner_Full	22.58	/	/	16.46	/	/	<=23	Pass
		Inner_1RB_Left	22.71	/	/	16.59	/	/	<=23	Pass
		Inner_1RB_Right	22.92	/	/	16.80	/	/	<=23	Pass
	3624.99	Outer_Full	21.56	/	/	15.44	/	/	<=23	Pass
		Inner_Full	22.57	/	/	16.45	/	/	<=23	Pass
		Inner_1RB_Left	22.86	/	/	16.74	/	/	<=23	Pass
		Inner_1RB_Right	22.76	/	/	16.64	/	/	<=23	Pass
	3684.99	Outer_Full	21.39	/	/	15.27	/	/	<=23	Pass
		Inner_Full	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_1RB_Left	22.67	/	/	16.55	/	/	<=23	Pass
		Inner_1RB_Right	22.77	/	/	16.65	/	/	<=23	Pass
CP-OFDM 64 QAM	3565.02	Outer_Full	20.93	/	/	14.81	/	/	<=23	Pass
		Inner_Full	20.95	/	/	14.83	/	/	<=23	Pass
		Inner_1RB_Left	21.17	/	/	15.05	/	/	<=23	Pass
		Inner_1RB_Right	21.39	/	/	15.27	/	/	<=23	Pass
	3624.99	Outer_Full	21.08	/	/	14.96	/	/	<=23	Pass
		Inner_Full	21.04	/	/	14.92	/	/	<=23	Pass
		Inner_1RB_Left	21.38	/	/	15.26	/	/	<=23	Pass
		Inner_1RB_Right	21.16	/	/	15.04	/	/	<=23	Pass
	3684.99	Outer_Full	20.81	/	/	14.69	/	/	<=23	Pass
		Inner_Full	20.82	/	/	14.70	/	/	<=23	Pass
		Inner_1RB_Left	21.04	/	/	14.92	/	/	<=23	Pass
		Inner_1RB_Right	21.23	/	/	15.11	/	/	<=23	Pass
CP-OFDM 256 QAM	3565.02	Outer_Full	18.06	/	/	11.94	/	/	<=23	Pass
		Inner_Full	17.99	/	/	11.87	/	/	<=23	Pass
		Inner_1RB_Left	17.87	/	/	11.75	/	/	<=23	Pass
		Inner_1RB_Right	18.10	/	/	11.98	/	/	<=23	Pass
	3624.99	Outer_Full	18.14	/	/	12.02	/	/	<=23	Pass
		Inner_Full	18.02	/	/	11.90	/	/	<=23	Pass
		Inner_1RB_Left	18.18	/	/	12.06	/	/	<=23	Pass
		Inner_1RB_Right	18.06	/	/	11.94	/	/	<=23	Pass
	3684.99	Outer_Full	17.86	/	/	11.74	/	/	<=23	Pass
		Inner_Full	17.88	/	/	11.76	/	/	<=23	Pass
		Inner_1RB_Left	17.82	/	/	11.70	/	/	<=23	Pass
		Inner_1RB_Right	17.86	/	/	11.74	/	/	<=23	Pass

Note1: Antenna Gain: Ant1: -6.12dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.5 30_S_40M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	23.56	/	/	17.44	/	/	<=23	Pass
		Inner_Full	24.09	/	/	17.97	/	/	<=23	Pass
		Inner_1RB_Left	23.90	/	/	17.78	/	/	<=23	Pass
		Inner_1RB_Right	24.14	/	/	18.02	/	/	<=23	Pass
	3624.99	Outer_Full	23.56	/	/	17.44	/	/	<=23	Pass
		Inner_Full	24.04	/	/	17.92	/	/	<=23	Pass
		Inner_1RB_Left	24.00	/	/	17.88	/	/	<=23	Pass
		Inner_1RB_Right	23.99	/	/	17.87	/	/	<=23	Pass
	3679.98	Outer_Full	23.40	/	/	17.28	/	/	<=23	Pass
		Inner_Full	23.94	/	/	17.82	/	/	<=23	Pass
		Inner_1RB_Left	23.84	/	/	17.72	/	/	<=23	Pass
		Inner_1RB_Right	24.06	/	/	17.94	/	/	<=23	Pass
DFT-s-OFDM QPSK	3570	Outer_Full	23.08	/	/	16.96	/	/	<=23	Pass
		Inner_Full	24.08	/	/	17.96	/	/	<=23	Pass
		Inner_1RB_Left	23.90	/	/	17.78	/	/	<=23	Pass
		Inner_1RB_Right	24.13	/	/	18.01	/	/	<=23	Pass
	3624.99	Outer_Full	23.06	/	/	16.94	/	/	<=23	Pass
		Inner_Full	24.07	/	/	17.95	/	/	<=23	Pass
		Inner_1RB_Left	23.99	/	/	17.87	/	/	<=23	Pass
		Inner_1RB_Right	24.05	/	/	17.93	/	/	<=23	Pass
	3679.98	Outer_Full	22.98	/	/	16.86	/	/	<=23	Pass
		Inner_Full	23.88	/	/	17.76	/	/	<=23	Pass
		Inner_1RB_Left	23.82	/	/	17.70	/	/	<=23	Pass
		Inner_1RB_Right	24.09	/	/	17.97	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3570	Outer_Full	22.04	/	/	15.92	/	/	<=23	Pass
		Inner_Full	22.96	/	/	16.84	/	/	<=23	Pass
		Inner_1RB_Left	22.83	/	/	16.71	/	/	<=23	Pass
		Inner_1RB_Right	23.13	/	/	17.01	/	/	<=23	Pass
	3624.99	Outer_Full	22.07	/	/	15.95	/	/	<=23	Pass
		Inner_Full	23.00	/	/	16.88	/	/	<=23	Pass
		Inner_1RB_Left	22.99	/	/	16.87	/	/	<=23	Pass
		Inner_1RB_Right	23.00	/	/	16.88	/	/	<=23	Pass
	3679.98	Outer_Full	21.85	/	/	15.73	/	/	<=23	Pass
		Inner_Full	22.76	/	/	16.64	/	/	<=23	Pass
		Inner_1RB_Left	22.73	/	/	16.61	/	/	<=23	Pass
		Inner_1RB_Right	22.87	/	/	16.75	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3570	Outer_Full	21.49	/	/	15.37	/	/	<=23	Pass
		Inner_Full	21.46	/	/	15.34	/	/	<=23	Pass
		Inner_1RB_Left	21.23	/	/	15.11	/	/	<=23	Pass
		Inner_1RB_Right	21.55	/	/	15.43	/	/	<=23	Pass
	3624.99	Outer_Full	21.55	/	/	15.43	/	/	<=23	Pass
		Inner_Full	21.49	/	/	15.37	/	/	<=23	Pass
		Inner_1RB_Left	21.50	/	/	15.38	/	/	<=23	Pass
		Inner_1RB_Right	21.52	/	/	15.40	/	/	<=23	Pass
	3679.98	Outer_Full	21.30	/	/	15.18	/	/	<=23	Pass
		Inner_Full	21.24	/	/	15.12	/	/	<=23	Pass
		Inner_1RB_Left	21.34	/	/	15.22	/	/	<=23	Pass
		Inner_1RB_Right	21.46	/	/	15.34	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3570	Outer_Full	20.07	/	/	13.95	/	/	<=23	Pass
		Inner_Full	20.00	/	/	13.88	/	/	<=23	Pass
		Inner_1RB_Left	19.68	/	/	13.56	/	/	<=23	Pass
		Inner_1RB_Right	19.97	/	/	13.85	/	/	<=23	Pass
	3624.99	Outer_Full	20.12	/	/	14.00	/	/	<=23	Pass

		Inner_Full	20.06	/	/	13.94	/	/	<=23	Pass
		Inner_1RB_Left	19.93	/	/	13.81	/	/	<=23	Pass
		Inner_1RB_Right	19.86	/	/	13.74	/	/	<=23	Pass
	3679.98	Outer_Full	19.94	/	/	13.82	/	/	<=23	Pass
		Inner_Full	19.70	/	/	13.58	/	/	<=23	Pass
		Inner_1RB_Left	19.71	/	/	13.59	/	/	<=23	Pass
		Inner_1RB_Right	19.74	/	/	13.62	/	/	<=23	Pass
CP-OFDM QPSK	3570	Outer_Full	21.52	/	/	15.40	/	/	<=23	Pass
		Inner_Full	23.17	/	/	17.05	/	/	<=23	Pass
		Inner_1RB_Left	22.93	/	/	16.81	/	/	<=23	Pass
		Inner_1RB_Right	23.13	/	/	17.01	/	/	<=23	Pass
	3624.99	Outer_Full	21.72	/	/	15.60	/	/	<=23	Pass
		Inner_Full	23.16	/	/	17.04	/	/	<=23	Pass
		Inner_1RB_Left	23.21	/	/	17.09	/	/	<=23	Pass
		Inner_1RB_Right	23.13	/	/	17.01	/	/	<=23	Pass
	3679.98	Outer_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_Full	22.88	/	/	16.76	/	/	<=23	Pass
		Inner_1RB_Left	23.00	/	/	16.88	/	/	<=23	Pass
		Inner_1RB_Right	23.06	/	/	16.94	/	/	<=23	Pass
CP-OFDM 16 QAM	3570	Outer_Full	21.53	/	/	15.41	/	/	<=23	Pass
		Inner_Full	22.65	/	/	16.53	/	/	<=23	Pass
		Inner_1RB_Left	22.57	/	/	16.45	/	/	<=23	Pass
		Inner_1RB_Right	22.78	/	/	16.66	/	/	<=23	Pass
	3624.99	Outer_Full	21.56	/	/	15.44	/	/	<=23	Pass
		Inner_Full	22.69	/	/	16.57	/	/	<=23	Pass
		Inner_1RB_Left	22.72	/	/	16.60	/	/	<=23	Pass
		Inner_1RB_Right	22.66	/	/	16.54	/	/	<=23	Pass
	3679.98	Outer_Full	21.32	/	/	15.20	/	/	<=23	Pass
		Inner_Full	22.43	/	/	16.31	/	/	<=23	Pass
		Inner_1RB_Left	22.57	/	/	16.45	/	/	<=23	Pass
		Inner_1RB_Right	22.62	/	/	16.50	/	/	<=23	Pass
CP-OFDM 64 QAM	3570	Outer_Full	21.10	/	/	14.98	/	/	<=23	Pass
		Inner_Full	21.10	/	/	14.98	/	/	<=23	Pass
		Inner_1RB_Left	20.94	/	/	14.82	/	/	<=23	Pass
		Inner_1RB_Right	21.21	/	/	15.09	/	/	<=23	Pass
	3624.99	Outer_Full	21.09	/	/	14.97	/	/	<=23	Pass
		Inner_Full	21.16	/	/	15.04	/	/	<=23	Pass
		Inner_1RB_Left	21.25	/	/	15.13	/	/	<=23	Pass
		Inner_1RB_Right	21.12	/	/	15.00	/	/	<=23	Pass
	3679.98	Outer_Full	20.83	/	/	14.71	/	/	<=23	Pass
		Inner_Full	20.83	/	/	14.71	/	/	<=23	Pass
		Inner_1RB_Left	20.89	/	/	14.77	/	/	<=23	Pass
		Inner_1RB_Right	21.07	/	/	14.95	/	/	<=23	Pass
CP-OFDM 256 QAM	3570	Outer_Full	17.98	/	/	11.86	/	/	<=23	Pass
		Inner_Full	18.04	/	/	11.92	/	/	<=23	Pass
		Inner_1RB_Left	17.73	/	/	11.61	/	/	<=23	Pass
		Inner_1RB_Right	18.05	/	/	11.93	/	/	<=23	Pass
	3624.99	Outer_Full	18.19	/	/	12.07	/	/	<=23	Pass
		Inner_Full	18.13	/	/	12.01	/	/	<=23	Pass
		Inner_1RB_Left	17.97	/	/	11.85	/	/	<=23	Pass
		Inner_1RB_Right	17.97	/	/	11.85	/	/	<=23	Pass
	3679.98	Outer_Full	17.87	/	/	11.75	/	/	<=23	Pass
		Inner_Full	17.73	/	/	11.61	/	/	<=23	Pass
		Inner_1RB_Left	17.77	/	/	11.65	/	/	<=23	Pass
		Inner_1RB_Right	17.97	/	/	11.85	/	/	<=23	Pass

Note1: Antenna Gain: Ant1: -6.12dBi;

Note2: EIRP=Conducted Power+Antenna Gain

Total channel power is complied with EIRP limit 23dBm/10MHz.