

LTE

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
LTE_B2_20M_CH18700	251.2706	-60.94	-58.77	2.17	-13.00	45.77	H
	880.6303	-59.77	-50.99	8.78	-13.00	37.99	H
	3702.0000	-71.26	-56.99	14.27	-13.00	43.99	H
	5553.0000	-72.36	-53.13	19.23	-13.00	40.13	H
	7404.0000	-72.72	-48.72	24.00	-13.00	35.72	H
	9255.0000	-79.13	-56.63	22.50	-13.00	43.63	V
	11106.0000	-79.29	-54.36	24.93	-13.00	41.36	V
	12957.0000	-80.32	-53.88	26.44	-13.00	40.88	V
	14808.0000	-79.88	-52.06	27.82	-13.00	39.06	V
	16659.0000	-79.03	-46.63	32.40	-13.00	33.63	V
LTE_B4_20M_CH20050	95.993	-63.12	-66.05	-2.93	-13.00	53.05	V
	459.925	-66.74	-67.59	-0.85	-13.00	54.59	H
	3422.0000	-64.15	-51.14	13.01	-13.00	38.14	V
	5133.0000	-72.17	-54.19	17.98	-13.00	41.19	V
	6844.0000	-72.79	-50.82	21.97	-13.00	37.82	H
	8555.0000	-77.49	-55.43	22.06	-13.00	42.43	V
	10266.0000	-79.23	-54.40	24.83	-13.00	41.40	V
	11977.0000	-79.87	-54.28	25.59	-13.00	41.28	V
	13688.0000	-80.41	-54.17	26.24	-13.00	41.17	V
	15399.0000	-79.90	-50.96	28.94	-13.00	37.96	V
	17110.0000	-80.57	-47.08	33.49	-13.00	34.08	V
LTE_B5_10M_CH20525	111.5208	-61.47	-58.47	3.00	-13.00	45.47	V
	251.2706	-61.17	-59.00	2.17	-13.00	46.00	H
	1664.0000	-69.95	-54.45	15.50	-13.00	41.45	H
	2496.0000	-69.90	-48.30	21.60	-13.00	35.30	V
	3328.0000	-70.74	-58.06	12.68	-13.00	45.06	V
	4160.0000	-71.47	-56.02	15.45	-13.00	43.02	H
	4992.0000	-72.16	-54.30	17.86	-13.00	41.30	V

	5824.0000	-72.27	-52.53	19.74	-13.00	39.53	V
	6656.0000	-72.62	-51.37	21.25	-13.00	38.37	H
	7488.0000	-72.06	-47.78	24.28	-13.00	34.78	H
	8320.0000	-78.37	-56.57	21.80	-13.00	43.57	H
LTE_B12_10M_CH23095	879.6598	-59.66	-50.84	8.82	-13.00	37.84	H
	1406.0000	-71.71	-56.46	15.25	-13.00	43.46	V
	2109.0000	-70.90	-50.48	20.42	-13.00	37.48	H
	2812.0000	-70.27	-47.86	22.41	-13.00	34.86	H
	3515.0000	-71.31	-57.99	13.32	-13.00	44.99	H
	4218.0000	-72.04	-56.55	15.49	-13.00	43.55	V
	4921.0000	-71.95	-54.73	17.22	-13.00	41.73	V
	5624.0000	-72.35	-53.47	18.88	-13.00	40.47	V
	6327.0000	-71.77	-51.41	20.36	-13.00	38.41	H
	7030.0000	-72.90	-52.06	20.84	-13.00	39.06	H
LTE_B13_10M_CH23230	111.0355	-61.53	-58.60	2.93	-13.00	45.60	V
	881.6008	-59.90	-51.18	8.72	-13.00	38.18	H
LTE_B13_5M_CH23230	1564.0000	-71.25	-56.62	14.63	-40.00	16.62	H
	2346.0000	-70.57	-50.19	20.38	-13.00	37.19	H
	3128.0000	-70.79	-57.54	13.25	-13.00	44.54	V
	3910.0000	-71.75	-57.03	14.72	-13.00	44.03	V
	4692.0000	-71.91	-55.07	16.84	-13.00	42.07	H
	5474.0000	-72.19	-53.62	18.57	-13.00	40.62	V
	6256.0000	-71.69	-51.66	20.03	-13.00	38.66	H
	7038.0000	-73.33	-51.96	21.37	-13.00	38.96	H
	7820.0000	-73.73	-49.00	24.73	-13.00	36.00	H
LTE_B13_5M_CH23255	1569.0000	-71.09	-56.42	14.67	-40.00	16.42	H
	2353.5000	-70.55	-50.13	20.42	-13.00	37.13	H
	3138.0000	-70.57	-57.67	12.90	-13.00	44.67	H
	3922.5000	-71.36	-56.29	15.07	-13.00	43.29	V
	4707.0000	-72.38	-55.46	16.92	-13.00	42.46	H
	5491.5000	-72.17	-53.35	18.82	-13.00	40.35	H
	6276.0000	-71.81	-51.41	20.40	-13.00	38.41	H

	7060.5000	-73.05	-50.93	22.12	-13.00	37.93	H
	7845.0000	-73.80	-49.95	23.85	-13.00	36.95	H
LTE_B66_20M_CH132072	111.5208	-61.29	-58.29	3.00	-13.00	45.29	V
	885.4827	-59.62	-51.08	8.54	-13.00	38.08	H
	3422.0000	-63.74	-50.73	13.01	-13.00	37.73	V
	5133.0000	-72.09	-54.14	17.95	-13.00	41.14	H
	6844.0000	-72.80	-50.83	21.97	-13.00	37.83	H
	8555.0000	-77.29	-55.11	22.18	-13.00	42.11	H
	10266.0000	-78.84	-54.01	24.83	-13.00	41.01	V
	11977.0000	-79.63	-54.00	25.63	-13.00	41.00	V
	13688.0000	-79.79	-53.58	26.21	-13.00	40.58	V
	15399.0000	-79.46	-50.56	28.90	-13.00	37.56	V
	17110.0000	-80.16	-46.63	33.53	-13.00	33.63	V

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal