










11AX20SISO-Ant1-5700-26Tone-RU8-PASS

11AX20SISO-Ant1-5700-52Tone-RU40-PASS



11AX20SISO-Ant1-5700-106Tone-RU54-PASS

11AX20SISO-Ant1-5745-26Tone-RU0-PASS




11AX20SISO-Ant1-5745-52Tone-RU37-PASS

11AX20SISO-Ant1-5745-106Tone-RU53-PASS



11AX20SISO-Ant1-5785-26Tone-RU4-PASS

11AX20SISO-Ant1-5785-52Tone-RU39-PASS



A.4 Duty Cycle

Test Result

Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period[ms]	Duty Cycle [%]
11A	Ant1	5180	1.43	1.49	95.97
11A	Ant1	5220	1.43	1.45	98.62
11A	Ant1	5240	1.43	1.50	95.33
11A	Ant1	5260	1.43	1.45	98.62
11A	Ant1	5300	1.43	1.44	99.31
11A	Ant1	5320	1.44	1.50	96.00
11A	Ant1	5500	1.43	1.49	95.97
11A	Ant1	5580	1.43	1.45	98.62
11A	Ant1	5700	1.43	1.45	98.62
11A	Ant1	5720	1.42	1.44	98.61
11A	Ant1	5745	1.43	1.45	98.62
11A	Ant1	5785	1.43	1.44	99.31
11A	Ant1	5825	1.43	1.45	98.62
11N20SISO	Ant1	5180	1.34	1.36	98.53
11N20SISO	Ant1	5220	1.34	1.36	98.53
11N20SISO	Ant1	5240	1.34	1.41	95.04
11N20SISO	Ant1	5260	1.34	1.36	98.53
11N20SISO	Ant1	5300	1.34	1.40	95.71
11N20SISO	Ant1	5320	1.34	1.36	98.53
11N20SISO	Ant1	5500	1.34	1.36	98.53
11N20SISO	Ant1	5580	1.34	1.35	99.26
11N20SISO	Ant1	5700	1.34	1.35	99.26
11N20SISO	Ant1	5720	1.33	1.35	98.52
11N20SISO	Ant1	5745	1.34	1.36	98.53
11N20SISO	Ant1	5785	1.34	1.35	99.26
11N20SISO	Ant1	5825	1.34	1.36	98.53
11AC20SISO	Ant1	5180	1.34	1.36	98.53
11AC20SISO	Ant1	5220	1.34	1.36	98.53
11AC20SISO	Ant1	5240	1.34	1.36	98.53
11AC20SISO	Ant1	5260	1.35	1.37	98.54
11AC20SISO	Ant1	5300	1.34	1.36	98.53
11AC20SISO	Ant1	5320	1.35	1.36	99.26
11AC20SISO	Ant1	5500	1.35	1.37	98.54
11AC20SISO	Ant1	5580	1.34	1.36	98.53
11AC20SISO	Ant1	5700	1.35	1.37	98.54


11AC20SISO	Ant1	5720	1.35	1.36	99.26
11AC20SISO	Ant1	5745	1.34	1.36	98.53
11AC20SISO	Ant1	5785	1.35	1.36	99.26
11AC20SISO	Ant1	5825	1.35	1.41	95.74
11AX20SISO	Ant1	5180	1.05	1.06	99.06
11AX20SISO	Ant1	5220	1.04	1.06	98.11
11AX20SISO	Ant1	5240	1.04	1.06	98.11
11AX20SISO	Ant1	5260	1.04	1.06	98.11
11AX20SISO	Ant1	5300	1.05	1.06	99.06
11AX20SISO	Ant1	5320	1.05	1.06	99.06
11AX20SISO	Ant1	5500	1.05	1.06	99.06
11AX20SISO	Ant1	5580	1.05	1.06	99.06
11AX20SISO	Ant1	5700	1.04	1.06	98.11
11AX20SISO	Ant1	5720	1.05	1.06	99.06
11AX20SISO	Ant1	5745	1.05	1.06	99.06
11AX20SISO	Ant1	5785	1.04	1.06	98.11
11AX20SISO	Ant1	5825	1.04	1.06	98.11

Test Result for AX Part RU

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11AX20SISO	Ant1	5180	26Tone	RU0	0.65	0.72	90.28
11AX20SISO	Ant1	5180	52Tone	RU37	0.65	0.72	90.28
11AX20SISO	Ant1	5180	106Tone	RU53	0.66	0.72	91.67
11AX20SISO	Ant1	5220	26Tone	RU4	1.35	1.36	99.26
11AX20SISO	Ant1	5220	52Tone	RU39	0.66	0.73	90.41
11AX20SISO	Ant1	5220	106Tone	RU53	0.66	0.72	91.67
11AX20SISO	Ant1	5240	26Tone	RU8	0.65	0.72	90.28
11AX20SISO	Ant1	5240	52Tone	RU40	0.66	0.72	91.67
11AX20SISO	Ant1	5240	106Tone	RU54	0.65	0.72	90.28
11AX20SISO	Ant1	5260	26Tone	RU0	0.66	0.72	91.67
11AX20SISO	Ant1	5260	52Tone	RU37	0.66	0.73	90.41
11AX20SISO	Ant1	5260	106Tone	RU53	0.66	0.74	89.19
11AX20SISO	Ant1	5300	26Tone	RU4	0.70	0.76	92.11
11AX20SISO	Ant1	5300	52Tone	RU39	2.05	2.12	96.70
11AX20SISO	Ant1	5300	106Tone	RU53	0.65	0.72	90.28
11AX20SISO	Ant1	5320	26Tone	RU8	0.66	0.72	91.67
11AX20SISO	Ant1	5320	52Tone	RU40	2.05	2.12	96.70
11AX20SISO	Ant1	5320	106Tone	RU54	0.66	0.73	90.41

11AX20SISO	Ant1	5500	26Tone	RU0	2.05	2.12	96.70
11AX20SISO	Ant1	5500	52Tone	RU37	2.05	2.12	96.70
11AX20SISO	Ant1	5500	106Tone	RU53	0.66	0.72	91.67
11AX20SISO	Ant1	5580	26Tone	RU4	2.06	2.13	96.71
11AX20SISO	Ant1	5580	52Tone	RU39	0.66	0.72	91.67
11AX20SISO	Ant1	5580	106Tone	RU53	2.05	2.12	96.70
11AX20SISO	Ant1	5700	26Tone	RU8	0.65	0.72	90.28
11AX20SISO	Ant1	5700	52Tone	RU40	0.66	0.72	91.67
11AX20SISO	Ant1	5700	106Tone	RU54	0.65	0.72	90.28
11AX20SISO	Ant1	5745	26Tone	RU0	0.65	0.72	90.28
11AX20SISO	Ant1	5745	52Tone	RU37	0.65	0.72	90.28
11AX20SISO	Ant1	5745	106Tone	RU53	2.05	2.12	96.70
11AX20SISO	Ant1	5785	26Tone	RU4	0.70	0.76	92.11
11AX20SISO	Ant1	5785	52Tone	RU39	0.66	0.72	91.67
11AX20SISO	Ant1	5785	106Tone	RU53	0.66	0.74	89.19
11AX20SISO	Ant1	5825	26Tone	RU8	0.66	0.72	91.67
11AX20SISO	Ant1	5825	52Tone	RU40	0.66	0.72	91.67
11AX20SISO	Ant1	5825	106Tone	RU54	0.66	0.72	91.67

Test Graphs














NTNV-11AC20SISO-Ant1-5745




NTNV-11AC20SISO-Ant1-5785



NTNV-11AC20SISO-Ant1-5825




NTNV-11AX20SISO-Ant1-5180



NTNV-11AX20SISO-Ant1-5220



NTNV-11AX20SISO-Ant1-5240




NTNV-11AX20SISO-Ant1-5260




NTNV-11AX20SISO-Ant1-5300






Test Graphs for AX Part RU







NTNV-11AX20SISO-Ant1-5240-26Tone-RU8




NTNV-11AX20SISO-Ant1-5240-52Tone-RU40




NTNV-11AX20SISO-Ant1-5240-106Tone-RU54




NTNV-11AX20SISO-Ant1-5260-26Tone-RU0




NTNV-11AX20SISO-Ant1-5260-52Tone-RU37




NTNV-11AX20SISO-Ant1-5260-106Tone-RU53



NTNV-11AX20SISO-Ant1-5300-26Tone-RU4



NTNV-11AX20SISO-Ant1-5300-52Tone-RU39







ANNEX B: Test Results of Radiated Test

B.1 Unwanted Emissions

Test Result_Band Edges

Note:Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case.
Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11a_20M_5180	5145.00764	43.71	62.66	18.95	74.00	11.34	H	PK
	5145.00764	28.58	47.53	18.95	54.00	6.47	H	AV
	5149.587417	45.52	64.19	18.67	74.00	9.81	H	PK
	5149.587417	31.01	49.68	18.67	54.00	4.32	H	AV
11a_20M_5320	5350.81523	46.23	66.94	20.71	74.00	7.06	H	PK
	5350.81523	31.49	52.20	20.71	54.00	1.80	H	AV
	5363.884083	41.33	61.65	20.32	74.00	12.35	H	PK
	5363.884083	24.72	45.04	20.32	54.00	8.96	H	AV
11a_20M_5500	5455.93033	33.71	52.97	19.26	74.00	21.03	H	PK
	5455.93033	20.80	40.06	19.26	54.00	13.94	H	AV
	5468.59475	37.87	57.60	19.73	68.20	10.60	H	PK
	5468.59475	24.33	44.06	19.73	54.00	9.94	H	AV
11a_20M_5700	5728.159783	43.92	64.16	20.24	68.20	4.04	H	PK
	5728.159783	28.72	48.96	20.24	54.00	5.04	H	AV
11a_20M_5720	5449.034247	31.55	51.37	19.82	74.00	22.63	H	PK
	5449.034247	19.08	38.90	19.82	54.00	15.10	H	AV
	5466.06025	31.77	51.29	19.52	68.20	16.91	V	PK
	5466.06025	18.81	38.33	19.52	54.00	15.67	V	AV
	5861.53325	30.79	51.75	20.96	68.20	16.45	V	PK
	5861.53325	18.30	39.26	20.96	54.00	14.74	V	AV
11a_20M_5745	5646.497673	36.58	56.72	20.14	68.20	11.48	V	PK
	5646.497673	24.38	44.52	20.14	--	--	V	AV

	5655.21975	37.37	56.87	19.50	72.08	15.21	V	PK
	5655.21975	24.25	43.75	19.50	--	--	V	AV
	5702.03575	37.27	56.79	19.52	105.77	48.98	H	PK
	5702.03575	25.09	44.61	19.52	--	--	H	AV
	5723.581583	45.48	65.66	20.18	118.97	53.31	V	PK
	5723.581583	32.30	52.48	20.18	--	--	V	AV
	5854.690583	36.57	57.04	20.47	111.51	54.47	H	PK
	5854.690583	24.20	44.67	20.47	--	--	H	AV
	5875.257417	37.27	58.33	21.06	105.01	46.68	H	PK
	5875.257417	24.31	45.37	21.06	--	--	H	AV
	5922.62025	36.86	57.78	20.92	69.95	12.17	V	PK
	5922.62025	24.42	45.34	20.92	--	--	V	AV
	5931.027417	37.42	58.25	20.83	68.20	9.95	H	PK
	5931.027417	24.45	45.28	20.83	--	--	H	AV
11a_20M_5825	5635.77053	36.45	56.21	19.76	68.20	11.99	V	PK
	5635.77053	24.17	43.93	19.76	--	--	V	AV
	5661.37625	37.78	57.84	20.06	76.65	18.81	V	PK
	5661.37625	24.18	44.24	20.06	--	--	V	AV
	5706.111917	36.78	56.70	19.92	106.91	50.21	H	PK
	5706.111917	24.17	44.09	19.92	--	--	H	AV
	5724.23475	36.55	56.74	20.19	120.46	63.72	H	PK
	5724.23475	24.14	44.33	20.19	--	--	H	AV
	5853.857417	43.72	64.24	20.52	113.40	49.16	H	PK
	5853.857417	29.85	50.37	20.52	--	--	H	AV
	5871.905917	37.24	58.36	21.12	106.07	47.71	H	PK
	5871.905917	24.61	45.73	21.12	--	--	H	AV
	5918.112083	36.84	57.87	21.03	73.28	15.41	V	PK
	5918.112083	24.49	45.52	21.03	--	--	V	AV
	5942.341083	37.78	59.08	21.30	68.20	9.12	H	PK

	5942.341083	24.54	45.84	21.30	--	--	H	AV
11ax_20M_5180	5140.49026	45.14	63.88	18.74	74.00	10.12	H	PK
	5140.49026	29.04	47.78	18.74	54.00	6.22	H	AV
	5149.275917	48.17	66.86	18.69	74.00	7.14	H	PK
	5149.275917	33.36	52.05	18.69	54.00	1.95	H	AV
11ax_20M_5320	5351.583397	47.70	68.34	20.64	74.00	5.66	H	PK
	5351.583397	33.05	53.69	20.64	54.00	0.31	H	AV
	5361.612083	44.61	64.85	20.24	74.00	9.15	H	PK
	5361.612083	27.32	47.56	20.24	54.00	6.44	H	AV
11ax_20M_5500	5455.88306	34.56	53.82	19.26	74.00	20.18	H	PK
	5455.88306	21.81	41.07	19.26	54.00	12.93	H	AV
	5469.31925	44.19	63.99	19.80	68.20	4.21	H	PK
	5469.31925	27.06	46.86	19.80	54.00	7.14	H	AV
11ax_20M_5700	5728.427563	44.21	64.45	20.24	68.20	3.75	H	PK
	5728.427563	30.43	50.67	20.24	54.00	3.33	H	AV
	5741.28775	40.20	60.58	20.38	68.20	7.62	H	PK
	5741.28775	23.05	43.43	20.38	54.00	10.57	H	AV
11ax_20M_5720	5451.11866	31.98	51.68	19.70	74.00	22.32	H	PK
	5451.11866	19.37	39.07	19.70	54.00	14.93	H	AV
	5462.656917	32.24	51.56	19.32	68.20	16.64	H	PK
	5462.656917	19.56	38.88	19.32	54.00	15.12	H	AV
	5857.97525	31.79	52.46	20.67	68.20	15.74	H	PK
	5857.97525	18.89	39.56	20.67	54.00	14.44	H	AV
11ax_20M_5745	5647.120843	36.68	56.82	20.14	68.20	11.38	H	PK
	5647.120843	24.44	44.58	20.14	--	--	H	AV
	5656.451917	36.82	56.49	19.67	72.99	16.50	V	PK
	5656.451917	24.34	44.01	19.67	--	--	V	AV
	5695.38475	37.17	57.18	20.01	101.80	44.62	V	PK
	5695.38475	24.99	45.00	20.01	--	--	V	AV