

Appendix-B NR Band n26(814-824)

Transmitter Conducted Output Power

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	Limit (dBm)	Verdict
N26-814-824	15	5	DFT-PI2BPSK	L	Outer_Full	22.97	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_Full	23.12	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.25	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.2	50.00	PASS
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	22.66	50.00	PASS
N26-814-824	15	5	DFT-QPSK	L	Inner_Full	23.16	50.00	PASS
N26-814-824	15	5	DFT-QPSK	L	Inner_1RB_Left	23.24	50.00	PASS
N26-814-824	15	5	DFT-QPSK	L	Inner_1RB_Right	23.02	50.00	PASS
N26-814-824	15	5	DFT-16QAM	L	Outer_Full	21.71	50.00	PASS
N26-814-824	15	5	DFT-16QAM	L	Inner_Full	22.65	50.00	PASS
N26-814-824	15	5	DFT-16QAM	L	Inner_1RB_Left	22.62	50.00	PASS
N26-814-824	15	5	DFT-16QAM	L	Inner_1RB_Right	22.61	50.00	PASS
N26-814-824	15	5	DFT-64QAM	L	Outer_Full	21.19	50.00	PASS
N26-814-824	15	5	DFT-64QAM	L	Inner_Full	21.57	50.00	PASS
N26-814-824	15	5	DFT-64QAM	L	Inner_1RB_Left	21.31	50.00	PASS
N26-814-824	15	5	DFT-64QAM	L	Inner_1RB_Right	21.63	50.00	PASS
N26-814-824	15	5	DFT-256QAM	L	Outer_Full	19.23	50.00	PASS
N26-814-824	15	5	DFT-256QAM	L	Inner_Full	19.18	50.00	PASS
N26-814-824	15	5	DFT-256QAM	L	Inner_1RB_Left	19.21	50.00	PASS
N26-814-824	15	5	DFT-256QAM	L	Inner_1RB_Right	19.13	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Outer_Full	23.01	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_Full	23.17	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.18	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.22	50.00	PASS
N26-814-824	15	5	DFT-QPSK	M	Outer_Full	22.7	50.00	PASS
N26-814-824	15	5	DFT-QPSK	M	Inner_Full	23.13	50.00	PASS
N26-814-824	15	5	DFT-QPSK	M	Inner_1RB_Left	23.04	50.00	PASS
N26-814-824	15	5	DFT-QPSK	M	Inner_1RB_Right	23.09	50.00	PASS
N26-814-824	15	5	DFT-16QAM	M	Outer_Full	21.65	50.00	PASS
N26-814-824	15	5	DFT-16QAM	M	Inner_Full	22.6	50.00	PASS
N26-814-824	15	5	DFT-16QAM	M	Inner_1RB_Left	22.87	50.00	PASS
N26-814-824	15	5	DFT-16QAM	M	Inner_1RB_Right	22.85	50.00	PASS
N26-814-824	15	5	DFT-64QAM	M	Outer_Full	21.15	50.00	PASS
N26-814-824	15	5	DFT-64QAM	M	Inner_Full	21.57	50.00	PASS
N26-814-824	15	5	DFT-64QAM	M	Inner_1RB_Left	21.61	50.00	PASS
N26-814-824	15	5	DFT-64QAM	M	Inner_1RB_Right	21.42	50.00	PASS

N26-814-824	15	5	DFT-256QAM	M	Outer_Full	19.19	50.00	PASS
N26-814-824	15	5	DFT-256QAM	M	Inner_Full	19.22	50.00	PASS
N26-814-824	15	5	DFT-256QAM	M	Inner_1RB_Left	19.21	50.00	PASS
N26-814-824	15	5	DFT-256QAM	M	Inner_1RB_Right	19.22	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Outer_Full	22.99	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_Full	23.18	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.26	50.00	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.19	50.00	PASS
N26-814-824	15	5	DFT-QPSK	H	Outer_Full	22.69	50.00	PASS
N26-814-824	15	5	DFT-QPSK	H	Inner_Full	23.13	50.00	PASS
N26-814-824	15	5	DFT-QPSK	H	Inner_1RB_Left	23.13	50.00	PASS
N26-814-824	15	5	DFT-QPSK	H	Inner_1RB_Right	23.08	50.00	PASS
N26-814-824	15	5	DFT-16QAM	H	Outer_Full	21.73	50.00	PASS
N26-814-824	15	5	DFT-16QAM	H	Inner_Full	22.68	50.00	PASS
N26-814-824	15	5	DFT-16QAM	H	Inner_1RB_Left	22.68	50.00	PASS
N26-814-824	15	5	DFT-16QAM	H	Inner_1RB_Right	22.63	50.00	PASS
N26-814-824	15	5	DFT-64QAM	H	Outer_Full	21.22	50.00	PASS
N26-814-824	15	5	DFT-64QAM	H	Inner_Full	21.59	50.00	PASS
N26-814-824	15	5	DFT-64QAM	H	Inner_1RB_Left	21.44	50.00	PASS
N26-814-824	15	5	DFT-64QAM	H	Inner_1RB_Right	21.67	50.00	PASS
N26-814-824	15	5	DFT-256QAM	H	Outer_Full	19.32	50.00	PASS
N26-814-824	15	5	DFT-256QAM	H	Inner_Full	19.19	50.00	PASS
N26-814-824	15	5	DFT-256QAM	H	Inner_1RB_Left	19.21	50.00	PASS
N26-814-824	15	5	DFT-256QAM	H	Inner_1RB_Right	19.16	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Outer_Full	23.04	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Inner_Full	23.21	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.19	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.28	50.00	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	22.74	50.00	PASS
N26-814-824	15	10	DFT-QPSK	L	Inner_Full	23.2	50.00	PASS
N26-814-824	15	10	DFT-QPSK	L	Inner_1RB_Left	23.13	50.00	PASS
N26-814-824	15	10	DFT-QPSK	L	Inner_1RB_Right	23.08	50.00	PASS
N26-814-824	15	10	DFT-16QAM	L	Outer_Full	21.71	50.00	PASS
N26-814-824	15	10	DFT-16QAM	L	Inner_Full	22.72	50.00	PASS
N26-814-824	15	10	DFT-16QAM	L	Inner_1RB_Left	22.75	50.00	PASS
N26-814-824	15	10	DFT-16QAM	L	Inner_1RB_Right	22.88	50.00	PASS
N26-814-824	15	10	DFT-64QAM	L	Outer_Full	21.21	50.00	PASS
N26-814-824	15	10	DFT-64QAM	L	Inner_Full	21.43	50.00	PASS
N26-814-824	15	10	DFT-64QAM	L	Inner_1RB_Left	21.67	50.00	PASS
N26-814-824	15	10	DFT-64QAM	L	Inner_1RB_Right	21.49	50.00	PASS
N26-814-824	15	10	DFT-256QAM	L	Outer_Full	19.27	50.00	PASS
N26-814-824	15	10	DFT-256QAM	L	Inner_Full	19.24	50.00	PASS
N26-814-824	15	10	DFT-256QAM	L	Inner_1RB_Left	19.38	50.00	PASS
N26-814-824	15	10	DFT-256QAM	L	Inner_1RB_Right	19.36	50.00	PASS

N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	23.05	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_Full	23.2	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.27	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.25	50.00	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	22.74	50.00	PASS
N26-814-824	15	10	DFT-QPSK	M	Inner_Full	23.19	50.00	PASS
N26-814-824	15	10	DFT-QPSK	M	Inner_1RB_Left	23.08	50.00	PASS
N26-814-824	15	10	DFT-QPSK	M	Inner_1RB_Right	23.11	50.00	PASS
N26-814-824	15	10	DFT-16QAM	M	Outer_Full	21.73	50.00	PASS
N26-814-824	15	10	DFT-16QAM	M	Inner_Full	22.73	50.00	PASS
N26-814-824	15	10	DFT-16QAM	M	Inner_1RB_Left	22.83	50.00	PASS
N26-814-824	15	10	DFT-16QAM	M	Inner_1RB_Right	22.74	50.00	PASS
N26-814-824	15	10	DFT-64QAM	M	Outer_Full	21.26	50.00	PASS
N26-814-824	15	10	DFT-64QAM	M	Inner_Full	21.45	50.00	PASS
N26-814-824	15	10	DFT-64QAM	M	Inner_1RB_Left	21.67	50.00	PASS
N26-814-824	15	10	DFT-64QAM	M	Inner_1RB_Right	21.67	50.00	PASS
N26-814-824	15	10	DFT-256QAM	M	Outer_Full	19.32	50.00	PASS
N26-814-824	15	10	DFT-256QAM	M	Inner_Full	19.3	50.00	PASS
N26-814-824	15	10	DFT-256QAM	M	Inner_1RB_Left	19.29	50.00	PASS
N26-814-824	15	10	DFT-256QAM	M	Inner_1RB_Right	19.31	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	23.01	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Inner_Full	23.19	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.35	50.00	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	23.32	50.00	PASS
N26-814-824	15	10	DFT-QPSK	H	Outer_Full	22.74	50.00	PASS
N26-814-824	15	10	DFT-QPSK	H	Inner_Full	23.18	50.00	PASS
N26-814-824	15	10	DFT-QPSK	H	Inner_1RB_Left	23.19	50.00	PASS
N26-814-824	15	10	DFT-QPSK	H	Inner_1RB_Right	23.18	50.00	PASS
N26-814-824	15	10	DFT-16QAM	H	Outer_Full	21.76	50.00	PASS
N26-814-824	15	10	DFT-16QAM	H	Inner_Full	22.67	50.00	PASS
N26-814-824	15	10	DFT-16QAM	H	Inner_1RB_Left	22.81	50.00	PASS
N26-814-824	15	10	DFT-16QAM	H	Inner_1RB_Right	22.79	50.00	PASS
N26-814-824	15	10	DFT-64QAM	H	Outer_Full	21.25	50.00	PASS
N26-814-824	15	10	DFT-64QAM	H	Inner_Full	21.44	50.00	PASS
N26-814-824	15	10	DFT-64QAM	H	Inner_1RB_Left	21.47	50.00	PASS
N26-814-824	15	10	DFT-64QAM	H	Inner_1RB_Right	21.31	50.00	PASS
N26-814-824	15	10	DFT-256QAM	H	Outer_Full	19.26	50.00	PASS
N26-814-824	15	10	DFT-256QAM	H	Inner_Full	19.28	50.00	PASS
N26-814-824	15	10	DFT-256QAM	H	Inner_1RB_Left	19.31	50.00	PASS
N26-814-824	15	10	DFT-256QAM	H	Inner_1RB_Right	19.34	50.00	PASS


Peak-to-Average Ratio(CCDF)


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
N26-814-824	15	5	DFT-P12BPSK	L	Outer_Full	3.88	≤13	PASS
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	5.16	≤13	PASS
N26-814-824	15	5	DFT-16QAM	L	Outer_Full	5.73	≤13	PASS
N26-814-824	15	5	DFT-64QAM	L	Outer_Full	7.02	≤13	PASS
N26-814-824	15	5	DFT-256QAM	L	Outer_Full	6.55	≤13	PASS
N26-814-824	15	5	CP-QPSK	L	Outer_Full	7.38	≤13	PASS
N26-814-824	15	5	CP-16QAM	L	Outer_Full	7.45	≤13	PASS
N26-814-824	15	5	CP-64QAM	L	Outer_Full	7.80	≤13	PASS
N26-814-824	15	5	CP-256QAM	L	Outer_Full	7.24	≤13	PASS
N26-814-824	15	5	DFT-P12BPSK	M	Outer_Full	3.60	≤13	PASS
N26-814-824	15	5	DFT-QPSK	M	Outer_Full	4.86	≤13	PASS
N26-814-824	15	5	DFT-16QAM	M	Outer_Full	5.79	≤13	PASS
N26-814-824	15	5	DFT-64QAM	M	Outer_Full	6.20	≤13	PASS
N26-814-824	15	5	DFT-256QAM	M	Outer_Full	6.40	≤13	PASS
N26-814-824	15	5	CP-QPSK	M	Outer_Full	8.27	≤13	PASS
N26-814-824	15	5	CP-16QAM	M	Outer_Full	7.60	≤13	PASS
N26-814-824	15	5	CP-64QAM	M	Outer_Full	7.97	≤13	PASS
N26-814-824	15	5	CP-256QAM	M	Outer_Full	7.27	≤13	PASS
N26-814-824	15	5	DFT-P12BPSK	H	Outer_Full	3.70	≤13	PASS
N26-814-824	15	5	DFT-QPSK	H	Outer_Full	4.65	≤13	PASS
N26-814-824	15	5	DFT-16QAM	H	Outer_Full	5.65	≤13	PASS
N26-814-824	15	5	DFT-64QAM	H	Outer_Full	6.42	≤13	PASS
N26-814-824	15	5	DFT-256QAM	H	Outer_Full	6.12	≤13	PASS
N26-814-824	15	5	CP-QPSK	H	Outer_Full	6.84	≤13	PASS
N26-814-824	15	5	CP-16QAM	H	Outer_Full	6.42	≤13	PASS
N26-814-824	15	5	CP-64QAM	H	Outer_Full	7.41	≤13	PASS
N26-814-824	15	5	CP-256QAM	H	Outer_Full	7.36	≤13	PASS
N26-814-824	15	10	DFT-P12BPSK	L	Outer_Full	3.59	≤13	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	4.84	≤13	PASS
N26-814-824	15	10	DFT-16QAM	L	Outer_Full	5.72	≤13	PASS
N26-814-824	15	10	DFT-64QAM	L	Outer_Full	6.09	≤13	PASS
N26-814-824	15	10	DFT-256QAM	L	Outer_Full	6.15	≤13	PASS
N26-814-824	15	10	CP-QPSK	L	Outer_Full	7.44	≤13	PASS
N26-814-824	15	10	CP-16QAM	L	Outer_Full	7.53	≤13	PASS
N26-814-824	15	10	CP-64QAM	L	Outer_Full	7.94	≤13	PASS
N26-814-824	15	10	CP-256QAM	L	Outer_Full	7.33	≤13	PASS
N26-814-824	15	10	DFT-P12BPSK	M	Outer_Full	4.03	≤13	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	4.84	≤13	PASS
N26-814-824	15	10	DFT-16QAM	M	Outer_Full	5.70	≤13	PASS


N26-814-824	15	10	DFT-64QAM	M	Outer_Full	6.12	≤13	PASS
N26-814-824	15	10	DFT-256QAM	M	Outer_Full	6.12	≤13	PASS
N26-814-824	15	10	CP-QPSK	M	Outer_Full	6.95	≤13	PASS
N26-814-824	15	10	CP-16QAM	M	Outer_Full	7.49	≤13	PASS
N26-814-824	15	10	CP-64QAM	M	Outer_Full	7.33	≤13	PASS
N26-814-824	15	10	CP-256QAM	M	Outer_Full	7.37	≤13	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	4.02	≤13	PASS
N26-814-824	15	10	DFT-QPSK	H	Outer_Full	4.83	≤13	PASS
N26-814-824	15	10	DFT-16QAM	H	Outer_Full	5.71	≤13	PASS
N26-814-824	15	10	DFT-64QAM	H	Outer_Full	6.09	≤13	PASS
N26-814-824	15	10	DFT-256QAM	H	Outer_Full	6.71	≤13	PASS
N26-814-824	15	10	CP-QPSK	H	Outer_Full	6.96	≤13	PASS
N26-814-824	15	10	CP-16QAM	H	Outer_Full	7.34	≤13	PASS
N26-814-824	15	10	CP-64QAM	H	Outer_Full	7.34	≤13	PASS
N26-814-824	15	10	CP-256QAM	H	Outer_Full	7.62	≤13	PASS


Test Graphs






































26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% (MHz)	26dB (MHz)	Verdict
N26-814-824	15	5	DFT-PI2BPSK	L	Outer_Full	4.4844	4.986	PASS
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	4.4546	4.980	PASS
N26-814-824	15	5	DFT-16QAM	L	Outer_Full	4.4686	5.055	PASS
N26-814-824	15	5	DFT-64QAM	L	Outer_Full	4.4814	4.986	PASS
N26-814-824	15	5	CP-QPSK	L	Outer_Full	4.4594	4.947	PASS
N26-814-824	15	5	CP-16QAM	L	Outer_Full	4.4689	5.010	PASS
N26-814-824	15	5	CP-64QAM	L	Outer_Full	4.4690	5.116	PASS
N26-814-824	15	5	CP-256QAM	L	Outer_Full	4.4692	5.078	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Outer_Full	4.4879	4.885	PASS
N26-814-824	15	5	DFT-QPSK	M	Outer_Full	4.4704	4.940	PASS
N26-814-824	15	5	DFT-16QAM	M	Outer_Full	4.4714	4.885	PASS
N26-814-824	15	5	DFT-64QAM	M	Outer_Full	4.4750	4.997	PASS
N26-814-824	15	5	CP-QPSK	M	Outer_Full	4.4705	5.127	PASS
N26-814-824	15	5	CP-16QAM	M	Outer_Full	4.4727	5.087	PASS
N26-814-824	15	5	CP-64QAM	M	Outer_Full	4.4776	5.103	PASS
N26-814-824	15	5	CP-256QAM	M	Outer_Full	4.4670	5.076	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Outer_Full	4.4932	4.959	PASS
N26-814-824	15	5	DFT-QPSK	H	Outer_Full	4.4686	5.056	PASS
N26-814-824	15	5	DFT-16QAM	H	Outer_Full	4.4714	5.052	PASS
N26-814-824	15	5	DFT-64QAM	H	Outer_Full	4.4835	4.960	PASS
N26-814-824	15	5	CP-QPSK	H	Outer_Full	4.4621	5.020	PASS
N26-814-824	15	5	CP-16QAM	H	Outer_Full	4.4771	5.026	PASS
N26-814-824	15	5	CP-64QAM	H	Outer_Full	4.4597	5.059	PASS
N26-814-824	15	5	CP-256QAM	H	Outer_Full	4.4704	5.074	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Outer_Full	8.9114	9.676	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	8.9169	9.650	PASS
N26-814-824	15	10	DFT-16QAM	L	Outer_Full	8.9398	9.600	PASS
N26-814-824	15	10	DFT-64QAM	L	Outer_Full	8.9248	9.467	PASS
N26-814-824	15	10	CP-QPSK	L	Outer_Full	9.2701	10.06	PASS
N26-814-824	15	10	CP-16QAM	L	Outer_Full	9.2738	10.06	PASS
N26-814-824	15	10	CP-64QAM	L	Outer_Full	9.2831	10.00	PASS
N26-814-824	15	10	CP-256QAM	L	Outer_Full	9.3013	10.06	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	8.9237	9.673	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	8.9134	9.649	PASS
N26-814-824	15	10	DFT-16QAM	M	Outer_Full	8.9387	9.533	PASS
N26-814-824	15	10	DFT-64QAM	M	Outer_Full	8.9123	9.468	PASS
N26-814-824	15	10	CP-QPSK	M	Outer_Full	9.2589	10.00	PASS
N26-814-824	15	10	CP-16QAM	M	Outer_Full	9.2735	10.01	PASS
N26-814-824	15	10	CP-64QAM	M	Outer_Full	9.2873	9.981	PASS

N26-814-824	15	10	CP-256QAM	M	Outer_Full	9.2857	10.08	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	8.9244	9.654	PASS
N26-814-824	15	10	DFT-QPSK	H	Outer_Full	8.9137	9.619	PASS
N26-814-824	15	10	DFT-16QAM	H	Outer_Full	8.9240	9.574	PASS
N26-814-824	15	10	DFT-64QAM	H	Outer_Full	8.9188	9.468	PASS
N26-814-824	15	10	CP-QPSK	H	Outer_Full	9.2641	10.04	PASS
N26-814-824	15	10	CP-16QAM	H	Outer_Full	9.2765	10.01	PASS
N26-814-824	15	10	CP-64QAM	H	Outer_Full	9.2898	10.07	PASS
N26-814-824	15	10	CP-256QAM	H	Outer_Full	9.2957	10.10	PASS

Test Graphs

