


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	Band2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	102.11	-84.97	17.14	-	-	Horizontal	NA
2	1959.60	38.73	-84.77	-46.04	-	-	Horizontal	NA
3	3742.00	46.35	-107.43	-61.08	-13.00	48.08	Horizontal	PASS
4	7963.00	37.22	-95.33	-58.11	-13.00	45.11	Horizontal	PASS
5	15073.50	33.87	-86.29	-52.42	-13.00	39.42	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	101.77	-84.97	16.80	-	-	Vertical	NA
2	1960.60	38.67	-84.77	-46.10	-	-	Vertical	NA
3	3742.00	45.75	-107.43	-61.68	-13.00	48.68	Vertical	PASS
4	9017.00	37.88	-93.13	-55.25	-13.00	42.25	Vertical	PASS
5	15083.50	33.33	-86.26	-52.93	-13.00	39.93	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	101.11	-84.97	16.14	-	-	Horizontal	NA
2	1957.60	38.03	-84.75	-46.72	-	-	Horizontal	NA
3	3747.00	44.33	-107.43	-63.10	-13.00	50.10	Horizontal	PASS
4	6295.50	38.30	-98.87	-60.57	-13.00	47.57	Horizontal	PASS
5	17350.00	33.22	-82.40	-49.18	-13.00	36.18	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	99.84	-84.97	14.87	-	-	Vertical	NA
2	1960.00	37.98	-84.77	-46.79	-	-	Vertical	NA
3	3747.00	43.97	-107.43	-63.46	-13.00	50.46	Vertical	PASS
4	9596.50	36.15	-92.44	-56.29	-13.00	43.29	Vertical	PASS
5	14355.50	33.22	-86.03	-52.81	-13.00	39.81	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	117.82	-95.01	22.81	-	-	Horizontal	NA
2	2134.00	44.31	-94.69	-50.38	-	-	Horizontal	NA
3	5256.50	43.60	-102.06	-58.46	-13.00	45.46	Horizontal	PASS
4	6894.00	42.21	-97.40	-55.19	-13.00	42.19	Horizontal	PASS
5	17487.50	38.55	-83.56	-45.01	-13.00	32.01	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	118.55	-95.01	23.54	-	-	Vertical	NA
2	2140.00	46.22	-94.68	-48.46	-	-	Vertical	NA
3	6894.00	41.74	-97.40	-55.66	-13.00	42.66	Vertical	PASS
4	15088.00	37.14	-86.24	-49.10	-13.00	36.10	Vertical	PASS
5	17345.50	37.84	-82.60	-44.76	-13.00	31.76	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	111.38	-85.18	26.20	-	-	Horizontal	NA
2	2144.80	38.48	-84.63	-46.15	-	-	Horizontal	NA
3	3472.00	49.02	-107.15	-58.13	-13.00	45.13	Horizontal	PASS
4	6944.00	43.27	-97.80	-54.53	-13.00	41.53	Horizontal	PASS
5	17878.50	38.41	-82.79	-44.38	-13.00	31.38	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	111.08	-85.18	25.90	-	-	Vertical	NA
2	2151.40	38.71	-84.66	-45.95	-	-	Vertical	NA
3	3472.50	49.45	-107.14	-57.69	-13.00	44.69	Vertical	PASS
4	6944.50	42.69	-97.81	-55.12	-13.00	42.12	Vertical	PASS
5	17837.50	38.86	-82.64	-43.78	-13.00	30.78	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	61.88	-114.12	-52.24	-13.00	39.24	Horizontal	PASS
2	2496.40	58.45	-111.37	-52.92	-13.00	39.92	Horizontal	PASS
3	3328.40	50.06	-108.29	-58.23	-13.00	45.23	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	63.66	-114.12	-50.46	-13.00	37.46	Vertical	PASS
2	2496.40	63.92	-111.37	-47.45	-13.00	34.45	Vertical	PASS
3	4160.80	49.98	-105.41	-55.43	-13.00	42.43	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	108.53	-83.04	25.49	-	-	Horizontal	NA
2	11991.50	37.17	-89.85	-52.68	-25.00	27.68	Horizontal	PASS
3	15239.50	36.99	-86.16	-49.17	-25.00	24.17	Horizontal	PASS
4	17350.50	38.35	-82.42	-44.07	-25.00	19.07	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	108.35	-83.04	25.31	-	-	Vertical	NA
2	10058.00	37.55	-91.60	-54.05	-25.00	29.05	Vertical	PASS
3	12732.00	38.05	-89.62	-51.57	-25.00	26.57	Vertical	PASS
4	17340.00	38.03	-82.86	-44.83	-25.00	19.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	59.72	-114.33	-54.61	-13.00	41.61	Horizontal	PASS
2	2109.50	49.75	-113.21	-63.46	-13.00	50.46	Horizontal	PASS
3	7201.65	36.94	-96.68	-59.74	-13.00	46.74	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	59.04	-114.33	-55.29	-13.00	42.29	Vertical	PASS
2	2109.15	49.36	-113.21	-63.85	-13.00	50.85	Vertical	PASS
3	6842.20	37.62	-97.77	-60.15	-13.00	47.15	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	56.12	-114.07	-57.95	-13.00	44.95	Horizontal	PASS
2	2332.45	48.81	-112.39	-63.58	-13.00	50.58	Horizontal	PASS
3	5255.65	39.69	-101.85	-62.16	-13.00	49.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	54.63	-114.07	-59.44	-13.00	46.44	Vertical	PASS
2	2332.80	48.50	-112.39	-63.89	-13.00	50.89	Vertical	PASS
3	7301.75	36.71	-95.91	-59.20	-13.00	46.20	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	56.06	-114.09	-58.03	-40.00	18.03	Horizontal	PASS
2	2339.80	49.74	-112.43	-62.69	-13.00	49.69	Horizontal	PASS
3	5277.23	42.12	-101.75	-59.63	-13.00	46.63	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	56.57	-114.09	-57.52	-40.00	17.52	Vertical	PASS
2	2339.80	50.26	-112.43	-62.17	-13.00	49.17	Vertical	PASS
3	6925.50	38.98	-97.77	-58.79	-13.00	45.79	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.20	61.50	-114.18	-52.68	-40.00	12.68	Horizontal	PASS
2	2366.00	50.39	-112.42	-62.03	-13.00	49.03	Horizontal	PASS
3	5275.20	42.27	-101.76	-59.49	-13.00	46.49	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.20	60.59	-114.18	-53.59	-40.00	13.59	Vertical	PASS
2	2366.00	49.88	-112.42	-62.54	-13.00	49.54	Vertical	PASS
3	8989.60	36.90	-93.60	-56.70	-13.00	43.70	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.60	61.16	-114.08	-52.92	-13.00	39.92	Horizontal	PASS
2	2474.40	61.92	-111.25	-49.33	-13.00	36.33	Horizontal	PASS
3	3299.20	43.04	-108.17	-65.13	-13.00	52.13	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.60	60.00	-114.08	-54.08	-13.00	41.08	Vertical	PASS
2	2474.40	64.16	-111.25	-47.09	-13.00	34.09	Vertical	PASS
3	4124.00	44.87	-105.72	-60.85	-13.00	47.85	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	107.82	-83.72	24.10	-	-	Horizontal	NA
2	8907.50	37.01	-93.52	-56.51	-40.00	16.51	Horizontal	PASS
3	13416.00	34.60	-88.21	-53.61	-40.00	13.61	Horizontal	PASS
4	17364.50	33.31	-82.97	-49.66	-40.00	9.66	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	107.77	-83.72	24.05	-	-	Vertical	NA
2	9577.00	36.65	-92.56	-55.91	-40.00	15.91	Vertical	PASS
3	13823.50	34.31	-86.95	-52.64	-40.00	12.64	Vertical	PASS
4	17350.00	32.23	-82.40	-50.17	-40.00	10.17	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	98.97	-82.41	16.56	-	-	Horizontal	NA
2	2974.70	36.86	-79.90	-43.04	-25.00	18.04	Horizontal	PASS
3	5172.00	40.22	-102.06	-61.84	-25.00	36.84	Horizontal	PASS
4	17893.00	38.34	-82.96	-44.62	-25.00	19.62	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	108.45	-82.41	26.04	-	-	Vertical	NA
2	2951.20	36.70	-80.00	-43.30	-25.00	18.30	Vertical	PASS
3	5172.00	40.39	-102.06	-61.67	-25.00	36.67	Vertical	PASS
4	17856.50	38.07	-82.54	-44.47	-25.00	19.47	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2500-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	99.18	-82.41	16.77	-	-	Horizontal	NA
2	2956.40	36.93	-79.98	-43.05	-25.00	18.05	Horizontal	PASS
3	14358.50	37.21	-86.09	-48.88	-25.00	23.88	Horizontal	PASS
4	17838.50	38.19	-82.62	-44.43	-25.00	19.43	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2500-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	109.52	-82.41	27.11	-	-	Vertical	NA
2	5266.50	42.16	-101.92	-59.76	-25.00	34.76	Vertical	PASS
3	15163.50	38.42	-86.95	-48.53	-25.00	23.53	Vertical	PASS
4	17831.00	38.18	-82.74	-44.56	-25.00	19.56	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 43(3600-3800MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3691.15	106.74	-88.70	18.04	-	-	Horizontal	NA
2	6362.23	29.23	-80.00	-50.77	-30.00	20.77	Horizontal	PASS
3	7382.08	40.11	-95.86	-55.75	-30.00	25.75	Horizontal	PASS
4	17994.25	31.97	-81.55	-49.58	-30.00	19.58	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 43(3600-3800MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3691.15	107.94	-88.70	19.24	-	-	Vertical	NA
2	6351.78	28.90	-79.89	-50.99	-30.00	20.99	Vertical	PASS
3	7382.08	42.37	-95.86	-53.49	-30.00	23.49	Vertical	PASS
4	17983.90	31.62	-81.70	-50.08	-30.00	20.08	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3450-3600MHz)
Bandwidth:	5MHz	Channel:	Low
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.53	104.19	-88.97	15.22	-	-	Horizontal	NA
2	6416.40	30.10	-80.36	-50.26	-30.00	20.26	Horizontal	PASS
3	13698.47	33.83	-85.85	-52.02	-30.00	22.02	Horizontal	PASS
4	17992.33	32.79	-81.58	-48.79	-30.00	18.79	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band42(3450-3600MHz)
Bandwidth:	5MHz	Channel:	Low
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.25	109.96	-88.97	20.99	-	-	Vertical	NA
2	6332.80	29.18	-80.09	-50.91	-30.00	20.91	Vertical	PASS
3	6900.60	40.62	-96.96	-56.34	-30.00	26.34	Vertical	PASS
4	17854.33	31.78	-81.32	-49.54	-30.00	19.54	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	104.98	-88.64	16.34	-	-	Horizontal	NA
2	6365.53	31.67	-80.04	-48.37	-30.00	18.37	Horizontal	PASS
3	15082.74	33.74	-86.17	-52.43	-30.00	22.43	Horizontal	PASS
4	17866.98	31.89	-81.49	-49.60	-30.00	19.60	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	109.18	-88.64	20.54	-	-	Vertical	NA
2	6350.13	31.97	-79.87	-47.90	-30.00	17.90	Vertical	PASS
3	7232.19	38.77	-95.97	-57.20	-30.00	27.20	Vertical	PASS
4	17983.13	32.31	-81.72	-49.41	-30.00	19.41	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	25052451/2#866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2009.75	45.24	-113.47	-68.23	-13.00	55.23	Horizontal	PASS
2	4795.05	40.17	-102.92	-62.75	-13.00	49.75	Horizontal	PASS
3	7270.60	39.75	-96.49	-56.74	-13.00	43.74	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	25052451/2#866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2009.40	46.18	-113.46	-67.28	-13.00	54.28	Vertical	PASS
2	3798.25	40.84	-106.66	-65.82	-13.00	52.82	Vertical	PASS
3	7209.00	39.17	-96.71	-57.54	-13.00	44.54	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	52.03	-114.21	-62.18	-13.00	49.18	Horizontal	PASS
2	2015.00	64.67	-113.51	-48.84	-13.00	35.84	Horizontal	PASS
3	5691.75	38.39	-100.30	-61.91	-13.00	48.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:	-		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	54.94	-114.21	-59.27	-13.00	46.27	Vertical	PASS
2	2014.65	65.54	-113.51	-47.97	-13.00	34.97	Vertical	PASS
3	5254.25	40.35	-101.85	-61.50	-13.00	48.50	Vertical	PASS

~The End~