


# Appendix-C Field Strength of Spurious Radiation-NR

For NR:

Project Information			
Mode:	Redcap	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

## Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1870.60	96.20	-84.97	11.23	-	-	RMS	Horizontal	NA
2	2972.80	35.47	-79.91	-44.44	-13.00	31.44	RMS	Horizontal	PASS
3	3741.00	43.60	-107.44	-63.84	-13.00	50.84	RMS	Horizontal	PASS
4	17340.50	33.09	-82.84	-49.75	-13.00	36.75	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1870.60	102.73	-84.97	17.76	-	-	RMS	Vertical	NA
2	2996.20	35.84	-80.26	-44.42	-13.00	31.42	RMS	Vertical	PASS
3	3741.00	44.53	-107.44	-62.91	-13.00	49.91	RMS	Vertical	PASS
4	17348.00	32.35	-82.49	-50.14	-13.00	37.14	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1654.00	59.59	-114.09	-54.50	-13.00	41.50	RMS	Horizontal	PASS
2	2481.20	61.24	-111.30	-50.06	-13.00	37.06	RMS	Horizontal	PASS
3	3308.00	42.85	-108.21	-65.36	-13.00	52.36	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1654.00	57.49	-114.09	-56.60	-13.00	43.60	RMS	Vertical	PASS
2	2481.20	62.14	-111.30	-49.16	-13.00	36.16	RMS	Vertical	PASS
3	3308.40	42.70	-108.21	-65.51	-13.00	52.51	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2525.60	97.47	-83.05	14.42	-	-	RMS	Horizontal	NA
2	2981.50	40.24	-80.01	-39.77	-25.00	14.77	RMS	Horizontal	PASS
3	10798.00	36.32	-90.94	-54.62	-25.00	29.62	RMS	Horizontal	PASS
4	17858.00	38.15	-82.55	-44.40	-25.00	19.40	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2525.50	107.59	-83.05	24.54	-	-	RMS	Vertical	NA
2	2965.80	40.04	-79.94	-39.90	-25.00	14.90	RMS	Vertical	PASS
3	11380.00	36.79	-90.10	-53.31	-25.00	28.31	RMS	Vertical	PASS
4	17798.50	38.72	-83.23	-44.51	-25.00	19.51	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1400.75	44.67	-114.31	-69.64	-13.00	56.64	RMS	Horizontal	PASS
2	2961.05	41.81	-109.24	-67.43	-13.00	54.43	RMS	Horizontal	PASS
3	7299.30	38.93	-95.90	-56.97	-13.00	43.97	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1400.75	46.97	-114.31	-67.34	-13.00	54.34	RMS	Vertical	PASS
2	2101.45	45.55	-113.22	-67.67	-13.00	54.67	RMS	Vertical	PASS
3	7301.40	38.43	-95.91	-57.48	-13.00	44.48	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1554.87	55.20	-114.07	-58.87	-13.00	45.87	RMS	Horizontal	PASS
2	2332.10	45.22	-112.39	-67.17	-13.00	54.17	RMS	Horizontal	PASS
3	6982.67	38.42	-97.43	-59.01	-13.00	46.01	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1554.87	53.62	-114.07	-60.45	-13.00	47.45	RMS	Vertical	PASS
2	2332.10	56.43	-112.39	-55.96	-13.00	42.96	RMS	Vertical	PASS
3	7273.63	38.23	-96.42	-58.19	-13.00	45.19	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1576.57	51.22	-114.18	-62.96	-40.00	22.96	RMS	Horizontal	PASS
2	2463.23	50.30	-111.19	-60.89	-13.00	47.89	RMS	Horizontal	PASS
3	6906.37	38.00	-97.67	-59.67	-13.00	46.67	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1576.57	50.43	-114.18	-63.75	-40.00	23.75	RMS	Vertical	PASS
2	2365.23	46.01	-112.42	-66.41	-13.00	53.41	RMS	Vertical	PASS
3	6995.03	37.97	-97.26	-59.29	-13.00	46.29	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873.00	97.22	-84.97	12.25	-	-	RMS	Horizontal	NA
2	2976.00	35.34	-79.92	-44.58	-13.00	31.58	RMS	Horizontal	PASS
3	3746.00	42.43	-107.43	-65.00	-13.00	52.00	RMS	Horizontal	PASS
4	17355.50	32.32	-82.61	-50.29	-13.00	37.29	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:


## Test Graph



## Data List


NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873.00	102.55	-84.97	17.58	-	-	RMS	Vertical	NA
2	2969.40	35.25	-79.92	-44.67	-13.00	31.67	RMS	Vertical	PASS
3	3746.00	42.20	-107.43	-65.23	-13.00	52.23	RMS	Vertical	PASS
4	17344.50	32.41	-82.66	-50.25	-13.00	37.25	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	26 (814-824)
Bandwidth	-	Channel	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

**Test Graph**

Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1629.20	44.45	-114.17	56.72	Horizontal	PASS
2	6132.80	38.73	-99.96	48.23	Horizontal	PASS
3	8824.40	36.80	-93.30	43.50	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	26 (814-824)
Bandwidth	-	Channel	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			


**Test Graph**

Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1629.20	47.13	-114.17	54.04	Vertical	PASS
2	2443.60	47.64	-111.26	50.62	Vertical	PASS
3	8878.00	36.65	-93.04	43.39	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	26 (824-849)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1644.00	57.58	-114.11	-56.53	-13.00	43.53	RMS	Horizontal	PASS
2	2466.40	57.28	-111.20	-53.92	-13.00	40.92	RMS	Horizontal	PASS
3	8878.80	35.95	-93.04	-57.09	-13.00	44.09	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	26 (824-849)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1644.00	56.16	-114.11	-57.95	-13.00	44.95	RMS	Vertical	PASS
2	2466.00	61.22	-111.21	-49.99	-13.00	36.99	RMS	Vertical	PASS
3	8992.00	37.16	-93.57	-56.41	-13.00	43.41	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.30	96.24	-83.72	12.52	-	-	RMS	Horizontal	NA
2	2968.20	30.11	-79.93	-49.82	-40.00	9.82	RMS	Horizontal	PASS
3	8857.00	36.01	-92.68	-56.67	-40.00	16.67	RMS	Horizontal	PASS
4	17350.50	32.17	-82.42	-50.25	-40.00	10.25	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.40	106.47	-83.72	22.75	-	-	RMS	Vertical	NA
2	2967.90	30.51	-79.93	-49.42	-40.00	9.42	RMS	Vertical	PASS
3	10900.50	34.83	-90.49	-55.66	-40.00	15.66	RMS	Vertical	PASS
4	17351.00	32.49	-82.44	-49.95	-40.00	9.95	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1735.60	98.76	-85.19	13.57	-	-	RMS	Horizontal	NA
2	2986.80	35.79	-80.10	-44.31	-13.00	31.31	RMS	Horizontal	PASS
3	3471.00	41.47	-107.15	-65.68	-13.00	52.68	RMS	Horizontal	PASS
4	17929.50	38.62	-83.08	-44.46	-13.00	31.46	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1735.60	106.89	-85.19	21.70	-	-	RMS	Vertical	NA
2	2974.20	35.49	-79.90	-44.41	-13.00	31.41	RMS	Vertical	PASS
3	3471.00	47.94	-107.15	-59.21	-13.00	46.21	RMS	Vertical	PASS
4	17871.50	38.02	-82.72	-44.70	-13.00	31.70	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	70
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1697.80	99.54	-85.42	14.12	-	-	RMS	Horizontal	NA
2	2974.40	35.22	-79.90	-44.68	-13.00	31.68	RMS	Horizontal	PASS
3	6791.50	41.41	-98.46	-57.05	-13.00	44.05	RMS	Horizontal	PASS
4	17328.00	38.59	-83.41	-44.82	-13.00	31.82	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	70
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1697.80	108.36	-85.42	22.94	-	-	RMS	Vertical	NA
2	2985.20	35.36	-80.07	-44.71	-13.00	31.71	RMS	Vertical	PASS
3	6791.50	41.40	-98.46	-57.06	-13.00	44.06	RMS	Vertical	PASS
4	17872.50	38.11	-82.72	-44.61	-13.00	31.61	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBm]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1341.95	46.50	-114.22	-67.72	-13.00	54.72	RMS	Horizontal	PASS
2	2013.25	55.98	-113.49	-57.51	-13.00	44.51	RMS	Horizontal	PASS
3	7324.15	38.62	-96.32	-57.70	-13.00	44.70	RMS	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:


## Test Graph



## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1342.30	48.18	-114.22	-66.04	-13.00	53.04	RMS	Vertical	PASS
2	2013.25	60.66	-113.49	-52.83	-13.00	39.83	RMS	Vertical	PASS
3	7294.40	38.63	-96.00	-57.37	-13.00	44.37	RMS	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	102.64	-93.29	9.35	-	-	Horizontal	NA
2	2900.20	40.23	-90.51	-50.28	-25.00	25.28	Horizontal	PASS
3	10028.50	36.70	-91.59	-54.89	-25.00	29.89	Horizontal	PASS
4	17855.00	37.96	-82.52	-44.56	-25.00	19.56	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.00	116.12	-93.29	22.83	-	-	Vertical	NA
2	2972.20	40.66	-90.66	-50.00	-25.00	25.00	Vertical	PASS
3	15253.50	36.89	-85.96	-49.07	-25.00	24.07	Vertical	PASS
4	17356.00	38.14	-82.63	-44.49	-25.00	19.49	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	101.12	-93.31	7.81	-	-	Horizontal	NA
2	2928.00	40.15	-90.47	-50.32	-25.00	25.32	Horizontal	PASS
3	15066.00	38.07	-86.32	-48.25	-25.00	23.25	Horizontal	PASS
4	17345.50	38.35	-82.60	-44.25	-25.00	19.25	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	114.47	-93.31	21.16	-	-	Vertical	NA
2	2951.80	40.34	-90.46	-50.12	-25.00	25.12	Vertical	PASS
3	14365.00	36.86	-86.22	-49.36	-25.00	24.36	Vertical	PASS
4	17350.00	37.40	-82.40	-45.00	-25.00	20.00	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	77(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	97.13	-88.93	8.20	-	-	Horizontal	NA
2	6348.75	37.92	-79.88	-41.96	-13.00	30.46	Horizontal	PASS
3	15244.60	32.98	-85.49	-52.51	-13.00	39.51	Horizontal	PASS
4	17853.18	31.33	-81.31	-49.98	-13.00	36.98	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	77(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	105.13	-88.93	16.20	-	-	Vertical	NA
2	6102.90	39.11	-80.70	-41.59	-13.00	30.59	Vertical	PASS
3	9025.02	36.18	-92.83	-56.65	-13.00	43.65	Vertical	PASS
4	13701.68	32.98	-85.93	-52.95	-13.00	39.95	Vertical	PASS
5	17387.05	32.23	-83.14	-50.91	-13.00	37.91	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	77(3700-3980MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3831.13	104.21	-88.06	16.15	-	-	Horizontal	NA
2	6356.45	37.88	-79.94	-42.06	-13.00	30.56	Horizontal	PASS
3	13657.98	33.47	-86.14	-52.67	-13.00	39.67	Horizontal	PASS
4	17862.77	31.47	-81.43	-49.96	-13.00	36.96	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	77(3700-3980MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866243060020764	Engineer:	Ou Shuyan
Remark:			

Test Standard:

## Test Graph



## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3830.85	106.68	-88.06	18.62	-	-	Vertical	NA
2	6138.93	39.24	-80.82	-41.58	-13.00	30.58	Vertical	PASS
3	13691.33	33.44	-85.90	-52.46	-13.00	39.46	Vertical	PASS
4	17362.13	33.15	-83.06	-49.91	-13.00	36.91	Vertical	PASS

~The End~