













NTNV-11n40SISO-Ant0-5670




NTNV-11n40SISO-Ant0-5755




NTNV-11n40SISO-Ant0-5795



NTNV-11ac20SISO-Ant0-5180




NTNV-11ac20SISO-Ant0-5200




NTNV-11ac20SISO-Ant0-5240









Maximum conducted output power

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5180	16.07	≤23.98	PASS
11a	Ant0	5200	15.97	≤23.98	PASS
11a	Ant0	5240	15.76	≤23.98	PASS
11n20SISO	Ant0	5180	15.87	≤23.98	PASS
11n20SISO	Ant0	5200	15.85	≤23.98	PASS
11n20SISO	Ant0	5240	15.58	≤23.98	PASS
11n40SISO	Ant0	5190	16.14	≤23.98	PASS
11n40SISO	Ant0	5230	16.05	≤23.98	PASS
11ac20SISO	Ant0	5180	15.13	≤23.98	PASS
11ac20SISO	Ant0	5200	15.11	≤23.98	PASS
11ac20SISO	Ant0	5240	14.96	≤23.98	PASS
11ac40SISO	Ant0	5190	15.07	≤23.98	PASS
11ac40SISO	Ant0	5230	15.04	≤23.98	PASS
11ac80SISO	Ant0	5210	13.96	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5260	15.75	≤23.98	PASS
11a	Ant0	5300	15.73	≤23.98	PASS
11a	Ant0	5320	15.77	≤23.98	PASS
11n20SISO	Ant0	5260	16.03	≤23.98	PASS
11n20SISO	Ant0	5300	15.98	≤23.98	PASS
11n20SISO	Ant0	5320	16.01	≤23.98	PASS
11n40SISO	Ant0	5270	15.98	≤23.98	PASS
11n40SISO	Ant0	5310	15.95	≤23.98	PASS
11ac20SISO	Ant0	5260	14.98	≤23.98	PASS
11ac20SISO	Ant0	5300	14.95	≤23.98	PASS
11ac20SISO	Ant0	5320	14.91	≤23.98	PASS
11ac40SISO	Ant0	5270	14.77	≤23.98	PASS
11ac40SISO	Ant0	5310	14.75	≤23.98	PASS
11ac80SISO	Ant0	5290	14.08	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5500	15.64	≤23.98	PASS
11a	Ant0	5580	15.68	≤23.98	PASS
11a	Ant0	5700	16.09	≤23.98	PASS
11n20SISO	Ant0	5500	15.86	≤23.98	PASS
11n20SISO	Ant0	5580	15.77	≤23.98	PASS
11n20SISO	Ant0	5700	16.04	≤23.98	PASS
11n40SISO	Ant0	5510	15.85	≤23.98	PASS
11n40SISO	Ant0	5590	16.06	≤23.98	PASS
11n40SISO	Ant0	5670	16.13	≤23.98	PASS
11ac20SISO	Ant0	5500	14.82	≤23.98	PASS
11ac20SISO	Ant0	5580	14.87	≤23.98	PASS
11ac20SISO	Ant0	5700	15.21	≤23.98	PASS
11ac40SISO	Ant0	5510	14.70	≤23.98	PASS
11ac40SISO	Ant0	5590	14.76	≤23.98	PASS
11ac40SISO	Ant0	5670	14.85	≤23.98	PASS
11ac80SISO	Ant0	5530	13.87	≤23.98	PASS
11ac80SISO	Ant0	5610	13.55	≤23.98	PASS


Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5745	15.71	≤30.00	PASS
11a	Ant0	5785	15.96	≤30.00	PASS
11a	Ant0	5825	16.10	≤30.00	PASS
11n20SISO	Ant0	5745	15.54	≤30.00	PASS
11n20SISO	Ant0	5785	15.65	≤30.00	PASS
11n20SISO	Ant0	5825	15.92	≤30.00	PASS
11n40SISO	Ant0	5755	15.73	≤30.00	PASS
11n40SISO	Ant0	5795	16.02	≤30.00	PASS
11ac20SISO	Ant0	5745	14.75	≤30.00	PASS
11ac20SISO	Ant0	5785	14.92	≤30.00	PASS
11ac20SISO	Ant0	5825	15.15	≤30.00	PASS
11ac40SISO	Ant0	5755	13.93	≤30.00	PASS
11ac40SISO	Ant0	5795	14.33	≤30.00	PASS
11ac80SISO	Ant0	5775	13.54	≤30.00	PASS


Maximum power spectral density
Test Result


TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11a	Ant0	5180	7.00	≤11.00	PASS
11a	Ant0	5200	5.52	≤11.00	PASS
11a	Ant0	5240	4.95	≤11.00	PASS
11a	Ant0	5260	4.58	≤11.00	PASS
11a	Ant0	5300	4.24	≤11.00	PASS
11a	Ant0	5320	4.65	≤11.00	PASS
11a	Ant0	5500	5.14	≤11.00	PASS
11a	Ant0	5600	3.88	≤11.00	PASS
11a	Ant0	5700	5.96	≤11.00	PASS
11a	Ant0	5745	2.76	≤30.00	PASS
11a	Ant0	5785	2.42	≤30.00	PASS
11a	Ant0	5825	2.24	≤30.00	PASS
11n20SISO	Ant0	5180	6.74	≤11.00	PASS
11n20SISO	Ant0	5200	4.96	≤11.00	PASS
11n20SISO	Ant0	5240	4.61	≤11.00	PASS
11n20SISO	Ant0	5260	6.21	≤11.00	PASS
11n20SISO	Ant0	5300	5.98	≤11.00	PASS
11n20SISO	Ant0	5320	6.04	≤11.00	PASS
11n20SISO	Ant0	5500	6.79	≤11.00	PASS
11n20SISO	Ant0	5600	5.13	≤11.00	PASS
11n20SISO	Ant0	5700	5.62	≤11.00	PASS
11n20SISO	Ant0	5745	1.06	≤30.00	PASS
11n20SISO	Ant0	5785	1.55	≤30.00	PASS
11n20SISO	Ant0	5825	1.98	≤30.00	PASS
11n40SISO	Ant0	5190	3.73	≤11.00	PASS
11n40SISO	Ant0	5230	3.77	≤11.00	PASS
11n40SISO	Ant0	5270	2.86	≤11.00	PASS
11n40SISO	Ant0	5310	1.09	≤11.00	PASS
11n40SISO	Ant0	5510	3.70	≤11.00	PASS
11n40SISO	Ant0	5590	2.71	≤11.00	PASS
11n40SISO	Ant0	5670	1.52	≤11.00	PASS
11n40SISO	Ant0	5755	-0.04	≤30.00	PASS
11n40SISO	Ant0	5795	-0.62	≤30.00	PASS
11ac20SISO	Ant0	5180	6.10	≤11.00	PASS
11ac20SISO	Ant0	5200	4.76	≤11.00	PASS
11ac20SISO	Ant0	5240	5.74	≤11.00	PASS
11ac20SISO	Ant0	5260	3.79	≤11.00	PASS
11ac20SISO	Ant0	5300	3.33	≤11.00	PASS
11ac20SISO	Ant0	5320	3.71	≤11.00	PASS
11ac20SISO	Ant0	5500	5.88	≤11.00	PASS
11ac20SISO	Ant0	5600	4.79	≤11.00	PASS
11ac20SISO	Ant0	5700	3.66	≤11.00	PASS
11ac20SISO	Ant0	5745	0.22	≤30.00	PASS
11ac20SISO	Ant0	5785	1.35	≤30.00	PASS
11ac20SISO	Ant0	5825	1.33	≤30.00	PASS
11ac40SISO	Ant0	5190	2.91	≤11.00	PASS
11ac40SISO	Ant0	5230	1.28	≤11.00	PASS
11ac40SISO	Ant0	5270	1.88	≤11.00	PASS
11ac40SISO	Ant0	5310	1.84	≤11.00	PASS
11ac40SISO	Ant0	5510	0.93	≤11.00	PASS
11ac40SISO	Ant0	5590	-0.09	≤11.00	PASS
11ac40SISO	Ant0	5670	1.52	≤11.00	PASS
11ac40SISO	Ant0	5755	-3.60	≤30.00	PASS
11ac40SISO	Ant0	5795	-2.43	≤30.00	PASS
11ac80SISO	Ant0	5210	-0.83	≤11.00	PASS
11ac80SISO	Ant0	5290	-3.55	≤11.00	PASS
11ac80SISO	Ant0	5530	-3.18	≤11.00	PASS
11ac80SISO	Ant0	5610	-4.61	≤11.00	PASS
11ac80SISO	Ant0	5775	-5.26	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

























Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.53	36.45	13.90	50.35	-	-	Horizontal	NA
2	8072.10	36.92	0.45	37.37	54.00	16.63	Horizontal	PASS
3	11427.53	35.18	5.21	40.39	54.00	13.61	Horizontal	PASS
4	17976.23	32.48	13.44	45.92	54.00	8.08	Horizontal	PASS
5	5177.25	42.89	13.91	56.80	-	-	Horizontal	NA
6	6319.05	34.48	16.99	51.47	68.20	16.73	Horizontal	PASS
7	6906.73	51.37	-1.76	49.61	68.20	18.59	Horizontal	PASS
8	17363.26	40.13	12.19	52.32	68.20	15.88	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5176.15	45.57	13.91	59.48	-	-	Vertical	NA
2	8103.54	37.01	0.54	37.55	54.00	16.45	Vertical	PASS
3	11382.68	34.76	5.27	40.03	54.00	13.97	Vertical	PASS
4	15851.73	33.25	8.17	41.42	54.00	12.58	Vertical	PASS
5	5176.98	51.44	13.91	65.35	-	-	Vertical	NA
6	6323.45	34.52	17.02	51.54	68.20	16.66	Vertical	PASS
7	6907.11	58.13	-1.77	56.36	68.20	11.84	Vertical	PASS
8	17802.19	39.92	11.95	51.87	74.00	22.13	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9432.60	36.63	1.99	38.62	54.00	15.38	Horizontal	PASS
2	12103.75	35.22	5.16	40.38	54.00	13.62	Horizontal	PASS
3	17854.71	31.83	13.93	45.76	54.00	8.24	Horizontal	PASS
4	6116.93	35.69	15.92	51.61	68.20	16.59	Horizontal	PASS
5	6933.56	52.74	-2.03	50.71	68.20	17.49	Horizontal	PASS
6	17378.60	39.58	12.14	51.72	68.20	16.48	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.93	34.17	13.91	48.08	-	-	Vertical	NA
2	9474.77	36.42	2.41	38.83	54.00	15.17	Vertical	PASS
3	11383.83	34.92	5.28	40.20	54.00	13.80	Vertical	PASS
4	17987.73	31.85	13.61	45.46	54.00	8.54	Vertical	PASS
5	5192.38	40.85	13.92	54.77	-	-	Vertical	NA
6	6304.20	34.22	16.84	51.06	68.20	17.14	Vertical	PASS
7	6933.56	56.75	-2.03	54.72	68.20	13.48	Vertical	PASS
8	17370.93	39.27	12.17	51.44	68.20	16.76	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	8424.78	36.35	1.04	37.39	54.00	16.61	Horizontal	PASS
2	12398.16	33.90	6.23	40.13	54.00	13.87	Horizontal	PASS
3	15851.35	33.52	8.17	41.69	54.00	12.31	Horizontal	PASS
4	6102.90	34.91	15.93	50.84	68.20	17.36	Horizontal	PASS
5	6986.85	52.12	-1.84	50.28	68.20	17.92	Horizontal	PASS
6	17339.88	40.22	11.92	52.14	68.20	16.06	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9163.11	35.55	3.23	38.78	54.00	15.22	Vertical	PASS
2	12086.12	35.24	5.26	40.50	54.00	13.50	Vertical	PASS
3	15851.73	32.53	8.17	40.70	54.00	13.30	Vertical	PASS
4	6106.20	35.68	15.92	51.60	68.20	16.60	Vertical	PASS
5	6986.47	56.63	-1.84	54.79	68.20	13.41	Vertical	PASS
6	17369.01	39.80	12.18	51.98	68.20	16.22	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7381.70	36.49	-0.61	35.88	54.00	18.12	Horizontal	PASS
2	11459.73	35.51	5.02	40.53	54.00	13.47	Horizontal	PASS
3	17858.93	31.92	13.88	45.80	54.00	8.20	Horizontal	PASS
4	6321.80	34.64	17.01	51.65	68.20	16.55	Horizontal	PASS
5	7013.30	50.69	-1.65	49.04	68.20	19.16	Horizontal	PASS
6	17404.66	39.83	12.05	51.88	68.20	16.32	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5265.25	33.47	14.26	47.73	-	-	Vertical	NA
2	7482.13	37.16	-1.36	35.80	54.00	18.20	Vertical	PASS
3	12067.34	35.29	5.35	40.64	54.00	13.36	Vertical	PASS
4	17851.65	32.52	13.97	46.49	54.00	7.51	Vertical	PASS
5	5267.45	39.23	14.27	53.50	-	-	Vertical	NA
6	6283.30	35.33	16.51	51.84	68.20	16.36	Vertical	PASS
7	7013.30	56.87	-1.65	55.22	68.20	12.98	Vertical	PASS
8	17345.24	39.93	12.09	52.02	68.20	16.18	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9463.65	36.68	2.25	38.93	54.00	15.07	Horizontal	PASS
2	12067.72	35.41	5.35	40.76	54.00	13.24	Horizontal	PASS
3	17805.26	33.61	12.08	45.69	54.00	8.31	Horizontal	PASS
4	6286.60	35.49	16.57	52.06	68.20	16.14	Horizontal	PASS
5	7066.59	48.20	-1.53	46.67	68.20	21.53	Horizontal	PASS
6	17351.76	38.74	12.23	50.97	68.20	17.23	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.88	34.47	14.47	48.94	-	-	Vertical	NA
2	10601.80	39.06	4.18	43.24	54.00	10.76	Vertical	PASS
3	12098.00	35.11	5.20	40.31	54.00	13.69	Vertical	PASS
4	17854.33	31.56	13.94	45.50	54.00	8.50	Vertical	PASS
5	5296.05	41.40	14.46	55.86	-	-	Vertical	NA
6	6480.48	35.75	17.26	53.01	68.20	15.19	Vertical	PASS
7	7066.59	53.33	-1.53	51.80	68.20	16.40	Vertical	PASS
8	10602.19	44.49	4.17	48.66	74.00	25.34	Vertical	PASS
9	17397.76	39.57	12.08	51.65	68.20	16.55	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9144.70	35.26	3.23	38.49	54.00	15.51	Horizontal	PASS
2	12093.40	35.61	5.22	40.83	54.00	13.17	Horizontal	PASS
3	17851.65	31.88	13.97	45.85	54.00	8.15	Horizontal	PASS
4	6355.90	34.70	17.20	51.90	68.20	16.30	Horizontal	PASS
5	7093.42	47.92	-1.52	46.40	68.20	21.80	Horizontal	PASS
6	17851.26	38.95	13.97	52.92	74.00	21.08	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.63	39.08	14.55	53.63	-	-	Vertical	NA
2	9134.35	35.78	2.97	38.75	54.00	15.25	Vertical	PASS
3	12059.67	35.19	5.38	40.57	54.00	13.43	Vertical	PASS
4	17997.70	31.65	13.76	45.41	54.00	8.59	Vertical	PASS
5	5321.63	44.99	14.55	59.54	-	-	Vertical	NA
6	6355.90	34.24	17.20	51.44	68.20	16.76	Vertical	PASS
7	7093.42	51.34	-1.52	49.82	68.20	18.38	Vertical	PASS
8	15076.22	40.65	9.12	49.77	68.20	18.43	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7367.51	36.86	-0.87	35.99	54.00	18.01	Horizontal	PASS
2	11000.10	39.46	5.05	44.51	54.00	9.49	Horizontal	PASS
3	17865.83	32.13	13.78	45.91	54.00	8.09	Horizontal	PASS
4	6349.03	34.93	17.22	52.15	68.20	16.05	Horizontal	PASS
5	10999.72	45.13	5.05	50.18	74.00	23.82	Horizontal	PASS
6	17336.81	39.78	11.82	51.60	68.20	16.60	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.93	38.19	14.68	52.87	-	-	Vertical	NA
2	7333.78	40.42	-1.19	39.23	54.00	14.77	Vertical	PASS
3	11002.40	38.63	5.01	43.64	54.00	10.36	Vertical	PASS
4	17838.99	32.03	13.52	45.55	54.00	8.45	Vertical	PASS
5	5500.38	44.34	14.68	59.02	-	-	Vertical	NA
6	6300.08	34.93	16.71	51.64	68.20	16.56	Vertical	PASS
7	10998.95	44.20	5.05	49.25	74.00	24.75	Vertical	PASS
8	17354.45	39.08	12.22	51.30	68.20	16.90	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7466.80	37.57	-1.49	36.08	54.00	17.92	Horizontal	PASS
2	11202.12	36.68	4.61	41.29	54.00	12.71	Horizontal	PASS
3	17882.70	31.82	13.57	45.39	54.00	8.61	Horizontal	PASS
4	6310.25	34.50	16.82	51.32	68.20	16.88	Horizontal	PASS
5	8869.85	43.24	2.72	45.96	68.20	22.24	Horizontal	PASS
6	17351.38	39.51	12.23	51.74	68.20	16.46	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5598.83	35.91	14.74	50.65	-	-	Vertical	NA
2	7467.18	41.14	-1.49	39.65	54.00	14.35	Vertical	PASS
3	11200.59	38.67	4.60	43.27	54.00	10.73	Vertical	PASS
4	17862.00	31.85	13.83	45.68	54.00	8.32	Vertical	PASS
5	5596.63	42.56	14.73	57.29	-	-	Vertical	NA
6	6319.60	34.39	16.92	51.31	68.20	16.89	Vertical	PASS
7	9000.57	43.87	2.58	46.45	74.00	27.55	Vertical	PASS
8	17358.66	40.17	12.21	52.38	68.20	15.82	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7433.83	37.41	-1.20	36.21	54.00	17.79	Horizontal	PASS
2	11396.86	42.65	5.36	48.01	54.00	5.99	Horizontal	PASS
3	17866.21	32.23	13.78	46.01	54.00	7.99	Horizontal	PASS
4	6347.93	34.23	17.21	51.44	68.20	16.76	Horizontal	PASS
5	11398.01	47.35	5.37	52.72	74.00	21.28	Horizontal	PASS
6	17349.46	40.05	12.22	52.27	68.20	15.93	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5703.88	35.39	14.89	50.28	-	-	Vertical	NA
2	7600.20	40.00	-0.92	39.08	54.00	14.92	Vertical	PASS
3	11394.56	42.53	5.36	47.89	54.00	6.11	Vertical	PASS
4	17874.65	31.90	13.67	45.57	54.00	8.43	Vertical	PASS
5	5704.70	41.39	14.90	56.29	-	-	Vertical	NA
6	6332.53	34.39	17.05	51.44	68.20	16.76	Vertical	PASS
7	11404.91	48.88	5.36	54.24	74.00	19.76	Vertical	PASS
8	17360.96	39.11	12.20	51.31	68.20	16.89	Vertical	PASS