


Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7414.28	36.36	-0.66	35.70	54.00	18.30	Horizontal	PASS
2	11489.25	41.91	4.87	46.78	54.00	7.22	Horizontal	PASS
3	17982.75	32.01	13.54	45.55	54.00	8.45	Horizontal	PASS
4	6280.55	34.65	16.30	50.95	68.20	17.25	Horizontal	PASS
5	11494.23	47.10	4.84	51.94	74.00	22.06	Horizontal	PASS
6	17334.51	39.22	11.74	50.96	68.20	17.24	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7446.10	37.21	-1.53	35.68	54.00	18.32	Vertical	PASS
2	11491.93	44.41	4.85	49.26	54.00	4.74	Vertical	PASS
3	17862.38	31.69	13.82	45.51	54.00	8.49	Vertical	PASS
4	6236.55	35.09	16.00	51.09	68.20	17.11	Vertical	PASS
5	11490.78	50.78	4.86	55.64	74.00	18.36	Vertical	PASS
6	17384.35	39.38	12.12	51.50	68.20	16.70	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7384.38	36.62	-0.56	36.06	54.00	17.94	Horizontal	PASS
2	11568.99	37.05	5.22	42.27	54.00	11.73	Horizontal	PASS
3	17865.83	31.82	13.78	45.60	54.00	8.40	Horizontal	PASS
4	6333.63	34.28	16.92	51.20	68.20	17.00	Horizontal	PASS
5	12665.36	41.54	6.11	47.65	74.00	26.35	Horizontal	PASS
6	17370.55	39.87	12.17	52.04	68.20	16.16	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5788.85	33.94	15.68	49.62	-	-	Vertical	NA
2	7713.67	36.49	-0.70	35.79	54.00	18.21	Vertical	PASS
3	11568.22	42.68	5.21	47.89	54.00	6.11	Vertical	PASS
4	17866.21	32.38	13.78	46.16	54.00	7.84	Vertical	PASS
5	5789.68	40.36	15.68	56.04	-	-	Vertical	NA
6	6319.05	34.52	16.75	51.27	68.20	16.93	Vertical	PASS
7	11568.22	48.29	5.21	53.50	74.00	20.50	Vertical	PASS
8	17360.96	39.75	12.20	51.95	68.20	16.25	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7392.05	36.47	-0.42	36.05	54.00	17.95	Horizontal	PASS
2	11459.35	35.51	5.02	40.53	54.00	13.47	Horizontal	PASS
3	17989.27	32.13	13.64	45.77	54.00	8.23	Horizontal	PASS
4	6318.23	34.54	16.73	51.27	68.20	16.93	Horizontal	PASS
5	13699.62	40.51	9.42	49.93	68.20	18.27	Horizontal	PASS
6	17387.03	39.93	12.12	52.05	68.20	16.15	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.75	36.93	15.66	52.59	-	-	Vertical	NA
2	7401.63	36.65	-0.32	36.33	54.00	17.67	Vertical	PASS
3	11652.17	39.81	4.16	43.97	54.00	10.03	Vertical	PASS
4	17992.33	31.66	13.68	45.34	54.00	8.66	Vertical	PASS
5	5821.58	42.77	15.65	58.42	-	-	Vertical	NA
6	6276.98	36.41	16.26	52.67	68.20	15.53	Vertical	PASS
7	11646.42	46.08	4.24	50.32	74.00	23.68	Vertical	PASS
8	17362.50	39.85	12.20	52.05	68.20	16.15	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.79	31.80	12.34	44.14	54.00	9.86	Horizontal	PASS
2	5138.46	32.03	12.40	44.43	54.00	9.57	Horizontal	PASS
3	5149.45	31.89	12.48	44.37	54.00	9.63	Horizontal	PASS
4	5130.82	41.89	12.34	54.23	74.00	19.77	Horizontal	PASS
5	5137.94	42.35	12.39	54.74	74.00	19.26	Horizontal	PASS
6	5149.81	41.82	12.48	54.30	74.00	19.70	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.05	32.58	12.32	44.90	54.00	9.10	Vertical	PASS
2	5141.42	33.37	12.42	45.79	54.00	8.21	Vertical	PASS
3	5148.77	34.85	12.48	47.33	54.00	6.67	Vertical	PASS
4	5126.95	42.91	12.32	55.23	74.00	18.77	Vertical	PASS
5	5141.68	44.11	12.43	56.54	74.00	17.46	Vertical	PASS
6	5149.03	45.34	12.48	57.82	74.00	16.18	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.47	31.91	12.32	44.23	54.00	9.77	Horizontal	PASS
2	5136.93	31.96	12.39	44.35	54.00	9.65	Horizontal	PASS
3	5149.45	31.80	12.48	44.28	54.00	9.72	Horizontal	PASS
4	5127.63	42.37	12.32	54.69	74.00	19.31	Horizontal	PASS
5	5136.54	42.16	12.39	54.55	74.00	19.45	Horizontal	PASS
6	5149.16	42.38	12.48	54.86	74.00	19.14	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.05	32.63	12.34	44.97	54.00	9.03	Vertical	PASS
2	5141.97	33.23	12.43	45.66	54.00	8.34	Vertical	PASS
3	5148.15	33.98	12.46	46.44	54.00	7.56	Vertical	PASS
4	5130.46	43.28	12.34	55.62	74.00	18.38	Vertical	PASS
5	5141.49	43.43	12.42	55.85	74.00	18.15	Vertical	PASS
6	5148.12	44.45	12.46	56.91	74.00	17.09	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.17	27.45	12.34	39.79	54.00	14.21	Horizontal	PASS
2	5139.84	27.79	12.41	40.20	54.00	13.80	Horizontal	PASS
3	5148.51	27.75	12.47	40.22	54.00	13.78	Horizontal	PASS
4	5128.57	37.59	12.33	49.92	74.00	24.08	Horizontal	PASS
5	5140.56	38.26	12.41	50.67	74.00	23.33	Horizontal	PASS
6	5148.73	38.46	12.47	50.93	74.00	23.07	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.68	30.04	12.36	42.40	54.00	11.60	Vertical	PASS
2	5139.80	31.67	12.41	44.08	54.00	9.92	Vertical	PASS
3	5148.81	34.73	12.48	47.21	54.00	6.79	Vertical	PASS
4	5131.63	40.85	12.35	53.20	74.00	20.80	Vertical	PASS
5	5140.82	41.71	12.41	54.12	74.00	19.88	Vertical	PASS
6	5148.68	44.82	12.47	57.29	74.00	16.71	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.38	29.89	12.36	42.25	54.00	11.75	Horizontal	PASS
2	5139.13	30.16	12.41	42.57	54.00	11.43	Horizontal	PASS
3	5144.95	30.98	12.44	43.42	54.00	10.58	Horizontal	PASS
4	5132.69	41.59	12.36	53.95	74.00	20.05	Horizontal	PASS
5	5139.07	40.40	12.41	52.81	74.00	21.19	Horizontal	PASS
6	5146.57	40.58	12.46	53.04	74.00	20.96	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.19	36.97	12.38	49.35	54.00	4.65	Vertical	PASS
2	5145.07	38.02	12.45	50.47	54.00	3.53	Vertical	PASS
3	5148.01	38.21	12.46	50.67	54.00	3.33	Vertical	PASS
4	5132.00	48.90	12.36	61.26	74.00	12.74	Vertical	PASS
5	5145.64	48.03	12.45	60.48	74.00	13.52	Vertical	PASS
6	5149.89	49.88	12.48	62.36	74.00	11.64	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.91	28.41	12.69	41.10	54.00	12.90	Horizontal	PASS
2	5358.06	28.17	12.72	40.89	54.00	13.11	Horizontal	PASS
3	5366.38	28.19	12.78	40.97	54.00	13.03	Horizontal	PASS
4	5350.61	38.93	12.68	51.61	74.00	22.39	Horizontal	PASS
5	5357.93	38.39	12.72	51.11	74.00	22.89	Horizontal	PASS
6	5366.16	39.15	12.78	51.93	74.00	22.07	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	31.82	12.68	44.50	54.00	9.50	Vertical	PASS
2	5363.13	30.00	12.75	42.75	54.00	11.25	Vertical	PASS
3	5369.24	29.78	12.79	42.57	54.00	11.43	Vertical	PASS
4	5350.32	42.25	12.68	54.93	74.00	19.07	Vertical	PASS
5	5363.29	40.16	12.75	52.91	74.00	21.09	Vertical	PASS
6	5369.60	39.85	12.79	52.64	74.00	21.36	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.17	28.18	12.69	40.87	54.00	13.13	Horizontal	PASS
2	5362.03	28.04	12.75	40.79	54.00	13.21	Horizontal	PASS
3	5369.83	28.10	12.79	40.89	54.00	13.11	Horizontal	PASS
4	5351.20	39.09	12.69	51.78	74.00	22.22	Horizontal	PASS
5	5362.45	38.81	12.76	51.57	74.00	22.43	Horizontal	PASS
6	5369.63	38.92	12.79	51.71	74.00	22.29	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.58	31.85	12.68	44.53	54.00	9.47	Vertical	PASS
2	5355.33	30.24	12.71	42.95	54.00	11.05	Vertical	PASS
3	5365.18	29.76	12.77	42.53	54.00	11.47	Vertical	PASS
4	5350.94	42.16	12.69	54.85	74.00	19.15	Vertical	PASS
5	5355.52	40.84	12.71	53.55	74.00	20.45	Vertical	PASS
6	5365.28	40.11	12.77	52.88	74.00	21.12	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	29.15	12.68	41.83	54.00	12.17	Horizontal	PASS
2	5364.45	28.09	12.76	40.85	54.00	13.15	Horizontal	PASS
3	5371.17	27.99	12.81	40.80	54.00	13.20	Horizontal	PASS
4	5350.21	39.61	12.68	52.29	74.00	21.71	Horizontal	PASS
5	5363.69	38.82	12.76	51.58	74.00	22.42	Horizontal	PASS
6	5371.73	38.29	12.81	51.10	74.00	22.90	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.06	35.58	12.69	48.27	54.00	5.73	Vertical	PASS
2	5359.99	31.42	12.74	44.16	54.00	9.84	Vertical	PASS
3	5367.09	30.35	12.78	43.13	54.00	10.87	Vertical	PASS
4	5351.40	45.53	12.69	58.22	74.00	15.78	Vertical	PASS
5	5359.39	42.29	12.73	55.02	74.00	18.98	Vertical	PASS
6	5367.86	41.44	12.78	54.22	74.00	19.78	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5353.18	28.81	12.69	41.50	54.00	12.50	Horizontal	PASS
2	5378.84	28.64	12.84	41.48	54.00	12.52	Horizontal	PASS
3	5385.89	28.49	12.89	41.38	54.00	12.62	Horizontal	PASS
4	5354.60	40.48	12.71	53.19	74.00	20.81	Horizontal	PASS
5	5381.69	40.00	12.87	52.87	74.00	21.13	Horizontal	PASS
6	5385.52	39.76	12.89	52.65	74.00	21.35	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.63	32.99	12.68	45.67	54.00	8.33	Vertical	PASS
2	5353.10	32.34	12.69	45.03	54.00	8.97	Vertical	PASS
3	5358.58	32.23	12.73	44.96	54.00	9.04	Vertical	PASS
4	5350.93	44.76	12.69	57.45	74.00	16.55	Vertical	PASS
5	5354.53	46.86	12.71	59.57	74.00	14.43	Vertical	PASS
6	5361.21	44.44	12.75	57.19	74.00	16.81	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.35	28.04	12.66	40.70	54.00	13.30	Horizontal	PASS
2	5454.92	27.91	12.72	40.63	54.00	13.37	Horizontal	PASS
3	5457.71	27.87	12.77	40.64	54.00	13.36	Horizontal	PASS
4	5451.38	39.06	12.66	51.72	74.00	22.28	Horizontal	PASS
5	5460.15	38.94	12.80	51.74	68.20	16.46	Horizontal	PASS
6	5468.82	38.96	12.94	51.90	68.20	16.30	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.32	29.28	12.71	41.99	54.00	12.01	Vertical	PASS
2	5456.30	29.79	12.74	42.53	54.00	11.47	Vertical	PASS
3	5459.15	29.87	12.78	42.65	54.00	11.35	Vertical	PASS
4	5454.35	39.65	12.71	52.36	74.00	21.64	Vertical	PASS
5	5460.96	40.45	12.82	53.27	68.20	14.93	Vertical	PASS
6	5469.33	42.52	12.96	55.48	68.20	12.72	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.89	39.08	13.34	52.42	68.20	15.78	Horizontal	PASS
2	5737.44	38.07	13.17	51.24	68.20	16.96	Horizontal	PASS
3	5742.25	38.58	13.09	51.67	68.20	16.53	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.04	44.53	13.34	57.87	68.20	10.33	Vertical	PASS
2	5738.34	40.66	13.15	53.81	68.20	14.39	Vertical	PASS
3	5740.75	40.32	13.11	53.43	68.20	14.77	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.76	27.89	12.69	40.58	54.00	13.42	Horizontal	PASS
2	5454.77	27.96	12.72	40.68	54.00	13.32	Horizontal	PASS
3	5458.19	27.93	12.77	40.70	54.00	13.30	Horizontal	PASS
4	5452.79	38.48	12.69	51.17	74.00	22.83	Horizontal	PASS
5	5457.71	38.78	12.77	51.55	74.00	22.45	Horizontal	PASS
6	5464.53	38.33	12.88	51.21	68.20	16.99	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.80	29.26	12.67	41.93	54.00	12.07	Vertical	PASS
2	5454.68	29.57	12.72	42.29	54.00	11.71	Vertical	PASS
3	5458.34	29.84	12.78	42.62	54.00	11.38	Vertical	PASS
4	5451.41	39.83	12.66	52.49	74.00	21.51	Vertical	PASS
5	5465.55	41.30	12.89	54.19	68.20	14.01	Vertical	PASS
6	5469.27	46.73	12.96	59.69	68.20	8.51	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.89	38.31	13.32	51.63	68.20	16.57	Horizontal	PASS
2	5739.49	38.19	13.13	51.32	68.20	16.88	Horizontal	PASS
3	5748.80	38.50	12.98	51.48	68.20	16.72	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.24	46.43	13.37	59.80	68.20	8.40	Vertical	PASS
2	5734.39	40.84	13.22	54.06	68.20	14.14	Vertical	PASS
3	5747.10	39.98	13.01	52.99	68.20	15.21	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.88	39.63	12.74	52.37	74.00	21.63	Horizontal	PASS
2	5462.09	41.26	12.83	54.09	68.20	14.11	Horizontal	PASS
3	5469.81	42.19	12.96	55.15	68.20	13.05	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.96	32.69	12.70	45.39	54.00	8.61	Vertical	PASS
2	5458.40	34.85	12.78	47.63	54.00	6.37	Vertical	PASS
3	5459.76	35.27	12.80	48.07	54.00	5.93	Vertical	PASS
4	5456.00	42.90	12.74	55.64	74.00	18.36	Vertical	PASS
5	5459.16	46.25	12.78	59.03	74.00	14.97	Vertical	PASS
6	5469.93	51.05	12.96	64.01	68.20	4.19	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.24	38.37	13.35	51.72	68.20	16.48	Horizontal	PASS
2	5732.84	38.11	13.24	51.35	68.20	16.85	Horizontal	PASS
3	5742.75	38.60	13.08	51.68	68.20	16.52	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.19	42.54	13.33	55.87	68.20	12.33	Vertical	PASS
2	5738.39	40.47	13.15	53.62	68.20	14.58	Vertical	PASS
3	5746.65	40.54	13.01	53.55	68.20	14.65	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5401.87	27.98	12.95	40.93	54.00	13.07	Horizontal	PASS
2	5402.98	39.54	12.95	52.49	74.00	21.51	Horizontal	PASS
3	5434.78	38.88	12.74	51.62	74.00	22.38	Horizontal	PASS
4	5470.25	41.39	12.97	54.36	-	-	Horizontal	NA

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5421.18	29.66	12.83	42.49	54.00	11.51	Vertical	PASS
2	5446.09	35.40	12.66	48.06	54.00	5.94	Vertical	PASS
3	5458.42	38.13	12.78	50.91	54.00	3.09	Vertical	PASS
4	5420.24	40.92	12.84	53.76	74.00	20.24	Vertical	PASS
5	5445.75	45.09	12.67	57.76	74.00	16.24	Vertical	PASS
6	5468.46	48.69	12.94	61.63	68.20	6.57	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5723.89	38.48	13.39	51.87	-	-	Horizontal	NA
2	5741.00	38.52	13.11	51.63	68.20	16.57	Horizontal	PASS
3	5746.76	38.46	13.01	51.47	68.20	16.73	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.78	38.48	13.36	51.84	68.20	16.36	Vertical	PASS
2	5735.86	38.87	13.19	52.06	68.20	16.14	Vertical	PASS
3	5744.60	38.47	13.05	51.52	68.20	16.68	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph



Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph


Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph


Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph


Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			


Test Graph




Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			

Test Graph

~The End~