


Appendix-E Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	77.31	-114.14	-36.83	-13.00	23.83	Horizontal	PASS
2	2509.60	55.77	-111.36	-55.59	-13.00	42.59	Horizontal	PASS
3	3346.80	45.40	-108.36	-62.96	-13.00	49.96	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	80.88	-114.14	-33.26	-13.00	20.26	Vertical	PASS
2	2509.60	57.94	-111.36	-53.42	-13.00	40.42	Vertical	PASS
3	3346.40	51.74	-108.36	-56.62	-13.00	43.62	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	102.29	-79.70	22.59	-	-	Horizontal	NA
2	2950.40	31.27	-74.90	-43.63	-13.00	30.63	Horizontal	PASS
3	3760.00	42.50	-107.25	-64.75	-13.00	51.75	Horizontal	PASS
4	17853.50	37.99	-82.50	-44.51	-13.00	31.51	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.20	106.23	-79.70	26.53	-	-	Vertical	NA
2	3760.00	53.67	-107.25	-53.58	-13.00	40.58	Vertical	PASS
3	14349.00	36.37	-85.94	-49.57	-13.00	36.57	Vertical	PASS
4	17353.00	37.70	-82.52	-44.82	-13.00	31.82	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.80	90.23	-79.70	10.53	-	-	Horizontal	NA
2	1960.20	33.72	-79.37	-45.65	-	-	Horizontal	NA
3	2981.00	31.51	-75.00	-43.49	-13.00	30.49	Horizontal	PASS
4	14666.00	36.52	-85.78	-49.26	-13.00	36.26	Horizontal	PASS
5	17834.50	38.41	-82.69	-44.28	-13.00	31.28	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.60	96.19	-79.70	16.49	-	-	Vertical	NA
2	1958.60	40.26	-79.35	-39.09	-	-	Vertical	NA
3	2940.60	31.57	-75.01	-43.44	-13.00	30.44	Vertical	PASS
4	15231.00	37.09	-86.36	-49.27	-13.00	36.27	Vertical	PASS
5	17842.00	38.38	-82.58	-44.20	-13.00	31.20	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.60	92.64	-79.88	12.76	-	-	Horizontal	NA
2	2968.80	31.23	-74.87	-43.64	-13.00	30.64	Horizontal	PASS
3	15064.50	37.02	-86.32	-49.30	-13.00	36.30	Horizontal	PASS
4	17821.00	38.08	-82.89	-44.81	-13.00	31.81	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.00	95.74	-79.88	15.86	-	-	Vertical	NA
2	2967.00	31.50	-74.87	-43.37	-13.00	30.37	Vertical	PASS
3	15150.50	37.33	-86.90	-49.57	-13.00	36.57	Vertical	PASS
4	17848.50	37.81	-82.48	-44.67	-13.00	31.67	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5534.40	38.69	-100.62	-61.93	-13.00	48.93	Horizontal	PASS
2	7270.80	37.01	-96.48	-59.47	-13.00	46.47	Horizontal	PASS
3	8890.40	36.28	-93.12	-56.84	-13.00	43.84	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	6305.60	39.07	-98.88	-59.81	-13.00	46.81	Vertical	PASS
2	6845.60	37.57	-97.75	-60.18	-13.00	47.18	Vertical	PASS
3	8911.60	36.85	-93.38	-56.53	-13.00	43.53	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	96.10	-79.70	16.40	-	-	Horizontal	NA
2	2955.00	31.30	-74.89	-43.59	-13.00	30.59	Horizontal	PASS
3	15076.50	37.43	-86.28	-48.85	-13.00	35.85	Horizontal	PASS
4	17879.00	38.30	-82.80	-44.50	-13.00	31.50	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	103.03	-79.70	23.33	-	-	Vertical	NA
2	2967.80	31.47	-74.87	-43.40	-13.00	30.40	Vertical	PASS
3	3742.00	43.22	-107.43	-64.21	-13.00	51.21	Vertical	PASS
4	17879.00	38.97	-82.80	-43.83	-13.00	30.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	99.30	-79.95	19.35	-	-	Horizontal	NA
2	2893.80	31.74	-75.50	-43.76	-13.00	30.76	Horizontal	PASS
3	3447.50	47.18	-107.30	-60.12	-13.00	47.12	Horizontal	PASS
4	17838.50	38.00	-82.62	-44.62	-13.00	31.62	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	102.11	-79.95	22.16	-	-	Vertical	NA
2	2948.20	31.16	-74.92	-43.76	-13.00	30.76	Vertical	PASS
3	3447.00	45.70	-107.30	-61.60	-13.00	48.60	Vertical	PASS
4	17853.00	37.79	-82.49	-44.70	-13.00	31.70	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	45.65	-114.12	-68.47	-13.00	55.47	Horizontal	PASS
2	2496.40	44.59	-111.37	-66.78	-13.00	53.78	Horizontal	PASS
3	8898.40	36.07	-93.16	-57.09	-13.00	44.09	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	47.47	-114.12	-66.65	-13.00	53.65	Vertical	PASS
2	2496.00	47.73	-111.38	-63.65	-13.00	50.65	Vertical	PASS
3	3328.40	42.20	-108.29	-66.09	-13.00	53.09	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	97.23	-77.87	19.36	-	-	Horizontal	NA
2	2952.20	32.37	-74.90	-42.53	-25.00	17.53	Horizontal	PASS
3	5052.00	45.07	-102.82	-57.75	-25.00	32.75	Horizontal	PASS
4	17798.00	38.48	-83.25	-44.77	-25.00	19.77	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	97.58	-77.87	19.71	-	-	Vertical	NA
2	2968.50	32.56	-74.87	-42.31	-25.00	17.31	Vertical	PASS
3	5052.00	46.42	-102.82	-56.40	-25.00	31.40	Vertical	PASS
4	17858.00	38.10	-82.55	-44.45	-25.00	19.45	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	98.37	-79.86	18.51	-	-	Horizontal	NA
2	2941.20	31.31	-75.00	-43.69	-13.00	30.69	Horizontal	PASS
3	3472.00	49.50	-107.15	-57.65	-13.00	44.65	Horizontal	PASS
4	17336.00	38.16	-83.04	-44.88	-13.00	31.88	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	102.44	-79.86	22.58	-	-	Vertical	NA
2	2979.40	31.37	-74.96	-43.59	-13.00	30.59	Vertical	PASS
3	3472.00	49.12	-107.15	-58.03	-13.00	45.03	Vertical	PASS
4	17851.00	37.72	-82.47	-44.75	-13.00	31.75	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	93.93	-77.24	16.69	-	-	Horizontal	NA
2	2884.60	33.05	-75.51	-42.46	-25.00	17.46	Horizontal	PASS
3	5172.00	45.56	-102.06	-56.50	-25.00	31.50	Horizontal	PASS
4	17994.50	38.34	-82.50	-44.16	-25.00	19.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	100.29	-77.24	23.05	-	-	Vertical	NA
2	2975.30	32.24	-74.87	-42.63	-25.00	17.63	Vertical	PASS
3	5172.00	48.93	-102.06	-53.13	-25.00	28.13	Vertical	PASS
4	17842.00	38.34	-82.58	-44.24	-25.00	19.24	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	94.54	-77.24	17.30	-	-	Horizontal	NA
2	2980.40	32.55	-74.98	-42.43	-25.00	17.43	Horizontal	PASS
3	5168.00	45.35	-102.04	-56.69	-25.00	31.69	Horizontal	PASS
4	17835.50	38.33	-82.67	-44.34	-25.00	19.34	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25D22U000070	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	99.53	-77.25	22.28	-	-	Vertical	NA
2	2961.80	32.44	-74.88	-42.44	-25.00	17.44	Vertical	PASS
3	5168.00	48.04	-102.04	-54.00	-25.00	29.00	Vertical	PASS
4	17860.50	38.17	-82.58	-44.41	-25.00	19.41	Vertical	PASS

~The End~