


Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	106.71	-84.97	21.74	-	-	Horizontal	NA
2	3742.00	48.53	-107.43	-58.90	-13.00	45.90	Horizontal	PASS
3	5756.00	40.06	-100.59	-60.53	-13.00	47.53	Horizontal	PASS
4	17343.50	32.63	-82.70	-50.07	-13.00	37.07	Horizontal	PASS
5	17343.50	32.63	-82.70	-50.07	-13.00	37.07	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	111.79	-84.97	26.82	-	-	Vertical	NA
2	3742.00	50.16	-107.43	-57.27	-13.00	44.27	Vertical	PASS
3	5613.00	47.62	-101.20	-53.58	-13.00	40.58	Vertical	PASS
4	7484.00	40.77	-96.83	-56.06	-13.00	43.06	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.55	-85.28	18.27	-	-	Horizontal	NA
2	2130.40	48.16	-84.49	-36.33	-	-	Horizontal	NA
3	3447.50	57.73	-107.30	-49.57	-13.00	36.57	Horizontal	PASS
4	5170.50	40.56	-102.05	-61.49	-13.00	48.49	Horizontal	PASS
5	17873.50	38.00	-82.73	-44.73	-13.00	31.73	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	110.19	-85.28	24.91	-	-	Vertical	NA
2	2130.20	37.72	-84.49	-46.77	-	-	Vertical	NA
3	3447.00	59.54	-107.30	-47.76	-13.00	34.76	Vertical	PASS
4	5170.50	50.29	-102.05	-51.76	-13.00	38.76	Vertical	PASS
5	13788.50	42.48	-87.57	-45.09	-13.00	32.09	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	50.64	-114.12	-63.48	-13.00	50.48	Horizontal	PASS
2	2482.00	52.02	-111.29	-59.27	-13.00	46.27	Horizontal	PASS
3	7908.00	37.81	-95.65	-57.84	-13.00	44.84	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	59.58	-114.12	-54.54	-13.00	41.54	Vertical	PASS
2	2496.40	51.84	-111.37	-59.53	-13.00	46.53	Vertical	PASS
3	3328.40	44.39	-108.29	-63.90	-13.00	50.90	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	94.28	-83.04	11.24	-	-	Horizontal	NA
2	2650.70	44.75	-82.18	-37.43	-	-	Horizontal	NA
3	5761.00	40.14	-100.52	-60.38	-25.00	35.38	Horizontal	PASS
4	15075.00	36.94	-86.29	-49.35	-25.00	24.35	Horizontal	PASS
5	17830.00	38.12	-82.75	-44.63	-25.00	19.63	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	106.15	-83.04	23.11	-	-	Vertical	NA
2	5767.50	43.22	-100.43	-57.21	-25.00	32.21	Vertical	PASS
3	7578.50	39.01	-96.57	-57.56	-25.00	32.56	Vertical	PASS
4	12630.50	40.62	-90.18	-49.56	-25.00	24.56	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	47.63	-114.33	-66.70	-13.00	53.70	Horizontal	PASS
2	2481.90	48.14	-111.29	-63.15	-13.00	50.15	Horizontal	PASS
3	5764.55	43.00	-100.17	-57.17	-13.00	44.17	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	56.08	-114.33	-58.25	-25.00	33.25	Vertical	PASS
2	2109.15	49.62	-113.21	-63.59	-25.00	38.59	Vertical	PASS
3	2812.30	47.65	-109.81	-62.16	-25.00	37.16	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	49.23	-114.07	-64.84	-13.00	51.84	Horizontal	PASS
2	2332.57	62.66	-112.39	-49.73	-13.00	36.73	Horizontal	PASS
3	3887.73	42.07	-106.15	-64.08	-13.00	51.08	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	61.54	-114.07	-52.53	-13.00	39.53	Vertical	PASS
2	2332.80	71.88	-112.39	-40.51	-13.00	27.51	Vertical	PASS
3	3110.27	46.95	-108.58	-61.63	-13.00	48.63	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	46.13	-114.09	-67.96	-40.00	27.96	Horizontal	PASS
2	2339.10	52.93	-112.43	-59.50	-13.00	46.50	Horizontal	PASS
3	5758.83	44.10	-100.20	-56.10	-13.00	43.10	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.53	51.02	-114.09	-63.07	-40.00	23.07	Vertical	PASS
2	2339.57	64.23	-112.43	-48.20	-13.00	35.20	Vertical	PASS
3	7384.70	38.46	-96.59	-58.13	-13.00	45.13	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.50	44.44	-114.18	-69.74	-13.00	56.74	Horizontal	PASS
2	2449.70	49.06	-111.12	-62.06	-13.00	49.06	Horizontal	PASS
3	7910.75	37.25	-95.64	-58.39	-13.00	45.39	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.15	47.85	-114.18	-66.33	-13.00	53.33	Vertical	PASS
2	2365.70	56.19	-112.42	-56.23	-13.00	43.23	Vertical	PASS
3	5761.05	41.83	-100.20	-58.37	-13.00	45.37	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	51.95	-114.35	-62.40	-13.00	49.40	Horizontal	PASS
2	2116.50	49.09	-113.21	-64.12	-13.00	51.12	Horizontal	PASS
3	7921.60	36.96	-95.59	-58.63	-13.00	45.63	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	60.21	-114.35	-54.14	-13.00	41.14	Vertical	PASS
2	2116.85	51.36	-113.21	-61.85	-13.00	48.85	Vertical	PASS
3	5767.35	41.68	-100.16	-58.48	-13.00	45.48	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	104.75	-84.97	19.78	-	-	Horizontal	NA
2	1958.20	47.54	-84.75	-37.21	-	-	Horizontal	NA
3	3747.00	51.45	-107.43	-55.98	-13.00	42.98	Horizontal	PASS
4	13415.50	35.27	-88.21	-52.94	-13.00	39.94	Horizontal	PASS
5	17348.50	32.95	-82.47	-49.52	-13.00	36.52	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	112.29	-84.97	27.32	-	-	Vertical	NA
2	1957.00	39.16	-84.74	-45.58	-	-	Vertical	NA
3	3747.00	53.75	-107.43	-53.68	-13.00	40.68	Vertical	PASS
4	5620.50	47.82	-101.10	-53.28	-13.00	40.28	Vertical	PASS
5	7494.50	40.65	-96.77	-56.12	-13.00	43.12	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814~824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	48.77	-114.17	-65.40	-13.00	52.40	Horizontal	PASS
2	2443.60	48.93	-111.26	-62.33	-13.00	49.33	Horizontal	PASS
3	5766.80	42.13	-100.16	-58.03	-13.00	45.03	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814~824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	52.47	-114.17	-61.70	-13.00	48.70	Vertical	PASS
2	2443.60	55.68	-111.26	-55.58	-13.00	42.58	Vertical	PASS
3	3258.40	49.81	-108.46	-58.65	-13.00	45.65	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824~849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	46.04	-114.11	-68.07	-13.00	55.07	Horizontal	PASS
2	2489.60	49.58	-111.34	-61.76	-13.00	48.76	Horizontal	PASS
3	5766.00	41.75	-100.17	-58.42	-13.00	45.42	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824~849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	49.89	-114.11	-64.22	-13.00	51.22	Vertical	PASS
2	2489.60	57.37	-111.34	-53.97	-13.00	40.97	Vertical	PASS
3	5763.60	41.48	-100.18	-58.70	-13.00	45.70	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	94.09	-82.40	11.69	-	-	Horizontal	NA
2	5767.50	39.83	-100.43	-60.60	-25.00	35.60	Horizontal	PASS
3	15242.50	37.14	-86.08	-48.94	-25.00	23.94	Horizontal	PASS
4	17860.50	37.60	-82.58	-44.98	-25.00	19.98	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	107.39	-82.40	24.99	-	-	Vertical	NA
2	7752.00	40.30	-96.49	-56.19	-25.00	31.19	Vertical	PASS
3	12920.50	40.73	-90.16	-49.43	-25.00	24.43	Vertical	PASS
4	17869.00	38.61	-82.68	-44.07	-25.00	19.07	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	104.68	-85.18	19.50	-	-	Horizontal	NA
2	3472.00	57.84	-107.15	-49.31	-13.00	36.31	Horizontal	PASS
3	13889.00	34.07	-87.20	-53.13	-13.00	40.13	Horizontal	PASS
4	17348.00	32.19	-82.49	-50.30	-13.00	37.30	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	111.46	-85.18	26.28	-	-	Vertical	NA
2	3472.50	61.92	-107.14	-45.22	-13.00	32.22	Vertical	PASS
3	5208.00	49.84	-102.19	-52.35	-13.00	39.35	Vertical	PASS
4	13889.00	43.01	-87.20	-44.19	-13.00	31.19	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	54.76	-114.21	-59.45	-13.00	46.45	Horizontal	PASS
2	2406.10	48.39	-112.12	-63.73	-13.00	50.73	Horizontal	PASS
3	5764.00	43.46	-100.17	-56.71	-13.00	43.71	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	66.39	-114.21	-47.82	-13.00	34.82	Vertical	PASS
2	2014.90	54.98	-113.51	-58.53	-13.00	45.53	Vertical	PASS
3	5758.60	44.46	-100.21	-55.75	-13.00	42.75	Vertical	PASS

~The End~