


Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5678.82	37.22	14.92	52.14	-	-	Vertical	NA
2	7560.34	39.85	-0.85	39.00	54.00	15.00	Vertical	PASS
3	12425.76	35.64	5.73	41.37	54.00	12.63	Vertical	PASS
4	17817.91	33.36	12.63	45.99	54.00	8.01	Vertical	PASS
5	5680.29	43.25	14.92	58.17	-	-	Vertical	NA
6	6325.09	34.50	16.97	51.47	68.20	16.73	Vertical	PASS
7	13700.01	40.85	9.42	50.27	68.20	17.93	Vertical	PASS
8	17891.90	39.44	13.44	52.88	74.00	21.12	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	60.36	14.91	75.27	-	-	Horizontal	NA
2	8096.64	36.99	0.51	37.50	54.00	16.50	Horizontal	PASS
3	11992.97	35.95	5.20	41.15	54.00	12.85	Horizontal	PASS
4	17980.45	32.13	13.51	45.64	54.00	8.36	Horizontal	PASS
5	5727.77	66.00	14.91	80.91	-	-	Horizontal	NA
6	6345.99	35.95	17.18	53.13	68.20	15.07	Horizontal	PASS
7	13668.96	40.51	9.20	49.71	68.20	18.49	Horizontal	PASS
8	17995.02	39.21	13.72	52.93	74.00	21.07	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	66.88	14.91	81.79	-	-	Vertical	NA
2	7613.62	41.19	-0.93	40.26	54.00	13.74	Vertical	PASS
3	12648.10	34.44	6.14	40.58	54.00	13.42	Vertical	PASS
4	17992.33	31.98	13.68	45.66	54.00	8.34	Vertical	PASS
5	5727.59	72.22	14.91	87.13	-	-	Vertical	NA
6	6483.32	34.39	17.08	51.47	68.20	16.73	Vertical	PASS
7	13693.11	40.93	9.37	50.30	68.20	17.90	Vertical	PASS
8	17886.15	39.06	13.52	52.58	74.00	21.42	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5713.66	36.18	15.77	51.95	-	-	Horizontal	NA
2	9141.25	36.98	3.15	40.13	54.00	13.87	Horizontal	PASS
3	12225.27	35.90	5.32	41.22	54.00	12.78	Horizontal	PASS
4	17883.85	32.70	13.55	46.25	54.00	7.75	Horizontal	PASS
5	5709.07	41.67	15.78	57.45	-	-	Horizontal	NA
6	6486.43	35.04	17.29	52.33	68.20	15.87	Horizontal	PASS
7	15066.25	41.88	9.16	51.04	68.20	17.16	Horizontal	PASS
8	17846.28	40.14	13.83	53.97	74.00	20.03	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5712.01	42.21	15.77	57.98	-	-	Vertical	NA
2	7673.81	42.39	-0.79	41.60	54.00	12.40	Vertical	PASS
3	12406.98	36.01	6.12	42.13	54.00	11.87	Vertical	PASS
4	17817.91	33.94	12.63	46.57	54.00	7.43	Vertical	PASS
5	5714.57	49.53	15.76	65.29	-	-	Vertical	NA
6	6317.39	36.08	16.73	52.81	68.20	15.39	Vertical	PASS
7	14335.98	42.90	8.91	51.81	68.20	16.39	Vertical	PASS
8	18000.00	40.22	13.79	54.01	74.00	19.99	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8438.58	37.57	1.11	38.68	54.00	15.32	Horizontal	PASS
2	12396.63	35.80	6.19	41.99	54.00	12.01	Horizontal	PASS
3	17992.72	32.98	13.68	46.66	54.00	7.34	Horizontal	PASS
4	6282.56	36.82	16.33	53.15	68.20	15.05	Horizontal	PASS
5	14666.42	41.31	9.49	50.80	68.20	17.40	Horizontal	PASS
6	17390.10	41.29	12.10	53.39	68.20	14.81	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5804.59	33.46	15.68	49.14	-	-	Vertical	NA
2	7727.09	43.25	-0.79	42.46	54.00	11.54	Vertical	PASS
3	11971.50	36.06	5.09	41.15	54.00	12.85	Vertical	PASS
4	18000.00	32.76	13.79	46.55	54.00	7.45	Vertical	PASS
5	5809.54	40.45	15.67	56.12	-	-	Vertical	NA
6	6353.33	35.42	17.09	52.51	68.20	15.69	Vertical	PASS
7	13682.37	41.46	9.29	50.75	68.20	17.45	Vertical	PASS
8	17850.11	39.90	13.99	53.89	74.00	20.11	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8346.19	37.80	1.05	38.85	54.00	15.15	Horizontal	PASS
2	12387.43	35.77	6.00	41.77	54.00	12.23	Horizontal	PASS
3	17980.45	33.24	13.51	46.75	54.00	7.25	Horizontal	PASS
4	6946.60	53.23	-2.17	51.06	68.20	17.14	Horizontal	PASS
5	13683.14	41.71	9.30	51.01	68.20	17.19	Horizontal	PASS
6	17984.28	39.55	13.57	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	36.66	13.90	50.56	-	-	Vertical	NA
2	8345.04	38.25	1.04	39.29	54.00	14.71	Vertical	PASS
3	12415.03	36.15	5.95	42.10	54.00	11.90	Vertical	PASS
4	17845.13	32.94	13.78	46.72	54.00	7.28	Vertical	PASS
5	5139.25	42.68	13.82	56.50	-	-	Vertical	NA
6	6946.60	61.28	-2.17	59.11	68.20	9.09	Vertical	PASS
7	12368.65	44.00	5.62	49.62	74.00	24.38	Vertical	PASS
8	17374.00	41.49	12.15	53.64	68.20	14.56	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9148.92	37.02	3.35	40.37	54.00	13.63	Horizontal	PASS
2	12403.53	36.87	6.18	43.05	54.00	10.95	Horizontal	PASS
3	17838.23	32.99	13.49	46.48	54.00	7.52	Horizontal	PASS
4	7053.17	49.35	-1.54	47.81	68.20	20.39	Horizontal	PASS
5	14603.17	42.25	8.63	50.88	68.20	17.32	Horizontal	PASS
6	17365.95	41.19	12.19	53.38	68.20	14.82	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5365.31	38.39	14.64	53.03	-	-	Vertical	NA
2	9426.08	38.08	1.96	40.04	54.00	13.96	Vertical	PASS
3	12499.37	36.96	5.48	42.44	54.00	11.56	Vertical	PASS
4	17842.44	33.69	13.66	47.35	54.00	6.65	Vertical	PASS
5	5361.46	45.03	14.64	59.67	-	-	Vertical	NA
6	7053.17	57.33	-1.54	55.79	68.20	12.41	Vertical	PASS
7	15242.21	41.65	9.69	51.34	68.20	16.86	Vertical	PASS
8	17986.20	40.10	13.59	53.69	74.00	20.31	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9131.29	37.10	2.89	39.99	54.00	14.01	Horizontal	PASS
2	12410.43	36.44	6.05	42.49	54.00	11.51	Horizontal	PASS
3	17840.14	33.47	13.57	47.04	54.00	6.96	Horizontal	PASS
4	6351.31	35.57	17.21	52.78	68.20	15.42	Horizontal	PASS
5	14655.31	40.84	9.77	50.61	68.20	17.59	Horizontal	PASS
6	17836.31	40.78	13.40	54.18	74.00	19.82	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.97	33.13	14.93	48.06	-	-	Vertical	NA
2	7480.22	46.76	-1.37	45.39	54.00	8.61	Vertical	PASS
3	11180.27	37.19	4.42	41.61	54.00	12.39	Vertical	PASS
4	17852.03	32.99	13.96	46.95	54.00	7.05	Vertical	PASS
5	5646.00	39.51	14.94	54.45	-	-	Vertical	NA
6	7479.83	49.43	-1.37	48.06	74.00	25.94	Vertical	PASS
7	14667.96	41.57	9.45	51.02	68.20	17.18	Vertical	PASS
8	17966.65	40.52	13.31	53.83	74.00	20.17	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	60.02	14.91	74.93	-	-	Horizontal	NA
2	9117.87	37.62	2.53	40.15	54.00	13.85	Horizontal	PASS
3	12019.80	36.55	5.31	41.86	54.00	12.14	Horizontal	PASS
4	17967.42	33.26	13.32	46.58	54.00	7.42	Horizontal	PASS
5	5727.59	64.30	14.91	79.21	-	-	Horizontal	NA
6	6337.93	35.23	17.10	52.33	68.20	15.87	Horizontal	PASS
7	15068.17	42.21	9.15	51.36	68.20	16.84	Horizontal	PASS
8	17967.42	40.00	13.32	53.32	74.00	20.68	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	66.20	14.91	81.11	-	-	Vertical	NA
2	7587.17	43.43	-0.90	42.53	54.00	11.47	Vertical	PASS
3	12398.93	36.08	6.24	42.32	54.00	11.68	Vertical	PASS
4	17858.55	32.68	13.88	46.56	54.00	7.44	Vertical	PASS
5	5727.41	70.37	14.91	85.28	-	-	Vertical	NA
6	6484.97	35.72	17.09	52.81	68.20	15.39	Vertical	PASS
7	13699.24	41.92	9.42	51.34	68.20	16.86	Vertical	PASS
8	17890.75	40.05	13.46	53.51	74.00	20.49	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5700.09	32.68	15.81	48.49	-	-	Horizontal	NA
2	9187.64	36.88	2.98	39.86	54.00	14.14	Horizontal	PASS
3	12683.76	36.05	6.01	42.06	54.00	11.94	Horizontal	PASS
4	17839.76	33.51	13.55	47.06	54.00	6.94	Horizontal	PASS
5	5704.49	39.40	15.80	55.20	-	-	Horizontal	NA
6	6353.33	35.68	17.09	52.77	68.20	15.43	Horizontal	PASS
7	14822.83	42.43	8.54	50.97	68.20	17.23	Horizontal	PASS
8	17851.26	39.14	13.97	53.11	74.00	20.89	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5705.96	38.19	15.79	53.98	-	-	Vertical	NA
2	7700.26	44.82	-0.61	44.21	54.00	9.79	Vertical	PASS
3	12406.98	36.14	6.12	42.26	54.00	11.74	Vertical	PASS
4	17997.32	32.92	13.75	46.67	54.00	7.33	Vertical	PASS
5	5705.77	45.02	15.79	60.81	-	-	Vertical	NA
6	7699.49	47.28	-0.61	46.67	74.00	27.33	Vertical	PASS
7	13681.99	42.00	9.29	51.29	68.20	16.91	Vertical	PASS
8	17858.55	39.71	13.88	53.59	74.00	20.41	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.14	31.92	12.37	44.29	54.00	9.71	Horizontal	PASS
2	5142.10	32.12	12.43	44.55	54.00	9.45	Horizontal	PASS
3	5148.15	32.10	12.46	44.56	54.00	9.44	Horizontal	PASS
4	5133.88	44.12	12.37	56.49	74.00	17.51	Horizontal	PASS
5	5142.01	43.92	12.43	56.35	74.00	17.65	Horizontal	PASS
6	5149.06	42.85	12.48	55.33	74.00	18.67	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.35	32.74	12.39	45.13	54.00	8.87	Vertical	PASS
2	5143.50	33.64	12.43	46.07	54.00	7.93	Vertical	PASS
3	5149.45	34.99	12.48	47.47	54.00	6.53	Vertical	PASS
4	5135.31	44.06	12.38	56.44	74.00	17.56	Vertical	PASS
5	5142.79	43.91	12.43	56.34	74.00	17.66	Vertical	PASS
6	5149.87	46.30	12.48	58.78	74.00	15.22	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.62	28.67	12.69	41.36	54.00	12.64	Horizontal	PASS
2	5355.04	28.35	12.71	41.06	54.00	12.94	Horizontal	PASS
3	5367.29	28.58	12.78	41.36	54.00	12.64	Horizontal	PASS
4	5351.36	39.04	12.69	51.73	74.00	22.27	Horizontal	PASS
5	5356.11	39.79	12.72	52.51	74.00	21.49	Horizontal	PASS
6	5366.81	39.50	12.78	52.28	74.00	21.72	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	32.44	12.68	45.12	54.00	8.88	Vertical	PASS
2	5355.30	30.49	12.71	43.20	54.00	10.80	Vertical	PASS
3	5364.01	29.86	12.76	42.62	54.00	11.38	Vertical	PASS
4	5350.45	44.89	12.68	57.57	74.00	16.43	Vertical	PASS
5	5356.14	41.76	12.72	54.48	74.00	19.52	Vertical	PASS
6	5363.42	40.63	12.75	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.72	28.11	12.65	40.76	54.00	13.24	Horizontal	PASS
2	5453.84	28.12	12.70	40.82	54.00	13.18	Horizontal	PASS
3	5459.60	28.19	12.80	40.99	54.00	13.01	Horizontal	PASS
4	5453.78	39.31	12.70	52.01	74.00	21.99	Horizontal	PASS
5	5459.24	38.95	12.79	51.74	74.00	22.26	Horizontal	PASS
6	5468.40	39.54	12.94	52.48	68.20	15.72	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.89	28.83	12.67	41.50	54.00	12.50	Vertical	PASS
2	5456.45	29.33	12.75	42.08	54.00	11.92	Vertical	PASS
3	5459.72	29.20	12.80	42.00	54.00	12.00	Vertical	PASS
4	5456.78	40.73	12.75	53.48	74.00	20.52	Vertical	PASS
5	5467.71	43.47	12.93	56.40	68.20	11.80	Vertical	PASS
6	5469.78	43.84	12.96	56.80	68.20	11.40	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.29	41.20	13.35	54.55	68.20	13.65	Horizontal	PASS
2	5735.86	38.82	13.19	52.01	68.20	16.19	Horizontal	PASS
3	5743.01	39.48	13.07	52.55	68.20	15.65	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.48	46.70	13.36	60.06	68.20	8.14	Vertical	PASS
2	5727.25	46.43	13.33	59.76	68.20	8.44	Vertical	PASS
3	5738.71	46.24	13.15	59.39	68.20	8.81	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.42	38.63	13.35	51.98	68.20	16.22	Horizontal	PASS
2	5942.19	38.70	14.03	52.73	68.20	15.47	Horizontal	PASS
3	5967.58	38.87	13.90	52.77	68.20	15.43	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.07	38.68	13.34	52.02	68.20	16.18	Vertical	PASS
2	5925.44	38.63	13.91	52.54	68.20	15.66	Vertical	PASS
3	5957.86	38.96	14.01	52.97	68.20	15.23	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.17	32.08	12.37	44.45	54.00	9.55	Horizontal	PASS
2	5144.74	32.24	12.44	44.68	54.00	9.32	Horizontal	PASS
3	5148.96	32.38	12.48	44.86	54.00	9.14	Horizontal	PASS
4	5134.49	42.95	12.37	55.32	74.00	18.68	Horizontal	PASS
5	5144.31	43.14	12.44	55.58	74.00	18.42	Horizontal	PASS
6	5149.55	42.80	12.48	55.28	74.00	18.72	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.57	33.22	12.32	45.54	54.00	8.46	Vertical	PASS
2	5136.45	33.79	12.39	46.18	54.00	7.82	Vertical	PASS
3	5148.61	35.43	12.47	47.90	54.00	6.10	Vertical	PASS
4	5127.99	43.62	12.32	55.94	74.00	18.06	Vertical	PASS
5	5136.93	44.08	12.39	56.47	74.00	17.53	Vertical	PASS
6	5148.54	46.85	12.47	59.32	74.00	14.68	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.97	28.73	12.69	41.42	54.00	12.58	Horizontal	PASS
2	5359.42	28.32	12.73	41.05	54.00	12.95	Horizontal	PASS
3	5363.36	28.33	12.75	41.08	54.00	12.92	Horizontal	PASS
4	5350.16	39.81	12.68	52.49	74.00	21.51	Horizontal	PASS
5	5358.77	38.74	12.73	51.47	74.00	22.53	Horizontal	PASS
6	5363.59	39.36	12.76	52.12	74.00	21.88	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	33.64	12.68	46.32	54.00	7.68	Vertical	PASS
2	5355.20	31.17	12.71	43.88	54.00	10.12	Vertical	PASS
3	5365.51	29.62	12.77	42.39	54.00	11.61	Vertical	PASS
4	5350.87	44.80	12.69	57.49	74.00	16.51	Vertical	PASS
5	5357.34	41.57	12.73	54.30	74.00	19.70	Vertical	PASS
6	5366.51	42.71	12.78	55.49	74.00	18.51	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.23	27.92	12.66	40.58	54.00	13.42	Horizontal	PASS
2	5455.16	28.29	12.72	41.01	54.00	12.99	Horizontal	PASS
3	5459.54	27.96	12.80	40.76	54.00	13.24	Horizontal	PASS
4	5453.84	39.47	12.70	52.17	74.00	21.83	Horizontal	PASS
5	5460.51	38.63	12.81	51.44	68.20	16.76	Horizontal	PASS
6	5468.73	39.39	12.94	52.33	68.20	15.87	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.25	29.01	12.67	41.68	54.00	12.32	Vertical	PASS
2	5455.19	29.14	12.72	41.86	54.00	12.14	Vertical	PASS
3	5458.91	29.38	12.78	42.16	54.00	11.84	Vertical	PASS
4	5457.17	40.35	12.75	53.10	74.00	20.90	Vertical	PASS
5	5462.40	40.96	12.84	53.80	68.20	14.40	Vertical	PASS
6	5469.54	43.20	12.96	56.16	68.20	12.04	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.68	40.29	13.34	53.63	68.20	14.57	Horizontal	PASS
2	5735.74	39.59	13.19	52.78	68.20	15.42	Horizontal	PASS
3	5741.00	39.74	13.11	52.85	68.20	15.35	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.03	46.37	13.37	59.74	68.20	8.46	Vertical	PASS
2	5729.11	45.43	13.30	58.73	68.20	9.47	Vertical	PASS
3	5736.46	42.00	13.18	55.18	68.20	13.02	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.43	39.12	13.25	52.37	68.20	15.83	Horizontal	PASS
2	5937.06	39.60	13.99	53.59	68.20	14.61	Horizontal	PASS
3	5974.07	38.31	13.83	52.14	68.20	16.06	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5857.64	39.28	13.31	52.59	68.20	15.61	Vertical	PASS
2	5914.37	39.05	13.83	52.88	68.20	15.32	Vertical	PASS
3	5980.82	39.05	13.77	52.82	68.20	15.38	Vertical	PASS


Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.35	29.47	12.43	41.90	54.00	12.10	Horizontal	PASS
2	5144.98	30.22	12.44	42.66	54.00	11.34	Horizontal	PASS
3	5149.19	31.22	12.48	43.70	54.00	10.30	Horizontal	PASS
4	5140.90	39.63	12.41	52.04	74.00	21.96	Horizontal	PASS
5	5145.50	41.41	12.45	53.86	74.00	20.14	Horizontal	PASS
6	5148.73	41.00	12.47	53.47	74.00	20.53	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.27	34.83	12.41	47.24	54.00	6.76	Vertical	PASS
2	5144.86	37.53	12.44	49.97	54.00	4.03	Vertical	PASS
3	5149.75	39.24	12.48	51.72	54.00	2.28	Vertical	PASS
4	5139.84	45.84	12.41	58.25	74.00	15.75	Vertical	PASS
5	5144.86	48.27	12.44	60.71	74.00	13.29	Vertical	PASS
6	5149.70	48.93	12.48	61.41	74.00	12.59	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.21	30.23	12.68	42.91	54.00	11.09	Horizontal	PASS
2	5360.59	28.81	12.74	41.55	54.00	12.45	Horizontal	PASS
3	5367.01	28.27	12.78	41.05	54.00	12.95	Horizontal	PASS
4	5350.89	40.84	12.69	53.53	74.00	20.47	Horizontal	PASS
5	5360.20	40.12	12.74	52.86	74.00	21.14	Horizontal	PASS
6	5366.24	39.57	12.78	52.35	74.00	21.65	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.76	37.06	12.69	49.75	54.00	4.25	Vertical	PASS
2	5356.38	34.66	12.72	47.38	54.00	6.62	Vertical	PASS
3	5359.61	32.93	12.73	45.66	54.00	8.34	Vertical	PASS
4	5350.08	48.53	12.68	61.21	74.00	12.79	Vertical	PASS
5	5356.59	46.99	12.72	59.71	74.00	14.29	Vertical	PASS
6	5359.27	45.13	12.73	57.86	74.00	16.14	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.92	29.69	12.70	42.39	54.00	11.61	Horizontal	PASS
2	5457.60	30.83	12.77	43.60	54.00	10.40	Horizontal	PASS
3	5459.76	32.79	12.80	45.59	54.00	8.41	Horizontal	PASS
4	5458.88	42.51	12.78	55.29	74.00	18.71	Horizontal	PASS
5	5464.01	44.92	12.86	57.78	68.20	10.42	Horizontal	PASS
6	5469.93	48.08	12.96	61.04	68.20	7.16	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	32.88	12.69	45.57	54.00	8.43	Vertical	PASS
2	5457.40	34.29	12.76	47.05	54.00	6.95	Vertical	PASS
3	5459.84	36.60	12.80	49.40	54.00	4.60	Vertical	PASS
4	5460.17	48.53	12.80	61.33	68.20	6.87	Vertical	PASS
5	5466.97	51.57	12.91	64.48	68.20	3.72	Vertical	PASS
6	5469.65	52.61	12.96	65.57	68.20	2.63	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.39	38.58	13.36	51.94	68.20	16.26	Horizontal	PASS
2	5731.09	38.80	13.27	52.07	68.20	16.13	Horizontal	PASS
3	5739.39	39.23	13.13	52.36	68.20	15.84	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.09	41.87	13.35	55.22	68.20	12.98	Vertical	PASS
2	5736.64	39.86	13.18	53.04	68.20	15.16	Vertical	PASS
3	5743.40	39.44	13.07	52.51	68.20	15.69	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5869.25	38.42	13.43	51.85	68.20	16.35	Horizontal	PASS
2	5899.78	39.48	13.73	53.21	68.20	14.99	Horizontal	PASS
3	5950.30	38.59	14.09	52.68	68.20	15.52	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5866.55	39.51	13.40	52.91	68.20	15.29	Vertical	PASS
2	5926.79	38.11	13.92	52.03	68.20	16.17	Vertical	PASS
3	5948.13	38.63	14.08	52.71	68.20	15.49	Vertical	PASS

Project Information


Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.07	29.39	12.37	41.76	54.00	12.24	Horizontal	PASS
2	5144.38	30.68	12.44	43.12	54.00	10.88	Horizontal	PASS
3	5149.82	31.49	12.48	43.97	54.00	10.03	Horizontal	PASS
4	5134.44	39.99	12.37	52.36	74.00	21.64	Horizontal	PASS
5	5144.32	41.27	12.44	53.71	74.00	20.29	Horizontal	PASS
6	5148.20	41.61	12.46	54.07	74.00	19.93	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.51	37.37	12.40	49.77	54.00	4.23	Vertical	PASS
2	5145.95	39.42	12.45	51.87	54.00	2.13	Vertical	PASS
3	5149.89	39.32	12.48	51.80	54.00	2.20	Vertical	PASS
4	5138.51	47.60	12.40	60.00	74.00	14.00	Vertical	PASS
5	5145.64	48.66	12.45	61.11	74.00	12.89	Vertical	PASS
6	5148.39	50.01	12.47	62.48	74.00	11.52	Vertical	PASS