







Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.39	32.24	13.91	46.15	-	-	Horizontal	NA
2	8091.65	37.00	0.50	37.50	54.00	16.50	Horizontal	PASS
3	11462.42	35.44	5.01	40.45	54.00	13.55	Horizontal	PASS
4	17818.29	32.33	12.64	44.97	54.00	9.03	Horizontal	PASS
5	5176.84	37.82	13.91	51.73	-	-	Horizontal	NA
6	6906.73	47.99	-1.76	46.23	68.20	21.97	Horizontal	PASS
7	11462.03	42.29	5.01	47.30	74.00	26.70	Horizontal	PASS
8	17859.70	38.78	13.86	52.64	74.00	21.36	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	42.19	13.90	56.09	-	-	Vertical	NA
2	9460.58	36.85	2.21	39.06	54.00	14.94	Vertical	PASS
3	12681.84	34.34	6.02	40.36	54.00	13.64	Vertical	PASS
4	17865.06	31.27	13.79	45.06	54.00	8.94	Vertical	PASS
5	5176.84	47.61	13.91	61.52	-	-	Vertical	NA
6	6906.73	52.39	-1.76	50.63	68.20	17.57	Vertical	PASS
7	12019.80	41.23	5.31	46.54	74.00	27.46	Vertical	PASS
8	17841.29	38.93	13.62	52.55	74.00	21.45	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8316.29	36.35	0.68	37.03	54.00	16.97	Horizontal	PASS
2	12068.87	34.52	5.34	39.86	54.00	14.14	Horizontal	PASS
3	17973.55	31.87	13.40	45.27	54.00	8.73	Horizontal	PASS
4	6933.18	47.30	-2.02	45.28	68.20	22.92	Horizontal	PASS
5	12053.92	41.44	5.41	46.85	74.00	27.15	Horizontal	PASS
6	17886.91	38.64	13.51	52.15	74.00	21.85	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.42	33.37	13.92	47.29	-	-	Vertical	NA
2	7380.93	36.51	-0.62	35.89	54.00	18.11	Vertical	PASS
3	11404.53	34.52	5.37	39.89	54.00	14.11	Vertical	PASS
4	17852.80	31.34	13.96	45.30	54.00	8.70	Vertical	PASS
5	5192.97	39.05	13.91	52.96	-	-	Vertical	NA
6	6933.56	52.22	-2.03	50.19	68.20	18.01	Vertical	PASS
7	11373.86	41.70	5.21	46.91	74.00	27.09	Vertical	PASS
8	17989.65	39.20	13.64	52.84	74.00	21.16	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7400.48	36.41	-0.28	36.13	54.00	17.87	Horizontal	PASS
2	11369.65	34.94	5.17	40.11	54.00	13.89	Horizontal	PASS
3	17845.51	31.99	13.80	45.79	54.00	8.21	Horizontal	PASS
4	6986.85	48.53	-1.84	46.69	68.20	21.51	Horizontal	PASS
5	12076.92	41.96	5.30	47.26	74.00	26.74	Horizontal	PASS
6	17982.37	38.48	13.54	52.02	74.00	21.98	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8470.40	35.62	1.37	36.99	54.00	17.01	Vertical	PASS
2	11378.85	35.08	5.24	40.32	54.00	13.68	Vertical	PASS
3	17836.31	32.15	13.40	45.55	54.00	8.45	Vertical	PASS
4	6986.85	52.78	-1.84	50.94	68.20	17.26	Vertical	PASS
5	12075.00	41.39	5.31	46.70	74.00	27.30	Vertical	PASS
6	17866.98	38.69	13.77	52.46	74.00	21.54	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8098.17	36.40	0.52	36.92	54.00	17.08	Horizontal	PASS
2	11384.98	34.67	5.29	39.96	54.00	14.04	Horizontal	PASS
3	17882.70	32.29	13.57	45.86	54.00	8.14	Horizontal	PASS
4	7013.30	48.64	-1.65	46.99	68.20	21.21	Horizontal	PASS
5	11380.38	41.73	5.25	46.98	74.00	27.02	Horizontal	PASS
6	17846.66	38.17	13.84	52.01	74.00	21.99	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5267.78	34.64	14.27	48.91	-	-	Vertical	NA
2	9491.63	36.71	2.64	39.35	54.00	14.65	Vertical	PASS
3	12053.54	34.72	5.41	40.13	54.00	13.87	Vertical	PASS
4	17934.45	32.25	13.16	45.41	54.00	8.59	Vertical	PASS
5	5266.49	41.34	14.27	55.61	-	-	Vertical	NA
6	6289.53	35.15	16.62	51.77	68.20	16.43	Vertical	PASS
7	7013.30	53.85	-1.65	52.20	68.20	16.00	Vertical	PASS
8	17858.16	38.73	13.89	52.62	74.00	21.38	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	56
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8124.62	36.25	0.67	36.92	54.00	17.08	Horizontal	PASS
2	12044.72	34.76	5.40	40.16	54.00	13.84	Horizontal	PASS
3	17849.73	31.19	13.98	45.17	54.00	8.83	Horizontal	PASS
4	7066.59	47.55	-1.53	46.02	68.20	22.18	Horizontal	PASS
5	12056.22	41.59	5.40	46.99	74.00	27.01	Horizontal	PASS
6	17876.18	38.77	13.65	52.42	74.00	21.58	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	56
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.38	39.22	14.47	53.69	-	-	Vertical	NA
2	8492.63	35.29	1.58	36.87	54.00	17.13	Vertical	PASS
3	12218.37	34.49	5.31	39.80	54.00	14.20	Vertical	PASS
4	17977.77	32.58	13.47	46.05	54.00	7.95	Vertical	PASS
5	5296.38	43.63	14.47	58.10	-	-	Vertical	NA
6	7066.59	52.26	-1.53	50.73	68.20	17.47	Vertical	PASS
7	11345.49	41.90	4.99	46.89	74.00	27.11	Vertical	PASS
8	17865.06	38.63	13.79	52.42	74.00	21.58	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	29.97	14.55	44.52	-	-	Horizontal	NA
2	8105.45	36.61	0.55	37.16	54.00	16.84	Horizontal	PASS
3	12686.44	35.03	6.00	41.03	54.00	12.97	Horizontal	PASS
4	17842.44	31.74	13.66	45.40	54.00	8.60	Horizontal	PASS
5	5322.23	37.11	14.55	51.66	-	-	Horizontal	NA
6	7093.04	44.67	-1.52	43.15	68.20	25.05	Horizontal	PASS
7	13724.92	41.19	8.14	49.33	68.20	18.87	Horizontal	PASS
8	17875.03	38.90	13.66	52.56	74.00	21.44	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.86	40.73	14.55	55.28	-	-	Vertical	NA
2	8090.50	36.39	0.50	36.89	54.00	17.11	Vertical	PASS
3	12068.87	34.74	5.34	40.08	54.00	13.92	Vertical	PASS
4	17849.34	31.55	13.96	45.51	54.00	8.49	Vertical	PASS
5	5321.31	46.39	14.55	60.94	-	-	Vertical	NA
6	7093.04	50.79	-1.52	49.27	68.20	18.93	Vertical	PASS
7	12068.49	41.81	5.34	47.15	74.00	26.85	Vertical	PASS
8	17991.95	39.18	13.68	52.86	74.00	21.14	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7333.78	38.58	-1.19	37.39	54.00	16.61	Horizontal	PASS
2	12095.70	35.19	5.21	40.40	54.00	13.60	Horizontal	PASS
3	17885.38	33.01	13.53	46.54	54.00	7.46	Horizontal	PASS
4	6355.71	34.39	17.14	51.53	68.20	16.67	Horizontal	PASS
5	9567.54	43.56	2.68	46.24	68.20	21.96	Horizontal	PASS
6	17798.74	39.77	11.86	51.63	74.00	22.37	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.53	35.65	14.68	50.33	-	-	Vertical	NA
2	8338.14	35.96	0.95	36.91	54.00	17.09	Vertical	PASS
3	12032.07	35.48	5.36	40.84	54.00	13.16	Vertical	PASS
4	17885.76	32.60	13.52	46.12	54.00	7.88	Vertical	PASS
5	5463.95	44.91	14.44	59.35	-	-	Vertical	NA
6	7333.39	46.74	-1.18	45.56	74.00	28.44	Vertical	PASS
7	12778.06	42.17	5.81	47.98	68.20	20.22	Vertical	PASS
8	17997.70	38.62	13.76	52.38	74.00	21.62	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8093.19	36.77	0.50	37.27	54.00	16.73	Horizontal	PASS
2	12006.00	35.20	5.26	40.46	54.00	13.54	Horizontal	PASS
3	17851.65	31.52	13.97	45.49	54.00	8.51	Horizontal	PASS
4	6244.24	35.59	15.86	51.45	68.20	16.75	Horizontal	PASS
5	9510.03	43.73	2.69	46.42	68.20	21.78	Horizontal	PASS
6	17987.35	38.71	13.61	52.32	74.00	21.68	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5582.57	33.08	14.70	47.78	-	-	Vertical	NA
2	8060.60	36.76	0.42	37.18	54.00	16.82	Vertical	PASS
3	12000.63	35.00	5.23	40.23	54.00	13.77	Vertical	PASS
4	17822.51	32.57	12.82	45.39	54.00	8.61	Vertical	PASS
5	5583.49	39.80	14.70	54.50	-	-	Vertical	NA
6	6308.59	34.58	16.79	51.37	68.20	16.83	Vertical	PASS
7	7439.96	50.45	-1.37	49.08	74.00	24.92	Vertical	PASS
8	17837.08	38.94	13.44	52.38	74.00	21.62	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	39.23	-0.92	38.31	54.00	15.69	Horizontal	PASS
2	12159.72	35.65	4.85	40.50	54.00	13.50	Horizontal	PASS
3	17876.56	32.04	13.64	45.68	54.00	8.32	Horizontal	PASS
4	6304.01	34.79	16.76	51.55	68.20	16.65	Horizontal	PASS
5	15060.89	40.89	9.18	50.07	68.20	18.13	Horizontal	PASS
6	17908.38	39.05	13.29	52.34	74.00	21.66	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5701.56	34.86	14.89	49.75	-	-	Vertical	NA
2	9458.28	36.60	2.18	38.78	54.00	15.22	Vertical	PASS
3	12374.40	34.94	5.73	40.67	54.00	13.33	Vertical	PASS
4	17985.05	31.75	13.57	45.32	54.00	8.68	Vertical	PASS
5	5730.16	42.65	14.91	57.56	-	-	Vertical	NA
6	6346.54	34.87	17.20	52.07	68.20	16.13	Vertical	PASS
7	7600.20	47.08	-0.92	46.16	74.00	27.84	Vertical	PASS
8	17862.76	38.89	13.83	52.72	74.00	21.28	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.14	64.64	14.91	79.55	-	-	Horizontal	NA
2	8103.15	36.48	0.54	37.02	54.00	16.98	Horizontal	PASS
3	11400.31	34.89	5.39	40.28	54.00	13.72	Horizontal	PASS
4	17840.53	31.96	13.59	45.55	54.00	8.45	Horizontal	PASS
5	5727.77	69.54	14.91	84.45	-	-	Horizontal	NA
6	6437.85	35.48	16.67	52.15	68.20	16.05	Horizontal	PASS
7	7626.65	45.87	-0.94	44.93	74.00	29.07	Horizontal	PASS
8	17865.06	38.56	13.79	52.35	74.00	21.65	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	76.71	14.91	91.62	-	-	Vertical	NA
2	8133.82	36.42	0.73	37.15	54.00	16.85	Vertical	PASS
3	12046.63	34.56	5.42	39.98	54.00	14.02	Vertical	PASS
4	17977.77	32.06	13.47	45.53	54.00	8.47	Vertical	PASS
5	5727.59	81.64	14.91	96.55	-	-	Vertical	NA
6	6282.56	34.89	16.42	51.31	68.20	16.89	Vertical	PASS
7	7626.65	49.13	-0.94	48.19	74.00	25.81	Vertical	PASS
8	17818.29	39.48	12.64	52.12	74.00	21.88	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5716.22	30.08	15.76	45.84	-	-	Horizontal	NA
2	7660.39	39.17	-0.88	38.29	54.00	15.71	Horizontal	PASS
3	12052.77	35.44	5.41	40.85	54.00	13.15	Horizontal	PASS
4	17981.60	31.83	13.53	45.36	54.00	8.64	Horizontal	PASS
5	5706.14	40.97	15.79	56.76	-	-	Horizontal	NA
6	6351.68	34.40	17.11	51.51	68.20	16.69	Horizontal	PASS
7	15075.07	40.49	9.12	49.61	68.20	18.59	Horizontal	PASS
8	17341.79	40.31	11.98	52.29	68.20	15.91	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5707.79	39.02	15.78	54.80	-	-	Vertical	NA
2	7660.39	44.19	-0.88	43.31	54.00	10.69	Vertical	PASS
3	12065.80	34.81	5.36	40.17	54.00	13.83	Vertical	PASS
4	17994.63	31.71	13.71	45.42	54.00	8.58	Vertical	PASS
5	5707.61	50.05	15.79	65.84	-	-	Vertical	NA
6	6337.01	34.46	16.97	51.43	68.20	16.77	Vertical	PASS
7	13691.57	40.47	9.36	49.83	68.20	18.37	Vertical	PASS
8	17836.31	39.54	13.40	52.94	74.00	21.06	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	39.49	-0.70	38.79	54.00	15.21	Horizontal	PASS
2	12039.73	34.70	5.39	40.09	54.00	13.91	Horizontal	PASS
3	17992.33	32.21	13.68	45.89	54.00	8.11	Horizontal	PASS
4	6359.56	34.67	17.01	51.68	68.20	16.52	Horizontal	PASS
5	15273.64	40.57	9.18	49.75	68.20	18.45	Horizontal	PASS
6	17866.60	38.34	13.77	52.11	74.00	21.89	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5787.91	38.08	15.67	53.75	-	-	Vertical	NA
2	7713.67	44.41	-0.70	43.71	54.00	10.29	Vertical	PASS
3	12064.27	34.77	5.36	40.13	54.00	13.87	Vertical	PASS
4	17843.59	32.32	13.72	46.04	54.00	7.96	Vertical	PASS
5	5787.73	43.18	15.67	58.85	-	-	Vertical	NA
6	6360.30	34.26	17.00	51.26	68.20	16.94	Vertical	PASS
7	7713.29	45.83	-0.69	45.14	74.00	28.86	Vertical	PASS
8	17934.83	39.11	13.15	52.26	74.00	21.74	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.91	30.13	15.66	45.79	-	-	Horizontal	NA
2	9453.68	36.85	2.12	38.97	54.00	15.03	Horizontal	PASS
3	12648.49	33.94	6.15	40.09	54.00	13.91	Horizontal	PASS
4	17985.82	33.37	13.58	46.95	54.00	7.05	Horizontal	PASS
5	5856.30	39.28	15.60	54.88	-	-	Horizontal	NA
6	6453.25	34.60	16.86	51.46	68.20	16.74	Horizontal	PASS
7	14167.69	40.71	8.24	48.95	68.20	19.25	Horizontal	PASS
8	17370.93	40.12	12.17	52.29	68.20	15.91	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5823.84	39.16	15.66	54.82	-	-	Vertical	NA
2	9465.18	36.31	2.28	38.59	54.00	15.41	Vertical	PASS
3	12047.78	34.37	5.42	39.79	54.00	14.21	Vertical	PASS
4	17983.13	32.05	13.54	45.59	54.00	8.41	Vertical	PASS
5	5856.48	46.37	15.60	61.97	-	-	Vertical	NA
6	6439.13	34.30	16.75	51.05	68.20	17.15	Vertical	PASS
7	7766.58	46.89	-0.82	46.07	68.20	22.13	Vertical	PASS
8	17862.38	38.64	13.82	52.46	74.00	21.54	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.47	32.02	12.43	44.45	54.00	9.55	Horizontal	PASS
2	5148.61	32.15	12.47	44.62	54.00	9.38	Horizontal	PASS
3	5149.55	32.32	12.48	44.80	54.00	9.20	Horizontal	PASS
4	5143.53	45.49	12.43	57.92	74.00	16.08	Horizontal	PASS
5	5148.57	47.26	12.47	59.73	74.00	14.27	Horizontal	PASS
6	5149.74	47.18	12.48	59.66	74.00	14.34	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.01	33.94	12.43	46.37	54.00	7.63	Vertical	PASS
2	5146.20	35.40	12.45	47.85	54.00	6.15	Vertical	PASS
3	5149.97	36.30	12.48	48.78	54.00	5.22	Vertical	PASS
4	5141.97	53.70	12.43	66.13	74.00	7.87	Vertical	PASS
5	5146.17	55.72	12.45	68.17	74.00	5.83	Vertical	PASS
6	5149.84	55.67	12.48	68.15	74.00	5.85	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.09	31.95	12.38	44.33	54.00	9.67	Horizontal	PASS
2	5148.80	32.12	12.48	44.60	54.00	9.40	Horizontal	PASS
3	5149.78	31.81	12.48	44.29	54.00	9.71	Horizontal	PASS
4	5135.83	43.28	12.38	55.66	74.00	18.34	Horizontal	PASS
5	5148.90	44.73	12.48	57.21	74.00	16.79	Horizontal	PASS
6	5149.74	43.86	12.48	56.34	74.00	17.66	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.63	33.44	12.38	45.82	54.00	8.18	Vertical	PASS
2	5141.23	34.69	12.41	47.10	54.00	6.90	Vertical	PASS
3	5149.74	36.89	12.48	49.37	54.00	4.63	Vertical	PASS
4	5135.60	51.75	12.38	64.13	74.00	9.87	Vertical	PASS
5	5141.19	54.18	12.41	66.59	74.00	7.41	Vertical	PASS
6	5149.91	55.80	12.48	68.28	74.00	5.72	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.54	27.60	12.39	39.99	54.00	14.01	Horizontal	PASS
2	5144.22	28.57	12.44	41.01	54.00	12.99	Horizontal	PASS
3	5148.56	29.65	12.47	42.12	54.00	11.88	Horizontal	PASS
4	5137.71	39.50	12.39	51.89	74.00	22.11	Horizontal	PASS
5	5144.52	41.68	12.44	54.12	74.00	19.88	Horizontal	PASS
6	5148.77	44.86	12.48	57.34	74.00	16.66	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.59	31.28	12.39	43.67	54.00	10.33	Vertical	PASS
2	5143.92	34.64	12.44	47.08	54.00	6.92	Vertical	PASS
3	5149.19	37.60	12.48	50.08	54.00	3.92	Vertical	PASS
4	5137.33	48.93	12.39	61.32	74.00	12.68	Vertical	PASS
5	5143.58	51.32	12.43	63.75	74.00	10.25	Vertical	PASS
6	5149.92	53.33	12.48	65.81	74.00	8.19	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.75	29.57	12.37	41.94	54.00	12.06	Horizontal	PASS
2	5142.70	30.92	12.43	43.35	54.00	10.65	Horizontal	PASS
3	5149.76	31.24	12.48	43.72	54.00	10.28	Horizontal	PASS
4	5133.25	40.48	12.36	52.84	74.00	21.16	Horizontal	PASS
5	5142.76	42.25	12.43	54.68	74.00	19.32	Horizontal	PASS
6	5149.70	42.25	12.48	54.73	74.00	19.27	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.57	38.31	12.36	50.67	54.00	3.33	Vertical	PASS
2	5142.63	39.21	12.43	51.64	54.00	2.36	Vertical	PASS
3	5149.76	40.13	12.48	52.61	54.00	1.39	Vertical	PASS
4	5134.25	48.44	12.37	60.81	74.00	13.19	Vertical	PASS
5	5142.51	50.01	12.43	62.44	74.00	11.56	Vertical	PASS
6	5149.57	50.53	12.48	63.01	74.00	10.99	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.48	29.19	12.68	41.87	54.00	12.13	Horizontal	PASS
2	5351.95	28.60	12.70	41.30	54.00	12.70	Horizontal	PASS
3	5356.04	28.36	12.72	41.08	54.00	12.92	Horizontal	PASS
4	5350.45	44.29	12.68	56.97	74.00	17.03	Horizontal	PASS
5	5352.17	43.79	12.70	56.49	74.00	17.51	Horizontal	PASS
6	5354.94	41.15	12.71	53.86	74.00	20.14	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.06	37.48	12.68	50.16	54.00	3.84	Vertical	PASS
2	5353.41	34.77	12.70	47.47	54.00	6.53	Vertical	PASS
3	5356.40	33.90	12.72	46.62	54.00	7.38	Vertical	PASS
4	5350.81	55.11	12.69	67.80	74.00	6.20	Vertical	PASS
5	5354.09	53.49	12.70	66.19	74.00	7.81	Vertical	PASS
6	5356.66	52.64	12.72	65.36	74.00	8.64	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.84	29.68	12.69	42.37	54.00	11.63	Horizontal	PASS
2	5355.04	29.05	12.71	41.76	54.00	12.24	Horizontal	PASS
3	5360.08	28.59	12.74	41.33	54.00	12.67	Horizontal	PASS
4	5350.81	45.79	12.69	58.48	74.00	15.52	Horizontal	PASS
5	5352.53	46.84	12.69	59.53	74.00	14.47	Horizontal	PASS
6	5358.97	45.03	12.73	57.76	74.00	16.24	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	38.42	12.68	51.10	54.00	2.90	Vertical	PASS
2	5351.07	38.42	12.69	51.11	54.00	2.89	Vertical	PASS
3	5359.10	36.82	12.73	49.55	54.00	4.45	Vertical	PASS
4	5350.29	58.30	12.68	70.98	74.00	3.02	Vertical	PASS
5	5356.43	56.51	12.72	69.23	74.00	4.77	Vertical	PASS
6	5361.38	56.40	12.75	69.15	74.00	4.85	Vertical	PASS