


Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	62
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.17	30.21	12.68	42.89	54.00	11.11	Horizontal	PASS
2	5351.10	30.31	12.69	43.00	54.00	11.00	Horizontal	PASS
3	5356.89	28.40	12.72	41.12	54.00	12.88	Horizontal	PASS
4	5350.04	42.85	12.68	55.53	74.00	18.47	Horizontal	PASS
5	5351.27	42.65	12.69	55.34	74.00	18.66	Horizontal	PASS
6	5356.97	40.10	12.72	52.82	74.00	21.18	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	62
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.04	39.56	12.68	52.24	54.00	1.76	Vertical	PASS
2	5356.76	35.68	12.72	48.40	54.00	5.60	Vertical	PASS
3	5361.35	31.75	12.75	44.50	54.00	9.50	Vertical	PASS
4	5350.51	53.85	12.68	66.53	74.00	7.47	Vertical	PASS
5	5357.18	52.05	12.73	64.78	74.00	9.22	Vertical	PASS
6	5362.54	49.49	12.75	62.24	74.00	11.76	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.86	28.46	12.69	41.15	54.00	12.85	Horizontal	PASS
2	5359.99	28.38	12.74	41.12	54.00	12.88	Horizontal	PASS
3	5367.43	28.63	12.79	41.42	54.00	12.58	Horizontal	PASS
4	5350.36	39.23	12.68	51.91	74.00	22.09	Horizontal	PASS
5	5360.12	38.70	12.74	51.44	74.00	22.56	Horizontal	PASS
6	5367.56	38.93	12.78	51.71	74.00	22.29	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.43	34.41	12.68	47.09	54.00	6.91	Vertical	PASS
2	5359.99	33.81	12.74	46.55	54.00	7.45	Vertical	PASS
3	5365.62	33.41	12.77	46.18	54.00	7.82	Vertical	PASS
4	5351.36	47.80	12.69	60.49	74.00	13.51	Vertical	PASS
5	5360.31	48.73	12.74	61.47	74.00	12.53	Vertical	PASS
6	5365.68	47.32	12.77	60.09	74.00	13.91	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.38	28.28	12.71	40.99	54.00	13.01	Horizontal	PASS
2	5456.51	28.07	12.75	40.82	54.00	13.18	Horizontal	PASS
3	5459.39	28.11	12.80	40.91	54.00	13.09	Horizontal	PASS
4	5459.72	42.99	12.80	55.79	74.00	18.21	Horizontal	PASS
5	5464.35	44.67	12.88	57.55	68.20	10.65	Horizontal	PASS
6	5469.66	45.79	12.96	58.75	68.20	9.45	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.52	30.30	12.69	42.99	54.00	11.01	Vertical	PASS
2	5455.91	30.89	12.74	43.63	54.00	10.37	Vertical	PASS
3	5458.76	31.05	12.78	43.83	54.00	10.17	Vertical	PASS
4	5464.68	52.08	12.88	64.96	68.20	3.24	Vertical	PASS
5	5468.34	53.57	12.94	66.51	68.20	1.69	Vertical	PASS
6	5469.93	53.99	12.96	66.95	68.20	1.25	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.27	52.12	13.37	65.49	68.20	2.71	Horizontal	PASS
2	5726.08	52.40	13.35	65.75	68.20	2.45	Horizontal	PASS
3	5727.70	51.03	13.33	64.36	68.20	3.84	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.06	53.00	13.37	66.37	68.20	1.83	Vertical	PASS
2	5725.78	53.23	13.36	66.59	68.20	1.61	Vertical	PASS
3	5728.12	52.03	13.32	65.35	68.20	2.85	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.48	38.49	13.29	51.78	68.20	16.42	Horizontal	PASS
2	5908.42	38.75	13.79	52.54	68.20	15.66	Horizontal	PASS
3	5948.94	38.25	14.08	52.33	68.20	15.87	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.89	39.28	13.25	52.53	68.20	15.67	Vertical	PASS
2	5869.79	39.53	13.43	52.96	68.20	15.24	Vertical	PASS
3	5915.99	38.62	13.84	52.46	68.20	15.74	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.92	27.97	12.67	40.64	54.00	13.36	Horizontal	PASS
2	5455.85	28.05	12.74	40.79	54.00	13.21	Horizontal	PASS
3	5459.42	28.16	12.80	40.96	54.00	13.04	Horizontal	PASS
4	5462.19	44.90	12.83	57.73	68.20	10.47	Horizontal	PASS
5	5467.65	47.19	12.93	60.12	68.20	8.08	Horizontal	PASS
6	5468.34	47.92	12.94	60.86	68.20	7.34	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.27	30.01	12.69	42.70	54.00	11.30	Vertical	PASS
2	5457.05	30.84	12.75	43.59	54.00	10.41	Vertical	PASS
3	5459.45	31.40	12.80	44.20	54.00	9.80	Vertical	PASS
4	5467.20	53.73	12.92	66.65	68.20	1.55	Vertical	PASS
5	5467.95	54.19	12.93	67.12	68.20	1.08	Vertical	PASS
6	5469.21	53.99	12.96	66.95	68.20	1.25	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5725.48	45.21	13.36	58.57	68.20	9.63	Horizontal	PASS
2	5726.32	46.44	13.35	59.79	68.20	8.41	Horizontal	PASS
3	5731.36	43.57	13.27	56.84	68.20	11.36	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.36	53.35	13.36	66.71	68.20	1.49	Vertical	PASS
2	5726.83	53.16	13.34	66.50	68.20	1.70	Vertical	PASS
3	5729.17	52.19	13.30	65.49	68.20	2.71	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.67	39.03	13.29	52.32	68.20	15.88	Horizontal	PASS
2	5903.83	38.37	13.76	52.13	68.20	16.07	Horizontal	PASS
3	5948.13	38.16	14.08	52.24	68.20	15.96	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.72	38.09	13.33	51.42	68.20	16.78	Vertical	PASS
2	5917.88	37.84	13.86	51.70	68.20	16.50	Vertical	PASS
3	5955.43	38.83	14.03	52.86	68.20	15.34	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.00	28.47	12.70	41.17	54.00	12.83	Horizontal	PASS
2	5456.64	29.03	12.75	41.78	54.00	12.22	Horizontal	PASS
3	5459.80	29.86	12.80	42.66	54.00	11.34	Horizontal	PASS
4	5457.12	43.34	12.75	56.09	74.00	17.91	Horizontal	PASS
5	5463.13	44.62	12.85	57.47	68.20	10.73	Horizontal	PASS
6	5468.81	46.84	12.94	59.78	68.20	8.42	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.48	31.74	12.72	44.46	54.00	9.54	Vertical	PASS
2	5458.00	33.08	12.77	45.85	54.00	8.15	Vertical	PASS
3	5459.88	34.28	12.80	47.08	54.00	6.92	Vertical	PASS
4	5457.96	50.61	12.77	63.38	74.00	10.62	Vertical	PASS
5	5463.13	52.60	12.85	65.45	68.20	2.75	Vertical	PASS
6	5469.13	53.63	12.95	66.58	68.20	1.62	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.84	38.63	13.36	51.99	68.20	16.21	Horizontal	PASS
2	5731.89	38.51	13.26	51.77	68.20	16.43	Horizontal	PASS
3	5740.35	38.76	13.12	51.88	68.20	16.32	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.04	47.21	13.37	60.58	68.20	7.62	Vertical	PASS
2	5728.54	48.32	13.31	61.63	68.20	6.57	Vertical	PASS
3	5734.89	45.22	13.21	58.43	68.20	9.77	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.75	38.47	13.30	51.77	68.20	16.43	Horizontal	PASS
2	5901.67	38.80	13.74	52.54	68.20	15.66	Horizontal	PASS
3	5950.03	38.45	14.09	52.54	68.20	15.66	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.89	39.46	13.25	52.71	68.20	15.49	Vertical	PASS
2	5867.36	40.68	13.41	54.09	68.20	14.11	Vertical	PASS
3	5915.72	39.14	13.84	52.98	68.20	15.22	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.32	33.00	12.71	45.71	54.00	8.29	Horizontal	PASS
2	5456.18	33.10	12.74	45.84	54.00	8.16	Horizontal	PASS
3	5458.34	32.84	12.78	45.62	54.00	8.38	Horizontal	PASS
4	5458.64	44.12	12.78	56.90	74.00	17.10	Horizontal	PASS
5	5462.43	43.59	12.84	56.43	68.20	11.77	Horizontal	PASS
6	5469.39	43.66	12.96	56.62	68.20	11.58	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.02	39.59	12.70	52.29	54.00	1.71	Vertical	PASS
2	5456.06	39.60	12.74	52.34	54.00	1.66	Vertical	PASS
3	5459.36	38.75	12.80	51.55	54.00	2.45	Vertical	PASS
4	5453.48	51.75	12.70	64.45	74.00	9.55	Vertical	PASS
5	5462.61	50.62	12.85	63.47	68.20	4.73	Vertical	PASS
6	5469.63	51.41	12.96	64.37	68.20	3.83	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.23	38.36	13.35	51.71	68.20	16.49	Horizontal	PASS
2	5740.19	38.31	13.12	51.43	68.20	16.77	Horizontal	PASS
3	5746.40	38.87	13.02	51.89	68.20	16.31	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.24	41.08	13.37	54.45	68.20	13.75	Vertical	PASS
2	5732.17	41.41	13.25	54.66	68.20	13.54	Vertical	PASS
3	5739.91	40.73	13.13	53.86	68.20	14.34	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	38.70	13.33	52.03	68.20	16.17	Horizontal	PASS
2	5923.28	38.61	13.90	52.51	68.20	15.69	Horizontal	PASS
3	5968.12	37.84	13.90	51.74	68.20	16.46	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	41.31	13.33	54.64	68.20	13.56	Vertical	PASS
2	5926.25	38.77	13.92	52.69	68.20	15.51	Vertical	PASS
3	5953.54	39.13	14.06	53.19	68.20	15.01	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16.5		

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16.5		

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16.5		

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:16.5		

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph


Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		


Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		


Test Graph

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:15.5		

Test Graph


Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y24K13V000067	Engineer:	Ou Shuyan
Remark:	Power:13		

Test Graph



~The End~