


J23220_W301#2_2.4G_802.11n_MCS0_40MHz_Ch 9_18-27.5GHz


12/26/2023 3:18:54 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	26.720011GHz	48.87	1.61	74.00	-25.13	3.43	180.10	Vertical	Passed
2.	27.30144GHz	48.74	1.76	74.00	-25.26	2.05	202.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	18.713011GHz	46.55	-0.89	54.00	-7.45	3.56	247.60	Vertical	Passed
2.	18.763838GHz	45.97	-1.01	54.00	-8.03	1.00	247.60	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 1


2/1/2024 1:18:09 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3892696GHz	52.71	-2.81	74.00	-21.29	3.50	283.60	Vertical	Passed
2.	2.4848874GHz	50.35	-2.29	74.00	-23.65	4.00	291.00	Vertical	Passed
3.	2.3893647GHz	54.84	-2.87	74.00	-19.16	1.00	244.30	Horizontal	Passed
4.	2.4875488GHz	49.60	-2.22	74.00	-24.40	3.00	125.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3887944GHz	50.77	-2.81	54.00	-3.23	3.50	283.60	Vertical	Passed
2.	2.4943922GHz	48.48	-2.24	54.00	-5.52	4.00	267.60	Vertical	Passed
3.	2.3891746GHz	53.04	-2.87	54.00	-0.96	1.00	241.30	Horizontal	Passed
4.	2.4864082GHz	48.19	-2.22	54.00	-5.81	1.00	150.40	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 11


2/1/2024 1:43:17 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3728264GHz	49.39	-2.92	74.00	-24.61	3.50	286.00	Vertical	Passed
2.	2.4835568GHz	52.13	-2.31	74.00	-21.87	3.50	286.00	Vertical	Passed
3.	2.3802401GHz	49.41	-3.00	74.00	-24.59	2.00	143.60	Horizontal	Passed
4.	2.4843172GHz	53.94	-2.22	74.00	-20.06	1.50	236.70	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3728264GHz	48.04	-2.92	54.00	-5.96	3.50	286.00	Vertical	Passed
2.	2.4845073GHz	51.03	-2.30	54.00	-2.97	3.50	286.00	Vertical	Passed
3.	2.3405103GHz	47.64	-3.30	54.00	-6.36	1.00	237.70	Horizontal	Passed
4.	2.4844122GHz	51.94	-2.22	54.00	-2.06	1.00	242.70	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 2


2/21/2024 6:58:10 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.389935GHz	53.94	-2.80	74.00	-20.06	3.50	282.20	Vertical	Passed
2.	2.4881191GHz	53.78	-2.26	74.00	-20.22	4.00	294.60	Vertical	Passed
3.	2.3882241GHz	53.55	-2.89	74.00	-20.45	1.00	48.40	Horizontal	Passed
4.	2.4930615GHz	53.78	-2.21	74.00	-20.22	2.00	41.70	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3848024GHz	51.58	-2.83	54.00	-2.42	2.00	328.10	Vertical	Passed
2.	2.4968634GHz	52.05	-2.24	54.00	-1.95	3.00	1.70	Vertical	Passed
3.	2.3884142GHz	52.07	-2.88	54.00	-1.93	1.50	44.20	Horizontal	Passed
4.	2.4930615GHz	52.26	-2.21	54.00	-1.74	2.00	41.70	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 3


2/21/2024 5:25:12 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3894597GHz	54.23	-2.80	74.00	-19.77	2.50	254.20	Vertical	Passed
2.	2.4926813GHz	54.20	-2.24	74.00	-19.80	3.00	96.20	Vertical	Passed
3.	2.3891746GHz	54.60	-2.87	74.00	-19.40	1.50	313.50	Horizontal	Passed
4.	2.4897349GHz	53.43	-2.21	74.00	-20.57	3.50	349.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3890795GHz	52.80	-2.81	54.00	-1.20	4.00	294.40	Vertical	Passed
2.	2.4926813GHz	52.80	-2.24	54.00	-1.20	3.00	96.20	Vertical	Passed
3.	2.3891746GHz	53.57	-2.87	54.00	-0.43	1.50	313.50	Horizontal	Passed
4.	2.4931566GHz	52.10	-2.21	54.00	-1.90	2.00	149.50	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 9


2/21/2024 5:41:48 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3796698GHz	53.70	-2.86	74.00	-20.30	4.00	225.60	Vertical	Passed
2.	2.4942021GHz	54.24	-2.24	74.00	-19.76	4.00	295.00	Vertical	Passed
3.	2.3121861GHz	52.95	-3.20	74.00	-21.05	1.00	255.20	Horizontal	Passed
4.	2.4835568GHz	54.70	-2.23	74.00	-19.30	2.00	45.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3796698GHz	51.82	-2.86	54.00	-2.18	4.00	225.60	Vertical	Passed
2.	2.4922061GHz	52.59	-2.24	54.00	-1.41	3.50	310.40	Vertical	Passed
3.	2.389935GHz	51.50	-2.86	54.00	-2.50	1.00	51.20	Horizontal	Passed
4.	2.4852676GHz	53.18	-2.22	54.00	-0.82	1.00	42.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 10


2/21/2024 6:45:24 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3755828GHz	52.88	-2.90	74.00	-21.12	3.50	276.00	Vertical	Passed
2.	2.4927764GHz	53.84	-2.24	74.00	-20.16	4.00	280.10	Vertical	Passed
3.	2.3877489GHz	52.51	-2.89	74.00	-21.49	1.00	211.30	Horizontal	Passed
4.	2.488024GHz	53.54	-2.22	74.00	-20.46	2.00	309.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3755828GHz	51.77	-2.90	54.00	-2.23	3.50	276.00	Vertical	Passed
2.	2.493917GHz	51.97	-2.24	54.00	-2.03	3.00	105.40	Vertical	Passed
3.	2.317984GHz	50.98	-3.22	54.00	-3.02	1.50	287.50	Horizontal	Passed
4.	2.4933467GHz	52.26	-2.21	54.00	-1.74	1.00	39.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 1


2/9/2024 2:15:04 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3894597GHz	61.52	-2.80	74.00	-12.48	3.50	282.60	Vertical	Passed
2.	2.4969585GHz	50.60	-2.24	74.00	-23.40	3.50	272.00	Vertical	Passed
3.	2.3897449GHz	62.38	-2.86	74.00	-11.62	1.00	239.90	Horizontal	Passed
4.	2.4934417GHz	50.18	-2.21	74.00	-23.82	1.00	132.70	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3893647GHz	47.30	-2.81	54.00	-6.70	3.50	284.90	Vertical	Passed
2.	2.4878339GHz	48.66	-2.26	54.00	-5.34	3.50	269.70	Vertical	Passed
3.	2.3897449GHz	47.81	-2.86	54.00	-6.19	1.00	239.90	Horizontal	Passed
4.	2.4846973GHz	48.61	-2.22	54.00	-5.39	1.00	149.00	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 3

2/21/2024 6:10:15 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3887944GHz	69.96	-2.81	74.00	-4.04	3.50	285.10	Vertical	Passed
2.	2.4958179GHz	54.14	-2.24	74.00	-19.86	4.00	283.60	Vertical	Passed
3.	2.3889845GHz	69.60	-2.87	74.00	-4.40	1.50	247.10	Horizontal	Passed
4.	2.4843172GHz	54.04	-2.22	74.00	-19.96	1.00	245.30	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3887944GHz	53.78	-2.81	54.00	-0.22	3.50	285.10	Vertical	Passed
2.	2.4958179GHz	52.41	-2.24	54.00	-1.59	4.00	283.60	Vertical	Passed
3.	2.3889845GHz	52.37	-2.87	54.00	-1.63	1.50	247.10	Horizontal	Passed
4.	2.483937GHz	52.66	-2.22	54.00	-1.34	1.50	246.60	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 10


2/22/2024 11:50:12 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3867034GHz	52.64	-2.82	74.00	-21.36	3.00	273.30	Vertical	Passed
2.	2.4836518GHz	68.44	-2.30	74.00	-5.56	3.50	287.90	Vertical	Passed
3.	2.388034GHz	52.74	-2.89	74.00	-21.26	1.00	43.80	Horizontal	Passed
4.	2.4835568GHz	69.53	-2.23	74.00	-4.47	1.50	243.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3804302GHz	51.08	-2.85	54.00	-2.92	3.00	307.80	Vertical	Passed
2.	2.4836518GHz	45.18	-2.30	54.00	-8.82	3.50	287.90	Vertical	Passed
3.	2.3605653GHz	51.20	-3.27	54.00	-2.80	1.50	11.20	Horizontal	Passed
4.	2.4835568GHz	50.72	-2.23	54.00	-3.28	1.50	243.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 11


2/9/2024 2:50:04 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3807154GHz	49.08	-2.85	74.00	-24.92	3.00	280.80	Vertical	Passed
2.	2.4842221GHz	66.54	-2.30	74.00	-7.46	3.50	275.90	Vertical	Passed
3.	2.381951GHz	48.82	-2.98	74.00	-25.18	1.50	306.80	Horizontal	Passed
4.	2.4838419GHz	66.80	-2.22	74.00	-7.20	1.00	239.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3817609GHz	48.09	-2.85	54.00	-5.91	3.00	280.80	Vertical	Passed
2.	2.4842221GHz	51.38	-2.30	54.00	-2.62	3.50	275.90	Vertical	Passed
3.	2.3818559GHz	47.52	-2.98	54.00	-6.48	1.00	290.60	Horizontal	Passed
4.	2.4837469GHz	51.92	-2.22	54.00	-2.08	1.00	240.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 1


2/9/2024 3:13:59 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3898399GHz	65.84	-2.80	74.00	-8.16	3.50	281.10	Vertical	Passed
2.	2.4921111GHz	50.83	-2.24	74.00	-23.17	3.50	272.60	Vertical	Passed
3.	2.3893647GHz	65.62	-2.87	74.00	-8.38	1.00	305.10	Horizontal	Passed
4.	2.4977189GHz	50.10	-2.21	74.00	-23.90	1.00	304.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3898399GHz	49.20	-2.80	54.00	-4.80	3.50	281.10	Vertical	Passed
2.	2.4921111GHz	49.76	-2.24	54.00	-4.24	3.50	272.60	Vertical	Passed
3.	2.3893647GHz	47.96	-2.87	54.00	-6.04	1.00	305.10	Horizontal	Passed
4.	2.4883092GHz	48.48	-2.22	54.00	-5.52	1.50	231.30	Horizontal	Passed

Overall Graphs:





J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 3


2/22/2024 10:42:10 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3892696GHz	71.55	-2.81	74.00	-2.45	3.50	288.40	Vertical	Passed
2.	2.4872636GHz	53.06	-2.27	74.00	-20.94	3.50	121.90	Vertical	Passed
3.	2.3895548GHz	70.94	-2.87	74.00	-3.06	1.00	44.30	Horizontal	Passed
4.	2.4949625GHz	53.91	-2.21	74.00	-20.09	1.00	243.30	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3883192GHz	51.29	-2.81	54.00	-2.71	3.50	285.90	Vertical	Passed
2.	2.4889745GHz	51.78	-2.25	54.00	-2.22	4.00	297.80	Vertical	Passed
3.	2.3889845GHz	49.73	-2.87	54.00	-4.27	1.50	240.10	Horizontal	Passed
4.	2.4837469GHz	52.68	-2.22	54.00	-1.32	2.00	199.50	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 10


2/22/2024 11:17:31 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3893647GHz	52.66	-2.81	74.00	-21.34	4.00	206.70	Vertical	Passed
2.	2.4837469GHz	67.15	-2.30	74.00	-6.85	3.50	280.10	Vertical	Passed
3.	2.3870835GHz	52.63	-2.90	74.00	-21.37	1.00	38.90	Horizontal	Passed
4.	2.4845073GHz	66.73	-2.22	74.00	-7.27	1.00	307.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3775788GHz	51.29	-2.88	54.00	-2.71	4.00	217.40	Vertical	Passed
2.	2.4837469GHz	47.56	-2.30	54.00	-6.44	3.50	280.10	Vertical	Passed
3.	2.3870835GHz	51.42	-2.90	54.00	-2.58	1.00	38.90	Horizontal	Passed
4.	2.4843172GHz	48.22	-2.22	54.00	-5.78	1.00	306.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 11


2/9/2024 3:28:51 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3650325GHz	48.19	-2.99	74.00	-25.81	3.50	284.60	Vertical	Passed
2.	2.4836518GHz	68.27	-2.30	74.00	-5.73	3.50	282.10	Vertical	Passed
3.	2.3843272GHz	49.34	-2.94	74.00	-24.66	2.50	235.40	Horizontal	Passed
4.	2.4835568GHz	68.64	-2.23	74.00	-5.36	1.00	243.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3871786GHz	46.87	-2.82	54.00	-7.13	2.50	304.80	Vertical	Passed
2.	2.4836518GHz	51.54	-2.30	54.00	-2.46	3.50	282.10	Vertical	Passed
3.	2.3847074GHz	47.75	-2.94	54.00	-6.25	4.00	298.80	Horizontal	Passed
4.	2.4835568GHz	52.41	-2.23	54.00	-1.59	1.00	243.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 3_40MHz

2/23/2024 2:15:47 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3886293GHz	65.26	-2.81	74.00	-8.74	3.50	287.90	Vertical	Passed
2.	2.4856828GHz	52.69	-2.28	74.00	-21.31	3.50	44.10	Vertical	Passed
3.	2.3857279GHz	66.72	-2.92	74.00	-7.28	1.00	39.20	Horizontal	Passed
4.	2.4990295GHz	53.58	-2.20	74.00	-20.42	1.00	34.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3854377GHz	44.16	-2.83	54.00	-9.84	3.50	290.90	Vertical	Passed
2.	2.4930815GHz	51.46	-2.24	54.00	-2.54	2.50	102.30	Vertical	Passed
3.	2.3861631GHz	47.17	-2.92	54.00	-6.83	2.00	245.10	Horizontal	Passed
4.	2.4864082GHz	52.12	-2.22	54.00	-1.88	1.00	304.00	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 9_40MHz

2/23/2024 1:30:39 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3762981GHz	52.71	-2.89	74.00	-21.29	2.50	269.90	Vertical	Passed
2.	2.483942GHz	63.79	-2.30	74.00	-10.21	3.50	284.90	Vertical	Passed
3.	2.3874687GHz	52.46	-2.90	74.00	-21.54	2.00	3.10	Horizontal	Passed
4.	2.484087GHz	69.17	-2.22	74.00	-4.83	1.00	36.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3709305GHz	50.78	-2.93	54.00	-3.22	3.00	81.50	Vertical	Passed
2.	2.4882941GHz	49.87	-2.25	54.00	-4.13	3.50	284.90	Vertical	Passed
3.	2.3874687GHz	51.09	-2.90	54.00	-2.91	2.00	3.10	Horizontal	Passed
4.	2.4837969GHz	53.61	-2.22	54.00	-0.39	1.50	43.10	Horizontal	Passed

Overall Graphs:






Dipole

J23220_W301#2_2.4G 802.11b_Ch 6_9kHz-30MHz_Ground-Parallel

12/15/2023 8:14:55 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.177231MHz	28.82	19.20	69.54	-40.72	3.05	300.30	H/V	Passed
2.	8.364829MHz	27.54	19.32	69.54	-42.00	3.05	248.50	H/V	Passed
3.	13.361187MHz	27.87	19.83	69.54	-41.67	3.05	72.30	H/V	Passed
4.	16.420706MHz	28.03	19.97	69.54	-41.51	3.05	37.10	H/V	Passed
5.	25.663539MHz	30.45	21.18	69.54	-39.09	3.05	349.00	H/V	Passed
6.	30MHz	30.41	22.00	40.00	-9.59	3.05	315.50	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11b_Ch 6_9kHz-30MHz_Parallel

12/15/2023 8:04:56 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	29.42	19.20	69.54	-40.12	3.05	263.10	H/V	Passed
2.	12.577024MHz	28.09	19.77	69.54	-41.45	3.05	153.10	H/V	Passed
3.	13.378327MHz	27.79	19.83	69.54	-41.75	3.05	133.50	H/V	Passed
4.	16.694949MHz	29.39	20.01	69.54	-40.15	3.05	233.30	H/V	Passed
5.	25.637829MHz	31.28	21.17	69.54	-38.26	3.05	166.30	H/V	Passed
6.	30MHz	29.12	22.00	40.00	-10.88	3.05	261.00	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11b_Ch 6_9kHz-30MHz_Perpendicular

12/15/2023 8:08:34 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.177231MHz	28.18	19.20	69.54	-41.36	3.05	227.50	H/V	Passed
2.	8.291984MHz	27.93	19.32	69.54	-41.61	3.05	105.30	H/V	Passed
3.	13.386897MHz	28.39	19.83	69.54	-41.15	3.05	139.10	H/V	Passed
4.	16.420706MHz	28.54	19.97	69.54	-41.00	3.05	3.60	H/V	Passed
5.	25.586408MHz	31.80	21.17	69.54	-37.74	3.05	64.30	H/V	Passed
6.	30MHz	29.64	22.00	40.00	-10.36	3.05	218.70	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11n_Ch 6_9kHz-30MHz_Ground-Parallel

12/15/2023 8:16:46 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.181516MHz	29.83	19.20	69.54	-39.71	3.05	268.00	H/V	Passed
2.	12.577024MHz	27.54	19.77	69.54	-42.00	3.05	149.90	H/V	Passed
3.	13.408322MHz	28.98	19.83	69.54	-40.56	3.05	253.50	H/V	Passed
4.	16.694949MHz	27.71	20.01	69.54	-41.83	3.05	357.10	H/V	Passed
5.	25.663539MHz	32.10	21.18	69.54	-37.44	3.05	20.30	H/V	Passed
6.	30MHz	28.60	22.00	40.00	-11.40	3.05	132.20	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11n_Ch 6_9kHz-30MHz_Parallel

12/15/2023 8:02:41 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	29.07	19.20	69.54	-40.47	3.05	203.60	H/V	Passed
2.	8.377685MHz	28.13	19.32	69.54	-41.41	3.05	318.80	H/V	Passed
3.	13.408322MHz	28.01	19.83	69.54	-41.53	3.05	8.10	H/V	Passed
4.	16.420706MHz	27.68	19.97	69.54	-41.86	3.05	186.10	H/V	Passed
5.	25.539273MHz	30.67	21.17	69.54	-38.87	3.05	98.40	H/V	Passed
6.	30MHz	30.31	22.00	40.00	-9.69	3.05	55.40	H/V	Passed

Overall Graphs:




J23220_W301#2_2.4G 802.11n_Ch 6_9kHz-30MHz_Perpendicular

12/15/2023 8:11:49 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	8.377685MHz	27.94	19.32	69.54	-41.60	3.05	86.40	H/V	Passed
2.	12.577024MHz	28.41	19.77	69.54	-41.13	3.05	338.80	H/V	Passed
3.	13.404037MHz	28.41	19.83	69.54	-41.13	3.05	140.80	H/V	Passed
4.	16.694949MHz	28.79	20.01	69.54	-40.75	3.05	317.20	H/V	Passed
5.	25.599263MHz	31.11	21.17	69.54	-38.43	3.05	65.20	H/V	Passed
6.	30MHz	30.08	22.00	40.00	-9.92	3.05	358.90	H/V	Passed

Overall Graphs:





J23220_W301#2_2.4G_802.11b_1Mbps_Ch 6_30MHz-1GHz

12/15/2023 9:59:39 AM

No	Frequency (MHz)	Level Q- Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	30.456497MHz	16.21	-7.06	40.00	-23.79	3.50	141.60	Vertical	Passed
2.	68.345785MHz	15.42	-17.00	40.00	-24.58	1.50	162.50	Vertical	Passed
3.	273.94082MHz	21.66	-12.87	46.00	-24.34	1.50	308.40	Vertical	Passed
4.	279.41879MHz	21.29	-12.87	46.00	-24.71	1.50	264.50	Vertical	Passed
5.	923.59374MHz	24.58	-1.35	46.00	-21.42	1.50	308.40	Vertical	Passed
6.	31.369492MHz	17.58	-5.81	40.00	-22.42	2.50	0.10	Horizontal	Passed

Overall Graphs:





J23220_W301#2_2.4G_802.11n_MCS0_Ch 6_30MHz-1GHz

12/15/2023 10:15:43 AM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	37.246897MHz	20.49	-10.97	40.00	-19.51	1.00	347.30	Vertical	Passed
2.	43.466675MHz	22.59	-14.75	40.00	-17.41	1.00	347.30	Vertical	Passed
3.	68.060474MHz	15.01	-17.06	40.00	-24.99	3.50	308.70	Vertical	Passed
4.	270.85946MHz	21.17	-12.81	46.00	-24.83	1.50	278.90	Vertical	Passed
5.	274.39732MHz	21.27	-12.87	46.00	-24.73	1.50	272.60	Vertical	Passed
6.	30.171187MHz	17.64	-5.07	40.00	-22.36	3.50	102.70	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 1_1-18GHz


12/22/2023 2:38:04 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4090414GHz	36.56	-1.66	74.00	-37.44	2.00	92.90	Vertical	Passed
2.	17.9915GHz	53.04	19.87	74.00	-20.96	1.50	9.80	Vertical	Passed
3.	2.190035GHz	36.24	-2.74	74.00	-37.76	4.00	294.70	Horizontal	Passed
4.	5.4406306GHz	43.01	5.43	74.00	-30.99	3.00	354.30	Horizontal	Passed
5.	15.724433GHz	51.56	14.94	74.00	-22.44	4.00	187.80	Horizontal	Passed
6.	17.965499GHz	52.97	19.31	74.00	-21.03	4.00	33.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	11.946822GHz	45.49	12.47	54.00	-8.51	2.00	56.70	Vertical	Passed
2.	17.940998GHz	41.14	19.09	54.00	-12.86	2.50	347.90	Vertical	Passed
3.	2.565046GHz	34.30	-0.83	54.00	-19.70	4.00	205.60	Horizontal	Passed
4.	11.946822GHz	45.37	12.36	54.00	-8.63	2.00	359.90	Horizontal	Passed
5.	17.460484GHz	38.92	17.28	54.00	-15.08	3.00	268.10	Horizontal	Passed
6.	17.965499GHz	40.94	19.31	54.00	-13.06	4.00	33.20	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 6_1-18GHz


12/22/2023 2:54:37 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.054031GHz	36.63	-2.17	74.00	-37.37	1.00	310.80	Vertical	Passed
2.	2.3985411GHz	36.53	-1.69	74.00	-37.47	3.00	61.70	Vertical	Passed
3.	2.5545457GHz	37.08	-0.70	74.00	-36.92	4.00	106.70	Vertical	Passed
4.	11.854319GHz	48.59	12.18	74.00	-25.41	2.00	141.90	Vertical	Passed
5.	17.973499GHz	54.09	19.48	74.00	-19.91	4.00	25.10	Vertical	Passed
6.	17.973999GHz	53.02	19.42	74.00	-20.98	1.50	206.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.393041GHz	33.14	-1.74	54.00	-20.86	2.00	354.30	Vertical	Passed
2.	11.927821GHz	45.25	12.50	54.00	-8.75	1.00	117.40	Vertical	Passed
3.	17.973499GHz	40.53	19.48	54.00	-13.47	4.00	25.10	Vertical	Passed
4.	2.0995323GHz	33.37	-2.17	54.00	-20.63	4.00	154.50	Horizontal	Passed
5.	2.7445513GHz	34.94	-0.62	54.00	-19.06	2.00	316.80	Horizontal	Passed
6.	17.973499GHz	40.49	19.41	54.00	-13.51	4.00	0.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 11_1-18GHz


12/22/2023 3:19:23 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.1035325GHz	36.42	-2.32	74.00	-37.58	3.50	98.00	Vertical	Passed
2.	2.5710462GHz	37.33	-0.54	74.00	-36.67	1.50	358.30	Vertical	Passed
3.	17.993GHz	53.45	19.91	74.00	-20.55	3.00	92.50	Vertical	Passed
4.	17.815995GHz	52.62	17.90	74.00	-21.38	2.00	0.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.5710462GHz	34.10	-0.54	54.00	-19.90	1.50	358.30	Vertical	Passed
2.	17.993GHz	41.24	19.91	54.00	-12.76	3.00	92.50	Vertical	Passed
3.	17.993GHz	41.22	19.86	54.00	-12.78	3.00	359.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 1_1-18GHz


12/22/2023 3:38:05 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	17.993GHz	53.78	19.91	74.00	-20.22	3.00	0.10	Vertical	Passed
2.	3.4015706GHz	40.78	1.31	74.00	-33.22	4.00	209.20	Horizontal	Passed
3.	17.9945GHz	54.78	19.90	74.00	-19.22	3.00	318.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4025413GHz	33.15	-1.67	54.00	-20.85	2.50	1.90	Vertical	Passed
2.	2.5825465GHz	34.23	-0.50	54.00	-19.77	1.00	163.00	Vertical	Passed
3.	17.868496GHz	40.52	18.38	54.00	-13.48	1.00	0.10	Vertical	Passed
4.	17.9945GHz	41.26	19.90	54.00	-12.74	3.00	318.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 6_1-18GHz


12/22/2023 3:53:54 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	6.4986617GHz	44.45	7.02	74.00	-29.55	3.50	338.40	Vertical	Passed
2.	17.993GHz	53.76	19.91	74.00	-20.24	2.00	134.80	Vertical	Passed
3.	17.962499GHz	53.52	19.27	74.00	-20.48	4.00	260.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.222536GHz	32.87	-2.44	54.00	-21.13	2.50	51.90	Vertical	Passed
2.	6.4986617GHz	42.18	7.02	54.00	-11.82	3.50	338.40	Vertical	Passed
3.	17.996GHz	41.23	20.00	54.00	-12.77	3.00	144.90	Vertical	Passed
4.	1.9800288GHz	32.76	-2.70	54.00	-21.24	1.00	17.30	Horizontal	Passed
5.	17.996GHz	41.29	19.95	54.00	-12.71	3.00	359.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 11_1-18GHz


12/22/2023 4:08:54 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.5840466GHz	36.87	-0.50	74.00	-37.13	2.00	277.00	Vertical	Passed
2.	17.9905GHz	52.68	19.85	74.00	-21.32	1.00	46.60	Vertical	Passed
3.	2.224036GHz	36.57	-2.44	74.00	-37.43	1.00	115.00	Horizontal	Passed
4.	14.798406GHz	50.78	15.38	74.00	-23.22	2.50	295.40	Horizontal	Passed
5.	17.971499GHz	54.24	19.39	74.00	-19.76	3.50	133.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	6.4986617GHz	42.32	7.02	54.00	-11.68	3.50	298.50	Vertical	Passed
2.	17.927498GHz	40.91	18.91	54.00	-13.09	3.50	0.10	Vertical	Passed
3.	2.224036GHz	33.50	-2.44	54.00	-20.50	1.00	115.00	Horizontal	Passed
4.	6.4986617GHz	41.87	6.93	54.00	-12.13	4.00	0.10	Horizontal	Passed
5.	17.9905GHz	41.10	19.79	54.00	-12.90	4.00	101.10	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_40MHz_Ch 3_1-18GHz


2/2/2024 11:44:04 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4155122GHz	42.33	-6.69	74.00	-31.67	3.50	359.90	Vertical	Passed
2.	2.2155358GHz	40.58	-2.50	74.00	-33.42	1.00	340.00	Vertical	Passed
3.	2.4135416GHz	50.34	-1.73	74.00	-23.66	1.00	85.90	Vertical	Passed
4.	17.962499GHz	53.52	19.70	74.00	-20.48	3.00	73.50	Vertical	Passed
5.	2.4160416GHz	43.65	-1.64	74.00	-30.35	3.00	195.50	Horizontal	Passed
6.	17.882497GHz	53.50	19.04	74.00	-20.50	3.00	187.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4135416GHz	47.44	-1.73	54.00	-6.56	1.00	85.90	Vertical	Passed
2.	2.4300421GHz	46.30	-1.74	54.00	-7.70	1.00	278.50	Vertical	Passed
3.	17.940498GHz	50.42	19.60	54.00	-3.58	1.50	359.90	Vertical	Passed
4.	2.4165417GHz	46.45	-1.63	54.00	-7.55	2.00	359.90	Horizontal	Passed
5.	2.4230419GHz	45.25	-1.57	54.00	-8.75	2.00	359.90	Horizontal	Passed
6.	17.967499GHz	50.41	19.65	54.00	-3.59	3.00	107.50	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_40MHz_Ch 9_1-18GHz


2/2/2024 12:02:25 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4240125GHz	39.59	-6.72	74.00	-34.41	1.50		Vertical	Passed
2.	2.2280361GHz	41.12	-2.50	74.00	-32.88	2.00	163.20	Vertical	Passed
3.	2.4445425GHz	47.15	-1.62	74.00	-26.85	1.50	206.50	Vertical	Passed
4.	17.931498GHz	54.04	19.54	74.00	-19.96	2.50	204.10	Vertical	Passed
5.	2.4445425GHz	40.27	-1.41	74.00	-33.73	1.50	347.90	Horizontal	Passed
6.	17.987GHz	54.30	19.86	74.00	-19.70	4.00	196.30	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4445425GHz	44.29	-1.62	54.00	-9.71	1.50	206.50	Vertical	Passed
2.	9.3602459GHz	43.40	9.58	54.00	-10.60	4.00	73.40	Vertical	Passed
3.	15.754934GHz	48.05	15.02	54.00	-5.95	3.50	232.60	Vertical	Passed
4.	17.914497GHz	50.65	19.44	54.00	-3.35	3.50	53.30	Vertical	Passed
5.	2.4450425GHz	43.82	-1.41	54.00	-10.18	3.00	359.90	Horizontal	Passed
6.	17.987GHz	50.85	19.86	54.00	-3.15	4.00	196.30	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11b_1Mbps_Ch 6_18-27.5GHz


12/26/2023 11:54:04 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	26.744712GHz	48.85	1.71	74.00	-25.15	3.44	247.40	Vertical	Passed
2.	27.289089GHz	49.92	1.69	74.00	-24.08	1.80	89.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	24.384319GHz	46.15	1.16	54.00	-7.85	1.41	179.90	Vertical	Passed
2.	27.289089GHz	46.49	1.69	54.00	-7.51	1.80	89.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_Ch 6_18-27.5GHz


12/26/2023 12:49:15 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	22.631482GHz	49.32	1.09	74.00	-24.68	1.68	67.60	Vertical	Passed
2.	25.230337GHz	49.11	0.66	74.00	-24.89	3.84	202.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	19.946172GHz	45.90	-1.83	54.00	-8.10	3.98	45.10	Vertical	Passed
2.	27.252038GHz	46.06	1.41	54.00	-7.94	1.15	225.20	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_40MHz_Ch 3_18-27.5GHz


12/26/2023 2:03:14 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	25.903445GHz	49.14	0.89	74.00	-24.86	3.71	67.40	Vertical	Passed
2.	21.091455GHz	48.78	-0.38	74.00	-25.22	3.43	202.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	23.740662GHz	45.88	1.11	54.00	-8.12	4.00	179.90	Vertical	Passed
2.	21.210211GHz	46.30	-0.22	54.00	-7.70	3.98	89.90	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_802.11n_MCS0_40MHz_Ch 9_18-27.5GHz


12/26/2023 2:24:16 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	19.331967GHz	48.91	-2.09	74.00	-25.09	4.00	22.60	Vertical	Passed
2.	18.748637GHz	48.70	-0.95	74.00	-25.30	1.78	247.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
3.	25.930522GHz	46.15	0.87	54.00	-7.85	2.35	157.50	Vertical	Passed
4.	18.80184GHz	46.22	-1.05	54.00	-7.78	1.80	112.60	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 1


2/1/2024 11:26:28 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.386038GHz	59.72	-2.82	74.00	-14.28	1.00	24.90	Vertical	Passed
2.	2.4917309GHz	52.37	-2.24	74.00	-21.63	4.00	232.70	Vertical	Passed
3.	2.3752026GHz	50.10	-3.08	74.00	-23.90	3.00	196.00	Horizontal	Passed
4.	2.4986693GHz	48.75	-2.21	74.00	-25.25	1.50	335.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.386038GHz	53.75	-2.82	54.00	-0.25	1.00	24.90	Vertical	Passed
2.	2.4917309GHz	51.41	-2.24	54.00	-2.59	4.00	232.70	Vertical	Passed
3.	2.3752026GHz	48.43	-3.08	54.00	-5.57	3.00	196.00	Horizontal	Passed
4.	2.4917309GHz	47.65	-2.21	54.00	-6.35	4.00	204.30	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 1


2/1/2024 12:44:55 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.389935GHz	77.62	-2.80	74.00	3.62	1.00	328.90	Vertical	Passed
2.	2.4921111GHz	51.41	-2.24	74.00	-22.59	3.00	266.90	Vertical	Passed
3.	2.3896498GHz	62.12	-2.86	74.00	-11.88	1.00	337.40	Horizontal	Passed
4.	2.491921GHz	49.04	-2.21	74.00	-24.96	1.50	358.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.389935GHz	75.87	-2.80	54.00	21.87	1.00	328.90	Vertical	Passed
2.	2.4921111GHz	50.06	-2.24	54.00	-3.94	3.00	266.90	Vertical	Passed
3.	2.389935GHz	58.41	-2.86	54.00	4.41	1.00	329.40	Horizontal	Passed
4.	2.4965783GHz	47.34	-2.21	54.00	-6.66	4.00	341.70	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11g_6Mbps_Ch 11


2/1/2024 12:52:40 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3794797GHz	50.09	-2.86	74.00	-23.91	1.50	67.00	Vertical	Passed
2.	2.4835568GHz	76.48	-2.31	74.00	2.48	2.00	72.40	Vertical	Passed
3.	2.3789095GHz	48.27	-3.02	74.00	-25.73	1.50	195.40	Horizontal	Passed
4.	2.483937GHz	57.34	-2.22	74.00	-16.66	1.50	332.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3794797GHz	48.64	-2.86	54.00	-5.36	1.50	67.00	Vertical	Passed
2.	2.4835568GHz	74.31	-2.31	54.00	20.31	2.00	72.40	Vertical	Passed
3.	2.3896498GHz	47.07	-2.86	54.00	-6.93	2.00	204.10	Horizontal	Passed
4.	2.483937GHz	55.46	-2.22	54.00	1.46	1.50	332.40	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 3_40MHz


2/23/2024 1:00:35 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3886293GHz	69.16	-2.81	74.00	-4.84	1.00	200.70	Vertical	Passed
2.	2.4898899GHz	53.69	-2.24	74.00	-20.31	1.00	156.70	Vertical	Passed
3.	2.3881941GHz	51.87	-2.89	74.00	-22.13	4.00	157.30	Horizontal	Passed
4.	2.4848124GHz	53.30	-2.22	74.00	-20.70	1.00	119.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3892096GHz	53.72	-2.81	54.00	-0.28	1.00	333.10	Vertical	Passed
2.	2.4898899GHz	52.61	-2.24	54.00	-1.39	1.00	156.70	Vertical	Passed
3.	2.3765883GHz	50.67	-3.06	54.00	-3.33	3.00	74.30	Horizontal	Passed
4.	2.4848124GHz	52.09	-2.22	54.00	-1.91	1.00	119.00	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 9_40MHz


2/23/2024 10:55:14 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3889195GHz	52.66	-2.81	74.00	-21.34	2.00	358.90	Vertical	Passed
2.	2.4846673GHz	70.00	-2.29	74.00	-4.00	1.00	329.40	Vertical	Passed
3.	2.3781841GHz	51.93	-3.03	74.00	-22.07	2.50	358.90	Horizontal	Passed
4.	2.4913407GHz	52.71	-2.21	74.00	-21.29	4.00	207.70	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3716558GHz	51.58	-2.93	54.00	-2.42	2.50	0.80	Vertical	Passed
2.	2.4877139GHz	52.26	-2.26	54.00	-1.74	2.00	139.10	Vertical	Passed
3.	2.3841321GHz	50.19	-2.95	54.00	-3.81	1.00	165.00	Horizontal	Passed
4.	2.4913407GHz	51.46	-2.21	54.00	-2.54	4.00	207.70	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 5_40MHz


2/26/2024 6:13:44 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3890645GHz	66.93	-2.81	74.00	-7.07	3.00	210.90	Vertical	Passed
2.	2.4837969GHz	58.48	-2.30	74.00	-15.52	1.00	334.50	Vertical	Passed
3.	2.3770235GHz	52.40	-3.05	74.00	-21.60	2.00	279.80	Horizontal	Passed
4.	2.4888744GHz	53.21	-2.22	74.00	-20.79	2.00	266.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3889195GHz	53.29	-2.81	54.00	-0.71	1.00	38.10	Vertical	Passed
2.	2.4837969GHz	44.17	-2.30	54.00	-9.83	1.00	334.50	Vertical	Passed
3.	2.3770235GHz	51.60	-3.05	54.00	-2.40	2.00	279.80	Horizontal	Passed
4.	2.4888744GHz	52.32	-2.22	54.00	-1.68	2.00	266.50	Horizontal	Passed

Overall Graphs:






J23220_W301#2_2.4G_Restricted Bandedge_802.11n_MCS0_Ch 7_40MHz


2/26/2024 7:00:32 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3864532GHz	57.09	-2.82	74.00	-16.91	1.50	145.70	Vertical	Passed
2.	2.4861181GHz	67.94	-2.28	74.00	-6.06	1.50	30.20	Vertical	Passed
3.	2.3835518GHz	51.91	-2.96	74.00	-22.09	1.00	253.20	Horizontal	Passed
4.	2.4877139GHz	53.75	-2.22	74.00	-20.25	1.00	1.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3864532GHz	52.01	-2.82	54.00	-1.99	1.50	145.70	Vertical	Passed
2.	2.4835068GHz	51.15	-2.31	54.00	-2.85	2.00	146.10	Vertical	Passed
3.	2.3694797GHz	50.97	-3.16	54.00	-3.03	2.00	87.90	Horizontal	Passed
4.	2.4877139GHz	52.44	-2.22	54.00	-1.56	1.00	1.80	Horizontal	Passed

Overall Graphs:





5.5.3 NORA-W306


Internal

J23220_W306#1_2.4G 802.11b_Ch 6_9kHz-30MHz_Ground-Parallel

12/11/2023 3:36:58 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.181516MHz	30.07	19.20	69.54	-39.47	1.00	210.10	H/V	Passed
2.	4.126924MHz	27.96	19.41	69.54	-41.58	1.00	283.70	H/V	Passed
3.	13.395467MHz	28.61	19.83	69.54	-40.93	1.00	357.30	H/V	Passed
4.	16.420706MHz	28.33	19.97	69.54	-41.21	1.00	305.30	H/V	Passed
5.	25.543558MHz	31.21	21.17	69.54	-38.33	1.00	162.80	H/V	Passed
6.	30MHz	29.75	22.00	40.00	-10.25	1.00	243.00	H/V	Passed

Overall Graphs:




J23220_W306#1_2.4G 802.11b_Ch 6_9kHz-30MHz_Parallel

12/11/2023 3:57:01 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	30.34	19.23	69.54	-39.20	1.00	255.10	H/V	Passed
2.	13.374042MHz	28.59	19.86	69.54	-40.95	1.00	213.80	H/V	Passed
3.	16.420706MHz	28.60	20.00	69.54	-40.94	1.00	9.00	H/V	Passed
4.	16.694949MHz	29.11	20.04	69.54	-40.43	1.00	73.50	H/V	Passed
5.	25.616403MHz	32.21	21.21	69.54	-37.33	1.00	97.30	H/V	Passed
6.	30MHz	28.88	22.04	40.00	-11.12	1.00	10.90	H/V	Passed

Overall Graphs:




J23220_W306#1_2.4G 802.11b_Ch 6_9kHz-30MHz_Perpendicular

12/11/2023 3:54:23 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.185801MHz	28.55	19.23	69.54	-40.99	1.00	336.60	H/V	Passed
2.	4.126924MHz	27.11	19.43	69.54	-42.43	1.00	64.70	H/V	Passed
3.	8.38197MHz	28.16	19.34	69.54	-41.38	1.00	140.60	H/V	Passed
4.	13.391182MHz	28.58	19.86	69.54	-40.96	1.00	358.90	H/V	Passed
5.	25.564983MHz	31.81	21.21	69.54	-37.73	1.00	294.90	H/V	Passed
6.	30MHz	29.62	22.04	40.00	-10.38	1.00	310.10	H/V	Passed

Overall Graphs:




J23220_W306#1_2.4G 802.11n_Ch 6_9kHz-30MHz_Ground-Parallel

12/11/2023 3:49:20 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	28.58	19.21	69.54	-40.96	1.00	356.80	H/V	Passed
2.	13.374042MHz	28.20	19.83	69.54	-41.34	1.00	36.70	H/V	Passed
3.	16.420706MHz	28.54	19.97	69.54	-41.00	1.00	283.00	H/V	Passed
4.	16.694949MHz	28.19	20.01	69.54	-41.35	1.00	71.60	H/V	Passed
5.	25.646399MHz	30.86	21.17	69.54	-38.68	1.00	0.50	H/V	Passed
6.	30MHz	28.90	22.00	40.00	-11.10	1.00	330.70	H/V	Passed

Overall Graphs:




J23220_W306#1_2.4G 802.11n_Ch 6_9kHz-30MHz_Parallel

12/11/2023 3:59:15 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	29.08	19.23	69.54	-40.46	1.00	209.10	H/V	Passed
2.	8.38197MHz	27.32	19.34	69.54	-42.22	1.00	331.80	H/V	Passed
3.	13.378327MHz	28.34	19.86	69.54	-41.20	1.00	191.60	H/V	Passed
4.	16.694949MHz	27.09	20.04	69.54	-42.45	1.00	222.30	H/V	Passed
5.	25.513562MHz	30.46	21.20	69.54	-39.08	1.00	82.80	H/V	Passed
6.	30MHz	30.55	22.04	40.00	-9.45	1.00	354.70	H/V	Passed

Overall Graphs:




J23220_W306#1_2.4G 802.11n_Ch 6_9kHz-30MHz_Perpendicular

12/11/2023 3:52:03 PM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.190086MHz	28.94	19.23	69.54	-40.60	1.00	62.30	H/V	Passed
2.	8.364829MHz	28.27	19.34	69.54	-41.27	1.00	345.80	H/V	Passed
3.	8.386255MHz	27.41	19.34	69.54	-42.13	1.00	40.50	H/V	Passed
4.	13.374042MHz	28.57	19.86	69.54	-40.97	1.00	139.90	H/V	Passed
5.	25.543558MHz	30.48	21.21	69.54	-39.06	1.00	268.80	H/V	Passed
6.	30MHz	29.47	22.04	40.00	-10.53	1.00	255.70	H/V	Passed

Overall Graphs:





J23220_W306#1_2.4G_802.11b_1Mbps_Ch 6_30MHz-1GHz

12/11/2023 9:15:19 AM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	73.595506MHz	17.76	-15.73	40.00	-22.24	3.50	131.60	Vertical	Passed
2.	319.99MHz	25.58	-11.58	46.00	-20.42	3.50	261.20	Vertical	Passed
3.	30MHz	17.95	-4.95	40.00	-22.05	1.50	63.30	Horizontal	Passed
4.	73.595506MHz	21.03	-15.33	40.00	-18.97	3.50	17.20	Horizontal	Passed
5.	319.99MHz	24.71	-10.58	46.00	-21.29	1.50	242.00	Horizontal	Passed
6.	331.4595MHz	23.93	-10.25	46.00	-22.07	1.00	314.90	Horizontal	Passed

Overall Graphs:







J23220_W306#1_2.4G_802.11n_MCS0_Ch 6_30MHz-1GHz

12/11/2023 9:27:14 AM

No	Frequency (MHz)	Level Q-Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	73.538443MHz	18.09	-15.75	40.00	-21.91	2.50	319.60	Vertical	Passed
2.	319.99MHz	25.63	-11.58	46.00	-20.37	2.50	358.90	Vertical	Passed
3.	910.64063MHz	24.65	-1.36	46.00	-21.35	3.50	75.00	Vertical	Passed
4.	73.652568MHz	21.20	-15.32	40.00	-18.80	2.50	221.60	Horizontal	Passed
5.	312.80016MHz	24.35	-10.81	46.00	-21.65	1.00	305.70	Horizontal	Passed
6.	479.99235MHz	23.91	-6.95	46.00	-22.09	2.50	237.00	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11b_1Mbps_Ch 1_1-18GHz


12/12/2023 3:41:49 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4145122GHz	44.02	-7.01	74.00	-29.98	1.50	359.90	Vertical	Passed
2.	2.4115415GHz	50.93	-2.64	74.00	-23.07	1.50	10.90	Vertical	Passed
3.	17.992GHz	52.60	19.19	74.00	-21.40	2.50	339.10	Vertical	Passed
4.	2.4110415GHz	47.66	-2.61	74.00	-26.34	4.00	359.90	Horizontal	Passed
5.	15.736933GHz	50.85	14.96	74.00	-23.15	1.00	148.70	Horizontal	Passed
6.	17.996GHz	52.53	19.26	74.00	-21.47	4.00	312.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	1.952028GHz	31.80	-3.83	54.00	-22.20	1.50	359.90	Vertical	Passed
2.	2.4110415GHz	47.88	-2.64	54.00	-6.12	1.00	40.10	Vertical	Passed
3.	17.9995GHz	40.52	19.41	54.00	-13.48	1.00	7.10	Vertical	Passed
4.	1.952028GHz	31.87	-3.76	54.00	-22.13	1.50	234.40	Horizontal	Passed
5.	2.4110415GHz	24.54	-2.61	54.00	-29.46	4.00	359.90	Horizontal	Passed
6.	17.946998GHz	40.18	18.38	54.00	-13.82	2.50	197.90	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11b_1Mbps_Ch 11_1-18GHz


12/12/2023 4:23:28 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4300126GHz	37.28	-7.08	74.00	-36.72	1.50	0.10	Vertical	Passed
2.	2.461043GHz	44.49	-2.39	74.00	-29.51	3.00	295.20	Vertical	Passed
3.	2.5765464GHz	36.15	-1.48	74.00	-37.85	3.50	190.20	Vertical	Passed
4.	17.941998GHz	52.97	18.40	74.00	-21.03	3.50	110.20	Vertical	Passed
5.	2.461543GHz	37.46	-2.29	74.00	-36.54	3.00	326.20	Horizontal	Passed
6.	17.989GHz	52.17	19.05	74.00	-21.83	3.50	72.10	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.461043GHz	42.76	-2.39	54.00	-11.24	3.00	295.20	Vertical	Passed
2.	2.5765464GHz	33.18	-1.48	54.00	-20.82	3.50	190.20	Vertical	Passed
3.	11.834319GHz	44.94	11.75	54.00	-9.06	3.00	178.30	Vertical	Passed
4.	17.947498GHz	40.11	18.47	54.00	-13.89	3.50	0.10	Vertical	Passed
5.	2.461043GHz	42.86	-2.30	54.00	-11.14	2.00	0.10	Horizontal	Passed
6.	17.947498GHz	40.10	18.39	54.00	-13.90	3.50	160.90	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_Ch 1_1-18GHz


12/12/2023 4:41:15 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4140122GHz	41.76	-7.01	74.00	-32.24	1.50	359.90	Vertical	Passed
2.	2.4090414GHz	47.48	-2.63	74.00	-26.52	1.50	12.10	Vertical	Passed
3.	17.929998GHz	52.46	18.24	74.00	-21.54	2.50	195.40	Vertical	Passed
4.	1.4130121GHz	35.87	-7.06	74.00	-38.13	4.00	359.90	Horizontal	Passed
5.	2.4065414GHz	44.55	-2.64	74.00	-29.45	4.00	312.10	Horizontal	Passed
6.	17.925498GHz	52.89	18.09	74.00	-21.11	3.50	100.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4060414GHz	45.15	-2.64	54.00	-8.85	1.00	40.60	Vertical	Passed
2.	2.563046GHz	33.35	-1.59	54.00	-20.65	1.00	40.60	Vertical	Passed
3.	17.987GHz	40.20	19.05	54.00	-13.80	2.50	359.90	Vertical	Passed
4.	2.0500309GHz	31.89	-3.06	54.00	-22.11	1.00	253.90	Horizontal	Passed
5.	2.4125415GHz	43.94	-2.59	54.00	-10.06	2.00	0	Horizontal	Passed
6.	17.987GHz	40.18	19.00	54.00	-13.82	2.50	228.10	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_Ch 6_1-18GHz


12/12/2023 4:59:35 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4200124GHz	39.77	-7.04	74.00	-34.23	1.50	0.20	Vertical	Passed
2.	2.1805347GHz	35.16	-3.50	74.00	-38.84	1.00	336.50	Vertical	Passed
3.	2.4300421GHz	48.23	-2.66	74.00	-25.77	3.00	134.10	Vertical	Passed
4.	17.9965GHz	52.60	19.32	74.00	-21.40	3.50	253.50	Vertical	Passed
5.	2.4305421GHz	42.24	-2.39	74.00	-31.76	3.50	215.20	Horizontal	Passed
6.	17.948998GHz	52.78	18.41	74.00	-21.22	2.50	42.90	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.1110327GHz	32.39	-3.32	54.00	-21.61	2.50	0.10	Vertical	Passed
2.	2.4330421GHz	45.24	-2.64	54.00	-8.76	3.00	134.10	Vertical	Passed
3.	17.948998GHz	40.13	18.50	54.00	-13.87	2.50	0.10	Vertical	Passed
4.	2.1110327GHz	32.53	-3.18	54.00	-21.47	2.50	24.70	Horizontal	Passed
5.	2.4330421GHz	45.50	-2.38	54.00	-8.50	3.00	0.10	Horizontal	Passed
6.	17.948998GHz	40.05	18.41	54.00	-13.95	2.50	42.90	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_Ch 11_1-18GHz


12/12/2023 5:15:12 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.4555428GHz	41.13	-2.44	74.00	-32.87	3.00	144.20	Vertical	Passed
2.	2.5780464GHz	36.45	-1.48	74.00	-37.55	3.50	358.20	Vertical	Passed
3.	17.931498GHz	52.56	18.26	74.00	-21.44	2.00	215.40	Vertical	Passed
4.	2.5920468GHz	36.86	-1.55	74.00	-37.14	1.50	145.50	Horizontal	Passed
5.	17.993GHz	52.67	19.17	74.00	-21.33	1.50	1.80	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4570429GHz	37.71	-2.42	54.00	-16.29	3.00	161.60	Vertical	Passed
2.	2.5780464GHz	32.64	-1.48	54.00	-21.36	3.50	358.20	Vertical	Passed
3.	17.957999GHz	40.25	18.60	54.00	-13.75	2.00	285.90	Vertical	Passed
4.	2.0675314GHz	32.32	-2.96	54.00	-21.68	1.50	356.00	Horizontal	Passed
5.	2.4570429GHz	37.83	-2.31	54.00	-16.17	3.00	0	Horizontal	Passed
6.	17.957999GHz	40.27	18.52	54.00	-13.73	2.00	359.90	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_Ch 3_1-18GHz


2/2/2024 9:49:41 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4160122GHz	40.28	-6.69	74.00	-33.72	3.50	359.90	Vertical	Passed
2.	2.4150416GHz	47.66	-1.74	74.00	-26.34	1.50	151.40	Vertical	Passed
3.	17.940498GHz	54.07	19.60	74.00	-19.93	3.50	142.40	Vertical	Passed
4.	2.4065414GHz	41.79	-1.72	74.00	-32.21	3.50	217.20	Horizontal	Passed
5.	2.427542GHz	40.70	-1.51	74.00	-33.30	3.00	196.20	Horizontal	Passed
6.	17.977999GHz	53.91	19.70	74.00	-20.09	1.00	345.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.4135416GHz	45.44	-1.73	54.00	-8.56	3.00	153.90	Vertical	Passed
2.	2.4255419GHz	43.47	-1.76	54.00	-10.53	2.00	28.60	Vertical	Passed
3.	17.940998GHz	51.10	19.60	54.00	-2.90	2.00	90.90	Vertical	Passed
4.	2.4135416GHz	45.50	-1.66	54.00	-8.50	3.00	359.90	Horizontal	Passed
5.	2.4255419GHz	43.70	-1.54	54.00	-10.30	2.00	359.90	Horizontal	Passed
6.	17.940998GHz	51.01	19.51	54.00	-2.99	2.00	359.90	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_Ch 9_1-18GHz


2/2/2024 10:35:26 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	1.4225124GHz	36.31	-6.72	74.00	-37.69	1.50	359.90	Vertical	Passed
2.	2.2345363GHz	36.08	-2.49	74.00	-37.92	1.00	268.80	Vertical	Passed
3.	2.4370423GHz	43.93	-1.68	74.00	-30.07	3.00	82.20	Vertical	Passed
4.	17.924498GHz	53.78	19.50	74.00	-20.22	4.00	255.00	Vertical	Passed
5.	2.4385423GHz	38.94	-1.42	74.00	-35.06	3.00	213.90	Horizontal	Passed
6.	17.938498GHz	53.30	19.50	74.00	-20.70	2.50	324.00	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.1140328GHz	32.78	-2.37	54.00	-21.22	4.00	83.50	Vertical	Passed
2.	2.4445425GHz	40.89	-1.62	54.00	-13.11	1.50	28.50	Vertical	Passed
3.	17.923498GHz	51.22	19.50	54.00	-2.78	2.50	359.90	Vertical	Passed
4.	2.1140328GHz	32.89	-2.26	54.00	-21.11	4.00	359.90	Horizontal	Passed
5.	2.4410424GHz	40.82	-1.41	54.00	-13.18	3.00	359.90	Horizontal	Passed
6.	17.923498GHz	51.14	19.41	54.00	-2.86	2.50	136.70	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11b_1Mbps_Ch 6_18-27.5GHz


12/26/2023 11:11:03 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	26.005575GHz	48.68	0.77	74.00	-25.32	2.20	179.90	Vertical	Passed
2.	23.924971GHz	48.94	1.13	74.00	-25.06	1.02	157.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	24.764338GHz	45.91	0.79	54.00	-8.09	3.97	337.40	Vertical	Passed
2.	23.878419GHz	46.29	1.24	54.00	-7.71	1.40	0	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_Ch 6_18-27.5GHz


12/26/2023 11:30:55 AM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	27.047302GHz	48.91	1.39	74.00	-25.09	2.76	202.60	Vertical	Passed
2.	19.529576GHz	48.91	-1.99	74.00	-25.09	3.98	45.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	27.047302GHz	46.43	1.39	54.00	-7.57	2.76	202.60	Vertical	Passed
2.	23.572979GHz	46.20	1.53	54.00	-7.80	2.35	247.60	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_40MHz_Ch 3_18-27.5GHz


12/26/2023 3:48:07 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	27.267713GHz	49.15	1.54	74.00	-24.85	2.33	337.40	Vertical	Passed
2.	18.766213GHz	49.61	-1.02	74.00	-24.39	1.02	22.40	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	21.685234GHz	46.11	0.65	54.00	-7.89	3.16	22.40	Vertical	Passed
2.	18.766213GHz	46.33	-1.02	54.00	-7.67	1.02	22.40	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_802.11n_MCS0_40MHz_Ch 9_18-27.5GHz


12/26/2023 4:09:39 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	18.89732GHz	48.74	-1.40	74.00	-25.26	1.41	22.60	Vertical	Passed
2.	19.881569GHz	49.61	-1.85	74.00	-24.39	1.00	292.60	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	21.570754GHz	46.07	0.43	54.00	-7.93	1.41	22.60	Vertical	Passed
2.	18.674059GHz	46.05	-0.81	54.00	-7.95	2.06	247.50	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 1


1/30/2024 5:39:48 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3894597GHz	51.89	-2.80	74.00	-22.11	1.50	24.50	Vertical	Passed
2.	2.4949625GHz	50.16	-2.24	74.00	-23.84	4.00	85.70	Vertical	Passed
3.	2.3897449GHz	48.84	-2.86	74.00	-25.16	4.00	349.90	Horizontal	Passed
4.	2.4890695GHz	48.94	-2.22	74.00	-25.06	3.00	350.20	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3890795GHz	51.05	-2.81	54.00	-2.95	1.00	24.50	Vertical	Passed
2.	2.4952476GHz	48.94	-2.24	54.00	-5.06	1.00	163.50	Vertical	Passed
3.	2.3897449GHz	47.72	-2.86	54.00	-6.28	4.00	349.90	Horizontal	Passed
4.	2.4885943GHz	47.36	-2.22	54.00	-6.64	3.00	341.80	Horizontal	Passed

Overall Graphs:






J23220_W306#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 9


2/22/2024 3:53:18 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3869885GHz	52.78	-2.82	74.00	-21.22	3.50	25.60	Vertical	Passed
2.	2.4861231GHz	54.04	-2.28	74.00	-19.96	3.50	22.90	Vertical	Passed
3.	2.3787194GHz	52.63	-3.03	74.00	-21.37	2.50	109.30	Horizontal	Passed
4.	2.4878339GHz	52.95	-2.22	74.00	-21.05	4.00	233.50	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3869885GHz	51.71	-2.82	54.00	-2.29	3.50	25.60	Vertical	Passed
2.	2.4837469GHz	52.86	-2.30	54.00	-1.14	4.00	95.20	Vertical	Passed
3.	2.3787194GHz	51.28	-3.03	54.00	-2.72	2.50	109.30	Horizontal	Passed
4.	2.4878339GHz	51.74	-2.22	54.00	-2.26	4.00	233.50	Horizontal	Passed

Overall Graphs:





J23220_W306#1_2.4G_Restricted Bandedge_802.11b_1Mbps_Ch 10

2/22/2024 3:37:41 PM

No	Frequency (MHz)	Level Peak Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgement
1.	2.3886993GHz	53.46	-2.81	74.00	-20.54	1.00	30.80	Vertical	Passed
2.	2.4968634GHz	54.44	-2.24	74.00	-19.56	3.00	329.60	Vertical	Passed
3.	2.3797649GHz	53.02	-3.01	74.00	-20.98	2.00	261.10	Horizontal	Passed
4.	2.4886893GHz	53.75	-2.22	74.00	-20.25	4.00	357.70	Horizontal	Passed

No	Frequency (MHz)	Level Average Reading (dBμV/m)	Correction Factor (dB)	Limit dBμV/m	Margin (dB)	Height (m)	Angle (°)	Polarization	Judgment
1.	2.3825213GHz	52.12	-2.84	54.00	-1.88	1.00	30.80	Vertical	Passed
2.	2.4968634GHz	52.61	-2.24	54.00	-1.39	3.00	329.60	Vertical	Passed
3.	2.3874637GHz	50.92	-2.90	54.00	-3.08	3.50	345.10	Horizontal	Passed
4.	2.4886893GHz	52.52	-2.22	54.00	-1.48	4.00	357.70	Horizontal	Passed

Overall Graphs:

