


USE MANUAL

Model: BD9588G

Specification: 2.4G Wireless Mouse

Describe: 3D Optical Mouse

Product Appearance and key function definition**Product Features****BD9588G**

- 1、Adopt 2.4G bidirectional transmit technology, 34 channels, super anti-interference;
- 2、Adopt high resolution, accurate position;
- 3、Super ability for replacement, use up freewheeling;
- 4、Strong dormancy power-saving design and can achieve economize electricity at level 3 .When it under deep sleep mode the electric current will less than 100uA;
LED light will out of work and that access super save electricity mode within 10 min ,when it no use ,and it can fall into deep sleep mode automatic;
(now the mouse almost no longer power consumption, press any key immediate wake up.)
- 5、Ensure you of working 360 degrees freely and say goodbye to wire;
- 6、No need code intelligence connection technology;
- 7、Ergonomic design for appearance, close to palm, use freely and can not tire.
- 8、The baking finish and flame plating technology of appearance are very fashion, Wear-resisting prevent slippery.
- 9、Nano receiver, built-in mouse, very convenient;
- 10、Power on-off design, turn off the mouse power, it can prolong batteries life when no use;
- 11、Working voltage: 1.5V (AA)
- 12、Main size: 98*54*27mm

System Compatibility

1. Suitable Model: IBM PC/AT Compatible, Power Macintosh
2. Operation Systems: Windows 2000/XP/Vista/WIN7/MAC
3. Interface: USB

Technical Parameters

Mouse:


1. Rating working voltage	1.5V
2. Rating working current	10mA
3. Maximum acceleration	3 0 i p s
4. Resolution	800-1200-1600DPI
5. Wireless working channels	34 auto frequencies
6. Working frequency	2.408-2.474GHz
7. Working distance	>10meters

Receiver:

1. Rating working voltage	5V
2. Rating working current	30mA

Pull out the receive and the battery installation steps

1. Open the mouse at the bottom of the battery cover.
2. Take out the 1 AA alkaline battery from the package.
3. Put the batteries into the battery cell according to the right pole . (Please don't install in the opposite pole , or it will harm)
4. Pull the battery cover into the mouse and take out receive.



Install the receiver and connect the Parameters


1. Pull out the receiver from the bottom of the mouse . As picture three shows:
2. Pull "ON" to the mouse power switch .As picture four shows. After computer automatic identification and mouse can use.



Nano Receiver

DPI switch function

1. DPI default is 1200DPI
2. DPI key can switch between 800-1200-1600 DPI.



DPI indicator place

Attention

1. It can prolong the batteries life if you use the mouse on the white surface.
2. Auto-sleeping and power-saving function, it will be auto-sleeping without operation within a long time, press any key or scroll wheel to activate it.
3. Optical may not normal use in smooth desktop , glass , reflective , dark black and 3D mouse pad .。
4. Please turn off the power if you're in traveling or you'll not use it for a long time.
5. When mouse work on metallic surface, the best way is to place a mouse pad under mouse or lay the receiver horizontally to achieve the optimal receiving effect.
6. No need to connect data again when replace battery (built-in memory function.)

Technical Instructions

Adopt 2.4G Hz wireless high frequency technology, satisfying Europe R&TTE Directive1999/5/EC requirement, its radiation will not harmful for men's body (much less than mobile radiation), wireless emission will occur electromagnetic signal, please be caution to use when in the using heart pacemaker or related to body assistant instrument surroundings

Disclaimer

We made every effort to ensure that the information and procedure in this guide is accurate and complete, no liability can be accepted for any errors or omissions and reserves the right to make any changes without further notices to any products herein.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.