

Page: 1 of 61

# RF Exposure report





The following samples were submitted and identified on behalf of the client as:

Rugged Tablet **Product Name** 

**Brand Name** DT Research

DT311Y, DT311xxxxx(x= 0-9, A-Z, - or null, or ., or /) Model No.

Only difference on model No. **Model Difference** 

DT Research, Inc. **Applicant** 

3RD FL NO 36 WUQUAN 7TH RD WUGU DISTRICT,

NEW TAIPEI, Taiwan

IEEE/ANSI C95.1-1992, IEEE 1528-2013 **Standards** 

**FCC ID** YE3600-AX210NG

Date of EUT Receipt Aug. 09, 2023

Date of Test(s) Aug. 15, 2023 ~ Aug. 26, 2023

Date of Issue Aug. 31, 2023

In the configuration tested, the EUT complied with the standards specified above.

#### Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

#### Signed on behalf of SGS

Clerk / Kimmy Chiou	PM / Ruby Ou	Approved By / John Yeh
Kimmy Chiou	Ruby Ou	John Teh

Date: Aug. 31, 2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 2 of 61

# **Revision History**

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2308000463ES	00	Initial creation of document	Aug. 31, 2023	Kimmy Chiou	

Noto:
-------

<ol> <li>The mark " * " is the revised version of the report due to comments submitted by the certifica</li> </ol>							
	1 Tha		. +	aian af tha ranar	t dua ta aananaanta	aubosittad by the contification	
	i ine	emark is	i ine reviseo vel	sion of the repor	i que lo commenis	submilled by the certificatio	/ T 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。太祖华主领太公司事而验证,太司刘公道测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 3 of 61

# **Contents**

1	GENERAL INFORMATION	
	1.1 Test Methodology	4
	1.2 Description of EUT	5
	1.3 Maximum value	
	1.4 Antenna Information	6
2	MEASUREMENT SYSTEM	7
	2.1 Test Facility	7
	2.2 SAR System	
	2.3 PD system	.11
3	SAR SYSTEM VERIFICATION	
	3.1 Tissue Simulating Liquid	
	3.2 Tissue Simulant Liquid measurement	13
	3.3 Measurement results of Tissue Simulant Liquid	13
	3.4 The composition of the tissue simulating liquid:	14
	3.5 System check	
	3.6 System check results	
4	PD SYSTEM VERIFICATION	
	4.1 System check	16
	4.2 System check result	
5	TEST CONFIGURATIONS	
	5.1 Test Environment	
	5.2 Test Note	18
	5.3 Test position	19
	5.4 Test limit	
6	MAXIMUM OUTPUT POWER	
	6.1 WIFI 6E	
7	DUTY CYCLE	
8	SUMMARY OF RESULTS	32
	8.1 Decision rules	32
	8.2 Summary of SAR Results	
	8.3 Summary of PD Results	
	8.4 Reporting statements of conformity	
	8.5 Conclusion	
9	INSTRUMENTS LIST	
10	UNCERTAINTY BUDGET	
11	SAR MEASUREMENT RESULTS	
12	PD MEASUREMENT RESULTS	48
13	SAR SYSTEM CHECK RESULTS	58
14	PD SYSTEM CHECK RESULTS	
15	APPENDIXES	61
	15.1 SAR_Appendix A Photographs	
	15.2 SAR_Appendix B DAE & Probe Cal. Certificate	61
	15.3 SAR Appendix C Phantom Description & Dipole Cal. Certificate	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

所非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 4 of 61

# **GENERAL INFORMATION**

# 1.1 Test Methodology

The SAR testing method and procedure for this device is in accordance with the following standards:

IEEE/ANSI C95.1-1992

IEEE 1528-2013

KDB447498D01v06

KDB865664D01v01r04

KDB865664D02v01r02

KDB616217D04v01r02

KDB248227D01v02r01

IEC/IEEE 62209-1528:2020

SPEAG DASY6 System Handbook

SPEAG DASY6 Application Note (Interim Procedure for Device Operation at 6GHz-10GHz)

IEC TR 63170:2018

IEC 62479:2010

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 61

# **Description of EUT**

Product Name	Rugged Tablet		
Brand Name	DT Research		
Model No.	DT311Y, DT311xxxxx(x= 0-9, A-Z, - or null, or ., or /)		
Model Difference	Only difference on model No.		
FCC ID	YE3600-AX210NG		
Duty Cycle	WLAN802.11	Please refer to section 7	
Supported radios (TX Frequency Range, MHz)	802.11a/n/ac/ax	6.2GHz (5925.0 – 6425.0 MHz) 6.5GHz (6425.0 – 6525.0 MHz) 6.7GHz (6525.0 – 6875.0 MHz) 7.0GHz (6875.0 – 7125.0 MHz)	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 61

#### 1.3 Maximum value

Summary of Maximum SAR and Power Density Value				
Mode	Highest SAR 1g (W/kg)	Highest APD (W/m^2)	Highest PD (W/m^2)	
6G WLAN	1.19	8.98	9.35	

#### 1.4 Antenna Information

Antenna	Main
Part Number	YJW01.139.009.307A
Frequency(MHz)	5925~7125
Gain (dBi)	3.60
Antenna	Aux
Part Number	YJW01.139.009.308A
Frequency(MHz)	5925~7125
Gain (dBi)	3.90

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOS Talwari Etu.



Page: 7 of 61

# **MEASUREMENT SYSTEM**

#### 2.1 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier
	1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, Neihu	SAR 2		
	District, Taipei City, 11493, Taiwan.	SAR 6	TW0029	
SGS Taiwan Ltd.	, , ,	SAR 1		
Central RF Lab. (TAF code 3702)  No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan	1 / 3	SAR 4	TW0028	TW3702
	SAR 3			
	SAR 7	TW0027		

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 8 of 61

# 2.2 SAR System

# **Block Diagram (DASY6)**

The DASY system used for performing compliance tests consists of the following items:



- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running Windows 10 and the DASY6 software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此起华廷用摄影测验之样只有含,同时此样只属是2000年。太超华主领太公司丰富纯可,太可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 229

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路  $134 \,$ 號

www.sgs.com.tw



Page: 9 of 61

#### EX3DV4 E-Field Probe

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 6500/7000 MHz Additional CF for other liquids and frequencies upon request	
Frequency	10 MHz to > 6 GHz	
Directivity	± 0.3 dB in HSL (rotation around probe axis)	
	± 0.5 dB in tissue material (rotation normal to probe axis)	
Dynamic	10 μW/g to > 100 mW/g	
Range	Linearity: ± 0.2 dB (noise: typically < 1 μW/g)	
Dimensions	Tip diameter: 2.5 mm	
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此想华红用魔影测验之缘具色素,同时此模具魔鬼宛如于。太极华土领太公司事而统可,太可知必遵测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 10 of 61

# PHANTOM (FI I)

PHANTOW (E	L1)
Model	ELI
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.
Shell	2 ± 0.2 mm
Thickness	
Filling Volume	Approx. 30 liters
Dimensions	Major axis: 600 mm
	Minor axis: 400 mm

#### **DEVICE HOLDER**

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin), which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	基
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page: 11 of 61

# PD system

# **Block Diagram (DASY6)**

Power density measurements for mmWave frequencies were performed using SPEAG DASY6 with cDASY6 5G module. The DASY6 included a high precision robotics system (Staubli), robot controller, desktop computer, near-field probe, probe alignment sensor, and the 5G phantom cover.



## **EUmmWVx** probe

The EUmmWVx probe is based on the pseudo-vector probe design, which not only measures the field magnitude but also derives its polarization ellipse. The design entails two small 0.8mm dipole sensors mechanically protected by high-density foam, printed on both sides of a 0.9mm wide and 0.12mm thick glass substrate. The body of the probe is specifically constructed to minimize distortion by the scattered fields. The probe consist of two sensors with different angles (1 and 2) arranged in the same plane in the probe axis. Three or more measurements of the two sensors are taken for different probe rotational angles to derive the amplitude and polarization information. The probe design allows measurements at distances as small as 2mm from the sensors to the surface of the device under test (DUT). The typical sensor to probe tip distance is 1.5 mm. The exact distance is calibrated.



Two dipoles optimally arranged to obtain pseudovector information.Minimum 3 measurements/ point, 120° rotated around probe axis.

Sensors (0.8mm length) printed on glass substrate protected by high density foam.Low perturbation of the measured field. Requires positioner which can do accurate probe rotation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 12 of 61

Frequency Range	750 MHz – 110 GHz		
Dynamic Range	< 20 V/m - 10,000 V/m with PRE-10 (min <		
	50 V/m - 3000 V/m)		
Position Precision	< 0.2 mm (DASY6)		
Dimensions	Overall length: 337 mm (tip: 20 mm)		
	Tip diameter: encapsulation 8 mm		
	(internal sensor < 1mm)		
	Distance from probe tip to dipole centers:		
	< 2 mm. Sensor displacement to probe's		
	calibration point: < 0.3 mm		
Applications	E-field measurements of 5G devices and		
	other mm-wave transmitters operating		
	above 10GHz in < 2 mm distance from		
	device (free-space).Power density, H-field		
	and far-field analysis using total field		
	reconstruction (cDASY6 5G module		
sensor	required)		
device			
Compatibility	cDASY6 + 5G-Module SW1.0 and higher		

#### mmWave Phantom

The mmWave Phantom approximates free-space conditions, allowing for the evaluation of the antenna side of the device and the front (screen) side or any opposite-radiating side of wireless devices operating above 10 GHz without distorting the RF field. It consists of a 40mm thick Rohacell plate used as a test bed, which has a loss tangent (tan  $\delta$ )  $\leq$  0.05 and a relative permittivity ( $\epsilon$ r)  $\leq$  1.2. High-performance RF absorbers are placed below the foam.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此起生处田茂縣和建立建立,居时此接且茂原河の子。太祖华上海大河自東西地方,无可如此海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Talwall Ltd.



Page: 13 of 61

# 3 SAR SYSTEM VERIFICATION

# 3.1 Tissue Simulating Liquid

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with homogeneous tissue simulating liquid. For head SAR testing, the liquid height from the ear rint (ERP) of the phantom to the liquid top surface is larger than 15cm. For body SAR testing, the liquid height fromeference po the center of the flat phantom to the liquid top surface is larger than 15cm.

# 3.2 Tissue Simulant Liquid measurement

The dielectric properties for this Head-simulant fluid were measured by using the SPEAG Dielectric Assessment Kit (DAKS-3.5)

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within  $\pm$  5% of the target values.

# 3.3 Measurement results of Tissue Simulant Liquid

Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% dev εr	% dev σ	Limit	Measurement Date
6025	35.070	5.510	35.053	5.475	-0.05%	-0.63%	± 5%	Aug. 25, 2023
6185	34.878	5.698	34.835	5.670	-0.12%	-0.50%	± 5%	Aug. 25, 2023
6345	34.686	5.887	34.668	5.842	-0.05%	-0.77%	± 5%	Aug. 25, 2023
6500	34.500	6.070	34.451	6.018	-0.14%	-0.86%	± 5%	Aug. 25, 2023
6505	34.494	6.076	34.450	6.072	-0.13%	-0.06%	± 5%	Aug. 25, 2023
6665	34.302	6.261	34.285	6.225	-0.05%	-0.58%	± 5%	Aug. 25, 2023
6825	34.110	6.447	34.093	6.400	-0.05%	-0.73%	± 5%	Aug. 25, 2023
6985	33.918	6.633	33.893	6.586	-0.07%	-0.70%	± 5%	Aug. 25, 2023
7000	33.900	6.650	33.857	6.607	-0.13%	-0.65%	± 5%	Aug. 25, 2023

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

aiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 14 of 61

# 3.4 The composition of the tissue simulating liquid:

Simulating Liquids for 600 MHz -10 GHz, Manufactured by SPEAG:


Broad-band head	SPEAG Product	Frequency range (MHz)	Main Ingredients
tissue simulating liquids	HBBL600- 10000V6	600 - 10000	Water, Oil

# 3.5 System check

The microwave circuit arrangement for system check is sketched in below. The daily system accuracy verification occurs within the flat section of the SAM phantom and ELI phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values.

The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed with SAR values normalized to 1W forward power delivered to the dipole.

During the tests, the liquid depth from the center of the flat phantom to the liquid top surface was 15 cm above in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



The block diagram of system check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 15 of 61

# 3.6 System check results

Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D6.5GHzV2	1029	6500	293	30.3	303	3.41	± 10%	Aug.25,2023
D7GHzV2	1009	7000	282	26.7	267	-5.32	± 10%	Aug.25,2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 16 of 61

#### 4 PD SYSTEM VERIFICATION

# 4.1 System check

The system was verified to be within ±0.66 dB of the power density targets on the calibration certificate according to the test system specification in the user's manual and calibration facility recommendation. The 0.66 dB deviation threshold represents the expanded uncertainty for system performance checks using SPEAG's mmWave verification sources. The same spatial resolution and measurement region used in the source calibration was applied during the system check.

The measured power density distribution of verification source was also confirmed through visual inspection to have no noticeable differences, both spatially (shape) and numerically (level) from the distribution provided by the manufacturer, per November 2017 TCBC Workshop Notes.



System Verification Setup Photo

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 17 of 61

# 4.2 System check result

The system was verified to be within ±0.66 dB of the power density targets on the calibration certificate according to the test system specification in the user's manual and calibration facility recommendation. The 0.66 dB deviation threshold represents the expanded uncertainty for system performance checks using SPEAG's mmWave verification sources. The same spatial resolution and measurement region used in the source calibration was applied during the system check. The measured power density distribution of verification source was also confirmed through visual inspection to have no noticeable differences, both spatially (shape) and numerically (level) from the distribution provided by the manufacturer, per November 2017 TCBC Workshop Notes.

					, ,				
Frequency (MHz)	PD Verification Source (MHz)	Probe S/N	DAE S/N	Distance (mm)	Prad (mW)	Measured 4cm^2 (W/m^2)	Target 4cm^2 (W/m^2)	Deviation (dB)	Date
10000	10000	9399	856	10	86.1	51.3	55.6	-0.35	Aug.26,2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路  $134 \,$ 號

www.sqs.com.tw



Page: 18 of 61

#### **TEST CONFIGURATIONS**

#### 5.1 **Test Environment**

Ambient Temperature: 22±2° C Tissue Simulating Liquid: 22±2° C

#### 5.2 **Test Note**

- General: Measurements are performed respectively on the lowest, middle and highest channels of the operating band(s).
- General: The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.
- General: During the SAR testing, the DASY system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
- **General:** According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is  $\leq 0.8$ W/kg, when the transmission band is  $\leq 100$  MHz.
- General: According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
- WLAN 6GHz: Per October 2020 & April 2021 TCB Workshop Interim procedures and FCC guidance, start instead with a minimum of 5 test channels across the full band, then adapt and apply conducted power and SAR test reduction procedures of KDB Pub. 248227 v02r02. WIFI 6E SAR is measured by using 6-7GHz parameters per IEC/IEEE62209-1528:2020 and report also estimated absorbed PD (for reference purposes only, not specifically for compliance). For the highest SAR test configurations also measure incident PD (total) using mmW near-field probe and total-field/power-density reconstruction method.
- WLAN 6GHz: Per equipment manufacturer guidance, power density was measured at d=2mm with the grid step (0.0625λ) for determining compliance at d=2mm.
- WLAN 6GHz: According to October 2020 TCB Workshop Interim procedures, power density results were scaled according to IEC 62479:2010 for the portion of the measurement uncertainty > 30%. Total expanded uncertainty of 2.67 dB (85%) was used to determine the psPD measurement scaling factor.
- WLAN 6GHz: Per FCC guidance, for simultaneous transmission evaluation, using SAR sum and SPLSR for simultaneous transmit exclusion analyses and evaluations.
- For WLAN Main and Aux antennas, the maximum output power of each antenna during simultaneous transmission is the same with or less than that used in standalone transmission, and we used the sum of 1-g SAR provision in KDB447498D01 to exclude the simultaneous transmitted MIMO SAR measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 19 of 61

### 5.3 Test position

# Tablet mode SAR test position (0mm)

For full-size tablet, according to KDB 616217 D04, SAR evaluation is required for back surface and edges of the devices. The back surface and edges of the tablet are tested with the tablet touching the phantom. Exposures from antennas through the front surface of the display section of a tablet are generally limited to the user's hands. Exposures to hands for typical consumer transmitters used in tablets are not expected to exceed the extremity SAR limit; therefore, SAR evaluation for the front surface of tablet display screens are generally not necessary. When voice mode is supported on a tablet and it is limited to speaker mode or headset operations only, additional SAR testing for this type of voice use is not required.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 隆北무方와마,此茲史廷田儀默剛建之粹모습룡, 同時世撰모儀歷朝國王。太親史王德太八司東西姓可,太司朝政道朝。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOS Talwari Etd.



Page: 20 of 61

# 5.4 Test limit

### § 2.1093(d)(1)

Applications for equipment authorization of portable RF sources subject to routine environmental evaluation must contain a statement confirming compliance with the limits specified in § 1.1310 as part of their application. Technical information showing the basis for this statement must be submitted to the Commission upon request. The SAR limits specified in § 1.1310(a) through (c) of this chapter shall be used for evaluation of portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1). A minimum separation distance applicable to the operating configurations and exposure conditions of the device shall be used for the evaluation. In general, maximum time-averaged power levels must be used for evaluation. All unlicensed personal communications service (PCS) devices and unlicensed NII devices shall be subject to the limits for general population/uncontrolled exposure.

Radiofrequency radiation exposure limits.

### § 1.1310(a)

Specific absorption rate (SAR) shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in § 1.1307(b) within the frequency range of 100 kHz to 6 GHz (inclusive).

### § 1.1310(b)

The SAR limits for occupational/controlled exposure are 0.4 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 8 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit for occupational/controlled exposure is 20 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 6 minutes to determine compliance with occupational/controlled SAR limits. § 1.1310(c)

The SAR limits for general population/uncontrolled exposure are 0.08 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 1.6 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit is 4 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 30 minutes to determine compliance with general population/uncontrolled SAR limits.

#### Note to paragraphs (a) through (c):

SAR is a measure of the rate of energy absorption due to exposure to RF electromagnetic energy. These SAR limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized SAR in <a href="Section 4.2">Section 4.2</a> of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, <a href="Section 17.4.5">Section 17.4.5</a>, copyright 1986 by NCRP, Bethesda, Maryland 20814. Limits for whole body SAR and peak spatial-average SAR are based

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此想华红用魔影测验之缘具色素,同时此模具魔鬼宛如于。太极华土领太公司事而统可,太可知必遵测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 21 of 61

on recommendations made in both of these documents. The MPE limits in Table 1 are based generally on criteria published by the NCRP in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Sections 17.4.1, 17.4.1.1, 17.4.2 and 17.4.3, copyright 1986 by NCRP, Bethesda, Maryland 20814. In the frequency range from 100 MHz to 1500 MHz, these MPE exposure limits for field strength and power density are also generally based on criteria recommended by the ANSI in Section 4.1 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017.

Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1).

According to ANSI/IEEE C95.1-1992, the criteria listed in the following Table shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm2 per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 22 of 61

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)						
	(i) Limits for Occupational/Controlled Exposure									
0.3-3.0	614	1.63	*(100)	≤6						
3.0-30	1842/f	4.89/f	*(900/f <sup>2</sup> )	<6						
30-300	61.4	0.163	1.0	<6						
300-1,500			f/300	<6						
1,500- 100,000			5	<6						
	(ii) Limits for Genera	l Population/Uncontrolle	d Exposure							
0.3-1.34	614	1.63	*(100)	<30						
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	<30						
30-300	27.5	0.073	0.2	<30						
300-1,500			f/1500	<30						
1,500- 100,000			1.0	<30						

f = frequency in MHz. \* = Plane-wave equivalent power density. Table 1 to § 1.1310(e)(1) - Limits for Maximum Permissible Exposure (MPE)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 23 of 61

# 6 MAXIMUM OUTPUT POWER

#### 6.1 WIFI 6E

			Main(Ant2)			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	5955		10.00	9.77
	802.11a	45	6175	6Mbps	10.00	9.91
		93	6415		10.00	9.89
		1	5955		10.00	9.83
	802.11n20-HT0	45	6175	MCS0	10.00	9.76
		93	6415		10.00	9.89
		1	5955		10.00	9.75
	802.11ac20-VHT0	45	6175	MCS0	10.00	9.77
		93	6415	] [	10.00	9.83
	802.11ax20-HE0	1	5955		10.00	9.75
		45	6175	MCS0	10.00	9.90
		93	6415	] [	10.00	9.92
		3	5965		10.00	9.79
	802.11n40-HT0	43	6165	MCS0	10.00	9.81
		91	6405		10.00	9.80
11 8111 5		3	5965		10.00	9.84
U-NII-5	802.11ac40-VHT0	43	6165	MCS0	10.00	9.88
6.2GHz		91	6405	] [	10.00	9.93
		3	5965		10.00	9.76
	802.11ax40-HE0	43	6165	MCS0	10.00	9.84
		91	6405	1	10.00	9.73
		7	5985		10.00	9.78
	802.11ac80-VHT0	39	6145	MCS0	10.00	9.75
		87	6385	1	10.00	9.86
		7	5985		10.00	9.75
	802.11ax80-HE0	39	6145	MCS0	10.00	9.84
		87	6385	]	10.00	9.82
		15	6025		10.00	9.86
	802.11ac160-VHT0	47	6185	MCS0	10.00	9.73
		79	6345	]	10.00	9.89
		15	6025		10.00	9.98
	802.11ax160-HE0	47	6185	MCS0	10.00	9.93
		79	6345	1	10.00	9.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此起生处田茂縣和建立建立,居时此接且茂原河の子。太祖华上海大河自東西地方,无可如此海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (88



Page: 24 of 61

			Main (AntO)			
		T	Main(Ant2)			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		97	6435		10.00	9.75
	802.11a	105	6475	6Mbps	10.00	9.92
		113	6515		10.00	9.74
	802.11n20-HT0	97	6435		10.00	9.79
		105	6475	MCS0	10.00	9.90
		113	6515		10.00	9.78
		97	6435		10.00	9.79
	802.11ac20-VHT0	105	6475	MCS0	10.00	9.77
		113	6515		10.00	9.74
	802.11ax20-HE0	97	6435	MCS0	10.00	9.76
		105	6475		10.00	9.78
U-NII-6		113	6515		10.00	9.91
6.5GHz	802.11n40-HT0	99	6445	MCS0	10.00	9.87
	002.111140-1110	107	6485	IVICSU	10.00	9.88
	802.11ac40-VHT0	99	6445	MCS0	10.00	9.89
	002.11ac40-V1110	107	6485	IVICSU	10.00	9.74
	802.11ax40-HE0	99	6445	MCS0	10.00	9.78
	002.11ax40-⊓⊑0	107	6485	IVICOU	10.00	9.91
	802.11ac80-VHT0	103	6465	MCS0	10.00	9.78
	002.11ac00-v1110	119	6545	IVICOU	10.00	9.90
	802.11ax80-HE0	103	6465	MCS0	10.00	9.84
	002.11ax00-11E0	119	6545	IVICOU	10.00	9.85
	802.11ac160-VHT0	111	6505	MCS0	10.00	9.87
	802.11ax160-HE0	111	6505	MCS0	10.00	9.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 25 of 61

			Naio (Aoto)			
		1	Main(Ant2)			I
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		117	6535		12.00	11.73
	802.11a	149	6695	6Mbps	12.00	11.87
		181	6855		12.00	11.91
		117	6535		12.00	11.80
	802.11n20-HT0	149	6695	MCS0	12.00	11.81
		181	6855	1	12.00	11.75
		117	6535		12.00	11.76
	802.11ac20-VHT0	149	6695	MCS0	12.00	11.78
		181	6855		12.00	11.88
		117	6535		12.00	11.91
	802.11ax20-HE0	149	6695	MCS0	12.00	11.88
		181	6855	1	12.00	11.90
	802.11n40-HT0	115	6525	MCS0	12.00	11.92
		147	6685		12.00	11.88
11.601.7		179	6845		12.00	11.86
U-NII-7		115	6525		12.00	11.80
6.7GHz	802.11ac40-VHT0	147	6685	MCS0	12.00	11.75
		179	6845	] [	12.00	11.74
		115	6525		12.00	11.78
	802.11ax40-HE0	147	6685	MCS0	12.00	11.92
		179	6845		12.00	11.87
		135	6625		12.00	11.80
	802.11ac80-VHT0	151	6705	MCS0	12.00	11.89
		167	6785		12.00	11.81
		135	6625		12.00	11.91
	802.11ax80-HE0	151	6705	MCS0	12.00	11.73
		167	6785		12.00	11.89
	802.11ac160-VHT0	143	6665	MCS0	12.00	11.79
	002.11ac100-VH10	175	6825	IVICSU	12.00	11.90
	802.11ax160-HE0	143	6665	MCS0	12.00	11.97
	002.11aX10U-∏EU	175	6825	IVICSU	12.00	11.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 61

			Main(Ant2)			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		185	6875		13.00	12.86
	802.11a	209	6995	6Mbps	13.00	12.92
		233	7115	1	13.00	12.81
		185	6875		13.00	12.83
	802.11n20-HT0	209	6995	MCS0	13.00	12.96
		233	7115	] [	13.00	12.82
		185	6875		13.00	12.83
	802.11ac20-VHT0	209	6995	MCS0	13.00	12.79
		233	7115	] [	13.00	12.81
	802.11ax20-HE0	185	6875		13.00	12.95
		209	6995	MCS0	13.00	12.84
		233	7115		13.00	12.90
U-NII-8	802.11n40-HT0	187	6885	MCS0	13.00	12.81
7.0GHz	002.111140-1110	227	7085	IVICSU	13.00	12.94
	802.11ac40-VHT0	187	6885	MCS0	13.00	12.78
	002.11ac40-VH10	227	7085	IVICSU	13.00	12.85
	802.11ax40-HE0	187	6885	MCS0	13.00	12.83
	002.11ax40-nE0	227	7085	IVICSU	13.00	12.82
		183	6865		13.00	12.84
	802.11ac80-VHT0	199	6945	MCS0	13.00	12.78
		215	7025		13.00	12.94
		183	6865		13.00	12.89
	802.11ax80-HE0	199	6945	MCS0	13.00	12.91
		215	7025	<u> </u>	13.00	12.90
	802.11ac160-VHT0	207	6985	MCS0	13.00	12.82
	802.11ax160-HE0	207	6985	MCS0	13.00	12.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 61

			Aux(Ant1)			
			/ WAX(/ WILL)			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	5955		10.00	9.89
	802.11a	45	6175	6Mbps	10.00	9.83
		93	6415	] [	10.00	9.76
		1	5955		10.00	9.74
	802.11n20-HT0	45	6175	MCS0	10.00	9.85
		93	6415	] [	10.00	9.87
		1	5955		10.00	9.84
	802.11ac20-VHT0	45	6175	MCS0	10.00	9.83
		93	6415	1	10.00	9.83
		1	5955		10.00	9.81
	802.11ax20-HE0	45	6175	MCS0	10.00	9.84
		93	6415	1	10.00	9.78
		3	5965		10.00	9.74
	802.11n40-HT0	43	6165	MCS0	10.00	9.85
		91	6405		10.00	9.74
	802.11ac40-VHT0	3	5965		10.00	9.83
U-NII-5		43	6165	MCS0	10.00	9.78
6.2GHz		91	6405	1	10.00	9.85
		3	5965		10.00	9.85
	802.11ax40-HE0	43	6165	MCS0	10.00	9.91
		91	6405	] [	10.00	9.77
		7	5985		10.00	9.85
	802.11ac80-VHT0	39	6145	MCS0	10.00	9.85
		87	6385	] [	10.00	9.79
		7	5985		10.00	9.86
	802.11ax80-HE0	39	6145	MCS0	10.00	9.85
		87	6385	<u>]                                    </u>	10.00	9.87
		15	6025		10.00	9.82
	802.11ac160-VHT0	47	6185	MCS0	10.00	9.81
		79	6345	1	10.00	9.82
		15	6025		10.00	9.95
	802.11ax160-HE0	47	6185	MCS0	10.00	9.89
		79	6345		10.00	9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 28 of 61

			Aux(Ant1)			
			Aux(Antr)			1
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		97	6435		11.00	10.77
	802.11a	105	6475	6Mbps	11.00	10.73
		113	6515	1	11.00	10.83
	802.11n20-HT0	97	6435		11.00	10.90
		105	6475	MCS0	11.00	10.91
		113	6515	] [	11.00	10.78
		97	6435		11.00	10.87
	802.11ac20-VHT0	105	6475	MCS0	11.00	10.84
		113	6515		11.00	10.86
	802.11ax20-HE0	97	6435	MCS0	11.00	10.82
		105	6475		11.00	10.83
U-NII-6		113	6515		11.00	10.83
6.5GHz	802.11n40-HT0	99	6445	MCS0	11.00	10.92
	002.111140-1110	107	6485	IVICSU	11.00	10.77
	802.11ac40-VHT0	99	6445	MCS0	11.00	10.91
	002.11a040-V1110	107	6485	IVICSU	11.00	10.93
	802.11ax40-HE0	99	6445	MCS0	11.00	10.80
	002.11ax40-11E0	107	6485	IVICSU	11.00	10.82
	802.11ac80-VHT0	103	6465	MCS0	11.00	10.79
	002.11a000-V1110	119	6545	IVICOU	11.00	10.74
	802.11ax80-HE0	103	6465	MCS0	11.00	10.79
	OUZ. I TAXOU-I IEU	119	6545	IVICOU	11.00	10.73
	802.11ac160-VHT0	111	6505	MCS0	11.00	10.74
	802.11ax160-HE0	111	6505	MCS0	11.00	10.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 61

			A / A 4.4 \			
		1	Aux(Ant1)			T
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		117	6535		12.50	12.23
	802.11a	149	6695	6Mbps	12.50	12.37
		181	6855	1	12.50	12.26
		117	6535		12.50	12.26
	802.11n20-HT0	149	6695	MCS0	12.50	12.35
		181	6855	1	12.50	12.40
		117	6535		12.50	12.38
	802.11ac20-VHT0	149	6695	MCS0	12.50	12.27
		181	6855	1	12.50	12.35
		117	6535		12.50	12.30
	802.11ax20-HE0	149	6695	MCS0	12.50	12.36
		181	6855	1	12.50	12.31
		115	6525		12.50	12.35
	802.11n40-HT0	147	6685	MCS0	12.50	12.28
11.601.7		179	6845	1	12.50	12.31
U-NII-7		115	6525		12.50	12.37
6.7GHz	802.11ac40-VHT0	147	6685	MCS0	12.50	12.23
		179	6845	1	12.50	12.35
		115	6525		12.50	12.31
	802.11ax40-HE0	147	6685	MCS0	12.50	12.36
		179	6845		12.50	12.36
		135	6625		12.50	12.28
	802.11ac80-VHT0	151	6705	MCS0	12.50	12.32
		167	6785		12.50	12.29
		135	6625		12.50	12.27
	802.11ax80-HE0	151	6705	MCS0	12.50	12.37
		167	6785		12.50	12.29
	802.11ac160-VHT0	143	6665	MCS0	12.50	12.34
	002.11ac100-VH10	175	6825	IVICSU	12.50	12.25
	802.11ax160-HE0	143	6665	MCS0	12.50	12.48
	002.11ax100-MEU	175	6825	IVICOU	12.50	12.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 30 of 61


			Aux(Ant1)			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		185	6875		11.50	11.31
	802.11a	209	6995	6Mbps	11.50	11.28
		233	7115		11.50	11.34
		185	6875		11.50	11.33
	802.11n20-HT0	209	6995	MCS0	11.50	11.35
		233	7115		11.50	11.36
		185	6875		11.50	11.39
	802.11ac20-VHT0	209	6995	MCS0	11.50	11.47
		233	7115		11.50	11.33
		185	6875		11.50	11.36
	802.11ax20-HE0	209	6995	MCS0	11.50	11.42
		233	7115		11.50	11.37
U-NII-8	802.11n40-HT0	187	6885	MCS0	11.50	11.40
7.0GHz	002.111140-1110	227	7085	IVICSU	11.50	11.44
	802.11ac40-VHT0	187	6885	MCS0	11.50	11.38
	002.11a040-V1110	227	7085	IVICSU	11.50	11.44
	802.11ax40-HE0	187	6885	MCS0	11.50	11.38
	002.11ax40-nE0	227	7085	IVICSU	11.50	11.46
		183	6865		11.50	11.46
	802.11ac80-VHT0	199	6945	MCS0	11.50	11.33
		215	7025		11.50	11.29
		183	6865		11.50	11.34
	802.11ax80-HE0	199	6945	MCS0	11.50	11.44
		215	7025		11.50	11.31
	802.11ac160-VHT0	207	6985	MCS0	11.50	11.34
	802.11ax160-HE0	207	6985	MCS0	11.50	11.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 31 of 61



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。太祖华主领太公司事而验证,太司刘公道测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 61

# 8 SUMMARY OF RESULTS

#### 8.1 Decision rules

Reported measurement data comply with Test Methodology in section 1.1. Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No. 台灣檢驗科技股份有限公司 t (8)



Page: 33 of 61

# **Summary of SAR Results**

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			(11111)		(WII IZ)	Tolerance (dBm)	(dBm)	Joannig	Scaling	Measured	Reported	Measured	Reported	1
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Back Surface	0	15	6025	10.00	9.98	1.07	100.46%	0.082	0.088	0.744	0.800	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Back Surface	0	79	6345	10.00	9.96	1.07	100.93%	0.078	0.084	0.707	0.763	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Top Edge	0	15	6025	10.00	9.98	1.07	100.46%	0.142	0.153	1.070	1.150	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Top Edge	0	79	6345	10.00	9.96	1.07	100.93%	0.127	0.137	1.190	1.285	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Bottom Edge	0	15	6025	10.00	9.98	1.07	100.46%	0.003	0.003	0.004	0.004	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Bottom Edge	0	79	6345	10.00	9.96	1.07	100.93%	0.002	0.002	0.002	0.002	
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Left Edge	0	15	6025	10.00	9.98	1.07	100.46%	0.001	0.001	0.001	0.001	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Left Edge	0	79	6345	10.00	9.96	1.07	100.93%	0.002	0.002	0.003	0.003	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	15	6025	10.00	9.98	1.07	100.46%	0.991	1.065	5.440	5.848	001
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	47	6185	10.00	9.93	1.07	101.62%	0.938	1.020	5.150	5.600	-
U-NII-5 6.2GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	79	6345	10.00	9.96	1.07	100.93%	0.958	1.035	5.000	5.400	002

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		(**** 12)	Tolerance (dBm)	(dBm)	County	county	Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz802.11ax(160M)	Main(Ant2)	Back Surface	0	111	6505	10.00	9.98	1.07	100.46%	0.066	0.071	0.556	0.598	-
U-NII-6 6.5GHz802.11ax(160M)	Main(Ant2)	Top Edge	0	111	6505	10.00	9.98	1.07	100.46%	0.107	0.115	0.748	0.804	-
U-NII-6 6.5GHz802.11ax(160M)	Main(Ant2)	Bottom Edge	0	111	6505	10.00	9.98	1.07	100.46%	0.002	0.002	0.001	0.001	-
U-NII-6 6.5GHz802.11ax(160M)	Main(Ant2)	Left Edge	0	111	6505	10.00	9.98	1.07	100.46%	0.003	0.003	0.001	0.001	-
U-NII-6 6.5GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	111	6505	10.00	9.98	1.07	100.46%	0.811	0.872	3.770	4.053	003

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		(**** 12)	Tolerance (dBm)	(dBm)	County	County	Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz802.11ax(160M)	Main(Ant2)	Back Surface	0	143	6665	12.00	11.97	1.07	100.69%	0.089	0.096	0.751	0.809	-
U-NII-7 6.7GHz802.11ax(160M)	Main(Ant2)	Top Edge	0	143	6665	12.00	11.97	1.07	100.69%	0.139	0.150	1.140	1.228	-
U-NII-7 6.7GHz802.11ax(160M)	Main(Ant2)	Bottom Edge	0	143	6665	12.00	11.97	1.07	100.69%	0.003	0.003	0.001	0.001	-
U-NII-7 6.7GHz802.11ax(160M)	Main(Ant2)	Left Edge	0	143	6665	12.00	11.97	1.07	100.69%	0.004	0.004	0.001	0.001	-
U-NII-7 6.7GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	143	6665	12.00	11.97	1.07	100.69%	1.080	1.164	8.030	8.652	004
U-NII-7 6.7GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	175	6825	12.00	11.95	1.07	101.16%	0.988	1.069	7.340	7.945	-

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		(**** 12)	Tolerance (dBm)	(dBm)	County	county	Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz802.11ax(160M)	Main(Ant2)	Back Surface	0	207	6985	13.00	12.97	1.07	100.69%	0.095	0.102	0.768	0.827	-
U-NII-8 7.0GHz802.11ax(160M)	Main(Ant2)	Top Edge	0	207	6985	13.00	12.97	1.07	100.69%	0.145	0.156	1.190	1.282	-
U-NII-8 7.0GHz802.11ax(160M)	Main(Ant2)	Bottom Edge	0	207	6985	13.00	12.97	1.07	100.69%	0.004	0.004	0.003	0.003	-
U-NII-8 7.0GHz802.11ax(160M)	Main(Ant2)	Left Edge	0	207	6985	13.00	12.97	1.07	100.69%	0.006	0.006	0.001	0.001	-
U-NII-8 7.0GHz802.11ax(160M)	Main(Ant2)	Right Edge	0	207	6985	13.00	12.97	1.07	100.69%	1.100	1.185	7.060	7.607	005

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		(**** 12)	Tolerance (dBm)	(dBm)	county	oouiiiig	Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Back Surface	0	15	6025	10.00	9.95	1.07	101.16%	0.125	0.135	1.290	1.396	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Back Surface	0	79	6345	10.00	9.93	1.07	101.62%	0.162	0.176	1.670	1.816	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Top Edge	0	15	6025	10.00	9.95	1.07	101.16%	0.269	0.291	1.710	1.851	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Top Edge	0	79	6345	10.00	9.93	1.07	101.62%	0.347	0.377	2.190	2.381	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Bottom Edge	0	15	6025	10.00	9.95	1.07	101.16%	0.005	0.005	0.029	0.031	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Bottom Edge	0	79	6345	10.00	9.93	1.07	101.62%	0.007	0.008	0.035	0.038	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	15	6025	10.00	9.95	1.07	101.16%	0.863	0.934	6.010	6.505	006
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	47	6185	10.00	9.89	1.07	102.57%	0.821	0.901	5.710	6.266	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	79	6345	10.00	9.93	1.07	101.62%	1.060	1.153	7.680	8.351	007
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Right Edge	0	15	6025	10.00	9.95	1.07	101.16%	0.002	0.002	0.002	0.002	-
U-NII-5 6.2GHz802.11ax(160M)	Aux(Ant1)	Right Edge	0	79	6345	10.00	9.93	1.07	101.62%	0.001	0.001	0.001	0.001	-

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		()	Tolerance (dBm)	(dBm)			Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz802.11ax(160M)	Aux(Ant1)	Back Surface	0	111	6505	11.00	10.98	1.07	100.46%	0.147	0.158	1.430	1.537	-
U-NII-6 6.5GHz802.11ax(160M)	Aux(Ant1)	Top Edge	0	111	6505	11.00	10.98	1.07	100.46%	0.368	0.396	2.310	2.483	-
U-NII-6 6.5GHz802.11ax(160M)	Aux(Ant1)	Bottom Edge	0	111	6505	11.00	10.98	1.07	100.46%	0.008	0.009	0.037	0.040	-
U-NII-6 6.5GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	111	6505	11.00	10.98	1.07	100.46%	1.100	1.182	8.290	8.911	800
U-NII-6 6.5GHz802.11ax(160M)	Aux(Ant1)	Right Edge	0	111	6505	11.00	10.98	1.07	100.46%	0.005	0.005	0.003	0.003	-

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		(**** 12)	Tolerance (dBm)	(dBm)	County	county	Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz802.11ax(160M)	Aux(Ant1)	Back Surface	0	143	6665	12.50	12.48	1.07	100.46%	0.134	0.144	1.320	1.419	-
U-NII-7 6.7GHz802.11ax(160M)	Aux(Ant1)	Top Edge	0	143	6665	12.50	12.48	1.07	100.46%	0.355	0.382	2.210	2.376	-
U-NII-7 6.7GHz802.11ax(160M)	Aux(Ant1)	Bottom Edge	0	143	6665	12.50	12.48	1.07	100.46%	0.007	0.008	0.029	0.031	-
U-NII-7 6.7GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	143	6665	12.50	12.48	1.07	100.46%	1.060	1.139	8.350	8.976	009
U-NII-7 6.7GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	175	6825	12.50	12.43	1.07	101.62%	0.992	1.079	7.130	7.753	-
U-NII-7 6.7GHz802.11ax(160M)	Aux(Ant1)	Right Edge	0	143	6665	12.50	12.48	1.07	100.46%	0.003	0.003	0.002	0.002	-

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Estimated APD	W/m^2 (4cm^2)	ID
			()		(**** 12)	Tolerance (dBm)	(dBm)	County	County	Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz802.11ax(160M)	Aux(Ant1)	Back Surface	0	207	6985	11.50	11.49	1.07	100.23%	0.141	0.151	1.450	1.555	-
U-NII-8 7.0GHz802.11ax(160M)	Aux(Ant1)	Top Edge	0	207	6985	11.50	11.49	1.07	100.23%	0.373	0.400	2.320	2.488	-
U-NII-8 7.0GHz802.11ax(160M)	Aux(Ant1)	Bottom Edge	0	207	6985	11.50	11.49	1.07	100.23%	0.008	0.009	0.031	0.033	-
U-NII-8 7.0GHz802.11ax(160M)	Aux(Ant1)	Left Edge	0	207	6985	11.50	11.49	1.07	100.23%	1.110	1.190	8.310	8.912	010
U-NII-8 7.0GHz802.11ax(160M)	Aux(Ant1)	Right Edge	0	207	6985	11.50	11.49	1.07	100.23%	0.002	0.002	0.001	0.001	-

Reported SAR = measured SAR \* Power scaling \* Duty cycle scaling Reported APD = measured APD \* Power scaling \* Duty cycle scaling

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 34 of 61

# 8.3 Summary of PD Results

			B		F	Max. Rated Avg.	Measured	Ŧ	D. 4			PD resi	ult(4cm)		
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	Measured Total psPD (W/m^2)	Reported Total psPD (W/m^2)	Measured Normal psPD (W/m^2)	Reported Normal psPD (W/m^2)	ID
WLAN 6E 802.11ax(160M)	Main(Ant2)	Right Edge	2	15	6025	10.00	9.98	100.46%	1.07	1.55	3.010	5.015	2.770	4.615	011
U-NII-5	Main(Ant2)	Right Edge	2	79	6345	10.00	9.97	100.69%	1.07	1.55	2.630	4.392	2.120	3.540	012
WLAN 6E 802.11ax(160M) U-NII-6	Main(Ant2)	Right Edge	2	111	6505	10.00	9.98	100.46%	1.07	1.55	2.920	4.865	2.440	4.065	013
WLAN 6E 802.11ax(160M) U-NII-7	Main(Ant2)	Right Edge	2	143	6665	12.00	11.97	100.69%	1.07	1.55	5.070	8.467	4.010	6.697	014
WLAN 6E 802.11ax(160M) U-NII-8	Main(Ant2)	Right Edge	2	207	6985	13.00	12.97	100.69%	1.07	1.55	5.600	9.352	4.990	8.333	015

			Distance		Freq.	Max. Rated Avg.	Measured	Tune-up	Duty cycle	Measurement		PD res	ult(4cm)		
Band	Antenna	Position	(mm)	Channel	(MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Scaling	scaling	uncertainty	Measured Total psPD (W/m^2)	Reported Total psPD (W/m^2)	Measured Normal psPD (W/m^2)	Reported Normal psPD (W/m^2)	ID
WLAN 6E 802.11ax(160M)	Aux(Ant1)	Left Edge	2	15	6025	10.00	9.95	101.16%	1.07	1.55	5.550	9.311	4.790	8.036	016
U-NII-5	Aux(Ant1)	Left Edge	2	79	6345	10.00	9.93	101.62%	1.07	1.55	3.720	6.270	3.020	5.090	017
WLAN 6E 802.11ax(160M) U-NII-6	Aux(Ant1)	Left Edge	2	111	6505	11.00	10.98	100.46%	1.07	1.55	3.470	5.782	2.110	3.516	018
WLAN 6E 802.11ax(160M) U-NII-7	Aux(Ant1)	Left Edge	2	143	6665	12.50	12.48	100.46%	1.07	1.55	5.250	8.747	3.720	6.198	019
WLAN 6E 802.11ax(160M) U-NII-8	Aux(Ant1)	Left Edge	2	207	6985	11.50	11.48	100.46%	1.07	1.55	4.950	8.247	4.030	6.715	020

Note:

Reported PD = measured PD \* Power scaling \* Duty cycle scaling \* Uncertainty scaling

# 8.4 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

#### 8.5 Conclusion

The device is compliant because all the standalone results are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 35 of 61

# **INSTRUMENTS LIST**

Equipment List											
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration						
SPEAG	Data acquisition Electronics	DAE4	856	Apr/26/2023	Apr/25/2024						
SPEAG	Dosimetric E-Field Probe	EX3DV4	7712	Apr/14/2023	Apr/13/2024						
SPEAG	E-field Probe for Near Field Application	EUmmWV3	9399	Jan/23/2023	Jan/22/2024						
SPEAG	System Validation Dipole	D6.5GHzV2	1029	Jun/20/2023	Jun/19/2024						
SPEAG	System Validation Dipole	D7GHzV2	1009	Jun/20/2023	Jun/19/2024						
SPEAG	5G Verification Source 10GHz	5G-Veri10	1021	Jan/19/2023	Jan/18/2024						
SPEAG	Dielectric Assessment Kit	DAKS-3.5	0004	Jan/25/2023	Jan/24/2024						
R&S	MXG Analog Signal Generator	SMB100A03	182012	May/23/2023	May/22/2024						
Agilent	Dual-directional coupler	772D	MY52180142	Oct/19/2022	Oct/18/2023						
Agilent	Dual-directional coupler	778D	MY52180302	Oct/19/2022	Oct/18/2023						
EMCI	Amplifier	ZVE-8G	980190	Calibration not required	Calibration not required						
R&S	Power Sensor	NRP50S	101358	Feb/06/2023	Feb/05/2024						
R&S	Power Meter	NRX	102034	Jan/11/2023	Jan/10/2024						
R&S	Power Sensor	NRP18S	101974	Oct/18/2022	Oct/17/2023						
SPEAG	Software	DASY 6 V16.0.2.136	N/A	Calibration not required	Calibration not required						
SPEAG	Software	DASY 6 mmWave V2.4.2.62	N/A Calibration not required		Calibration not required						
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required						
SPEAG	Phantom	mmWave Phantom	N/A	Calibration not required	Calibration not required						
LKM	Digital thermometer	DTM3000	EC14010603	Sep/27/2022	Sep/26/2023						
TECPEL	Digital thermometer	DTM-303A	TP190085	Jan/11/2023	Jan/10/2024						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw



Page: 36 of 61

# **10 UNCERTAINTY BUDGET**

# **DASY6 Uncertainty Budget** According to IEC/IEEE 62209-1528 (Frequency band: 6GHz - 10GHz range)

	(1.10	<u> 1401105</u>	Dalla			· · · · · ·	90/	
а	b	С	d		е	е	f=b * e / d	f=b * e / d
Source of Uncertainty	Uncertainty Value (±%)	Probability Distributioin	Div.	Div. Value	(ci) 1g	(ci) 10g	Std. uncertainty (1g) (±%)	Std. uncertainty (10g) (±%)
Measurement system errors								
Probe calibration	18.6	N	2	2	1	1	9.3	9.3
Probe Calibration Drift	1.7	R	√3	1.732	1	1	1.0	1.0
Probe Linearity	4.7	R	√3	1.732	1	1	2.7	2.7
Broadband Signal	2.8	R	√3	1.732	1	1	1.6	1.6
Probe Isotropy	7.6	R	√3	1.732	1	1	4.4	4.4
Data Acquisition	0.3	N	1	1	1	1	0.3	0.3
RF Ambient	1.8	N	1	1	1	1	1.8	1.8
Probe positioning	0.2	N	1	1	0.67	0.67	0.1	0.1
Data Processing	3.5	N	1	1	1	1	3.5	3.5
Phantom and device errors						,		
Conductivity (meas.)DAK	2.5	N	1	1	0.78	0.71	2.0	1.8
Conductivity (temp.)BB	2.4	R	√3	1.732	0.78	0.71	1.1	1.0
Phantom Permittivity	14.0	R	√3	1.732	0.5	0.5	4.0	4.0
Distance DUT - TSL	2.0	N	1	1	2	2	4.0	4.0
Device Positioning (±0.5mm)	1.0	N	1	1	1	1	1.0	1.0
Device Holder	3.6	N	1	1	1	1	3.6	3.6
DUT Modulationm	2.4	R	√3	1.732	1	1	1.4	1.4
Time-average SAR	0.0	R	√3	1.732	1	1	0.0	0.0
DUT drift	2.5	N	1	1	1	1	2.5	2.5
Val Antenna Unc.	0.0	N	1	1	1	1	0.0	0.0
Unc. Input Power	0.0	N	1	1	1	1	0.0	0.0
Correction to the SAR results								
Deviation to Target	1.90	N	1	1	1	0.84	1.9	1.6
SAR scaling		R	√3	1.732	1	1	0.0	0.0
Combined Std. uncertainty							14.0	13.9
Expanded Std. uncertainty (95% confidence interval), K=2							28.0	27.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 37 of 61

# cDASY6 Module mmWave Uncertainty Budget for PD Evaluation Distances to the Antennas ≥ λ/ 5 In Compliance with IEC/IEEE 63195

а	b	С	d		е	f=b * e / d	g
Source of Uncertainty	Uncertainty Value (+-dB)	Probability Distributioin	Div.	Div. Value	ci	Std. uncertainty (+-dB)	(vi) Veff
Uncertainty terms dependent on the	e measurement	system					
Probe calibration	0.49	N	1	1	1	0.49	œ
Probe correction	0.00	R	√3	1.732	1	0.00	00
Frequency response (BW ≦1GHz)	0.20	R	√3	1.732	1	0.12	œ
Sensor cross coupling	0.00	R	√3	1.732	1	0.00	œ
Isotropy	0.50	R	√3	1.732	1	0.29	∞
Linearity	0.20	R	√3	1.732	1	0.12	œ
Probe scattering	0.00	R	√3	1.732	1	0.00	∞0
Probe positioning offset	0.30	R	√3	1.732	1	0.17	00
Probe positioning repeatability	0.04	R	√3	1.732	1	0.02	∞
Sensor mechanical offset	0.00	R	√3	1.732	1	0.00	00
Probe spatial resolution	0.00	R	√3	1.732	1	0.00	∞
Field impedance dependance	0.00	R	√3	1.732	1	0.00	∞
Amplitude and phase drift	0.00	R	√3	1.732	1	0.00	∞
Amplitude and phase noise	0.04	R	√3	1.732	1	0.02	∞
Measurement area truncation	0.00	R	√3	1.732	1	0.00	∞
Data acquisition	0.03	N	1	1	1	0.03	œ
Sampling	0.00	R	√3	1	1	0.00	œ
Field reconstruction	2.00	R	√3	1.732	1	1.15	œ
Forward transformation	0.00	R	√3	1.732	1	0.00	œ
Power density scaling	-	R	√3	1.732	1	-	œ
Spatial averaging	0.10	R	√3	1.732	1	0.06	œ
System detection limit	0.04	R	√3	1.732	1	0.02	∞
Uncertainty terms dependent on the	e DUT and envir	onmental facto	ors				
Probe coupling with DUT	0.00	R	√3	1.732	1	0.00	∞
Modulation response	0.40	R	√3	1.732	1	0.23	∞
Integration time	0.00	R	√3	1.732	1	0.00	œ
Response time	0.00	R	√3	1.732	1	0.00	∞
Device holder influence	0.10	R	√3	1.732	1	0.06	∞
DUT alignment	0.00	R	√3	1.732	1	0.00	œ
RF ambient conditions	0.04	R	√3	1.732	1	0.02	œ
Ambient reflections	0.04	R	√3	1.732	1	0.02	œ
Immunity / secondary reception	0.00	R	√3	1.732	1	0.00	∞
Drift of the DUT	-	R	√3	1.732	1	-	œ
Combined Std. uncertainty						1.33	
Expanded Std. uncertainty (95% confidence interval), K=2						2.67	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 38 of 61

## 11 SAR MEASUREMENT RESULTS

ID: 001

**Report No. :TESA2308000463ES** 

Measurement Report for Device, Right Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 15 (6025.0 MHz)\_0mm\_Main

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.7	5.475	35.053

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	0.841	0.991
psSAR8g [W/kg]	0.255	0.272
psSAR10g [W/kg]	0.218	0.227
psPDab (4.0cm2, sq) [W/m2]		5.44
Power Drift [dB]	-0.05	-0.08
M2/M1 [%]		60.4
Dist 3dB Peak [mm]		5.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 39 of 61

ID: 002

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 79 (6345.000 MHz) 0mm Main

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.7	5.842	34.668

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

Scans Setup

	Area Scan	Zoom Scan	
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0	
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4	
Sensor Surface [mm]	3.0	1.4	

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	0.745	0.958
psSAR8g [W/kg]	0.246	0.250
psSAR10g [W/kg]	0.213	0.212
psPDab (4.0cm2, sq) [W/m2]		5.00
Power Drift [dB]	-0.14	-0.13
M2/M1 [%]		56.0
Dist 3dB Peak [mm]		4.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 40 of 61

ID: 003

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-6,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 111 (6505.0 MHz) 0mm Main

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.7	6.072	34.45

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

**Scans Setup** 

	Area Scan	Zoom Scan	
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0	
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4	
Sensor Surface [mm]	3.0	1.4	

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	0.730	0.811
psSAR8g [W/kg]	0.220	0.189
psSAR10g [W/kg]	0.189	0.157
psPDab (4.0cm2, sq) [W/m2]		3.77
Power Drift [dB]	0.12	0.16
M2/M1 [%]		56.0
Dist 3dB Peak [mm]		4.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世幾只攝展例の主。大報华主標大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 41 of 61

ID: 004

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-7,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 143 (6665.0 MHz) 0mm Main

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.7	6.225	34.285

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	1.14	1.08
psSAR8g [W/kg]	0.486	0.401
psSAR10g [W/kg]	0.426	0.341
psPDab (4.0cm2, sq) [W/m2]		8.03
Power Drift [dB]	0.16	0.17
M2/M1 [%]		56.7
Dist 3dB Peak [mm]		6.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 42 of 61

ID: 005

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-8,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 207 (6985.0 MHz) 0mm Main

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.9	6.586	33.893

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date	
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26	

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	1.17	1.10
psSAR8g [W/kg]	0.386	0.353
psSAR10g [W/kg]	0.340	0.298
psPDab (4.0cm2, sq) [W/m2]		7.06
Power Drift [dB]	-0.14	0.18
M2/M1 [%]		53.0
Dist 3dB Peak [mm]		5.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 43 of 61

ID: 006

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 15 (6025.000 MHz) 0mm Aux

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Left Edge, 0.00	5.7	5.475	35.053

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	0.755	0.863
psSAR8g [W/kg]	0.271	0.300
psSAR10g [W/kg]	0.236	0.260
psPDab (4.0cm2, sq) [W/m2]		6.01
Power Drift [dB]	-0.14	-0.18
M2/M1 [%]		54.8
Dist 3dB Peak [mm]		6.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 44 of 61

ID: 007

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 79 (6345.000 MHz)\_0mm\_Aux

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Left Edge, 0.00	5.7	5.842	34.668

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

**Scans Setup** 

_	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	1.05	1.06
psSAR8g [W/kg]	0.369	0.384
psSAR10g [W/kg]	0.322	0.332
psPDab (4.0cm2, sq) [W/m2]		7.68
Power Drift [dB]	-0.03	0.12
M2/M1 [%]		51.0
Dist 3dB Peak [mm]		7.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路  $134 \,$ 號

www.sqs.com.tw



Page: 45 of 61

ID: 008

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-6,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 111 (6505.0 MHz) 0mm Aux

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Left Edge, 0.00	5.7	6.072	34.45

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

**Scans Setup** 

-	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	1.10	1.10
psSAR8g [W/kg]	0.399	0.414
psSAR10g [W/kg]	0.348	0.360
psPDab (4.0cm2, sq) [W/m2]		8.29
Power Drift [dB]	0.17	-0.12
M2/M1 [%]		53.2
Dist 3dB Peak [mm]		6.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 46 of 61

ID: 009

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-7,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 143 (6665.0 MHz)\_0mm\_Aux

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Left Edge, 0.00	5.7	6.225	34.285

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	1.10	1.06
psSAR8g [W/kg]	0.398	0.411
psSAR10g [W/kg]	0.348	0.357
psPDab (4.0cm2, sq) [W/m2]		8.35
Power Drift [dB]	0.05	0.12
M2/M1 [%]		51.2
Dist 3dB Peak [mm]		6.7



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 47 of 61

ID: 010

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-8,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 207 (6985.0 MHz) 0mm Aux

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Left Edge, 0.00	5.9	6.586	33.893

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

**Scans Setup** 

_	Area Scan	Zoom Scan
Grid Extents [mm]	102.0 x 136.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	1.17	1.11
psSAR8g [W/kg]	0.424	0.416
psSAR10g [W/kg]	0.371	0.360
psPDab (4.0cm2, sq) [W/m2]		8.31
Power Drift [dB]	-0.05	0.05
M2/M1 [%]		50.3
Dist 3dB Peak [mm]		6.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 48 of 61

## 12 PD MEASUREMENT RESULTS

ID: 011

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 15 (6025.0 MHz) 2mm Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	2.77
psPDtot+ [W/m²]	3.01
psPDmod+ [W/m²]	3.46
E <sub>max</sub> [V/m]	50.5
Power Drift [dB]	-0.18



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 49 of 61

ID: 012

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 79 (6345.0 MHz)\_2mm\_Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	2.12
psPDtot+ [W/m²]	2.63
psPDmod+ [W/m²]	3.04
E <sub>max</sub> [V/m]	50.7
Power Drift [dB]	-0.19



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 50 of 61

ID: 013

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-6,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 111 (6505.0 MHz) 2mm Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	2.44
psPDtot+ [W/m²]	2.92
psPDmod+ [W/m²]	3.20
E <sub>max</sub> [V/m]	49.0
Power Drift [dB]	0.01



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 51 of 61

ID: 014

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-7,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 143 (6665.0 MHz)\_2mm\_Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	4.01
psPDtot+ [W/m²]	5.07
psPDmod+ [W/m²]	6.04
E <sub>max</sub> [V/m]	65.7
Power Drift [dB]	0.11



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,此想生红用魔影测验之缘具色素,同时此模具属是2000年。木梨生主概木公司事面纯可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 52 of 61

ID: 015

Report No.: TESA2308000463ES

Measurement Report for Device, Right Edge, U-NII-8,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 207 (6985.0 MHz)\_2mm\_Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	4.99
psPDtot+ [W/m²]	5.60
psPDmod+ [W/m²]	6.29
E <sub>max</sub> [V/m]	69.0
Power Drift [dB]	0.14



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世幾只攝展例の主。大報华主標大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 53 of 61

ID: 016

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 15 (6025.0 MHz) 2mm Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Left Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	4.79
psPDtot+ [W/m²]	5.55
psPDmod+ [W/m²]	7.64
E <sub>max</sub> [V/m]	79.5
Power Drift [dB]	-0.00



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 54 of 61

ID: 017

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-5,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 79 (6345.0 MHz)\_2mm\_Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Left Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	3.02
psPDtot+ [W/m²]	3.72
psPDmod+ [W/m²]	5.35
E <sub>max</sub> [V/m]	62.4
Power Drift [dB]	0.09



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,此想生红用魔影测验之缘具色素,同时此模具属是2000年。木梨生主概木公司事面纯可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 收价有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 55 of 61

ID: 018

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-6,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 111 (6505.0 MHz)\_2mm\_Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Left Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	2.11
psPDtot+ [W/m²]	3.47
psPDmod+ [W/m²]	4.97
E <sub>max</sub> [V/m]	69.3
Power Drift [dB]	-0.03



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世幾只攝展例の主。大報华主標大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 56 of 61

ID: 019

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-7,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 143 (6665.0 MHz) 2mm Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Left Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	3.72
psPDtot+ [W/m²]	5.25
psPDmod+ [W/m²]	8.40
E <sub>max</sub> [V/m]	84.2
Power Drift [dB]	-0.04



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 57 of 61

ID: 020

Report No.: TESA2308000463ES

Measurement Report for Device, Left Edge, U-NII-8,

IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle), Channel 207 (6985.0 MHz) 2mm Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Left Edge, 2.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m <sup>2</sup> ]	4.03
psPDtot+ [W/m²]	4.95
psPDmod+ [W/m²]	6.02
E <sub>max</sub> [V/m]	64.8
Power Drift [dB]	0.01



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 58 of 61

## 13 SAR SYSTEM CHECK RESULTS

Report No. :TESA2308000463ES

Measurement Report for Device, FRONT, Validation band,

CW, Channel 6500 (6500.0 MHz) SN:1029

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 5.00	5.7	6.018	34.451

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	36.0 x 51.0	28.0 x 28.0 x 24.0
Grid Steps [mm]	6.0 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### Measurement Results

mode di o in o it i koo di to			
	Area Scan	Zoom Scan	
Date	2023-08-25	2023-08-25	
psSAR1g [W/kg]	26.5	30.3	
psSAR8g [W/kg]	6.39	6.63	
psSAR10g [W/kg]	5.47	5.58	
psPDab (4.0cm2, sq) [W/m2]		136	
Power Drift [dB]	0.05	-0.03	
M2/M1 [%]		51.0	
Dist 3dB Peak [mm]		4.8	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 59 of 61

Report No.: TESA2308000463ES

Measurement Report for Device, FRONT, Validation band,

CW, Channel 7000 (7000.0 MHz)\_SN:1009

Ambient temperature: 22.3; Liquid temperature: 22.1

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 5.00	5.9	6.607	33.857

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1141	EX3DV4 - SN7712, 2023-04-14	DAE4 Sn856, 2023-04-26

**Scans Setup** 

_	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 45.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	7.5 x 7.5	3.0 x 3.0 x 1.2
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2023-08-25	2023-08-25
psSAR1g [W/kg]	25.5	26.7
psSAR8g [W/kg]	5.76	5.8
psSAR10g [W/kg]	4.73	4.71
psPDab (4.0cm2, sq) [W/m2]		115
Power Drift [dB]	-0.03	0.03
M2/M1 [%]		53.0
Dist 3dB Peak [mm]		4.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 60 of 61

## 14 PD SYSTEM CHECK RESULTS

Report No.: TESA2308000463ES

Measurement Report for Device, FRONT, Validation band,

CW, Channel 10000 (10000.0 MHz)\_SN:1021

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	FRONT, 10.00	1.0

**Hardware Setup** 


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV3 - SN9399_F1-55GHz, 2023-01-23	DAE4 Sn856, 2023-04-26

**Scans Setup** 

Scan Type	5G Scan	
Grid Extents [mm]	120.0 x 120.0	
Grid Steps [lambda]	0.25 x 0.25	
Sensor Surface [mm]	10.0	

#### **Measurement Results**

Scan Type	5G Scan
Date	2023-08-26
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m²]	51.1
psPDtot+ [W/m²]	51.3
psPDmod+ [W/m²]	51.4
E <sub>max</sub> [V/m]	145
Power Drift [dB]	-0.02



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 61 of 61

## Refer to separated files for the following appendixes.

- 15.1 SAR\_Appendix A Photographs
- 15.2 SAR Appendix B DAE & Probe Cal. Certificate
- SAR Appendix C Phantom Description & Dipole Cal. Certificate 15.3

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.