


# **Annex A.5 Spurious Emission at Antenna Terminals**

## 1. LTE\_Band2


**1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.04	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.14	-13	Pass	841
1840	1920	1	RMS	1850.2	22.7	60	Pass	401
1920	3000	1	RMS	2655	-46.67	-13	Pass	1081
3000	12000	1	RMS	11854	-40.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.42	-13	Pass	2986
30	1000	0.1	RMS	890.8	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.11	-13	Pass	841
1840	1920	1	RMS	1850.2	21.73	60	Pass	401
1920	3000	1	RMS	2651	-46.73	-13	Pass	1081
3000	12000	1	RMS	11951	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.77	-13	Pass	8001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.31	-13	Pass	2986
30	1000	0.1	RMS	911.1	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1879.6	22.5	60	Pass	401
1920	3000	1	RMS	2652	-46.68	-13	Pass	1081
3000	12000	1	RMS	11955	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.24	-13	Pass	2986
30	1000	0.1	RMS	943.6	-61.97	-13	Pass	9701
1000	1840	1	RMS	1835	-50.57	-13	Pass	841
1840	1920	1	RMS	1879.6	21.48	60	Pass	401
1920	3000	1	RMS	2648	-46.68	-13	Pass	1081
3000	12000	1	RMS	11954	-40.31	-13	Pass	9001
12000	20000	1	RMS	19998	-27.91	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.64	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1908.8	22.78	60	Pass	401
1920	3000	1	RMS	2656	-46.66	-13	Pass	1081
3000	12000	1	RMS	11951	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.4	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1908.8	21.99	60	Pass	401
1920	3000	1	RMS	2650	-46.72	-13	Pass	1081
3000	12000	1	RMS	11939	-40.35	-13	Pass	9001
12000	20000	1	RMS	19996	-27.94	-13	Pass	8001



**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.75	-13	Pass	2986
30	1000	0.1	RMS	932.5	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1850.2	22.72	60	Pass	401
1920	3000	1	RMS	2650	-46.7	-13	Pass	1081
3000	12000	1	RMS	11855	-40.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001






**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.03	-13	Pass	2986
30	1000	0.1	RMS	915.4	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1850.2	21.83	60	Pass	401
1920	3000	1	RMS	2649	-46.64	-13	Pass	1081
3000	12000	1	RMS	11961	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.94	-13	Pass	8001



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.45	-13	Pass	2986
30	1000	0.1	RMS	905.6	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1878.8	22.48	60	Pass	401
1920	3000	1	RMS	2652	-46.66	-13	Pass	1081
3000	12000	1	RMS	11939	-40.35	-13	Pass	9001
12000	20000	1	RMS	19989	-27.98	-13	Pass	8001



### 1.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.45	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1838	-50.59	-13	Pass	841
1840	1920	1	RMS	1878.8	21.54	60	Pass	401
1920	3000	1	RMS	2657	-46.72	-13	Pass	1081
3000	12000	1	RMS	11852	-40.31	-13	Pass	9001
12000	20000	1	RMS	19995	-27.9	-13	Pass	8001



### 1.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.3	-13	Pass	2986
30	1000	0.1	RMS	885.9	-62.21	-13	Pass	9701
1000	1840	1	RMS	1831	-50.56	-13	Pass	841
1840	1920	1	RMS	1907.2	22.88	60	Pass	401
1920	3000	1	RMS	2651	-46.63	-13	Pass	1081
3000	12000	1	RMS	11923	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



### 1.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.51	-13	Pass	2986
30	1000	0.1	RMS	955.9	-62	-13	Pass	9701
1000	1840	1	RMS	1830	-50.55	-13	Pass	841
1840	1920	1	RMS	1907.2	21.89	60	Pass	401
1920	3000	1	RMS	2652	-46.69	-13	Pass	1081
3000	12000	1	RMS	11857	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.82	-13	Pass	8001



### 1.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.44	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.11	-13	Pass	841
1840	1920	1	RMS	1850.4	22.81	60	Pass	401
1920	3000	1	RMS	2643	-46.69	-13	Pass	1081
3000	12000	1	RMS	11938	-40.31	-13	Pass	9001
12000	20000	1	RMS	19996	-27.94	-13	Pass	8001



### 1.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.19	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.06	-13	Pass	9701
1000	1840	1	RMS	1839	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.4	21.86	60	Pass	401
1920	3000	1	RMS	2649	-46.66	-13	Pass	1081
3000	12000	1	RMS	11937	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.94	-13	Pass	8001



### 1.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.65	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1877.8	22.73	60	Pass	401
1920	3000	1	RMS	2643	-46.66	-13	Pass	1081
3000	12000	1	RMS	11949	-40.35	-13	Pass	9001
12000	20000	1	RMS	20000	-27.94	-13	Pass	8001






### 1.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.52	-13	Pass	2986
30	1000	0.1	RMS	941.8	-61.93	-13	Pass	9701
1000	1840	1	RMS	1839	-50.53	-13	Pass	841
1840	1920	1	RMS	1877.8	21.95	60	Pass	401
1920	3000	1	RMS	2651	-46.68	-13	Pass	1081
3000	12000	1	RMS	11946	-40.29	-13	Pass	9001
12000	20000	1	RMS	19999	-27.93	-13	Pass	8001



### 1.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.81	-13	Pass	2986
30	1000	0.1	RMS	934	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1905.2	22.82	60	Pass	401
1920	3000	1	RMS	2654	-46.71	-13	Pass	1081
3000	12000	1	RMS	11949	-40.31	-13	Pass	9001
12000	20000	1	RMS	19998	-27.89	-13	Pass	8001



### 1.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.38	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.04	-13	Pass	9701
1000	1840	1	RMS	1830	-50.54	-13	Pass	841
1840	1920	1	RMS	1905.4	22.41	60	Pass	401
1920	3000	1	RMS	2655	-46.66	-13	Pass	1081
3000	12000	1	RMS	11948	-40.33	-13	Pass	9001
12000	20000	1	RMS	19996	-27.92	-13	Pass	8001



### 1.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.46	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62	-13	Pass	9701
1000	1840	1	RMS	1833	-43.66	-13	Pass	841
1840	1920	1	RMS	1850.6	22.94	60	Pass	401
1920	3000	1	RMS	2655	-46.7	-13	Pass	1081
3000	12000	1	RMS	11953	-40.3	-13	Pass	9001
12000	20000	1	RMS	19997	-27.88	-13	Pass	8001



### 1.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.93	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.03	-13	Pass	9701
1000	1840	1	RMS	1833	-45.29	-13	Pass	841
1840	1920	1	RMS	1850.6	22.23	60	Pass	401
1920	3000	1	RMS	2649	-46.71	-13	Pass	1081
3000	12000	1	RMS	11842	-40.31	-13	Pass	9001
12000	20000	1	RMS	19998	-27.93	-13	Pass	8001



### 1.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.46	-13	Pass	2986
30	1000	0.1	RMS	885.9	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1875.6	22.7	60	Pass	401
1920	3000	1	RMS	2647	-46.67	-13	Pass	1081
3000	12000	1	RMS	11951	-40.32	-13	Pass	9001
12000	20000	1	RMS	19996	-27.94	-13	Pass	8001



### 1.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.16	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1875.6	21.98	60	Pass	401
1920	3000	1	RMS	2652	-46.67	-13	Pass	1081
3000	12000	1	RMS	11950	-40.35	-13	Pass	9001
12000	20000	1	RMS	19998	-27.89	-13	Pass	8001



### 1.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.11	-13	Pass	2986
30	1000	0.1	RMS	937	-62.07	-13	Pass	9701
1000	1840	1	RMS	1836	-50.55	-13	Pass	841
1840	1920	1	RMS	1900.6	23.11	60	Pass	401
1920	3000	1	RMS	2656	-46.67	-13	Pass	1081
3000	12000	1	RMS	11955	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001






### 1.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.28	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-50.56	-13	Pass	841
1840	1920	1	RMS	1900.6	21.95	60	Pass	401
1920	3000	1	RMS	2646	-46.71	-13	Pass	1081
3000	12000	1	RMS	11841	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001



### 1.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.83	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.11	-13	Pass	9701
1000	1840	1	RMS	1838	-37.84	-13	Pass	841
1840	1920	1	RMS	1850.8	22.93	60	Pass	401
1920	3000	1	RMS	2652	-46.66	-13	Pass	1081
3000	12000	1	RMS	11921	-40.34	-13	Pass	9001
12000	20000	1	RMS	19998	-27.96	-13	Pass	8001



### 1.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.18	-13	Pass	2986
30	1000	0.1	RMS	919.6	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-39.3	-13	Pass	841
1840	1920	1	RMS	1850.8	22.23	60	Pass	401
1920	3000	1	RMS	2648	-46.7	-13	Pass	1081
3000	12000	1	RMS	11948	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



### 1.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.39	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1873.4	22.54	60	Pass	401
1920	3000	1	RMS	2651	-46.7	-13	Pass	1081
3000	12000	1	RMS	11850	-40.35	-13	Pass	9001
12000	20000	1	RMS	20000	-27.89	-13	Pass	8001



### 1.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.59	-13	Pass	2986
30	1000	0.1	RMS	926.5	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1873.4	21.87	60	Pass	401
1920	3000	1	RMS	2654	-46.65	-13	Pass	1081
3000	12000	1	RMS	11959	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001



### 1.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.57	-13	Pass	2986
30	1000	0.1	RMS	926.5	-62.02	-13	Pass	9701
1000	1840	1	RMS	1838	-50.5	-13	Pass	841
1840	1920	1	RMS	1895.8	23.17	60	Pass	401
1920	3000	1	RMS	2651	-46.67	-13	Pass	1081
3000	12000	1	RMS	11941	-40.29	-13	Pass	9001
12000	20000	1	RMS	19995	-27.96	-13	Pass	8001



### 1.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.1	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62.09	-13	Pass	9701
1000	1840	1	RMS	1838	-50.51	-13	Pass	841
1840	1920	1	RMS	1895.8	22.3	60	Pass	401
1920	3000	1	RMS	2652	-46.67	-13	Pass	1081
3000	12000	1	RMS	11912	-40.31	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001



### 1.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.62	-13	Pass	2986
30	1000	0.1	RMS	915.9	-62.04	-13	Pass	9701
1000	1840	1	RMS	1833	-40.57	-13	Pass	841
1840	1920	1	RMS	1851	22.72	60	Pass	401
1920	3000	1	RMS	2653	-46.69	-13	Pass	1081
3000	12000	1	RMS	11852	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.88	-13	Pass	8001






### 1.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.97	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.08	-13	Pass	9701
1000	1840	1	RMS	1833	-42.1	-13	Pass	841
1840	1920	1	RMS	1851	21.87	60	Pass	401
1920	3000	1	RMS	2651	-46.69	-13	Pass	1081
3000	12000	1	RMS	11964	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.94	-13	Pass	8001



### 1.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.09	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.96	-13	Pass	9701
1000	1840	1	RMS	1835	-42.98	-13	Pass	841
1840	1920	1	RMS	1871	22.74	60	Pass	401
1920	3000	1	RMS	2650	-46.65	-13	Pass	1081
3000	12000	1	RMS	11977	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.93	-13	Pass	8001



### 1.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.06	-13	Pass	2986
30	1000	0.1	RMS	944.2	-62.07	-13	Pass	9701
1000	1840	1	RMS	1836	-47.01	-13	Pass	841
1840	1920	1	RMS	1871	21.38	60	Pass	401
1920	3000	1	RMS	2651	-46.67	-13	Pass	1081
3000	12000	1	RMS	11960	-40.35	-13	Pass	9001
12000	20000	1	RMS	19995	-27.9	-13	Pass	8001



### 1.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.32	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.07	-13	Pass	9701
1000	1840	1	RMS	1838	-50.39	-13	Pass	841
1840	1920	1	RMS	1891	22.59	60	Pass	401
1920	3000	1	RMS	2648	-46.65	-13	Pass	1081
3000	12000	1	RMS	11979	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.87	-13	Pass	8001



### 1.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.85	-13	Pass	2986
30	1000	0.1	RMS	919.1	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-50.39	-13	Pass	841
1840	1920	1	RMS	1891	21.82	60	Pass	401
1920	3000	1	RMS	2651	-46.66	-13	Pass	1081
3000	12000	1	RMS	11846	-40.28	-13	Pass	9001
12000	20000	1	RMS	19996	-27.91	-13	Pass	8001



## 2. LTE\_Band4


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.94	-13	Pass	2986
30	1000	0.1	RMS	924	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1765	1	RMS	1710.238	21.97	60	Pass	401
1765	3000	1	RMS	2655	-46.67	-13	Pass	1236
3000	12000	1	RMS	11958	-40.34	-13	Pass	9001
12000	20000	1	RMS	19996	-27.86	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.08	-13	Pass	2986
30	1000	0.1	RMS	953.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.66	-13	Pass	701
1700	1765	1	RMS	1710.238	21.2	60	Pass	401
1765	3000	1	RMS	2650	-46.68	-13	Pass	1236
3000	12000	1	RMS	11945	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.89	-13	Pass	8001



**2.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.88	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-51.14	-13	Pass	701
1700	1765	1	RMS	1732.013	22.09	60	Pass	401
1765	3000	1	RMS	2655	-46.69	-13	Pass	1236
3000	12000	1	RMS	11935	-40.38	-13	Pass	9001
12000	20000	1	RMS	19996	-27.96	-13	Pass	8001






**2.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.94	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62	-13	Pass	9701
1000	1700	1	RMS	1697	-51.16	-13	Pass	701
1700	1765	1	RMS	1732.013	21.23	60	Pass	401
1765	3000	1	RMS	2655	-46.69	-13	Pass	1236
3000	12000	1	RMS	11889	-40.37	-13	Pass	9001
12000	20000	1	RMS	19995	-27.99	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-42.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.67	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1616	-51.17	-13	Pass	701
1700	1765	1	RMS	1753.788	21.93	60	Pass	401
1765	3000	1	RMS	2646	-46.69	-13	Pass	1236
3000	12000	1	RMS	11856	-40.32	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001




**2.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.12	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.08	-13	Pass	9701
1000	1700	1	RMS	1692	-51.23	-13	Pass	701
1700	1765	1	RMS	1753.788	21.15	60	Pass	401
1765	3000	1	RMS	2651	-46.73	-13	Pass	1236
3000	12000	1	RMS	11952	-40.38	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001




**2.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.47	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.46	-13	Pass	701
1700	1765	1	RMS	1710.238	22.36	60	Pass	401
1765	3000	1	RMS	2648	-46.65	-13	Pass	1236
3000	12000	1	RMS	11951	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.87	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.39	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1710.238	21.44	60	Pass	401
1765	3000	1	RMS	2656	-46.69	-13	Pass	1236
3000	12000	1	RMS	11915	-40.39	-13	Pass	9001
12000	20000	1	RMS	19994	-27.91	-13	Pass	8001



**2.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.42	-13	Pass	2986
30	1000	0.1	RMS	892.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1697	-51.16	-13	Pass	701
1700	1765	1	RMS	1731.2	22.25	60	Pass	401
1765	3000	1	RMS	2656	-46.71	-13	Pass	1236
3000	12000	1	RMS	11951	-40.35	-13	Pass	9001
12000	20000	1	RMS	19994	-27.95	-13	Pass	8001



## 2.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.67	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.14	-13	Pass	9701
1000	1700	1	RMS	1694	-51.17	-13	Pass	701
1700	1765	1	RMS	1731.2	21.23	60	Pass	401
1765	3000	1	RMS	2649	-46.73	-13	Pass	1236
3000	12000	1	RMS	11949	-40.29	-13	Pass	9001
12000	20000	1	RMS	19997	-27.96	-13	Pass	8001



### 2.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.09	-13	Pass	2986
30	1000	0.1	RMS	947.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1699	-51.17	-13	Pass	701
1700	1765	1	RMS	1752.163	22.05	60	Pass	401
1765	3000	1	RMS	2655	-46.7	-13	Pass	1236
3000	12000	1	RMS	11970	-40.38	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001






## 2.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44	-13	Pass	2986
30	1000	0.1	RMS	913.5	-62.11	-13	Pass	9701
1000	1700	1	RMS	1605	-51.2	-13	Pass	701
1700	1765	1	RMS	1752.325	21.04	60	Pass	401
1765	3000	1	RMS	2649	-46.73	-13	Pass	1236
3000	12000	1	RMS	11913	-40.26	-13	Pass	9001
12000	20000	1	RMS	19998	-27.89	-13	Pass	8001



### 2.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.36	-13	Pass	2986
30	1000	0.1	RMS	938.3	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.26	-13	Pass	701
1700	1765	1	RMS	1710.4	22.43	60	Pass	401
1765	3000	1	RMS	2647	-46.67	-13	Pass	1236
3000	12000	1	RMS	11850	-40.33	-13	Pass	9001
12000	20000	1	RMS	19998	-27.88	-13	Pass	8001



### 2.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.92	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1765	1	RMS	1710.4	21.21	60	Pass	401
1765	3000	1	RMS	2651	-46.7	-13	Pass	1236
3000	12000	1	RMS	11941	-40.35	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001



## 2.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.08	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1730.388	22.28	60	Pass	401
1765	3000	1	RMS	2651	-46.67	-13	Pass	1236
3000	12000	1	RMS	11939	-40.35	-13	Pass	9001
12000	20000	1	RMS	20000	-27.87	-13	Pass	8001



## 2.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.47	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	Pass	701
1700	1765	1	RMS	1730.388	21.62	60	Pass	401
1765	3000	1	RMS	2659	-46.73	-13	Pass	1236
3000	12000	1	RMS	11964	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



### 2.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.88	-13	Pass	2986
30	1000	0.1	RMS	911.4	-61.99	-13	Pass	9701
1000	1700	1	RMS	1699	-51.13	-13	Pass	701
1700	1765	1	RMS	1750.375	22.22	60	Pass	401
1765	3000	1	RMS	2649	-46.66	-13	Pass	1236
3000	12000	1	RMS	11942	-40.33	-13	Pass	9001
12000	20000	1	RMS	19996	-27.92	-13	Pass	8001



### 2.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.99	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.06	-13	Pass	9701
1000	1700	1	RMS	1696	-51.2	-13	Pass	701
1700	1765	1	RMS	1750.375	21.41	60	Pass	401
1765	3000	1	RMS	2652	-46.69	-13	Pass	1236
3000	12000	1	RMS	11951	-40.32	-13	Pass	9001
12000	20000	1	RMS	19998	-27.89	-13	Pass	8001



## 2.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.22	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-44.28	-13	Pass	701
1700	1765	1	RMS	1710.563	22.46	60	Pass	401
1765	3000	1	RMS	2649	-46.73	-13	Pass	1236
3000	12000	1	RMS	11856	-40.35	-13	Pass	9001
12000	20000	1	RMS	19993	-27.94	-13	Pass	8001






## 2.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.58	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.03	-13	Pass	9701
1000	1700	1	RMS	1693	-43.59	-13	Pass	701
1700	1765	1	RMS	1710.563	21.86	60	Pass	401
1765	3000	1	RMS	2648	-46.66	-13	Pass	1236
3000	12000	1	RMS	11910	-40.3	-13	Pass	9001
12000	20000	1	RMS	19998	-27.86	-13	Pass	8001



## 2.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.62	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1699	-51.1	-13	Pass	701
1700	1765	1	RMS	1728.113	22.45	60	Pass	401
1765	3000	1	RMS	2657	-46.7	-13	Pass	1236
3000	12000	1	RMS	11963	-40.32	-13	Pass	9001
12000	20000	1	RMS	19996	-27.86	-13	Pass	8001



## 2.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.44	-13	Pass	2986
30	1000	0.1	RMS	937.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1692	-51.19	-13	Pass	701
1700	1765	1	RMS	1728.113	21.48	60	Pass	401
1765	3000	1	RMS	3000	-46.71	-13	Pass	1236
3000	12000	1	RMS	11949	-40.33	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001



### 2.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-13	Pass	2986
30	1000	0.1	RMS	888.2	-62.05	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1765	1	RMS	1745.663	22.32	60	Pass	401
1765	3000	1	RMS	2640	-46.72	-13	Pass	1236
3000	12000	1	RMS	11852	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001



### 2.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.67	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1745.5	21.31	60	Pass	401
1765	3000	1	RMS	2650	-46.71	-13	Pass	1236
3000	12000	1	RMS	11858	-40.36	-13	Pass	9001
12000	20000	1	RMS	19997	-27.91	-13	Pass	8001



### 2.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.08	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62	-13	Pass	9701
1000	1700	1	RMS	1698	-35.54	-13	Pass	701
1700	1765	1	RMS	1710.888	22.18	60	Pass	401
1765	3000	1	RMS	2659	-46.7	-13	Pass	1236
3000	12000	1	RMS	11923	-40.34	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001



## 2.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.95	-13	Pass	2986
30	1000	0.1	RMS	921	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-36.37	-13	Pass	701
1700	1765	1	RMS	1710.888	21.35	60	Pass	401
1765	3000	1	RMS	2649	-46.66	-13	Pass	1236
3000	12000	1	RMS	11951	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-27.9	-13	Pass	8001



### 2.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.39	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.17	-13	Pass	9701
1000	1700	1	RMS	1699	-48.46	-13	Pass	701
1700	1765	1	RMS	1725.838	22.25	60	Pass	401
1765	3000	1	RMS	2657	-46.72	-13	Pass	1236
3000	12000	1	RMS	11943	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001






## 2.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.96	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.06	-13	Pass	9701
1000	1700	1	RMS	1699	-48.9	-13	Pass	701
1700	1765	1	RMS	1725.838	21.55	60	Pass	401
1765	3000	1	RMS	2649	-46.69	-13	Pass	1236
3000	12000	1	RMS	11969	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



## 2.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.96	-13	Pass	2986
30	1000	0.1	RMS	921	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1765	1	RMS	1740.788	21.99	60	Pass	401
1765	3000	1	RMS	1767	-28.4	-13	Pass	1236
3000	12000	1	RMS	11950	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.92	-13	Pass	8001



### 2.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.18	-13	Pass	2986
30	1000	0.1	RMS	937.9	-61.95	-13	Pass	9701
1000	1700	1	RMS	1699	-51.19	-13	Pass	701
1700	1765	1	RMS	1740.788	21.12	60	Pass	401
1765	3000	1	RMS	1767	-30.24	-13	Pass	1236
3000	12000	1	RMS	11945	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



### 2.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.94	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1693	-38.54	-13	Pass	701
1700	1765	1	RMS	1711.05	22.04	60	Pass	401
1765	3000	1	RMS	2648	-46.69	-13	Pass	1236
3000	12000	1	RMS	11950	-40.35	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001



### 2.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.13	-13	Pass	2986
30	1000	0.1	RMS	912.7	-62.01	-13	Pass	9701
1000	1700	1	RMS	1693	-40.23	-13	Pass	701
1700	1765	1	RMS	1711.05	21.14	60	Pass	401
1765	3000	1	RMS	2655	-46.7	-13	Pass	1236
3000	12000	1	RMS	11947	-40.33	-13	Pass	9001
12000	20000	1	RMS	19996	-27.96	-13	Pass	8001



### 2.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.06	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.99	-13	Pass	9701
1000	1700	1	RMS	1688	-48.96	-13	Pass	701
1700	1765	1	RMS	1723.563	21.86	60	Pass	401
1765	3000	1	RMS	2651	-46.67	-13	Pass	1236
3000	12000	1	RMS	11892	-40.35	-13	Pass	9001
12000	20000	1	RMS	20000	-27.87	-13	Pass	8001



### 2.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.98	-13	Pass	2986
30	1000	0.1	RMS	954.1	-62.02	-13	Pass	9701
1000	1700	1	RMS	1694	-49.81	-13	Pass	701
1700	1765	1	RMS	1723.563	20.75	60	Pass	401
1765	3000	1	RMS	2651	-46.7	-13	Pass	1236
3000	12000	1	RMS	11960	-40.28	-13	Pass	9001
12000	20000	1	RMS	19994	-27.88	-13	Pass	8001



### 2.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.88	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-47.42	-13	Pass	701
1700	1765	1	RMS	1736.075	21.85	60	Pass	401
1765	3000	1	RMS	1772	-29.01	-13	Pass	1236
3000	12000	1	RMS	11939	-40.33	-13	Pass	9001
12000	20000	1	RMS	19994	-27.94	-13	Pass	8001






### 2.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.87	-13	Pass	2986
30	1000	0.1	RMS	961.6	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-48.09	-13	Pass	701
1700	1765	1	RMS	1736.075	21.1	60	Pass	401
1765	3000	1	RMS	1772	-30.57	-13	Pass	1236
3000	12000	1	RMS	11988	-40.33	-13	Pass	9001
12000	20000	1	RMS	19999	-27.89	-13	Pass	8001



### 3. LTE\_Band5


#### 3.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.36	-13	Pass	2986
30	814	0.1	RMS	809.8	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.2	19.07	60	Pass	461
860	1000	0.1	RMS	928.8	-62.35	-13	Pass	1401
1000	3000	1	RMS	2652	-46.7	-13	Pass	2001
3000	10000	1	RMS	7727	-42.04	-13	Pass	7001




**3.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.97	-13	Pass	2986
30	814	0.1	RMS	798.6	-62.46	-13	Pass	7841
814	860	0.1	RMS	824.3	17.99	60	Pass	461
860	1000	0.1	RMS	920.6	-62.39	-13	Pass	1401
1000	3000	1	RMS	2650	-46.74	-13	Pass	2001
3000	10000	1	RMS	7741	-41.97	-13	Pass	7001




**3.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.6	-13	Pass	2986
30	814	0.1	RMS	787.9	-62.44	-13	Pass	7841
814	860	0.1	RMS	836	19.18	60	Pass	461
860	1000	0.1	RMS	888.9	-62.31	-13	Pass	1401
1000	3000	1	RMS	2657	-46.71	-13	Pass	2001
3000	10000	1	RMS	9538	-42.05	-13	Pass	7001




**3.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.03	-13	Pass	2986
30	814	0.1	RMS	805.1	-62.37	-13	Pass	7841
814	860	0.1	RMS	836.1	18.2	60	Pass	461
860	1000	0.1	RMS	951.2	-62.46	-13	Pass	1401
1000	3000	1	RMS	2653	-46.73	-13	Pass	2001
3000	10000	1	RMS	7729	-42.04	-13	Pass	7001




**3.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.51	-13	Pass	2986
30	814	0.1	RMS	803.4	-62.27	-13	Pass	7841
814	860	0.1	RMS	847.9	19.03	60	Pass	461
860	1000	0.1	RMS	922.7	-62.36	-13	Pass	1401
1000	3000	1	RMS	2654	-46.68	-13	Pass	2001
3000	10000	1	RMS	7742	-41.98	-13	Pass	7001




**3.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.81	-13	Pass	2986
30	814	0.1	RMS	788.9	-62.32	-13	Pass	7841
814	860	0.1	RMS	847.9	18.33	60	Pass	461
860	1000	0.1	RMS	916.6	-62.36	-13	Pass	1401
1000	3000	1	RMS	2652	-46.72	-13	Pass	2001
3000	10000	1	RMS	9543	-42.11	-13	Pass	7001



**3.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.13	-13	Pass	2986
30	814	0.1	RMS	808.8	-62.39	-13	Pass	7841
814	860	0.1	RMS	824.2	19.25	60	Pass	461
860	1000	0.1	RMS	931.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2650	-46.72	-13	Pass	2001
3000	10000	1	RMS	7740	-42.05	-13	Pass	7001






**3.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	814	0.1	RMS	803.6	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.2	18.26	60	Pass	461
860	1000	0.1	RMS	925.5	-62.42	-13	Pass	1401
1000	3000	1	RMS	2656	-46.65	-13	Pass	2001
3000	10000	1	RMS	7752	-42.08	-13	Pass	7001



**3.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.67	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.25	-13	Pass	7841
814	860	0.1	RMS	835.2	19.55	60	Pass	461
860	1000	0.1	RMS	962.1	-62.39	-13	Pass	1401
1000	3000	1	RMS	2644	-46.72	-13	Pass	2001
3000	10000	1	RMS	7749	-42.07	-13	Pass	7001



### 3.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.61	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.53	-13	Pass	7841
814	860	0.1	RMS	835.2	18.54	60	Pass	461
860	1000	0.1	RMS	963.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	2652	-46.81	-13	Pass	2001
3000	10000	1	RMS	9550	-42.14	-13	Pass	7001



### 3.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.81	-13	Pass	2986
30	814	0.1	RMS	780.4	-62.41	-13	Pass	7841
814	860	0.1	RMS	846.2	19.47	60	Pass	461
860	1000	0.1	RMS	910	-62.5	-13	Pass	1401
1000	3000	1	RMS	2654	-46.81	-13	Pass	2001
3000	10000	1	RMS	9544	-42.15	-13	Pass	7001



### 3.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.56	-13	Pass	2986
30	814	0.1	RMS	804.9	-62.5	-13	Pass	7841
814	860	0.1	RMS	846.2	18.7	60	Pass	461
860	1000	0.1	RMS	919.8	-62.42	-13	Pass	1401
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	7732	-42.08	-13	Pass	7001



### 3.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.64	-13	Pass	2986
30	814	0.1	RMS	806.3	-62.45	-13	Pass	7841
814	860	0.1	RMS	824.3	19.18	60	Pass	461
860	1000	0.1	RMS	915.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	2648	-46.76	-13	Pass	2001
3000	10000	1	RMS	7746	-42.12	-13	Pass	7001



### 3.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.7	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.3	-13	Pass	7841
814	860	0.1	RMS	824.3	18.27	60	Pass	461
860	1000	0.1	RMS	963.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2654	-46.79	-13	Pass	2001
3000	10000	1	RMS	7738	-42.14	-13	Pass	7001



### 3.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.2	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.43	-13	Pass	7841
814	860	0.1	RMS	834.3	19.4	60	Pass	461
860	1000	0.1	RMS	907.8	-62.31	-13	Pass	1401
1000	3000	1	RMS	2652	-46.78	-13	Pass	2001
3000	10000	1	RMS	7740	-42.09	-13	Pass	7001






### 3.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.6	-13	Pass	2986
30	814	0.1	RMS	813	-62.44	-13	Pass	7841
814	860	0.1	RMS	834.3	18.65	60	Pass	461
860	1000	0.1	RMS	928.7	-62.51	-13	Pass	1401
1000	3000	1	RMS	2654	-46.8	-13	Pass	2001
3000	10000	1	RMS	7736	-42.11	-13	Pass	7001



### 3.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.4	-13	Pass	2986
30	814	0.1	RMS	777.1	-62.35	-13	Pass	7841
814	860	0.1	RMS	844.3	19.51	60	Pass	461
860	1000	0.1	RMS	930	-62.53	-13	Pass	1401
1000	3000	1	RMS	2533	-46.3	-13	Pass	2001
3000	10000	1	RMS	7739	-42.12	-13	Pass	7001



### 3.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.75	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.57	-13	Pass	7841
814	860	0.1	RMS	844.3	18.73	60	Pass	461
860	1000	0.1	RMS	949.6	-62.53	-13	Pass	1401
1000	3000	1	RMS	2533	-46.69	-13	Pass	2001
3000	10000	1	RMS	7734	-42.09	-13	Pass	7001



### 3.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.43	-13	Pass	2986
30	814	0.1	RMS	809	-62.47	-13	Pass	7841
814	860	0.1	RMS	824.6	19.87	60	Pass	461
860	1000	0.1	RMS	917.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	10000	1	RMS	9553	-42.16	-13	Pass	7001



### 3.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.51	-13	Pass	2986
30	814	0.1	RMS	805.5	-62.47	-13	Pass	7841
814	860	0.1	RMS	824.6	19.13	60	Pass	461
860	1000	0.1	RMS	928.1	-62.44	-13	Pass	1401
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7726	-42.14	-13	Pass	7001



### 3.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-40.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.95	-13	Pass	2986
30	814	0.1	RMS	786.4	-62.42	-13	Pass	7841
814	860	0.1	RMS	832.1	20.06	60	Pass	461
860	1000	0.1	RMS	931.2	-62.4	-13	Pass	1401
1000	3000	1	RMS	2496	-46.25	-13	Pass	2001
3000	10000	1	RMS	7747	-42.13	-13	Pass	7001



### 3.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.81	-13	Pass	2986
30	814	0.1	RMS	797	-62.49	-13	Pass	7841
814	860	0.1	RMS	832.1	18.97	60	Pass	461
860	1000	0.1	RMS	930.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2496	-46.69	-13	Pass	2001
3000	10000	1	RMS	7736	-42.1	-13	Pass	7001



### 3.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.54	-13	Pass	2986
30	814	0.1	RMS	809.8	-62.43	-13	Pass	7841
814	860	0.1	RMS	839.6	20.42	60	Pass	461
860	1000	0.1	RMS	910.8	-62.56	-13	Pass	1401
1000	3000	1	RMS	2519	-46.36	-13	Pass	2001
3000	10000	1	RMS	7724	-42.12	-13	Pass	7001






### 3.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.1	-13	Pass	2986
30	814	0.1	RMS	803.3	-62.45	-13	Pass	7841
814	860	0.1	RMS	839.6	19.62	60	Pass	461
860	1000	0.1	RMS	914.8	-62.48	-13	Pass	1401
1000	3000	1	RMS	2519	-46.71	-13	Pass	2001
3000	10000	1	RMS	7746	-42.15	-13	Pass	7001



## 4. LTE\_Band7


### 4.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.18	-25	Pass	2986
30	1000	0.1	RMS	931.6	-62.22	-25	Pass	9701
1000	2490	1	RMS	2489	-47.9	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.5	60	Pass	401
2580	3000	1	RMS	2650	-46.8	-25	Pass	421
3000	12000	1	RMS	5001	-63.42	-25	Pass	9001
12000	26000	1	RMS	25015	-45.8	-25	Pass	14001



**4.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.17	-25	Pass	2986
30	1000	0.1	RMS	912.6	-62.19	-25	Pass	9701
1000	2490	1	RMS	2490	-47.84	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.75	60	Pass	401
2580	3000	1	RMS	2648	-46.84	-25	Pass	421
3000	12000	1	RMS	11852	-63.77	-25	Pass	9001
12000	26000	1	RMS	25012	-40.97	-25	Pass	14001




**4.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.57	-25	Pass	2986
30	1000	0.1	RMS	921.3	-62.01	-25	Pass	9701
1000	2490	1	RMS	2490	-47.98	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.56	60	Pass	401
2580	3000	1	RMS	2656	-46.82	-25	Pass	421
3000	12000	1	RMS	11856	-63.77	-25	Pass	9001
12000	26000	1	RMS	25012	-41.07	-25	Pass	14001



**4.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-25	Pass	2986
30	1000	0.1	RMS	941.2	-62.19	-25	Pass	9701
1000	2490	1	RMS	2488	-47.93	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.82	60	Pass	401
2580	3000	1	RMS	2652	-46.79	-25	Pass	421
3000	12000	1	RMS	5199	-63.53	-25	Pass	9001
12000	26000	1	RMS	25015	-41.07	-25	Pass	14001




**4.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.79	-25	Pass	2986
30	1000	0.1	RMS	963	-61.94	-25	Pass	9701
1000	2490	1	RMS	2488	-48.03	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.88	60	Pass	401
2580	3000	1	RMS	2653	-46.81	-25	Pass	421
3000	12000	1	RMS	11853	-63.76	-25	Pass	9001
12000	26000	1	RMS	25010	-41.15	-25	Pass	14001




**4.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.35	-25	Pass	2986
30	1000	0.1	RMS	916.5	-62.17	-25	Pass	9701
1000	2490	1	RMS	2489	-47.99	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.76	60	Pass	401
2580	3000	1	RMS	2650	-46.79	-25	Pass	421
3000	12000	1	RMS	11850	-63.67	-25	Pass	9001
12000	26000	1	RMS	25012	-41.07	-25	Pass	14001



**4.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.63	-25	Pass	2986
30	1000	0.1	RMS	902.9	-62.08	-25	Pass	9701
1000	2490	1	RMS	2487	-48.1	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.66	60	Pass	401
2580	3000	1	RMS	2651	-46.84	-25	Pass	421
3000	12000	1	RMS	5001	-62.85	-25	Pass	9001
12000	26000	1	RMS	25013	-41.09	-25	Pass	14001






**4.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.07	-25	Pass	2986
30	1000	0.1	RMS	975.2	-62.1	-25	Pass	9701
1000	2490	1	RMS	2490	-47.95	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.71	60	Pass	401
2580	3000	1	RMS	2656	-46.82	-25	Pass	421
3000	12000	1	RMS	5001	-63.26	-25	Pass	9001
12000	26000	1	RMS	25017	-41.11	-25	Pass	14001



**4.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.41	-25	Pass	2986
30	1000	0.1	RMS	910.8	-62.14	-25	Pass	9701
1000	2490	1	RMS	2489	-47.96	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.59	60	Pass	401
2580	3000	1	RMS	2653	-46.79	-25	Pass	421
3000	12000	1	RMS	5198	-63.16	-25	Pass	9001
12000	26000	1	RMS	25014	-41.11	-25	Pass	14001



#### 4.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.44	-25	Pass	2986
30	1000	0.1	RMS	938.2	-62.17	-25	Pass	9701
1000	2490	1	RMS	2489	-48.05	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.89	60	Pass	401
2580	3000	1	RMS	2653	-46.77	-25	Pass	421
3000	12000	1	RMS	5195	-62.52	-25	Pass	9001
12000	26000	1	RMS	25011	-41.11	-25	Pass	14001



#### 4.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.52	-25	Pass	2986
30	1000	0.1	RMS	929.3	-62.27	-25	Pass	9701
1000	2490	1	RMS	2488	-47.93	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.2	60	Pass	401
2580	3000	1	RMS	2649	-46.8	-25	Pass	421
3000	12000	1	RMS	5195	-61.68	-25	Pass	9001
12000	26000	1	RMS	25014	-41.08	-25	Pass	14001



#### 4.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.85	-25	Pass	2986
30	1000	0.1	RMS	939.5	-62.18	-25	Pass	9701
1000	2490	1	RMS	2488	-47.97	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.27	60	Pass	401
2580	3000	1	RMS	2648	-46.81	-25	Pass	421
3000	12000	1	RMS	11852	-63.84	-25	Pass	9001
12000	26000	1	RMS	25017	-41.05	-25	Pass	14001



### 4.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.51	-25	Pass	2986
30	1000	0.1	RMS	916.2	-62.19	-25	Pass	9701
1000	2490	1	RMS	2488	-47.31	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.28	60	Pass	401
2580	3000	1	RMS	2650	-46.83	-25	Pass	421
3000	12000	1	RMS	5002	-63.36	-25	Pass	9001
12000	26000	1	RMS	25012	-41.04	-25	Pass	14001



#### 4.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.02	-25	Pass	2986
30	1000	0.1	RMS	923.9	-62.25	-25	Pass	9701
1000	2490	1	RMS	2488	-47.39	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.41	60	Pass	401
2580	3000	1	RMS	2649	-46.8	-25	Pass	421
3000	12000	1	RMS	11853	-63.79	-25	Pass	9001
12000	26000	1	RMS	25014	-41.12	-25	Pass	14001



#### 4.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.65	-25	Pass	2986
30	1000	0.1	RMS	899.1	-62.23	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.51	60	Pass	401
2580	3000	1	RMS	2657	-46.79	-25	Pass	421
3000	12000	1	RMS	11844	-63.81	-25	Pass	9001
12000	26000	1	RMS	25014	-41.16	-25	Pass	14001






#### 4.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.58	-25	Pass	2986
30	1000	0.1	RMS	901.3	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.52	60	Pass	401
2580	3000	1	RMS	2652	-46.82	-25	Pass	421
3000	12000	1	RMS	11855	-63.79	-25	Pass	9001
12000	26000	1	RMS	25013	-41.16	-25	Pass	14001



#### 4.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.77	-25	Pass	2986
30	1000	0.1	RMS	906.3	-62.09	-25	Pass	9701
1000	2490	1	RMS	2489	-47.96	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.01	60	Pass	401
2595	3000	1	RMS	2653	-46.82	-25	Pass	406
3000	12000	1	RMS	11846	-63.82	-25	Pass	9001
12000	26000	1	RMS	25010	-41.17	-25	Pass	14001



#### 4.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.42	-25	Pass	2986
30	1000	0.1	RMS	926.2	-61.96	-25	Pass	9701
1000	2490	1	RMS	2488	-47.98	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.42	60	Pass	401
2595	3000	1	RMS	2649	-46.82	-25	Pass	406
3000	12000	1	RMS	11854	-63.79	-25	Pass	9001
12000	26000	1	RMS	25008	-41.08	-25	Pass	14001



#### 4.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.63	-25	Pass	2986
30	1000	0.1	RMS	930.8	-62.08	-25	Pass	9701
1000	2490	1	RMS	2483	-47.65	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.55	60	Pass	401
2580	3000	1	RMS	2649	-46.81	-25	Pass	421
3000	12000	1	RMS	5194	-61.61	-25	Pass	9001
12000	26000	1	RMS	25012	-41.15	-25	Pass	14001



#### 4.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.61	-25	Pass	2986
30	1000	0.1	RMS	940.1	-62.01	-25	Pass	9701
1000	2490	1	RMS	2490	-47.65	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.48	60	Pass	401
2580	3000	1	RMS	2649	-46.83	-25	Pass	421
3000	12000	1	RMS	5002	-63.67	-25	Pass	9001
12000	26000	1	RMS	25012	-41.04	-25	Pass	14001



#### 4.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.36	-25	Pass	2986
30	1000	0.1	RMS	934.9	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-47.8	-25	Pass	1491
2490	2580	1	RMS	2526	21.39	60	Pass	401
2580	3000	1	RMS	2649	-46.77	-25	Pass	421
3000	12000	1	RMS	11858	-63.84	-25	Pass	9001
12000	26000	1	RMS	25013	-41.03	-25	Pass	14001



#### 4.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.86	-25	Pass	2986
30	1000	0.1	RMS	941.2	-62.22	-25	Pass	9701
1000	2490	1	RMS	2490	-48.02	-25	Pass	1491
2490	2580	1	RMS	2526	20.4	60	Pass	401
2580	3000	1	RMS	2659	-46.8	-25	Pass	421
3000	12000	1	RMS	11842	-63.73	-25	Pass	9001
12000	26000	1	RMS	25014	-41.22	-25	Pass	14001



### 4.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.2	-25	Pass	2986
30	1000	0.1	RMS	943.2	-62.24	-25	Pass	9701
1000	2490	1	RMS	2489	-48.01	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.93	60	Pass	401
2595	3000	1	RMS	2647	-46.83	-25	Pass	406
3000	12000	1	RMS	5193	-62.2	-25	Pass	9001
12000	26000	1	RMS	25012	-41.08	-25	Pass	14001






#### 4.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-25	Pass	2986
30	1000	0.1	RMS	909	-62.23	-25	Pass	9701
1000	2490	1	RMS	2489	-47.98	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.17	60	Pass	401
2595	3000	1	RMS	2654	-46.83	-25	Pass	406
3000	12000	1	RMS	11850	-63.79	-25	Pass	9001
12000	26000	1	RMS	25014	-41.12	-25	Pass	14001



--BLANK BELOW--