




3DH5	Ant1	Low	2402	AV	2310.000	-48.63	≤-41.20	46.57	≤54	PASS
				AV	2387.570	-48.16	≤-41.20	47.04	≤54	PASS
				AV	2390.000	-48.37	≤-41.20	46.83	≤54	PASS
				Peak	2310.000	-43.41	≤-21.20	51.79	≤74	PASS
				Peak	2310.815	-39.01	≤-21.20	56.19	≤74	PASS
				Peak	2390.000	-42.93	≤-21.20	52.27	≤74	PASS
		High	2480	AV	2483.500	-47.69	≤-41.20	47.51	≤54	PASS
				AV	2497.280	-47.62	≤-41.20	47.58	≤54	PASS
				AV	2500.000	-47.8	≤-41.20	47.40	≤54	PASS
				Peak	2483.500	-41.23	≤-21.20	53.97	≤74	PASS
				Peak	2497.360	-39.36	≤-21.20	55.84	≤74	PASS
				Peak	2500.000	-42.04	≤-21.20	53.16	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-40.31	≤-21.20	54.89	≤74	PASS
				Peak	2376.860	-37.6	≤-21.20	57.60	≤74	PASS
				Peak	2390.000	-39.51	≤-21.20	55.69	≤74	PASS
		High	Hop_2480	Peak	2483.500	-39.82	≤-21.20	55.38	≤74	PASS
				Peak	2486.000	-37.33	≤-21.20	57.87	≤74	PASS
				Peak	2500.000	-37.61	≤-21.20	57.59	≤74	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs







DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak




DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_Hop_2402_Peak




2DH5_Ant1_High_Hop_2480_Peak




3DH5_Ant1_Low_2402_AV




3DH5_Ant1_Low_2402_Peak




3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak



3DH5_Ant1_Low_Hop_2402_Peak



3DH5_Ant1_High_Hop_2480_Peak

