



802.11a_5845MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:18:37

802.11a_5865MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:19:43

802.11a_5885MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:21:53

802.11ac20_5845MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:37:29

802.11ac20_5865MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:38:34

802.11ac20_5885MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:39:43

802.11ac20_5845MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:22:20

802.11ac20_5865MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:23:26

802.11ac20_5885MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:24:26

802.11ac20_5845MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:48:31

802.11ac20_5865MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:49:47

802.11ac20_5885MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:50:47

802.11ac40_5835MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:44:28

802.11ac40_5875MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:45:00

802.11ac40_5835MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:31:23

802.11ac40_5875MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:32:15

802.11ac40_5835MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:56:14

802.11ac40_5875MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:56:56

802.11ac80_5855MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:50:39

802.11ac80_5855MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:38:42

802.11ac80_5855MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:08:16

802.11ac160_5815MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 17:53:23

802.11ac160_5815MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 10:51:12

802.11ac160_5815MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:11:40

802.11ax20_5845MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 18:05:28

802.11ax20_5865MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 18:06:38

802.11ax20_5885MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 18:07:39

802.11ax20_5845MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:08:57

802.11ax20_5865MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:10:06

802.11ax20_5885MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:11:37

802.11ax20_5845MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:47:29

802.11ax20_5865MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:49:39

802.11ax20_5885MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:50:42

802.11ax40_5835MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 10:12:33

802.11ax40_5875MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 18:13:09

802.11ax40_5835MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:17:07

802.11ax40_5875MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:17:41

802.11ax40_5835MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:57:46

802.11ax40_5875MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 13:58:39

802.11ax80_5855MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 10:19:20

802.11ax80_5855MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:22:11

802.11ax80_5855MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:05:45

802.11ax160_5815MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 8.JAN.2025 18:22:13

802.11ax160_5815MHz_RU_Full_Chain 1



ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 11:25:13

802.11ax160_5815MHz_RU_Full_Chain 2



ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:09:39

Maximum Conducted Output Power

Test Information:

Sample No.:	2V3K-1	Test Date:	2024/12/31~2025/01/18
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	23.1-24.2	Relative Humidity: (%)	37-42	ATM Pressure: (kPa)	101.5-101.8
-----------------------	-----------	------------------------------	-------	------------------------	-------------

5.9G

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5845	20.13	3.98	24.11	36	Pass
		5865	20.1	3.98	24.08	36	Pass
		5885	19.96	3.98	23.94	36	Pass
	Chain 1	5845	19.49	4.26	23.75	36	Pass
		5865	19.36	4.26	23.62	36	Pass
		5885	19.26	4.26	23.52	36	Pass
	Chain 2	5845	18.81	3.41	22.22	36	Pass
		5865	18.58	3.41	21.99	36	Pass
		5885	18.45	3.41	21.86	36	Pass
802.11ac20	Chain 0	5845	16.75	3.98	20.73	36	Pass
		5865	16.64	3.98	20.62	36	Pass
		5885	16.53	3.98	20.51	36	Pass
	Chain 1	5845	16.48	4.26	20.74	36	Pass
		5865	16.37	4.26	20.63	36	Pass
		5885	16.24	4.26	20.50	36	Pass
	Chain 2	5845	15.49	3.41	18.90	36	Pass
		5865	15.37	3.41	18.78	36	Pass
		5885	15.11	3.41	18.52	36	Pass
	Total	5845	21.04	8.66	29.70	36	Pass
		5865	20.93	8.66	29.59	36	Pass
		5885	20.77	8.66	29.43	36	Pass
802.11ac40	Chain 0	5835	19.25	3.98	23.23	36	Pass
		5875	19.12	3.98	23.10	36	Pass
	Chain 1	5835	18.96	4.26	23.22	36	Pass
		5875	18.53	4.26	22.79	36	Pass
	Chain 2	5835	18.24	3.41	21.65	36	Pass
		5875	17.83	3.41	21.24	36	Pass
	Total	5835	23.61	8.66	32.27	36	Pass
		5875	23.30	8.66	31.96	36	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac80	Chain 0	5855	18.72	3.98	22.70	36	Pass
	Chain 1	5855	18.25	4.26	22.51	36	Pass
	Chain 2	5855	17.64	3.41	21.05	36	Pass
	Total	5855	23.00	8.66	31.66	36	Pass
802.11ac160	Chain 0	5815	17.34	3.98	21.32	36	Pass
	Chain 1	5815	17.09	4.26	21.35	36	Pass
	Chain 2	5815	16.39	3.41	19.80	36	Pass
	Total	5815	21.73	8.66	30.39	36	Pass
802.11ax20	Chain 0	5845	16.91	3.98	20.89	36	Pass
		5865	16.82	3.98	20.80	36	Pass
		5885	16.72	3.98	20.70	36	Pass
	Chain 1	5845	16.69	4.26	20.95	36	Pass
		5865	16.61	4.26	20.87	36	Pass
		5885	16.39	4.26	20.65	36	Pass
	Chain 2	5845	15.68	3.41	19.09	36	Pass
		5865	15.61	3.41	19.02	36	Pass
		5885	15.36	3.41	18.77	36	Pass
	Total	5845	21.23	8.66	29.89	36	Pass
		5865	21.15	8.66	29.81	36	Pass
		5885	20.97	8.66	29.63	36	Pass
802.11ax40	Chain 0	5835	18.89	3.98	22.87	36	Pass
		5875	18.63	3.98	22.61	36	Pass
	Chain 1	5835	19.07	4.26	23.33	36	Pass
		5875	18.76	4.26	23.02	36	Pass
	Chain 2	5835	18.24	3.41	21.65	36	Pass
		5875	17.99	3.41	21.40	36	Pass
	Total	5835	23.52	8.66	32.18	36	Pass
		5875	23.24	8.66	31.90	36	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ax80	Chain 0	5855	19.0	3.98	22.98	36	Pass
	Chain 1	5855	18.65	4.26	22.91	36	Pass
	Chain 2	5855	17.66	3.41	21.07	36	Pass
	Total	5855	23.24	8.66	31.90	36	Pass
802.11ax160	Chain 0	5815	17.68	3.98	21.66	36	Pass
	Chain 1	5815	17.43	4.26	21.69	36	Pass
	Chain 2	5815	16.51	3.41	19.92	36	Pass
	Total	5815	22.01	8.66	30.67	36	Pass

Note: For 802.11ac/ax modes, the device support beam-forming function, per KDB 662911 D01 Multiple Transmitter Output v02r01:

Power Spectral Density

Test Information:

Sample No.:	2V3K-1	Test Date:	2024/12/31~2025/01/18
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	23.1-24.2	Relative Humidity: (%)	37-42	ATM Pressure: (kPa)	101.5-101.8
-----------------------	-----------	------------------------------	-------	------------------------	-------------

5.9G

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5845	9.44	0.18	13.60	20	Pass
		5865	9.37	0.18	13.53	20	Pass
		5885	9.22	0.18	13.38	20	Pass
	Chain 1	5845	8.91	0.18	13.35	20	Pass
		5865	8.54	0.18	12.98	20	Pass
		5885	8.47	0.18	12.91	20	Pass
	Chain 2	5845	8.10	0.18	11.69	20	Pass
		5865	7.90	0.18	11.49	20	Pass
		5885	8.01	0.18	11.60	20	Pass
802.11ac20	Chain 0	5845	6.00	0.19	10.17	20	Pass
		5865	5.87	0.19	10.04	20	Pass
		5885	5.83	0.19	10.00	20	Pass
	Chain 1	5845	5.83	0.19	10.28	20	Pass
		5865	5.44	0.19	9.89	20	Pass
		5885	5.52	0.19	9.97	20	Pass
	Chain 2	5845	4.64	0.19	8.24	20	Pass
		5865	4.28	0.19	7.88	20	Pass
		5885	4.26	0.19	7.86	20	Pass
	Total	5845	10.30	0.19	19.15	20	Pass
		5865	10.02	0.19	18.87	20	Pass
		5885	10.03	0.19	18.88	20	Pass
802.11ac40	Chain 0	5835	5.70	0.37	10.05	20	Pass
		5875	5.69	0.37	10.04	20	Pass
	Chain 1	5835	5.35	0.37	9.98	20	Pass
		5875	4.99	0.37	9.62	20	Pass
	Chain 2	5835	4.76	0.37	8.54	20	Pass
		5875	4.24	0.37	8.02	20	Pass
	Total	5835	10.06	0.37	19.09	20	Pass
		5875	9.78	0.37	18.81	20	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac80	Chain 0	5855	2.00	0.70	6.68	20	Pass
	Chain 1	5855	1.60	0.70	6.56	20	Pass
	Chain 2	5855	0.53	0.70	4.64	20	Pass
	Total	5855	6.19	0.70	15.55	20	Pass
802.11ac160	Chain 0	5815	-2.21	1.17	2.94	20	Pass
	Chain 1	5815	-2.66	1.17	2.77	20	Pass
	Chain 2	5815	-3.50	1.17	1.08	20	Pass
	Total	5815	2.01	1.17	11.84	20	Pass
802.11ax20	Chain 0	5845	5.97	0.24	10.19	20	Pass
		5865	5.95	0.24	10.17	20	Pass
		5885	5.71	0.24	9.93	20	Pass
	Chain 1	5845	5.68	0.24	10.18	20	Pass
		5865	5.67	0.24	10.17	20	Pass
		5885	5.45	0.24	9.95	20	Pass
	Chain 2	5845	4.60	0.24	8.25	20	Pass
		5865	4.64	0.24	8.29	20	Pass
		5885	4.21	0.24	7.86	20	Pass
	Total	5845	10.23	0.24	19.13	20	Pass
		5865	10.23	0.24	19.13	20	Pass
		5885	9.94	0.24	18.84	20	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax40	Chain 0	5835	5.23	0.43	9.64	20	Pass
		5875	5.40	0.43	9.81	20	Pass
	Chain 1	5835	5.57	0.43	10.26	20	Pass
		5875	5.03	0.43	9.72	20	Pass
	Chain 2	5835	4.77	0.43	8.61	20	Pass
		5875	4.50	0.43	8.34	20	Pass
	Total	5835	9.97	0.43	19.06	20	Pass
		5875	9.76	0.43	18.85	20	Pass
802.11ax80	Chain 0	5855	1.97	0.76	6.71	20	Pass
	Chain 1	5855	1.61	0.76	6.63	20	Pass
	Chain 2	5855	0.50	0.76	4.67	20	Pass
	Total	5855	6.18	0.76	15.60	20	Pass
802.11ax160	Chain 0	5815	-2.04	0.76	2.70	20	Pass
	Chain 1	5815	-1.75	0.76	3.27	20	Pass
	Chain 2	5815	-2.87	0.76	1.30	20	Pass
	Total	5815	2.58	0.76	12.00	20	Pass

Note:

- For 802.11a and 802.11ac/ax SISO mode, EIRP PSD = Reading + Duty Cycle Factor+ Antenna Gain
- For 802.11ac/ax MIMO mode, EIRP PSD = Reading + Duty Cycle Factor+ Directional Gain
- For 802.11ac/ax modes, the device support beam-forming function, per KDB 662911 D01 Multiple Transmitter Output v02r01:

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

N_{SS} = the number of independent spatial streams of data;

N_{ANT} = the total number of antennas


$g_{j,k} = 10^{G_k/20}$ if the k_{th} antenna is being fed by spatial stream j , or zero if it is not;

G_k is the gain in dBi of the k_{th} antenna.

Chain 0	Antenna Gain	3.98	dBi	Directional Gain:	8.66	dBi
Chain 1	Antenna Gain	4.26	dBi			
Chain 2	Antenna Gain	3.41	dBi			


5.9G

802.11a_5845MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 11:41:43

802.11a_5865MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 11:43:27

802.11a_5885MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 11:44:44

802.11a_5845MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 13:22:40

802.11a_5865MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 13:24:02

802.11a_5885MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 13:26:17

802.11a_5845MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 14:05:37

802.11a_5865MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 14:07:00

802.11a_5885MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 14:08:19

802.11ac20_5845MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:40:27

802.11ac20_5865MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:41:01

802.11ac20_5885MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:41:31

802.11ac20_5845MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:42:35

802.11ac20_5865MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:42:59

802.11ac20_5885MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:43:25

802.11ac20_5845MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:54:48

802.11ac20_5865MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:55:15

802.11ac20_5885MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 14:55:40

802.11ac40_5835MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 15:45:23

802.11ac40_5875MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 15:46:21

802.11ac40_5835MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 17:03:32

802.11ac40_5875MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 17:05:46

802.11ac40_5835MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 10:54:22

802.11ac40_5875MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 10:55:35

802.11ac80_5855MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 15:47:56

802.11ac80_5855MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 17:07:16

802.11ac80_5855MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 10:58:34

802.11ac160_5815MHz_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 15:49:27

802.11ac160_5815MHz_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 31.DEC.2024 17:08:45

802.11ac160_5815MHz_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 11:00:32


802.11ax20_5845MHz_RU_Full_Chain 0




802.11ax20_5865MHz_RU_Full_Chain 0




802.11ax20_5885MHz_RU_Full_Chain 0




802.11ax20_5845MHz_RU_Full_Chain 1




802.11ax20_5865MHz_RU_Full_Chain 1



802.11ax20_5885MHz_RU_Full_Chain 1




802.11ax20_5845MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 15:15:01

802.11ax20_5865MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 15:15:38

802.11ax20_5885MHz_RU_Full_Chain 2




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 18.JAN.2025 15:16:08

802.11ax40_5835MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 13:53:38

802.11ax40_5875MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 13:54:33

802.11ax40_5835MHz_RU_Full_Chain 1




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 15:21:31


802.11ax40_5875MHz_RU_Full_Chain 1




802.11ax40_5835MHz_RU_Full_Chain 2




802.11ax40_5875MHz_RU_Full_Chain 2




802.11ax80_5855MHz_RU_Full_Chain 0




802.11ax80_5855MHz_RU_Full_Chain 1



802.11ax80_5855MHz_RU_Full_Chain 2




802.11ax160_5815MHz_RU_Full_Chain 0




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 13:57:11

802.11ax160_5815MHz_RU_Full_Chain 1



ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 15:28:33

802.11ax160_5815MHz_RU_Full_Chain 2



ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 2.JAN.2025 16:35:14

Duty Cycle**Test Information:**

Sample No.:	2V3K-1	Test Date:	2025/01/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	23.1-24.2	Relative Humidity: (%)	37-42	ATM Pressure: (kPa)	101.5-101.8
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------


5.9G

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	Chain 0	5865	1.392	1.450	96.00	0.18	718	1
802.11ac20	Chain 0	5865	1.310	1.368	95.76	0.19	763	1
802.11ac40	Chain 0	5835	0.655	0.713	91.87	0.37	1527	2
802.11ac80	Chain 0	5855	0.324	0.381	85.04	0.70	3086	5
802.11ac160	Chain 0	5815	0.184	0.241	76.35	1.17	5435	10
802.11ax20	Chain 0	5865	1.023	1.080	94.72	0.24	978	1
802.11ax40	Chain 0	5835	0.547	0.604	90.56	0.43	1828	2
802.11ax80	Chain 0	5855	0.297	0.354	83.90	0.76	3367	5
802.11ax160	Chain 0	5815	0.297	0.354	83.90	0.76	3367	5

Duty Cycle = Ton/(Ton+Toff)*100%


5.9G

802.11a_5865MHz




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:20:51

802.11ac20_5865MHz




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:21:36

802.11ac40_5835MHz




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:22:47

802.11ac80_5855MHz




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:23:39

802.11ac160_5815MHz




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:28:58

802.11ax20_5865MHz_RU_Full




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 23.JAN.2025 13:11:51

802.11ax40_5835MHz_RU_Full




ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 23.JAN.2025 13:16:09

802.11ax80_5855MHz_RU_Full



ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:33:53

802.11ax160_5815MHz_RU_Full



ProjectNo.:2401Z25490E-RF Tester:Cheeb Huang
Date: 14.JAN.2025 14:34:43

RF EXPOSURE EVALUATION

MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Applicable Standard

According to subpart §1.1310, systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

Limits for Maximum Permissible Exposure (MPE) (§1.1310, §2.1091)

(B) Limits for General Population/Uncontrolled Exposure				
Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minutes)
0.3–1.34	614	1.63	*(100)	30
1.34–30	824/f	2.19/f	*(180/f ²)	30
30–300	27.5	0.073	0.2	30
300–1500	/	/	f/1500	30
1500–100,000	/	/	1.0	30

f = frequency in MHz; * = Plane-wave equivalent power density;

According to §1.1310 and §2.1091 RF exposure is calculated.

Result

Calculation formula:

Prediction of power density at the distance of the applicable MPE limit

$S = PG/4\pi R^2$ = power density (in appropriate units, e.g. mW/cm²);

P = power input to the antenna (in appropriate units, e.g., mW);

G = power gain of the antenna in the direction of interest relative to an isotropic radiator, the power gain factor, is normally numeric gain;

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm);

For simultaneously transmit system, the calculated power density should comply with:

$$\sum_i \frac{S_i}{S_{Limit,i}} \leq 1$$

Calculated Data:

For worst case:

Mode	Frequency (MHz)	Antenna Gain [#]		Max Tune-up Power [#]		Evaluation Distance (cm)	Power Density (mW/cm ²)	MPE Limit (mW/cm ²)
		(dBi)	(numeric)	(dBm)	(mW)			
2.4G Wi-Fi	2412-2462	7.64	5.81	28.5	707.95	30	0.3637	1.0
5G Wi-Fi	5150-5250	8.66	7.35	25.0	316.23	30	0.2055	1.0
	5250-5350	8.66	7.35	21.5	141.25	30	0.0918	1.0
	5470-5725	8.66	7.35	21.0	125.89	30	0.0818	1.0
	5725-5850	8.66	7.35	24.0	251.19	30	0.1632	1.0
	5850-5895	8.66	7.35	24.0	251.19	30	0.1632	1.0

Note:

- 1) The tune up conducted power and antenna gain was declared by the applicant.
- 2) The antenna gain should be the directional gain.
- 3) The 2.4G Wi-Fi and 5G Wi-Fi can simultaneous transmitting.

Simultaneous transmitting consideration (worst case):

The ratio= $MPE_{2.4G\ Wi-Fi}/limit + MPE_{5G\ Wi-Fi}/limit = 0.3637/1.0 + 0.2055/1.0 = 0.569 < 1.0$,
so simultaneous exposure is compliant.

To maintain compliance with the FCC's RF exposure guidelines, place the equipment at least 30cm from nearby persons.

Result: Compliant.

EUT PHOTOGRAPHS

Please refer to the attachment 2401Z25490E-RF External photo and 2401Z25490E-RF Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2401Z25490E-RFB Test Setup photo.

******* END OF REPORT *******