

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1319 of 1341

					-30	48	5784.920	5725 to 5850	Pass	
					-20	48	5784.940	5725 to 5850	Pass	
					-10	48	5784.980	5725 to 5850	Pass	
					0	48	5784.980	5725 to 5850	Pass	
					10	48	5784.940	5725 to 5850	Pass	
					30	48	5784.980	5725 to 5850	Pass	
					40	48	5784.960	5725 to 5850	Pass	
					50	48	5784.900	5725 to 5850	Pass	
						44	5825.000	5725 to 5850	Pass	
						20	48	5824.960	5725 to 5850	Pass
						57	5824.980	5725 to 5850	Pass	
						-30	48	5825.000	5725 to 5850	Pass
						-20	48	5824.940	5725 to 5850	Pass
						-10	48	5824.980	5725 to 5850	Pass
						0	48	5825.000	5725 to 5850	Pass
						10	48	5824.920	5725 to 5850	Pass
						30	48	5824.980	5725 to 5850	Pass
						40	48	5824.860	5725 to 5850	Pass
						50	48	5824.960	5725 to 5850	Pass
						44	5720.080	5470 to 5850	Pass	
						20	48	5720.040	5470 to 5850	Pass
						57	5720.000	5470 to 5850	Pass	
						-30	48	5719.980	5470 to 5850	Pass
						-20	48	5719.980	5470 to 5850	Pass
						-10	48	5720.020	5470 to 5850	Pass
						0	48	5719.980	5470 to 5850	Pass
						10	48	5720.000	5470 to 5850	Pass
						30	48	5719.980	5470 to 5850	Pass
						40	48	5719.980	5470 to 5850	Pass
						50	48	5720.100	5470 to 5850	Pass
						44	5189.960	5150 to 5250	Pass	
						20	48	5189.920	5150 to 5250	Pass
						57	5189.960	5150 to 5250	Pass	
						-30	48	5190.000	5150 to 5250	Pass
						-20	48	5190.000	5150 to 5250	Pass
						-10	48	5189.880	5150 to 5250	Pass
						0	48	5190.000	5150 to 5250	Pass
						10	48	5190.000	5150 to 5250	Pass
						30	48	5189.920	5150 to 5250	Pass
						40	48	5189.920	5150 to 5250	Pass
802.11ac (VHT40)	MIMO	5190	/	/						

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1320 of 1341

				50	48	5189.960	5150 to 5250	Pass
5230	/	/	20	44	5229.960	5150 to 5250	Pass	
				48	5229.960	5150 to 5250	Pass	
				57	5229.920	5150 to 5250	Pass	
				-30	48	5230.000	5150 to 5250	Pass
				-20	48	5230.000	5150 to 5250	Pass
				-10	48	5230.000	5150 to 5250	Pass
				0	48	5230.000	5150 to 5250	Pass
				10	48	5230.040	5150 to 5250	Pass
				30	48	5230.080	5150 to 5250	Pass
				40	48	5229.960	5150 to 5250	Pass
5270	/	/	20	50	48	5230.000	5150 to 5250	Pass
				44	5269.920	5250 to 5350	Pass	
				48	5269.960	5250 to 5350	Pass	
				57	5270.000	5250 to 5350	Pass	
				-30	48	5269.960	5250 to 5350	Pass
				-20	48	5270.000	5250 to 5350	Pass
				-10	48	5270.000	5250 to 5350	Pass
				0	48	5269.960	5250 to 5350	Pass
				10	48	5270.040	5250 to 5350	Pass
				30	48	5270.000	5250 to 5350	Pass
5310	/	/	20	40	48	5270.040	5250 to 5350	Pass
				50	48	5270.000	5250 to 5350	Pass
				44	5309.960	5250 to 5350	Pass	
				48	5309.960	5250 to 5350	Pass	
				57	5310.000	5250 to 5350	Pass	
				-30	48	5310.000	5250 to 5350	Pass
				-20	48	5309.920	5250 to 5350	Pass
				-10	48	5310.040	5250 to 5350	Pass
				0	48	5310.000	5250 to 5350	Pass
				10	48	5310.040	5250 to 5350	Pass
5510	/	/	20	30	48	5310.000	5250 to 5350	Pass
				40	48	5310.040	5250 to 5350	Pass
				50	48	5310.000	5250 to 5350	Pass
				44	5510.000	5470 to 5725	Pass	
				48	5509.920	5470 to 5725	Pass	
				57	5509.960	5470 to 5725	Pass	
			-30	48	5510.000	5470 to 5725	Pass	
				-20	48	5509.960	5470 to 5725	Pass
				-10	48	5510.000	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1321 of 1341

	5550	/	/	0	48	5510.080	5470 to 5725	Pass
				10	48	5510.000	5470 to 5725	Pass
				30	48	5510.040	5470 to 5725	Pass
				40	48	5509.960	5470 to 5725	Pass
				50	48	5509.960	5470 to 5725	Pass
				20	44	5549.960	5470 to 5725	Pass
					48	5550.000	5470 to 5725	Pass
					57	5550.080	5470 to 5725	Pass
					-30	48	5550.000	5470 to 5725
				-20	48	5550.000	5470 to 5725	Pass
				-10	48	5549.960	5470 to 5725	Pass
				0	48	5550.000	5470 to 5725	Pass
				10	48	5550.000	5470 to 5725	Pass
				30	48	5549.920	5470 to 5725	Pass
				40	48	5549.920	5470 to 5725	Pass
				50	48	5550.080	5470 to 5725	Pass
	5670	/	/	20	44	5669.960	5470 to 5725	Pass
					48	5669.960	5470 to 5725	Pass
					57	5670.040	5470 to 5725	Pass
					-30	48	5670.000	5470 to 5725
				-20	48	5670.040	5470 to 5725	Pass
				-10	48	5669.960	5470 to 5725	Pass
				0	48	5670.040	5470 to 5725	Pass
				10	48	5670.040	5470 to 5725	Pass
				30	48	5670.000	5470 to 5725	Pass
				40	48	5669.920	5470 to 5725	Pass
				50	48	5670.48	5470 to 5725	Pass
				20	44	5754.920	5725 to 5850	Pass
					48	5754.960	5725 to 5850	Pass
					57	5754.960	5725 to 5850	Pass
					-30	48	5755.000	5725 to 5850
	5755	/	/	-20	48	5755.000	5725 to 5850	Pass
				-10	48	5754.960	5725 to 5850	Pass
				0	48	5754.960	5725 to 5850	Pass
				10	48	5754.960	5725 to 5850	Pass
				30	48	5754.920	5725 to 5850	Pass
				40	48	5755.000	5725 to 5850	Pass
				50	48	5754.920	5725 to 5850	Pass
				20	44	5795.000	5725 to 5850	Pass
					48	5795.000	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1322 of 1341

						57	5795.000	5725 to 5850	Pass	
					-30	48	5794.920	5725 to 5850	Pass	
					-20	48	5795.000	5725 to 5850	Pass	
					-10	48	5795.000	5725 to 5850	Pass	
					0	48	5794.960	5725 to 5850	Pass	
					10	48	5794.960	5725 to 5850	Pass	
					30	48	5795.040	5725 to 5850	Pass	
					40	48	5795.040	5725 to 5850	Pass	
					50	48	5795.000	5725 to 5850	Pass	
						44	5710.040	5470 to 5850	Pass	
						20	48	5710.000	5470 to 5850	Pass
						57	5710.040	5470 to 5850	Pass	
						-30	48	5710.48	5470 to 5850	Pass
						-20	48	5710.000	5470 to 5850	Pass
						-10	48	5710.040	5470 to 5850	Pass
						0	48	5710.080	5470 to 5850	Pass
						10	48	5710.000	5470 to 5850	Pass
						30	48	5710.040	5470 to 5850	Pass
						40	48	5710.040	5470 to 5850	Pass
						50	48	5710.040	5470 to 5850	Pass
						44	5210.000	5150 to 5250	Pass	
						20	48	5209.925	5150 to 5250	Pass
						57	5210.000	5150 to 5250	Pass	
						-30	48	5210.075	5150 to 5250	Pass
						-20	48	5210.000	5150 to 5250	Pass
						-10	48	5209.925	5150 to 5250	Pass
						0	48	5209.850	5150 to 5250	Pass
						10	48	5209.925	5150 to 5250	Pass
						30	48	5209.925	5150 to 5250	Pass
						40	48	5210.000	5150 to 5250	Pass
						50	48	5209.925	5150 to 5250	Pass
						44	5290.075	5250 to 5350	Pass	
						20	48	5290.000	5250 to 5350	Pass
						57	5289.925	5250 to 5350	Pass	
						-30	48	5290.000	5250 to 5350	Pass
						-20	48	5289.925	5250 to 5350	Pass
						-10	48	5290.000	5250 to 5350	Pass
						0	48	5289.925	5250 to 5350	Pass
						10	48	5289.925	5250 to 5350	Pass
						30	48	5289.925	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch SGS Group Member Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1323 of 1341

	5530	/	/	40	48	5289.925	5250 to 5350	Pass	
				50	48	5290.000	5250 to 5350	Pass	
				20	44	5530.000	5470 to 5725	Pass	
					48	5530.000	5470 to 5725	Pass	
					57	5529.925	5470 to 5725	Pass	
					-30	48	5529.925	5470 to 5725	Pass
					-20	48	5529.925	5470 to 5725	Pass
					-10	48	5529.925	5470 to 5725	Pass
					0	48	5530.000	5470 to 5725	Pass
					10	48	5530.000	5470 to 5725	Pass
	5610	/	/	20	44	5610.000	5470 to 5725	Pass	
					48	5609.925	5470 to 5725	Pass	
					57	5610.000	5470 to 5725	Pass	
					-30	48	5610.000	5470 to 5725	Pass
					-20	48	5610.075	5470 to 5725	Pass
					-10	48	5609.925	5470 to 5725	Pass
					0	48	5610.000	5470 to 5725	Pass
					10	48	5610.000	5470 to 5725	Pass
					30	48	5610.000	5470 to 5725	Pass
					40	48	5610.000	5470 to 5725	Pass
	5775	/	/	20	44	5774.925	5725 to 5850	Pass	
					48	5774.925	5725 to 5850	Pass	
					57	5774.925	5725 to 5850	Pass	
					-30	48	5774.925	5725 to 5850	Pass
					-20	48	5775.000	5725 to 5850	Pass
					-10	48	5775.000	5725 to 5850	Pass
					0	48	5774.925	5725 to 5850	Pass
					10	48	5774.925	5725 to 5850	Pass
					30	48	5775.000	5725 to 5850	Pass
					40	48	5775.000	5725 to 5850	Pass
	5690	/	/	20	44	5690.075	5470 to 5850	Pass	
					48	5690.075	5470 to 5850	Pass	
					57	5690.000	5470 to 5850	Pass	
					-30	48	5690.000	5470 to 5850	Pass
					-20	48	5690.075	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1324 of 1341

					-10	48	5690.075	5470 to 5850	Pass	
					0	48	5690.000	5470 to 5850	Pass	
					10	48	5690.000	5470 to 5850	Pass	
					30	48	5690.075	5470 to 5850	Pass	
					40	48	5690.000	5470 to 5850	Pass	
					50	48	5690.075	5470 to 5850	Pass	
802.11ac (VHT160)	MIMO	5570	/	/	20	44	5570.000	5470 to 5725	Pass	
						48	5569.925	5470 to 5725	Pass	
						57	5569.850	5470 to 5725	Pass	
					-30	48	5569.925	5470 to 5725	Pass	
					-20	48	5570.000	5470 to 5725	Pass	
					-10	48	5569.925	5470 to 5725	Pass	
					0	48	5569.925	5470 to 5725	Pass	
					10	48	5570.000	5470 to 5725	Pass	
					30	48	5569.925	5470 to 5725	Pass	
					40	48	5569.925	5470 to 5725	Pass	
					50	48	5569.925	5470 to 5725	Pass	
					20	44	5249.925	5150 to 5350	Pass	
						48	5249.850	5150 to 5350	Pass	
						57	5249.850	5150 to 5350	Pass	
						-30	48	5249.850	5150 to 5350	Pass
						-20	48	5249.850	5150 to 5350	Pass
						-10	48	5249.850	5150 to 5350	Pass
						0	48	5249.925	5150 to 5350	Pass
						10	48	5249.850	5150 to 5350	Pass
						30	48	5249.925	5150 to 5350	Pass
						40	48	5249.925	5150 to 5350	Pass
						50	48	5249.925	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	20	44	5179.980	5150 to 5250	Pass	
						48	5180.020	5150 to 5250	Pass	
						57	5179.980	5150 to 5250	Pass	
					-30	48	5180.060	5150 to 5250	Pass	
					-20	48	5179.920	5150 to 5250	Pass	
					-10	48	5179.980	5150 to 5250	Pass	
					0	48	5180.000	5150 to 5250	Pass	
					10	48	5180.000	5150 to 5250	Pass	
					30	48	5180.000	5150 to 5250	Pass	
					40	48	5180.000	5150 to 5250	Pass	
					50	48	5179.980	5150 to 5250	Pass	
					5200	SU	/	20	44	5200.000

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1325 of 1341

						48	5200.000	5150 to 5250	Pass	
						57	5199.960	5150 to 5250	Pass	
						-30	48	5200.000	5150 to 5250	Pass
						-20	48	5200.020	5150 to 5250	Pass
						-10	48	5200.000	5150 to 5250	Pass
						0	48	5200.020	5150 to 5250	Pass
						10	48	5200.000	5150 to 5250	Pass
						30	48	5200.060	5150 to 5250	Pass
						40	48	5199.940	5150 to 5250	Pass
						50	48	5199.980	5150 to 5250	Pass
5240	SU	/				44	5239.980	5150 to 5250	Pass	
						20	48	5240.020	5150 to 5250	Pass
						57	5240.020	5150 to 5250	Pass	
						-30	48	5239.980	5150 to 5250	Pass
						-20	48	5240.000	5150 to 5250	Pass
						-10	48	5240.040	5150 to 5250	Pass
						0	48	5240.000	5150 to 5250	Pass
						10	48	5240.020	5150 to 5250	Pass
						30	48	5240.020	5150 to 5250	Pass
						40	48	5240.000	5150 to 5250	Pass
5260	SU	/				44	5260.040	5250 to 5350	Pass	
						20	48	5260.060	5250 to 5350	Pass
						57	5259.980	5250 to 5350	Pass	
						-30	48	5260.000	5250 to 5350	Pass
						-20	48	5260.020	5250 to 5350	Pass
						-10	48	5260.000	5250 to 5350	Pass
						0	48	5260.000	5250 to 5350	Pass
						10	48	5259.960	5250 to 5350	Pass
						30	48	5260.060	5250 to 5350	Pass
						40	48	5259.980	5250 to 5350	Pass
5300	SU	/				44	5300.060	5250 to 5350	Pass	
						20	48	5300.020	5250 to 5350	Pass
						57	5300.080	5250 to 5350	Pass	
						-30	48	5299.980	5250 to 5350	Pass
						-20	48	5299.960	5250 to 5350	Pass
						-10	48	5299.980	5250 to 5350	Pass
						0	48	5300.000	5250 to 5350	Pass
						10	48	5300.000	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1326 of 1341

		5320	SU	/	30	48	5300.060	5250 to 5350	Pass	
					40	48	5300.000	5250 to 5350	Pass	
					50	48	5300.000	5250 to 5350	Pass	
					20	44	5320.020	5250 to 5350	Pass	
						48	5320.000	5250 to 5350	Pass	
						57	5320.020	5250 to 5350	Pass	
						-30	48	5320.000	5250 to 5350	Pass
						-20	48	5319.960	5250 to 5350	Pass
					10	-10	48	5319.960	5250 to 5350	Pass
						0	48	5319.960	5250 to 5350	Pass
						10	48	5320.000	5250 to 5350	Pass
						30	48	5320.060	5250 to 5350	Pass
						40	48	5319.980	5250 to 5350	Pass
						50	48	5319.980	5250 to 5350	Pass
					20	44	5499.940	5470 to 5725	Pass	
						48	5500.000	5470 to 5725	Pass	
						57	5500.000	5470 to 5725	Pass	
						-30	48	5499.980	5470 to 5725	Pass
						-20	48	5500.000	5470 to 5725	Pass
						-10	48	5500.040	5470 to 5725	Pass
						0	48	5499.960	5470 to 5725	Pass
						10	48	5499.980	5470 to 5725	Pass
						30	48	5499.960	5470 to 5725	Pass
						40	48	5499.980	5470 to 5725	Pass
						50	48	5500.000	5470 to 5725	Pass
					20	44	5580.000	5470 to 5725	Pass	
						48	5580.000	5470 to 5725	Pass	
						57	5579.940	5470 to 5725	Pass	
						-30	48	5580.020	5470 to 5725	Pass
						-20	48	5579.980	5470 to 5725	Pass
						-10	48	5580.020	5470 to 5725	Pass
						0	48	5579.960	5470 to 5725	Pass
						10	48	5580.000	5470 to 5725	Pass
						30	48	5580.020	5470 to 5725	Pass
						40	48	5580.000	5470 to 5725	Pass
						50	48	5579.980	5470 to 5725	Pass
					20	44	5700.000	5470 to 5725	Pass	
						48	5700.040	5470 to 5725	Pass	
						57	5700.000	5470 to 5725	Pass	
						-30	48	5700.040	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1327 of 1341

				-20	48	5700.060	5470 to 5725	Pass		
				-10	48	5700.040	5470 to 5725	Pass		
				0	48	5700.040	5470 to 5725	Pass		
				10	48	5700.000	5470 to 5725	Pass		
				30	48	5700.080	5470 to 5725	Pass		
				40	48	5700.060	5470 to 5725	Pass		
				50	48	5700.020	5470 to 5725	Pass		
				5745	SU	/	44	5745.020	5725 to 5850	Pass
							48	5744.980	5725 to 5850	Pass
							57	5745.000	5725 to 5850	Pass
							-30	5744.980	5725 to 5850	Pass
							-20	5745.020	5725 to 5850	Pass
				5785	SU	/	-10	5745.020	5725 to 5850	Pass
							0	5745.040	5725 to 5850	Pass
							10	5745.040	5725 to 5850	Pass
							30	5744.920	5725 to 5850	Pass
							40	5745.040	5725 to 5850	Pass
							50	5744.980	5725 to 5850	Pass
				5825	SU	/	44	5785.020	5725 to 5850	Pass
							48	5784.960	5725 to 5850	Pass
							57	5784.960	5725 to 5850	Pass
							-30	5784.980	5725 to 5850	Pass
							-20	5785.020	5725 to 5850	Pass
							-10	5784.920	5725 to 5850	Pass
							0	5785.000	5725 to 5850	Pass
							10	5784.960	5725 to 5850	Pass
							30	5784.980	5725 to 5850	Pass
							40	5784.940	5725 to 5850	Pass
							50	5784.980	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch / SGS Inspection & Testing Services Co., Ltd. Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1328 of 1341

		5720	SU	/	20	44	5720.060	5470 to 5850	Pass	
						48	5720.020	5470 to 5850	Pass	
						57	5720.020	5470 to 5850	Pass	
						-30	48	5720.020	5470 to 5850	Pass
						-20	48	5720.020	5470 to 5850	Pass
						-10	48	5720.020	5470 to 5850	Pass
						0	48	5719.960	5470 to 5850	Pass
						10	48	5720.020	5470 to 5850	Pass
						30	48	5720.020	5470 to 5850	Pass
						40	48	5720.000	5470 to 5850	Pass
		5190	SU	/	20	44	5190.000	5150 to 5250	Pass	
						48	5189.960	5150 to 5250	Pass	
						57	5189.960	5150 to 5250	Pass	
						-30	48	5190.000	5150 to 5250	Pass
						-20	48	5190.000	5150 to 5250	Pass
						-10	48	5189.960	5150 to 5250	Pass
						0	48	5189.960	5150 to 5250	Pass
						10	48	5190.000	5150 to 5250	Pass
						30	48	5189.960	5150 to 5250	Pass
						40	48	5190.000	5150 to 5250	Pass
	802.11ax (HEW40)	MIMO	SU	/	20	44	5230.000	5150 to 5250	Pass	
						48	5230.000	5150 to 5250	Pass	
						57	5230.040	5150 to 5250	Pass	
						-30	48	5230.000	5150 to 5250	Pass
						-20	48	5229.960	5150 to 5250	Pass
						-10	48	5230.000	5150 to 5250	Pass
						0	48	5229.960	5150 to 5250	Pass
						10	48	5230.000	5150 to 5250	Pass
						30	48	5229.960	5150 to 5250	Pass
						40	48	5230.040	5150 to 5250	Pass
		5230	SU	/	20	44	5230.000	5150 to 5250	Pass	
						48	5270.000	5250 to 5350	Pass	
						57	5270.040	5250 to 5350	Pass	
						-30	48	5270.040	5250 to 5350	Pass
						-20	48	5270.000	5250 to 5350	Pass
						-10	48	5269.920	5250 to 5350	Pass
						0	48	5270.040	5250 to 5350	Pass
						10	48	5270.040	5250 to 5350	Pass
						30	48	5270.040	5250 to 5350	Pass
						40	48	5270.040	5250 to 5350	Pass
		5270	SU	/	20	44	5270.000	5250 to 5350	Pass	
						48	5270.040	5250 to 5350	Pass	
						57	5270.040	5250 to 5350	Pass	
						-30	48	5270.040	5250 to 5350	Pass
						-20	48	5270.000	5250 to 5350	Pass
						-10	48	5269.920	5250 to 5350	Pass
						0	48	5270.040	5250 to 5350	Pass
						10	48	5270.040	5250 to 5350	Pass
						30	48	5270.040	5250 to 5350	Pass
						40	48	5270.040	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1329 of 1341

				10	48	5269.960	5250 to 5350	Pass		
				30	48	5269.920	5250 to 5350	Pass		
				40	48	5270.000	5250 to 5350	Pass		
				50	48	5270.000	5250 to 5350	Pass		
				5310	SU	/	44	5310.000	5250 to 5350	Pass
							20	5309.960	5250 to 5350	Pass
							57	5309.920	5250 to 5350	Pass
							-30	5310.000	5250 to 5350	Pass
							-20	5309.960	5250 to 5350	Pass
							-10	5310.040	5250 to 5350	Pass
							0	5310.000	5250 to 5350	Pass
							10	5310.000	5250 to 5350	Pass
							30	5310.000	5250 to 5350	Pass
							40	5309.960	5250 to 5350	Pass
							50	5310.080	5250 to 5350	Pass
				5510	SU	/	44	5510.040	5470 to 5725	Pass
							20	5510.000	5470 to 5725	Pass
							57	5510.000	5470 to 5725	Pass
							-30	5510.040	5470 to 5725	Pass
							-20	5510.000	5470 to 5725	Pass
							-10	5510.040	5470 to 5725	Pass
							0	5510.000	5470 to 5725	Pass
							10	5510.000	5470 to 5725	Pass
							30	5510.000	5470 to 5725	Pass
							40	5510.000	5470 to 5725	Pass
							50	5509.960	5470 to 5725	Pass
				5550	SU	/	44	5549.920	5470 to 5725	Pass
							20	5550.040	5470 to 5725	Pass
							57	5549.960	5470 to 5725	Pass
							-30	5550.040	5470 to 5725	Pass
							-20	5550.000	5470 to 5725	Pass
							-10	5550.040	5470 to 5725	Pass
							0	5550.040	5470 to 5725	Pass
							10	5550.040	5470 to 5725	Pass
							30	5550.000	5470 to 5725	Pass
							40	5550.000	5470 to 5725	Pass
							50	5550.040	5470 to 5725	Pass
				5670	SU	/	44	5670.080	5470 to 5725	Pass
							20	5669.920	5470 to 5725	Pass
							57	5670.040	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1330 of 1341

				-30	48	5670.040	5470 to 5725	Pass		
				-20	48	5670.000	5470 to 5725	Pass		
				-10	48	5670.040	5470 to 5725	Pass		
				0	48	5670.040	5470 to 5725	Pass		
				10	48	5670.080	5470 to 5725	Pass		
				30	48	5670.040	5470 to 5725	Pass		
				40	48	5670.48	5470 to 5725	Pass		
				50	48	5669.960	5470 to 5725	Pass		
				5755	SU	/	44	5754.960	5725 to 5850	Pass
							20	5754.960	5725 to 5850	Pass
							57	5754.960	5725 to 5850	Pass
							-30	5755.000	5725 to 5850	Pass
							-20	5755.040	5725 to 5850	Pass
				5795	SU	/	-10	5755.040	5725 to 5850	Pass
							0	5755.000	5725 to 5850	Pass
							10	5755.000	5725 to 5850	Pass
							30	5754.960	5725 to 5850	Pass
							40	5755.040	5725 to 5850	Pass
							50	5754.920	5725 to 5850	Pass
				5710	SU	/	44	5795.000	5725 to 5850	Pass
							20	5795.000	5725 to 5850	Pass
							57	5795.000	5725 to 5850	Pass
							-30	5794.920	5725 to 5850	Pass
							-20	5795.000	5725 to 5850	Pass
							-10	5794.960	5725 to 5850	Pass
							0	5794.960	5725 to 5850	Pass
							10	5795.040	5725 to 5850	Pass
							30	5794.960	5725 to 5850	Pass
							40	5795.040	5725 to 5850	Pass
							50	5794.960	5725 to 5850	Pass
							44	5710.000	5470 to 5850	Pass
							20	5710.040	5470 to 5850	Pass
							57	5710.040	5470 to 5850	Pass
							-30	5710.040	5470 to 5850	Pass
							-20	5709.960	5470 to 5850	Pass
							-10	5710.040	5470 to 5850	Pass
							0	5710.48	5470 to 5850	Pass
							10	5710.000	5470 to 5850	Pass
							30	5710.040	5470 to 5850	Pass
							40	5710.040	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1331 of 1341

					50	48	5710.080	5470 to 5850	Pass	
802.11ax (HEW80)	MIMO	5210	SU	/	20	44	5210.000	5150 to 5250	Pass	
						48	5210.000	5150 to 5250	Pass	
						57	5210.000	5150 to 5250	Pass	
						-30	48	5210.000	5150 to 5250	Pass
						-20	48	5210.075	5150 to 5250	Pass
					20	-10	48	5210.000	5150 to 5250	Pass
						0	48	5210.000	5150 to 5250	Pass
						10	48	5210.075	5150 to 5250	Pass
						30	48	5210.000	5150 to 5250	Pass
						40	48	5210.000	5150 to 5250	Pass
802.11ax (HEW80)	MIMO	5290	SU	/	20	44	5290.000	5250 to 5350	Pass	
						48	5290.000	5250 to 5350	Pass	
						57	5290.000	5250 to 5350	Pass	
						-30	48	5290.000	5250 to 5350	Pass
						-20	48	5290.000	5250 to 5350	Pass
					20	-10	48	5290.000	5250 to 5350	Pass
						0	48	5290.000	5250 to 5350	Pass
						10	48	5290.000	5250 to 5350	Pass
						30	48	5290.000	5250 to 5350	Pass
						40	48	5290.000	5250 to 5350	Pass
802.11ax (HEW80)	MIMO	5530	SU	/	20	44	5530.000	5470 to 5725	Pass	
						48	5530.000	5470 to 5725	Pass	
						57	5530.000	5470 to 5725	Pass	
						-30	48	5530.000	5470 to 5725	Pass
						-20	48	5530.000	5470 to 5725	Pass
					20	-10	48	5530.000	5470 to 5725	Pass
						0	48	5530.000	5470 to 5725	Pass
						10	48	5530.000	5470 to 5725	Pass
						30	48	5530.000	5470 to 5725	Pass
						40	48	5530.000	5470 to 5725	Pass
802.11ax (HEW80)	MIMO	5610	SU	/	20	44	5610.000	5470 to 5725	Pass	
						48	5610.000	5470 to 5725	Pass	
						57	5610.000	5470 to 5725	Pass	
					20	-30	48	5610.000	5470 to 5725	Pass
						-20	48	5610.000	5470 to 5725	Pass
						-10	48	5610.000	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1332 of 1341

					0	48	5610.000	5470 to 5725	Pass
					10	48	5609.925	5470 to 5725	Pass
					30	48	5610.000	5470 to 5725	Pass
					40	48	5610.000	5470 to 5725	Pass
					50	48	5610.000	5470 to 5725	Pass
					5775	SU	/	44	5775.000
								20	5725 to 5850
								48	Pass
								57	5725 to 5850
								-30	Pass
					5690	SU	/	-20	5725 to 5850
								-10	Pass
								0	5725 to 5850
								10	Pass
								30	5725 to 5850
								40	Pass
								50	5725 to 5850
								44	Pass
								20	5470 to 5850
								48	Pass
802.11ax (HEW160)	MIMO				5570	SU	/	57	5470 to 5850
								-30	Pass
								-20	5470 to 5850
								-10	Pass
								0	5470 to 5850
								10	Pass
								30	5470 to 5850
								40	Pass
								50	5470 to 5850
					5250	SU	/	44	5470 to 5850
								48	Pass
								20	5250.000
								48	5150 to 5350
								48	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1333 of 1341

					57	5249.925	5150 to 5350	Pass	
				-30	48	5249.925	5150 to 5350	Pass	
				-20	48	5249.925	5150 to 5350	Pass	
				-10	48	5250.000	5150 to 5350	Pass	
				0	48	5250.000	5150 to 5350	Pass	
				10	48	5249.925	5150 to 5350	Pass	
				30	48	5250.000	5150 to 5350	Pass	
				40	48	5250.000	5150 to 5350	Pass	
				50	48	5250.000	5150 to 5350	Pass	
					44	5179.980	5150 to 5250	Pass	
802.11be (EHT20)	MIMO	5180	SU	/	20	5179.960	5150 to 5250	Pass	
					57	5179.920	5150 to 5250	Pass	
					-30	48	5179.960	5150 to 5250	Pass
					-20	48	5180.000	5150 to 5250	Pass
					-10	48	5180.000	5150 to 5250	Pass
					0	48	5179.980	5150 to 5250	Pass
					10	48	5180.040	5150 to 5250	Pass
					30	48	5180.000	5150 to 5250	Pass
					40	48	5179.980	5150 to 5250	Pass
					50	48	5179.980	5150 to 5250	Pass
		5200	SU	/	20	5199.960	5150 to 5250	Pass	
					48	5200.000	5150 to 5250	Pass	
					57	5199.940	5150 to 5250	Pass	
					-30	48	5199.980	5150 to 5250	Pass
					-20	48	5199.960	5150 to 5250	Pass
					-10	48	5199.960	5150 to 5250	Pass
					0	48	5200.000	5150 to 5250	Pass
					10	48	5199.980	5150 to 5250	Pass
					30	48	5199.960	5150 to 5250	Pass
					40	48	5200.020	5150 to 5250	Pass
		5240	SU	/	20	5199.980	5150 to 5250	Pass	
					44	5239.960	5150 to 5250	Pass	
					48	5240.020	5150 to 5250	Pass	
					57	5240.000	5150 to 5250	Pass	
					-30	48	5239.980	5150 to 5250	Pass
					-20	48	5240.020	5150 to 5250	Pass
					-10	48	5240.000	5150 to 5250	Pass
					0	48	5239.980	5150 to 5250	Pass
					10	48	5239.980	5150 to 5250	Pass
					30	48	5240.000	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1334 of 1341

	5260	SU	/	40	48	5239.980	5150 to 5250	Pass
				50	48	5239.960	5150 to 5250	Pass
				20	44	5259.960	5250 to 5350	Pass
					48	5259.960	5250 to 5350	Pass
					57	5259.960	5250 to 5350	Pass
				-30	48	5260.000	5250 to 5350	Pass
				-20	48	5259.960	5250 to 5350	Pass
				-10	48	5260.000	5250 to 5350	Pass
				0	48	5259.980	5250 to 5350	Pass
				10	48	5259.980	5250 to 5350	Pass
				30	48	5260.020	5250 to 5350	Pass
				40	48	5260.000	5250 to 5350	Pass
				50	48	5259.980	5250 to 5350	Pass
	5300	SU	/	20	44	5299.980	5250 to 5350	Pass
					48	5299.960	5250 to 5350	Pass
					57	5300.020	5250 to 5350	Pass
				-30	48	5299.980	5250 to 5350	Pass
				-20	48	5299.980	5250 to 5350	Pass
				-10	48	5299.920	5250 to 5350	Pass
				0	48	5300.020	5250 to 5350	Pass
				10	48	5299.940	5250 to 5350	Pass
				30	48	5299.980	5250 to 5350	Pass
				40	48	5300.020	5250 to 5350	Pass
				50	48	5300.020	5250 to 5350	Pass
	5320	SU	/	20	44	5320.000	5250 to 5350	Pass
					48	5320.000	5250 to 5350	Pass
					57	5319.940	5250 to 5350	Pass
				-30	48	5319.980	5250 to 5350	Pass
				-20	48	5319.940	5250 to 5350	Pass
				-10	48	5319.960	5250 to 5350	Pass
				0	48	5320.000	5250 to 5350	Pass
				10	48	5320.020	5250 to 5350	Pass
				30	48	5320.020	5250 to 5350	Pass
				40	48	5319.920	5250 to 5350	Pass
				50	48	5320.020	5250 to 5350	Pass
	5500	SU	/	20	44	5499.960	5470 to 5725	Pass
					48	5499.960	5470 to 5725	Pass
					57	5499.920	5470 to 5725	Pass
				-30	48	5499.980	5470 to 5725	Pass
				-20	48	5499.960	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1335 of 1341

				-10	48	5499.960	5470 to 5725	Pass		
				0	48	5499.980	5470 to 5725	Pass		
				10	48	5500.020	5470 to 5725	Pass		
				30	48	5499.960	5470 to 5725	Pass		
				40	48	5499.940	5470 to 5725	Pass		
				50	48	5499.940	5470 to 5725	Pass		
				5580	SU	/	44	5579.960	5470 to 5725	Pass
							20	5579.980	5470 to 5725	Pass
							57	5579.960	5470 to 5725	Pass
							-30	5580.000	5470 to 5725	Pass
							-20	5579.920	5470 to 5725	Pass
				5700	SU	/	-10	5580.000	5470 to 5725	Pass
							0	5579.980	5470 to 5725	Pass
							10	5580.020	5470 to 5725	Pass
							30	5579.940	5470 to 5725	Pass
							40	5579.980	5470 to 5725	Pass
							50	5579.940	5470 to 5725	Pass
				5745	SU	/	44	5699.980	5470 to 5725	Pass
							20	5700.000	5470 to 5725	Pass
							57	5699.940	5470 to 5725	Pass
							-30	5699.980	5470 to 5725	Pass
							-20	5699.980	5470 to 5725	Pass
							-10	5700.000	5470 to 5725	Pass
							0	5699.980	5470 to 5725	Pass
							10	5699.980	5470 to 5725	Pass
							30	5700.060	5470 to 5725	Pass
							40	5700.020	5470 to 5725	Pass
							50	5700.060	5470 to 5725	Pass
5785	SU	/	20	44	5785.020	5725 to 5850	Pass			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1336 of 1341

						48	5784.980	5725 to 5850	Pass	
						57	5784.960	5725 to 5850	Pass	
						-30	48	5784.900	5725 to 5850	Pass
						-20	48	5784.960	5725 to 5850	Pass
						-10	48	5784.940	5725 to 5850	Pass
						0	48	5785.020	5725 to 5850	Pass
						10	48	5784.920	5725 to 5850	Pass
						30	48	5784.960	5725 to 5850	Pass
						40	48	5784.840	5725 to 5850	Pass
						50	48	5785.000	5725 to 5850	Pass
		5825	SU	/		44	5824.980	5725 to 5850	Pass	
						20	48	5824.920	5725 to 5850	Pass
						57	5824.920	5725 to 5850	Pass	
						-30	48	5825.020	5725 to 5850	Pass
						-20	48	5824.960	5725 to 5850	Pass
						-10	48	5824.940	5725 to 5850	Pass
						0	48	5824.940	5725 to 5850	Pass
						10	48	5824.960	5725 to 5850	Pass
						30	48	5824.960	5725 to 5850	Pass
						40	48	5825.000	5725 to 5850	Pass
						50	48	5824.980	5725 to 5850	Pass
		5720	SU	/		44	5720.000	5470 to 5850	Pass	
						20	48	5720.060	5470 to 5850	Pass
						57	5720.020	5470 to 5850	Pass	
						-30	48	5720.020	5470 to 5850	Pass
						-20	48	5720.060	5470 to 5850	Pass
						-10	48	5720.000	5470 to 5850	Pass
						0	48	5720.040	5470 to 5850	Pass
						10	48	5720.060	5470 to 5850	Pass
						30	48	5720.060	5470 to 5850	Pass
						40	48	5720.080	5470 to 5850	Pass
						50	48	5720.040	5470 to 5850	Pass
	802.11be (EHT40)	MIMO	5190	SU	/		44	5190.040	5150 to 5250	Pass
						20	48	5190.000	5150 to 5250	Pass
						57	5190.000	5150 to 5250	Pass	
						-30	48	5189.960	5150 to 5250	Pass
						-20	48	5190.040	5150 to 5250	Pass
						-10	48	5190.040	5150 to 5250	Pass
						0	48	5189.960	5150 to 5250	Pass
						10	48	5189.960	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1337 of 1341

		5230	SU	/	30	48	5190.000	5150 to 5250	Pass	
					40	48	5190.040	5150 to 5250	Pass	
					50	48	5190.040	5150 to 5250	Pass	
					20	44	5230.000	5150 to 5250	Pass	
						48	5230.040	5150 to 5250	Pass	
						57	5230.040	5150 to 5250	Pass	
						-30	48	5230.000	5150 to 5250	Pass
						-20	48	5230.040	5150 to 5250	Pass
						-10	48	5230.000	5150 to 5250	Pass
						0	48	5229.960	5150 to 5250	Pass
						10	48	5230.040	5150 to 5250	Pass
						30	48	5230.040	5150 to 5250	Pass
						40	48	5230.040	5150 to 5250	Pass
						50	48	5229.960	5150 to 5250	Pass
		5270	SU	/	20	44	5269.960	5250 to 5350	Pass	
						48	5269.960	5250 to 5350	Pass	
						57	5270.040	5250 to 5350	Pass	
						-30	48	5270.080	5250 to 5350	Pass
						-20	48	5270.040	5250 to 5350	Pass
						-10	48	5270.000	5250 to 5350	Pass
						0	48	5269.960	5250 to 5350	Pass
						10	48	5270.000	5250 to 5350	Pass
						30	48	5270.000	5250 to 5350	Pass
						40	48	5270.48	5250 to 5350	Pass
						50	48	5270.000	5250 to 5350	Pass
		5310	SU	/	20	44	5309.960	5250 to 5350	Pass	
						48	5309.960	5250 to 5350	Pass	
						57	5310.040	5250 to 5350	Pass	
						-30	48	5309.960	5250 to 5350	Pass
						-20	48	5310.000	5250 to 5350	Pass
						-10	48	5310.040	5250 to 5350	Pass
						0	48	5310.000	5250 to 5350	Pass
						10	48	5310.040	5250 to 5350	Pass
						30	48	5309.960	5250 to 5350	Pass
						40	48	5310.040	5250 to 5350	Pass
						50	48	5309.960	5250 to 5350	Pass
		5510	SU	/	20	44	5509.920	5470 to 5725	Pass	
						48	5510.000	5470 to 5725	Pass	
						57	5509.960	5470 to 5725	Pass	
					-30	48	5510.000	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1338 of 1341

				-20	48	5510.040	5470 to 5725	Pass		
				-10	48	5510.040	5470 to 5725	Pass		
				0	48	5510.000	5470 to 5725	Pass		
				10	48	5510.040	5470 to 5725	Pass		
				30	48	5509.960	5470 to 5725	Pass		
				40	48	5510.000	5470 to 5725	Pass		
				50	48	5510.000	5470 to 5725	Pass		
				5550	SU	/	44	5550.040	5470 to 5725	Pass
							48	5550.080	5470 to 5725	Pass
							57	5550.000	5470 to 5725	Pass
							-30	5550.040	5470 to 5725	Pass
							-20	5550.000	5470 to 5725	Pass
				5670	SU	/	-10	5550.000	5470 to 5725	Pass
							0	5549.960	5470 to 5725	Pass
							10	5550.040	5470 to 5725	Pass
							30	5550.000	5470 to 5725	Pass
							40	5550.040	5470 to 5725	Pass
							50	5550.040	5470 to 5725	Pass
				5755	SU	/	44	5670.040	5470 to 5725	Pass
							48	5670.040	5470 to 5725	Pass
							57	5670.000	5470 to 5725	Pass
							-30	5670.040	5470 to 5725	Pass
							-20	5670.040	5470 to 5725	Pass
							-10	5670.040	5470 to 5725	Pass
							0	5670.040	5470 to 5725	Pass
							10	5670.000	5470 to 5725	Pass
							30	5670.000	5470 to 5725	Pass
							40	5670.000	5470 to 5725	Pass
							50	5670.040	5470 to 5725	Pass
							44	5755.040	5725 to 5850	Pass
							48	5755.000	5725 to 5850	Pass
							57	5754.960	5725 to 5850	Pass
							-30	5755.080	5725 to 5850	Pass
							-20	5754.960	5725 to 5850	Pass
							-10	5755.000	5725 to 5850	Pass
							0	5755.040	5725 to 5850	Pass
							10	5755.000	5725 to 5850	Pass
							30	5755.000	5725 to 5850	Pass
							40	5755.000	5725 to 5850	Pass
							50	5754.960	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS) Shenzhen Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1339 of 1341

		5795	SU	/	20	44	5794.960	5725 to 5850	Pass	
						48	5794.920	5725 to 5850	Pass	
						57	5794.920	5725 to 5850	Pass	
						-30	48	5795.000	5725 to 5850	Pass
						-20	48	5795.000	5725 to 5850	Pass
						-10	48	5795.000	5725 to 5850	Pass
						0	48	5795.000	5725 to 5850	Pass
						10	48	5795.000	5725 to 5850	Pass
						30	48	5795.040	5725 to 5850	Pass
						40	48	5794.920	5725 to 5850	Pass
						50	48	5795.080	5725 to 5850	Pass
					20	44	5710.080	5470 to 5850	Pass	
						48	5710.040	5470 to 5850	Pass	
						57	5710.080	5470 to 5850	Pass	
						-30	48	5710.040	5470 to 5850	Pass
						-20	48	5710.040	5470 to 5850	Pass
						-10	48	5710.040	5470 to 5850	Pass
						0	48	5710.000	5470 to 5850	Pass
						10	48	5710.040	5470 to 5850	Pass
						30	48	5710.040	5470 to 5850	Pass
						40	48	5710.040	5470 to 5850	Pass
						50	48	5710.080	5470 to 5850	Pass
802.11be (EHT80)	MIMO	5210	SU	/	20	44	5210.000	5150 to 5250	Pass	
						48	5210.000	5150 to 5250	Pass	
						57	5210.000	5150 to 5250	Pass	
						-30	48	5209.925	5150 to 5250	Pass
						-20	48	5210.000	5150 to 5250	Pass
						-10	48	5210.000	5150 to 5250	Pass
						0	48	5210.000	5150 to 5250	Pass
						10	48	5210.000	5150 to 5250	Pass
						30	48	5210.000	5150 to 5250	Pass
						40	48	5210.000	5150 to 5250	Pass
						50	48	5209.925	5150 to 5250	Pass
		5290	SU	/	20	44	5290.000	5250 to 5350	Pass	
						48	5290.000	5250 to 5350	Pass	
						57	5290.000	5250 to 5350	Pass	
						-30	48	5290.000	5250 to 5350	Pass
						-20	48	5290.000	5250 to 5350	Pass
						-10	48	5290.000	5250 to 5350	Pass
						0	48	5290.075	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1340 of 1341

				10	48	5290.000	5250 to 5350	Pass
				30	48	5290.000	5250 to 5350	Pass
				40	48	5290.000	5250 to 5350	Pass
				50	48	5290.000	5250 to 5350	Pass
	5530	SU	/	20	44	5530.000	5470 to 5725	Pass
					48	5530.075	5470 to 5725	Pass
					57	5530.000	5470 to 5725	Pass
				-30	48	5530.000	5470 to 5725	Pass
				-20	48	5530.000	5470 to 5725	Pass
				-10	48	5530.000	5470 to 5725	Pass
				0	48	5530.000	5470 to 5725	Pass
				10	48	5530.000	5470 to 5725	Pass
				30	48	5530.000	5470 to 5725	Pass
				40	48	5530.000	5470 to 5725	Pass
				50	48	5530.000	5470 to 5725	Pass
	5610	SU	/	20	44	5609.925	5470 to 5725	Pass
					48	5609.925	5470 to 5725	Pass
					57	5610.000	5470 to 5725	Pass
				-30	48	5610.000	5470 to 5725	Pass
				-20	48	5610.000	5470 to 5725	Pass
				-10	48	5610.000	5470 to 5725	Pass
				0	48	5610.000	5470 to 5725	Pass
				10	48	5610.000	5470 to 5725	Pass
				30	48	5610.000	5470 to 5725	Pass
				40	48	5610.000	5470 to 5725	Pass
				50	48	5610.000	5470 to 5725	Pass
				20	44	5774.925	5725 to 5850	Pass
					48	5775.000	5725 to 5850	Pass
					57	5774.925	5725 to 5850	Pass
	5775	SU	/	-30	48	5774.850	5725 to 5850	Pass
				-20	48	5774.925	5725 to 5850	Pass
				-10	48	5774.925	5725 to 5850	Pass
				0	48	5775.000	5725 to 5850	Pass
				10	48	5774.850	5725 to 5850	Pass
				30	48	5775.000	5725 to 5850	Pass
				40	48	5774.925	5725 to 5850	Pass
				50	48	5774.925	5725 to 5850	Pass
				20	44	5690.075	5470 to 5850	Pass
					48	5690.000	5470 to 5850	Pass
					57	5690.075	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100009504

Page: 1341 of 1341

802.11be (EHT160)	MIMO	5570	SU	/	-30	48	5690.075	5470 to 5850	Pass
					-20	48	5690.150	5470 to 5850	Pass
					-10	48	5690.000	5470 to 5850	Pass
					0	48	5690.075	5470 to 5850	Pass
					10	48	5690.000	5470 to 5850	Pass
					30	48	5690.000	5470 to 5850	Pass
					40	48	5690.000	5470 to 5850	Pass
					50	48	5690.000	5470 to 5850	Pass
		5250	SU	/	44		5570.000	5470 to 5725	Pass
					20	48	5569.925	5470 to 5725	Pass
					57		5570.000	5470 to 5725	Pass
					-30	48	5570.000	5470 to 5725	Pass
					-20	48	5570.000	5470 to 5725	Pass
					-10	48	5570.000	5470 to 5725	Pass
					0	48	5569.925	5470 to 5725	Pass
					10	48	5570.000	5470 to 5725	Pass
					30	48	5570.000	5470 to 5725	Pass
					40	48	5570.000	5470 to 5725	Pass
					50	48	5569.925	5470 to 5725	Pass
		5250	SU	/	44		5250.000	5150 to 5350	Pass
					20	48	5250.000	5150 to 5350	Pass
					57		5249.925	5150 to 5350	Pass
					-30	48	5249.925	5150 to 5350	Pass
					-20	48	5250.000	5150 to 5350	Pass
					-10	48	5249.925	5150 to 5350	Pass
					0	48	5249.925	5150 to 5350	Pass
					10	48	5249.925	5150 to 5350	Pass
					30	48	5250.000	5150 to 5350	Pass
					40	48	5250.000	5150 to 5350	Pass
					50	48	5249.850	5150 to 5350	Pass

- End of the Report -

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

