


802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is an SGS Laboratory.

802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant2_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is an SGS Laboratory.






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1087 of 1136



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is an SGS Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn


中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1088 of 1136



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com




No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1089 of 1136



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn


中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1090 of 1136



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a SGS Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1091 of 1136




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn


中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1093 of 1136




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1095 of 1136

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn


中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1096 of 1136



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn


中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1097 of 1136




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1099 of 1136




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory.
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.060	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	/	20	102	5199.940	5150 to 5250	Pass	
					120	5200.000	5150 to 5250	Pass	
					138	5200.040	5150 to 5250	Pass	
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5200.060	5150 to 5250	Pass
					50	120	5200.060	5150 to 5250	Pass
		5240	/	20	102	5240.060	5150 to 5250	Pass	
					120	5240.060	5150 to 5250	Pass	
					138	5240.020	5150 to 5250	Pass	
					-30	120	5240.060	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.060	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1102 of 1136

	5260	/	/	40	120	5240.020	5150 to 5250	Pass	
				50	120	5240.020	5150 to 5250	Pass	
				20	102	5260.060	5250 to 5350	Pass	
					120	5260.120	5250 to 5350	Pass	
					138	5260.080	5250 to 5350	Pass	
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.060	5250 to 5350	Pass
					-10	120	5260.040	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.060	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.060	5250 to 5350	Pass
					50	120	5260.060	5250 to 5350	Pass
	5300	/	/	20	102	5300.080	5250 to 5350	Pass	
					120	5300.060	5250 to 5350	Pass	
					138	5300.080	5250 to 5350	Pass	
					-30	120	5300.040	5250 to 5350	Pass
					-20	120	5300.080	5250 to 5350	Pass
				-10	120	5300.000	5250 to 5350	Pass	
					0	120	5300.000	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.060	5250 to 5350	Pass
					40	120	5300.060	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
	5320	/	/	20	102	5320.040	5250 to 5350	Pass	
					120	5320.020	5250 to 5350	Pass	
					138	5320.060	5250 to 5350	Pass	
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
				-10	120	5320.040	5250 to 5350	Pass	
					0	120	5320.060	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.060	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
	5500	/	/	20	102	5500.060	5470 to 5725	Pass	
					120	5500.060	5470 to 5725	Pass	
					138	5500.000	5470 to 5725	Pass	
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1103 of 1136

	5580	/	/	-10	120	5500.040	5470 to 5725	Pass	
				0	120	5500.040	5470 to 5725	Pass	
				10	120	5500.000	5470 to 5725	Pass	
				30	120	5500.020	5470 to 5725	Pass	
				40	120	5500.020	5470 to 5725	Pass	
				50	120	5499.980	5470 to 5725	Pass	
				20	102	5580.020	5470 to 5725	Pass	
					120	5580.000	5470 to 5725	Pass	
					138	5580.000	5470 to 5725	Pass	
					-30	120	5580.040	5470 to 5725	Pass
				-20	120	5580.040	5470 to 5725	Pass	
				-10	120	5580.080	5470 to 5725	Pass	
				0	120	5580.040	5470 to 5725	Pass	
				10	120	5580.080	5470 to 5725	Pass	
				30	120	5580.100	5470 to 5725	Pass	
				40	120	5580.060	5470 to 5725	Pass	
				50	120	5580.040	5470 to 5725	Pass	
	5700	/	/	20	102	5700.060	5470 to 5725	Pass	
					120	5700.040	5470 to 5725	Pass	
					138	5700.040	5470 to 5725	Pass	
				-30	120	5700.020	5470 to 5725	Pass	
				-20	120	5700.040	5470 to 5725	Pass	
				-10	120	5700.000	5470 to 5725	Pass	
				0	120	5700.040	5470 to 5725	Pass	
				10	120	5700.060	5470 to 5725	Pass	
				30	120	5700.040	5470 to 5725	Pass	
				40	120	5700.040	5470 to 5725	Pass	
				50	120	5700.020	5470 to 5725	Pass	
				20	102	5745.000	5725 to 5850	Pass	
					120	5745.060	5725 to 5850	Pass	
					138	5745.040	5725 to 5850	Pass	
					-30	120	5745.100	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.060	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
	5785	/	/	20	102	5785.040	5725 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1104 of 1136

						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
						-30	5785.000	5725 to 5850	Pass
						-20	5785.040	5725 to 5850	Pass
						-10	5785.040	5725 to 5850	Pass
						0	5785.000	5725 to 5850	Pass
						10	5785.060	5725 to 5850	Pass
						30	5784.920	5725 to 5850	Pass
						40	5784.980	5725 to 5850	Pass
						50	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5824.940	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5824.800	5725 to 5850	Pass
					-30	5825.020	5725 to 5850	Pass	
					-20	5825.020	5725 to 5850	Pass	
					-10	5824.980	5725 to 5850	Pass	
					0	5825.020	5725 to 5850	Pass	
					10	5824.960	5725 to 5850	Pass	
					30	5825.080	5725 to 5850	Pass	
					40	5824.980	5725 to 5850	Pass	
					50	5825.220	5725 to 5850	Pass	
		5720	/	20	102	5719.980	5470 to 5850	Pass	
					120	5720.080	5470 to 5850	Pass	
					138	5720.020	5470 to 5850	Pass	
					-30	5720.040	5470 to 5850	Pass	
					-20	5720.060	5470 to 5850	Pass	
					-10	5719.980	5470 to 5850	Pass	
					0	5720.060	5470 to 5850	Pass	
					10	5720.080	5470 to 5850	Pass	
					30	5720.040	5470 to 5850	Pass	
					40	5720.000	5470 to 5850	Pass	
					50	5719.960	5470 to 5850	Pass	
802.11n (HT20)	MIMO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	5180.020	5150 to 5250	Pass	
					-20	5180.080	5150 to 5250	Pass	
					-10	5180.020	5150 to 5250	Pass	
					0	5180.040	5150 to 5250	Pass	
					10	5180.020	5150 to 5250	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1105 of 1136

		5200	/	/	30	120	5180.000	5150 to 5250	Pass	
					40	120	5180.040	5150 to 5250	Pass	
					50	120	5180.000	5150 to 5250	Pass	
					20	102	5200.000	5150 to 5250	Pass	
						120	5200.020	5150 to 5250	Pass	
						138	5200.020	5150 to 5250	Pass	
						-30	120	5200.040	5150 to 5250	Pass
						-20	120	5200.020	5150 to 5250	Pass
						-10	120	5200.040	5150 to 5250	Pass
						0	120	5200.060	5150 to 5250	Pass
						10	120	5200.020	5150 to 5250	Pass
						30	120	5200.020	5150 to 5250	Pass
						40	120	5200.020	5150 to 5250	Pass
						50	120	5200.000	5150 to 5250	Pass
					20	102	5240.060	5150 to 5250	Pass	
						120	5240.040	5150 to 5250	Pass	
						138	5240.040	5150 to 5250	Pass	
						-30	120	5239.980	5150 to 5250	Pass
						-20	120	5240.020	5150 to 5250	Pass
						-10	120	5240.020	5150 to 5250	Pass
						0	120	5240.040	5150 to 5250	Pass
						10	120	5240.020	5150 to 5250	Pass
						30	120	5240.000	5150 to 5250	Pass
						40	120	5240.020	5150 to 5250	Pass
						50	120	5240.000	5150 to 5250	Pass
					20	102	5260.120	5250 to 5350	Pass	
						120	5260.060	5250 to 5350	Pass	
						138	5260.120	5250 to 5350	Pass	
						-30	120	5260.040	5250 to 5350	Pass
						-20	120	5260.040	5250 to 5350	Pass
						-10	120	5260.020	5250 to 5350	Pass
						0	120	5260.020	5250 to 5350	Pass
						10	120	5260.060	5250 to 5350	Pass
						30	120	5260.040	5250 to 5350	Pass
						40	120	5260.040	5250 to 5350	Pass
						50	120	5260.080	5250 to 5350	Pass
					20	102	5300.040	5250 to 5350	Pass	
						120	5300.060	5250 to 5350	Pass	
						138	5300.000	5250 to 5350	Pass	
						-30	120	5300.020	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1106 of 1136

				-20	120	5300.040	5250 to 5350	Pass	
				-10	120	5300.000	5250 to 5350	Pass	
				0	120	5300.080	5250 to 5350	Pass	
				10	120	5300.060	5250 to 5350	Pass	
				30	120	5300.020	5250 to 5350	Pass	
				40	120	5300.000	5250 to 5350	Pass	
				50	120	5300.020	5250 to 5350	Pass	
				5320	/	102	5320.060	5250 to 5350	Pass
						120	5320.020	5250 to 5350	Pass
						138	5319.980	5250 to 5350	Pass
						-30	5319.960	5250 to 5350	Pass
						-20	5320.020	5250 to 5350	Pass
				5500	/	-10	5320.020	5250 to 5350	Pass
						0	5320.040	5250 to 5350	Pass
						10	5320.040	5250 to 5350	Pass
						30	5320.000	5250 to 5350	Pass
						40	5320.060	5250 to 5350	Pass
						50	5320.020	5250 to 5350	Pass
				5580	/	102	5500.040	5470 to 5725	Pass
						120	5499.960	5470 to 5725	Pass
						138	5500.020	5470 to 5725	Pass
						-30	5500.080	5470 to 5725	Pass
						-20	5500.040	5470 to 5725	Pass
						-10	5500.080	5470 to 5725	Pass
						0	5500.020	5470 to 5725	Pass
						10	5500.020	5470 to 5725	Pass
						30	5500.040	5470 to 5725	Pass
						40	5500.080	5470 to 5725	Pass
						50	5500.020	5470 to 5725	Pass
						102	5579.980	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.060	5470 to 5725	Pass
						-30	5580.000	5470 to 5725	Pass
						-20	5580.040	5470 to 5725	Pass
						-10	5579.980	5470 to 5725	Pass
						0	5579.980	5470 to 5725	Pass
						10	5580.000	5470 to 5725	Pass
						30	5580.040	5470 to 5725	Pass
						40	5580.020	5470 to 5725	Pass
						50	5580.080	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1107 of 1136

	5700	/	/	20	102	5700.080	5470 to 5725	Pass	
					120	5700.060	5470 to 5725	Pass	
					138	5700.040	5470 to 5725	Pass	
					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5699.920	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
	5745	/	/	20	102	5745.040	5725 to 5850	Pass	
					120	5745.060	5725 to 5850	Pass	
					138	5745.100	5725 to 5850	Pass	
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5744.960	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.040	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
	5785	/	/	20	102	5784.980	5725 to 5850	Pass	
					120	5785.000	5725 to 5850	Pass	
					138	5785.000	5725 to 5850	Pass	
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
	5825	/	/	20	102	5825.000	5725 to 5850	Pass	
					120	5825.020	5725 to 5850	Pass	
					138	5825.060	5725 to 5850	Pass	
					-30	120	5825.040	5725 to 5850	Pass
					-20	120	5824.940	5725 to 5850	Pass
					-10	120	5825.040	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1108 of 1136

					10	120	5824.980	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.940	5725 to 5850	Pass
			5720	/	20	102	5720.040	5470 to 5850	Pass
						120	5720.060	5470 to 5850	Pass
						138	5719.960	5470 to 5850	Pass
						-30	5720.020	5470 to 5850	Pass
						-20	5720.040	5470 to 5850	Pass
						-10	5720.020	5470 to 5850	Pass
						0	5720.060	5470 to 5850	Pass
						10	5720.040	5470 to 5850	Pass
						30	5720.060	5470 to 5850	Pass
						40	5720.040	5470 to 5850	Pass
						50	5720.060	5470 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
						-30	5190.080	5150 to 5250	Pass
						-20	5190.000	5150 to 5250	Pass
						-10	5190.000	5150 to 5250	Pass
						0	5190.040	5150 to 5250	Pass
						10	5189.960	5150 to 5250	Pass
						30	5190.040	5150 to 5250	Pass
						40	5190.080	5150 to 5250	Pass
						50	5190.040	5150 to 5250	Pass
		5230	/	20	102	5230.120	5150 to 5250	Pass	
						120	5230.080	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
						-30	5230.080	5150 to 5250	Pass
						-20	5230.120	5150 to 5250	Pass
						-10	5230.040	5150 to 5250	Pass
						0	5230.000	5150 to 5250	Pass
						10	5230.040	5150 to 5250	Pass
						30	5230.120	5150 to 5250	Pass
						40	5230.040	5150 to 5250	Pass
						50	5230.120	5150 to 5250	Pass
		5270	/	20	102	5270.040	5250 to 5350	Pass	
						120	5269.960	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1109 of 1136

					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
					30	120	5270.000	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
						102	5309.960	5250 to 5350	Pass
						20	5310.040	5250 to 5350	Pass
						138	5310.000	5250 to 5350	Pass
						-30	5310.040	5250 to 5350	Pass
						-20	5310.040	5250 to 5350	Pass
						-10	5310.000	5250 to 5350	Pass
						0	5310.040	5250 to 5350	Pass
						10	5310.040	5250 to 5350	Pass
						30	5310.040	5250 to 5350	Pass
						40	5310.080	5250 to 5350	Pass
						50	5310.040	5250 to 5350	Pass
						102	5510.000	5470 to 5725	Pass
						20	5510.040	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
						-30	5510.040	5470 to 5725	Pass
						-20	5510.040	5470 to 5725	Pass
						-10	5510.040	5470 to 5725	Pass
						0	5510.080	5470 to 5725	Pass
						10	5510.120	5470 to 5725	Pass
						30	5510.000	5470 to 5725	Pass
						40	5510.080	5470 to 5725	Pass
						50	5510.080	5470 to 5725	Pass
						102	5550.080	5470 to 5725	Pass
						20	5550.040	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
						-30	5550.000	5470 to 5725	Pass
						-20	5550.040	5470 to 5725	Pass
						-10	5550.000	5470 to 5725	Pass
						0	5550.040	5470 to 5725	Pass
						10	5550.000	5470 to 5725	Pass
						30	5550.080	5470 to 5725	Pass
						40	5550.040	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1110 of 1136

				50	120	5550.040	5470 to 5725	Pass
5670	/	/	20	102	5670.000	5470 to 5725	Pass	
				120	5670.120	5470 to 5725	Pass	
				138	5670.040	5470 to 5725	Pass	
				-30	120	5670.040	5470 to 5725	Pass
				-20	120	5670.000	5470 to 5725	Pass
				-10	120	5670.040	5470 to 5725	Pass
				0	120	5670.000	5470 to 5725	Pass
				10	120	5670.080	5470 to 5725	Pass
				30	120	5670.000	5470 to 5725	Pass
				40	120	5670.040	5470 to 5725	Pass
5755	/	/	20	102	5755.080	5725 to 5850	Pass	
				120	5755.080	5725 to 5850	Pass	
				138	5755.040	5725 to 5850	Pass	
				-30	120	5755.040	5725 to 5850	Pass
				-20	120	5755.040	5725 to 5850	Pass
				-10	120	5755.040	5725 to 5850	Pass
				0	120	5755.040	5725 to 5850	Pass
				10	120	5755.080	5725 to 5850	Pass
				30	120	5755.000	5725 to 5850	Pass
				40	120	5755.000	5725 to 5850	Pass
5795	/	/	20	102	5795.000	5725 to 5850	Pass	
				120	5795.040	5725 to 5850	Pass	
				138	5795.040	5725 to 5850	Pass	
				-30	120	5795.040	5725 to 5850	Pass
				-20	120	5795.040	5725 to 5850	Pass
				-10	120	5795.040	5725 to 5850	Pass
				0	120	5795.040	5725 to 5850	Pass
				10	120	5795.000	5725 to 5850	Pass
				30	120	5795.000	5725 to 5850	Pass
				40	120	5794.960	5725 to 5850	Pass
5710	/	/	20	102	5710.080	5470 to 5850	Pass	
				120	5710.040	5470 to 5850	Pass	
				138	5710.040	5470 to 5850	Pass	
				-30	120	5710.040	5470 to 5850	Pass
				-20	120	5710.040	5470 to 5850	Pass
				-10	120	5710.040	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1111 of 1136

					0	120	5710.080	5470 to 5850	Pass
					10	120	5710.040	5470 to 5850	Pass
					30	120	5710.120	5470 to 5850	Pass
					40	120	5710.040	5470 to 5850	Pass
					50	120	5710.080	5470 to 5850	Pass
802.11ac (VHT20)	MIMO	/	/	/	20	102	5180.060	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
						-30	5180.040	5150 to 5250	Pass
						-20	5180.040	5150 to 5250	Pass
					20	-10	5180.020	5150 to 5250	Pass
						0	5180.060	5150 to 5250	Pass
						10	5180.060	5150 to 5250	Pass
						30	5180.060	5150 to 5250	Pass
						40	5179.960	5150 to 5250	Pass
						50	5180.020	5150 to 5250	Pass
					20	102	5200.020	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
						-30	5200.040	5150 to 5250	Pass
						-20	5200.040	5150 to 5250	Pass
						-10	5200.040	5150 to 5250	Pass
						0	5200.000	5150 to 5250	Pass
						10	5200.000	5150 to 5250	Pass
						30	5200.020	5150 to 5250	Pass
						40	5200.060	5150 to 5250	Pass
						50	5200.000	5150 to 5250	Pass
					20	102	5240.000	5150 to 5250	Pass
						120	5240.100	5150 to 5250	Pass
						138	5240.060	5150 to 5250	Pass
						-30	5240.040	5150 to 5250	Pass
						-20	5240.020	5150 to 5250	Pass
						-10	5240.040	5150 to 5250	Pass
						0	5240.060	5150 to 5250	Pass
						10	5240.020	5150 to 5250	Pass
						30	5240.060	5150 to 5250	Pass
						40	5240.100	5150 to 5250	Pass
						50	5240.060	5150 to 5250	Pass
					20	102	5260.040	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1112 of 1136

						138	5260.040	5250 to 5350	Pass	
					-30	120	5260.060	5250 to 5350	Pass	
					-20	120	5260.080	5250 to 5350	Pass	
					-10	120	5260.020	5250 to 5350	Pass	
					0	120	5260.060	5250 to 5350	Pass	
					10	120	5260.040	5250 to 5350	Pass	
					30	120	5260.040	5250 to 5350	Pass	
					40	120	5260.040	5250 to 5350	Pass	
					50	120	5260.080	5250 to 5350	Pass	
						102	5300.100	5250 to 5350	Pass	
						20	5300.020	5250 to 5350	Pass	
						138	5300.020	5250 to 5350	Pass	
						-30	120	5300.020	5250 to 5350	Pass
						-20	120	5300.020	5250 to 5350	Pass
						-10	120	5300.020	5250 to 5350	Pass
						0	120	5300.080	5250 to 5350	Pass
						10	120	5300.020	5250 to 5350	Pass
						30	120	5300.020	5250 to 5350	Pass
						40	120	5300.040	5250 to 5350	Pass
						50	120	5300.060	5250 to 5350	Pass
						102	5319.980	5250 to 5350	Pass	
						20	5320.100	5250 to 5350	Pass	
						138	5319.980	5250 to 5350	Pass	
						-30	120	5320.060	5250 to 5350	Pass
						-20	120	5320.100	5250 to 5350	Pass
						-10	120	5320.040	5250 to 5350	Pass
						0	120	5320.000	5250 to 5350	Pass
						10	120	5320.080	5250 to 5350	Pass
						30	120	5320.020	5250 to 5350	Pass
						40	120	5320.000	5250 to 5350	Pass
						50	120	5320.020	5250 to 5350	Pass
						102	5500.100	5470 to 5725	Pass	
						20	5500.020	5470 to 5725	Pass	
						138	5500.040	5470 to 5725	Pass	
						-30	120	5500.040	5470 to 5725	Pass
						-20	120	5500.020	5470 to 5725	Pass
						-10	120	5500.020	5470 to 5725	Pass
						0	120	5500.000	5470 to 5725	Pass
						10	120	5500.040	5470 to 5725	Pass
						30	120	5500.000	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1113 of 1136

	5580	/	/	40	120	5500.040	5470 to 5725	Pass		
				50	120	5500.060	5470 to 5725	Pass		
				20	102	5580.040	5470 to 5725	Pass		
					120	5580.040	5470 to 5725	Pass		
					138	5580.020	5470 to 5725	Pass		
					-30	5580.020	5470 to 5725	Pass		
					-20	5580.060	5470 to 5725	Pass		
				5700	-10	5580.100	5470 to 5725	Pass		
					0	5580.040	5470 to 5725	Pass		
					10	5580.080	5470 to 5725	Pass		
					30	5580.040	5470 to 5725	Pass		
					40	5580.060	5470 to 5725	Pass		
					50	5580.020	5470 to 5725	Pass		
					5745	102	5700.060	5470 to 5725	Pass	
						120	5700.060	5470 to 5725	Pass	
						138	5700.060	5470 to 5725	Pass	
						-30	5700.060	5470 to 5725	Pass	
						-20	5700.060	5470 to 5725	Pass	
						-10	5700.060	5470 to 5725	Pass	
						0	5700.080	5470 to 5725	Pass	
						10	5700.020	5470 to 5725	Pass	
						30	5700.040	5470 to 5725	Pass	
						40	5700.080	5470 to 5725	Pass	
						50	5700.020	5470 to 5725	Pass	
				5785	/	20	102	5744.980	5725 to 5850	Pass
							120	5745.020	5725 to 5850	Pass
							138	5744.960	5725 to 5850	Pass
						-30	5745.120	5725 to 5850	Pass	
						-20	5744.980	5725 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1114 of 1136

					-10	120	5784.980	5725 to 5850	Pass
					0	120	5785.040	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
					5825	/	20	102	5825.000
								120	5825.000
								138	5825.020
								-30	5825.040
								-20	5825.000
					5720	/	20	-10	5825.020
								0	5824.980
								10	5824.940
								30	5825.000
								40	5824.960
								50	5824.980
								102	5720.060
								120	5720.080
								138	5720.080
								-30	5720.080
802.11ac (VHT40)	MIMO	5190	/	/	20	/	20	-20	5720.020
								-10	5720.000
								0	5720.000
								10	5719.980
								30	5720.060
					5230	/	20	40	5720.060
								50	5720.000
								102	5190.040
								120	5190.000
								138	5190.080
							20	-30	5190.040
								-20	5190.040
								-10	5189.960
								0	5190.040
								10	5190.000
								30	5190.040
								40	5190.080
								50	5190.080
								102	5230.000
								20	5150 to 5250

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1115 of 1136

						120	5230.040	5150 to 5250	Pass	
						138	5230.040	5150 to 5250	Pass	
						-30	120	5230.080	5150 to 5250	Pass
						-20	120	5230.040	5150 to 5250	Pass
						-10	120	5230.080	5150 to 5250	Pass
						0	120	5230.120	5150 to 5250	Pass
						10	120	5230.040	5150 to 5250	Pass
						30	120	5230.040	5150 to 5250	Pass
						40	120	5230.040	5150 to 5250	Pass
						50	120	5230.160	5150 to 5250	Pass
5270	/	/			20	102	5270.040	5250 to 5350	Pass	
						120	5270.040	5250 to 5350	Pass	
						138	5270.040	5250 to 5350	Pass	
					-30	120	5270.080	5250 to 5350	Pass	
						-20	120	5270.040	5250 to 5350	Pass
						-10	120	5270.040	5250 to 5350	Pass
						0	120	5270.040	5250 to 5350	Pass
						10	120	5270.080	5250 to 5350	Pass
						30	120	5270.040	5250 to 5350	Pass
						40	120	5270.040	5250 to 5350	Pass
						50	120	5270.040	5250 to 5350	Pass
5310	/	/		20	102	5310.040	5250 to 5350	Pass		
						120	5310.080	5250 to 5350	Pass	
						138	5310.040	5250 to 5350	Pass	
				-30	120	5310.000	5250 to 5350	Pass		
					-20	120	5310.080	5250 to 5350	Pass	
					-10	120	5310.040	5250 to 5350	Pass	
					0	120	5310.040	5250 to 5350	Pass	
					10	120	5310.080	5250 to 5350	Pass	
					30	120	5310.080	5250 to 5350	Pass	
					40	120	5310.000	5250 to 5350	Pass	
					50	120	5310.040	5250 to 5350	Pass	
5510	/	/		20	102	5510.040	5470 to 5725	Pass		
						120	5510.040	5470 to 5725	Pass	
						138	5510.000	5470 to 5725	Pass	
				-30	120	5510.000	5470 to 5725	Pass		
					-20	120	5510.120	5470 to 5725	Pass	
					-10	120	5510.080	5470 to 5725	Pass	
					0	120	5510.080	5470 to 5725	Pass	
					10	120	5510.000	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1116 of 1136

	5550	/	/	30	120	5510.080	5470 to 5725	Pass	
				40	120	5510.040	5470 to 5725	Pass	
				50	120	5510.080	5470 to 5725	Pass	
				20	102	5550.040	5470 to 5725	Pass	
					120	5550.120	5470 to 5725	Pass	
					138	5550.000	5470 to 5725	Pass	
					-30	120	5550.000	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.120	5470 to 5725	Pass
					40	120	5550.120	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
	5670	/	/	20	102	5670.120	5470 to 5725	Pass	
					120	5670.040	5470 to 5725	Pass	
					138	5670.040	5470 to 5725	Pass	
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
	5755	/	/	20	102	5755.040	5725 to 5850	Pass	
					120	5755.080	5725 to 5850	Pass	
					138	5754.920	5725 to 5850	Pass	
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.000	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
	5795	/	/	20	102	5795.000	5725 to 5850	Pass	
					120	5795.040	5725 to 5850	Pass	
					138	5795.000	5725 to 5850	Pass	
				-30	120	5795.000	5725 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1117 of 1136

					-20	120	5795.080	5725 to 5850	Pass	
					-10	120	5795.000	5725 to 5850	Pass	
					0	120	5795.040	5725 to 5850	Pass	
					10	120	5795.040	5725 to 5850	Pass	
					30	120	5795.040	5725 to 5850	Pass	
					40	120	5795.120	5725 to 5850	Pass	
					50	120	5795.000	5725 to 5850	Pass	
					5710	/	20	102	5710.080	
								120	5710.080	
								138	5710.080	
							-30	120	5710.080	
								-20	5710.120	
					5210	/		-10	5710.080	
								0	5710.160	
								10	5710.040	
								30	5710.080	
								40	5710.080	
802.11ac (VHT80)	MIMO				20	/	20	102	5210.000	
								120	5210.075	
								138	5210.150	
							-30	120	5210.075	
								-20	5210.225	
					5290	/		-10	5210.075	
								0	5210.075	
								10	5210.075	
								30	5210.075	
								40	5210.000	
					20	/	20	102	5290.075	
								120	5290.075	
								138	5290.000	
							-30	120	5290.075	
								-20	5290.075	
					5290	/		-10	5290.075	
								0	5290.075	
								10	5290.075	
								30	5290.075	
								40	5290.075	
								50	5290.000	
								50	5250 to 5350	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1118 of 1136

	5530	/	/	20	102	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
					138	5530.075	5470 to 5725	Pass	
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
	5610	/	/	20	102	5610.000	5470 to 5725	Pass	
					120	5610.000	5470 to 5725	Pass	
					138	5610.000	5470 to 5725	Pass	
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.000	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.000	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
	5775	/	/	20	102	5775.000	5725 to 5850	Pass	
					120	5775.000	5725 to 5850	Pass	
					138	5775.075	5725 to 5850	Pass	
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
	5690	/	/	20	102	5690.075	5470 to 5850	Pass	
					120	5690.075	5470 to 5850	Pass	
					138	5690.075	5470 to 5850	Pass	
					-30	120	5690.075	5470 to 5850	Pass
					-20	120	5690.000	5470 to 5850	Pass
					-10	120	5690.075	5470 to 5850	Pass
					0	120	5690.075	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1119 of 1136

					10	120	5690.000	5470 to 5850	Pass	
					30	120	5690.075	5470 to 5850	Pass	
					40	120	5690.000	5470 to 5850	Pass	
					50	120	5690.075	5470 to 5850	Pass	
802.11ac (VHT160)	MIMO	5570	/	/	20	102	5570.000	5470 to 5725	Pass	
						120	5570.075	5470 to 5725	Pass	
						138	5570.075	5470 to 5725	Pass	
						-30	120	5570.075	5470 to 5725	Pass
						-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass	
						0	120	5570.000	5470 to 5725	Pass
						10	120	5570.000	5470 to 5725	Pass
						30	120	5570.075	5470 to 5725	Pass
						40	120	5570.000	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass	
						102	5250.075	5150 to 5350	Pass	
						120	5250.075	5150 to 5350	Pass	
						138	5250.075	5150 to 5350	Pass	
						-30	120	5250.075	5150 to 5350	Pass
						-20	120	5250.000	5150 to 5350	Pass
						-10	120	5250.075	5150 to 5350	Pass
						0	120	5250.000	5150 to 5350	Pass
						10	120	5250.000	5150 to 5350	Pass
						30	120	5250.075	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5250	/	/	20	40	5250.075	5150 to 5350	Pass	
						50	120	5250.000	5150 to 5350	Pass
						102	5180.080	5150 to 5250	Pass	
						120	5180.040	5150 to 5250	Pass	
						138	5180.080	5150 to 5250	Pass	
					-30	-30	5180.000	5150 to 5250	Pass	
						-20	120	5180.080	5150 to 5250	Pass
						-10	120	5180.000	5150 to 5250	Pass
						0	120	5180.040	5150 to 5250	Pass
						10	120	5180.040	5150 to 5250	Pass
					-20	30	5180.000	5150 to 5250	Pass	
						40	120	5180.060	5150 to 5250	Pass
						50	120	5180.060	5150 to 5250	Pass
						102	5200.020	5150 to 5250	Pass	
						120	5200.100	5150 to 5250	Pass	
					20	138	5199.980	5150 to 5250	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1120 of 1136

				-30	120	5200.060	5150 to 5250	Pass		
				-20	120	5199.960	5150 to 5250	Pass		
				-10	120	5200.080	5150 to 5250	Pass		
				0	120	5200.040	5150 to 5250	Pass		
				10	120	5200.040	5150 to 5250	Pass		
				30	120	5200.020	5150 to 5250	Pass		
				40	120	5200.000	5150 to 5250	Pass		
				50	120	5200.040	5150 to 5250	Pass		
				5240	SU	/	102	5240.100	5150 to 5250	Pass
							120	5240.080	5150 to 5250	Pass
							138	5240.000	5150 to 5250	Pass
							-30	5239.980	5150 to 5250	Pass
							-20	5240.000	5150 to 5250	Pass
				5260	SU	/	-10	5240.000	5150 to 5250	Pass
							0	5240.040	5150 to 5250	Pass
							10	5239.980	5150 to 5250	Pass
							30	5239.960	5150 to 5250	Pass
							40	5240.000	5150 to 5250	Pass
							50	5240.040	5150 to 5250	Pass
				5300	SU	/	102	5260.100	5250 to 5350	Pass
							120	5260.120	5250 to 5350	Pass
							138	5260.040	5250 to 5350	Pass
							-30	5260.060	5250 to 5350	Pass
							-20	5260.040	5250 to 5350	Pass
							-10	5260.020	5250 to 5350	Pass
							0	5260.040	5250 to 5350	Pass
							10	5260.100	5250 to 5350	Pass
							30	5260.040	5250 to 5350	Pass
							40	5260.060	5250 to 5350	Pass
							50	5260.000	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1121 of 1136

				50	120	5300.040	5250 to 5350	Pass	
5320	SU	/		20	102	5320.020	5250 to 5350	Pass	
					120	5320.100	5250 to 5350	Pass	
					138	5320.080	5250 to 5350	Pass	
					-30	120	5320.040	5250 to 5350	Pass
				-20	120	5320.020	5250 to 5350	Pass	
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.020	5250 to 5350	Pass
					10	120	5320.100	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.060	5250 to 5350	Pass
5500	SU	/		20	102	5500.060	5470 to 5725	Pass	
					120	5500.020	5470 to 5725	Pass	
					138	5500.060	5470 to 5725	Pass	
					-30	120	5500.020	5470 to 5725	Pass
				-20	120	5500.020	5470 to 5725	Pass	
					-10	120	5500.040	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.100	5470 to 5725	Pass
					30	120	5500.120	5470 to 5725	Pass
					40	120	5500.100	5470 to 5725	Pass
5580	SU	/		20	102	5580.000	5470 to 5725	Pass	
					120	5580.100	5470 to 5725	Pass	
					138	5580.020	5470 to 5725	Pass	
					-30	120	5580.000	5470 to 5725	Pass
				-20	120	5580.000	5470 to 5725	Pass	
					-10	120	5580.060	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.020	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.080	5470 to 5725	Pass
5700	SU	/		20	102	5580.040	5470 to 5725	Pass	
					120	5699.960	5470 to 5725	Pass	
					138	5699.940	5470 to 5725	Pass	
					-30	120	5700.080	5470 to 5725	Pass
				-20	120	5700.020	5470 to 5725	Pass	
					-10	120	5700.020	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1122 of 1136

					0	120	5700.040	5470 to 5725	Pass
					10	120	5700.060	5470 to 5725	Pass
					30	120	5700.060	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5700.040	5470 to 5725	Pass
	5745	SU	/	20	102	5745.060	5725 to 5850	Pass	
					120	5745.020	5725 to 5850	Pass	
					138	5745.040	5725 to 5850	Pass	
				-30	120	5745.040	5725 to 5850	Pass	
				-20	120	5745.020	5725 to 5850	Pass	
				-10	120	5745.020	5725 to 5850	Pass	
				0	120	5745.000	5725 to 5850	Pass	
				10	120	5744.960	5725 to 5850	Pass	
				30	120	5744.980	5725 to 5850	Pass	
				40	120	5745.060	5725 to 5850	Pass	
				50	120	5744.960	5725 to 5850	Pass	
	5785	SU	/	20	102	5785.020	5725 to 5850	Pass	
					120	5784.960	5725 to 5850	Pass	
					138	5785.080	5725 to 5850	Pass	
				-30	120	5785.040	5725 to 5850	Pass	
				-20	120	5784.960	5725 to 5850	Pass	
				-10	120	5784.980	5725 to 5850	Pass	
				0	120	5785.020	5725 to 5850	Pass	
				10	120	5785.080	5725 to 5850	Pass	
				30	120	5785.040	5725 to 5850	Pass	
				40	120	5785.020	5725 to 5850	Pass	
				50	120	5784.940	5725 to 5850	Pass	
	5825	SU	/	20	102	5825.020	5725 to 5850	Pass	
					120	5824.960	5725 to 5850	Pass	
					138	5825.000	5725 to 5850	Pass	
				-30	120	5825.020	5725 to 5850	Pass	
				-20	120	5824.980	5725 to 5850	Pass	
				-10	120	5825.100	5725 to 5850	Pass	
				0	120	5825.060	5725 to 5850	Pass	
				10	120	5825.040	5725 to 5850	Pass	
				30	120	5825.040	5725 to 5850	Pass	
				40	120	5825.020	5725 to 5850	Pass	
				50	120	5825.080	5725 to 5850	Pass	
	5720	SU	/	20	102	5720.080	5470 to 5850	Pass	
					120	5720.100	5470 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1123 of 1136

						138	5720.060	5470 to 5850	Pass
						-30	5720.020	5470 to 5850	Pass
						-20	5720.060	5470 to 5850	Pass
						-10	5720.020	5470 to 5850	Pass
						0	5719.960	5470 to 5850	Pass
						10	5720.020	5470 to 5850	Pass
						30	5720.000	5470 to 5850	Pass
						40	5719.900	5470 to 5850	Pass
						50	5720.000	5470 to 5850	Pass
						102	5190.080	5150 to 5250	Pass
						20	5190.000	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
						-30	5190.080	5150 to 5250	Pass
						-20	5190.000	5150 to 5250	Pass
						-10	5190.000	5150 to 5250	Pass
						0	5189.960	5150 to 5250	Pass
						10	5190.080	5150 to 5250	Pass
						30	5190.040	5150 to 5250	Pass
						40	5190.040	5150 to 5250	Pass
						50	5190.120	5150 to 5250	Pass
						102	5230.120	5150 to 5250	Pass
						20	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
						-30	5230.040	5150 to 5250	Pass
						-20	5230.040	5150 to 5250	Pass
						-10	5230.040	5150 to 5250	Pass
						0	5230.120	5150 to 5250	Pass
						10	5230.040	5150 to 5250	Pass
						30	5230.080	5150 to 5250	Pass
						40	5230.120	5150 to 5250	Pass
						50	5230.080	5150 to 5250	Pass
						102	5270.080	5250 to 5350	Pass
						20	5270.040	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass
						-30	5269.920	5250 to 5350	Pass
						-20	5270.080	5250 to 5350	Pass
						-10	5270.080	5250 to 5350	Pass
						0	5270.040	5250 to 5350	Pass
						10	5270.040	5250 to 5350	Pass
						30	5270.080	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1124 of 1136

		5310	SU	/	40	120	5270.000	5250 to 5350	Pass	
					50	120	5270.000	5250 to 5350	Pass	
					20	102	5310.000	5250 to 5350	Pass	
						120	5310.000	5250 to 5350	Pass	
						138	5310.080	5250 to 5350	Pass	
						-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass	
						-10	120	5310.000	5250 to 5350	Pass
						0	120	5310.000	5250 to 5350	Pass
						10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass	
						40	120	5310.040	5250 to 5350	Pass
						50	120	5310.040	5250 to 5350	Pass
						102	5510.120	5470 to 5725	Pass	
		5510	SU	/	20	120	5510.000	5470 to 5725	Pass	
						138	5510.000	5470 to 5725	Pass	
						-30	120	5510.000	5470 to 5725	Pass
						-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass	
						0	120	5510.040	5470 to 5725	Pass
						10	120	5510.040	5470 to 5725	Pass
						30	120	5510.120	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass	
						50	120	5510.080	5470 to 5725	Pass
						102	5550.000	5470 to 5725	Pass	
						20	120	5550.080	5470 to 5725	Pass
		5550	SU	/	20	138	5550.000	5470 to 5725	Pass	
						-30	120	5550.040	5470 to 5725	Pass
						-20	120	5550.040	5470 to 5725	Pass
						-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass	
						10	120	5550.000	5470 to 5725	Pass
						30	120	5550.000	5470 to 5725	Pass
						40	120	5550.000	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass	
						102	5670.040	5470 to 5725	Pass	
						20	120	5670.040	5470 to 5725	Pass
						138	5670.000	5470 to 5725	Pass	
		5670	SU	/	-30	120	5670.000	5470 to 5725	Pass	
						-20	120	5670.040	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1125 of 1136

					-10	120	5670.080	5470 to 5725	Pass
					0	120	5669.960	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.040	5470 to 5725	Pass
					5755	SU	/	102	5755.040
								120	5755.000
								138	5754.960
								-30	5754.960
								-20	5755.040
					5795	SU	/	-10	5754.960
								0	5754.960
								10	5755.080
								30	5755.000
								40	5754.960
								50	5755.000
					5710	SU	/	102	5795.040
								120	5794.960
								138	5794.960
								-30	5795.000
								-20	5795.000
								-10	5795.000
								0	5795.000
								10	5795.000
								30	5795.080
								40	5795.000
								50	5795.000
802.11ax	MIMO	5210	SU	/	20	102	5210.075	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1126 of 1136

(HEW80)						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5209.925	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
5290	SU	/		20	102	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
					138	5290.000	5250 to 5350	Pass	
				-30	120	5289.925	5250 to 5350	Pass	
				-20	120	5290.075	5250 to 5350	Pass	
				-10	120	5290.000	5250 to 5350	Pass	
				0	120	5289.925	5250 to 5350	Pass	
				10	120	5290.000	5250 to 5350	Pass	
				30	120	5290.075	5250 to 5350	Pass	
				40	120	5290.075	5250 to 5350	Pass	
				50	120	5290.075	5250 to 5350	Pass	
	5530	SU	/	20	102	5530.000	5470 to 5725	Pass	
					120	5530.000	5470 to 5725	Pass	
					138	5530.000	5470 to 5725	Pass	
				-30	120	5530.000	5470 to 5725	Pass	
				-20	120	5530.075	5470 to 5725	Pass	
				-10	120	5530.075	5470 to 5725	Pass	
				0	120	5530.150	5470 to 5725	Pass	
				10	120	5530.075	5470 to 5725	Pass	
				30	120	5530.075	5470 to 5725	Pass	
				40	120	5530.000	5470 to 5725	Pass	
	5610	SU	/	20	102	5610.075	5470 to 5725	Pass	
					120	5610.075	5470 to 5725	Pass	
					138	5610.075	5470 to 5725	Pass	
				-30	120	5610.000	5470 to 5725	Pass	
				-20	120	5610.075	5470 to 5725	Pass	
				-10	120	5610.075	5470 to 5725	Pass	
				0	120	5609.925	5470 to 5725	Pass	
				10	120	5610.000	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1127 of 1136

		5775	SU	/	30	120	5610.000	5470 to 5725	Pass	
					40	120	5610.000	5470 to 5725	Pass	
					50	120	5610.075	5470 to 5725	Pass	
					20	102	5775.075	5725 to 5850	Pass	
						120	5775.000	5725 to 5850	Pass	
						138	5775.000	5725 to 5850	Pass	
						-30	120	5775.075	5725 to 5850	Pass
						-20	120	5775.075	5725 to 5850	Pass
						-10	120	5775.075	5725 to 5850	Pass
						0	120	5775.000	5725 to 5850	Pass
						10	120	5774.925	5725 to 5850	Pass
						30	120	5775.000	5725 to 5850	Pass
						40	120	5775.000	5725 to 5850	Pass
						50	120	5775.000	5725 to 5850	Pass
		5690	SU	/	20	102	5690.075	5470 to 5850	Pass	
						120	5690.075	5470 to 5850	Pass	
						138	5690.075	5470 to 5850	Pass	
						-30	120	5690.075	5470 to 5850	Pass
						-20	120	5690.075	5470 to 5850	Pass
						-10	120	5690.000	5470 to 5850	Pass
						0	120	5690.075	5470 to 5850	Pass
						10	120	5690.075	5470 to 5850	Pass
						30	120	5690.075	5470 to 5850	Pass
						40	120	5690.075	5470 to 5850	Pass
						50	120	5690.150	5470 to 5850	Pass
	802.11ax (HEW160)	MIMO	SU	/	20	102	5570.075	5470 to 5725	Pass	
						120	5570.000	5470 to 5725	Pass	
						138	5570.075	5470 to 5725	Pass	
						-30	120	5570.075	5470 to 5725	Pass
						-20	120	5570.150	5470 to 5725	Pass
						-10	120	5570.000	5470 to 5725	Pass
						0	120	5570.075	5470 to 5725	Pass
						10	120	5570.075	5470 to 5725	Pass
						30	120	5570.075	5470 to 5725	Pass
						40	120	5570.075	5470 to 5725	Pass
						50	120	5570.075	5470 to 5725	Pass
		5250	SU	/	20	102	5250.075	5150 to 5350	Pass	
						120	5250.075	5150 to 5350	Pass	
						138	5250.075	5150 to 5350	Pass	
					-30	120	5250.075	5150 to 5350	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1128 of 1136

					-20	120	5250.075	5150 to 5350	Pass	
					-10	120	5250.075	5150 to 5350	Pass	
					0	120	5250.000	5150 to 5350	Pass	
					10	120	5250.075	5150 to 5350	Pass	
					30	120	5250.075	5150 to 5350	Pass	
					40	120	5250.075	5150 to 5350	Pass	
					50	120	5250.075	5150 to 5350	Pass	
					20	102	5180.060	5150 to 5250	Pass	
						120	5180.020	5150 to 5250	Pass	
						138	5180.040	5150 to 5250	Pass	
						-30	120	5180.000	5150 to 5250	Pass
						-20	120	5180.060	5150 to 5250	Pass
					20	-10	120	5180.080	5150 to 5250	Pass
						0	120	5179.980	5150 to 5250	Pass
						10	120	5180.000	5150 to 5250	Pass
						30	120	5180.020	5150 to 5250	Pass
						40	120	5180.080	5150 to 5250	Pass
					20	50	120	5180.020	5150 to 5250	Pass
						102	5200.060	5150 to 5250	Pass	
						120	5200.080	5150 to 5250	Pass	
						138	5200.060	5150 to 5250	Pass	
						-30	120	5200.040	5150 to 5250	Pass
					20	-20	120	5200.060	5150 to 5250	Pass
						-10	120	5200.060	5150 to 5250	Pass
						0	120	5200.060	5150 to 5250	Pass
						10	120	5200.080	5150 to 5250	Pass
						30	120	5200.060	5150 to 5250	Pass
					20	40	120	5200.000	5150 to 5250	Pass
						50	120	5200.040	5150 to 5250	Pass
						102	5240.000	5150 to 5250	Pass	
						120	5240.080	5150 to 5250	Pass	
						138	5240.080	5150 to 5250	Pass	
					20	-30	120	5240.020	5150 to 5250	Pass
						-20	120	5240.040	5150 to 5250	Pass
						-10	120	5240.080	5150 to 5250	Pass
						0	120	5240.060	5150 to 5250	Pass
						10	120	5240.080	5150 to 5250	Pass
					20	30	120	5240.000	5150 to 5250	Pass
						40	120	5240.060	5150 to 5250	Pass
						50	120	5240.000	5150 to 5250	Pass
						102	5240.000	5150 to 5250	Pass	
						120	5240.040	5150 to 5250	Pass	
					20	138	5240.080	5150 to 5250	Pass	
						-30	120	5240.020	5150 to 5250	Pass
						-20	120	5240.040	5150 to 5250	Pass
						-10	120	5240.080	5150 to 5250	Pass
						0	120	5240.060	5150 to 5250	Pass
					20	10	120	5240.080	5150 to 5250	Pass
						30	120	5240.000	5150 to 5250	Pass
						40	120	5240.060	5150 to 5250	Pass
						50	120	5240.000	5150 to 5250	Pass
						102	5240.000	5150 to 5250	Pass	
					20	120	5240.080	5150 to 5250	Pass	
						138	5240.080	5150 to 5250	Pass	
						-30	120	5240.020	5150 to 5250	Pass
						-20	120	5240.040	5150 to 5250	Pass
						-10	120	5240.080	5150 to 5250	Pass
					20	0	120	5240.060	5150 to 5250	Pass
						10	120	5240.080	5150 to 5250	Pass
						30	120	5240.000	5150 to 5250	Pass
						40	120	5240.060	5150 to 5250	Pass
						50	120	5240.000	5150 to 5250	Pass
					20	102	5240.000	5150 to 5250	Pass	
						120	5240.040	5150 to 5250	Pass	
						138	5240.080	5150 to 5250	Pass	
						-30	120	5240.020	5150 to 5250	Pass
						-20	120	5240.040	5150 to 5250	Pass
					20	-10	120	5240.080	5150 to 5250	Pass
						0	120	5240.060	5150 to 5250	Pass
						10	120	5240.080	5150 to 5250	Pass
						30	120	5240.000	5150 to 5250	Pass
						40	120	5240.060	5150 to 5250	Pass
					20	50	120	5240.000	5150 to 5250	Pass
						102	5240.000	5150 to 5250	Pass	
						120	5240.040	5150 to 5250	Pass	
						138	5240.080	5150 to 5250	Pass	
						-30	120	5240.020	5150 to 5250	Pass
					20	-20	120	5240.040	5150 to 5250	Pass
						-10	120	5240.080	5150 to 5250	Pass
						0	120	5240.060	5150 to 5250	Pass
						10	120	5240.080	5150 to 5250	Pass
						30	120	5240.000	5150 to 5250	Pass
					20	40	120	5240.060	5150 to 5250	Pass
						50	120	5240.000	5150 to 5250	Pass
						102	5240.000	5150 to 5250	Pass	
						120	5240.040	5150 to 5250	Pass	
						138	5240.080	5150 to 5250	Pass	
					20	-30	120	5240.020	5150 to 5250	Pass
						-20	120	5240.040	5150 to 5250	Pass
						-10	120	5240.080	5150 to 5250	Pass
						0	120	5240.060	5150 to 5250	Pass
						10	120	5240.080	5150 to 5250	Pass
					20	30	120	5240.000	5150 to 5250	Pass
						40	120	5240.060	5150 to 5250	Pass
						50	120	5240.000	5150 to 5250	Pass
						102	5240.000	5150 to 5250	Pass	
						120	5240.040	5150 to 5250	Pass	
					20	138	5240.080	5150 to 5250	Pass	
						-30	120	5240.020	5150 to 5250	Pass
						-20	120	5240.040	5150 to 5250	Pass
						-10	120	5240.080	5150 to 5250	Pass
						0	120	5240.060	5150 to 5250	Pass
					20	10	120	5240.080	5150 to 5250	Pass
						30	120	5240.000	5150 to 5250	Pass
						40	120	5240.060	5150 to 5250	Pass
						5				

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1129 of 1136

	5260	SU	/	20	102	5260.080	5250 to 5350	Pass	
					120	5260.080	5250 to 5350	Pass	
					138	5260.040	5250 to 5350	Pass	
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.060	5250 to 5350	Pass
					0	120	5259.980	5250 to 5350	Pass
					10	120	5260.020	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.100	5250 to 5350	Pass
					50	120	5260.040	5250 to 5350	Pass
	5300	SU	/	20	102	5300.000	5250 to 5350	Pass	
					120	5300.040	5250 to 5350	Pass	
					138	5300.040	5250 to 5350	Pass	
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5300.060	5250 to 5350	Pass
					-10	120	5300.060	5250 to 5350	Pass
					0	120	5299.960	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.040	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
	5320	SU	/	20	102	5320.060	5250 to 5350	Pass	
					120	5320.000	5250 to 5350	Pass	
					138	5320.000	5250 to 5350	Pass	
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.040	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.080	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
	5500	SU	/	20	102	5500.080	5470 to 5725	Pass	
					120	5500.080	5470 to 5725	Pass	
					138	5500.000	5470 to 5725	Pass	
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.120	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1130 of 1136

				10	120	5500.060	5470 to 5725	Pass
				30	120	5499.980	5470 to 5725	Pass
				40	120	5500.020	5470 to 5725	Pass
				50	120	5499.980	5470 to 5725	Pass
	5580	SU	/	20	102	5580.000	5470 to 5725	Pass
					120	5580.020	5470 to 5725	Pass
					138	5580.000	5470 to 5725	Pass
				-30	120	5579.980	5470 to 5725	Pass
					120	5580.120	5470 to 5725	Pass
					-10	5580.000	5470 to 5725	Pass
				0	120	5580.060	5470 to 5725	Pass
					10	5580.100	5470 to 5725	Pass
					30	5580.060	5470 to 5725	Pass
	5700	SU	/	20	40	5580.060	5470 to 5725	Pass
					50	5580.060	5470 to 5725	Pass
					102	5700.020	5470 to 5725	Pass
				-30	120	5700.020	5470 to 5725	Pass
					138	5700.040	5470 to 5725	Pass
					-20	5700.080	5470 to 5725	Pass
	5745	SU	/	20	-10	5700.060	5470 to 5725	Pass
					0	5700.020	5470 to 5725	Pass
					10	5700.040	5470 to 5725	Pass
				-30	120	5700.020	5470 to 5725	Pass
					138	5700.080	5470 to 5725	Pass
					-20	5700.060	5470 to 5725	Pass
				-10	120	5700.020	5470 to 5725	Pass
					0	5700.040	5470 to 5725	Pass
					10	5700.020	5470 to 5725	Pass
	5785	SU	/	20	30	5700.060	5470 to 5725	Pass
					40	5700.020	5470 to 5725	Pass
					50	5700.040	5470 to 5725	Pass
				20	102	5745.000	5725 to 5850	Pass
					120	5745.060	5725 to 5850	Pass
					138	5745.020	5725 to 5850	Pass
				-30	-20	5745.060	5725 to 5850	Pass
					-10	5744.940	5725 to 5850	Pass
					0	5745.020	5725 to 5850	Pass
				-30	120	5745.040	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.080	5725 to 5850	Pass
				-10	120	5745.000	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
					0	5745.040	5725 to 5850	Pass
					10	5745.040	5725 to 5850	Pass
				-30	120	5745.080	5725 to 5850	Pass
					138	5745.000	5725 to 5850	Pass
					-20	5745.060	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1131 of 1136

					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5784.920	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.060	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
						102	5824.980	5725 to 5850	Pass
						20	5825.080	5725 to 5850	Pass
						138	5825.040	5725 to 5850	Pass
						-30	5825.060	5725 to 5850	Pass
						-20	5825.040	5725 to 5850	Pass
						-10	5825.000	5725 to 5850	Pass
						0	5825.080	5725 to 5850	Pass
						10	5825.020	5725 to 5850	Pass
						30	5825.060	5725 to 5850	Pass
						40	5825.020	5725 to 5850	Pass
						50	5824.980	5725 to 5850	Pass
						102	5720.060	5470 to 5850	Pass
						20	5720.060	5470 to 5850	Pass
						138	5720.020	5470 to 5850	Pass
						-30	5720.080	5470 to 5850	Pass
						-20	5720.060	5470 to 5850	Pass
						-10	5720.040	5470 to 5850	Pass
						0	5720.020	5470 to 5850	Pass
						10	5720.040	5470 to 5850	Pass
						30	5720.040	5470 to 5850	Pass
						40	5719.980	5470 to 5850	Pass
						50	5720.040	5470 to 5850	Pass
						102	5190.040	5150 to 5250	Pass
						20	5190.080	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
						-30	5190.040	5150 to 5250	Pass
						-20	5190.080	5150 to 5250	Pass
						-10	5190.080	5150 to 5250	Pass
						0	5190.080	5150 to 5250	Pass
						10	5190.080	5150 to 5250	Pass
						30	5190.000	5150 to 5250	Pass
						40	5190.000	5150 to 5250	Pass
802.11be (EHT40)	MIMO	5190	SU	/					

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1132 of 1136

				50	120	5190.120	5150 to 5250	Pass		
5230	SU	/		20	102	5230.080	5150 to 5250	Pass		
					120	5230.080	5150 to 5250	Pass		
					138	5230.000	5150 to 5250	Pass		
					-30	120	5230.040	5150 to 5250	Pass	
				-20	120	5230.160	5150 to 5250	Pass		
					-10	120	5230.040	5150 to 5250	Pass	
					0	120	5230.080	5150 to 5250	Pass	
					10	120	5230.120	5150 to 5250	Pass	
					30	120	5230.040	5150 to 5250	Pass	
					40	120	5230.040	5150 to 5250	Pass	
				50	120	5230.080	5150 to 5250	Pass		
5270	SU	/	20		102	5270.040	5250 to 5350	Pass		
					120	5270.080	5250 to 5350	Pass		
					138	5270.080	5250 to 5350	Pass		
					-30	120	5270.040	5250 to 5350	Pass	
			-20		120	5270.040	5250 to 5350	Pass		
					-10	120	5270.080	5250 to 5350	Pass	
					0	120	5270.120	5250 to 5350	Pass	
					10	120	5270.040	5250 to 5350	Pass	
					30	120	5270.040	5250 to 5350	Pass	
					40	120	5270.000	5250 to 5350	Pass	
			50		120	5270.080	5250 to 5350	Pass		
5310	SU	/	20		102	5310.080	5250 to 5350	Pass		
					120	5310.040	5250 to 5350	Pass		
					138	5309.960	5250 to 5350	Pass		
					-30	120	5310.000	5250 to 5350	Pass	
			-20		120	5310.080	5250 to 5350	Pass		
					-10	120	5310.120	5250 to 5350	Pass	
					0	120	5310.000	5250 to 5350	Pass	
					10	120	5310.040	5250 to 5350	Pass	
					30	120	5310.080	5250 to 5350	Pass	
					40	120	5310.040	5250 to 5350	Pass	
			50		120	5310.040	5250 to 5350	Pass		
5510	SU	/	20		102	5510.080	5470 to 5725	Pass		
					120	5510.080	5470 to 5725	Pass		
					138	5510.000	5470 to 5725	Pass		
					-30	120	5510.040	5470 to 5725	Pass	
			-20		120	5510.040	5470 to 5725	Pass		
					-10	120	5510.080	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1133 of 1136

				0	120	5510.040	5470 to 5725	Pass			
				10	120	5510.040	5470 to 5725	Pass			
				30	120	5510.160	5470 to 5725	Pass			
				40	120	5510.080	5470 to 5725	Pass			
				50	120	5509.960	5470 to 5725	Pass			
				5550	SU	/	102	5550.040			
							20	5470 to 5725 Pass			
							120	5550.040			
							138	5550.040			
							-30	5550.080			
				5670	SU	/	-20	5550.040			
							-10	5550.040			
							0	5550.080			
							10	5550.080			
							30	5550.040			
							40	5550.040			
							50	5550.040			
							102	5670.040			
							20	5470 to 5725 Pass			
							120	5670.040			
				5755	SU	/	138	5670.040			
							-30	5670.080			
							-20	5670.040			
							-10	5670.040			
							0	5670.040			
							10	5670.040			
							30	5670.080			
							40	5670.080			
							50	5670.120			
							102	5755.000			
							20	5725 to 5850 Pass			
							120	5755.000			
							138	5755.080			
							-30	5755.000			
							-20	5755.000			
							-10	5755.000			
							0	5755.040			
							10	5755.040			
							30	5755.080			
							40	5755.080			
							50	5755.120			
	5795	SU	/				102	5725 to 5850 Pass			
							120	5794.960			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1134 of 1136

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 6507 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co.,Ltd
Shenzhen Branch Testing Center FPC Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1135 of 1136

		5530	SU	/	40	120	5290.000	5250 to 5350	Pass	
					50	120	5290.000	5250 to 5350	Pass	
					20	102	5530.075	5470 to 5725	Pass	
						120	5530.075	5470 to 5725	Pass	
						138	5530.000	5470 to 5725	Pass	
						-30	120	5530.075	5470 to 5725	Pass
						-20	120	5530.075	5470 to 5725	Pass
						-10	120	5530.075	5470 to 5725	Pass
						0	120	5530.000	5470 to 5725	Pass
						10	120	5530.075	5470 to 5725	Pass
		5610	SU	/	20	102	5610.075	5470 to 5725	Pass	
						120	5610.075	5470 to 5725	Pass	
						138	5610.075	5470 to 5725	Pass	
						-30	120	5609.850	5470 to 5725	Pass
						-20	120	5610.075	5470 to 5725	Pass
						-10	120	5610.075	5470 to 5725	Pass
						0	120	5610.075	5470 to 5725	Pass
						10	120	5610.000	5470 to 5725	Pass
						30	120	5610.000	5470 to 5725	Pass
						40	120	5610.000	5470 to 5725	Pass
		5775	SU	/	20	102	5775.075	5725 to 5850	Pass	
						120	5775.075	5725 to 5850	Pass	
						138	5775.075	5725 to 5850	Pass	
						-30	120	5775.000	5725 to 5850	Pass
						-20	120	5775.000	5725 to 5850	Pass
						-10	120	5774.925	5725 to 5850	Pass
						0	120	5775.000	5725 to 5850	Pass
						10	120	5775.000	5725 to 5850	Pass
						30	120	5775.000	5725 to 5850	Pass
						40	120	5775.075	5725 to 5850	Pass
		5690	SU	/	20	102	5690.075	5470 to 5850	Pass	
						120	5690.075	5470 to 5850	Pass	
						138	5690.075	5470 to 5850	Pass	
						-30	120	5690.075	5470 to 5850	Pass
						-20	120	5690.075	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS is a registered trademark of SGS Group.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250200054404

Page: 1136 of 1136

					-10	120	5690.075	5470 to 5850	Pass
					0	120	5690.075	5470 to 5850	Pass
					10	120	5690.075	5470 to 5850	Pass
					30	120	5690.150	5470 to 5850	Pass
					40	120	5690.150	5470 to 5850	Pass
					50	120	5690.075	5470 to 5850	Pass
802.11be (EHT160)	MIMO	5570	SU	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.000	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.150	5470 to 5725	Pass
		5250	SU	/	20	102	5250.075	5150 to 5350	Pass
						120	5250.000	5150 to 5350	Pass
						138	5250.000	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.000	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.000	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass

- End of the Report -

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group LLC Laboratory.