

TEST REPORT

Applicant Name: Grandstream Networks, Inc.
Address: 126 Brookline Ave., 3rd Floor Boston, MA 02215, USA
Report Number: 2401V38737E-EM-00
FCC ID: YZZGWN7822P

Test Standard (s)

FCC Part 15, Subpart B (Class A)

Sample Description

Product Type: Layer 3 Multi-Gigabit Network Switch
Model No.: GWN7822P
Multiple Model(s) No.: N/A
Trade Mark: GRANDSTREAM
Date Received: 2024/07/29
Issue Date: 2024/09/12

Test Result:	Pass [▲]
--------------	-------------------

▲ In the configuration tested, the EUT complied with the standards above.

Prepared and Checked By:

Joson Xiao

Joson Xiao
EMC Engineer

Approved By:

Moon Liu

Moon Liu
EMC Supervisor

Note: The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report. Customer model name, addresses, names, trademarks etc. are included.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This report must not be used by the customer to claim product certification, approval, or endorsement by NVLAP or any agency of the U.S. Government.

This report may contain data that are not covered by the NVLAP accreditation and are marked with an asterisk "▼".

Bay Area Compliance Laboratories Corp. (Shenzhen)

5F(B-West), 6F, 7F, the 3rd Phase of Wan Li Industrial Building D, Shihua Rd, FuTian Free Trade Zone, Shenzhen, China

Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn

TABLE OF CONTENTS

DOCUMENT REVISION HISTORY	3
GENERAL INFORMATION.....	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
MEASUREMENT UNCERTAINTY	4
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
DESCRIPTION OF TEST CONFIGURATION	6
EUT EXERCISE SOFTWARE	6
EQUIPMENT MODIFICATIONS	6
SUPPORT EQUIPMENT LIST AND DETAILS	6
EXTERNAL I/O CABLE.....	6
BLOCK DIAGRAM OF TEST SETUP	7
SUMMARY OF TEST RESULTS	9
TEST EQUIPMENT LIST	10
FCC §15.107 - AC LINE CONDUCTED EMISSIONS.....	11
APPLICABLE STANDARD	11
EUT SETUP	11
EMI TEST RECEIVER SETUP.....	11
TEST PROCEDURE	12
LEVEL & OVER LIMIT CALCULATION	12
TEST DATA	12
FCC §15.109 - RADIATED EMISSIONS	19
APPLICABLE STANDARD	19
EUT SETUP	19
EMI TEST RECEIVER AND SPECTRUM ANALYZER SETUP	20
TEST PROCEDURE	20
LEVEL & OVER LIMIT CALCULATION	21
TEST DATA	21
EUT PHOTOGRAPHS.....	34
TEST SETUP PHOTOGRAPHS	35

DOCUMENT REVISION HISTORY

Revision Number	Report Number	Description of Revision	Date of Revision
0	2401V38737E-EM-00	Original Report	2024/09/12

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Product	Layer 3 Multi-Gigabit Network Switch
Tested Model	GWN7822P
Multiple Model(s)	N/A
Voltage Range	AC 100-240V
Highest operating frequency [#]	800MHz (Provided by the applicant)
Equipment Class	Class A
Sample number	2P5H-1 (Assigned by BACL, Shenzhen)
Sample/EUT Status	Good condition
Adapter Information	N/A

Objective

This test report is in accordance with Part 2-Subpart J, Part 15B Subparts A and B of the Federal Communication Commissions rules.

The objective of the manufacturer is to determine the compliance of the EUT with FCC Part 15B.

Measurement Uncertainty

Item	Frequency Range		Expanded Measurement uncertainty
Conducted Emissions	AC Mains	150 kHz ~30MHz	3.84dB(k=2, 95% level of confidence)
Radiated Disturbance	30MHz~200MHz	Horizontal	4.48dB(k=2, 95% level of confidence)
	30MHz~200MHz	Vertical	4.55dB(k=2, 95% level of confidence)
	200MHz~1000MHz	Horizontal	4.85dB(k=2, 95% level of confidence)
	200MHz~1000MHz	Vertical	5.05dB(k=2, 95% level of confidence)
	1GHz~6GHz	/	5.35dB(k=2, 95% level of confidence)
	6GHz~18GHz	/	5.44dB(k=2, 95% level of confidence)
	18GHz~40GHz	/	5.16dB(k=2, 95% level of confidence)

Note: The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 5F(B-West) , 6F, 7F, the 3rd Phase of Wan Li Industrial Building D, Shihua Rd, FuTian Free Trade Zone, Shenzhen, China.

The lab has been recognized as the FCC accredited lab under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No. : 715558, the FCC Designation No. : CN5045.

Each test item follows test standards and with no deviation.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The system was configured for testing in worst case condition.

Test Mode: Full load & data transmitting

EUT exercise software

No exercise software was used.

Equipment Modifications

No modification was made to the EUT tested.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Grandstream	POE Load	/	/
Dachuan	Adapter1	DCT24W120200CN-A0	/
LITEON	Adapter	PA-1301-66C3	66C32334000021


External I/O Cable

Cable Description	Length (m)	From/Port	To
Un-shielded detachable AC cable	1.0	EUT	LISN/Mains
Un-shielded detachable AC cable	1.0	Adapter	LISN/Mains
Un-shielded Un-detachable DC cable	1.8	Adapter	EUT
Un-shielded detachable fiber cable*2	1.0	EUT	EUT
Un-shielded detachable earth cable	1.0	EUT	Earth
Un-shielded detachable RJ45 cable*14	1.0	EUT	POE Load
Un-shielded detachable RJ45 cable*24	1.0	EUT	POE Load
Un-shielded detachable RJ45 cable*5	0.6	EUT	EUT
Un-shielded detachable RJ45 cable*7	0.2	POE Load	POE Load
Un-shielded detachable RJ45 cable*12	0.2	POE Load	POE Load
Un-shielded Un-detachable DC cable	1.2	POE Load	Adapter1


Block Diagram of Test Setup

Conducted Emission:


For Built-in power supply




For External power supply



Radiated Emission:
For Built-in power supply



For External power supply



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Results
§15.107	AC Line Conducted Emissions	Compliant
§15.109	Radiated Emissions	Compliant

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
AC Line Conducted Emission Test					
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2024/01/16	2025/01/15
Rohde & Schwarz	LISN	ENV216	101613	2024/01/16	2025/01/15
Rohde & Schwarz	Transient Limiter	ESH3Z2	DE25985	2024/05/21	2025/05/20
Unknown	CE Cable	Unknown	UF A210B-1-0720-504504	2024/05/21	2025/05/20
Audix	EMI Test software	E3	191218(V9)	NCR	NCR
Radiated Emission Test					
Rohde & Schwarz	EMI Test Receiver	ESR3	102455	2024/01/16	2025/01/15
Sonoma instrument	Pre-amplifier	310 N	186238	2024/05/21	2025/05/20
Sunol Sciences	Broadband Antenna	JB1	A040904-1	2023/07/20	2026/07/19
Unknown	Cable	Chamber A Cable 1	N/A	2024/06/18	2025/06/17
Unknown	Cable	XH500C	J-10M-A	2024/06/18	2025/06/17
Audix	EMI Test software	E3	19821b(V9)	NCR	NCR
Rohde & Schwarz	Spectrum Analyzer	FSV40	101605	2024/03/27	2025/03/26
COM-POWER	Pre-amplifier	PA-122	181919	2024/06/18	2025/06/17
Schwarzbeck	Horn Antenna	BBHA9120D(1201)	1143	2023/07/26	2026/07/25
Unknown	RF Cable	KMSE	735	2024/06/18	2025/06/17
Unknown	RF Cable	UFA147	219661	2024/06/18	2025/06/17
Audix	EMI Test software	E3	191218(V9)	NCR	NCR


* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §15.107 - AC LINE CONDUCTED EMISSIONS

Applicable Standard

According to FCC§15.107

EUT Setup



- Note: 1. Support units were connected to second LISN.
2. Both of LISNs (AMN) 80 cm from EUT and at the least 80 cm from other units and other metal planes support units.

The measurement procedure of EUT setup is according with ANSI C63.4-2014. The related limit was specified in FCC Part 15.107.

The external I/O cables were draped along the test table and formed a bundle 30 to 40 cm long in the middle.

The spacing between the peripherals was 10 cm.

EMI Test Receiver Setup

The EMI test receiver was set to investigate the spectrum from 150 kHz to 30 MHz.

During the conducted emission test, the EMI test receiver was set with the following configurations:

Frequency Range	IF B/W
150 kHz – 30 MHz	9 kHz

Test Procedure

Maximizing procedure was performed on the six (6) highest emissions of the EUT.

All final data was recorded in the Quasi-peak and average detection mode.

Level & Over Limit Calculation

The Level is calculated by adding the LISN Factor, Cable Loss and the Read Level. The basic equation is as follows:

$$\text{Level (dBuV)} = \text{Read Level (dBuV)} + \text{LISN Factor} + \text{Cable Loss}$$

The “**Over limit**” column of the following data tables indicates the degree of compliance with the applicable limit.

$$\text{Over Limit (dB)} = \text{Level (dBuV)} - \text{Limit Line (dBuV)}$$

Note: The term "cable loss" refers to the combination of a cable and a 10dB transient limiter (attenuator).

Test Data

Environmental Conditions


Temperature:	26 °C
Relative Humidity:	67~73 %
ATM Pressure:	101 kPa

The testing was performed by Macy Shi from 2024-08-22 to 2024-08-29.

Test Mode: Full load & data transmitting

For Built-in power supply D1602-F420S54-A

AC 120V/60 Hz, Line



Condition: Line


Project : 2401V38737E-EM

test Mode: Full load&data transmitting

tester : Macy.shi

	Freq	Read Level	LISN Level	LISN Factor	Cable Loss	Limit Line	Over Limit	Remark
	MHz	dBuV	dBuV	dB	dB	dBuV	dB	
1	0.193	40.69	61.18	10.40	10.09	66.00	-4.82	Average
2	0.193	43.79	64.28	10.40	10.09	79.00	-14.72	QP
3	0.302	24.76	45.18	10.31	10.11	66.00	-20.82	Average
4	0.302	31.02	51.44	10.31	10.11	79.00	-27.56	QP
5	0.502	17.37	37.71	10.20	10.14	60.00	-22.29	Average
6	0.502	24.82	45.16	10.20	10.14	73.00	-27.84	QP
7	2.099	4.64	25.14	10.31	10.19	60.00	-34.86	Average
8	2.099	13.07	33.57	10.31	10.19	73.00	-39.43	QP
9	15.066	27.98	48.51	10.31	10.22	60.00	-11.49	Average
10	15.066	39.69	60.22	10.31	10.22	73.00	-12.78	QP
11	16.055	25.10	45.70	10.39	10.21	60.00	-14.30	Average
12	16.055	36.70	57.30	10.39	10.21	73.00	-15.70	QP

AC 120V/60 Hz, Neutral




Condition: Neutral

Project : 2401V38737E-EM

test Mode: Full load&data transmitting

tester : Macy.shi

	Freq	Read Level	LISN Level	LISN Factor	Cable Loss	Limit Line	Over Limit	Remark
	MHz	dBuV	dBuV	dB	dB	dBuV	dB	
1	0.193	40.79	61.43	10.55	10.09	66.00	-4.57	Average
2	0.193	43.87	64.51	10.55	10.09	79.00	-14.49	QP
3	0.255	27.91	48.64	10.65	10.08	66.00	-17.36	Average
4	0.255	30.11	50.84	10.65	10.08	79.00	-28.16	QP
5	0.292	30.55	51.34	10.68	10.11	66.00	-14.66	Average
6	0.292	34.17	54.96	10.68	10.11	79.00	-24.04	QP
7	0.502	17.52	38.46	10.80	10.14	60.00	-21.54	Average
8	0.502	25.23	46.17	10.80	10.14	73.00	-26.83	QP
9	2.261	3.19	23.52	10.15	10.18	60.00	-36.48	Average
10	2.261	8.62	28.95	10.15	10.18	73.00	-44.05	QP
11	16.055	28.90	49.46	10.35	10.21	60.00	-10.54	Average
12	16.055	41.75	62.31	10.35	10.21	73.00	-10.69	QP

*For Built-in power supply G1766-0400W***AC 120V/60 Hz, Line**

Condition: Line


Project : 2401V38737E-EM

test Mode: Full load&data transmitting

tester : Macy.shi

	Freq	Read Level	LISN Level	LISN Factor	Cable Loss	Limit Line	Over Limit	Remark
	MHz	dBuV	dBuV	dB	dB	dBuV	dB	
1	0.167	16.39	36.89	10.40	10.10	66.00	-29.11	Average
2	0.167	24.24	44.74	10.40	10.10	79.00	-34.26	QP
3	0.232	10.33	30.78	10.37	10.08	66.00	-35.22	Average
4	0.232	19.61	40.06	10.37	10.08	79.00	-38.94	QP
5	0.302	4.62	25.04	10.31	10.11	66.00	-40.96	Average
6	0.302	14.16	34.58	10.31	10.11	79.00	-44.42	QP
7	1.480	0.49	21.08	10.43	10.16	60.00	-38.92	Average
8	1.480	7.91	28.50	10.43	10.16	73.00	-44.50	QP
9	4.797	8.04	28.69	10.46	10.19	60.00	-31.31	Average
10	4.797	19.43	40.08	10.46	10.19	73.00	-32.92	QP
11	29.371	14.71	35.54	10.61	10.22	60.00	-24.46	Average
12	29.371	21.41	42.24	10.61	10.22	73.00	-30.76	QP

AC 120V/60 Hz, Neutral




Condition: Neutral

Project : 2401V38737E-EM

test Mode: Full load&data transmitting

tester : Macy.shi

	Freq	Read Level	LISN Level	LISN Factor	Cable Loss	Limit Line	Over Limit	Remark
	MHz	dBuV	dBuV	dB	dB	dBuV	dB	
1	0.167	17.51	37.96	10.35	10.10	66.00	-28.04	Average
2	0.167	26.27	46.72	10.35	10.10	79.00	-32.28	QP
3	0.232	11.09	31.80	10.63	10.08	66.00	-34.20	Average
4	0.232	20.93	41.64	10.63	10.08	79.00	-37.36	QP
5	0.308	6.18	26.98	10.69	10.11	66.00	-39.02	Average
6	0.308	12.95	33.75	10.69	10.11	79.00	-45.25	QP
7	0.621	0.90	21.64	10.61	10.13	60.00	-38.36	Average
8	0.621	11.28	32.02	10.61	10.13	73.00	-40.98	QP
9	4.549	9.14	29.73	10.40	10.19	60.00	-30.27	Average
10	4.549	13.76	34.35	10.40	10.19	73.00	-38.65	QP
11	16.398	8.95	29.50	10.34	10.21	60.00	-30.50	Average
12	16.398	18.32	38.87	10.34	10.21	73.00	-34.13	QP

*For External power supply PA-I301-66C3***AC 120V/60 Hz, Line**

Condition: Line


Project : 2401V38737E-EM

test Mode: Full load&data transmitting

tester : Macy.shi

	Freq	Read Level	LISN Level	LISN Factor	Cable Loss	Limit Line	Over Limit	Remark
	MHz	dBuV	dBuV	dB	dB	dBuV	dB	
1	0.156	16.14	36.66	10.40	10.12	66.00	-29.34	Average
2	0.156	30.65	51.17	10.40	10.12	79.00	-27.83	QP
3	0.200	15.67	36.16	10.40	10.09	66.00	-29.84	Average
4	0.200	29.25	49.74	10.40	10.09	79.00	-29.26	QP
5	0.325	4.16	24.57	10.29	10.12	66.00	-41.43	Average
6	0.325	15.65	36.06	10.29	10.12	79.00	-42.94	QP
7	1.645	1.44	21.99	10.38	10.17	60.00	-38.01	Average
8	1.645	12.29	32.84	10.38	10.17	73.00	-40.16	QP
9	4.049	12.60	33.21	10.40	10.21	60.00	-26.79	Average
10	4.049	20.02	40.63	10.40	10.21	73.00	-32.37	QP
11	5.221	9.18	29.86	10.50	10.18	60.00	-30.14	Average
12	5.221	18.44	39.12	10.50	10.18	73.00	-33.88	QP

AC 120V/60 Hz, Neutral



Condition: Neutral

Project : 2401V38737E-EM

test Mode: Full load&data transmitting

tester : Macy.shi

	Freq	Read Level	LISN Level	LISN Factor	Cable Loss	Limit Line	Over Limit	Remark
	MHz	dBuV	dBuV	dB	dB	dBuV	dB	
1	0.152	17.32	37.66	10.21	10.13	66.00	-28.34	Average
2	0.152	31.49	51.83	10.21	10.13	79.00	-27.17	QP
3	0.202	15.72	36.41	10.60	10.09	66.00	-29.59	Average
4	0.202	27.80	48.49	10.60	10.09	79.00	-30.51	QP
5	0.354	1.19	22.03	10.72	10.12	66.00	-43.97	Average
6	0.354	11.97	32.81	10.72	10.12	79.00	-46.19	QP
7	0.595	2.60	23.37	10.65	10.12	60.00	-36.63	Average
8	0.595	12.66	33.43	10.65	10.12	73.00	-39.57	QP
9	4.315	11.41	32.01	10.40	10.20	60.00	-27.99	Average
10	4.315	18.90	39.50	10.40	10.20	73.00	-33.50	QP
11	5.005	6.91	27.49	10.40	10.18	60.00	-32.51	Average
12	5.005	15.56	36.14	10.40	10.18	73.00	-36.86	QP


FCC §15.109 - RADIATED EMISSIONS

Applicable Standard


FCC §15.109

EUT Setup


Below 1GHz for Radiated Emissions



Above 1GHz for Radiated Emissions



Radiated Emissions Setup Configuration



The radiated emission tests were performed in the 3 meters chamber test site, using the setup accordance with the ANSI C63.4-2014. The related limit was specified in FCC Part 15B.

The external I/O cables were draped along the test table and formed a bundle 30 to 40 cm long in the middle.

The spacing between the peripherals was 10 cm.

EMI Test Receiver and Spectrum analyzer Setup

During the radiated emission test, the EMI test receiver and spectrum analyzer setup was set with the following configurations:

Frequency Range	RBW	Video B/W	IF B/W	Measurement
30 MHz – 1000 MHz	100 kHz	300 kHz	120 kHz	QP
Above 1 GHz	1MHz	3 MHz	/	PK
	1MHz	10 Hz	/	Ave.

Test Procedure

Maximizing procedure was performed on the highest emissions to ensure that the EUT complied with all installation combinations.

If emission level of the EUT in Peak measurement mode is 20dB lower than peak limit line (that means the emission level in Peak measurement mode complies with both Peak and average limit lines) then only Peak measurement result is reported .Otherwise, Emission in average measurement mode shall be measured, and reported for frequency range above 1GHz.

Level & Over Limit Calculation

The Level is calculated by adding the Antenna Factor and Cable Loss, and subtracting the Amplifier Gain from the Read Level. The basic equation is as follows:

$$\text{Factor} = \text{Antenna Factor} + \text{Cable Loss} - \text{Amplifier Gain}$$

$$\text{Level} = \text{Read Level} + \text{Factor}$$

The “Over limit” column of the following data tables indicates the degree of compliance with the applicable limit. For example, an Over limit of -6 dB means the emission is 6dB below the limit for Class A. The equation for Over Limit calculation is as follows:

$$\text{Over limit} = \text{Level} - \text{Limit}$$

Test Data

Environmental Conditions


Temperature:	23~26 °C
Relative Humidity:	51~53%
ATM Pressure:	101~101.2 kPa

The testing was performed by Anson Su from 2024-08-31 to 2024-09-04 for below 1GHz and Dylan Yang on 2024-09-02 for above 1GHz.

Test Mode: Full load & data transmitting
For Built-in power supply D1602-F420S54-A

30 MHz~1 GHz


Horizontal



Site : Chamber A
Condition : 3m Horizontal
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Anson Su

	Freq Factor		Read	Limit	Over	Remark
	MHz	dB/m	Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	41.20	-13.23	24.67	11.44	49.54	-38.10 QP
2	99.83	-15.94	38.11	22.17	53.98	-31.81 QP
3	159.71	-12.72	48.45	35.73	53.98	-18.25 QP
4	279.04	-11.25	49.73	38.48	56.90	-18.42 QP
5	687.75	-3.67	40.56	36.89	56.90	-20.01 QP
6	812.76	-2.04	38.36	36.32	56.90	-20.58 QP

Vertical




Site : Chamber A
Condition : 3m Vertical
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Anson Su

	Freq Factor		Read Level	Level	Limit	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	49.79	-17.88	44.40	26.52	49.54	-23.02	QP
2	64.74	-18.00	55.27	37.27	49.54	-12.27	QP
3	170.87	-13.18	49.16	35.98	53.98	-18.00	QP
4	240.94	-13.30	50.03	36.73	56.90	-20.17	QP
5	500.08	-5.76	44.90	39.14	56.90	-17.76	QP
6	875.25	-1.52	34.25	32.73	56.90	-24.17	QP

1 ~ 5 GHz


Horizontal



Site : chamber B
Condition : Horizontal
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Dylan.Yang


	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1475.000	-7.14	49.61	42.47	80.00	-37.53	Peak
2	1726.875	-6.58	49.09	42.51	80.00	-37.49	Peak
3	2910.625	-2.88	44.20	41.32	80.00	-38.68	Peak

Vertical



Site : chamber B
Condition : Vertical
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Dylan.Yang


	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1250.000	-7.52	51.33	43.81	80.00	-36.19	Peak
2	1475.000	-7.14	51.56	44.42	80.00	-35.58	Peak
3	1859.375	-6.31	50.60	44.29	80.00	-35.71	Peak

*For Built-in power supply G1766-0400W***30 MHz~1 GHz****Horizontal**

Site : Chamber A
Condition : 3m Horizontal
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Anson Su

	Freq Factor		Read	Limit	Over	Remark
	MHz	dB/m	Level	Level	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	40.26	-12.55	25.23	12.68	49.54	-36.86 QP
2	98.01	-16.50	60.24	43.74	53.98	-10.24 QP
3	102.81	-15.12	59.70	44.58	53.98	-9.40 QP
4	277.58	-11.29	50.37	39.08	56.90	-17.82 QP
5	475.08	-6.50	39.13	32.63	56.90	-24.27 QP
6	795.49	-2.23	35.43	33.20	56.90	-23.70 QP

Vertical




Site : Chamber A
Condition : 3m Vertical
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Anson Su

	Freq Factor		Read Level	Level	Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	32.62	-7.39	46.30	38.91	49.54	-10.63	QP
2	105.64	-14.24	58.80	44.56	53.98	-9.42	QP
3	117.21	-11.77	55.98	44.21	53.98	-9.77	QP
4	283.85	-11.23	43.66	32.43	56.90	-24.47	QP
5	500.08	-5.76	38.26	32.50	56.90	-24.40	QP
6	825.32	-1.94	32.76	30.82	56.90	-26.08	QP

1 ~ 5 GHz


Horizontal



Site : chamber B
Condition : Horizontal
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Dylan.Yang

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1250.000	-7.52	55.37	47.85	80.00	-32.15	Peak
2	1500.000	-7.26	51.09	43.83	80.00	-36.17	Peak
3	1890.625	-6.24	50.30	44.06	80.00	-35.94	Peak

Vertical




Site : chamber B
Condition : Vertical
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Dylan.Yang

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1585.625	-7.12	56.71	49.59	80.00	-30.41	Peak
2	2268.125	-3.30	42.97	39.67	80.00	-40.33	Peak
3	3289.375	-2.77	44.27	41.50	80.00	-38.50	Peak

For External power supply PA-1301-66C3

30 MHz~1 GHz


Horizontal



Site : Chamber A
Condition : 3m Horizontal
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Anson Su

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
1	49.79	-17.88	44.90	27.02	49.54 -22.52 QP
2	54.50	-18.31	51.23	32.92	49.54 -16.62 QP
3	220.81	-14.17	51.89	37.72	56.90 -19.18 QP
4	231.62	-13.76	55.35	41.59	56.90 -15.31 QP
5	458.71	-7.16	51.05	43.89	56.90 -13.01 QP
6	750.11	-2.88	41.07	38.19	56.90 -18.71 QP

Vertical




Site : Chamber A
Condition : 3m Vertical
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Anson Su

	Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	32.01	-7.08	49.30	42.22	49.54	-7.32	QP
2	33.80	-8.14	50.60	42.46	49.54	-7.08	QP
3	47.49	-17.15	57.55	40.40	49.54	-9.14	QP
4	51.77	-18.20	60.91	42.71	49.54	-6.83	QP
5	54.57	-18.31	60.95	42.64	49.54	-6.90	QP
6	58.64	-18.22	60.80	42.58	49.54	-6.96	QP

1 ~ 5 GHz


Horizontal



Site : chamber B
Condition : Horizontal
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Dylan.Yang

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1250.000	-7.52	55.88	48.36	80.00	-31.64	Peak
2	1500.000	-7.26	51.18	43.92	80.00	-36.08	Peak
3	1890.625	-6.24	50.69	44.45	80.00	-35.55	Peak

Vertical



Site : chamber B
Condition : Vertical
Project Number: 2401V38737E-EM
Test Mode : Full load&data transmitting
Tester : Dylan.Yang

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1250.000	-7.52	51.80	44.28	80.00	-35.72	Peak
2	1450.000	-7.02	48.98	41.96	80.00	-38.04	Peak
3	1921.875	-5.99	46.18	40.19	80.00	-39.81	Peak

EUT PHOTOGRAPHS

Please refer to the attachment 2401V38737E-EM External photo and 2401V38737E-EM Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2401V38737E-EM Test Setup photo.

******* END OF REPORT *******