







EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing a circular black electronic unit (EUT) and a black USB cable. The unit is positioned next to a black ruler with white markings. The ruler is oriented vertically and horizontally, providing a scale for the unit's size. The background is a solid blue surface.
EUT View 2	 A photograph showing the same circular black electronic unit (EUT) as in View 1, but without the USB cable. The unit is positioned next to a black ruler with white markings, similar to the one in View 1. The background is a solid blue surface.

EUT View 3	 A black circular component, likely a base or back cover, is shown. It features four screws around its perimeter and a central circular logo with a stylized 'S' or 'W' inside. The component is placed on a blue surface next to a black ruler with white markings. The ruler shows measurements in millimeters and centimeters.
EUT View 4	 A black circular component, likely a lens or front cover, is shown. It is a smooth, flat disc. The component is placed on a blue surface next to a black ruler with white markings. The ruler shows measurements in millimeters and centimeters.

EUT View 5	 A photograph showing a circular, black, flat component (likely a test piece) placed on a blue surface. A black ruler with white markings is positioned horizontally below the component. The ruler has markings in millimeters (0 to 100) and centimeters (0 to 10). The component is positioned between the 10 mm and 20 mm marks on the ruler.
EUT View 6	 A photograph showing the same circular, black, flat component as in View 5, placed on a blue surface. A black ruler with white markings is positioned horizontally below the component. The ruler has markings in millimeters (0 to 100) and centimeters (0 to 10). The component is positioned between the 10 mm and 20 mm marks on the ruler.

EUT View 7	 A top-down view of a circular, black, flat electronic component. It is positioned next to a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100) and centimeters (0 to 10). The component is approximately 40 mm in diameter. The background is a solid blue surface.
EUT View 8	 A close-up view of a USB-C port on a black device. The port is recessed into the device's body. The internal contacts of the port are visible. The device has a matte black finish. The background is a solid blue surface.