




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height	Comments
										(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	17.89535G	47.99	54.00	-6.01	3	Vertical	217	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9022G	60.15	88.20	-28.05	51.58	3	Vertical	344	1.73	-	34.91	6.60	32.94	
RMS	5.9214G	48.97	68.20	-19.23	40.32	3	Vertical	344	1.73	-	34.99	6.60	32.94	
PK	5.9618G	106.87	Inf	-Inf	98.07	3	Vertical	344	1.73	-	35.15	6.60	32.95	
RMS	5.963G	96.01	Inf	-Inf	87.21	3	Vertical	344	1.73	-	35.15	6.60	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9206G	60.30	88.20	-27.90	51.66	3	Horizontal	354	1.03	-	34.98	6.60	32.94	
RMS	5.9214G	49.06	68.20	-19.14	40.41	3	Horizontal	354	1.03	-	34.99	6.60	32.94	
PK	5.9494G	105.54	Inf	-Inf	96.78	3	Horizontal	354	1.03	-	35.10	6.60	32.94	
RMS	5.9466G	94.82	Inf	-Inf	86.07	3	Horizontal	354	1.03	-	35.09	6.60	32.94	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91102G	57.62	74.00	-16.38	43.01	3	Vertical	110	1.00	-	38.50	8.98	32.87
AV	11.90988G	45.21	54.00	-8.79	30.60	3	Vertical	110	1.00	-	38.50	8.98	32.87
PK	17.8654G	63.22	74.00	-10.78	41.20	3	Vertical	1	1.80	-	42.66	11.06	31.70
AV	17.86457G	47.57	54.00	-6.43	25.55	3	Vertical	1	1.80	-	42.66	11.06	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89716G	56.41	74.00	-17.59	41.81	3	Horizontal	104	1.93	-	38.50	8.97	32.87
AV	11.91G	44.68	54.00	-9.32	30.07	3	Horizontal	104	1.93	-	38.50	8.98	32.87
PK	17.8646G	63.25	74.00	-10.75	41.23	3	Horizontal	166	1.80	-	42.66	11.06	31.70
AV	17.86499G	47.60	54.00	-6.40	25.58	3	Horizontal	166	1.80	-	42.66	11.06	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8774G	59.32	88.20	-28.88	50.81	3	Vertical	22	1.81	-	34.85	6.60	32.94	
RMS	5.9158G	48.91	68.20	-19.29	40.29	3	Vertical	22	1.81	-	34.96	6.60	32.94	
PK	6.1666G	102.17	Inf	-Inf	92.90	3	Vertical	22	1.81	-	35.37	6.85	32.95	
RMS	6.1666G	92.01	Inf	-Inf	82.74	3	Vertical	22	1.81	-	35.37	6.85	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	59.53	88.20	-28.67	50.93	3	Horizontal	337	1.00	-	34.94	6.60	32.94	
RMS	5.9206G	48.95	68.20	-19.25	40.31	3	Horizontal	337	1.00	-	34.98	6.60	32.94	
PK	6.1666G	103.36	Inf	-Inf	94.09	3	Horizontal	337	1.00	-	35.37	6.85	32.95	
RMS	6.1666G	92.39	Inf	-Inf	83.12	3	Horizontal	337	1.00	-	35.37	6.85	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.34965G	56.82	74.00	-17.18	41.51	3	Vertical	356	2.33	-	38.60	9.16	32.45	
AV	12.34989G	43.21	54.00	-10.79	27.90	3	Vertical	356	2.33	-	38.60	9.16	32.45	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3496G	56.32	74.00	-17.68	41.01	3	Horizontal	28	2.45	-	38.60	9.16	32.45
AV	12.34996G	43.20	54.00	-10.80	27.89	3	Horizontal	28	2.45	-	38.60	9.16	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.52545G	45.02	83.54	-38.52	42.39	1	Vertical	140	2.80	-	37.79	14.91	50.07	
AV	18.52536G	33.03	63.54	-30.51	30.40	1	Vertical	140	2.80	-	37.79	14.91	50.07	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52475G	44.82	83.54	-38.72	42.20	1	Horizontal	240	1.08	-	37.79	14.91	50.08
AV	18.52517G	33.11	63.54	-30.43	30.48	1	Horizontal	240	1.08	-	37.79	14.91	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8822G	59.66	88.20	-28.54	51.14	3	Vertical	11	1.80	-	34.86	6.60	32.94	
RMS	5.9182G	48.90	68.20	-19.30	40.27	3	Vertical	11	1.80	-	34.97	6.60	32.94	
PK	6.4054G	103.04	Inf	-Inf	93.41	3	Vertical	11	1.80	-	35.58	7.00	32.95	
RMS	6.4078G	92.94	Inf	-Inf	83.32	3	Vertical	11	1.80	-	35.57	7.00	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9182G	59.46	88.20	-28.74	50.83	3	Horizontal	308	1.02	-	34.97	6.60	32.94	
RMS	5.9206G	48.83	68.20	-19.37	40.19	3	Horizontal	308	1.02	-	34.98	6.60	32.94	
PK	6.4246G	105.90	Inf	-Inf	96.35	3	Horizontal	308	1.02	-	35.50	7.00	32.95	
RMS	6.4222G	96.77	Inf	-Inf	87.21	3	Horizontal	308	1.02	-	35.51	7.00	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.82959G	57.86	88.20	-30.34	41.10	3	Vertical	232	2.87	-	39.23	9.37	31.84	
RMS	12.83004G	44.51	68.20	-23.69	27.75	3	Vertical	232	2.87	-	39.23	9.37	31.84	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8298G	57.36	88.20	-30.84	40.60	3	Horizontal	241	1.56	-	39.23	9.37	31.84	
RMS	12.82992G	44.45	68.20	-23.75	27.69	3	Horizontal	241	1.56	-	39.23	9.37	31.84	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.24519G	45.23	83.54	-38.31	41.97	1	Vertical	135	1.73	-	37.71	15.20	49.65	
AV	19.24502G	33.61	63.54	-29.93	30.35	1	Vertical	135	1.73	-	37.71	15.20	49.65	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.24529G	45.14	83.54	-38.40	41.88	1	Horizontal	147	2.56	-	37.71	15.20	49.65	
AV	19.24479G	33.52	63.54	-30.02	30.26	1	Horizontal	147	2.56	-	37.71	15.20	49.65	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8994G	59.68	88.20	-28.52	51.12	3	Vertical	6	1.80	-	34.90	6.60	32.94	
RMS	5.915G	48.98	68.20	-19.22	40.36	3	Vertical	6	1.80	-	34.96	6.60	32.94	
PK	6.4272G	99.74	Inf	-Inf	90.20	3	Vertical	6	1.80	-	35.49	7.00	32.95	
RMS	6.4272G	90.99	Inf	-Inf	81.45	3	Vertical	6	1.80	-	35.49	7.00	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8812G	59.11	88.20	-29.09	50.59	3	Horizontal	343	1.81	-	34.86	6.60	32.94	
RMS	5.9124G	48.88	68.20	-19.32	40.27	3	Horizontal	343	1.81	-	34.95	6.60	32.94	
PK	6.4428G	104.92	Inf	-Inf	95.44	3	Horizontal	343	1.81	-	35.43	7.00	32.95	
RMS	6.4428G	96.51	Inf	-Inf	87.03	3	Horizontal	343	1.81	-	35.43	7.00	32.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86976G	57.38	88.20	-30.82	40.51	3	Vertical	257	1.76	-	39.27	9.39	31.79	
RMS	12.86961G	44.06	68.20	-24.14	27.19	3	Vertical	257	1.76	-	39.27	9.39	31.79	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86954G	57.14	88.20	-31.06	40.27	3	Horizontal	347	2.99	-	39.27	9.39	31.79	
RMS	12.87007G	44.09	68.20	-24.11	27.22	3	Horizontal	347	2.99	-	39.27	9.39	31.79	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30519G	45.33	83.54	-38.21	42.03	1	Vertical	173	2.38	-	37.74	15.22	49.66
AV	19.305G	33.62	63.54	-29.92	30.32	1	Vertical	173	2.38	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30496G	45.55	83.54	-37.99	42.25	1	Horizontal	343	2.79	-	37.74	15.22	49.66
AV	19.30511G	33.77	63.54	-29.77	30.47	1	Horizontal	343	2.79	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	59.62	88.20	-28.58	51.13	3	Vertical	12	1.79	-	34.83	6.60	32.94
RMS	5.915G	48.90	68.20	-19.30	40.28	3	Vertical	12	1.79	-	34.96	6.60	32.94
PK	6.4834G	108.13	Inf	-Inf	98.55	3	Vertical	12	1.79	-	35.53	7.00	32.95
RMS	6.4834G	98.66	Inf	-Inf	89.08	3	Vertical	12	1.79	-	35.53	7.00	32.95
PK	7.1666G	62.82	88.20	-25.38	51.76	3	Vertical	12	1.79	-	36.97	7.22	33.13
RMS	7.1526G	51.79	68.20	-16.41	40.80	3	Vertical	12	1.79	-	36.91	7.22	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	59.79	88.20	-28.41	51.29	3	Horizontal	285	1.06	-	34.84	6.60	32.94
RMS	5.915G	48.92	68.20	-19.28	40.30	3	Horizontal	285	1.06	-	34.96	6.60	32.94
PK	6.4834G	107.06	Inf	-Inf	97.48	3	Horizontal	285	1.06	-	35.53	7.00	32.95
RMS	6.4834G	99.00	Inf	-Inf	89.42	3	Horizontal	285	1.06	-	35.53	7.00	32.95
PK	7.1358G	61.81	88.20	-26.39	50.93	3	Horizontal	285	1.06	-	36.79	7.23	33.14
RMS	7.161G	51.79	68.20	-16.41	40.76	3	Horizontal	285	1.06	-	36.94	7.22	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94964G	58.35	88.20	-29.85	41.15	3	Vertical	226	1.91	-	39.45	9.43	31.68	
RMS	12.94976G	44.62	68.20	-23.58	27.42	3	Vertical	226	1.91	-	39.45	9.43	31.68	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95046G	58.45	88.20	-29.75	41.25	3	Horizontal	120	1.37	-	39.45	9.43	31.68	
RMS	12.94987G	44.79	68.20	-23.41	27.59	3	Horizontal	120	1.37	-	39.45	9.43	31.68	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42546G	46.29	83.54	-37.25	42.87	1	Vertical	47	2.51	-	37.84	15.27	49.69	
AV	19.42489G	34.35	63.54	-29.19	30.92	1	Vertical	47	2.51	-	37.84	15.27	49.68	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42459G	46.12	83.54	-37.42	42.69	1	Horizontal	72	1.48	-	37.84	15.27	49.68	
AV	19.42526G	34.12	63.54	-29.42	30.70	1	Horizontal	72	1.48	-	37.84	15.27	49.69	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	60.41	88.20	-27.79	51.80	3	Vertical	8	2.47	-	34.95	6.60	32.94
RMS	5.924G	48.94	68.20	-19.26	40.28	3	Vertical	8	2.47	-	35.00	6.60	32.94
PK	6.5234G	105.79	Inf	-Inf	96.06	3	Vertical	8	2.47	-	35.69	7.00	32.96
RMS	6.5234G	97.01	Inf	-Inf	87.28	3	Vertical	8	2.47	-	35.69	7.00	32.96
PK	7.2122G	62.33	88.20	-25.87	51.13	3	Vertical	8	2.47	-	37.10	7.21	33.11
RMS	7.2066G	52.14	68.20	-16.06	40.95	3	Vertical	8	2.47	-	37.10	7.21	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	59.40	88.20	-28.80	50.84	3	Horizontal	345	1.38	-	34.90	6.60	32.94
RMS	5.9158G	48.96	68.20	-19.24	40.34	3	Horizontal	345	1.38	-	34.96	6.60	32.94
PK	6.5094G	108.17	Inf	-Inf	98.48	3	Horizontal	345	1.38	-	35.64	7.00	32.95
RMS	6.5094G	97.90	Inf	-Inf	88.21	3	Horizontal	345	1.38	-	35.64	7.00	32.95
PK	7.2038G	62.25	88.20	-25.95	51.07	3	Horizontal	345	1.38	-	37.10	7.20	33.12
RMS	7.2122G	52.18	68.20	-16.02	40.98	3	Horizontal	345	1.38	-	37.10	7.21	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.02958G	58.37	88.20	-29.83	40.86	3	Vertical	243	2.09	-	39.63	9.46	31.58	
RMS	13.02989G	44.93	68.20	-23.27	27.42	3	Vertical	243	2.09	-	39.63	9.46	31.58	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.02969G	58.12	88.20	-30.08	40.61	3	Horizontal	293	2.54	-	39.63	9.46	31.58	
RMS	13.02961G	44.91	68.20	-23.29	27.40	3	Horizontal	293	2.54	-	39.63	9.46	31.58	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54481G	45.41	83.54	-38.13	41.91	1	Vertical	16	2.04	-	37.88	15.32	49.70	
AV	19.54486G	34.08	63.54	-29.46	30.58	1	Vertical	16	2.04	-	37.88	15.32	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5451G	45.28	83.54	-38.26	41.78	1	Horizontal	249	1.80	-	37.88	15.32	49.70	
AV	19.54486G	33.97	63.54	-29.57	30.47	1	Horizontal	249	1.80	-	37.88	15.32	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8434G	59.20	88.20	-29.00	50.78	3	Vertical	10	1.78	-	34.75	6.60	32.93
RMS	5.835G	48.98	68.20	-19.22	40.63	3	Vertical	10	1.78	-	34.68	6.60	32.93
PK	6.5378G	106.58	Inf	-Inf	96.80	3	Vertical	10	1.78	-	35.75	7.00	32.97
RMS	6.5434G	97.60	Inf	-Inf	87.80	3	Vertical	10	1.78	-	35.77	7.00	32.97
PK	7.2182G	62.37	88.20	-25.83	51.16	3	Vertical	10	1.78	-	37.10	7.22	33.11
RMS	7.2294G	52.36	68.20	-15.84	41.14	3	Vertical	10	1.78	-	37.10	7.23	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	59.94	88.20	-28.26	51.30	3	Horizontal	336	1.80	-	34.98	6.60	32.94
RMS	5.835G	48.95	68.20	-19.25	40.60	3	Horizontal	336	1.80	-	34.68	6.60	32.93
PK	6.5406G	108.10	Inf	-Inf	98.31	3	Horizontal	336	1.80	-	35.76	7.00	32.97
RMS	6.5434G	99.03	Inf	-Inf	89.23	3	Horizontal	336	1.80	-	35.77	7.00	32.97
PK	7.2238G	63.01	88.20	-25.19	51.80	3	Horizontal	336	1.80	-	37.10	7.22	33.11
RMS	7.2238G	52.36	68.20	-15.84	41.15	3	Horizontal	336	1.80	-	37.10	7.22	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.07018G	58.24	88.20	-29.96	40.62	3	Vertical	162	2.01	-	39.67	9.48	31.53	
RMS	13.06996G	45.15	68.20	-23.05	27.53	3	Vertical	162	2.01	-	39.67	9.48	31.53	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0701G	58.41	88.20	-29.79	40.79	3	Horizontal	305	2.14	-	39.67	9.48	31.53
RMS	13.06969G	45.18	68.20	-23.02	27.56	3	Horizontal	305	2.14	-	39.67	9.48	31.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60533G	45.82	83.54	-37.72	42.32	1	Vertical	187	2.46	-	37.86	15.34	49.70
AV	19.60518G	34.16	63.54	-29.38	30.66	1	Vertical	187	2.46	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60476G	46.39	83.54	-37.15	42.89	1	Horizontal	327	2.89	-	37.86	15.34	49.70
AV	19.60456G	34.07	63.54	-29.47	30.57	1	Horizontal	327	2.89	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6884G	101.59	Inf	-Inf	91.71	3	Vertical	18	1.81	-	35.92	7.00	33.04	
RMS	6.7038G	91.86	Inf	-Inf	81.99	3	Vertical	18	1.81	-	35.92	7.00	33.05	
PK	7.245G	63.35	88.20	-24.85	52.10	3	Vertical	18	1.81	-	37.10	7.25	33.10	
RMS	7.2428G	52.49	68.20	-15.71	41.25	3	Vertical	18	1.81	-	37.10	7.24	33.10	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6884G	110.19	Inf	-Inf	100.31	3	Horizontal	341	1.81	-	35.92	7.00	33.04	
RMS	6.6862G	100.98	Inf	-Inf	91.09	3	Horizontal	341	1.81	-	35.93	7.00	33.04	
PK	7.1724G	62.16	88.20	-26.04	51.09	3	Horizontal	341	1.81	-	36.99	7.21	33.13	
RMS	7.2428G	52.45	68.20	-15.75	41.21	3	Horizontal	341	1.81	-	37.10	7.24	33.10	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.38979G	59.37	74.00	-14.63	40.69	3	Vertical	6	1.02	-	40.18	9.63	31.13	
AV	13.38987G	45.89	54.00	-8.11	27.21	3	Vertical	6	1.02	-	40.18	9.63	31.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.38991G	59.16	74.00	-14.84	40.48	3	Horizontal	337	2.06	-	40.18	9.63	31.13	
AV	13.38958G	45.80	54.00	-8.20	27.12	3	Horizontal	337	2.06	-	40.18	9.63	31.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08462G	46.42	83.54	-37.12	43.14	1	Vertical	256	2.97	-	37.47	15.54	49.73
AV	20.08523G	34.54	63.54	-29.00	31.26	1	Vertical	256	2.97	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08462G	46.45	83.54	-37.09	43.17	1	Horizontal	274	1.31	-	37.47	15.54	49.73
AV	20.08493G	34.51	63.54	-29.03	31.23	1	Horizontal	274	1.31	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8508G	107.02	Inf	-Inf	96.47	3	Vertical	6.5	1.81	-	36.59	7.08	33.12	
RMS	6.8508G	96.87	Inf	-Inf	86.32	3	Vertical	6.5	1.81	-	36.59	7.08	33.12	
PK	7.1882G	62.68	88.20	-25.52	51.54	3	Vertical	6.5	1.81	-	37.05	7.21	33.12	
RMS	7.1994G	52.10	68.20	-16.10	40.92	3	Vertical	6.5	1.81	-	37.10	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	108.76	Inf	-Inf	98.23	3	Horizontal	330	2.38	-	36.58	7.07	33.12	
RMS	6.8466G	98.75	Inf	-Inf	88.23	3	Horizontal	330	2.38	-	36.57	7.07	33.12	
PK	7.1308G	62.40	88.20	-25.80	51.56	3	Horizontal	330	2.38	-	36.75	7.23	33.14	
RMS	7.2008G	52.14	68.20	-16.06	40.96	3	Horizontal	330	2.38	-	37.10	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7104G	61.94	88.20	-26.26	42.77	3	Vertical	163	2.50	-	40.53	9.77	31.13	
RMS	13.7096G	48.75	68.20	-19.45	29.58	3	Vertical	163	2.50	-	40.53	9.77	31.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71015G	62.18	88.20	-26.02	43.01	3	Horizontal	181	2.42	-	40.53	9.77	31.13
RMS	13.71038G	48.79	68.20	-19.41	29.62	3	Horizontal	181	2.42	-	40.53	9.77	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56492G	46.27	83.54	-37.27	42.61	1	Vertical	68	1.69	-	37.78	15.75	49.87	
AV	20.56473G	34.76	63.54	-28.78	31.10	1	Vertical	68	1.69	-	37.78	15.75	49.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56455G	47.59	83.54	-35.95	43.93	1	Horizontal	73	1.88	-	37.78	15.75	49.87
AV	20.56478G	34.67	63.54	-28.87	31.01	1	Horizontal	73	1.88	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	106.69	Inf	-Inf	96.27	3	Vertical	351	1.81	-	36.45	7.10	33.13
RMS	6.8666G	96.85	Inf	-Inf	86.41	3	Vertical	351	1.81	-	36.47	7.10	33.13
PK	7.1306G	61.88	88.20	-26.32	51.05	3	Vertical	351	1.81	-	36.74	7.23	33.14
RMS	7.1522G	51.83	68.20	-16.37	40.84	3	Vertical	351	1.81	-	36.91	7.22	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	108.97	Inf	-Inf	98.53	3	Horizontal	61	2.05	-	36.47	7.10	33.13
RMS	6.8666G	100.13	Inf	-Inf	89.69	3	Horizontal	61	2.05	-	36.47	7.10	33.13
PK	7.1558G	62.57	88.20	-25.63	51.56	3	Horizontal	61	2.05	-	36.92	7.22	33.13
RMS	7.1642G	51.84	68.20	-16.36	40.79	3	Horizontal	61	2.05	-	36.96	7.22	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.74959G	62.29	88.20	-25.91	43.01	3	Vertical	318	2.97	-	40.65	9.79	31.16	
RMS	13.7495G	49.17	68.20	-19.03	29.89	3	Vertical	318	2.97	-	40.65	9.79	31.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74956G	62.41	88.20	-25.79	43.13	3	Horizontal	189	2.99	-	40.65	9.79	31.16
RMS	13.75001G	49.32	68.20	-18.88	30.04	3	Horizontal	189	2.99	-	40.65	9.79	31.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62464G	47.57	83.54	-35.97	43.79	1	Vertical	165	1.04	-	37.85	15.78	49.85
AV	20.62457G	34.82	63.54	-28.72	31.04	1	Vertical	165	1.04	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62539G	46.89	83.54	-36.65	43.11	1	Horizontal	279	1.66	-	37.85	15.78	49.85
AV	20.62482G	34.98	63.54	-28.56	31.20	1	Horizontal	279	1.66	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8902G	105.65	Inf	-Inf	95.37	3	Vertical	12	1.81	-	36.28	7.14	33.14	
RMS	6.9034G	96.35	Inf	-Inf	86.11	3	Vertical	12	1.81	-	36.22	7.16	33.14	
PK	7.1734G	62.61	88.20	-25.59	51.54	3	Vertical	12	1.81	-	36.99	7.21	33.13	
RMS	7.1926G	51.98	68.20	-16.22	40.83	3	Vertical	12	1.81	-	37.07	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8878G	111.23	Inf	-Inf	100.94	3	Horizontal	332	1.80	-	36.30	7.13	33.14	
RMS	6.8866G	100.81	Inf	-Inf	90.51	3	Horizontal	332	1.80	-	36.31	7.13	33.14	
PK	7.1518G	62.33	88.20	-25.87	51.34	3	Horizontal	332	1.80	-	36.91	7.22	33.14	
RMS	7.195G	52.01	68.20	-16.19	40.85	3	Horizontal	332	1.80	-	37.08	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78992G	63.05	88.20	-25.15	43.66	3	Vertical	228	2.15	-	40.77	9.81	31.19	
RMS	13.78998G	49.66	68.20	-18.54	30.27	3	Vertical	228	2.15	-	40.77	9.81	31.19	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78999G	62.92	88.20	-25.28	43.53	3	Horizontal	350	2.60	-	40.77	9.81	31.19	
RMS	13.79033G	49.62	68.20	-18.58	30.23	3	Horizontal	350	2.60	-	40.77	9.81	31.19	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68475G	46.39	83.54	-37.15	42.49	1	Vertical	110	1.57	-	37.92	15.81	49.83
AV	20.68483G	35.00	63.54	-28.54	31.10	1	Vertical	110	1.57	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.68466G	47.79	83.54	-35.75	43.89	1	Horizontal	45	1.63	-	37.92	15.81	49.83	
AV	20.68484G	35.01	63.54	-28.53	31.11	1	Horizontal	45	1.63	-	37.92	15.81	49.83	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9998G	109.50	Inf	-Inf	99.09	3	Vertical	351	1.40	-	36.30	7.30	33.19	
RMS	6.9998G	96.53	Inf	-Inf	86.12	3	Vertical	351	1.40	-	36.30	7.30	33.19	
PK	7.1286G	62.46	88.20	-25.74	51.63	3	Vertical	351	1.40	-	36.73	7.24	33.14	
RMS	7.187G	51.98	68.20	-16.22	40.84	3	Vertical	351	1.40	-	37.05	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0022G	109.13	Inf	-Inf	98.71	3	Horizontal	68	2.56	-	36.31	7.30	33.19	
RMS	7.0022G	95.56	Inf	-Inf	85.14	3	Horizontal	68	2.56	-	36.31	7.30	33.19	
PK	7.1654G	62.82	88.20	-25.38	51.77	3	Horizontal	68	2.56	-	36.96	7.22	33.13	
RMS	7.1878G	51.92	68.20	-16.28	40.78	3	Horizontal	68	2.56	-	37.05	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99049G	62.18	88.20	-26.02	42.70	3	Vertical	241	1.81	-	40.90	9.90	31.32	
RMS	13.99012G	49.22	68.20	-18.98	29.74	3	Vertical	241	1.81	-	40.90	9.90	31.32	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98995G	63.28	88.20	-24.92	43.80	3	Horizontal	93	2.52	-	40.90	9.90	31.32	
RMS	13.9898G	49.27	68.20	-18.93	29.79	3	Horizontal	93	2.52	-	40.90	9.90	31.32	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98468G	47.59	83.54	-35.95	43.74	1	Vertical	294	1.89	-	37.62	15.94	49.71
AV	20.9849G	34.88	63.54	-28.66	31.03	1	Vertical	294	1.89	-	37.62	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 11
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98456G	46.78	83.54	-36.76	42.93	1	Horizontal	316	2.25	-	37.62	15.94	49.71
AV	20.98458G	35.04	63.54	-28.50	31.19	1	Horizontal	316	2.25	-	37.62	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0874G	107.63	Inf	-Inf	97.00	3	Vertical	326	1.32	-	36.53	7.26	33.16	
RMS	7.087G	97.53	Inf	-Inf	86.90	3	Vertical	326	1.32	-	36.53	7.26	33.16	
PK	7.1594G	63.24	88.20	-24.96	52.21	3	Vertical	326	1.32	-	36.94	7.22	33.13	
RMS	7.1866G	51.83	68.20	-16.37	40.69	3	Vertical	326	1.32	-	37.05	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1034G	110.26	Inf	-Inf	99.63	3	Horizontal	351	1.60	-	36.53	7.25	33.15
RMS	7.1038G	99.86	Inf	-Inf	89.23	3	Horizontal	351	1.60	-	36.53	7.25	33.15
PK	7.1918G	63.07	88.20	-25.13	51.92	3	Horizontal	351	1.60	-	37.07	7.20	33.12
RMS	7.1946G	51.89	68.20	-16.31	40.73	3	Horizontal	351	1.60	-	37.08	7.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19047G	61.28	88.20	-26.92	42.03	3	Vertical	308	2.89	-	40.81	9.96	31.52
RMS	14.18956G	48.51	68.20	-19.69	29.26	3	Vertical	308	2.89	-	40.81	9.96	31.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18958G	61.54	88.20	-26.66	42.29	3	Horizontal	86	1.13	-	40.81	9.96	31.52	
RMS	14.19017G	48.38	68.20	-19.82	29.13	3	Horizontal	86	1.13	-	40.81	9.96	31.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.28465G	47.07	83.54	-36.47	42.99	1	Vertical	68	2.28	-	37.64	16.08	49.64	
AV	21.28486G	35.69	63.54	-27.85	31.61	1	Vertical	68	2.28	-	37.64	16.08	49.64	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 13
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.28452G	47.28	83.54	-36.26	43.20	1	Horizontal	16	1.03	-	37.64	16.08	49.64	
AV	21.28505G	35.64	63.54	-27.90	31.56	1	Horizontal	16	1.03	-	37.64	16.08	49.64	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1255G	68.01	88.20	-20.19	57.21	3	Vertical	334.1	2.59	-	36.70	7.24	33.14	
PK	7.12245G	93.33	Inf	-Inf	82.56	3	Vertical	334.1	2.59	-	36.68	7.24	33.15	
RMS	7.1255G	57.41	68.20	-10.79	46.61	3	Vertical	334.1	2.59	-	36.70	7.24	33.14	
RMS	7.11003G	83.94	Inf	-Inf	73.27	3	Vertical	334.1	2.59	-	36.58	7.24	33.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_X_4TX
Setting 12
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1255G	70.78	88.20	-17.42	59.98	3	Horizontal	353.3	1.79	-	36.70	7.24	33.14	
PK	7.10748G	98.34	Inf	-Inf	87.68	3	Horizontal	353.3	1.79	-	36.56	7.25	33.15	
RMS	7.1255G	58.72	68.20	-9.48	47.92	3	Horizontal	353.3	1.79	-	36.70	7.24	33.14	
RMS	7.10735G	89.01	Inf	-Inf	78.35	3	Horizontal	353.3	1.79	-	36.56	7.25	33.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23208G	62.24	88.20	-25.96	43.09	3	Vertical	264	2.68	-	40.74	9.97	31.56
AV	14.22724G	48.80	68.20	-19.40	29.63	3	Vertical	264	2.68	-	40.75	9.97	31.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.22782G	61.75	88.20	-26.45	42.59	3	Horizontal	242	2.83	-	40.74	9.97	31.55	
AV	14.23462G	48.74	68.20	-19.46	29.60	3	Horizontal	242	2.83	-	40.73	9.97	31.56	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34314G	47.71	83.54	-35.83	43.53	1	Vertical	273	1.57	-	37.71	16.10	49.63
AV	21.34646G	34.15	63.54	-29.39	29.95	1	Vertical	273	1.57	-	37.72	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 12
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34586G	47.43	83.54	-36.11	43.23	1	Horizontal	220	1.52	-	37.72	16.11	49.63
AV	21.34174G	34.20	63.54	-29.34	30.02	1	Horizontal	220	1.52	-	37.71	16.10	49.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	67.82	88.20	-20.38	59.16	3	Vertical	346	1.83	-	35.00	6.60	32.94	
RMS	5.9234G	49.88	68.20	-18.32	41.23	3	Vertical	346	1.83	-	34.99	6.60	32.94	
PK	5.959G	105.79	Inf	-Inf	97.00	3	Vertical	346	1.83	-	35.14	6.60	32.95	
RMS	5.9714G	95.00	Inf	-Inf	86.16	3	Vertical	346	1.83	-	35.19	6.60	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 11
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8802G	61.00	88.20	-27.20	52.48	3	Horizontal	355	1.00	-	34.86	6.60	32.94	
RMS	5.9218G	50.48	68.20	-17.72	41.83	3	Horizontal	355	1.00	-	34.99	6.60	32.94	
PK	5.9698G	107.28	Inf	-Inf	98.45	3	Horizontal	355	1.00	-	35.18	6.60	32.95	
RMS	5.9702G	96.59	Inf	-Inf	87.76	3	Horizontal	355	1.00	-	35.18	6.60	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92966G	56.48	74.00	-17.52	41.87	3	Vertical	208	2.01	-	38.50	8.98	32.87	
AV	11.93022G	43.35	54.00	-10.65	28.74	3	Vertical	208	2.01	-	38.50	8.98	32.87	
PK	17.89525G	63.73	74.00	-10.27	41.57	3	Vertical	217	1.50	-	42.78	11.07	31.69	
AV	17.89535G	47.99	54.00	-6.01	25.83	3	Vertical	217	1.50	-	42.78	11.07	31.69	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92959G	57.41	74.00	-16.59	42.80	3	Horizontal	334	2.81	-	38.50	8.98	32.87	
AV	11.92966G	43.38	54.00	-10.62	28.77	3	Horizontal	334	2.81	-	38.50	8.98	32.87	
PK	17.89506G	63.62	74.00	-10.38	41.46	3	Horizontal	158	1.72	-	42.78	11.07	31.69	
AV	17.89531G	47.33	54.00	-6.67	25.17	3	Horizontal	158	1.72	-	42.78	11.07	31.69	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8866G	60.47	88.20	-27.73	51.94	3	Vertical	36	1.39	-	34.87	6.60	32.94	
RMS	5.919G	49.50	68.20	-18.70	40.86	3	Vertical	36	1.39	-	34.98	6.60	32.94	
PK	6.1662G	106.05	Inf	-Inf	96.79	3	Vertical	36	1.39	-	35.36	6.85	32.95	
RMS	6.1674G	96.30	Inf	-Inf	87.03	3	Vertical	36	1.39	-	35.37	6.85	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8794G	60.21	88.20	-27.99	51.69	3	Horizontal	58	1.81	-	34.86	6.60	32.94	
AV	5.925G	49.49	68.20	-18.71	40.83	3	Horizontal	58	1.81	-	35.00	6.60	32.94	
PK	6.1506G	107.14	Inf	-Inf	97.96	3	Horizontal	58	1.81	-	35.30	6.83	32.95	
RMS	6.1518G	96.79	Inf	-Inf	87.60	3	Horizontal	58	1.81	-	35.31	6.83	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.33015G	55.85	74.00	-18.15	40.61	3	Vertical	11	2.82	-	38.56	9.15	32.47	
AV	12.33016G	42.88	54.00	-11.12	27.64	3	Vertical	11	2.82	-	38.56	9.15	32.47	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.33016G	56.10	74.00	-17.90	40.86	3	Horizontal	19	1.85	-	38.56	9.15	32.47	
AV	12.32989G	42.77	54.00	-11.23	27.53	3	Horizontal	19	1.85	-	38.56	9.15	32.47	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.49541G	44.88	83.54	-38.66	42.29	1	Vertical	150	2.40	-	37.79	14.90	50.10
AV	18.49454G	32.72	63.54	-30.82	30.13	1	Vertical	150	2.40	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49466G	44.41	83.54	-39.13	41.82	1	Horizontal	257	1.71	-	37.79	14.90	50.10
AV	18.49476G	32.80	63.54	-30.74	30.21	1	Horizontal	257	1.71	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9202G	59.17	88.20	-29.03	50.53	3	Vertical	7	2.09	-	34.98	6.60	32.94	
RMS	5.9178G	49.52	68.20	-18.68	40.89	3	Vertical	7	2.09	-	34.97	6.60	32.94	
PK	6.4218G	103.40	Inf	-Inf	93.84	3	Vertical	7	2.09	-	35.51	7.00	32.95	
RMS	6.4074G	94.09	Inf	-Inf	84.47	3	Vertical	7	2.09	-	35.57	7.00	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8434G	60.07	88.20	-28.13	51.65	3	Horizontal	309	1.62	-	34.75	6.60	32.93	
RMS	5.925G	49.49	68.20	-18.71	40.83	3	Horizontal	309	1.62	-	35.00	6.60	32.94	
PK	6.4194G	108.21	Inf	-Inf	98.64	3	Horizontal	309	1.62	-	35.52	7.00	32.95	
RMS	6.4122G	98.35	Inf	-Inf	88.75	3	Horizontal	309	1.62	-	35.55	7.00	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81015G	57.52	88.20	-30.68	40.81	3	Vertical	11	1.69	-	39.21	9.36	31.86	
RMS	12.80953G	44.01	68.20	-24.19	27.30	3	Vertical	11	1.69	-	39.21	9.36	31.86	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80953G	57.28	88.20	-30.92	40.57	3	Horizontal	340	1.38	-	39.21	9.36	31.86
RMS	12.80961G	43.97	68.20	-24.23	27.26	3	Horizontal	340	1.38	-	39.21	9.36	31.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21528G	44.69	83.54	-38.85	41.40	1	Vertical	316	2.95	-	37.74	15.19	49.64
AV	19.21493G	33.28	63.54	-30.26	29.99	1	Vertical	316	2.95	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.21512G	45.52	83.54	-38.02	42.23	1	Horizontal	95	2.84	-	37.74	15.19	49.64	
AV	19.21474G	33.27	63.54	-30.27	29.98	1	Horizontal	95	2.84	-	37.74	15.19	49.64	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9042G	59.71	88.20	-28.49	51.13	3	Vertical	9	1.98	-	34.92	6.60	32.94	
RMS	5.912G	49.49	68.20	-18.71	40.88	3	Vertical	9	1.98	-	34.95	6.60	32.94	
PK	6.4346G	103.96	Inf	-Inf	94.45	3	Vertical	9	1.98	-	35.46	7.00	32.95	
RMS	6.4346G	94.67	Inf	-Inf	85.16	3	Vertical	9	1.98	-	35.46	7.00	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8886G	60.46	88.20	-27.74	51.92	3	Horizontal	309	1.62	-	34.88	6.60	32.94	
RMS	5.912G	49.49	68.20	-18.71	40.88	3	Horizontal	309	1.62	-	34.95	6.60	32.94	
PK	6.4476G	108.22	Inf	-Inf	98.76	3	Horizontal	309	1.62	-	35.41	7.00	32.95	
RMS	6.4424G	98.73	Inf	-Inf	89.25	3	Horizontal	309	1.62	-	35.43	7.00	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89035G	57.78	88.20	-30.42	40.85	3	Vertical	251	2.54	-	39.29	9.40	31.76	
RMS	12.89022G	43.92	68.20	-24.28	26.99	3	Vertical	251	2.54	-	39.29	9.40	31.76	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88999G	57.19	88.20	-31.01	40.26	3	Horizontal	355	2.91	-	39.29	9.40	31.76	
RMS	12.88998G	43.95	68.20	-24.25	27.02	3	Horizontal	355	2.91	-	39.29	9.40	31.76	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33479G	45.27	83.54	-38.27	41.94	1	Vertical	36	2.57	-	37.77	15.23	49.67
AV	19.33478G	33.35	63.54	-30.19	30.02	1	Vertical	36	2.57	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33491G	45.17	83.54	-38.37	41.84	1	Horizontal	345	2.23	-	37.77	15.23	49.67
AV	19.33499G	33.39	63.54	-30.15	30.06	1	Horizontal	345	2.23	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8242G	59.11	88.20	-29.09	50.85	3	Vertical	13	1.82	-	34.59	6.60	32.93
RMS	5.9222G	49.48	68.20	-18.72	40.83	3	Vertical	13	1.82	-	34.99	6.60	32.94
PK	6.4906G	105.26	Inf	-Inf	95.65	3	Vertical	13	1.82	-	35.56	7.00	32.95
RMS	6.4822G	96.79	Inf	-Inf	87.21	3	Vertical	13	1.82	-	35.53	7.00	32.95
PK	7.1318G	62.62	88.20	-25.58	51.78	3	Vertical	13	1.82	-	36.75	7.23	33.14
RMS	7.1822G	52.43	68.20	-15.77	41.31	3	Vertical	13	1.82	-	37.03	7.21	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.897G	59.46	88.20	-28.74	50.91	3	Horizontal	341	1.85	-	34.89	6.60	32.94	
RMS	5.9166G	49.51	68.20	-18.69	40.88	3	Horizontal	341	1.85	-	34.97	6.60	32.94	
PK	6.4822G	107.28	Inf	-Inf	97.70	3	Horizontal	341	1.85	-	35.53	7.00	32.95	
RMS	6.4878G	98.44	Inf	-Inf	88.84	3	Horizontal	341	1.85	-	35.55	7.00	32.95	
PK	7.1374G	62.59	88.20	-25.61	51.70	3	Horizontal	341	1.85	-	36.80	7.23	33.14	
RMS	7.1822G	52.43	68.20	-15.77	41.31	3	Horizontal	341	1.85	-	37.03	7.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96538G	58.92	88.20	-29.28	41.65	3	Vertical	105	2.46	-	39.50	9.43	31.66	
RMS	12.9661G	44.78	68.20	-23.42	27.51	3	Vertical	105	2.46	-	39.50	9.43	31.66	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97454G	57.79	88.20	-30.41	40.48	3	Horizontal	93	1.29	-	39.52	9.44	31.65	
RMS	12.96966G	44.79	68.20	-23.41	27.50	3	Horizontal	93	1.29	-	39.51	9.44	31.66	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.4548G	45.98	83.54	-37.56	42.53	1	Vertical	278	1.02	-	37.86	15.28	49.69	
AV	19.45463G	33.67	63.54	-29.87	30.22	1	Vertical	278	1.02	-	37.86	15.28	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.45524G	46.01	83.54	-37.53	42.56	1	Horizontal	101	2.18	-	37.86	15.28	49.69
AV	19.45453G	33.78	63.54	-29.76	30.33	1	Horizontal	101	2.18	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	60.85	88.20	-27.35	52.23	3	Vertical	11	2.42	-	34.96	6.60	32.94
RMS	5.9202G	50.41	68.20	-17.79	41.77	3	Vertical	11	2.42	-	34.98	6.60	32.94
PK	6.5334G	100.84	Inf	-Inf	91.08	3	Vertical	11	2.42	-	35.73	7.00	32.97
RMS	6.5334G	90.14	Inf	-Inf	80.38	3	Vertical	11	2.42	-	35.73	7.00	32.97
PK	7.1354G	64.01	88.20	-24.19	53.14	3	Vertical	11	2.42	-	36.78	7.23	33.14
RMS	7.2222G	52.77	68.20	-15.43	41.56	3	Vertical	11	2.42	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	60.86	88.20	-27.34	52.21	3	Horizontal	346	2.12	-	34.99	6.60	32.94	
RMS	5.9062G	50.34	68.20	-17.86	41.76	3	Horizontal	346	2.12	-	34.92	6.60	32.94	
PK	6.5278G	105.45	Inf	-Inf	95.70	3	Horizontal	346	2.12	-	35.71	7.00	32.96	
RMS	6.5278G	96.16	Inf	-Inf	86.41	3	Horizontal	346	2.12	-	35.71	7.00	32.96	
PK	7.2082G	63.06	88.20	-25.14	51.87	3	Horizontal	346	2.12	-	37.10	7.21	33.12	
RMS	7.2222G	52.78	68.20	-15.42	41.57	3	Horizontal	346	2.12	-	37.10	7.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.05026G	57.77	88.20	-30.43	40.21	3	Vertical	9	1.64	-	39.65	9.47	31.56	
RMS	13.04981G	44.79	68.20	-23.41	27.23	3	Vertical	9	1.64	-	39.65	9.47	31.56	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05021G	57.31	88.20	-30.89	39.75	3	Horizontal	311	2.87	-	39.65	9.47	31.56
RMS	13.04994G	44.84	68.20	-23.36	27.28	3	Horizontal	311	2.87	-	39.65	9.47	31.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57463G	45.50	83.54	-38.04	42.00	1	Vertical	78	1.17	-	37.87	15.33	49.70
AV	19.57479G	33.67	63.54	-29.87	30.17	1	Vertical	78	1.17	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57512G	46.26	83.54	-37.28	42.76	1	Horizontal	306	2.91	-	37.87	15.33	49.70
AV	19.57463G	33.82	63.54	-29.72	30.32	1	Horizontal	306	2.91	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5698G	106.23	Inf	-Inf	96.37	3	Vertical	16	1.57	-	35.84	7.00	32.98	
RMS	6.5722G	96.28	Inf	-Inf	86.42	3	Vertical	16	1.57	-	35.84	7.00	32.98	
PK	7.129G	62.89	88.20	-25.31	52.06	3	Vertical	16	1.57	-	36.73	7.24	33.14	
RMS	7.153G	52.24	68.20	-15.96	41.24	3	Vertical	16	1.57	-	36.91	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5578G	109.16	Inf	-Inf	99.32	3	Horizontal	346	1.82	-	35.82	7.00	32.98	
RMS	6.5674G	98.27	Inf	-Inf	88.42	3	Horizontal	346	1.82	-	35.83	7.00	32.98	
PK	7.129G	63.02	88.20	-25.18	52.19	3	Horizontal	346	1.82	-	36.73	7.24	33.14	
RMS	7.1578G	52.20	68.20	-16.00	41.18	3	Horizontal	346	1.82	-	36.93	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12824G	58.45	88.20	-29.75	40.64	3	Vertical	97	1.38	-	39.76	9.51	31.46
RMS	13.12969G	45.45	68.20	-23.08	27.31	3	Vertical	97	1.38	-	39.76	9.51	31.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.12724G	58.37	88.20	-29.83	40.57	3	Horizontal	325	1.58	-	39.75	9.51	31.46	
RMS	13.12276G	45.69	68.20	-22.51	27.90	3	Horizontal	325	1.58	-	39.75	9.51	31.47	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69412G	46.78	83.54	-36.76	43.28	1	Vertical	73	1.40	-	37.82	15.38	49.70
AV	19.69328G	34.73	63.54	-28.81	31.23	1	Vertical	73	1.40	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.699G	45.34	83.54	-38.20	41.84	1	Horizontal	279	2.35	-	37.82	15.38	49.70
AV	19.69032G	34.49	63.54	-29.05	30.99	1	Horizontal	279	2.35	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.677G	106.01	Inf	-Inf	96.09	3	Vertical	15	1.70	-	35.95	7.00	33.03	
RMS	6.679G	95.79	Inf	-Inf	85.89	3	Vertical	15	1.70	-	35.94	7.00	33.04	
PK	7.173G	62.39	88.20	-25.81	51.32	3	Vertical	15	1.70	-	36.99	7.21	33.13	
RMS	7.153G	52.09	68.20	-16.11	41.09	3	Vertical	15	1.70	-	36.91	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	107.22	Inf	-Inf	97.33	3	Horizontal	344	1.83	-	35.93	7.00	33.04	
RMS	6.679G	98.17	Inf	-Inf	88.27	3	Horizontal	344	1.83	-	35.94	7.00	33.04	
PK	7.147G	62.03	88.20	-26.17	51.06	3	Horizontal	344	1.83	-	36.88	7.23	33.14	
RMS	7.127G	51.95	68.20	-16.25	41.13	3	Horizontal	344	1.83	-	36.72	7.24	33.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37206G	58.95	74.00	-15.05	40.34	3	Vertical	238	2.81	-	40.14	9.62	31.15	
AV	13.3672G	45.55	54.00	-8.45	26.96	3	Vertical	238	2.81	-	40.13	9.62	31.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37276G	59.10	74.00	-14.90	40.48	3	Horizontal	87	2.44	-	40.15	9.62	31.15	
AV	13.37308G	46.34	54.00	-7.66	27.72	3	Horizontal	87	2.44	-	40.15	9.62	31.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.0571G	45.77	83.54	-37.77	42.51	1	Vertical	19	2.33	-	37.45	15.53	49.72	
AV	20.05768G	34.08	63.54	-29.46	30.82	1	Vertical	19	2.33	-	37.45	15.53	49.72	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05744G	46.31	83.54	-37.23	43.05	1	Horizontal	269	1.23	-	37.45	15.53	49.72
AV	20.05778G	34.35	63.54	-29.19	31.09	1	Horizontal	269	1.23	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8514G	106.81	Inf	-Inf	96.26	3	Vertical	8	1.71	-	36.59	7.08	33.12	
RMS	6.8498G	95.02	Inf	-Inf	84.47	3	Vertical	8	1.71	-	36.60	7.07	33.12	
PK	7.2338G	63.06	88.20	-25.14	51.84	3	Vertical	8	1.71	-	37.10	7.23	33.11	
RMS	7.189G	52.13	68.20	-16.07	40.98	3	Vertical	8	1.71	-	37.06	7.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 15
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.837G	109.00	Inf	-Inf	98.55	3	Horizontal	326	1.80	-	36.50	7.06	33.11	
RMS	6.8434G	99.35	Inf	-Inf	88.84	3	Horizontal	326	1.80	-	36.55	7.07	33.11	
PK	7.1698G	62.43	88.20	-25.77	51.36	3	Horizontal	326	1.80	-	36.98	7.22	33.13	
RMS	7.1538G	52.01	68.20	-16.19	41.00	3	Horizontal	326	1.80	-	36.92	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.68658G	62.41	88.20	-25.79	43.30	3	Vertical	199	1.89	-	40.47	9.76	31.12	
RMS	13.68992G	48.58	68.20	-19.62	29.46	3	Vertical	199	1.89	-	40.48	9.76	31.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.68716G	61.36	88.20	-26.84	42.25	3	Horizontal	343	1.16	-	40.47	9.76	31.12	
RMS	13.68966G	48.61	68.20	-19.59	29.49	3	Horizontal	343	1.16	-	40.48	9.76	31.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53628G	45.76	83.54	-37.78	42.17	1	Vertical	350	1.19	-	37.74	15.74	49.89
AV	20.53836G	34.81	63.54	-28.73	31.20	1	Vertical	350	1.19	-	37.75	15.74	49.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 15
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.53504G	46.08	83.54	-37.46	42.49	1	Horizontal	209	1.75	-	37.74	15.74	49.89	
AV	20.53918G	34.06	63.54	-29.48	30.45	1	Horizontal	209	1.75	-	37.75	15.74	49.88	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8766G	103.22	Inf	-Inf	92.85	3	Vertical	348	1.50	-	36.39	7.11	33.13	
RMS	6.8794G	92.99	Inf	-Inf	82.64	3	Vertical	348	1.50	-	36.36	7.12	33.13	
PK	7.2154G	62.56	88.20	-25.64	51.35	3	Vertical	348	1.50	-	37.10	7.22	33.11	
RMS	7.1888G	52.15	68.20	-16.05	41.00	3	Vertical	348	1.50	-	37.06	7.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8892G	106.97	Inf	-Inf	96.69	3	Horizontal	328	1.80	-	36.29	7.13	33.14	
RMS	6.8794G	97.02	Inf	-Inf	86.67	3	Horizontal	328	1.80	-	36.36	7.12	33.13	
PK	7.165G	62.94	88.20	-25.26	51.89	3	Horizontal	328	1.80	-	36.96	7.22	33.13	
RMS	7.158G	52.03	68.20	-16.17	41.01	3	Horizontal	328	1.80	-	36.93	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.76808G	62.44	88.20	-25.76	43.11	3	Vertical	12	2.54	-	40.70	9.80	31.17	
RMS	13.7742G	49.27	68.20	-18.93	29.93	3	Vertical	12	2.54	-	40.72	9.80	31.18	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.76778G	62.61	88.20	-25.59	43.28	3	Horizontal	296	2.92	-	40.70	9.80	31.17	
RMS	13.77388G	48.93	68.20	-19.27	29.59	3	Horizontal	296	2.92	-	40.72	9.80	31.18	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65056G	46.71	83.54	-36.83	42.88	1	Vertical	253	1.31	-	37.88	15.79	49.84
AV	20.65154G	34.82	63.54	-28.72	30.99	1	Vertical	253	1.31	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65708G	46.30	83.54	-37.24	42.45	1	Horizontal	70	1.71	-	37.89	15.80	49.84
AV	20.65992G	34.31	63.54	-29.23	30.46	1	Horizontal	70	1.71	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9298G	104.17	Inf	-Inf	93.76	3	Vertical	348	1.64	-	36.38	7.19	33.16	
RMS	6.931G	94.91	Inf	-Inf	84.48	3	Vertical	348	1.64	-	36.39	7.20	33.16	
PK	7.1914G	62.26	88.20	-25.94	51.11	3	Vertical	348	1.64	-	37.07	7.20	33.12	
RMS	7.2058G	52.42	68.20	-15.78	41.23	3	Vertical	348	1.64	-	37.10	7.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	108.63	Inf	-Inf	98.24	3	Horizontal	344	1.80	-	36.36	7.19	33.16	
RMS	6.9286G	98.20	Inf	-Inf	87.80	3	Horizontal	344	1.80	-	36.37	7.19	33.16	
PK	7.1878G	61.87	88.20	-26.33	50.73	3	Horizontal	344	1.80	-	37.05	7.21	33.12	
RMS	7.219G	52.50	68.20	-15.70	41.29	3	Horizontal	344	1.80	-	37.10	7.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7612G	63.61	88.20	-24.59	44.31	3	Vertical	109	3.00	-	40.68	9.79	31.17	
RMS	13.85G	49.17	68.20	-19.03	29.72	3	Vertical	109	3.00	-	40.85	9.83	31.23	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.784G	61.41	88.20	-26.79	42.04	3	Horizontal	267	2.09	-	40.75	9.80	31.18
RMS	13.7792G	48.85	68.20	-19.35	29.49	3	Horizontal	267	2.09	-	40.74	9.80	31.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.77774G	46.39	83.54	-37.15	42.37	1	Vertical	243	1.93	-	37.96	15.85	49.79	
AV	20.77506G	35.36	63.54	-28.18	31.34	1	Vertical	243	1.93	-	37.96	15.85	49.79	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7768G	46.62	83.54	-36.92	42.60	1	Horizontal	199	1.79	-	37.96	15.85	49.79
AV	20.77232G	35.37	63.54	-28.17	31.35	1	Horizontal	199	1.79	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0002G	104.70	Inf	-Inf	94.29	3	Vertical	22	1.80	-	36.30	7.30	33.19
RMS	7.0002G	94.25	Inf	-Inf	83.84	3	Vertical	22	1.80	-	36.30	7.30	33.19
PK	7.1426G	62.69	88.20	-25.51	51.76	3	Vertical	22	1.80	-	36.84	7.23	33.14
RMS	7.149G	52.00	68.20	-16.20	41.02	3	Vertical	22	1.80	-	36.89	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0146G	107.54	Inf	-Inf	97.04	3	Horizontal	344	1.90	-	36.39	7.29	33.18	
RMS	7.0146G	96.48	Inf	-Inf	85.98	3	Horizontal	344	1.90	-	36.39	7.29	33.18	
PK	7.1898G	62.36	88.20	-25.84	51.21	3	Horizontal	344	1.90	-	37.06	7.21	33.12	
RMS	7.169G	51.95	68.20	-16.25	40.88	3	Horizontal	344	1.90	-	36.98	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00736G	62.54	88.20	-25.66	43.08	3	Vertical	323	1.56	-	40.90	9.90	31.34	
RMS	14.01198G	48.80	68.20	-19.40	29.34	3	Vertical	323	1.56	-	40.90	9.90	31.34	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00602G	62.39	88.20	-25.81	42.93	3	Horizontal	245	2.77	-	40.90	9.90	31.34	
RMS	14.00576G	48.59	68.20	-19.61	29.13	3	Horizontal	245	2.77	-	40.90	9.90	31.34	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0111G	46.11	83.54	-37.43	42.26	1	Vertical	352	2.94	-	37.60	15.95	49.70
AV	21.01262G	34.75	63.54	-28.79	30.89	1	Vertical	352	2.94	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.01424G	46.30	83.54	-37.24	42.44	1	Horizontal	122	1.69	-	37.60	15.96	49.70
AV	21.01786G	34.13	63.54	-29.41	30.27	1	Horizontal	122	1.69	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0862G	100.94	Inf	-Inf	90.31	3	Vertical	313	1.80	-	36.53	7.26	33.16	
RMS	7.0862G	91.22	Inf	-Inf	80.59	3	Vertical	313	1.80	-	36.53	7.26	33.16	
PK	7.1742G	63.05	88.20	-25.15	51.97	3	Vertical	313	1.80	-	37.00	7.21	33.13	
RMS	7.1486G	51.88	68.20	-16.32	40.90	3	Vertical	313	1.80	-	36.89	7.23	33.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.097G	109.25	Inf	-Inf	98.65	3	Horizontal	323	1.63	-	36.51	7.25	33.16
RMS	7.0926G	97.81	Inf	-Inf	87.21	3	Horizontal	323	1.63	-	36.51	7.25	33.16
PK	7.1618G	62.70	88.20	-25.50	51.66	3	Horizontal	323	1.63	-	36.95	7.22	33.13
RMS	7.1546G	51.95	68.20	-16.25	40.94	3	Horizontal	323	1.63	-	36.92	7.22	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16934G	62.06	88.20	-26.14	42.78	3	Vertical	319	2.92	-	40.83	9.95	31.50	
RMS	14.17216G	48.74	68.20	-19.46	29.46	3	Vertical	319	2.92	-	40.83	9.95	31.50	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17192G	61.52	88.20	-26.68	42.24	3	Horizontal	61	1.68	-	40.83	9.95	31.50	
RMS	14.16646G	48.72	68.20	-19.48	29.43	3	Horizontal	61	1.68	-	40.83	9.95	31.49	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 14
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.25576G	47.98	83.54	-35.56	43.95	1	Vertical	174	2.59	-	37.61	16.07	49.65	
AV	21.25772G	35.78	63.54	-27.76	31.75	1	Vertical	174	2.59	-	37.61	16.07	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 14
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.25782G	48.07	83.54	-35.47	44.04	1	Horizontal	200	2.07	-	37.61	16.07	49.65	
AV	21.25464G	35.17	63.54	-28.37	31.15	1	Horizontal	200	2.07	-	37.61	16.06	49.65	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8906G	68.15	88.20	-20.05	59.61	3	Vertical	343	1.71	-	34.88	6.60	32.94	
RMS	5.9202G	52.24	68.20	-15.96	43.60	3	Vertical	343	1.71	-	34.98	6.60	32.94	
PK	5.9906G	108.66	Inf	-Inf	99.75	3	Vertical	343	1.71	-	35.26	6.60	32.95	
RMS	5.977G	98.36	Inf	-Inf	89.50	3	Vertical	343	1.71	-	35.21	6.60	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9202G	62.66	88.20	-25.54	54.02	3	Horizontal	325	2.24	-	34.98	6.60	32.94	
RMS	5.925G	51.30	68.20	-16.90	42.64	3	Horizontal	325	2.24	-	35.00	6.60	32.94	
PK	6.0018G	110.91	Inf	-Inf	101.96	3	Horizontal	325	2.24	-	35.30	6.60	32.95	
RMS	5.973G	99.38	Inf	-Inf	90.54	3	Horizontal	325	2.24	-	35.19	6.60	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97342G	56.20	74.00	-17.80	41.59	3	Vertical	241	1.99	-	38.50	8.99	32.88	
AV	11.9701G	43.90	54.00	-10.10	29.29	3	Vertical	241	1.99	-	38.50	8.99	32.88	
PK	17.95786G	64.85	74.00	-9.15	42.56	3	Vertical	131	1.00	-	42.86	11.09	31.66	
AV	17.95844G	47.26	54.00	-6.74	24.97	3	Vertical	131	1.00	-	42.86	11.09	31.66	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97036G	56.21	74.00	-17.79	41.60	3	Horizontal	53	2.31	-	38.50	8.99	32.88	
AV	11.96962G	43.07	54.00	-10.93	28.46	3	Horizontal	53	2.31	-	38.50	8.99	32.88	
PK	17.95461G	64.51	74.00	-9.49	42.23	3	Horizontal	250	1.55	-	42.85	11.09	31.66	
AV	17.95459G	47.37	54.00	-6.63	25.09	3	Horizontal	250	1.55	-	42.85	11.09	31.66	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8618G	59.80	88.20	-28.40	51.32	3	Vertical	329	1.82	-	34.82	6.60	32.94	
RMS	5.925G	49.49	68.20	-18.71	40.83	3	Vertical	329	1.82	-	35.00	6.60	32.94	
PK	6.1462G	106.15	Inf	-Inf	96.98	3	Vertical	329	1.82	-	35.30	6.82	32.95	
RMS	6.1354G	95.49	Inf	-Inf	86.34	3	Vertical	329	1.82	-	35.30	6.80	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	59.72	88.20	-28.48	51.17	3	Horizontal	59	2.09	-	34.89	6.60	32.94
RMS	5.9218G	49.59	68.20	-18.61	40.94	3	Horizontal	59	2.09	-	34.99	6.60	32.94
PK	6.1534G	108.82	Inf	-Inf	99.63	3	Horizontal	59	2.09	-	35.31	6.83	32.95
RMS	6.1486G	99.42	Inf	-Inf	90.25	3	Horizontal	59	2.09	-	35.30	6.82	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.28778G	56.84	74.00	-17.16	41.75	3	Vertical	209	1.41	-	38.48	9.13	32.52	
AV	12.29252G	43.48	54.00	-10.52	28.38	3	Vertical	209	1.41	-	38.49	9.13	32.52	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28548G	56.77	74.00	-17.23	41.70	3	Horizontal	263	2.92	-	38.47	9.13	32.53
AV	12.28606G	43.32	54.00	-10.68	28.25	3	Horizontal	263	2.92	-	38.47	9.13	32.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43064G	45.93	83.54	-37.61	43.47	1	Vertical	287	2.22	-	37.72	14.87	50.13
AV	18.43576G	32.28	63.54	-31.26	29.82	1	Vertical	287	2.22	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43572G	44.63	83.54	-38.91	42.17	1	Horizontal	73	2.12	-	37.72	14.87	50.13
AV	18.43354G	32.79	63.54	-30.75	30.33	1	Horizontal	73	2.12	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9074G	59.69	88.20	-28.51	51.10	3	Vertical	11	1.92	-	34.93	6.60	32.94	
RMS	5.9242G	49.42	68.20	-18.78	40.76	3	Vertical	11	1.92	-	35.00	6.60	32.94	
PK	6.3682G	105.49	Inf	-Inf	96.05	3	Vertical	11	1.92	-	35.41	6.98	32.95	
RMS	6.3658G	95.43	Inf	-Inf	86.01	3	Vertical	11	1.92	-	35.39	6.98	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8042G	59.66	88.20	-28.54	51.56	3	Horizontal	304	2.30	-	34.43	6.60	32.93	
RMS	5.9242G	49.41	68.20	-18.79	40.75	3	Horizontal	304	2.30	-	35.00	6.60	32.94	
PK	6.3874G	106.38	Inf	-Inf	96.82	3	Horizontal	304	2.30	-	35.52	6.99	32.95	
RMS	6.3802G	96.17	Inf	-Inf	86.65	3	Horizontal	304	2.30	-	35.48	6.99	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 17
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76028G	57.68	88.20	-30.52	41.15	3	Vertical	128	2.02	-	39.12	9.34	31.93	
RMS	12.77088G	44.31	68.20	-23.89	27.73	3	Vertical	128	2.02	-	39.14	9.35	31.91	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 17
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7734G	58.10	88.20	-30.10	41.51	3	Horizontal	0	1.43	-	39.15	9.35	31.91
RMS	12.76564G	44.32	68.20	-23.88	27.77	3	Horizontal	0	1.43	-	39.13	9.34	31.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 17
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.1534G	45.73	83.54	-37.81	42.38	1	Vertical	156	2.73	-	37.82	15.16	49.63
AV	19.1518G	33.14	63.54	-30.40	29.79	1	Vertical	156	2.73	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.146G	45.38	83.54	-38.16	42.03	1	Horizontal	109	1.78	-	37.82	15.16	49.63
AV	19.15412G	33.63	63.54	-29.91	30.28	1	Horizontal	109	1.78	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8644G	59.45	88.20	-28.75	50.96	3	Vertical	13	1.91	-	34.83	6.60	32.94	
RMS	5.9164G	49.40	68.20	-18.80	40.77	3	Vertical	13	1.91	-	34.97	6.60	32.94	
PK	6.4858G	102.07	Inf	-Inf	92.48	3	Vertical	13	1.91	-	35.54	7.00	32.95	
RMS	6.4806G	95.67	Inf	-Inf	86.10	3	Vertical	13	1.91	-	35.52	7.00	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8592G	59.30	88.20	-28.90	50.82	3	Horizontal	348	1.78	-	34.82	6.60	32.94	
RMS	5.9242G	49.50	68.20	-18.70	40.84	3	Horizontal	348	1.78	-	35.00	6.60	32.94	
PK	6.4702G	107.30	Inf	-Inf	97.77	3	Horizontal	348	1.78	-	35.48	7.00	32.95	
RMS	6.4624G	97.67	Inf	-Inf	88.17	3	Horizontal	348	1.78	-	35.45	7.00	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 17
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93596G	57.08	88.20	-31.12	39.95	3	Vertical	66	2.71	-	39.41	9.42	31.70
RMS	12.93936G	45.97	68.20	-22.23	28.83	3	Vertical	66	2.71	-	39.42	9.42	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 17
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93132G	58.91	88.20	-29.29	41.81	3	Horizontal	195	1.84	-	39.39	9.42	31.71	
RMS	12.92484G	45.92	68.20	-22.28	28.85	3	Horizontal	195	1.84	-	39.37	9.42	31.72	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4024G	45.16	83.54	-38.38	41.76	1	Vertical	104	2.29	-	37.82	15.26	49.68	
AV	19.39836G	33.58	63.54	-29.96	30.18	1	Vertical	104	2.29	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 17
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.38944G	45.09	83.54	-38.45	41.70	1	Horizontal	128	2.99	-	37.81	15.26	49.68	
AV	19.39316G	33.95	63.54	-29.59	30.56	1	Horizontal	128	2.99	-	37.81	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	59.95	88.20	-28.25	51.42	3	Vertical	12	1.79	-	34.87	6.60	32.94
RMS	5.901G	49.44	68.20	-18.76	40.88	3	Vertical	12	1.79	-	34.90	6.60	32.94
PK	6.545G	107.09	Inf	-Inf	97.28	3	Vertical	12	1.79	-	35.78	7.00	32.97
RMS	6.5422G	96.98	Inf	-Inf	87.18	3	Vertical	12	1.79	-	35.77	7.00	32.97
PK	7.2366G	62.16	88.20	-26.04	50.92	3	Vertical	12	1.79	-	37.10	7.24	33.10
RMS	7.2394G	52.83	68.20	-15.37	41.59	3	Vertical	12	1.79	-	37.10	7.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	59.92	88.20	-28.28	51.28	3	Horizontal	346	1.76	-	34.98	6.60	32.94
RMS	5.9234G	49.50	68.20	-18.70	40.85	3	Horizontal	346	1.76	-	34.99	6.60	32.94
PK	6.5674G	109.22	Inf	-Inf	99.37	3	Horizontal	346	1.76	-	35.83	7.00	32.98
RMS	6.5506G	99.35	Inf	-Inf	89.52	3	Horizontal	346	1.76	-	35.80	7.00	32.97
PK	7.217G	62.72	88.20	-25.48	51.51	3	Horizontal	346	1.76	-	37.10	7.22	33.11
RMS	7.2394G	52.76	68.20	-15.44	41.52	3	Horizontal	346	1.76	-	37.10	7.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.09308G	57.83	88.20	-30.37	40.15	3	Vertical	329	1.49	-	39.69	9.49	31.50	
RMS	13.09158G	45.68	68.20	-22.52	28.00	3	Vertical	329	1.49	-	39.69	9.49	31.50	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08594G	58.99	88.20	-27.21	43.32	3	Horizontal	99	1.95	-	39.69	9.49	31.51
RMS	13.08998G	45.74	68.20	-20.46	30.07	3	Horizontal	99	1.95	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63672G	46.06	83.54	-37.48	42.56	1	Vertical	73	2.89	-	37.85	15.35	49.70
AV	19.6359G	33.86	63.54	-29.68	30.36	1	Vertical	73	2.89	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63968G	45.88	83.54	-37.66	42.38	1	Horizontal	203	1.53	-	37.84	15.36	49.70
AV	19.636G	33.96	63.54	-29.58	30.46	1	Horizontal	203	1.53	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6202G	103.57	Inf	-Inf	93.64	3	Vertical	334	2.41	-	35.94	7.00	33.01	
RMS	6.6298G	94.07	Inf	-Inf	84.12	3	Vertical	334	2.41	-	35.96	7.00	33.01	
PK	7.1698G	61.90	88.20	-26.30	50.83	3	Vertical	334	2.41	-	36.98	7.22	33.13	
RMS	7.2202G	52.72	68.20	-15.48	41.51	3	Vertical	334	2.41	-	37.10	7.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6298G	110.22	Inf	-Inf	100.27	3	Horizontal	346	1.72	-	35.96	7.00	33.01	
RMS	6.6346G	99.38	Inf	-Inf	89.42	3	Horizontal	346	1.72	-	35.97	7.00	33.01	
PK	7.2058G	62.52	88.20	-25.68	51.33	3	Horizontal	346	1.72	-	37.10	7.21	33.12	
RMS	7.2202G	52.68	68.20	-15.52	41.47	3	Horizontal	346	1.72	-	37.10	7.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.25044G	59.61	74.00	-14.39	41.40	3	Vertical	296	1.60	-	39.95	9.56	31.30	
AV	13.25012G	47.20	54.00	-6.80	28.99	3	Vertical	296	1.60	-	39.95	9.56	31.30	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.25068G	58.04	74.00	-15.96	39.83	3	Horizontal	283	2.44	-	39.95	9.56	31.30	
AV	13.25074G	45.08	54.00	-8.92	26.87	3	Horizontal	283	2.44	-	39.95	9.56	31.30	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87968G	45.19	83.54	-38.35	41.85	1	Vertical	346	1.52	-	37.59	15.45	49.70
AV	19.8749G	34.76	63.54	-28.78	31.41	1	Vertical	346	1.52	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87454G	45.33	83.54	-38.21	41.98	1	Horizontal	264	1.75	-	37.60	15.45	49.70	
AV	19.87264G	34.31	63.54	-29.23	30.96	1	Horizontal	264	1.75	-	37.60	15.45	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	104.89	Inf	-Inf	95.04	3	Vertical	346	1.80	-	35.90	7.00	33.05	
RMS	6.699G	95.72	Inf	-Inf	85.87	3	Vertical	346	1.80	-	35.90	7.00	33.05	
PK	7.179G	63.19	88.20	-25.01	52.09	3	Vertical	346	1.80	-	37.02	7.21	33.13	
RMS	7.161G	52.14	68.20	-16.06	41.11	3	Vertical	346	1.80	-	36.94	7.22	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.715G	109.76	Inf	-Inf	99.82	3	Horizontal	336	1.75	-	35.99	7.00	33.05	
RMS	6.723G	99.28	Inf	-Inf	89.30	3	Horizontal	336	1.75	-	36.04	7.00	33.06	
PK	7.141G	61.68	88.20	-26.52	50.76	3	Horizontal	336	1.75	-	36.83	7.23	33.14	
RMS	7.153G	52.19	68.20	-16.01	41.19	3	Horizontal	336	1.75	-	36.91	7.22	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4064G	58.95	88.20	-29.25	40.23	3	Vertical	173	1.82	-	40.20	9.63	31.11	
RMS	13.41302G	45.35	68.20	-22.85	26.61	3	Vertical	173	1.82	-	40.20	9.64	31.10	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4097G	59.93	88.20	-28.27	41.20	3	Horizontal	252	2.55	-	40.20	9.63	31.10	
RMS	13.40718G	45.10	68.20	-23.10	26.38	3	Horizontal	252	2.55	-	40.20	9.63	31.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.11246G	45.98	83.54	-37.56	42.68	1	Vertical	219	1.60	-	37.49	15.55	49.74	
AV	20.11548G	34.11	63.54	-29.43	30.82	1	Vertical	219	1.60	-	37.49	15.55	49.75	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11446G	44.90	83.54	-38.64	41.61	1	Horizontal	267	2.55	-	37.49	15.55	49.75
AV	20.11464G	34.78	63.54	-28.76	31.49	1	Horizontal	267	2.55	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7754G	107.19	Inf	-Inf	97.07	3	Vertical	346	1.80	-	36.20	7.00	33.08	
RMS	6.7818G	97.31	Inf	-Inf	87.20	3	Vertical	346	1.80	-	36.20	7.00	33.09	
PK	7.129G	62.41	88.20	-25.79	51.58	3	Vertical	346	1.80	-	36.73	7.24	33.14	
RMS	7.1482G	52.19	68.20	-16.01	41.21	3	Vertical	346	1.80	-	36.89	7.23	33.14	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7898G	111.31	Inf	-Inf	101.20	3	Horizontal	336	1.68	-	36.20	7.00	33.09	
RMS	6.7802G	101.29	Inf	-Inf	91.17	3	Horizontal	336	1.68	-	36.20	7.00	33.08	
PK	7.1274G	61.89	88.20	-26.31	51.07	3	Horizontal	336	1.68	-	36.72	7.24	33.14	
RMS	7.1818G	52.26	68.20	-15.94	41.14	3	Horizontal	336	1.68	-	37.03	7.21	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56846G	59.04	88.20	-29.16	40.10	3	Vertical	67	1.24	-	40.27	9.71	31.04	
RMS	13.56972G	45.92	68.20	-22.28	26.98	3	Vertical	67	1.24	-	40.27	9.71	31.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57302G	59.05	88.20	-29.15	40.11	3	Horizontal	217	3.00	-	40.27	9.71	31.04	
RMS	13.57426G	45.80	68.20	-22.40	26.86	3	Horizontal	217	3.00	-	40.27	9.71	31.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35356G	46.34	83.54	-37.20	42.88	1	Vertical	188	1.63	-	37.64	15.66	49.84
AV	20.3555G	32.70	63.54	-30.84	29.24	1	Vertical	188	1.63	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35562G	46.89	83.54	-36.65	43.43	1	Horizontal	333	1.15	-	37.64	15.66	49.84
AV	20.35304G	34.13	63.54	-29.41	30.67	1	Horizontal	333	1.15	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8674G	103.62	Inf	-Inf	93.19	3	Vertical	346	1.77	-	36.46	7.10	33.13	
RMS	6.8626G	93.73	Inf	-Inf	83.26	3	Vertical	346	1.77	-	36.50	7.09	33.12	
PK	7.1578G	61.82	88.20	-26.38	50.80	3	Vertical	346	1.77	-	36.93	7.22	33.13	
RMS	7.1494G	52.08	68.20	-16.12	41.09	3	Vertical	346	1.77	-	36.90	7.23	33.14	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8734G	106.89	Inf	-Inf	96.50	3	Horizontal	344	1.80	-	36.41	7.11	33.13	
RMS	6.871G	97.27	Inf	-Inf	86.86	3	Horizontal	344	1.80	-	36.43	7.11	33.13	
PK	7.129G	61.87	88.20	-26.33	51.04	3	Horizontal	344	1.80	-	36.73	7.24	33.14	
RMS	7.1542G	52.10	68.20	-16.10	41.09	3	Horizontal	344	1.80	-	36.92	7.22	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 16
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7287G	63.45	88.20	-24.75	44.23	3	Vertical	51	1.64	-	40.59	9.78	31.15	
RMS	13.7281G	49.12	68.20	-19.08	29.91	3	Vertical	51	1.64	-	40.58	9.78	31.15	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 16
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73228G	62.71	88.20	-25.49	43.48	3	Horizontal	93	2.28	-	40.60	9.78	31.15
RMS	13.7302G	49.06	68.20	-19.14	29.84	3	Horizontal	93	2.28	-	40.59	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59684G	46.66	83.54	-36.88	42.93	1	Vertical	98	1.51	-	37.82	15.77	49.86
AV	20.59012G	34.82	63.54	-28.72	31.10	1	Vertical	98	1.51	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59292G	46.70	83.54	-36.84	42.98	1	Horizontal	35	1.59	-	37.81	15.77	49.86
AV	20.59564G	34.90	63.54	-28.64	31.18	1	Horizontal	35	1.59	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9558G	108.27	Inf	-Inf	97.73	3	Vertical	353	1.38	-	36.48	7.23	33.17	
RMS	6.9546G	97.09	Inf	-Inf	86.55	3	Vertical	353	1.38	-	36.48	7.23	33.17	
PK	7.1454G	62.86	88.20	-25.34	51.91	3	Vertical	353	1.38	-	36.86	7.23	33.14	
RMS	7.1814G	52.19	68.20	-16.01	41.07	3	Vertical	353	1.38	-	37.03	7.21	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9414G	111.29	Inf	-Inf	100.79	3	Horizontal	56	1.55	-	36.45	7.21	33.16
RMS	6.9486G	100.16	Inf	-Inf	89.62	3	Horizontal	56	1.55	-	36.49	7.22	33.17
PK	7.2402G	62.56	88.20	-25.64	51.32	3	Horizontal	56	1.55	-	37.10	7.24	33.10
RMS	7.239G	52.70	68.20	-15.50	41.46	3	Horizontal	56	1.55	-	37.10	7.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8879G	63.01	88.20	-25.19	43.52	3	Vertical	344	2.96	-	40.89	9.85	31.25	
RMS	13.89434G	49.23	68.20	-18.97	29.75	3	Vertical	344	2.96	-	40.89	9.85	31.26	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88886G	62.04	88.20	-26.16	42.55	3	Horizontal	335	1.65	-	40.89	9.85	31.25	
RMS	13.89468G	49.18	68.20	-19.02	29.70	3	Horizontal	335	1.65	-	40.89	9.85	31.26	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83202G	45.54	83.54	-38.00	41.57	1	Vertical	295	1.10	-	37.87	15.87	49.77
AV	20.83782G	34.58	63.54	-28.96	30.60	1	Vertical	295	1.10	-	37.86	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 19
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83456G	45.67	83.54	-37.87	41.70	1	Horizontal	60	1.07	-	37.86	15.88	49.77
AV	20.83774G	34.76	63.54	-28.78	30.78	1	Horizontal	60	1.07	-	37.86	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	105.75	Inf	-Inf	95.32	3	Vertical	21	1.75	-	36.32	7.30	33.19
RMS	7.001G	95.48	Inf	-Inf	85.06	3	Vertical	21	1.75	-	36.31	7.30	33.19
PK	7.1578G	62.86	88.20	-25.34	51.84	3	Vertical	21	1.75	-	36.93	7.22	33.13
RMS	7.2186G	52.45	68.20	-15.75	41.24	3	Vertical	21	1.75	-	37.10	7.22	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	110.13	Inf	-Inf	99.61	3	Horizontal	323	1.27	-	36.41	7.29	33.18
RMS	7.0154G	98.63	Inf	-Inf	88.13	3	Horizontal	323	1.27	-	36.39	7.29	33.18
PK	7.1594G	63.79	88.20	-24.41	52.76	3	Horizontal	323	1.27	-	36.94	7.22	33.13
RMS	7.2098G	52.52	68.20	-15.68	41.32	3	Horizontal	323	1.27	-	37.10	7.21	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04746G	62.96	88.20	-25.24	43.53	3	Vertical	187	1.49	-	40.90	9.91	31.38	
RMS	14.0528G	49.51	68.20	-18.69	30.07	3	Vertical	187	1.49	-	40.90	9.92	31.38	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04982G	62.32	88.20	-25.88	42.89	3	Horizontal	145	1.02	-	40.90	9.91	31.38	
RMS	14.04728G	49.52	68.20	-18.68	30.09	3	Horizontal	145	1.02	-	40.90	9.91	31.38	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 18
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.07336G	47.89	83.54	-35.65	44.00	1	Vertical	297	1.57	-	37.60	15.98	49.69	
AV	21.0764G	35.29	63.54	-28.25	31.39	1	Vertical	297	1.57	-	37.60	15.98	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 18
01-A-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07064G	46.61	83.54	-36.93	42.72	1	Horizontal	282	2.84	-	37.60	15.98	49.69
AV	21.07574G	34.03	63.54	-29.51	30.13	1	Horizontal	282	2.84	-	37.60	15.98	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9178G	71.59	88.20	-16.61	62.96	3	Vertical	346	1.86	-	34.97	6.60	32.94	
RMS	5.9226G	52.52	68.20	-15.68	43.87	3	Vertical	346	1.86	-	34.99	6.60	32.94	
PK	6.0042G	105.75	Inf	-Inf	96.80	3	Vertical	346	1.86	-	35.29	6.61	32.95	
RMS	5.9994G	96.79	Inf	-Inf	87.84	3	Vertical	346	1.86	-	35.30	6.60	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9162G	73.33	88.20	-14.87	64.71	3	Horizontal	327	1.80	-	34.96	6.60	32.94	
RMS	5.9194G	53.20	68.20	-15.00	44.56	3	Horizontal	327	1.80	-	34.98	6.60	32.94	
PK	6.0474G	108.96	Inf	-Inf	100.03	3	Horizontal	327	1.80	-	35.21	6.67	32.95	
RMS	6.049G	98.48	Inf	-Inf	89.56	3	Horizontal	327	1.80	-	35.20	6.67	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0458G	56.72	74.00	-17.28	41.97	3	Vertical	312	1.48	-	38.55	9.02	32.82
AV	12.0471G	43.11	54.00	-10.89	28.36	3	Vertical	312	1.48	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05052G	56.40	74.00	-17.60	41.65	3	Horizontal	72	2.78	-	38.55	9.02	32.82
AV	12.04622G	43.30	54.00	-10.70	28.55	3	Horizontal	72	2.78	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07992G	46.99	83.54	-36.55	44.89	1	Vertical	99	1.50	-	37.64	14.73	50.27	
AV	18.07302G	32.98	63.54	-30.56	30.88	1	Vertical	99	1.50	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07128G	46.20	83.54	-37.34	44.10	1	Horizontal	46	1.57	-	37.64	14.73	50.27	
AV	18.0734G	32.98	63.54	-30.56	30.88	1	Horizontal	46	1.57	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.825G	60.89	88.20	-27.31	52.62	3	Vertical	38	1.64	-	34.60	6.60	32.93	
RMS	5.9226G	50.17	68.20	-18.03	41.52	3	Vertical	38	1.64	-	34.99	6.60	32.94	
PK	6.1658G	107.93	Inf	-Inf	98.67	3	Vertical	38	1.64	-	35.36	6.85	32.95	
RMS	6.1658G	97.86	Inf	-Inf	88.60	3	Vertical	38	1.64	-	35.36	6.85	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.857G	61.10	88.20	-27.10	52.63	3	Horizontal	296	1.33	-	34.81	6.60	32.94	
RMS	5.924G	50.43	68.20	-17.77	41.77	3	Horizontal	296	1.33	-	35.00	6.60	32.94	
PK	6.193G	111.70	Inf	-Inf	102.29	3	Horizontal	296	1.33	-	35.47	6.89	32.95	
RMS	6.194G	101.33	Inf	-Inf	91.91	3	Horizontal	296	1.33	-	35.48	6.89	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3655G	56.00	74.00	-18.00	40.64	3	Vertical	36	2.15	-	38.63	9.16	32.43
AV	12.36916G	43.13	54.00	-10.87	27.74	3	Vertical	36	2.15	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36504G	56.45	74.00	-17.55	41.09	3	Horizontal	51	1.35	-	38.63	9.16	32.43
AV	12.36852G	43.22	54.00	-10.78	27.83	3	Horizontal	51	1.35	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55648G	47.03	83.54	-36.51	44.37	1	Vertical	62	1.51	-	37.78	14.92	50.04
AV	18.55292G	33.78	63.54	-29.76	31.13	1	Vertical	62	1.51	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55822G	47.72	83.54	-35.82	45.06	1	Horizontal	25	1.54	-	37.78	14.92	50.04
AV	18.55146G	34.24	63.54	-29.30	31.59	1	Horizontal	25	1.54	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7498G	60.74	88.20	-27.46	52.66	3	Vertical	13	2.09	-	34.40	6.60	32.92	
RMS	5.925G	50.22	68.20	-17.98	41.56	3	Vertical	13	2.09	-	35.00	6.60	32.94	
PK	6.3666G	105.50	Inf	-Inf	96.07	3	Vertical	13	2.09	-	35.40	6.98	32.95	
RMS	6.3642G	96.13	Inf	-Inf	86.71	3	Vertical	13	2.09	-	35.39	6.98	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8002G	60.15	88.20	-28.05	52.08	3	Horizontal	303	1.17	-	34.40	6.60	32.93	
RMS	5.925G	50.24	68.20	-17.96	41.58	3	Horizontal	303	1.17	-	35.00	6.60	32.94	
PK	6.3186G	108.92	Inf	-Inf	99.61	3	Horizontal	303	1.17	-	35.30	6.96	32.95	
RMS	6.369G	99.02	Inf	-Inf	89.58	3	Horizontal	303	1.17	-	35.41	6.98	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69182G	57.16	74.00	-16.84	40.88	3	Vertical	355	2.29	-	38.98	9.31	32.01
AV	12.68586G	44.21	54.00	-9.79	27.96	3	Vertical	355	2.29	-	38.96	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.692G	56.99	74.00	-17.01	40.71	3	Horizontal	282	1.87	-	38.98	9.31	32.01
AV	12.69024G	44.25	54.00	-9.75	27.99	3	Horizontal	282	1.87	-	38.97	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03992G	48.16	83.54	-35.38	44.70	1	Vertical	218	1.53	-	37.95	15.12	49.61
AV	19.03476G	34.42	63.54	-29.12	30.96	1	Vertical	218	1.53	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 17
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03292G	47.94	83.54	-35.60	44.48	1	Horizontal	127	1.51	-	37.96	15.11	49.61
AV	19.03458G	34.64	63.54	-28.90	31.18	1	Horizontal	127	1.51	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	60.37	88.20	-27.83	51.80	3	Vertical	14	1.78	-	34.91	6.60	32.94
RMS	5.9198G	50.10	68.20	-18.10	41.46	3	Vertical	14	1.78	-	34.98	6.60	32.94
PK	6.491G	106.52	Inf	-Inf	96.91	3	Vertical	14	1.78	-	35.56	7.00	32.95
RMS	6.4826G	97.86	Inf	-Inf	88.28	3	Vertical	14	1.78	-	35.53	7.00	32.95
PK	7.135G	62.74	88.20	-25.46	51.87	3	Vertical	14	1.78	-	36.78	7.23	33.14
RMS	7.205G	52.52	68.20	-15.68	41.33	3	Vertical	14	1.78	-	37.10	7.21	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9142G	60.02	88.20	-28.18	51.40	3	Horizontal	48	1.27	-	34.96	6.60	32.94	
RMS	5.9198G	50.11	68.20	-18.09	41.47	3	Horizontal	48	1.27	-	34.98	6.60	32.94	
PK	6.5498G	110.13	Inf	-Inf	100.30	3	Horizontal	48	1.27	-	35.80	7.00	32.97	
RMS	6.4826G	99.43	Inf	-Inf	89.85	3	Horizontal	48	1.27	-	35.53	7.00	32.95	
PK	7.205G	63.46	88.20	-24.74	52.27	3	Horizontal	48	1.27	-	37.10	7.21	33.12	
RMS	7.1994G	52.61	68.20	-15.59	41.43	3	Horizontal	48	1.27	-	37.10	7.20	33.12	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0082G	58.24	88.20	-29.96	40.79	3	Vertical	111	1.49	-	39.61	9.45	31.61	
RMS	13.00578G	45.00	68.20	-23.20	27.55	3	Vertical	111	1.49	-	39.61	9.45	31.61	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0058G	58.36	88.20	-29.84	40.91	3	Horizontal	234	1.99	-	39.61	9.45	31.61	
RMS	13.0139G	45.00	68.20	-23.20	27.53	3	Horizontal	234	1.99	-	39.61	9.46	31.60	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51748G	47.32	83.54	-36.22	43.82	1	Vertical	129	1.53	-	37.89	15.31	49.70
AV	19.51792G	34.31	63.54	-29.23	30.81	1	Vertical	129	1.53	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51782G	47.43	83.54	-36.11	43.93	1	Horizontal	265	1.55	-	37.89	15.31	49.70
AV	19.51284G	34.36	63.54	-29.18	30.86	1	Horizontal	265	1.55	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6386G	107.70	Inf	-Inf	97.74	3	Vertical	14	1.68	-	35.98	7.00	33.02	
RMS	6.6364G	98.57	Inf	-Inf	88.62	3	Vertical	14	1.68	-	35.97	7.00	33.02	
PK	7.2084G	62.55	88.20	-25.65	51.35	3	Vertical	14	1.68	-	37.10	7.21	33.11	
RMS	7.2084G	52.55	68.20	-15.65	41.35	3	Vertical	14	1.68	-	37.10	7.21	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.676G	112.04	Inf	-Inf	102.12	3	Horizontal	346	1.72	-	35.95	7.00	33.03	
RMS	6.6298G	100.71	Inf	-Inf	90.76	3	Horizontal	346	1.72	-	35.96	7.00	33.01	
PK	7.1644G	62.21	88.20	-25.99	51.16	3	Horizontal	346	1.72	-	36.96	7.22	33.13	
RMS	7.2106G	52.54	68.20	-15.66	41.34	3	Horizontal	346	1.72	-	37.10	7.21	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33258G	61.03	74.00	-12.97	42.56	3	Vertical	139	2.65	-	40.07	9.60	31.20	
AV	13.33406G	46.18	54.00	-7.82	27.71	3	Vertical	139	2.65	-	40.07	9.60	31.20	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33056G	59.56	74.00	-14.44	41.10	3	Horizontal	91	1.32	-	40.06	9.60	31.20
AV	13.33336G	46.37	54.00	-7.63	27.90	3	Horizontal	91	1.32	-	40.07	9.60	31.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99438G	46.39	83.54	-37.15	43.18	1	Vertical	47	1.52	-	37.41	15.50	49.70
AV	19.99178G	32.71	63.54	-30.83	29.50	1	Vertical	47	1.52	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99248G	45.34	83.54	-38.20	42.13	1	Horizontal	237	1.54	-	37.41	15.50	49.70
AV	19.99182G	32.77	63.54	-30.77	29.56	1	Horizontal	237	1.54	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8154G	107.90	Inf	-Inf	97.66	3	Vertical	10	2.17	-	36.32	7.02	33.10	
RMS	6.817G	98.40	Inf	-Inf	88.13	3	Vertical	10	2.17	-	36.34	7.03	33.10	
PK	7.201G	62.97	88.20	-25.23	51.79	3	Vertical	10	2.17	-	37.10	7.20	33.12	
RMS	7.2154G	52.52	68.20	-15.68	41.31	3	Vertical	10	2.17	-	37.10	7.22	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7834G	110.99	Inf	-Inf	100.88	3	Horizontal	336	1.80	-	36.20	7.00	33.09	
RMS	6.7834G	101.33	Inf	-Inf	91.22	3	Horizontal	336	1.80	-	36.20	7.00	33.09	
PK	7.1738G	62.65	88.20	-25.55	51.57	3	Horizontal	336	1.80	-	37.00	7.21	33.13	
RMS	7.2234G	52.60	68.20	-15.60	41.39	3	Horizontal	336	1.80	-	37.10	7.22	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6457G	61.65	88.20	-26.55	42.61	3	Vertical	126	1.14	-	40.39	9.74	31.09	
RMS	13.64504G	48.37	68.20	-19.83	29.33	3	Vertical	126	1.14	-	40.39	9.74	31.09	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6489G	61.70	88.20	-26.50	42.65	3	Horizontal	358	2.18	-	40.40	9.74	31.09	
RMS	13.65044G	48.45	68.20	-19.75	29.40	3	Horizontal	358	2.18	-	40.40	9.74	31.09	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4705G	46.44	83.54	-37.10	42.93	1	Vertical	29	1.56	-	37.69	15.71	49.89
AV	20.47344G	33.56	63.54	-29.98	30.05	1	Vertical	29	1.56	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47894G	46.83	83.54	-36.71	43.31	1	Horizontal	217	1.57	-	37.69	15.72	49.89
AV	20.47394G	33.64	63.54	-29.90	30.13	1	Horizontal	217	1.57	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	106.27	Inf	-Inf	95.85	3	Vertical	21	1.76	-	36.31	7.30	33.19	
RMS	7.001G	96.45	Inf	-Inf	86.03	3	Vertical	21	1.76	-	36.31	7.30	33.19	
PK	7.179G	63.25	88.20	-24.95	52.15	3	Vertical	21	1.76	-	37.02	7.21	33.13	
RMS	7.133G	52.72	68.20	-15.48	41.87	3	Vertical	21	1.76	-	36.76	7.23	33.14	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.972G	109.51	Inf	-Inf	99.02	3	Horizontal	343	1.72	-	36.41	7.26	33.18	
RMS	6.974G	98.63	Inf	-Inf	88.15	3	Horizontal	343	1.72	-	36.40	7.26	33.18	
PK	7.136G	66.40	88.20	-21.80	55.52	3	Horizontal	343	1.72	-	36.79	7.23	33.14	
RMS	7.135G	52.99	68.20	-15.21	42.12	3	Horizontal	343	1.72	-	36.78	7.23	33.14	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96844G	63.72	88.20	-24.48	44.24	3	Vertical	60	1.40	-	40.90	9.89	31.31	
RMS	13.96816G	49.79	68.20	-18.41	30.31	3	Vertical	60	1.40	-	40.90	9.89	31.31	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9672G	63.19	88.20	-25.01	43.71	3	Horizontal	141	1.26	-	40.90	9.89	31.31	
RMS	13.9707G	49.92	68.20	-18.28	30.44	3	Horizontal	141	1.26	-	40.90	9.89	31.31	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 21
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.95462G	45.81	83.54	-37.73	41.93	1	Vertical	241	1.52	-	37.67	15.93	49.72	
AV	20.95782G	33.00	63.54	-30.54	29.12	1	Vertical	241	1.52	-	37.67	15.93	49.72	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT X_4TX
Setting 21
01-A-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95954G	45.75	83.54	-37.79	41.88	1	Horizontal	123	1.54	-	37.66	15.93	49.72
AV	20.95952G	32.91	63.54	-30.63	29.04	1	Horizontal	123	1.54	-	37.66	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_4TX	Pass	RMS	7.1255G	67.88	68.20	-0.32	3	Horizontal	32	1.71	BP 1MHz

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	62.43	88.20	-25.77	53.15	3	Vertical	44	2.16	-	34.11	6.20	31.03
RMS	5.9054G	51.39	88.20	-36.81	42.11	3	Vertical	44	2.16	-	34.11	6.20	31.03
PK	5.9486G	104.36	Inf	-Inf	94.97	3	Vertical	44	2.16	-	34.20	6.25	31.06
RMS	5.9486G	93.93	Inf	-Inf	84.54	3	Vertical	44	2.16	-	34.20	6.25	31.06

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	62.41	88.20	-25.79	53.08	3	Horizontal	57	1.72	-	34.15	6.22	31.04
RMS	5.9158G	51.40	88.20	-36.80	42.10	3	Horizontal	57	1.72	-	34.13	6.21	31.04
PK	5.9606G	108.83	Inf	-Inf	99.44	3	Horizontal	57	1.72	-	34.20	6.26	31.07
RMS	5.9598G	98.24	Inf	-Inf	88.85	3	Horizontal	57	1.72	-	34.20	6.26	31.07

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89848G	54.25	74.00	-19.75	38.24	3	Vertical	264	1.08	-	39.40	8.96	32.35
AV	11.91876G	42.37	54.00	-11.63	26.38	3	Vertical	264	1.08	-	39.38	8.97	32.36
PK	17.86424G	68.06	74.00	-5.94	39.41	3	Vertical	48	2.03	-	46.53	11.15	29.03
AV	17.86884G	52.85	54.00	-1.15	24.17	3	Vertical	48	2.03	-	46.54	11.15	29.01

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9247G	54.89	74.00	-19.11	38.91	3	Horizontal	270	1.62	-	39.38	8.97	32.37
AV	11.9052G	42.51	54.00	-11.49	26.51	3	Horizontal	270	1.62	-	39.39	8.97	32.36
PK	17.86808G	70.12	74.00	-3.88	41.45	3	Horizontal	345	2.08	-	46.54	11.15	29.02
AV	17.86754G	52.95	54.00	-1.05	24.28	3	Horizontal	345	2.08	-	46.54	11.15	29.02

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	61.83	88.20	-26.37	52.55	3	Vertical	46	1.86	-	34.10	6.20	31.02
RMS	5.9134G	51.37	88.20	-36.83	42.06	3	Vertical	46	1.86	-	34.13	6.21	31.03
PK	6.1726G	102.09	Inf	-Inf	92.39	3	Vertical	46	1.86	-	34.55	6.30	31.15
RMS	6.1726G	91.99	Inf	-Inf	82.29	3	Vertical	46	1.86	-	34.55	6.30	31.15

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	62.87	88.20	-25.33	53.57	3	Horizontal	54	1.36	-	34.13	6.21	31.04
RMS	5.925G	51.39	88.20	-36.81	42.06	3	Horizontal	54	1.36	-	34.15	6.22	31.04
PK	6.1822G	108.19	Inf	-Inf	98.48	3	Horizontal	54	1.36	-	34.56	6.30	31.15
RMS	6.1834G	96.76	Inf	-Inf	87.05	3	Horizontal	54	1.36	-	34.57	6.30	31.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33764G	54.94	74.00	-19.06	39.25	3	Vertical	151	1.08	-	38.76	9.12	32.19
AV	12.34988G	43.24	54.00	-10.76	27.56	3	Vertical	151	1.08	-	38.75	9.12	32.19

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3386G	54.55	74.00	-19.45	38.86	3	Horizontal	295	2.03	-	38.76	9.12	32.19
AV	12.34994G	43.59	54.00	-10.41	27.91	3	Horizontal	295	2.03	-	38.75	9.12	32.19

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51006G	45.34	83.54	-38.20	56.56	1	Vertical	200	1.57	-	37.60	14.58	63.40
AV	18.52494G	33.64	63.54	-29.90	44.85	1	Vertical	200	1.57	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52656G	46.06	83.54	-37.48	57.28	1	Horizontal	49	1.51	-	37.61	14.58	63.41
AV	18.52488G	33.89	63.54	-29.65	45.10	1	Horizontal	49	1.51	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	62.06	88.20	-26.14	52.81	3	Vertical	20	1.99	-	34.08	6.19	31.02
RMS	5.9062G	51.34	88.20	-36.86	42.06	3	Vertical	20	1.99	-	34.11	6.20	31.03
PK	6.4222G	108.71	Inf	-Inf	99.17	3	Vertical	20	1.99	-	34.36	6.41	31.23
RMS	6.4222G	97.89	Inf	-Inf	88.35	3	Vertical	20	1.99	-	34.36	6.41	31.23

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9014G	62.97	88.20	-25.23	53.70	3	Horizontal	19	2.00	-	34.10	6.20	31.03
RMS	5.911G	51.36	88.20	-36.84	42.06	3	Horizontal	19	2.00	-	34.12	6.21	31.03
PK	6.4222G	108.30	Inf	-Inf	98.76	3	Horizontal	19	2.00	-	34.36	6.41	31.23
RMS	6.4222G	97.40	Inf	-Inf	87.86	3	Horizontal	19	2.00	-	34.36	6.41	31.23

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81752G	54.50	88.20	-33.70	38.22	3	Vertical	150	2.42	-	38.94	9.29	31.95
RMS	12.83G	42.88	68.20	-25.32	26.57	3	Vertical	150	2.42	-	38.96	9.29	31.94

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82394G	56.01	88.20	-32.19	39.72	3	Horizontal	233	1.28	-	38.95	9.29	31.95
RMS	12.82298G	43.70	68.20	-24.50	27.41	3	Horizontal	233	1.28	-	38.95	9.29	31.95

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.251G	46.29	83.54	-37.25	57.15	1	Vertical	176	1.50	-	37.60	14.84	63.30
AV	19.2582G	34.10	63.54	-29.44	44.95	1	Vertical	176	1.50	-	37.60	14.84	63.29

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25226G	46.93	83.54	-36.61	57.79	1	Horizontal	68	1.53	-	37.60	14.84	63.30
AV	19.23288G	34.30	63.54	-29.24	45.19	1	Horizontal	68	1.53	-	37.59	14.83	63.31

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8916G	61.40	88.20	-26.80	52.18	3	Vertical	357	2.22	-	34.05	6.19	31.02
RMS	5.9124G	51.37	88.20	-36.83	42.07	3	Vertical	357	2.22	-	34.12	6.21	31.03
PK	6.4272G	105.93	Inf	-Inf	96.40	3	Vertical	357	2.22	-	34.35	6.41	31.23
RMS	6.4272G	95.16	Inf	-Inf	85.63	3	Vertical	357	2.22	-	34.35	6.41	31.23

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	61.19	88.20	-27.01	52.24	3	Horizontal	19	2.00	-	33.80	6.11	30.96
RMS	5.9202G	51.39	88.20	-36.81	42.07	3	Horizontal	19	2.00	-	34.14	6.22	31.04
PK	6.4428G	109.32	Inf	-Inf	99.82	3	Horizontal	19	2.00	-	34.31	6.42	31.23
RMS	6.4402G	97.17	Inf	-Inf	87.66	3	Horizontal	19	2.00	-	34.32	6.42	31.23

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87984G	55.25	88.20	-32.95	38.80	3	Vertical	173	2.94	-	39.06	9.31	31.92
RMS	12.8775G	42.90	68.20	-25.30	26.46	3	Vertical	173	2.94	-	39.05	9.31	31.92

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88356G	55.53	88.20	-32.67	39.07	3	Horizontal	254	1.06	-	39.07	9.31	31.92
RMS	12.87012G	43.61	68.20	-24.59	27.20	3	Horizontal	254	1.06	-	39.04	9.30	31.93

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29612G	49.62	83.54	-33.92	60.41	1	Vertical	41	1.56	-	37.62	14.85	63.26
AV	19.29606G	44.04	63.54	-19.50	54.83	1	Vertical	41	1.56	-	37.62	14.85	63.26

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX



EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.296G	49.77	83.54	-33.77	60.56	1	Horizontal	12	1.50	-	37.62	14.85	63.26
AV	19.296G	43.85	63.54	-19.69	54.64	1	Horizontal	12	1.50	-	37.62	14.85	63.26