


6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8058G	61.62	88.20	-26.58	52.67	3	Vertical	338	1.96	-	33.80	6.10	30.95
RMS	5.915G	51.36	88.20	-36.84	42.06	3	Vertical	338	1.96	-	34.13	6.21	31.04
PK	6.4694G	105.49	Inf	-Inf	96.00	3	Vertical	338	1.96	-	34.30	6.43	31.24
RMS	6.4694G	95.26	Inf	-Inf	85.77	3	Vertical	338	1.96	-	34.30	6.43	31.24
PK	7.1722G	61.65	88.20	-26.55	50.79	3	Vertical	338	1.96	-	35.83	6.87	31.84
RMS	7.1722G	51.37	88.20	-36.83	40.51	3	Vertical	338	1.96	-	35.83	6.87	31.84

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	61.98	88.20	-26.22	52.80	3	Horizontal	72	1.80	-	34.01	6.18	31.01
RMS	5.9178G	51.35	88.20	-36.85	42.04	3	Horizontal	72	1.80	-	34.14	6.21	31.04
PK	6.4806G	107.11	Inf	-Inf	97.61	3	Horizontal	72	1.80	-	34.30	6.44	31.24
RMS	6.4806G	96.06	Inf	-Inf	86.56	3	Horizontal	72	1.80	-	34.30	6.44	31.24
PK	7.1386G	61.98	88.20	-26.22	51.33	3	Horizontal	72	1.80	-	35.63	6.84	31.82
RMS	7.175G	51.39	88.20	-36.81	40.51	3	Horizontal	72	1.80	-	35.85	6.87	31.84

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94586G	54.86	88.20	-33.34	38.27	3	Vertical	251	2.04	-	39.15	9.33	31.89
RMS	12.94556G	42.28	68.20	-25.92	25.69	3	Vertical	251	2.04	-	39.15	9.33	31.89

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9629G	55.59	88.20	-32.61	38.98	3	Horizontal	59	1.37	-	39.16	9.34	31.89
RMS	12.9497G	43.72	68.20	-24.48	27.13	3	Horizontal	59	1.37	-	39.15	9.33	31.89

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41654G	47.77	83.54	-35.77	58.37	1	Vertical	186	1.59	-	37.67	14.90	63.17
AV	19.42152G	34.46	63.54	-29.08	45.05	1	Vertical	186	1.59	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41546G	46.80	83.54	-36.74	57.40	1	Horizontal	48	1.52	-	37.67	14.90	63.17
AV	19.42494G	34.53	63.54	-29.01	45.12	1	Horizontal	48	1.52	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	62.01	88.20	-26.19	52.73	3	Vertical	338	1.94	-	34.11	6.20	31.03
RMS	5.913G	51.41	88.20	-36.79	42.10	3	Vertical	338	1.94	-	34.13	6.21	31.03
PK	6.5094G	107.48	Inf	-Inf	97.95	3	Vertical	338	1.94	-	34.34	6.45	31.26
RMS	6.5094G	96.22	Inf	-Inf	86.69	3	Vertical	338	1.94	-	34.34	6.45	31.26
PK	7.1702G	61.95	88.20	-26.25	51.10	3	Vertical	338	1.94	-	35.82	6.87	31.84
RMS	7.215G	51.74	88.20	-36.46	40.65	3	Vertical	338	1.94	-	36.06	6.89	31.86

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	61.19	88.20	-27.01	51.91	3	Horizontal	68	1.99	-	34.11	6.20	31.03
RMS	5.9074G	51.39	88.20	-36.81	42.11	3	Horizontal	68	1.99	-	34.11	6.20	31.03
PK	6.5206G	108.01	Inf	-Inf	98.44	3	Horizontal	68	1.99	-	34.38	6.46	31.27
RMS	6.5206G	97.39	Inf	-Inf	87.82	3	Horizontal	68	1.99	-	34.38	6.46	31.27
PK	7.2094G	62.37	88.20	-25.83	51.29	3	Horizontal	68	1.99	-	36.04	6.90	31.86
RMS	7.2094G	51.76	88.20	-36.44	40.68	3	Horizontal	68	1.99	-	36.04	6.90	31.86

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0213G	54.94	88.20	-33.26	38.17	3	Vertical	260	2.32	-	39.29	9.36	31.88
RMS	13.0207G	43.00	68.20	-25.20	26.24	3	Vertical	260	2.32	-	39.28	9.36	31.88

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02976G	55.04	88.20	-33.16	38.24	3	Horizontal	263	1.17	-	39.32	9.36	31.88
RMS	13.03G	44.00	68.20	-24.20	27.20	3	Horizontal	263	1.17	-	39.32	9.36	31.88

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53708G	46.82	83.54	-36.72	57.28	1	Vertical	167	1.49	-	37.69	14.94	63.09
AV	19.53084G	34.27	63.54	-29.27	44.73	1	Vertical	167	1.49	-	37.69	14.94	63.09

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54476G	46.61	83.54	-36.93	57.07	1	Horizontal	222	1.50	-	37.68	14.94	63.08
AV	19.53024G	33.96	63.54	-29.58	44.42	1	Horizontal	222	1.50	-	37.69	14.94	63.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	61.45	88.20	-26.75	52.14	3	Vertical	-0	1.56	-	34.13	6.21	31.03
RMS	5.919G	51.39	88.20	-36.81	42.08	3	Vertical	-0	1.56	-	34.14	6.21	31.04
PK	6.5266G	104.94	Inf	-Inf	95.35	3	Vertical	-0	1.56	-	34.41	6.46	31.28
RMS	6.5266G	94.77	Inf	-Inf	85.18	3	Vertical	-0	1.56	-	34.41	6.46	31.28
PK	7.2322G	62.62	88.20	-25.58	51.48	3	Vertical	-0	1.56	-	36.13	6.88	31.87
RMS	7.2322G	51.89	88.20	-36.31	40.75	3	Vertical	-0	1.56	-	36.13	6.88	31.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	61.37	88.20	-26.83	52.05	3	Horizontal	68	1.73	-	34.14	6.22	31.04
RMS	5.9218G	51.31	88.20	-36.89	41.99	3	Horizontal	68	1.73	-	34.14	6.22	31.04
PK	6.5434G	108.30	Inf	-Inf	98.65	3	Horizontal	68	1.73	-	34.47	6.47	31.29
RMS	6.5434G	97.17	Inf	-Inf	87.52	3	Horizontal	68	1.73	-	34.47	6.47	31.29
PK	7.2042G	63.07	88.20	-25.13	52.01	3	Horizontal	68	1.73	-	36.02	6.90	31.86
RMS	7.2322G	51.88	88.20	-36.32	40.74	3	Horizontal	68	1.73	-	36.13	6.88	31.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07786G	55.55	88.20	-32.65	38.55	3	Vertical	0	1.84	-	39.51	9.38	31.89
RMS	13.06988G	43.95	68.20	-24.25	26.99	3	Vertical	0	1.84	-	39.48	9.37	31.89

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07366G	55.95	88.20	-32.25	38.97	3	Horizontal	65	2.81	-	39.49	9.38	31.89
RMS	13.07G	44.13	68.20	-24.07	27.17	3	Horizontal	65	2.81	-	39.48	9.37	31.89

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59006G	46.85	83.54	-36.69	57.29	1	Vertical	192	1.50	-	37.66	14.96	63.06
AV	19.61748G	34.30	63.54	-29.24	44.73	1	Vertical	192	1.50	-	37.65	14.97	63.05

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59894G	46.71	83.54	-36.83	57.15	1	Horizontal	48	1.50	-	37.66	14.96	63.06
AV	19.60698G	34.17	63.54	-29.37	44.61	1	Horizontal	48	1.50	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	106.96	Inf	-Inf	96.91	3	Vertical	348	1.59	-	34.94	6.54	31.43
RMS	6.6862G	96.09	Inf	-Inf	86.04	3	Vertical	348	1.59	-	34.94	6.54	31.43
PK	7.2164G	63.02	88.20	-25.18	51.93	3	Vertical	348	1.59	-	36.07	6.89	31.87
RMS	7.245G	51.99	88.20	-36.21	40.81	3	Vertical	348	1.59	-	36.18	6.88	31.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	107.60	Inf	-Inf	97.49	3	Horizontal	58	1.67	-	35.01	6.55	31.45
RMS	6.7038G	97.90	Inf	-Inf	87.79	3	Horizontal	58	1.67	-	35.01	6.55	31.45
PK	7.1482G	62.26	88.20	-25.94	51.55	3	Horizontal	58	1.67	-	35.69	6.85	31.83
RMS	7.245G	51.97	88.20	-36.23	40.79	3	Horizontal	58	1.67	-	36.18	6.88	31.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38688G	55.35	74.00	-18.65	37.58	3	Vertical	185	1.16	-	40.27	9.49	31.99
AV	13.38202G	43.60	54.00	-10.40	25.84	3	Vertical	185	1.16	-	40.26	9.48	31.98

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38574G	55.98	74.00	-18.02	38.21	3	Horizontal	151	1.07	-	40.27	9.49	31.99
AV	13.3756G	43.59	54.00	-10.41	25.84	3	Horizontal	151	1.07	-	40.25	9.48	31.98

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07498G	46.80	83.54	-36.74	57.05	1	Vertical	155	1.49	-	37.46	15.12	62.83
AV	20.08062G	33.49	63.54	-30.05	43.73	1	Vertical	155	1.49	-	37.46	15.12	62.82

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07474G	45.75	83.54	-37.79	56.00	1	Horizontal	217	1.51	-	37.46	15.12	62.83
AV	20.08398G	33.46	63.54	-30.08	43.69	1	Horizontal	217	1.51	-	37.47	15.12	62.82

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8466G	104.60	Inf	-Inf	94.37	3	Vertical	345	1.57	-	35.20	6.62	31.59
RMS	6.8466G	94.32	Inf	-Inf	84.09	3	Vertical	345	1.57	-	35.20	6.62	31.59
PK	7.1728G	62.52	88.20	-25.68	51.65	3	Vertical	345	1.57	-	35.84	6.87	31.84
RMS	7.205G	51.80	88.20	-36.40	40.74	3	Vertical	345	1.57	-	36.02	6.90	31.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	107.62	Inf	-Inf	97.39	3	Horizontal	36	1.41	-	35.20	6.62	31.59
RMS	6.8466G	97.94	Inf	-Inf	87.71	3	Horizontal	36	1.41	-	35.20	6.62	31.59
PK	7.1266G	62.21	88.20	-25.99	51.63	3	Horizontal	36	1.41	-	35.56	6.83	31.81
RMS	7.205G	51.86	88.20	-36.34	40.80	3	Horizontal	36	1.41	-	36.02	6.90	31.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70946G	57.08	88.20	-31.12	38.38	3	Vertical	160	2.08	-	40.92	9.60	31.82
RMS	13.70724G	44.73	68.20	-23.47	26.04	3	Vertical	160	2.08	-	40.91	9.60	31.82

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72446G	57.25	88.20	-30.95	38.50	3	Horizontal	245	2.44	-	40.95	9.60	31.80
RMS	13.69728G	44.75	68.20	-23.45	26.10	3	Horizontal	245	2.44	-	40.89	9.59	31.83

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5698G	46.25	83.54	-37.29	55.61	1	Vertical	204	1.50	-	37.73	15.24	62.33
AV	20.55594G	33.89	63.54	-29.65	43.27	1	Vertical	204	1.50	-	37.72	15.24	62.34

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5764G	46.37	83.54	-37.17	55.72	1	Horizontal	66	1.52	-	37.73	15.24	62.32
AV	20.55264G	34.01	63.54	-29.53	43.40	1	Horizontal	66	1.52	-	37.72	15.24	62.35

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	104.22	Inf	-Inf	94.00	3	Vertical	350	1.85	-	35.20	6.64	31.62
RMS	6.8726G	94.44	Inf	-Inf	84.22	3	Vertical	350	1.85	-	35.20	6.64	31.62
PK	7.1714G	61.61	88.20	-26.59	50.75	3	Vertical	350	1.85	-	35.83	6.87	31.84
RMS	7.1678G	51.50	88.20	-36.70	40.66	3	Vertical	350	1.85	-	35.81	6.87	31.84

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	108.12	Inf	-Inf	97.90	3	Horizontal	34	1.32	-	35.20	6.63	31.61
RMS	6.8678G	98.38	Inf	-Inf	88.16	3	Horizontal	34	1.32	-	35.20	6.63	31.61
PK	7.1558G	61.62	88.20	-26.58	50.86	3	Horizontal	34	1.32	-	35.73	6.86	31.83
RMS	7.1702G	51.50	88.20	-36.70	40.65	3	Horizontal	34	1.32	-	35.82	6.87	31.84

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74826G	58.37	88.20	-29.83	39.54	3	Vertical	110	2.24	-	41.00	9.61	31.78
RMS	13.74964G	45.46	68.20	-22.74	26.63	3	Vertical	110	2.24	-	41.00	9.61	31.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74448G	57.28	88.20	-30.92	38.47	3	Horizontal	265	2.24	-	40.99	9.61	31.79
RMS	13.7497G	45.56	68.20	-22.64	26.73	3	Horizontal	265	2.24	-	41.00	9.61	31.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62548G	61.30	83.54	-22.24	70.56	1	Vertical	111	1.50	-	37.75	15.26	62.27
AV	20.62548G	59.77	63.54	-3.77	69.03	1	Vertical	111	1.50	-	37.75	15.26	62.27

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62548G	63.40	83.54	-20.14	72.66	1	Horizontal	347	1.52	-	37.75	15.26	62.27
AV	20.62548G	62.14	63.54	-1.40	71.40	1	Horizontal	347	1.52	-	37.75	15.26	62.27

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8866G	105.58	Inf	-Inf	95.37	3	Vertical	353	1.80	-	35.20	6.64	31.63
RMS	6.8866G	96.31	Inf	-Inf	86.10	3	Vertical	353	1.80	-	35.20	6.64	31.63
PK	7.1566G	61.83	88.20	-26.37	51.06	3	Vertical	353	1.80	-	35.74	6.86	31.83
RMS	7.1866G	51.71	88.20	-36.49	40.75	3	Vertical	353	1.80	-	35.92	6.89	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	107.74	Inf	-Inf	97.53	3	Horizontal	34	1.32	-	35.20	6.64	31.63
RMS	6.8878G	98.24	Inf	-Inf	88.03	3	Horizontal	34	1.32	-	35.20	6.64	31.63
PK	7.1794G	62.15	88.20	-26.05	51.23	3	Horizontal	34	1.32	-	35.88	6.88	31.84
RMS	7.1938G	51.74	88.20	-36.46	40.74	3	Horizontal	34	1.32	-	35.96	6.89	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79444G	58.01	88.20	-30.19	39.03	3	Vertical	239	2.50	-	41.09	9.63	31.74
RMS	13.7978G	45.08	68.20	-23.12	26.08	3	Vertical	239	2.50	-	41.10	9.63	31.73

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78676G	57.47	88.20	-30.73	38.51	3	Horizontal	194	1.29	-	41.07	9.63	31.74
RMS	13.78952G	45.30	68.20	-22.90	26.33	3	Horizontal	194	1.29	-	41.08	9.63	31.74

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68794G	46.46	83.54	-37.08	55.62	1	Vertical	214	1.50	-	37.78	15.27	62.21
AV	20.68482G	34.36	63.54	-29.18	43.54	1	Vertical	214	1.50	-	37.77	15.27	62.22

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6853G	47.07	83.54	-36.47	56.24	1	Horizontal	318	1.50	-	37.77	15.27	62.21
AV	20.68494G	34.21	63.54	-29.33	43.39	1	Horizontal	318	1.50	-	37.77	15.27	62.22

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9942G	103.25	Inf	-Inf	93.08	3	Vertical	343	1.76	-	35.20	6.70	31.73
RMS	6.9934G	93.29	Inf	-Inf	83.12	3	Vertical	343	1.76	-	35.20	6.70	31.73
PK	7.1662G	62.48	88.20	-25.72	51.65	3	Vertical	343	1.76	-	35.80	6.87	31.84
RMS	7.1902G	51.76	88.20	-36.44	40.78	3	Vertical	343	1.76	-	35.94	6.89	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9886G	109.58	Inf	-Inf	99.42	3	Horizontal	32	1.35	-	35.20	6.69	31.73
RMS	6.9886G	98.68	Inf	-Inf	88.52	3	Horizontal	32	1.35	-	35.20	6.69	31.73
PK	7.1622G	61.97	88.20	-26.23	51.17	3	Horizontal	32	1.35	-	35.77	6.86	31.83
RMS	7.1902G	51.67	88.20	-36.53	40.69	3	Horizontal	32	1.35	-	35.94	6.89	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00206G	58.08	88.20	-30.12	38.31	3	Vertical	54	1.01	-	41.61	9.70	31.54
RMS	13.99006G	45.95	68.20	-22.25	26.22	3	Vertical	54	1.01	-	41.58	9.70	31.55

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0008G	58.29	88.20	-29.91	38.53	3	Horizontal	250	2.05	-	41.60	9.70	31.54
RMS	13.98982G	45.95	68.20	-22.25	26.22	3	Horizontal	250	2.05	-	41.58	9.70	31.55

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98182G	46.80	83.54	-36.74	55.11	1	Vertical	189	1.50	-	38.26	15.35	61.92
AV	21G	35.81	63.54	-27.73	44.06	1	Vertical	189	1.50	-	38.30	15.35	61.90

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98608G	47.31	83.54	-36.23	55.60	1	Horizontal	40	1.53	-	38.27	15.35	61.91
AV	21G	38.05	63.54	-25.49	46.30	1	Horizontal	40	1.53	-	38.30	15.35	61.90

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	106.10	Inf	-Inf	95.72	3	Vertical	344	1.87	-	35.38	6.79	31.79
RMS	7.093G	95.23	Inf	-Inf	84.84	3	Vertical	344	1.87	-	35.39	6.79	31.79
PK	7.193G	62.41	88.20	-25.79	51.41	3	Vertical	344	1.87	-	35.96	6.89	31.85
RMS	7.1946G	51.78	88.20	-36.42	40.77	3	Vertical	344	1.87	-	35.97	6.89	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0886G	109.82	Inf	-Inf	99.44	3	Horizontal	32	1.48	-	35.38	6.79	31.79
RMS	7.0878G	99.30	Inf	-Inf	88.92	3	Horizontal	32	1.48	-	35.38	6.79	31.79
PK	7.1254G	62.83	88.20	-25.37	52.26	3	Horizontal	32	1.48	-	35.55	6.83	31.81
RMS	7.195G	51.77	88.20	-36.43	40.75	3	Horizontal	32	1.48	-	35.97	6.90	31.85

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20008G	59.24	88.20	-28.96	38.62	3	Vertical	146	2.55	-	42.30	9.78	31.46
RMS	14.2038G	46.88	68.20	-21.32	26.25	3	Vertical	146	2.55	-	42.30	9.78	31.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 9
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20218G	58.79	88.20	-29.41	38.17	3	Horizontal	6	1.07	-	42.30	9.78	31.46
RMS	14.19708G	46.97	68.20	-21.23	26.36	3	Horizontal	6	1.07	-	42.29	9.78	31.46

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 9
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27G	46.57	83.54	-36.97	54.65	1	Vertical	357	1.58	-	38.08	15.42	61.58
AV	21.27G	35.92	63.54	-27.62	44.00	1	Vertical	357	1.58	-	38.08	15.42	61.58

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 9
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2802G	46.51	83.54	-37.03	54.57	1	Horizontal	344	1.64	-	38.08	15.42	61.56
AV	21.27G	34.82	63.54	-28.72	42.90	1	Horizontal	344	1.64	-	38.08	15.42	61.58

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 7.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11375G	95.22	Inf	-Inf	84.74	3	Vertical	339	1.79	-	35.48	6.81	31.81
RMS	7.11468G	85.13	Inf	-Inf	74.64	3	Vertical	339	1.79	-	35.49	6.81	31.81
PK	7.1255G	69.44	88.20	-18.76	58.87	3	Vertical	339	1.79	BP 1MHz	35.55	6.83	31.81
RMS	7.1255G	58.94	88.20	-29.26	48.37	3	Vertical	339	1.79	BP 1MHz	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 7.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10748G	99.14	Inf	-Inf	88.69	3	Horizontal	32	1.71	-	35.44	6.81	31.80
RMS	7.1063G	88.67	Inf	-Inf	78.22	3	Horizontal	32	1.71	-	35.44	6.81	31.80
PK	7.1255G	78.67	88.20	-9.53	68.10	3	Horizontal	32	1.71	BP 1MHz	35.55	6.83	31.81
RMS	7.1255G	67.88	68.20	-0.32	57.31	3	Horizontal	32	1.71	BP 1MHz	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 7.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22058G	60.28	88.20	-27.92	39.62	3	Vertical	31	1.32	-	42.32	9.79	31.45
RMS	14.23402G	48.12	68.20	-20.08	27.44	3	Vertical	31	1.32	-	42.33	9.79	31.44

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 7.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22808G	61.36	88.20	-26.84	40.68	3	Horizontal	193	1.92	-	42.33	9.79	31.44
RMS	14.22304G	48.05	68.20	-20.15	27.39	3	Horizontal	193	1.92	-	42.32	9.79	31.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 7.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35928G	46.53	83.54	-37.01	54.55	1	Vertical	219	1.52	-	38.01	15.44	61.47
AV	21.34494G	34.44	63.54	-29.10	42.47	1	Vertical	219	1.52	-	38.02	15.44	61.49

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 7.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34902G	46.52	83.54	-37.02	54.54	1	Horizontal	338	1.50	-	38.02	15.44	61.48
AV	21.34482G	34.61	63.54	-28.93	42.64	1	Horizontal	338	1.50	-	38.02	15.44	61.49

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	62.20	88.20	-26.00	52.89	3	Vertical	37	1.89	-	34.13	6.21	31.03
RMS	5.921G	51.66	88.20	-36.54	42.34	3	Vertical	37	1.89	-	34.14	6.22	31.04
PK	5.9626G	106.30	Inf	-Inf	96.91	3	Vertical	37	1.89	-	34.20	6.26	31.07
RMS	5.961G	95.43	Inf	-Inf	86.04	3	Vertical	37	1.89	-	34.20	6.26	31.07

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	62.70	88.20	-25.50	53.58	3	Horizontal	59	1.72	-	33.96	6.17	31.01
RMS	5.9022G	51.42	88.20	-36.78	42.15	3	Horizontal	59	1.72	-	34.10	6.20	31.03
PK	5.9686G	108.05	Inf	-Inf	98.66	3	Horizontal	59	1.72	-	34.20	6.27	31.08
RMS	5.9694G	98.57	Inf	-Inf	89.18	3	Horizontal	59	1.72	-	34.20	6.27	31.08

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92982G	54.41	74.00	-19.59	38.43	3	Vertical	126	2.05	-	39.37	8.98	32.37
AV	11.9333G	42.42	54.00	-11.58	26.44	3	Vertical	126	2.05	-	39.37	8.98	32.37
PK	17.89606G	69.44	74.00	-4.56	40.62	3	Vertical	179	1.84	-	46.59	11.16	28.93
AV	17.89772G	53.25	54.00	-0.75	24.41	3	Vertical	179	1.84	-	46.60	11.16	28.92

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94032G	55.22	74.00	-18.78	39.26	3	Horizontal	49	1.49	-	39.36	8.98	32.38
AV	11.93666G	43.66	54.00	-10.34	27.69	3	Horizontal	49	1.49	-	39.36	8.98	32.37
PK	17.89318G	68.33	74.00	-5.67	39.52	3	Horizontal	204	2.52	-	46.59	11.16	28.94
AV	17.89876G	53.04	54.00	-0.96	24.20	3	Horizontal	204	2.52	-	46.60	11.16	28.92

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	62.32	88.20	-25.88	53.02	3	Vertical	48	1.70	-	34.12	6.21	31.03
RMS	5.9226G	51.53	88.20	-36.67	42.20	3	Vertical	48	1.70	-	34.15	6.22	31.04
PK	6.1638G	102.86	Inf	-Inf	93.18	3	Vertical	48	1.70	-	34.53	6.30	31.15
RMS	6.1638G	94.04	Inf	-Inf	84.36	3	Vertical	48	1.70	-	34.53	6.30	31.15

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	62.55	88.20	-25.65	53.27	3	Horizontal	49	1.39	-	34.11	6.20	31.03
RMS	5.9154G	51.48	88.20	-36.72	42.18	3	Horizontal	49	1.39	-	34.13	6.21	31.04
PK	6.1662G	108.48	Inf	-Inf	98.80	3	Horizontal	49	1.39	-	34.53	6.30	31.15
RMS	6.1662G	98.33	Inf	-Inf	88.65	3	Horizontal	49	1.39	-	34.53	6.30	31.15

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32268G	55.08	74.00	-18.92	39.39	3	Vertical	84	2.52	-	38.78	9.11	32.20
AV	12.33012G	43.43	54.00	-10.57	27.74	3	Vertical	84	2.52	-	38.77	9.12	32.20

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34026G	56.85	74.00	-17.15	41.16	3	Horizontal	29	1.86	-	38.76	9.12	32.19
AV	12.33888G	44.93	54.00	-9.07	29.24	3	Horizontal	29	1.86	-	38.76	9.12	32.19

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49152G	45.44	83.54	-38.10	56.66	1	Vertical	66	1.48	-	37.60	14.57	63.39
AV	18.49344G	33.37	63.54	-30.17	44.60	1	Vertical	66	1.48	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49164G	46.19	83.54	-37.35	57.41	1	Horizontal	316	1.51	-	37.60	14.57	63.39
AV	18.49266G	33.25	63.54	-30.29	44.48	1	Horizontal	316	1.51	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	61.26	88.20	-26.94	51.98	3	Vertical	326	2.93	-	34.10	6.20	31.02
RMS	5.9226G	51.42	88.20	-36.78	42.09	3	Vertical	326	2.93	-	34.15	6.22	31.04
PK	6.4098G	105.48	Inf	-Inf	95.92	3	Vertical	326	2.93	-	34.38	6.40	31.22
RMS	6.4098G	94.91	Inf	-Inf	85.35	3	Vertical	326	2.93	-	34.38	6.40	31.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8194G	62.18	88.20	-26.02	53.23	3	Horizontal	21	2.01	-	33.80	6.11	30.96
RMS	5.9154G	51.43	88.20	-36.77	42.13	3	Horizontal	21	2.01	-	34.13	6.21	31.04
PK	6.4122G	109.03	Inf	-Inf	99.46	3	Horizontal	21	2.01	-	34.38	6.41	31.22
RMS	6.4098G	98.35	Inf	-Inf	88.79	3	Horizontal	21	2.01	-	34.38	6.40	31.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79908G	55.20	88.20	-33.00	38.98	3	Vertical	41	1.24	-	38.90	9.28	31.96
RMS	12.79866G	43.17	68.20	-25.03	26.95	3	Vertical	41	1.24	-	38.90	9.28	31.96

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80442G	57.05	88.20	-31.15	40.82	3	Horizontal	170	2.80	-	38.91	9.28	31.96
RMS	12.80352G	45.35	68.20	-22.85	29.12	3	Horizontal	170	2.80	-	38.91	9.28	31.96

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22274G	46.52	83.54	-37.02	57.42	1	Vertical	256	1.49	-	37.59	14.83	63.32
AV	19.20108G	33.64	63.54	-29.90	44.58	1	Vertical	256	1.49	-	37.58	14.82	63.34

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22748G	45.71	83.54	-37.83	56.61	1	Horizontal	266	1.51	-	37.59	14.83	63.32
AV	19.20018G	33.80	63.54	-29.74	44.74	1	Horizontal	266	1.51	-	37.58	14.82	63.34

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8236G	61.55	88.20	-26.65	52.61	3	Vertical	360	2.28	-	33.80	6.11	30.97
RMS	5.9146G	51.36	88.20	-36.84	42.06	3	Vertical	360	2.28	-	34.13	6.21	31.04
PK	6.4372G	104.24	Inf	-Inf	94.72	3	Vertical	360	2.28	-	34.33	6.42	31.23
RMS	6.4372G	94.21	Inf	-Inf	84.69	3	Vertical	360	2.28	-	34.33	6.42	31.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8964G	61.63	88.20	-26.57	52.38	3	Horizontal	19	1.98	-	34.08	6.19	31.02
RMS	5.9068G	51.41	88.20	-36.79	42.13	3	Horizontal	19	1.98	-	34.11	6.20	31.03
PK	6.432G	107.78	Inf	-Inf	98.25	3	Horizontal	19	1.98	-	34.34	6.42	31.23
RMS	6.4528G	97.01	Inf	-Inf	87.52	3	Horizontal	19	1.98	-	34.30	6.43	31.24

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8912G	55.34	88.20	-32.86	38.87	3	Vertical	250	1.96	-	39.08	9.31	31.92
RMS	12.88274G	43.33	68.20	-24.87	26.87	3	Vertical	250	1.96	-	39.07	9.31	31.92

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9008G	57.20	88.20	-31.00	40.69	3	Horizontal	227	2.66	-	39.10	9.32	31.91
RMS	12.88172G	45.07	68.20	-23.13	28.62	3	Horizontal	227	2.66	-	39.06	9.31	31.92

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33548G	45.84	83.54	-37.70	56.57	1	Vertical	48	1.53	-	37.63	14.87	63.23
AV	19.34184G	33.72	63.54	-29.82	44.44	1	Vertical	48	1.53	-	37.64	14.87	63.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34124G	46.62	83.54	-36.92	57.34	1	Horizontal	76	1.48	-	37.64	14.87	63.23
AV	19.32612G	33.71	63.54	-29.83	44.46	1	Horizontal	76	1.48	-	37.63	14.86	63.24

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	61.67	88.20	-26.53	52.55	3	Vertical	344	1.92	-	33.96	6.17	31.01
RMS	5.9054G	51.32	88.20	-36.88	42.04	3	Vertical	344	1.92	-	34.11	6.20	31.03
PK	6.4878G	106.45	Inf	-Inf	96.96	3	Vertical	344	1.92	-	34.30	6.44	31.25
RMS	6.4878G	94.36	Inf	-Inf	84.87	3	Vertical	344	1.92	-	34.30	6.44	31.25
PK	7.1626G	61.47	88.20	-26.73	50.66	3	Vertical	344	1.92	-	35.78	6.86	31.83
RMS	7.1822G	51.46	88.20	-36.74	40.54	3	Vertical	344	1.92	-	35.89	6.88	31.85

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	61.59	88.20	-26.61	52.30	3	Horizontal	72	2.19	-	34.12	6.20	31.03
RMS	5.9194G	51.39	88.20	-36.81	42.07	3	Horizontal	72	2.19	-	34.14	6.22	31.04
PK	6.4878G	104.51	Inf	-Inf	95.02	3	Horizontal	72	2.19	-	34.30	6.44	31.25
RMS	6.4878G	96.48	Inf	-Inf	86.99	3	Horizontal	72	2.19	-	34.30	6.44	31.25
PK	7.1486G	61.92	88.20	-26.28	51.21	3	Horizontal	72	2.19	-	35.69	6.85	31.83
RMS	7.185G	51.47	88.20	-36.73	40.53	3	Horizontal	72	2.19	-	35.91	6.88	31.85

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96856G	54.55	88.20	-33.65	37.92	3	Vertical	158	2.78	-	39.17	9.34	31.88
RMS	12.9637G	43.08	68.20	-25.12	26.47	3	Vertical	158	2.78	-	39.16	9.34	31.89

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9712G	55.84	88.20	-32.36	39.21	3	Horizontal	355	2.54	-	39.17	9.34	31.88
RMS	12.96358G	44.61	68.20	-23.59	28.00	3	Horizontal	355	2.54	-	39.16	9.34	31.89

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46742G	46.21	83.54	-37.33	56.74	1	Vertical	145	1.51	-	37.69	14.91	63.13
AV	19.45002G	33.87	63.54	-29.67	44.42	1	Vertical	145	1.51	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45236G	46.15	83.54	-37.39	56.70	1	Horizontal	126	1.49	-	37.68	14.91	63.14
AV	19.455G	34.05	63.54	-29.49	44.60	1	Horizontal	126	1.49	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	61.70	88.20	-26.50	52.40	3	Vertical	339	1.94	-	34.12	6.21	31.03
RMS	5.909G	51.31	88.20	-36.89	42.02	3	Vertical	339	1.94	-	34.12	6.20	31.03
PK	6.5166G	105.48	Inf	-Inf	95.92	3	Vertical	339	1.94	-	34.37	6.46	31.27
RMS	6.5194G	96.61	Inf	-Inf	87.04	3	Vertical	339	1.94	-	34.38	6.46	31.27
PK	7.2194G	62.58	88.20	-25.62	51.48	3	Vertical	339	1.94	-	36.08	6.89	31.87
RMS	7.225G	51.77	88.20	-36.43	40.65	3	Vertical	339	1.94	-	36.10	6.89	31.87

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9006G	62.08	88.20	-26.12	52.80	3	Horizontal	67	2.14	-	34.10	6.20	31.02
RMS	5.909G	51.34	88.20	-36.86	42.05	3	Horizontal	67	2.14	-	34.12	6.20	31.03
PK	6.5278G	107.23	Inf	-Inf	97.64	3	Horizontal	67	2.14	-	34.41	6.46	31.28
RMS	6.5278G	97.29	Inf	-Inf	87.70	3	Horizontal	67	2.14	-	34.41	6.46	31.28
PK	7.2166G	62.01	88.20	-26.19	50.92	3	Horizontal	67	2.14	-	36.07	6.89	31.87
RMS	7.225G	51.80	88.20	-36.40	40.68	3	Horizontal	67	2.14	-	36.10	6.89	31.87

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06482G	55.66	88.20	-32.54	38.72	3	Vertical	16	1.41	-	39.46	9.37	31.89
RMS	13.04988G	43.82	68.20	-24.38	26.93	3	Vertical	16	1.41	-	39.40	9.37	31.88

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04424G	56.20	88.20	-32.00	39.33	3	Horizontal	138	1.62	-	39.38	9.37	31.88
RMS	13.0446G	44.96	68.20	-23.24	28.09	3	Horizontal	138	1.62	-	39.38	9.37	31.88

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57034G	45.91	83.54	-37.63	56.36	1	Vertical	104	1.57	-	37.67	14.95	63.07
AV	19.57446G	33.58	63.54	-29.96	44.03	1	Vertical	104	1.57	-	37.67	14.95	63.07

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57208G	45.45	83.54	-38.09	55.90	1	Horizontal	35	1.54	-	37.67	14.95	63.07
AV	19.57386G	33.63	63.54	-29.91	44.08	1	Horizontal	35	1.54	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	105.96	Inf	-Inf	96.26	3	Vertical	349	1.67	-	34.53	6.48	31.31
RMS	6.5626G	95.13	Inf	-Inf	85.43	3	Vertical	349	1.67	-	34.53	6.48	31.31
PK	7.1386G	61.68	88.20	-26.52	51.03	3	Vertical	349	1.67	-	35.63	6.84	31.82
RMS	7.165G	51.29	88.20	-36.91	40.47	3	Vertical	349	1.67	-	35.79	6.87	31.84

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	106.59	Inf	-Inf	96.89	3	Horizontal	66	2.03	-	34.54	6.48	31.32
RMS	6.5698G	98.22	Inf	-Inf	88.52	3	Horizontal	66	2.03	-	34.54	6.48	31.32
PK	7.1626G	62.02	88.20	-26.18	51.21	3	Horizontal	66	2.03	-	35.78	6.86	31.83
RMS	7.1626G	51.26	88.20	-36.94	40.45	3	Horizontal	66	2.03	-	35.78	6.86	31.83

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12346G	56.86	88.20	-31.34	39.71	3	Vertical	45	1.69	-	39.67	9.39	31.91
RMS	13.12988G	44.82	68.20	-23.38	27.64	3	Vertical	45	1.69	-	39.69	9.40	31.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14362G	57.64	88.20	-30.56	40.42	3	Horizontal	180	2.62	-	39.73	9.40	31.91
RMS	13.12538G	45.69	68.20	-22.51	28.53	3	Horizontal	180	2.62	-	39.68	9.39	31.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69176G	46.71	83.54	-36.83	57.12	1	Vertical	328	1.54	-	37.62	14.99	63.02
AV	19.6996G	34.07	63.54	-29.47	44.48	1	Vertical	328	1.54	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69424G	46.36	83.54	-37.18	56.77	1	Horizontal	343	1.53	-	37.62	14.99	63.02
AV	19.69658G	33.98	63.54	-29.56	44.39	1	Horizontal	343	1.53	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	105.08	Inf	-Inf	95.05	3	Vertical	348	1.62	-	34.91	6.54	31.42
RMS	6.677G	95.07	Inf	-Inf	85.04	3	Vertical	348	1.62	-	34.91	6.54	31.42
PK	7.149G	62.58	88.20	-25.62	51.87	3	Vertical	348	1.62	-	35.69	6.85	31.83
RMS	7.183G	51.52	88.20	-36.68	40.59	3	Vertical	348	1.62	-	35.90	6.88	31.85

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	108.95	Inf	-Inf	98.87	3	Horizontal	61	1.80	-	34.97	6.55	31.44
RMS	6.693G	97.78	Inf	-Inf	87.70	3	Horizontal	61	1.80	-	34.97	6.55	31.44
PK	7.173G	62.05	88.20	-26.15	51.18	3	Horizontal	61	1.80	-	35.84	6.87	31.84
RMS	7.185G	51.50	88.20	-36.70	40.56	3	Horizontal	61	1.80	-	35.91	6.88	31.85

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3562G	55.49	74.00	-18.51	37.79	3	Vertical	226	2.31	-	40.21	9.47	31.98
AV	13.3688G	43.59	54.00	-10.41	25.85	3	Vertical	226	2.31	-	40.24	9.48	31.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37012G	56.33	74.00	-17.67	38.59	3	Horizontal	166	1.87	-	40.24	9.48	31.98
AV	13.36262G	44.25	54.00	-9.75	26.52	3	Horizontal	166	1.87	-	40.23	9.48	31.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05464G	45.52	83.54	-38.02	55.82	1	Vertical	219	1.55	-	37.44	15.11	62.85
AV	20.05018G	33.30	63.54	-30.24	43.60	1	Vertical	219	1.55	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0517G	45.20	83.54	-38.34	55.50	1	Horizontal	38	1.53	-	37.44	15.11	62.85
AV	20.05004G	33.26	63.54	-30.28	43.56	1	Horizontal	38	1.53	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	103.50	Inf	-Inf	93.27	3	Vertical	345	1.72	-	35.20	6.62	31.59
RMS	6.8434G	95.51	Inf	-Inf	85.28	3	Vertical	345	1.72	-	35.20	6.62	31.59
PK	7.245G	62.27	88.20	-25.93	51.09	3	Vertical	345	1.72	-	36.18	6.88	31.88
RMS	7.245G	52.04	88.20	-36.16	40.86	3	Vertical	345	1.72	-	36.18	6.88	31.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8354G	105.29	Inf	-Inf	95.05	3	Horizontal	46	1.58	-	35.20	6.62	31.58
RMS	6.8466G	97.20	Inf	-Inf	86.97	3	Horizontal	46	1.58	-	35.20	6.62	31.59
PK	7.2098G	63.25	88.20	-24.95	52.17	3	Horizontal	46	1.58	-	36.04	6.90	31.86
RMS	7.245G	52.02	88.20	-36.18	40.84	3	Horizontal	46	1.58	-	36.18	6.88	31.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68856G	57.46	88.20	-30.74	38.83	3	Vertical	271	1.05	-	40.88	9.59	31.84
RMS	13.68304G	44.83	68.20	-23.37	26.21	3	Vertical	271	1.05	-	40.87	9.59	31.84

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6915G	56.95	88.20	-31.25	38.32	3	Horizontal	338	1.53	-	40.88	9.59	31.84
RMS	13.68454G	45.24	68.20	-22.96	26.62	3	Horizontal	338	1.53	-	40.87	9.59	31.84

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53354G	46.41	83.54	-37.13	55.84	1	Vertical	282	1.51	-	37.71	15.23	62.37
AV	20.53176G	34.01	63.54	-29.53	43.44	1	Vertical	282	1.51	-	37.71	15.23	62.37

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53546G	45.89	83.54	-37.65	55.31	1	Horizontal	71	1.52	-	37.71	15.23	62.36
AV	20.53834G	33.98	63.54	-29.56	43.39	1	Horizontal	71	1.52	-	37.72	15.23	62.36

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	105.33	Inf	-Inf	95.11	3	Vertical	345	1.80	-	35.20	6.64	31.62
RMS	6.8822G	94.79	Inf	-Inf	84.57	3	Vertical	345	1.80	-	35.20	6.64	31.62
PK	7.1468G	62.48	88.20	-25.72	51.78	3	Vertical	345	1.80	-	35.68	6.85	31.83
RMS	7.2294G	51.97	88.20	-36.23	40.83	3	Vertical	345	1.80	-	36.12	6.89	31.87

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.878G	107.81	Inf	-Inf	97.59	3	Horizontal	37	1.27	-	35.20	6.64	31.62
RMS	6.878G	96.92	Inf	-Inf	86.70	3	Horizontal	37	1.27	-	35.20	6.64	31.62
PK	7.2238G	62.55	88.20	-25.65	51.43	3	Horizontal	37	1.27	-	36.10	6.89	31.87
RMS	7.235G	51.95	88.20	-36.25	40.81	3	Horizontal	37	1.27	-	36.14	6.88	31.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76736G	57.39	88.20	-30.81	38.50	3	Vertical	245	1.74	-	41.03	9.62	31.76
RMS	13.7697G	45.33	68.20	-22.87	26.43	3	Vertical	245	1.74	-	41.04	9.62	31.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75614G	57.24	88.20	-30.96	38.39	3	Horizontal	350	2.82	-	41.01	9.61	31.77
RMS	13.76994G	45.33	68.20	-22.87	26.43	3	Horizontal	350	2.82	-	41.04	9.62	31.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65662G	47.32	83.54	-36.22	56.54	1	Vertical	75	1.54	-	37.76	15.26	62.24
AV	20.65682G	34.93	63.54	-28.61	44.15	1	Vertical	75	1.54	-	37.76	15.26	62.24

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65754G	46.68	83.54	-36.86	55.90	1	Horizontal	183	1.58	-	37.76	15.26	62.24
AV	20.6567G	34.93	63.54	-28.61	44.15	1	Horizontal	183	1.58	-	37.76	15.26	62.24

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUTY_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9238G	104.89	Inf	-Inf	94.70	3	Vertical	344	1.71	-	35.20	6.66	31.67
RMS	6.9238G	95.65	Inf	-Inf	85.46	3	Vertical	344	1.71	-	35.20	6.66	31.67
PK	7.1662G	62.11	88.20	-26.09	51.28	3	Vertical	344	1.71	-	35.80	6.87	31.84
RMS	7.2238G	51.87	88.20	-36.33	40.75	3	Vertical	344	1.71	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.919G	109.24	Inf	-Inf	99.04	3	Horizontal	35	1.38	-	35.20	6.66	31.66
RMS	6.9178G	97.75	Inf	-Inf	87.55	3	Horizontal	35	1.38	-	35.20	6.66	31.66
PK	7.2142G	62.30	88.20	-25.90	51.21	3	Horizontal	35	1.38	-	36.06	6.89	31.86
RMS	7.225G	51.90	88.20	-36.30	40.78	3	Horizontal	35	1.38	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85336G	58.58	88.20	-29.62	39.35	3	Vertical	267	2.32	-	41.26	9.65	31.68
RMS	13.84406G	45.77	68.20	-22.43	26.58	3	Vertical	267	2.32	-	41.23	9.65	31.69

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.83716G	57.57	88.20	-30.63	38.42	3	Horizontal	86	1.86	-	41.21	9.64	31.70
RMS	13.83752G	45.72	68.20	-22.48	26.57	3	Horizontal	86	1.86	-	41.21	9.64	31.70

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77406G	46.45	83.54	-37.09	55.44	1	Vertical	17	1.50	-	37.85	15.29	62.13
AV	20.77094G	33.80	63.54	-29.74	42.80	1	Vertical	17	1.50	-	37.84	15.29	62.13

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77452G	45.66	83.54	-37.88	54.65	1	Horizontal	79	1.56	-	37.85	15.29	62.13
AV	20.77378G	33.79	63.54	-29.75	42.78	1	Horizontal	79	1.56	-	37.85	15.29	62.13

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUTY_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	104.56	Inf	-Inf	94.39	3	Vertical	344	1.76	-	35.21	6.70	31.74
RMS	7.0034G	94.92	Inf	-Inf	84.75	3	Vertical	344	1.76	-	35.21	6.70	31.74
PK	7.177G	62.28	88.20	-25.92	51.38	3	Vertical	344	1.76	-	35.86	6.88	31.84
RMS	7.205G	51.73	88.20	-36.47	40.67	3	Vertical	344	1.76	-	36.02	6.90	31.86

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUTY_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9978G	108.31	Inf	-Inf	98.15	3	Horizontal	32	1.64	-	35.20	6.70	31.74
RMS	6.9962G	97.57	Inf	-Inf	87.41	3	Horizontal	32	1.64	-	35.20	6.70	31.74
PK	7.1762G	61.90	88.20	-26.30	51.00	3	Horizontal	32	1.64	-	35.86	6.88	31.84
RMS	7.197G	51.71	88.20	-36.49	40.68	3	Horizontal	32	1.64	-	35.98	6.90	31.85

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01018G	58.31	88.20	-29.89	38.51	3	Vertical	299	1.62	-	41.64	9.70	31.54
RMS	14.02086G	46.07	68.20	-22.13	26.21	3	Vertical	299	1.62	-	41.68	9.71	31.53

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0064G	58.52	88.20	-29.68	38.73	3	Horizontal	354	1.96	-	41.63	9.70	31.54
RMS	14.01648G	46.13	68.20	-22.07	26.28	3	Horizontal	354	1.96	-	41.67	9.71	31.53

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01786G	46.45	83.54	-37.09	54.69	1	Vertical	274	1.55	-	38.29	15.35	61.88
AV	21.01632G	34.03	63.54	-29.51	42.27	1	Vertical	274	1.55	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01518G	46.60	83.54	-36.94	54.84	1	Horizontal	111	1.56	-	38.29	15.35	61.88
AV	21.01104G	34.09	63.54	-29.45	42.34	1	Horizontal	111	1.56	-	38.29	15.35	61.89

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0842G	103.34	Inf	-Inf	92.98	3	Vertical	339	1.66	-	35.37	6.78	31.79
RMS	7.0842G	94.29	Inf	-Inf	83.93	3	Vertical	339	1.66	-	35.37	6.78	31.79
PK	7.1658G	62.92	88.20	-25.28	52.10	3	Vertical	339	1.66	-	35.79	6.87	31.84
RMS	7.1826G	51.62	88.20	-36.58	40.69	3	Vertical	339	1.66	-	35.90	6.88	31.85

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0778G	108.90	Inf	-Inf	98.55	3	Horizontal	32	1.47	-	35.36	6.78	31.79
RMS	7.0782G	98.63	Inf	-Inf	88.28	3	Horizontal	32	1.47	-	35.36	6.78	31.79
PK	7.1418G	62.83	88.20	-25.37	52.16	3	Horizontal	32	1.47	-	35.65	6.84	31.82
RMS	7.1814G	51.62	88.20	-36.58	40.70	3	Horizontal	32	1.47	-	35.89	6.88	31.85

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16274G	59.40	88.20	-28.80	38.91	3	Vertical	81	1.38	-	42.19	9.77	31.47
RMS	14.15788G	46.88	68.20	-21.32	26.42	3	Vertical	81	1.38	-	42.17	9.76	31.47

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 12
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15632G	58.98	88.20	-29.22	38.52	3	Horizontal	52	1.85	-	42.17	9.76	31.47
RMS	14.15632G	46.78	68.20	-21.42	26.32	3	Horizontal	52	1.85	-	42.17	9.76	31.47

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25594G	45.98	83.54	-37.56	54.06	1	Vertical	219	1.52	-	38.10	15.41	61.59
AV	21.25108G	34.09	63.54	-29.45	42.18	1	Vertical	219	1.52	-	38.10	15.41	61.60

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 12
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25888G	45.91	83.54	-37.63	54.00	1	Horizontal	89	1.52	-	38.09	15.41	61.59
AV	21.2517G	34.11	63.54	-29.43	42.20	1	Horizontal	89	1.52	-	38.10	15.41	61.60

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	62.43	88.20	-25.77	53.12	3	Vertical	37	2.12	-	34.14	6.21	31.04
RMS	5.9202G	52.12	88.20	-36.08	42.80	3	Vertical	37	2.12	-	34.14	6.22	31.04
PK	5.9594G	105.17	Inf	-Inf	95.78	3	Vertical	37	2.12	-	34.20	6.26	31.07
RMS	5.9994G	95.22	Inf	-Inf	85.82	3	Vertical	37	2.12	-	34.20	6.30	31.10

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	62.78	88.20	-25.42	53.48	3	Horizontal	60	1.71	-	34.12	6.21	31.03
RMS	5.909G	52.43	88.20	-35.77	43.14	3	Horizontal	60	1.71	-	34.12	6.20	31.03
PK	5.989G	110.38	Inf	-Inf	100.98	3	Horizontal	60	1.71	-	34.20	6.29	31.09
RMS	5.9898G	98.87	Inf	-Inf	89.47	3	Horizontal	60	1.71	-	34.20	6.29	31.09

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96118G	54.28	74.00	-19.72	38.34	3	Vertical	223	1.50	-	39.34	8.99	32.39
AV	11.97G	42.56	54.00	-11.44	26.63	3	Vertical	223	1.50	-	39.33	8.99	32.39
PK	17.95586G	68.59	74.00	-5.41	39.60	3	Vertical	243	1.99	-	46.54	11.18	28.73
AV	17.95998G	53.38	54.00	-0.62	24.37	3	Vertical	243	1.99	-	46.54	11.19	28.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95866G	56.55	74.00	-17.45	40.61	3	Horizontal	70	2.33	-	39.34	8.99	32.39
AV	11.97876G	44.56	54.00	-9.44	28.65	3	Horizontal	70	2.33	-	39.32	8.99	32.40
PK	17.95826G	68.57	74.00	-5.43	39.57	3	Horizontal	2	2.95	-	46.54	11.19	28.73
AV	17.95912G	53.35	54.00	-0.65	24.34	3	Horizontal	2	2.95	-	46.54	11.19	28.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	61.72	88.20	-26.48	52.42	3	Vertical	34	2.06	-	34.12	6.21	31.03
RMS	5.9038G	51.38	88.20	-36.82	42.10	3	Vertical	34	2.06	-	34.11	6.20	31.03
PK	6.1414G	105.52	Inf	-Inf	95.88	3	Vertical	34	2.06	-	34.48	6.30	31.14
RMS	6.1402G	96.32	Inf	-Inf	86.68	3	Vertical	34	2.06	-	34.48	6.30	31.14

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	61.52	88.20	-26.68	52.24	3	Horizontal	53	1.27	-	34.11	6.20	31.03
RMS	5.9062G	51.41	88.20	-36.79	42.13	3	Horizontal	53	1.27	-	34.11	6.20	31.03
PK	6.1462G	108.64	Inf	-Inf	98.99	3	Horizontal	53	1.27	-	34.49	6.30	31.14
RMS	6.1462G	99.10	Inf	-Inf	89.45	3	Horizontal	53	1.27	-	34.49	6.30	31.14

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2963G	55.18	74.00	-18.82	39.50	3	Vertical	337	1.94	-	38.80	9.10	32.22
AV	12.2948G	43.59	54.00	-10.41	27.90	3	Vertical	337	1.94	-	38.81	9.10	32.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.28154G	59.18	74.00	-14.82	43.49	3	Horizontal	347	2.92	-	38.82	9.10	32.23
AV	12.30128G	46.32	54.00	-7.68	30.63	3	Horizontal	347	2.92	-	38.80	9.11	32.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.43382G	45.54	83.54	-38.00	56.78	1	Vertical	331	1.56	-	37.57	14.55	63.36
AV	18.43042G	32.82	63.54	-30.72	44.06	1	Vertical	331	1.56	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43952G	45.02	83.54	-38.52	56.25	1	Horizontal	66	1.55	-	37.58	14.55	63.36
AV	18.43424G	32.95	63.54	-30.59	44.19	1	Horizontal	66	1.55	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	61.77	88.20	-26.43	52.49	3	Vertical	326	2.95	-	34.11	6.20	31.03
RMS	5.9194G	51.37	88.20	-36.83	42.05	3	Vertical	326	2.95	-	34.14	6.22	31.04
PK	6.3898G	104.34	Inf	-Inf	94.77	3	Vertical	326	2.95	-	34.40	6.39	31.22
RMS	6.3898G	94.57	Inf	-Inf	85.00	3	Vertical	326	2.95	-	34.40	6.39	31.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.87	88.20	-26.33	52.54	3	Horizontal	20	2.03	-	34.15	6.22	31.04
RMS	5.917G	51.36	88.20	-36.84	42.06	3	Horizontal	20	2.03	-	34.13	6.21	31.04
PK	6.3706G	107.88	Inf	-Inf	98.30	3	Horizontal	20	2.03	-	34.40	6.39	31.21
RMS	6.3706G	97.57	Inf	-Inf	87.99	3	Horizontal	20	2.03	-	34.40	6.39	31.21

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.75536G	55.51	88.20	-32.69	39.42	3	Vertical	58	1.72	-	38.81	9.26	31.98
RMS	12.75512G	43.60	68.20	-24.60	27.51	3	Vertical	58	1.72	-	38.81	9.26	31.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78086G	60.03	88.20	-28.17	43.87	3	Horizontal	317	1.64	-	38.86	9.27	31.97
RMS	12.7811G	47.08	68.20	-21.12	30.92	3	Horizontal	317	1.64	-	38.86	9.27	31.97

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15056G	46.26	83.54	-37.28	57.28	1	Vertical	133	1.58	-	37.56	14.80	63.38
AV	19.15852G	33.54	63.54	-30.00	44.54	1	Vertical	133	1.58	-	37.56	14.81	63.37

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1544G	45.64	83.54	-37.90	56.66	1	Horizontal	192	1.53	-	37.56	14.80	63.38
AV	19.15814G	33.52	63.54	-30.02	44.52	1	Horizontal	192	1.53	-	37.56	14.81	63.37

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	62.33	88.20	-25.87	53.23	3	Vertical	344	1.94	-	33.93	6.17	31.00
RMS	5.9216G	51.34	88.20	-36.86	42.02	3	Vertical	344	1.94	-	34.14	6.22	31.04
PK	6.4858G	104.61	Inf	-Inf	95.12	3	Vertical	344	1.94	-	34.30	6.44	31.25
RMS	6.4858G	94.53	Inf	-Inf	85.04	3	Vertical	344	1.94	-	34.30	6.44	31.25

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	61.70	88.20	-26.50	52.67	3	Horizontal	72	1.94	-	33.87	6.15	30.99
RMS	5.919G	51.42	88.20	-36.78	42.11	3	Horizontal	72	1.94	-	34.14	6.21	31.04
PK	6.4702G	106.37	Inf	-Inf	96.87	3	Horizontal	72	1.94	-	34.30	6.44	31.24
RMS	6.4702G	96.62	Inf	-Inf	87.12	3	Horizontal	72	1.94	-	34.30	6.44	31.24

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92412G	55.73	88.20	-32.47	39.19	3	Vertical	317	1.40	-	39.12	9.32	31.90
RMS	12.92454G	43.91	68.20	-24.29	27.37	3	Vertical	317	1.40	-	39.12	9.32	31.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92208G	57.60	88.20	-30.60	41.06	3	Horizontal	236	1.37	-	39.12	9.32	31.90
RMS	12.92178G	46.28	68.20	-21.92	29.74	3	Horizontal	236	1.37	-	39.12	9.32	31.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39698G	45.79	83.54	-37.75	56.42	1	Vertical	302	1.53	-	37.66	14.89	63.18
AV	19.3919G	33.88	63.54	-29.66	44.52	1	Vertical	302	1.53	-	37.66	14.89	63.19

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39492G	46.55	83.54	-36.99	57.18	1	Horizontal	257	1.56	-	37.66	14.89	63.18
AV	19.3913G	33.80	63.54	-29.74	44.44	1	Horizontal	257	1.56	-	37.66	14.89	63.19

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	61.29	88.20	-26.91	52.21	3	Vertical	349	1.69	-	33.92	6.16	31.00
RMS	5.915G	51.33	88.20	-36.87	42.03	3	Vertical	349	1.69	-	34.13	6.21	31.04
PK	6.5422G	105.59	Inf	-Inf	95.94	3	Vertical	349	1.69	-	34.47	6.47	31.29
RMS	6.5422G	95.04	Inf	-Inf	85.39	3	Vertical	349	1.69	-	34.47	6.47	31.29
PK	7.1694G	61.76	88.20	-26.44	50.91	3	Vertical	349	1.69	-	35.82	6.87	31.84
RMS	7.245G	51.88	88.20	-36.32	40.70	3	Vertical	349	1.69	-	36.18	6.88	31.88

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	61.24	88.20	-26.96	51.92	3	Horizontal	65	1.86	-	34.14	6.22	31.04
RMS	5.9094G	51.35	88.20	-36.85	42.06	3	Horizontal	65	1.86	-	34.12	6.20	31.03
PK	6.5702G	106.34	Inf	-Inf	96.63	3	Horizontal	65	1.86	-	34.54	6.49	31.32
RMS	6.5506G	97.77	Inf	-Inf	88.09	3	Horizontal	65	1.86	-	34.50	6.48	31.30
PK	7.2058G	63.84	88.20	-24.36	52.78	3	Horizontal	65	1.86	-	36.02	6.90	31.86
RMS	7.245G	51.91	88.20	-36.29	40.73	3	Horizontal	65	1.86	-	36.18	6.88	31.88

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07866G	57.05	88.20	-31.15	40.05	3	Vertical	254	2.70	-	39.51	9.38	31.89
RMS	13.09648G	44.52	68.20	-23.68	27.45	3	Vertical	254	2.70	-	39.59	9.38	31.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08478G	58.09	88.20	-30.11	41.07	3	Horizontal	15	2.80	-	39.54	9.38	31.90
RMS	13.0849G	46.29	68.20	-21.91	29.27	3	Horizontal	15	2.80	-	39.54	9.38	31.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63746G	46.80	83.54	-36.74	57.23	1	Vertical	157	1.55	-	37.65	14.97	63.05
AV	19.63G	33.90	63.54	-29.64	44.33	1	Vertical	157	1.55	-	37.65	14.97	63.05

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63176G	46.51	83.54	-37.03	56.94	1	Horizontal	43	1.54	-	37.65	14.97	63.05
AV	19.63072G	33.92	63.54	-29.62	44.35	1	Horizontal	43	1.54	-	37.65	14.97	63.05

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6178G	107.14	Inf	-Inf	97.33	3	Vertical	350	1.50	-	34.67	6.51	31.37
RMS	6.6178G	97.89	Inf	-Inf	88.08	3	Vertical	350	1.50	-	34.67	6.51	31.37
PK	7.2154G	62.22	88.20	-25.98	51.13	3	Vertical	350	1.50	-	36.06	6.89	31.86
RMS	7.2202G	51.93	68.20	-16.27	40.83	3	Vertical	350	1.50	-	36.08	6.89	31.87

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	108.21	Inf	-Inf	98.34	3	Horizontal	45	1.96	-	34.73	6.52	31.38
RMS	6.6322G	99.61	Inf	-Inf	89.74	3	Horizontal	45	1.96	-	34.73	6.52	31.38
PK	7.2082G	63.34	88.20	-24.86	52.27	3	Horizontal	45	1.96	-	36.03	6.90	31.86
RMS	7.225G	52.02	68.20	-16.18	40.90	3	Horizontal	45	1.96	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24424G	56.45	88.20	-31.75	38.96	3	Vertical	268	2.53	-	39.99	9.44	31.94
RMS	13.24418G	44.87	68.20	-23.33	27.38	3	Vertical	268	2.53	-	39.99	9.44	31.94

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24178G	58.14	88.20	-30.06	40.67	3	Horizontal	312	1.15	-	39.98	9.43	31.94
RMS	13.24418G	46.53	68.20	-21.67	29.04	3	Horizontal	312	1.15	-	39.99	9.44	31.94

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87736G	46.53	83.54	-37.01	56.92	1	Vertical	159	1.52	-	37.50	15.06	62.95
AV	19.8712G	33.87	63.54	-29.67	44.27	1	Vertical	159	1.52	-	37.50	15.05	62.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87428G	45.65	83.54	-37.89	56.04	1	Horizontal	314	1.54	-	37.50	15.06	62.95
AV	19.87416G	33.85	63.54	-29.69	44.24	1	Horizontal	314	1.54	-	37.50	15.06	62.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	107.88	Inf	-Inf	97.75	3	Vertical	350	1.61	-	35.03	6.56	31.46
RMS	6.697G	98.06	Inf	-Inf	87.96	3	Vertical	350	1.61	-	34.99	6.55	31.44
PK	7.175G	61.55	88.20	-26.65	50.67	3	Vertical	350	1.61	-	35.85	6.87	31.84
RMS	7.205G	51.68	68.20	-16.52	40.62	3	Vertical	350	1.61	-	36.02	6.90	31.86

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.711G	111.25	Inf	-Inf	101.13	3	Horizontal	58	1.89	-	35.02	6.56	31.46
RMS	6.711G	99.38	Inf	-Inf	89.26	3	Horizontal	58	1.89	-	35.02	6.56	31.46
PK	7.199G	61.95	88.20	-26.25	50.92	3	Horizontal	58	1.89	-	35.99	6.90	31.86
RMS	7.205G	51.62	68.20	-16.58	40.56	3	Horizontal	58	1.89	-	36.02	6.90	31.86

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42278G	55.49	88.20	-32.71	37.62	3	Vertical	150	1.99	-	40.37	9.50	32.00
RMS	13.42332G	43.31	68.20	-24.89	25.44	3	Vertical	150	1.99	-	40.37	9.50	32.00

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4043G	56.72	88.20	-31.48	38.91	3	Horizontal	80	2.13	-	40.31	9.49	31.99
RMS	13.42494G	44.66	68.20	-23.54	26.79	3	Horizontal	80	2.13	-	40.37	9.50	32.00

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11316G	45.59	83.54	-37.95	55.76	1	Vertical	133	1.56	-	37.49	15.13	62.79
AV	20.1147G	33.37	63.54	-30.17	43.54	1	Vertical	133	1.56	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11424G	45.47	83.54	-38.07	55.64	1	Horizontal	59	1.52	-	37.49	15.13	62.79
AV	20.11108G	33.38	63.54	-30.16	43.55	1	Horizontal	59	1.52	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8046G	107.66	Inf	-Inf	97.41	3	Vertical	346	1.75	-	35.20	6.60	31.55
RMS	6.7836G	97.84	Inf	-Inf	87.61	3	Vertical	346	1.75	-	35.17	6.59	31.53
PK	7.1322G	61.35	88.20	-26.85	50.75	3	Vertical	346	1.75	-	35.59	6.83	31.82
RMS	7.1308G	51.28	68.20	-16.92	40.69	3	Vertical	346	1.75	-	35.58	6.83	31.82

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7948G	108.12	Inf	-Inf	97.87	3	Horizontal	40	1.75	-	35.19	6.60	31.54
RMS	6.7948G	98.58	Inf	-Inf	88.33	3	Horizontal	40	1.75	-	35.19	6.60	31.54
PK	7.1336G	60.59	88.20	-27.61	49.98	3	Horizontal	40	1.75	-	35.60	6.83	31.82
RMS	7.1266G	51.26	68.20	-16.94	40.68	3	Horizontal	40	1.75	-	35.56	6.83	31.81

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57798G	56.46	88.20	-31.74	38.18	3	Vertical	179	1.10	-	40.68	9.55	31.95
RMS	13.56994G	44.91	68.20	-23.29	26.64	3	Vertical	179	1.10	-	40.67	9.55	31.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57174G	57.53	88.20	-30.67	39.26	3	Horizontal	42	1.31	-	40.67	9.55	31.95
RMS	13.57192G	44.93	68.20	-23.27	26.66	3	Horizontal	42	1.31	-	40.67	9.55	31.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35026G	46.27	83.54	-37.27	55.99	1	Vertical	336	1.52	-	37.64	15.19	62.55
AV	20.35374G	33.57	63.54	-29.97	43.29	1	Vertical	336	1.52	-	37.64	15.19	62.55

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35824G	45.78	83.54	-37.76	55.49	1	Horizontal	243	1.51	-	37.64	15.19	62.54
AV	20.35618G	33.48	63.54	-30.06	43.19	1	Horizontal	243	1.51	-	37.64	15.19	62.54

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8458G	109.39	Inf	-Inf	99.16	3	Vertical	345	1.80	-	35.20	6.62	31.59
RMS	6.8638G	98.96	Inf	-Inf	88.74	3	Vertical	345	1.80	-	35.20	6.63	31.61
PK	7.165G	62.21	88.20	-25.99	51.39	3	Vertical	345	1.80	-	35.79	6.87	31.84
RMS	7.1614G	51.37	68.20	-16.83	40.57	3	Vertical	345	1.80	-	35.77	6.86	31.83

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8746G	108.77	Inf	-Inf	98.55	3	Horizontal	13	1.72	-	35.20	6.64	31.62
RMS	6.8746G	98.00	Inf	-Inf	87.78	3	Horizontal	13	1.72	-	35.20	6.64	31.62
PK	7.1338G	61.36	88.20	-26.84	50.75	3	Horizontal	13	1.72	-	35.60	6.83	31.82
RMS	7.1626G	51.45	68.20	-16.75	40.64	3	Horizontal	13	1.72	-	35.78	6.86	31.83

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73642G	56.96	88.20	-31.24	38.17	3	Vertical	6	2.05	-	40.97	9.61	31.79
RMS	13.74338G	45.19	68.20	-23.01	26.38	3	Vertical	6	2.05	-	40.99	9.61	31.79

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74032G	57.27	88.20	-30.93	38.47	3	Horizontal	241	1.08	-	40.98	9.61	31.79
RMS	13.74482G	45.31	68.20	-22.89	26.49	3	Horizontal	241	1.08	-	40.99	9.61	31.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5941G	46.12	83.54	-37.42	55.44	1	Vertical	171	1.50	-	37.74	15.25	62.31
AV	20.5942G	34.54	63.54	-29.00	43.86	1	Vertical	171	1.50	-	37.74	15.25	62.31

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59308G	45.77	83.54	-37.77	55.09	1	Horizontal	281	1.50	-	37.74	15.25	62.31
AV	20.59424G	34.37	63.54	-29.17	43.69	1	Horizontal	281	1.50	-	37.74	15.25	62.31

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9234G	109.52	Inf	-Inf	99.32	3	Vertical	346	1.78	-	35.20	6.66	31.66
RMS	6.9438G	99.13	Inf	-Inf	88.94	3	Vertical	346	1.78	-	35.20	6.67	31.68
PK	7.1802G	62.16	88.20	-26.04	51.24	3	Vertical	346	1.78	-	35.88	6.88	31.84
RMS	7.2426G	52.00	68.20	-16.20	40.83	3	Vertical	346	1.78	-	36.17	6.88	31.88

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9594G	109.00	Inf	-Inf	98.82	3	Horizontal	35	1.39	-	35.20	6.68	31.70
RMS	6.939G	98.74	Inf	-Inf	88.55	3	Horizontal	35	1.39	-	35.20	6.67	31.68
PK	7.2246G	62.24	88.20	-25.96	51.12	3	Horizontal	35	1.39	-	36.10	6.89	31.87
RMS	7.2438G	52.00	68.20	-16.20	40.82	3	Horizontal	35	1.39	-	36.18	6.88	31.88

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88556G	57.78	88.20	-30.42	38.41	3	Vertical	339	1.19	-	41.36	9.66	31.65
RMS	13.90386G	45.39	68.20	-22.81	25.94	3	Vertical	339	1.19	-	41.41	9.67	31.63

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8855G	57.30	88.20	-30.90	37.93	3	Horizontal	130	1.78	-	41.36	9.66	31.65
RMS	13.89006G	45.90	68.20	-22.30	26.52	3	Horizontal	130	1.78	-	41.37	9.66	31.65

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83186G	46.91	83.54	-36.63	55.71	1	Vertical	86	1.53	-	37.96	15.31	62.07
AV	20.83688G	33.87	63.54	-29.67	42.65	1	Vertical	86	1.53	-	37.97	15.31	62.06

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83256G	46.75	83.54	-36.79	55.54	1	Horizontal	29	1.54	-	37.97	15.31	62.07
AV	20.83468G	33.85	63.54	-29.69	42.64	1	Horizontal	29	1.54	-	37.97	15.31	62.07

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	108.20	Inf	-Inf	98.03	3	Vertical	345	1.90	-	35.21	6.70	31.74
RMS	7.0234G	96.95	Inf	-Inf	86.73	3	Vertical	345	1.90	-	35.25	6.72	31.75
PK	7.141G	63.08	88.20	-25.12	52.41	3	Vertical	345	1.90	-	35.65	6.84	31.82
RMS	7.225G	51.87	68.20	-16.33	40.75	3	Vertical	345	1.90	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0162G	110.95	Inf	-Inf	100.75	3	Horizontal	34	1.72	-	35.23	6.72	31.75
RMS	7.0162G	98.76	Inf	-Inf	88.56	3	Horizontal	34	1.72	-	35.23	6.72	31.75
PK	7.189G	62.34	88.20	-25.86	51.37	3	Horizontal	34	1.72	-	35.93	6.89	31.85
RMS	7.2178G	51.84	68.20	-16.36	40.75	3	Horizontal	34	1.72	-	36.07	6.89	31.87

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05282G	58.94	88.20	-29.26	38.93	3	Vertical	353	2.70	-	41.81	9.72	31.52
RMS	14.04658G	46.22	68.20	-21.98	26.23	3	Vertical	353	2.70	-	41.79	9.72	31.52

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 14.5
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0614G	58.55	88.20	-29.65	38.49	3	Horizontal	291	2.65	-	41.85	9.72	31.51
RMS	14.06308G	46.38	68.20	-21.82	26.31	3	Horizontal	291	2.65	-	41.85	9.73	31.51

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07908G	45.97	83.54	-37.57	54.17	1	Vertical	175	1.58	-	38.24	15.37	61.81
AV	21.07058G	33.78	63.54	-29.76	41.99	1	Vertical	175	1.58	-	38.24	15.37	61.82

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 14.5
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07928G	46.65	83.54	-36.89	54.84	1	Horizontal	85	1.55	-	38.24	15.37	61.80
AV	21.07064G	33.74	63.54	-29.80	41.95	1	Horizontal	85	1.55	-	38.24	15.37	61.82

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	64.63	88.20	-23.57	55.34	3	Vertical	334	1.70	-	34.12	6.20	31.03
RMS	5.908G	53.47	68.20	-14.73	44.18	3	Vertical	334	1.70	-	34.12	6.20	31.03
PK	6.001G	106.81	Inf	-Inf	97.41	3	Vertical	334	1.70	-	34.20	6.30	31.10
RMS	6.001G	96.55	Inf	-Inf	87.15	3	Vertical	334	1.70	-	34.20	6.30	31.10

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	66.64	88.20	-21.56	57.45	3	Horizontal	59	1.80	-	34.02	6.18	31.01
RMS	5.909G	56.19	68.20	-12.01	46.90	3	Horizontal	59	1.80	-	34.12	6.20	31.03
PK	5.989G	108.99	Inf	-Inf	99.59	3	Horizontal	59	1.80	-	34.20	6.29	31.09
RMS	5.989G	99.33	Inf	-Inf	89.93	3	Horizontal	59	1.80	-	34.20	6.29	31.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05442G	55.88	74.00	-18.12	40.10	3	Vertical	41	2.99	-	39.14	9.02	32.38
AV	12.05414G	43.48	54.00	-10.52	27.70	3	Vertical	41	2.99	-	39.14	9.02	32.38

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0413G	55.02	74.00	-18.98	39.21	3	Horizontal	235	1.21	-	39.18	9.01	32.38
AV	12.05474G	43.03	54.00	-10.97	27.24	3	Horizontal	235	1.21	-	39.14	9.02	32.37

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07824G	45.55	83.54	-37.99	56.77	1	Vertical	164	1.57	-	37.50	14.43	63.15
AV	18.0731G	33.30	63.54	-30.24	44.51	1	Vertical	164	1.57	-	37.50	14.43	63.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07748G	45.21	83.54	-38.33	56.43	1	Horizontal	13	1.54	-	37.50	14.43	63.15
AV	18.07G	33.29	63.54	-30.25	44.51	1	Horizontal	13	1.54	-	37.50	14.42	63.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	62.10	88.20	-26.10	53.07	3	Vertical	51	1.94	-	33.87	6.15	30.99
RMS	5.921G	51.17	68.20	-17.03	41.85	3	Vertical	51	1.94	-	34.14	6.22	31.04
PK	6.1802G	105.38	Inf	-Inf	95.67	3	Vertical	51	1.94	-	34.56	6.30	31.15
RMS	6.1626G	94.72	Inf	-Inf	85.04	3	Vertical	51	1.94	-	34.53	6.30	31.15

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8202G	61.94	88.20	-26.26	52.99	3	Horizontal	52	1.35	-	33.80	6.11	30.96
RMS	5.9242G	51.21	68.20	-16.99	41.88	3	Horizontal	52	1.35	-	34.15	6.22	31.04
PK	6.1866G	109.44	Inf	-Inf	99.73	3	Horizontal	52	1.35	-	34.57	6.30	31.16
RMS	6.1866G	99.12	Inf	-Inf	89.41	3	Horizontal	52	1.35	-	34.57	6.30	31.16

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37312G	55.70	74.00	-18.30	40.01	3	Vertical	263	2.46	-	38.73	9.13	32.17
AV	12.37378G	43.72	54.00	-10.28	28.03	3	Vertical	263	2.46	-	38.73	9.13	32.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35818G	58.42	74.00	-15.58	42.73	3	Horizontal	339	1.17	-	38.74	9.13	32.18
AV	12.35944G	47.19	54.00	-6.81	31.50	3	Horizontal	339	1.17	-	38.74	9.13	32.18

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55134G	45.43	83.54	-38.11	56.63	1	Vertical	166	1.51	-	37.62	14.59	63.41
AV	18.55954G	33.03	63.54	-30.51	44.22	1	Vertical	166	1.51	-	37.62	14.60	63.41

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55012G	45.72	83.54	-37.82	56.92	1	Horizontal	47	1.57	-	37.62	14.59	63.41
AV	18.55908G	32.94	63.54	-30.60	44.13	1	Horizontal	47	1.57	-	37.62	14.60	63.41

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	61.46	88.20	-26.74	52.39	3	Vertical	356	1.32	-	33.91	6.16	31.00
RMS	5.901G	51.06	68.20	-17.14	41.78	3	Vertical	356	1.32	-	34.10	6.20	31.02
PK	6.319G	106.53	Inf	-Inf	96.97	3	Vertical	356	1.32	-	34.40	6.36	31.20
RMS	6.319G	95.99	Inf	-Inf	86.43	3	Vertical	356	1.32	-	34.40	6.36	31.20

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	62.03	88.20	-26.17	52.80	3	Horizontal	50	1.02	-	34.06	6.19	31.02
RMS	5.911G	51.05	68.20	-17.15	41.75	3	Horizontal	50	1.02	-	34.12	6.21	31.03
PK	6.309G	107.05	Inf	-Inf	97.49	3	Horizontal	50	1.02	-	34.40	6.35	31.19
RMS	6.309G	98.22	Inf	-Inf	88.66	3	Horizontal	50	1.02	-	34.40	6.35	31.19

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6736G	56.26	74.00	-17.74	40.33	3	Vertical	148	2.04	-	38.70	9.24	32.01
AV	12.67488G	44.95	54.00	-9.05	29.02	3	Vertical	148	2.04	-	38.70	9.24	32.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.66924G	56.88	74.00	-17.12	40.97	3	Horizontal	282	2.36	-	38.70	9.23	32.02
AV	12.66758G	45.09	54.00	-8.91	29.18	3	Horizontal	282	2.36	-	38.70	9.23	32.02

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03178G	45.75	83.54	-37.79	56.95	1	Vertical	340	1.58	-	37.51	14.76	63.47
AV	19.0346G	33.42	63.54	-30.12	44.62	1	Vertical	340	1.58	-	37.51	14.76	63.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0322G	46.08	83.54	-37.46	57.28	1	Horizontal	254	1.50	-	37.51	14.76	63.47
AV	19.036G	33.36	63.54	-30.18	44.56	1	Horizontal	254	1.50	-	37.51	14.76	63.47

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	62.61	88.20	-25.59	53.37	3	Vertical	360	1.59	-	34.07	6.19	31.02
RMS	5.917G	51.06	68.20	-17.14	41.76	3	Vertical	360	1.59	-	34.13	6.21	31.04
PK	6.477G	105.63	Inf	-Inf	96.13	3	Vertical	360	1.59	-	34.30	6.44	31.24
RMS	6.5582G	95.32	Inf	-Inf	85.63	3	Vertical	360	1.59	-	34.52	6.48	31.31
PK	7.1826G	62.30	88.20	-25.90	51.37	3	Vertical	360	1.59	-	35.90	6.88	31.85
RMS	7.205G	51.12	68.20	-17.08	40.06	3	Vertical	360	1.59	-	36.02	6.90	31.86

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	61.92	88.20	-26.28	52.79	3	Horizontal	67	2.09	-	33.97	6.17	31.01
RMS	5.9114G	51.04	68.20	-17.16	41.74	3	Horizontal	67	2.09	-	34.12	6.21	31.03
PK	6.5302G	108.78	Inf	-Inf	99.17	3	Horizontal	67	2.09	-	34.42	6.47	31.28
RMS	6.5498G	97.87	Inf	-Inf	88.20	3	Horizontal	67	2.09	-	34.50	6.47	31.30
PK	7.1966G	62.11	88.20	-26.09	51.08	3	Horizontal	67	2.09	-	35.98	6.90	31.85
RMS	7.205G	51.19	68.20	-17.01	40.13	3	Horizontal	67	2.09	-	36.02	6.90	31.86

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0296G	55.93	88.20	-32.27	39.13	3	Vertical	76	1.39	-	39.32	9.36	31.88
RMS	12.99608G	44.46	68.20	-23.74	27.78	3	Vertical	76	1.39	-	39.20	9.35	31.87

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0036G	59.13	88.20	-29.07	42.44	3	Horizontal	86	1.21	-	39.21	9.35	31.87
RMS	13.004G	46.76	68.20	-21.44	30.06	3	Horizontal	86	1.21	-	39.22	9.35	31.87

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51694G	46.88	83.54	-36.66	57.35	1	Vertical	11	1.54	-	37.69	14.93	63.09
AV	19.51702G	33.95	63.54	-29.59	44.42	1	Vertical	11	1.54	-	37.69	14.93	63.09

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.514G	45.84	83.54	-37.70	56.31	1	Horizontal	10	1.55	-	37.69	14.93	63.09
AV	19.51376G	33.85	63.54	-29.69	44.32	1	Horizontal	10	1.55	-	37.69	14.93	63.09

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6562G	106.24	Inf	-Inf	96.29	3	Vertical	349	1.63	-	34.82	6.53	31.40
RMS	6.6562G	95.46	Inf	-Inf	85.51	3	Vertical	349	1.63	-	34.82	6.53	31.40
PK	7.1776G	62.02	88.20	-26.18	51.11	3	Vertical	349	1.63	-	35.87	6.88	31.84
RMS	7.215G	51.27	68.20	-16.93	40.18	3	Vertical	349	1.63	-	36.06	6.89	31.86

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6518G	108.76	Inf	-Inf	98.82	3	Horizontal	61	1.80	-	34.81	6.53	31.40
RMS	6.6716G	98.25	Inf	-Inf	88.24	3	Horizontal	61	1.80	-	34.89	6.54	31.42
PK	7.1952G	62.26	88.20	-25.94	51.24	3	Horizontal	61	1.80	-	35.97	6.90	31.85
RMS	7.2128G	51.30	68.20	-16.90	40.22	3	Horizontal	61	1.80	-	36.05	6.89	31.86

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3388G	55.90	74.00	-18.10	38.22	3	Vertical	289	1.36	-	40.18	9.47	31.97
AV	13.31792G	43.87	54.00	-10.13	26.24	3	Vertical	289	1.36	-	40.14	9.46	31.97

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3236G	57.58	74.00	-16.42	39.94	3	Horizontal	232	2.44	-	40.15	9.46	31.97
AV	13.3228G	45.69	54.00	-8.31	28.05	3	Horizontal	232	2.44	-	40.15	9.46	31.97

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99444G	45.82	83.54	-37.72	56.22	1	Vertical	244	1.50	-	37.40	15.10	62.90
AV	19.99532G	33.49	63.54	-30.05	43.89	1	Vertical	244	1.50	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99226G	45.28	83.54	-38.26	55.67	1	Horizontal	275	1.55	-	37.41	15.10	62.90
AV	19.99346G	33.53	63.54	-30.01	43.92	1	Horizontal	275	1.55	-	37.41	15.10	62.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	107.14	Inf	-Inf	96.92	3	Vertical	343	1.81	-	35.20	6.63	31.61
RMS	6.8442G	97.45	Inf	-Inf	87.22	3	Vertical	343	1.81	-	35.20	6.62	31.59
PK	7.1914G	62.67	88.20	-25.53	51.68	3	Vertical	343	1.81	-	35.95	6.89	31.85
RMS	7.225G	51.41	68.20	-16.79	40.29	3	Vertical	343	1.81	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7946G	109.07	Inf	-Inf	98.82	3	Horizontal	40	1.74	-	35.19	6.60	31.54
RMS	6.7946G	98.50	Inf	-Inf	88.25	3	Horizontal	40	1.74	-	35.19	6.60	31.54
PK	7.2202G	62.13	88.20	-26.07	51.03	3	Horizontal	40	1.74	-	36.08	6.89	31.87
RMS	7.225G	51.41	68.20	-16.79	40.29	3	Horizontal	40	1.74	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.66056G	56.52	88.20	-31.68	37.99	3	Vertical	39	1.65	-	40.82	9.58	31.87
RMS	13.64272G	44.85	68.20	-23.35	26.37	3	Vertical	39	1.65	-	40.79	9.57	31.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64512G	57.67	88.20	-30.53	39.18	3	Horizontal	315	1.56	-	40.79	9.58	31.88
RMS	13.64408G	45.93	68.20	-22.27	27.44	3	Horizontal	315	1.56	-	40.79	9.58	31.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47838G	46.33	83.54	-37.21	55.84	1	Vertical	45	1.56	-	37.69	15.22	62.42
AV	20.47972G	33.79	63.54	-29.75	43.30	1	Vertical	45	1.56	-	37.69	15.22	62.42

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4718G	45.96	83.54	-37.58	55.48	1	Horizontal	119	1.52	-	37.69	15.22	62.43
AV	20.47884G	33.62	63.54	-29.92	43.13	1	Horizontal	119	1.52	-	37.69	15.22	62.42

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.944G	107.83	Inf	-Inf	97.65	3	Vertical	346	1.75	-	35.20	6.67	31.69
RMS	6.965G	98.46	Inf	-Inf	88.29	3	Vertical	346	1.75	-	35.20	6.68	31.71
PK	7.125G	63.25	88.20	-24.95	52.68	3	Vertical	346	1.75	-	35.55	6.83	31.81
RMS	7.126G	53.18	68.20	-15.02	42.60	3	Vertical	346	1.75	-	35.56	6.83	31.81

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 17
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.956G	109.21	Inf	-Inf	99.03	3	Horizontal	35	1.73	-	35.20	6.68	31.70
RMS	6.956G	98.69	Inf	-Inf	88.51	3	Horizontal	35	1.73	-	35.20	6.68	31.70
PK	7.137G	64.31	88.20	-23.89	53.67	3	Horizontal	35	1.73	-	35.62	6.84	31.82
RMS	7.138G	53.74	68.20	-14.46	43.09	3	Horizontal	35	1.73	-	35.63	6.84	31.82

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97036G	58.08	88.20	-30.12	38.42	3	Vertical	171	1.99	-	41.54	9.69	31.57
RMS	13.95584G	45.77	68.20	-22.43	26.16	3	Vertical	171	1.99	-	41.51	9.68	31.58

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 17
02-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.95842G	57.50	88.20	-30.70	37.87	3	Horizontal	23	2.39	-	41.52	9.69	31.58
RMS	13.96982G	45.84	68.20	-22.36	26.18	3	Horizontal	23	2.39	-	41.54	9.69	31.57

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95056G	46.71	83.54	-36.83	55.12	1	Vertical	46	1.55	-	38.20	15.34	61.95
AV	20.95746G	33.94	63.54	-29.60	42.33	1	Vertical	46	1.55	-	38.21	15.34	61.94

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
Setting 17
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95686G	46.37	83.54	-37.17	54.76	1	Horizontal	124	1.51	-	38.21	15.34	61.94
AV	20.95362G	33.95	63.54	-29.59	42.35	1	Horizontal	124	1.51	-	38.21	15.34	61.95




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	67.82	68.20	-0.38	3	Horizontal	32	1.90	BP 1MHz

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	62.46	88.20	-25.74	53.21	3	Vertical	355	1.57	-	34.08	6.19	31.02
RMS	5.9018G	51.85	68.20	-16.35	42.58	3	Vertical	355	1.57	-	34.10	6.20	31.03
PK	5.9618G	103.96	Inf	-Inf	94.57	3	Vertical	355	1.57	-	34.20	6.26	31.07
RMS	5.9634G	93.90	Inf	-Inf	84.51	3	Vertical	355	1.57	-	34.20	6.26	31.07

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	62.35	88.20	-25.85	53.15	3	Horizontal	51	1.46	-	34.03	6.18	31.01
RMS	5.9134G	51.84	68.20	-16.36	42.53	3	Horizontal	51	1.46	-	34.13	6.21	31.03
PK	5.9466G	110.78	Inf	-Inf	101.41	3	Horizontal	51	1.46	-	34.19	6.24	31.06
RMS	5.9474G	100.42	Inf	-Inf	91.05	3	Horizontal	51	1.46	-	34.19	6.24	31.06

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91378G	53.85	74.00	-20.15	71.14	3	Vertical	356	1.17	-	39.39	8.97	65.65
AV	11.91006G	41.51	54.00	-12.49	58.80	3	Vertical	356	1.17	-	39.39	8.97	65.65
PK	17.86572G	64.68	74.00	-9.32	72.40	3	Vertical	128	1.18	-	46.53	11.15	65.40
AV	17.87712G	47.11	54.00	-6.89	54.80	3	Vertical	128	1.18	-	46.55	11.16	65.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91582G	54.37	74.00	-19.63	71.67	3	Horizontal	343	1.84	-	39.38	8.97	65.65
AV	11.91918G	41.07	54.00	-12.93	58.37	3	Horizontal	343	1.84	-	39.38	8.97	65.65
PK	17.86086G	64.40	74.00	-9.60	72.13	3	Horizontal	89	2.20	-	46.52	11.15	65.40
AV	17.86014G	47.20	54.00	-6.80	54.93	3	Horizontal	89	2.20	-	46.52	11.15	65.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.81	88.20	-26.39	52.62	3	Vertical	36	1.31	-	34.03	6.18	31.02
RMS	5.899G	51.78	68.20	-16.42	42.52	3	Vertical	36	1.31	-	34.09	6.19	31.02
PK	6.181G	105.32	Inf	-Inf	95.61	3	Vertical	36	1.31	-	34.56	6.30	31.15
RMS	6.1834G	96.22	Inf	-Inf	86.51	3	Vertical	36	1.31	-	34.57	6.30	31.16

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	61.59	88.20	-26.61	52.29	3	Horizontal	22	2.01	-	34.12	6.21	31.03
RMS	5.905G	51.75	68.20	-16.45	42.47	3	Horizontal	22	2.01	-	34.11	6.20	31.03
PK	6.1798G	107.55	Inf	-Inf	97.84	3	Horizontal	22	2.01	-	34.56	6.30	31.15
RMS	6.1834G	97.97	Inf	-Inf	88.26	3	Horizontal	22	2.01	-	34.57	6.30	31.16

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34514G	54.86	74.00	-19.14	39.18	3	Vertical	242	2.77	-	38.75	9.12	32.19
AV	12.34088G	41.50	54.00	-12.50	25.81	3	Vertical	242	2.77	-	38.76	9.12	32.19

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34142G	54.45	74.00	-19.55	38.76	3	Horizontal	180	2.25	-	38.76	9.12	32.19
AV	12.36494G	41.43	54.00	-12.57	25.74	3	Horizontal	180	2.25	-	38.74	9.13	32.18

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52984G	44.76	83.54	-38.78	55.97	1	Vertical	114	1.58	-	37.61	14.59	63.41
AV	18.52712G	33.42	63.54	-30.12	44.64	1	Vertical	114	1.58	-	37.61	14.58	63.41

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52098G	45.04	83.54	-38.50	56.25	1	Horizontal	281	1.53	-	37.61	14.58	63.40
AV	18.52872G	33.41	63.54	-30.13	44.62	1	Horizontal	281	1.53	-	37.61	14.59	63.41

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	61.70	88.20	-26.50	52.44	3	Vertical	353	1.36	-	34.09	6.19	31.02
RMS	5.9086G	51.70	68.20	-16.50	42.41	3	Vertical	353	1.36	-	34.12	6.20	31.03
PK	6.4222G	107.26	Inf	-Inf	97.72	3	Vertical	353	1.36	-	34.36	6.41	31.23
RMS	6.4222G	96.48	Inf	-Inf	86.94	3	Vertical	353	1.36	-	34.36	6.41	31.23

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8678G	61.99	88.20	-26.21	52.92	3	Horizontal	16	2.00	-	33.91	6.16	31.00
RMS	5.9062G	51.67	68.20	-16.53	42.39	3	Horizontal	16	2.00	-	34.11	6.20	31.03
PK	6.4222G	108.74	Inf	-Inf	99.20	3	Horizontal	16	2.00	-	34.36	6.41	31.23
RMS	6.4222G	98.71	Inf	-Inf	89.17	3	Horizontal	16	2.00	-	34.36	6.41	31.23

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83308G	54.35	88.20	-33.85	38.03	3	Vertical	91	1.68	-	38.97	9.29	31.94
RMS	12.83066G	41.41	68.20	-26.79	25.10	3	Vertical	91	1.68	-	38.96	9.29	31.94

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82708G	54.54	88.20	-33.66	38.25	3	Horizontal	338	1.82	-	38.95	9.29	31.95
RMS	12.83398G	41.44	68.20	-26.76	25.12	3	Horizontal	338	1.82	-	38.97	9.29	31.94

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.241G	45.62	83.54	-37.92	56.50	1	Vertical	101	1.50	-	37.60	14.83	63.31
AV	19.24554G	34.17	63.54	-29.37	45.03	1	Vertical	101	1.50	-	37.60	14.84	63.30

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24694G	45.86	83.54	-37.68	56.72	1	Horizontal	144	1.58	-	37.60	14.84	63.30
AV	19.2478G	34.06	63.54	-29.48	44.92	1	Horizontal	144	1.58	-	37.60	14.84	63.30

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	61.82	88.20	-26.38	52.52	3	Vertical	-0	1.43	-	34.13	6.21	31.04
RMS	5.9202G	51.71	68.20	-16.49	42.39	3	Vertical	-0	1.43	-	34.14	6.22	31.04
PK	6.4324G	105.25	Inf	-Inf	95.72	3	Vertical	-0	1.43	-	34.34	6.42	31.23
RMS	6.4272G	95.24	Inf	-Inf	85.71	3	Vertical	-0	1.43	-	34.35	6.41	31.23

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	61.89	88.20	-26.31	52.62	3	Horizontal	17	2.00	-	34.10	6.20	31.03
RMS	5.9202G	51.67	68.20	-16.53	42.35	3	Horizontal	17	2.00	-	34.14	6.22	31.04
PK	6.4402G	108.12	Inf	-Inf	98.61	3	Horizontal	17	2.00	-	34.32	6.42	31.23
RMS	6.4272G	98.48	Inf	-Inf	88.95	3	Horizontal	17	2.00	-	34.35	6.41	31.23

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8666G	54.81	88.20	-33.39	38.41	3	Vertical	333	2.39	-	39.03	9.30	31.93
RMS	12.86924G	41.84	68.20	-26.36	25.43	3	Vertical	333	2.39	-	39.04	9.30	31.93

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86766G	55.24	88.20	-32.96	38.83	3	Horizontal	166	2.73	-	39.04	9.30	31.93
RMS	12.86526G	41.98	68.20	-26.22	25.58	3	Horizontal	166	2.73	-	39.03	9.30	31.93

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30556G	46.08	83.54	-37.46	56.86	1	Vertical	131	1.54	-	37.62	14.86	63.26
AV	19.30482G	34.33	63.54	-29.21	45.11	1	Vertical	131	1.54	-	37.62	14.86	63.26

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30156G	45.60	83.54	-37.94	56.38	1	Horizontal	297	1.51	-	37.62	14.86	63.26
AV	19.30712G	34.37	63.54	-29.17	45.14	1	Horizontal	297	1.51	-	37.62	14.86	63.25

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	61.19	88.20	-27.01	51.88	3	Vertical	352	1.41	-	34.14	6.21	31.04
RMS	5.9066G	51.67	68.20	-16.53	42.39	3	Vertical	352	1.41	-	34.11	6.20	31.03
PK	6.4666G	106.47	Inf	-Inf	96.98	3	Vertical	352	1.41	-	34.30	6.43	31.24
RMS	6.4666G	96.91	Inf	-Inf	87.42	3	Vertical	352	1.41	-	34.30	6.43	31.24
PK	7.175G	61.39	88.20	-26.81	50.51	3	Vertical	352	1.41	-	35.85	6.87	31.84
RMS	7.175G	51.72	68.20	-16.48	40.84	3	Vertical	352	1.41	-	35.85	6.87	31.84

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	61.45	88.20	-26.75	52.12	3	Horizontal	15	1.90	-	34.15	6.22	31.04
RMS	5.9038G	51.64	68.20	-16.56	42.36	3	Horizontal	15	1.90	-	34.11	6.20	31.03
PK	6.4694G	107.53	Inf	-Inf	98.04	3	Horizontal	15	1.90	-	34.30	6.43	31.24
RMS	6.4666G	96.84	Inf	-Inf	87.35	3	Horizontal	15	1.90	-	34.30	6.43	31.24
PK	7.1302G	61.75	88.20	-26.45	51.16	3	Horizontal	15	1.90	-	35.58	6.83	31.82
RMS	7.1722G	51.69	68.20	-16.51	40.83	3	Horizontal	15	1.90	-	35.83	6.87	31.84

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9526G	56.00	88.20	-32.20	39.41	3	Vertical	193	2.03	-	39.15	9.33	31.89
RMS	12.94778G	42.35	68.20	-25.85	25.76	3	Vertical	193	2.03	-	39.15	9.33	31.89

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9486G	55.74	88.20	-32.46	39.15	3	Horizontal	124	2.96	-	39.15	9.33	31.89
RMS	12.9524G	42.40	68.20	-25.80	25.81	3	Horizontal	124	2.96	-	39.15	9.33	31.89

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42516G	45.78	83.54	-37.76	56.37	1	Vertical	47	1.58	-	37.67	14.90	63.16
AV	19.42508G	34.21	63.54	-29.33	44.80	1	Vertical	47	1.58	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42888G	46.09	83.54	-37.45	56.68	1	Horizontal	188	1.50	-	37.67	14.90	63.16
AV	19.42088G	34.45	63.54	-29.09	45.04	1	Horizontal	188	1.50	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	62.01	88.20	-26.19	52.73	3	Vertical	35	1.92	-	34.11	6.20	31.03
RMS	5.9242G	51.67	68.20	-16.53	42.34	3	Vertical	35	1.92	-	34.15	6.22	31.04
PK	6.5122G	106.77	Inf	-Inf	97.22	3	Vertical	35	1.92	-	34.35	6.46	31.26
RMS	6.5066G	96.66	Inf	-Inf	87.14	3	Vertical	35	1.92	-	34.33	6.45	31.26
PK	7.2122G	62.12	88.20	-26.08	51.04	3	Vertical	35	1.92	-	36.05	6.89	31.86
RMS	7.2122G	52.06	68.20	-16.14	40.98	3	Vertical	35	1.92	-	36.05	6.89	31.86

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8458G	61.05	88.20	-27.15	52.09	3	Horizontal	322	1.83	-	33.80	6.14	30.98
RMS	5.9018G	51.65	68.20	-16.55	42.38	3	Horizontal	322	1.83	-	34.10	6.20	31.03
PK	6.5234G	109.61	Inf	-Inf	100.03	3	Horizontal	322	1.83	-	34.39	6.46	31.27
RMS	6.5206G	98.81	Inf	-Inf	89.24	3	Horizontal	322	1.83	-	34.38	6.46	31.27
PK	7.201G	62.48	88.20	-25.72	51.44	3	Horizontal	322	1.83	-	36.00	6.90	31.86
RMS	7.215G	52.12	68.20	-16.08	41.03	3	Horizontal	322	1.83	-	36.06	6.89	31.86

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0267G	55.66	88.20	-32.54	38.87	3	Vertical	241	2.68	-	39.31	9.36	31.88
RMS	13.02782G	42.62	68.20	-25.58	25.83	3	Vertical	241	2.68	-	39.31	9.36	31.88

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02926G	56.10	88.20	-32.10	39.30	3	Horizontal	317	1.08	-	39.32	9.36	31.88
RMS	13.03268G	42.53	68.20	-25.67	25.72	3	Horizontal	317	1.08	-	39.33	9.36	31.88

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54204G	46.30	83.54	-37.24	56.76	1	Vertical	305	1.54	-	37.68	14.94	63.08
AV	19.54028G	34.04	63.54	-29.50	44.50	1	Vertical	305	1.54	-	37.68	14.94	63.08

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5451G	46.39	83.54	-37.15	56.85	1	Horizontal	99	1.54	-	37.68	14.94	63.08
AV	19.54028G	34.09	63.54	-29.45	44.55	1	Horizontal	99	1.54	-	37.68	14.94	63.08

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	62.20	88.20	-26.00	52.90	3	Vertical	31	1.88	-	34.12	6.21	31.03
RMS	5.9134G	51.66	68.20	-16.54	42.35	3	Vertical	31	1.88	-	34.13	6.21	31.03
PK	6.5434G	105.72	Inf	-Inf	96.07	3	Vertical	31	1.88	-	34.47	6.47	31.29
RMS	6.5434G	95.18	Inf	-Inf	85.53	3	Vertical	31	1.88	-	34.47	6.47	31.29
PK	7.2126G	62.96	88.20	-25.24	51.88	3	Vertical	31	1.88	-	36.05	6.89	31.86
RMS	7.2322G	52.20	68.20	-16.00	41.06	3	Vertical	31	1.88	-	36.13	6.88	31.87

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	61.99	88.20	-26.21	52.85	3	Horizontal	41	1.91	-	33.98	6.17	31.01
RMS	5.919G	51.71	68.20	-16.49	42.40	3	Horizontal	41	1.91	-	34.14	6.21	31.04
PK	6.5294G	109.38	Inf	-Inf	99.78	3	Horizontal	41	1.91	-	34.42	6.46	31.28
RMS	6.5294G	99.25	Inf	-Inf	89.65	3	Horizontal	41	1.91	-	34.42	6.46	31.28
PK	7.1594G	61.77	88.20	-26.43	50.98	3	Horizontal	41	1.91	-	35.76	6.86	31.83
RMS	7.235G	52.23	68.20	-15.97	41.09	3	Horizontal	41	1.91	-	36.14	6.88	31.88

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0698G	55.93	88.20	-32.27	38.97	3	Vertical	254	2.96	-	39.48	9.37	31.89
RMS	13.06526G	42.39	68.20	-25.81	25.45	3	Vertical	254	2.96	-	39.46	9.37	31.89

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06506G	56.34	88.20	-31.86	39.40	3	Horizontal	250	1.11	-	39.46	9.37	31.89
RMS	13.06518G	42.59	68.20	-25.61	25.65	3	Horizontal	250	1.11	-	39.46	9.37	31.89

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60042G	46.22	83.54	-37.32	56.66	1	Vertical	60	1.52	-	37.66	14.96	63.06
AV	19.60896G	34.02	63.54	-29.52	44.46	1	Vertical	60	1.52	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6015G	46.26	83.54	-37.28	56.70	1	Horizontal	160	1.51	-	37.66	14.96	63.06
AV	19.60118G	34.11	63.54	-29.43	44.55	1	Horizontal	160	1.51	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	107.51	Inf	-Inf	97.46	3	Vertical	351	1.71	-	34.94	6.54	31.43
RMS	6.6862G	98.11	Inf	-Inf	88.06	3	Vertical	351	1.71	-	34.94	6.54	31.43
PK	7.2406G	62.54	88.20	-25.66	51.38	3	Vertical	351	1.71	-	36.16	6.88	31.88
RMS	7.2428G	52.28	68.20	-15.92	41.11	3	Vertical	351	1.71	-	36.17	6.88	31.88

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX



EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	109.27	Inf	-Inf	99.21	3	Horizontal	54	1.61	-	34.95	6.54	31.43
RMS	6.6884G	100.17	Inf	-Inf	90.11	3	Horizontal	54	1.61	-	34.95	6.54	31.43
PK	7.2406G	61.96	88.20	-26.24	50.80	3	Horizontal	54	1.61	-	36.16	6.88	31.88
RMS	7.2406G	52.30	68.20	-15.90	41.14	3	Horizontal	54	1.61	-	36.16	6.88	31.88