


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39448G	56.17	74.00	-17.83	38.38	3	Vertical	164	2.79	-	40.29	9.49	31.99
AV	13.39456G	42.98	54.00	-11.02	25.19	3	Vertical	164	2.79	-	40.29	9.49	31.99

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39458G	56.00	74.00	-18.00	38.21	3	Horizontal	328	2.01	-	40.29	9.49	31.99
AV	13.38798G	42.88	54.00	-11.12	25.10	3	Horizontal	328	2.01	-	40.28	9.49	31.99

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0832G	45.04	83.54	-38.50	55.27	1	Vertical	192	1.56	-	37.47	15.12	62.82
AV	20.08518G	33.68	63.54	-29.86	43.90	1	Vertical	192	1.56	-	37.47	15.12	62.81

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0834G	45.11	83.54	-38.43	55.34	1	Horizontal	204	1.55	-	37.47	15.12	62.82
AV	20.08098G	33.60	63.54	-29.94	43.84	1	Horizontal	204	1.55	-	37.46	15.12	62.82

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	108.95	Inf	-Inf	98.72	3	Vertical	28	1.97	-	35.20	6.63	31.60
RMS	6.8592G	96.88	Inf	-Inf	86.65	3	Vertical	28	1.97	-	35.20	6.63	31.60
PK	7.2022G	62.81	88.20	-25.39	51.76	3	Vertical	28	1.97	-	36.01	6.90	31.86
RMS	7.2036G	52.11	68.20	-16.09	41.06	3	Vertical	28	1.97	-	36.01	6.90	31.86

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	108.69	Inf	-Inf	98.47	3	Horizontal	33	1.50	-	35.20	6.63	31.61
RMS	6.8634G	98.87	Inf	-Inf	88.65	3	Horizontal	33	1.50	-	35.20	6.63	31.61
PK	7.1728G	62.49	88.20	-25.71	51.62	3	Horizontal	33	1.50	-	35.84	6.87	31.84
RMS	7.1938G	52.03	68.20	-16.17	41.03	3	Horizontal	33	1.50	-	35.96	6.89	31.85

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70918G	59.32	88.20	-28.88	40.62	3	Vertical	307	1.92	-	40.92	9.60	31.82
RMS	13.70894G	46.06	68.20	-22.14	27.36	3	Vertical	307	1.92	-	40.92	9.60	31.82

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70744G	59.18	88.20	-29.02	40.49	3	Horizontal	214	2.66	-	40.91	9.60	31.82
RMS	13.70966G	46.10	68.20	-22.10	27.40	3	Horizontal	214	2.66	-	40.92	9.60	31.82

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56504G	46.63	83.54	-36.91	55.99	1	Vertical	218	1.54	-	37.73	15.24	62.33
AV	20.5676G	34.21	63.54	-29.33	43.57	1	Vertical	218	1.54	-	37.73	15.24	62.33

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56018G	45.56	83.54	-37.98	54.94	1	Horizontal	25	1.57	-	37.72	15.24	62.34
AV	20.56252G	34.17	63.54	-29.37	43.54	1	Horizontal	25	1.57	-	37.73	15.24	62.34

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.881G	110.28	Inf	-Inf	100.06	3	Vertical	28	1.82	-	35.20	6.64	31.62
RMS	6.8822G	100.65	Inf	-Inf	90.43	3	Vertical	28	1.82	-	35.20	6.64	31.62
PK	7.127G	61.94	88.20	-26.26	51.36	3	Vertical	28	1.82	-	35.56	6.83	31.81
RMS	7.1726G	51.79	68.20	-16.41	40.92	3	Vertical	28	1.82	-	35.84	6.87	31.84

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 15
02-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	108.31	Inf	-Inf	98.10	3	Horizontal	325	2.04	-	35.20	6.64	31.63
RMS	6.8834G	99.26	Inf	-Inf	89.05	3	Horizontal	325	2.04	-	35.20	6.64	31.63
PK	7.157G	63.51	88.20	-24.69	52.74	3	Horizontal	325	2.04	-	35.74	6.86	31.83
RMS	7.1738G	51.81	68.20	-16.39	40.94	3	Horizontal	325	2.04	-	35.84	6.87	31.84

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7508G	59.64	88.20	-28.56	40.81	3	Vertical	34	2.91	-	41.00	9.61	31.78
RMS	13.74568G	46.52	68.20	-21.68	27.70	3	Vertical	34	2.91	-	40.99	9.61	31.78

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74584G	59.74	88.20	-28.46	40.92	3	Horizontal	69	1.17	-	40.99	9.61	31.78
RMS	13.7458G	46.41	68.20	-21.79	27.59	3	Horizontal	69	1.17	-	40.99	9.61	31.78

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62536G	61.02	83.54	-22.52	70.28	1	Vertical	161	1.57	-	37.75	15.26	62.27
AV	20.62548G	59.72	63.54	-3.82	68.98	1	Vertical	161	1.57	-	37.75	15.26	62.27

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62556G	61.36	83.54	-22.18	70.62	1	Horizontal	8	1.55	-	37.75	15.26	62.27
AV	20.6255G	59.71	63.54	-3.83	68.97	1	Horizontal	8	1.55	-	37.75	15.26	62.27

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	107.78	Inf	-Inf	97.58	3	Vertical	342	1.60	-	35.20	6.65	31.65
RMS	6.9034G	98.43	Inf	-Inf	88.23	3	Vertical	342	1.60	-	35.20	6.65	31.65
PK	7.1938G	61.38	88.20	-26.82	50.38	3	Vertical	342	1.60	-	35.96	6.89	31.85
RMS	7.1842G	49.58	68.20	-18.62	38.64	3	Vertical	342	1.60	-	35.91	6.88	31.85

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9022G	110.19	Inf	-Inf	99.98	3	Horizontal	274	2.26	-	35.20	6.65	31.64
RMS	6.9022G	100.51	Inf	-Inf	90.30	3	Horizontal	274	2.26	-	35.20	6.65	31.64
PK	7.1926G	61.54	88.20	-26.66	50.54	3	Horizontal	274	2.26	-	35.96	6.89	31.85
RMS	7.195G	51.79	68.20	-16.41	40.77	3	Horizontal	274	2.26	-	35.97	6.90	31.85

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7911G	59.73	88.20	-28.47	40.76	3	Vertical	269	2.02	-	41.08	9.63	31.74
RMS	13.78948G	46.57	68.20	-21.63	27.60	3	Vertical	269	2.02	-	41.08	9.63	31.74

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78814G	59.60	88.20	-28.60	40.63	3	Horizontal	270	2.64	-	41.08	9.63	31.74
RMS	13.79214G	46.63	68.20	-21.57	27.66	3	Horizontal	270	2.64	-	41.08	9.63	31.74

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68026G	46.76	83.54	-36.78	55.94	1	Vertical	65	1.51	-	37.77	15.27	62.22
AV	20.68622G	34.42	63.54	-29.12	43.59	1	Vertical	65	1.51	-	37.77	15.27	62.21

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68958G	45.71	83.54	-37.83	54.87	1	Horizontal	81	1.56	-	37.78	15.27	62.21
AV	20.6881G	34.45	63.54	-29.09	43.61	1	Horizontal	81	1.56	-	37.78	15.27	62.21

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9862G	108.25	Inf	-Inf	98.09	3	Vertical	38	1.80	-	35.20	6.69	31.73
RMS	6.987G	98.85	Inf	-Inf	88.69	3	Vertical	38	1.80	-	35.20	6.69	31.73
PK	7.1486G	61.39	88.20	-26.81	50.68	3	Vertical	38	1.80	-	35.69	6.85	31.83
RMS	7.1918G	51.50	68.20	-16.70	40.51	3	Vertical	38	1.80	-	35.95	6.89	31.85

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	109.62	Inf	-Inf	99.46	3	Horizontal	12	1.54	-	35.20	6.69	31.73
RMS	6.9862G	99.71	Inf	-Inf	89.55	3	Horizontal	12	1.54	-	35.20	6.69	31.73
PK	7.1814G	62.19	88.20	-26.01	51.27	3	Horizontal	12	1.54	-	35.89	6.88	31.85
RMS	7.1942G	51.45	68.20	-16.75	40.44	3	Horizontal	12	1.54	-	35.97	6.89	31.85

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98864G	60.85	88.20	-27.35	41.12	3	Vertical	64	1.79	-	41.58	9.70	31.55
RMS	13.99478G	47.93	68.20	-20.27	28.19	3	Vertical	64	1.79	-	41.59	9.70	31.55

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99126G	61.27	88.20	-26.93	41.54	3	Horizontal	19	1.29	-	41.58	9.70	31.55
RMS	13.99036G	47.85	68.20	-20.35	28.12	3	Horizontal	19	1.29	-	41.58	9.70	31.55

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9896G	46.23	83.54	-37.31	54.51	1	Vertical	245	1.54	-	38.28	15.35	61.91
AV	20.9826G	34.36	63.54	-29.18	42.66	1	Vertical	245	1.54	-	38.27	15.35	61.92

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98072G	45.99	83.54	-37.55	54.30	1	Horizontal	226	1.57	-	38.26	15.35	61.92
AV	20.98462G	34.42	63.54	-29.12	42.72	1	Horizontal	226	1.57	-	38.27	15.35	61.92

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1042G	106.73	Inf	-Inf	96.30	3	Vertical	24	1.86	-	35.43	6.80	31.80
RMS	7.1038G	98.81	Inf	-Inf	88.39	3	Vertical	24	1.86	-	35.42	6.80	31.80
PK	7.1746G	61.88	88.20	-26.32	51.00	3	Vertical	24	1.86	-	35.85	6.87	31.84
RMS	7.191G	51.30	68.20	-16.90	40.31	3	Vertical	24	1.86	-	35.95	6.89	31.85

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1042G	107.03	Inf	-Inf	96.60	3	Horizontal	28	1.73	-	35.43	6.80	31.80
RMS	7.1042G	99.30	Inf	-Inf	88.87	3	Horizontal	28	1.73	-	35.43	6.80	31.80
PK	7.1902G	62.41	88.20	-25.79	51.43	3	Horizontal	28	1.73	-	35.94	6.89	31.85
RMS	7.193G	51.34	68.20	-16.86	40.34	3	Horizontal	28	1.73	-	35.96	6.89	31.85

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.185G	61.78	88.20	-26.42	41.22	3	Vertical	301	2.85	-	42.25	9.77	31.46
RMS	14.19376G	48.57	68.20	-19.63	27.97	3	Vertical	301	2.85	-	42.28	9.78	31.46

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1886G	61.79	88.20	-26.41	41.20	3	Horizontal	25	1.43	-	42.27	9.78	31.46
RMS	14.19076G	48.57	68.20	-19.63	27.98	3	Horizontal	25	1.43	-	42.27	9.78	31.46

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28856G	46.90	83.54	-36.64	54.96	1	Vertical	358	1.51	-	38.07	15.42	61.55
AV	21.28228G	34.48	63.54	-29.06	42.55	1	Vertical	358	1.51	-	38.07	15.42	61.56

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28738G	46.17	83.54	-37.37	54.24	1	Horizontal	204	1.53	-	38.07	15.42	61.56
AV	21.28458G	34.53	63.54	-29.01	42.60	1	Horizontal	204	1.53	-	38.07	15.42	61.56

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	7.1255G	66.05	68.20	-2.15	55.48	3	Vertical	2.7	1.63	BP 1MHz	35.55	6.83	31.81
AV	7.1201G	87.25	Inf	-Inf	76.72	3	Vertical	2.7	1.63	-	35.52	6.82	31.81
PK	7.1255G	84.88	88.20	-3.32	74.31	3	Vertical	2.7	1.63	BP 1MHz	35.55	6.83	31.81
PK	7.12078G	101.81	Inf	-Inf	91.28	3	Vertical	2.7	1.63	-	35.52	6.82	31.81

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 15
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	7.1255G	67.82	68.20	-0.38	57.25	3	Horizontal	32	1.90	BP 1MHz	35.55	6.83	31.81
AV	7.11G	83.38	Inf	-Inf	72.91	3	Horizontal	32	1.90	-	35.46	6.81	31.80
PK	7.1255G	84.89	88.20	-3.31	74.32	3	Horizontal	32	1.90	BP 1MHz	35.55	6.83	31.81
PK	7.12383G	100.46	Inf	-Inf	89.91	3	Horizontal	32	1.90	-	35.54	6.82	31.81

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23498G	61.90	88.20	-26.30	41.22	3	Vertical	124	2.35	-	42.33	9.79	31.44
RMS	14.2278G	48.36	68.20	-19.84	27.68	3	Vertical	124	2.35	-	42.33	9.79	31.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 15
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23306G	61.61	88.20	-26.59	40.93	3	Horizontal	269	2.69	-	42.33	9.79	31.44
RMS	14.23052G	48.49	68.20	-19.71	27.81	3	Horizontal	269	2.69	-	42.33	9.79	31.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34626G	45.83	83.54	-37.71	53.85	1	Vertical	33	1.56	-	38.02	15.44	61.48
AV	21.34262G	34.18	63.54	-29.36	42.20	1	Vertical	33	1.56	-	38.03	15.44	61.49

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 15
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34892G	46.58	83.54	-36.96	54.60	1	Horizontal	92	1.56	-	38.02	15.44	61.48
AV	21.34676G	34.20	63.54	-29.34	42.22	1	Horizontal	92	1.56	-	38.02	15.44	61.48

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	66.06	88.20	-22.14	56.73	3	Vertical	42	1.00	-	34.15	6.22	31.04
RMS	5.9242G	49.55	68.20	-18.65	40.22	3	Vertical	42	1.00	-	34.15	6.22	31.04
PK	5.9662G	108.04	Inf	-Inf	98.65	3	Vertical	42	1.00	-	34.20	6.26	31.07
RMS	5.9686G	98.11	Inf	-Inf	88.72	3	Vertical	42	1.00	-	34.20	6.27	31.08

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	64.51	88.20	-23.69	55.20	3	Horizontal	53	1.47	-	34.14	6.21	31.04
RMS	5.9246G	50.61	68.20	-17.59	41.28	3	Horizontal	53	1.47	-	34.15	6.22	31.04
PK	5.9578G	112.60	Inf	-Inf	103.21	3	Horizontal	53	1.47	-	34.20	6.26	31.07
RMS	5.9566G	101.68	Inf	-Inf	92.30	3	Horizontal	53	1.47	-	34.20	6.25	31.07

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93462G	54.42	74.00	-19.58	71.71	3	Vertical	128	1.31	-	39.37	8.98	65.64
AV	11.93274G	41.18	54.00	-12.82	58.47	3	Vertical	128	1.31	-	39.37	8.98	65.64
PK	17.889G	63.56	74.00	-10.44	71.22	3	Vertical	78	1.26	-	46.58	11.16	65.40
AV	17.9094G	48.21	54.00	-5.79	55.85	3	Vertical	78	1.26	-	46.59	11.17	65.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92646G	54.20	74.00	-19.80	71.50	3	Horizontal	155	1.97	-	39.37	8.97	65.64
AV	11.9291G	41.14	54.00	-12.86	58.43	3	Horizontal	155	1.97	-	39.37	8.98	65.64
PK	17.9019G	63.92	74.00	-10.08	71.55	3	Horizontal	159	2.89	-	46.60	11.17	65.40
AV	17.9007G	47.77	54.00	-6.23	55.40	3	Horizontal	159	2.89	-	46.60	11.17	65.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	58.87	88.20	-29.33	49.73	3	Vertical	17	2.07	-	33.98	6.17	31.01
RMS	5.877G	48.90	68.20	-19.30	39.78	3	Vertical	17	2.07	-	33.96	6.17	31.01
PK	6.1686G	105.24	Inf	-Inf	95.55	3	Vertical	17	2.07	-	34.54	6.30	31.15
RMS	6.1674G	95.03	Inf	-Inf	85.35	3	Vertical	17	2.07	-	34.53	6.30	31.15

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	58.82	88.20	-29.38	49.51	3	Horizontal	34	1.41	-	34.13	6.21	31.03
RMS	5.907G	48.92	68.20	-19.28	39.64	3	Horizontal	34	1.41	-	34.11	6.20	31.03
PK	6.1518G	106.73	Inf	-Inf	97.08	3	Horizontal	34	1.41	-	34.50	6.30	31.15
RMS	6.153G	97.28	Inf	-Inf	87.62	3	Horizontal	34	1.41	-	34.51	6.30	31.15

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33456G	55.01	74.00	-18.99	39.32	3	Vertical	227	2.19	-	38.77	9.12	32.20
AV	12.32918G	41.47	54.00	-12.53	25.78	3	Vertical	227	2.19	-	38.77	9.12	32.20

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.328G	54.73	74.00	-19.27	39.05	3	Horizontal	341	2.42	-	38.77	9.11	32.20
AV	12.3322G	41.55	54.00	-12.45	25.86	3	Horizontal	341	2.42	-	38.77	9.12	32.20

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49126G	45.50	83.54	-38.04	56.72	1	Vertical	102	1.56	-	37.60	14.57	63.39
AV	18.4956G	33.80	63.54	-29.74	45.03	1	Vertical	102	1.56	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49188G	45.60	83.54	-37.94	56.83	1	Horizontal	355	1.58	-	37.60	14.57	63.40
AV	18.49252G	33.64	63.54	-29.90	44.87	1	Horizontal	355	1.58	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	58.43	88.20	-29.77	49.29	3	Vertical	37	1.80	-	33.98	6.17	31.01
RMS	5.913G	48.85	68.20	-19.35	39.54	3	Vertical	37	1.80	-	34.13	6.21	31.03
PK	6.4122G	103.99	Inf	-Inf	94.42	3	Vertical	37	1.80	-	34.38	6.41	31.22
RMS	6.417G	94.58	Inf	-Inf	85.03	3	Vertical	37	1.80	-	34.37	6.41	31.23

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	58.10	88.20	-30.10	48.82	3	Horizontal	18	1.94	-	34.11	6.20	31.03
RMS	5.9082G	48.78	68.20	-19.42	39.49	3	Horizontal	18	1.94	-	34.12	6.20	31.03
PK	6.4074G	108.78	Inf	-Inf	99.21	3	Horizontal	18	1.94	-	34.39	6.40	31.22
RMS	6.4026G	98.94	Inf	-Inf	89.37	3	Horizontal	18	1.94	-	34.39	6.40	31.22

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.812G	54.58	88.20	-33.62	38.33	3	Vertical	113	2.32	-	38.92	9.28	31.95
RMS	12.8148G	41.30	68.20	-26.90	25.03	3	Vertical	113	2.32	-	38.93	9.29	31.95

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8061G	54.96	88.20	-33.24	38.73	3	Horizontal	306	1.91	-	38.91	9.28	31.96
RMS	12.81496G	41.32	68.20	-26.88	25.05	3	Horizontal	306	1.91	-	38.93	9.29	31.95

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2184G	45.80	83.54	-37.74	56.71	1	Vertical	353	1.56	-	37.59	14.83	63.33
AV	19.21184G	34.02	63.54	-29.52	44.95	1	Vertical	353	1.56	-	37.58	14.82	63.33

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.21714G	45.78	83.54	-37.76	56.69	1	Horizontal	82	1.51	-	37.59	14.83	63.33
AV	19.21856G	33.97	63.54	-29.57	44.88	1	Horizontal	82	1.51	-	37.59	14.83	63.33

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8912G	58.50	88.20	-29.70	49.28	3	Vertical	-0	1.41	-	34.05	6.19	31.02
RMS	5.873G	48.79	68.20	-19.41	39.68	3	Vertical	-0	1.41	-	33.94	6.17	31.00
PK	6.458G	106.26	Inf	-Inf	96.77	3	Vertical	-0	1.41	-	34.30	6.43	31.24
RMS	6.458G	95.96	Inf	-Inf	86.47	3	Vertical	-0	1.41	-	34.30	6.43	31.24

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	58.90	88.20	-29.30	49.71	3	Horizontal	51	1.32	-	34.03	6.18	31.02
RMS	5.8834G	48.81	68.20	-19.39	39.64	3	Horizontal	51	1.32	-	34.00	6.18	31.01
PK	6.445G	110.63	Inf	-Inf	101.13	3	Horizontal	51	1.32	-	34.31	6.42	31.23
RMS	6.4424G	100.62	Inf	-Inf	91.11	3	Horizontal	51	1.32	-	34.32	6.42	31.23

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8891G	55.65	88.20	-32.55	39.18	3	Vertical	10	1.41	-	39.08	9.31	31.92
RMS	12.89448G	42.09	68.20	-26.11	25.61	3	Vertical	10	1.41	-	39.09	9.31	31.92

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89472G	55.27	88.20	-32.93	38.79	3	Horizontal	38	2.13	-	39.09	9.31	31.92
RMS	12.8946G	42.12	68.20	-26.08	25.64	3	Horizontal	38	2.13	-	39.09	9.31	31.92

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3367G	46.27	83.54	-37.27	57.00	1	Vertical	213	1.55	-	37.63	14.87	63.23
AV	19.3388G	34.12	63.54	-29.42	44.84	1	Vertical	213	1.55	-	37.64	14.87	63.23

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33966G	46.10	83.54	-37.44	56.82	1	Horizontal	308	1.52	-	37.64	14.87	63.23
AV	19.33008G	34.17	63.54	-29.37	44.91	1	Horizontal	308	1.52	-	37.63	14.87	63.24

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8634G	59.33	88.20	-28.87	50.29	3	Vertical	360	1.49	-	33.88	6.16	31.00
RMS	5.9194G	48.82	68.20	-19.38	39.50	3	Vertical	360	1.49	-	34.14	6.22	31.04
PK	6.5018G	106.34	Inf	-Inf	96.83	3	Vertical	360	1.49	-	34.31	6.45	31.25
RMS	6.499G	97.35	Inf	-Inf	87.85	3	Vertical	360	1.49	-	34.30	6.45	31.25
PK	7.1598G	59.84	88.20	-28.36	49.05	3	Vertical	360	1.49	-	35.76	6.86	31.83
RMS	7.185G	51.06	68.20	-17.14	40.12	3	Vertical	360	1.49	-	35.91	6.88	31.85

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8438G	59.33	88.20	-28.87	50.37	3	Horizontal	322	1.74	-	33.80	6.14	30.98
RMS	5.8914G	48.78	68.20	-19.42	39.56	3	Horizontal	322	1.74	-	34.05	6.19	31.02
PK	6.4738G	107.82	Inf	-Inf	98.32	3	Horizontal	322	1.74	-	34.30	6.44	31.24
RMS	6.4738G	98.94	Inf	-Inf	89.44	3	Horizontal	322	1.74	-	34.30	6.44	31.24
PK	7.1598G	61.04	88.20	-27.16	50.25	3	Horizontal	322	1.74	-	35.76	6.86	31.83
RMS	7.1766G	51.02	68.20	-17.18	40.12	3	Horizontal	322	1.74	-	35.86	6.88	31.84

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97336G	55.78	88.20	-32.42	39.15	3	Vertical	152	1.51	-	39.17	9.34	31.88
RMS	12.97478G	42.61	68.20	-25.59	25.98	3	Vertical	152	1.51	-	39.17	9.34	31.88

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97248G	55.44	88.20	-32.76	38.81	3	Horizontal	28	1.38	-	39.17	9.34	31.88
RMS	12.97074G	42.40	68.20	-25.80	25.77	3	Horizontal	28	1.38	-	39.17	9.34	31.88

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45674G	46.18	83.54	-37.36	56.72	1	Vertical	184	1.53	-	37.68	14.91	63.13
AV	19.45314G	34.14	63.54	-29.40	44.69	1	Vertical	184	1.53	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45938G	45.83	83.54	-37.71	56.37	1	Horizontal	39	1.58	-	37.68	14.91	63.13
AV	19.4529G	34.05	63.54	-29.49	44.60	1	Horizontal	39	1.58	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8642G	58.77	88.20	-29.43	49.72	3	Vertical	360	1.48	-	33.89	6.16	31.00
RMS	5.9146G	48.77	68.20	-19.43	39.47	3	Vertical	360	1.48	-	34.13	6.21	31.04
PK	6.5194G	107.22	Inf	-Inf	97.65	3	Vertical	360	1.48	-	34.38	6.46	31.27
RMS	6.5166G	97.08	Inf	-Inf	87.52	3	Vertical	360	1.48	-	34.37	6.46	31.27
PK	7.2222G	61.10	88.20	-27.10	49.99	3	Vertical	360	1.48	-	36.09	6.89	31.87
RMS	7.225G	51.34	68.20	-16.86	40.22	3	Vertical	360	1.48	-	36.10	6.89	31.87

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8642G	58.38	88.20	-29.82	49.33	3	Horizontal	321	1.72	-	33.89	6.16	31.00
RMS	5.9034G	48.79	68.20	-19.41	39.51	3	Horizontal	321	1.72	-	34.11	6.20	31.03
PK	6.5222G	109.15	Inf	-Inf	99.57	3	Horizontal	321	1.72	-	34.39	6.46	31.27
RMS	6.5194G	100.43	Inf	-Inf	90.86	3	Horizontal	321	1.72	-	34.38	6.46	31.27
PK	7.1578G	60.95	88.20	-27.25	50.17	3	Horizontal	321	1.72	-	35.75	6.86	31.83
RMS	7.2194G	51.27	68.20	-16.93	40.17	3	Horizontal	321	1.72	-	36.08	6.89	31.87

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.055G	56.01	88.20	-32.19	39.11	3	Vertical	148	2.28	-	39.42	9.37	31.89
RMS	13.05322G	42.55	68.20	-25.65	25.66	3	Vertical	148	2.28	-	39.41	9.37	31.89

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04964G	55.79	88.20	-32.41	38.90	3	Horizontal	166	2.12	-	39.40	9.37	31.88
RMS	13.04544G	42.60	68.20	-25.60	25.73	3	Horizontal	166	2.12	-	39.38	9.37	31.88

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5736G	46.30	83.54	-37.24	56.75	1	Vertical	264	1.51	-	37.67	14.95	63.07
AV	19.57204G	34.00	63.54	-29.54	44.45	1	Vertical	264	1.51	-	37.67	14.95	63.07

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57732G	45.52	83.54	-38.02	55.97	1	Horizontal	126	1.58	-	37.67	14.95	63.07
AV	19.5715G	33.98	63.54	-29.56	44.43	1	Horizontal	126	1.58	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	108.37	Inf	-Inf	98.68	3	Vertical	355	1.54	-	34.52	6.48	31.31
RMS	6.5626G	97.85	Inf	-Inf	88.15	3	Vertical	355	1.54	-	34.53	6.48	31.31
PK	7.165G	59.90	88.20	-28.30	49.08	3	Vertical	355	1.54	-	35.79	6.87	31.84
RMS	7.165G	50.84	68.20	-17.36	40.02	3	Vertical	355	1.54	-	35.79	6.87	31.84

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	107.68	Inf	-Inf	97.99	3	Horizontal	50	1.67	-	34.52	6.48	31.31
RMS	6.5578G	99.02	Inf	-Inf	89.33	3	Horizontal	50	1.67	-	34.52	6.48	31.31
PK	7.1362G	59.90	88.20	-28.30	49.26	3	Horizontal	50	1.67	-	35.62	6.84	31.82
RMS	7.1626G	50.88	68.20	-17.32	40.07	3	Horizontal	50	1.67	-	35.78	6.86	31.83

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12514G	55.88	88.20	-32.32	38.72	3	Vertical	120	2.02	-	39.68	9.39	31.91
RMS	13.13116G	42.69	68.20	-25.51	25.51	3	Vertical	120	2.02	-	39.69	9.40	31.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12718G	56.01	88.20	-32.19	38.85	3	Horizontal	202	2.50	-	39.68	9.39	31.91
RMS	13.13472G	42.74	68.20	-25.46	25.55	3	Horizontal	202	2.50	-	39.70	9.40	31.91

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.7G	46.44	83.54	-37.10	56.84	1	Vertical	115	1.57	-	37.62	15.00	63.02
AV	19.69546G	34.20	63.54	-29.34	44.61	1	Vertical	115	1.57	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69746G	45.76	83.54	-37.78	56.17	1	Horizontal	28	1.54	-	37.62	14.99	63.02
AV	19.69648G	34.39	63.54	-29.15	44.80	1	Horizontal	28	1.54	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	106.36	Inf	-Inf	96.29	3	Vertical	345	1.58	-	34.96	6.55	31.44
RMS	6.695G	96.89	Inf	-Inf	86.80	3	Vertical	345	1.58	-	34.98	6.55	31.44
PK	7.181G	60.55	88.20	-27.65	49.62	3	Vertical	345	1.58	-	35.89	6.88	31.84
RMS	7.185G	51.02	68.20	-17.18	40.08	3	Vertical	345	1.58	-	35.91	6.88	31.85

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	109.93	Inf	-Inf	99.87	3	Horizontal	53	1.64	-	34.96	6.54	31.44
RMS	6.689G	100.26	Inf	-Inf	90.20	3	Horizontal	53	1.64	-	34.96	6.54	31.44
PK	7.157G	61.17	88.20	-27.03	50.40	3	Horizontal	53	1.64	-	35.74	6.86	31.83
RMS	7.185G	51.05	68.20	-17.15	40.11	3	Horizontal	53	1.64	-	35.91	6.88	31.85

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36522G	55.75	74.00	-18.25	38.02	3	Vertical	198	1.57	-	40.23	9.48	31.98
AV	13.37408G	42.89	54.00	-11.11	25.14	3	Vertical	198	1.57	-	40.25	9.48	31.98

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3725G	56.09	74.00	-17.91	38.35	3	Horizontal	30	1.31	-	40.24	9.48	31.98
AV	13.36602G	42.76	54.00	-11.24	25.03	3	Horizontal	30	1.31	-	40.23	9.48	31.98

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05938G	45.99	83.54	-37.55	56.27	1	Vertical	144	1.56	-	37.45	15.11	62.84
AV	20.05154G	33.73	63.54	-29.81	44.03	1	Vertical	144	1.56	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05856G	45.91	83.54	-37.63	56.19	1	Horizontal	149	1.52	-	37.45	15.11	62.84
AV	20.05798G	33.65	63.54	-29.89	43.93	1	Horizontal	149	1.52	-	37.45	15.11	62.84

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	108.97	Inf	-Inf	98.74	3	Vertical	342	1.67	-	35.20	6.62	31.59
RMS	6.8482G	97.87	Inf	-Inf	87.64	3	Vertical	342	1.67	-	35.20	6.62	31.59
PK	7.2354G	61.62	88.20	-26.58	50.48	3	Vertical	342	1.67	-	36.14	6.88	31.88
RMS	7.2434G	51.40	68.20	-16.80	40.23	3	Vertical	342	1.67	-	36.17	6.88	31.88

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	110.44	Inf	-Inf	100.20	3	Horizontal	320	1.80	-	35.20	6.62	31.58
RMS	6.8418G	100.12	Inf	-Inf	89.88	3	Horizontal	320	1.80	-	35.20	6.62	31.58
PK	7.229G	61.62	88.20	-26.58	50.48	3	Horizontal	320	1.80	-	36.12	6.89	31.87
RMS	7.245G	51.46	68.20	-16.74	40.28	3	Horizontal	320	1.80	-	36.18	6.88	31.88

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68858G	59.56	88.20	-28.64	40.93	3	Vertical	54	1.99	-	40.88	9.59	31.84
RMS	13.68576G	45.98	68.20	-22.22	27.36	3	Vertical	54	1.99	-	40.87	9.59	31.84

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68726G	59.74	88.20	-28.46	41.12	3	Horizontal	342	2.16	-	40.87	9.59	31.84
RMS	13.6933G	46.02	68.20	-22.18	27.37	3	Horizontal	342	2.16	-	40.89	9.59	31.83

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53828G	46.33	83.54	-37.21	55.74	1	Vertical	153	1.54	-	37.72	15.23	62.36
AV	20.53876G	34.38	63.54	-29.16	43.79	1	Vertical	153	1.54	-	37.72	15.23	62.36

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53394G	46.03	83.54	-37.51	55.46	1	Horizontal	209	1.54	-	37.71	15.23	62.37
AV	20.53018G	34.35	63.54	-29.19	43.78	1	Horizontal	209	1.54	-	37.71	15.23	62.37

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8976G	109.56	Inf	-Inf	99.35	3	Vertical	345	1.62	-	35.20	6.65	31.64
RMS	6.8962G	100.24	Inf	-Inf	90.03	3	Vertical	345	1.62	-	35.20	6.65	31.64
PK	7.2238G	61.02	88.20	-27.18	49.90	3	Vertical	345	1.62	-	36.10	6.89	31.87
RMS	7.2308G	51.37	68.20	-16.83	40.24	3	Vertical	345	1.62	-	36.12	6.88	31.87

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8738G	108.26	Inf	-Inf	98.04	3	Horizontal	320	1.56	-	35.20	6.64	31.62
RMS	6.878G	98.66	Inf	-Inf	88.44	3	Horizontal	320	1.56	-	35.20	6.64	31.62
PK	7.2238G	61.40	88.20	-26.80	50.28	3	Horizontal	320	1.56	-	36.10	6.89	31.87
RMS	7.235G	51.36	68.20	-16.84	40.22	3	Horizontal	320	1.56	-	36.14	6.88	31.88

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7727G	59.35	88.20	-28.85	40.44	3	Vertical	239	2.49	-	41.05	9.62	31.76
RMS	13.7701G	46.28	68.20	-21.92	27.38	3	Vertical	239	2.49	-	41.04	9.62	31.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7733G	60.26	88.20	-27.94	41.35	3	Horizontal	318	2.08	-	41.05	9.62	31.76
RMS	13.76602G	46.26	68.20	-21.94	27.37	3	Horizontal	318	2.08	-	41.03	9.62	31.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65178G	46.02	83.54	-37.52	55.25	1	Vertical	74	1.52	-	37.76	15.26	62.25
AV	20.65672G	35.21	63.54	-28.33	44.43	1	Vertical	74	1.52	-	37.76	15.26	62.24

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65584G	46.90	83.54	-36.64	56.12	1	Horizontal	359	1.53	-	37.76	15.26	62.24
AV	20.6566G	35.19	63.54	-28.35	44.41	1	Horizontal	359	1.53	-	37.76	15.26	62.24

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9358G	107.50	Inf	-Inf	97.31	3	Vertical	26	2.05	-	35.20	6.67	31.68
RMS	6.9154G	98.70	Inf	-Inf	88.50	3	Vertical	26	2.05	-	35.20	6.66	31.66
PK	7.2034G	61.95	88.20	-26.25	50.90	3	Vertical	26	2.05	-	36.01	6.90	31.86
RMS	7.2106G	51.28	68.20	-16.92	40.21	3	Vertical	26	2.05	-	36.04	6.89	31.86

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9262G	109.80	Inf	-Inf	99.61	3	Horizontal	282	2.26	-	35.20	6.66	31.67
RMS	6.9274G	99.00	Inf	-Inf	88.81	3	Horizontal	282	2.26	-	35.20	6.66	31.67
PK	7.183G	61.85	88.20	-26.35	50.92	3	Horizontal	282	2.26	-	35.90	6.88	31.85
RMS	7.2238G	51.28	68.20	-16.92	40.16	3	Horizontal	282	2.26	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84712G	59.83	88.20	-28.37	40.63	3	Vertical	39	2.22	-	41.24	9.65	31.69
RMS	13.85194G	46.53	68.20	-21.67	27.30	3	Vertical	39	2.22	-	41.26	9.65	31.68

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8526G	59.87	88.20	-28.33	40.64	3	Horizontal	223	2.69	-	41.26	9.65	31.68
RMS	13.8468G	46.59	68.20	-21.61	27.39	3	Horizontal	223	2.69	-	41.24	9.65	31.69

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77508G	46.29	83.54	-37.25	55.27	1	Vertical	312	1.54	-	37.85	15.29	62.12
AV	20.77424G	34.16	63.54	-29.38	43.15	1	Vertical	312	1.54	-	37.85	15.29	62.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7784G	46.17	83.54	-37.37	55.14	1	Horizontal	195	1.54	-	37.86	15.29	62.12
AV	20.77138G	34.23	63.54	-29.31	43.23	1	Horizontal	195	1.54	-	37.84	15.29	62.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	108.25	Inf	-Inf	98.07	3	Vertical	39	1.07	-	35.21	6.71	31.74
RMS	7.0074G	97.15	Inf	-Inf	86.97	3	Vertical	39	1.07	-	35.21	6.71	31.74
PK	7.1442G	60.91	88.20	-27.29	50.22	3	Vertical	39	1.07	-	35.67	6.84	31.82
RMS	7.2002G	51.18	68.20	-17.02	40.14	3	Vertical	39	1.07	-	36.00	6.90	31.86

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	110.77	Inf	-Inf	100.60	3	Horizontal	8	1.79	-	35.21	6.70	31.74
RMS	7.0074G	100.67	Inf	-Inf	90.49	3	Horizontal	8	1.79	-	35.21	6.71	31.74
PK	7.1674G	61.60	88.20	-26.60	50.77	3	Horizontal	8	1.79	-	35.80	6.87	31.84
RMS	7.2034G	51.21	68.20	-16.99	40.16	3	Horizontal	8	1.79	-	36.01	6.90	31.86

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00638G	61.08	88.20	-27.12	41.29	3	Vertical	232	2.61	-	41.63	9.70	31.54
RMS	14.00948G	47.82	68.20	-20.38	28.02	3	Vertical	232	2.61	-	41.64	9.70	31.54

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00834G	61.10	88.20	-27.10	41.31	3	Horizontal	202	1.45	-	41.63	9.70	31.54
RMS	14.01472G	48.05	68.20	-20.15	28.21	3	Horizontal	202	1.45	-	41.66	9.71	31.53

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0109G	45.97	83.54	-37.57	54.22	1	Vertical	176	1.57	-	38.29	15.35	61.89
AV	21.015G	34.51	63.54	-29.03	42.75	1	Vertical	176	1.57	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0107G	46.42	83.54	-37.12	54.67	1	Horizontal	334	1.57	-	38.29	15.35	61.89
AV	21.01818G	34.50	63.54	-29.04	42.74	1	Horizontal	334	1.57	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0762G	109.29	Inf	-Inf	98.94	3	Vertical	19	1.89	-	35.35	6.78	31.78
RMS	7.0862G	97.69	Inf	-Inf	87.32	3	Vertical	19	1.89	-	35.37	6.79	31.79
PK	7.1302G	69.61	88.20	-18.59	59.02	3	Vertical	19	1.89	-	35.58	6.83	31.82
RMS	7.1258G	51.95	68.20	-16.25	41.38	3	Vertical	19	1.89	-	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0858G	111.14	Inf	-Inf	100.77	3	Horizontal	2	2.14	-	35.37	6.79	31.79
RMS	7.0962G	101.02	Inf	-Inf	90.63	3	Horizontal	2	2.14	-	35.39	6.80	31.80
PK	7.133G	70.19	88.20	-18.01	59.58	3	Horizontal	2	2.14	-	35.60	6.83	31.82
RMS	7.125G	53.52	68.20	-14.68	42.95	3	Horizontal	2	2.14	-	35.55	6.83	31.81

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16674G	61.91	88.20	-26.29	41.41	3	Vertical	348	1.17	-	42.20	9.77	31.47
RMS	14.17416G	48.59	68.20	-19.61	28.07	3	Vertical	348	1.17	-	42.22	9.77	31.47

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17264G	61.74	88.20	-26.46	41.22	3	Horizontal	122	1.45	-	42.22	9.77	31.47
RMS	14.16598G	48.65	68.20	-19.55	28.15	3	Horizontal	122	1.45	-	42.20	9.77	31.47

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25022G	46.04	83.54	-37.50	54.13	1	Vertical	250	1.53	-	38.10	15.41	61.60
AV	21.25752G	34.54	63.54	-29.00	42.63	1	Vertical	250	1.53	-	38.09	15.41	61.59

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2591G	46.73	83.54	-36.81	54.82	1	Horizontal	112	1.50	-	38.09	15.41	61.59
AV	21.2595G	34.49	63.54	-29.05	42.58	1	Horizontal	112	1.50	-	38.09	15.41	61.59

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	61.23	88.20	-26.97	51.93	3	Vertical	37	1.06	-	34.13	6.21	31.04
RMS	5.9218G	49.91	68.20	-18.29	40.59	3	Vertical	37	1.06	-	34.14	6.22	31.04
PK	6.0114G	107.03	Inf	-Inf	97.61	3	Vertical	37	1.06	-	34.22	6.30	31.10
RMS	6.0138G	97.10	Inf	-Inf	87.67	3	Vertical	37	1.06	-	34.23	6.30	31.10

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	67.53	88.20	-20.67	58.24	3	Horizontal	53	1.11	-	34.12	6.20	31.03
RMS	5.913G	50.37	68.20	-17.83	41.06	3	Horizontal	53	1.11	-	34.13	6.21	31.03
PK	5.9938G	111.22	Inf	-Inf	101.83	3	Horizontal	53	1.11	-	34.20	6.29	31.10
RMS	5.9922G	101.11	Inf	-Inf	91.71	3	Horizontal	53	1.11	-	34.20	6.29	31.09

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96832G	54.62	74.00	-19.38	71.92	3	Vertical	271	1.79	-	39.33	8.99	65.62
AV	11.96964G	41.24	54.00	-12.76	58.54	3	Vertical	271	1.79	-	39.33	8.99	65.62
PK	17.9433G	63.78	74.00	-10.22	71.44	3	Vertical	283	1.42	-	46.56	11.18	65.40
AV	17.95224G	47.28	54.00	-6.72	54.95	3	Vertical	283	1.42	-	46.55	11.18	65.40

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97094G	54.66	74.00	-19.34	71.96	3	Horizontal	167	2.74	-	39.33	8.99	65.62
AV	11.97294G	41.40	54.00	-12.60	58.70	3	Horizontal	167	2.74	-	39.33	8.99	65.62
PK	17.96436G	63.89	74.00	-10.11	71.56	3	Horizontal	125	2.74	-	46.54	11.19	65.40
AV	17.9463G	47.89	54.00	-6.11	55.56	3	Horizontal	125	2.74	-	46.55	11.18	65.40

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	58.53	88.20	-29.67	49.28	3	Vertical	32	2.06	-	34.08	6.19	31.02
RMS	5.9002G	48.87	68.20	-19.33	39.59	3	Vertical	32	2.06	-	34.10	6.20	31.02
PK	6.133G	106.47	Inf	-Inf	96.84	3	Vertical	32	2.06	-	34.47	6.30	31.14
RMS	6.133G	95.98	Inf	-Inf	86.35	3	Vertical	32	2.06	-	34.47	6.30	31.14

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	59.30	88.20	-28.90	49.97	3	Horizontal	27	1.59	-	34.15	6.22	31.04
RMS	5.9086G	48.88	68.20	-19.32	39.59	3	Horizontal	27	1.59	-	34.12	6.20	31.03
PK	6.1474G	107.33	Inf	-Inf	97.68	3	Horizontal	27	1.59	-	34.49	6.30	31.14
RMS	6.1462G	98.03	Inf	-Inf	88.38	3	Horizontal	27	1.59	-	34.49	6.30	31.14

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29214G	54.56	74.00	-19.44	38.87	3	Vertical	131	1.46	-	38.81	9.10	32.22
AV	12.28756G	41.07	54.00	-12.93	25.39	3	Vertical	131	1.46	-	38.81	9.10	32.23

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29328G	53.96	74.00	-20.04	38.27	3	Horizontal	314	1.28	-	38.81	9.10	32.22
AV	12.28826G	41.19	54.00	-12.81	25.51	3	Horizontal	314	1.28	-	38.81	9.10	32.23

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43222G	45.73	83.54	-37.81	56.97	1	Vertical	39	1.53	-	37.57	14.55	63.36
AV	18.43208G	33.47	63.54	-30.07	44.71	1	Vertical	39	1.53	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43754G	44.88	83.54	-38.66	56.11	1	Horizontal	225	1.54	-	37.58	14.55	63.36
AV	18.43266G	33.30	63.54	-30.24	44.54	1	Horizontal	225	1.54	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8354G	58.42	88.20	-29.78	49.46	3	Vertical	320	1.74	-	33.80	6.13	30.97
RMS	5.9002G	49.06	68.20	-19.14	39.78	3	Vertical	320	1.74	-	34.10	6.20	31.02
PK	6.3922G	105.12	Inf	-Inf	95.54	3	Vertical	320	1.74	-	34.40	6.40	31.22
RMS	6.3874G	95.78	Inf	-Inf	86.21	3	Vertical	320	1.74	-	34.40	6.39	31.22

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8378G	59.75	88.20	-28.45	50.80	3	Horizontal	44	1.63	-	33.80	6.13	30.98
RMS	5.8738G	49.19	68.20	-19.01	40.08	3	Horizontal	44	1.63	-	33.94	6.17	31.00
PK	6.3778G	110.24	Inf	-Inf	100.66	3	Horizontal	44	1.63	-	34.40	6.39	31.21
RMS	6.3802G	99.42	Inf	-Inf	89.84	3	Horizontal	44	1.63	-	34.40	6.39	31.21

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77172G	54.49	88.20	-33.71	38.35	3	Vertical	94	2.30	-	38.84	9.27	31.97
RMS	12.77316G	40.88	68.20	-27.32	24.73	3	Vertical	94	2.30	-	38.85	9.27	31.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77352G	54.34	88.20	-33.86	38.19	3	Horizontal	264	1.04	-	38.85	9.27	31.97
RMS	12.7727G	40.87	68.20	-27.33	24.72	3	Horizontal	264	1.04	-	38.85	9.27	31.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15866G	45.55	83.54	-37.99	56.55	1	Vertical	101	1.53	-	37.56	14.81	63.37
AV	19.15928G	33.90	63.54	-29.64	44.90	1	Vertical	101	1.53	-	37.56	14.81	63.37

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15788G	45.17	83.54	-38.37	56.17	1	Horizontal	279	1.54	-	37.56	14.81	63.37
AV	19.15774G	33.83	63.54	-29.71	44.83	1	Horizontal	279	1.54	-	37.56	14.81	63.37

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	58.77	88.20	-29.43	49.47	3	Vertical	337	1.87	-	34.13	6.21	31.04
RMS	5.8748G	48.96	68.20	-19.24	39.84	3	Vertical	337	1.87	-	33.95	6.17	31.00
PK	6.4832G	107.10	Inf	-Inf	97.60	3	Vertical	337	1.87	-	34.30	6.44	31.24
RMS	6.4806G	97.84	Inf	-Inf	88.34	3	Vertical	337	1.87	-	34.30	6.44	31.24

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9216G	58.39	88.20	-29.81	49.07	3	Horizontal	324	1.83	-	34.14	6.22	31.04
RMS	5.919G	48.97	68.20	-19.23	39.66	3	Horizontal	324	1.83	-	34.14	6.21	31.04
PK	6.4754G	107.51	Inf	-Inf	98.01	3	Horizontal	324	1.83	-	34.30	6.44	31.24
RMS	6.4728G	98.94	Inf	-Inf	89.44	3	Horizontal	324	1.83	-	34.30	6.44	31.24

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9256G	55.67	88.20	-32.53	39.12	3	Vertical	98	2.40	-	39.13	9.32	31.90
RMS	12.93334G	42.22	68.20	-25.98	25.66	3	Vertical	98	2.40	-	39.13	9.33	31.90

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93376G	55.99	88.20	-32.21	39.43	3	Horizontal	6	2.89	-	39.13	9.33	31.90
RMS	12.9311G	42.23	68.20	-25.97	25.67	3	Horizontal	6	2.89	-	39.13	9.33	31.90

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39084G	47.47	83.54	-36.07	58.11	1	Vertical	215	1.56	-	37.66	14.89	63.19
AV	19.3944G	34.15	63.54	-29.39	44.78	1	Vertical	215	1.56	-	37.66	14.89	63.18

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39G	46.23	83.54	-37.31	56.87	1	Horizontal	41	1.54	-	37.66	14.89	63.19
AV	19.39106G	34.33	63.54	-29.21	44.97	1	Horizontal	41	1.54	-	37.66	14.89	63.19

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	58.16	88.20	-30.04	48.92	3	Vertical	30	1.89	-	34.07	6.19	31.02
RMS	5.9122G	48.89	68.20	-19.31	39.59	3	Vertical	30	1.89	-	34.12	6.21	31.03
PK	6.545G	105.52	Inf	-Inf	95.86	3	Vertical	30	1.89	-	34.48	6.47	31.29
RMS	6.5478G	94.40	Inf	-Inf	84.74	3	Vertical	30	1.89	-	34.49	6.47	31.30
PK	7.2142G	61.55	88.20	-26.65	50.46	3	Vertical	30	1.89	-	36.06	6.89	31.86
RMS	7.2422G	51.56	68.20	-16.64	40.39	3	Vertical	30	1.89	-	36.17	6.88	31.88

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	58.23	88.20	-29.97	49.12	3	Horizontal	40	1.78	-	33.94	6.17	31.00
RMS	5.9178G	48.98	68.20	-19.22	39.67	3	Horizontal	40	1.78	-	34.14	6.21	31.04
PK	6.5534G	108.78	Inf	-Inf	99.09	3	Horizontal	40	1.78	-	34.51	6.48	31.30
RMS	6.5534G	98.74	Inf	-Inf	89.05	3	Horizontal	40	1.78	-	34.51	6.48	31.30
PK	7.2254G	60.85	88.20	-27.35	49.73	3	Horizontal	40	1.78	-	36.10	6.89	31.87
RMS	7.245G	51.57	68.20	-16.63	40.39	3	Horizontal	40	1.78	-	36.18	6.88	31.88

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09388G	55.59	88.20	-32.61	38.53	3	Vertical	209	2.12	-	39.58	9.38	31.90
RMS	13.08966G	42.87	68.20	-25.33	25.83	3	Vertical	209	2.12	-	39.56	9.38	31.90

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0896G	55.90	88.20	-32.30	38.86	3	Horizontal	337	1.20	-	39.56	9.38	31.90
RMS	13.093G	42.66	68.20	-25.54	25.61	3	Horizontal	337	1.20	-	39.57	9.38	31.90

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63784G	45.66	83.54	-37.88	56.09	1	Vertical	209	1.56	-	37.64	14.97	63.04
AV	19.63782G	34.34	63.54	-29.20	44.77	1	Vertical	209	1.56	-	37.64	14.97	63.04

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63214G	46.19	83.54	-37.35	56.62	1	Horizontal	52	1.53	-	37.65	14.97	63.05
AV	19.6325G	34.29	63.54	-29.25	44.72	1	Horizontal	52	1.53	-	37.65	14.97	63.05

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6154G	107.18	Inf	-Inf	97.37	3	Vertical	353	1.59	-	34.66	6.51	31.36
RMS	6.613G	96.89	Inf	-Inf	87.09	3	Vertical	353	1.59	-	34.65	6.51	31.36
PK	7.2034G	60.49	88.20	-27.71	49.44	3	Vertical	353	1.59	-	36.01	6.90	31.86
RMS	7.225G	51.40	68.20	-16.80	40.28	3	Vertical	353	1.59	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	106.12	Inf	-Inf	96.25	3	Horizontal	16	2.17	-	34.73	6.52	31.38
RMS	6.6322G	97.02	Inf	-Inf	87.15	3	Horizontal	16	2.17	-	34.73	6.52	31.38
PK	7.2154G	61.21	88.20	-26.99	50.12	3	Horizontal	16	2.17	-	36.06	6.89	31.86
RMS	7.225G	51.43	68.20	-16.77	40.31	3	Horizontal	16	2.17	-	36.10	6.89	31.87

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2537G	56.17	74.00	-17.83	38.67	3	Vertical	244	1.52	-	40.01	9.44	31.95
AV	13.25472G	42.68	54.00	-11.32	25.18	3	Vertical	244	1.52	-	40.01	9.44	31.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24914G	55.42	88.20	-32.78	37.92	3	Horizontal	263	2.82	-	40.00	9.44	31.94
AV	13.25262G	42.49	54.00	-11.51	24.99	3	Horizontal	263	2.82	-	40.01	9.44	31.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87806G	46.64	83.54	-36.90	57.03	1	Vertical	169	1.52	-	37.50	15.06	62.95
AV	19.87508G	34.28	63.54	-29.26	44.67	1	Vertical	169	1.52	-	37.50	15.06	62.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8784G	46.60	83.54	-36.94	56.99	1	Horizontal	349	1.55	-	37.50	15.06	62.95
AV	19.87086G	34.20	63.54	-29.34	44.60	1	Horizontal	349	1.55	-	37.50	15.05	62.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	105.88	Inf	-Inf	95.78	3	Vertical	345	1.55	-	34.99	6.55	31.44
RMS	6.701G	95.62	Inf	-Inf	85.52	3	Vertical	345	1.55	-	35.00	6.55	31.45
PK	7.197G	61.46	88.20	-26.74	50.43	3	Vertical	345	1.55	-	35.98	6.90	31.85
RMS	7.201G	51.27	68.20	-16.93	40.23	3	Vertical	345	1.55	-	36.00	6.90	31.86

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	110.27	Inf	-Inf	100.17	3	Horizontal	54	1.39	-	35.00	6.55	31.45
RMS	6.699G	99.43	Inf	-Inf	89.33	3	Horizontal	54	1.39	-	35.00	6.55	31.45
PK	7.159G	60.49	88.20	-27.71	49.71	3	Horizontal	54	1.39	-	35.75	6.86	31.83
RMS	7.195G	51.21	68.20	-16.99	40.19	3	Horizontal	54	1.39	-	35.97	6.90	31.85

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40996G	55.65	88.20	-32.55	37.82	3	Vertical	219	2.31	-	40.33	9.49	31.99
RMS	13.4101G	42.98	68.20	-25.22	25.15	3	Vertical	219	2.31	-	40.33	9.49	31.99

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41212G	56.77	88.20	-31.43	38.93	3	Horizontal	320	2.54	-	40.34	9.49	31.99
RMS	13.40834G	42.83	68.20	-25.37	25.00	3	Horizontal	320	2.54	-	40.33	9.49	31.99

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1105G	45.78	83.54	-37.76	55.95	1	Vertical	125	1.55	-	37.49	15.13	62.79
AV	20.11202G	33.67	63.54	-29.87	43.84	1	Vertical	125	1.55	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1124G	45.22	83.54	-38.32	55.39	1	Horizontal	298	1.53	-	37.49	15.13	62.79
AV	20.11118G	33.81	63.54	-29.73	43.98	1	Horizontal	298	1.53	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7834G	108.51	Inf	-Inf	98.28	3	Vertical	343	1.68	-	35.17	6.59	31.53
RMS	6.7738G	99.94	Inf	-Inf	89.72	3	Vertical	343	1.68	-	35.15	6.59	31.52
PK	7.169G	60.24	88.20	-27.96	49.40	3	Vertical	343	1.68	-	35.81	6.87	31.84
RMS	7.1818G	51.11	68.20	-17.09	40.19	3	Vertical	343	1.68	-	35.89	6.88	31.85

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7482G	105.42	Inf	-Inf	95.24	3	Horizontal	283	1.80	-	35.10	6.57	31.49
RMS	6.7754G	96.61	Inf	-Inf	86.39	3	Horizontal	283	1.80	-	35.15	6.59	31.52
PK	7.1626G	60.92	88.20	-27.28	50.11	3	Horizontal	283	1.80	-	35.78	6.86	31.83
RMS	7.1802G	51.05	68.20	-17.15	40.13	3	Horizontal	283	1.80	-	35.88	6.88	31.84

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5741G	57.19	88.20	-31.01	38.92	3	Vertical	102	1.77	-	40.67	9.55	31.95
RMS	13.57078G	43.71	68.20	-24.49	25.44	3	Vertical	102	1.77	-	40.67	9.55	31.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56504G	56.86	88.20	-31.34	38.60	3	Horizontal	320	2.38	-	40.67	9.55	31.96
RMS	13.57304G	43.82	68.20	-24.38	25.55	3	Horizontal	320	2.38	-	40.67	9.55	31.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35548G	45.41	83.54	-38.13	55.12	1	Vertical	32	1.52	-	37.64	15.19	62.54
AV	20.35634G	33.95	63.54	-29.59	43.66	1	Vertical	32	1.52	-	37.64	15.19	62.54

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3555G	45.34	83.54	-38.20	55.05	1	Horizontal	221	1.53	-	37.64	15.19	62.54
AV	20.35674G	33.88	63.54	-29.66	43.59	1	Horizontal	221	1.53	-	37.64	15.19	62.54

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.859G	110.57	Inf	-Inf	100.34	3	Vertical	340	1.69	-	35.20	6.63	31.60
RMS	6.859G	100.38	Inf	-Inf	90.15	3	Vertical	340	1.69	-	35.20	6.63	31.60
PK	7.1626G	60.88	88.20	-27.32	50.07	3	Vertical	340	1.69	-	35.78	6.86	31.83
RMS	7.1542G	50.90	68.20	-17.30	40.15	3	Vertical	340	1.69	-	35.73	6.85	31.83

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.859G	108.37	Inf	-Inf	98.14	3	Horizontal	329	1.56	-	35.20	6.63	31.60
RMS	6.8458G	98.41	Inf	-Inf	88.18	3	Horizontal	329	1.56	-	35.20	6.62	31.59
PK	7.1302G	60.59	88.20	-27.61	50.00	3	Horizontal	329	1.56	-	35.58	6.83	31.82
RMS	7.147G	50.87	68.20	-17.33	40.17	3	Horizontal	329	1.56	-	35.68	6.85	31.83

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7274G	60.00	88.20	-28.20	41.25	3	Vertical	24	2.90	-	40.95	9.60	31.80
RMS	13.72792G	46.18	68.20	-22.02	27.42	3	Vertical	24	2.90	-	40.96	9.60	31.80

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73434G	59.98	88.20	-28.22	41.20	3	Horizontal	344	1.75	-	40.97	9.61	31.80
RMS	13.73034G	46.26	68.20	-21.94	27.49	3	Horizontal	344	1.75	-	40.96	9.61	31.80

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5903G	46.25	83.54	-37.29	55.57	1	Vertical	247	1.51	-	37.74	15.25	62.31
AV	20.59436G	34.89	63.54	-28.65	44.21	1	Vertical	247	1.51	-	37.74	15.25	62.31

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59948G	45.97	83.54	-37.57	55.28	1	Horizontal	240	1.50	-	37.74	15.25	62.30
AV	20.5942G	34.90	63.54	-28.64	44.22	1	Horizontal	240	1.50	-	37.74	15.25	62.31

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9534G	109.42	Inf	-Inf	99.23	3	Vertical	28	2.38	-	35.20	6.68	31.69
RMS	6.9546G	99.79	Inf	-Inf	89.61	3	Vertical	28	2.38	-	35.20	6.68	31.70
PK	7.2438G	61.38	88.20	-26.82	50.20	3	Vertical	28	2.38	-	36.18	6.88	31.88
RMS	7.245G	51.47	68.20	-16.73	40.29	3	Vertical	28	2.38	-	36.18	6.88	31.88

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9426G	108.50	Inf	-Inf	98.31	3	Horizontal	32	1.69	-	35.20	6.67	31.68
RMS	6.9438G	98.48	Inf	-Inf	88.29	3	Horizontal	32	1.69	-	35.20	6.67	31.68
PK	7.2138G	61.13	88.20	-27.07	50.04	3	Horizontal	32	1.69	-	36.06	6.89	31.86
RMS	7.239G	51.45	68.20	-16.75	40.29	3	Horizontal	32	1.69	-	36.16	6.88	31.88

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8871G	60.32	88.20	-27.88	40.95	3	Vertical	73	2.11	-	41.36	9.66	31.65
RMS	13.89356G	46.87	68.20	-21.33	27.47	3	Vertical	73	2.11	-	41.38	9.66	31.64

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89372G	60.34	88.20	-27.86	40.94	3	Horizontal	167	2.25	-	41.38	9.66	31.64
RMS	13.89048G	46.82	68.20	-21.38	27.44	3	Horizontal	167	2.25	-	41.37	9.66	31.65

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83222G	45.96	83.54	-37.58	54.76	1	Vertical	333	1.53	-	37.96	15.31	62.07
AV	20.8326G	34.21	63.54	-29.33	43.00	1	Vertical	333	1.53	-	37.97	15.31	62.07

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83848G	45.58	83.54	-37.96	54.35	1	Horizontal	22	1.53	-	37.98	15.31	62.06
AV	20.83246G	34.33	63.54	-29.21	43.13	1	Horizontal	22	1.53	-	37.96	15.31	62.07

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0114G	109.69	Inf	-Inf	99.51	3	Vertical	3	1.72	-	35.22	6.71	31.75
RMS	7.013G	98.34	Inf	-Inf	88.15	3	Vertical	3	1.72	-	35.23	6.71	31.75
PK	7.2226G	61.47	88.20	-26.73	50.36	3	Vertical	3	1.72	-	36.09	6.89	31.87
RMS	7.2242G	51.35	68.20	-16.85	40.23	3	Vertical	3	1.72	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	110.18	Inf	-Inf	100.01	3	Horizontal	7	1.87	-	35.21	6.70	31.74
RMS	7.005G	99.23	Inf	-Inf	89.05	3	Horizontal	7	1.87	-	35.21	6.71	31.74
PK	7.125G	62.91	88.20	-25.29	52.34	3	Horizontal	7	1.87	-	35.55	6.83	31.81
RMS	7.2242G	51.40	68.20	-16.80	40.28	3	Horizontal	7	1.87	-	36.10	6.89	31.87

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04792G	61.40	88.20	-26.80	41.41	3	Vertical	157	2.36	-	41.79	9.72	31.52
RMS	14.05022G	48.27	68.20	-19.93	28.27	3	Vertical	157	2.36	-	41.80	9.72	31.52

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 20
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0494G	61.41	88.20	-26.79	41.41	3	Horizontal	243	2.90	-	41.80	9.72	31.52
RMS	14.04508G	48.30	68.20	-19.90	28.32	3	Horizontal	243	2.90	-	41.78	9.72	31.52

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 20
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07106G	46.40	83.54	-37.14	54.60	1	Vertical	82	1.57	-	38.24	15.37	61.81
AV	21.07058G	34.11	63.54	-29.43	42.32	1	Vertical	82	1.57	-	38.24	15.37	61.82

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 20
03-K-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07148G	45.74	83.54	-37.80	53.94	1	Horizontal	273	1.56	-	38.24	15.37	61.81
AV	21.07G	34.29	63.54	-29.25	42.50	1	Horizontal	273	1.56	-	38.24	15.37	61.82

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	72.50	88.20	-15.70	63.19	3	Vertical	50	1.17	-	34.14	6.21	31.04
RMS	5.912G	53.14	68.20	-15.06	43.84	3	Vertical	50	1.17	-	34.12	6.21	31.03
PK	6.057G	106.47	Inf	-Inf	96.98	3	Vertical	50	1.17	-	34.31	6.30	31.12
RMS	6.057G	96.66	Inf	-Inf	87.17	3	Vertical	50	1.17	-	34.31	6.30	31.12

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	79.05	88.20	-9.15	69.74	3	Horizontal	40	1.16	-	34.14	6.21	31.04
RMS	5.912G	60.09	68.20	-8.11	50.79	3	Horizontal	40	1.16	-	34.12	6.21	31.03
PK	6.022G	111.29	Inf	-Inf	101.86	3	Horizontal	40	1.16	-	34.24	6.30	31.11
RMS	6.038G	101.30	Inf	-Inf	91.83	3	Horizontal	40	1.16	-	34.28	6.30	31.11

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0468G	54.74	74.00	-19.26	38.94	3	Vertical	301	2.30	-	39.16	9.02	32.38
AV	12.04694G	41.31	54.00	-12.69	25.51	3	Vertical	301	2.30	-	39.16	9.02	32.38

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0451G	54.78	74.00	-19.22	38.98	3	Horizontal	135	1.89	-	39.16	9.02	32.38
AV	12.0463G	41.38	54.00	-12.62	25.58	3	Horizontal	135	1.89	-	39.16	9.02	32.38

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0754G	44.91	83.54	-38.63	56.13	1	Vertical	331	1.52	-	37.50	14.43	63.15
AV	18.07796G	34.03	63.54	-29.51	45.25	1	Vertical	331	1.52	-	37.50	14.43	63.15

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07916G	44.96	83.54	-38.58	56.18	1	Horizontal	131	1.53	-	37.50	14.43	63.15
AV	18.07056G	33.64	63.54	-29.90	44.86	1	Horizontal	131	1.53	-	37.50	14.42	63.14

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8282G	59.60	88.20	-28.60	50.65	3	Vertical	32	2.06	-	33.80	6.12	30.97
RMS	5.9178G	48.78	68.20	-19.42	39.47	3	Vertical	32	2.06	-	34.14	6.21	31.04
PK	6.145G	104.66	Inf	-Inf	95.01	3	Vertical	32	2.06	-	34.49	6.30	31.14
RMS	6.1434G	95.10	Inf	-Inf	85.45	3	Vertical	32	2.06	-	34.49	6.30	31.14

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	59.26	88.20	-28.94	49.93	3	Horizontal	48	1.31	-	34.15	6.22	31.04
RMS	5.9242G	49.00	68.20	-19.20	39.67	3	Horizontal	48	1.31	-	34.15	6.22	31.04
PK	6.1866G	105.74	Inf	-Inf	96.03	3	Horizontal	48	1.31	-	34.57	6.30	31.16
RMS	6.1658G	96.79	Inf	-Inf	87.11	3	Horizontal	48	1.31	-	34.53	6.30	31.15

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36998G	54.74	74.00	-19.26	39.05	3	Vertical	180	2.61	-	38.73	9.13	32.17
AV	12.36924G	41.40	54.00	-12.60	25.71	3	Vertical	180	2.61	-	38.73	9.13	32.17

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3702G	54.61	74.00	-19.39	38.92	3	Horizontal	56	2.95	-	38.73	9.13	32.17
AV	12.37362G	41.40	54.00	-12.60	25.71	3	Horizontal	56	2.95	-	38.73	9.13	32.17

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55464G	44.79	83.54	-38.75	55.99	1	Vertical	277	1.54	-	37.62	14.59	63.41
AV	18.55866G	33.20	63.54	-30.34	44.39	1	Vertical	277	1.54	-	37.62	14.60	63.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55656G	44.77	83.54	-38.77	55.97	1	Horizontal	103	1.55	-	37.62	14.59	63.41
AV	18.56G	33.21	63.54	-30.33	44.40	1	Horizontal	103	1.55	-	37.62	14.60	63.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	58.79	88.20	-29.41	49.83	3	Vertical	319	1.73	-	33.80	6.14	30.98
RMS	5.923G	48.79	68.20	-19.41	39.46	3	Vertical	319	1.73	-	34.15	6.22	31.04
PK	6.321G	105.53	Inf	-Inf	95.97	3	Vertical	319	1.73	-	34.40	6.36	31.20
RMS	6.321G	95.42	Inf	-Inf	85.86	3	Vertical	319	1.73	-	34.40	6.36	31.20

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	59.21	88.20	-28.99	49.98	3	Horizontal	19	2.05	-	34.06	6.19	31.02
RMS	5.901G	48.74	68.20	-19.46	39.46	3	Horizontal	19	2.05	-	34.10	6.20	31.02
PK	6.349G	107.58	Inf	-Inf	98.01	3	Horizontal	19	2.05	-	34.40	6.37	31.20
RMS	6.349G	97.75	Inf	-Inf	88.18	3	Horizontal	19	2.05	-	34.40	6.37	31.20

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6922G	53.75	74.00	-20.25	37.82	3	Vertical	257	2.18	-	38.70	9.24	32.01
AV	12.689G	40.64	54.00	-13.36	24.71	3	Vertical	257	2.18	-	38.70	9.24	32.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69328G	53.49	74.00	-20.51	37.55	3	Horizontal	175	1.89	-	38.70	9.24	32.00
AV	12.68836G	40.63	54.00	-13.37	24.70	3	Horizontal	175	1.89	-	38.70	9.24	32.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03994G	45.80	83.54	-37.74	56.99	1	Vertical	32	1.56	-	37.52	14.76	63.47
AV	19.03008G	33.73	63.54	-29.81	44.94	1	Vertical	32	1.56	-	37.51	14.76	63.48

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03452G	45.95	83.54	-37.59	57.15	1	Horizontal	153	1.58	-	37.51	14.76	63.47
AV	19.03964G	33.97	63.54	-29.57	45.16	1	Horizontal	153	1.58	-	37.52	14.76	63.47

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	58.45	88.20	-29.75	49.35	3	Vertical	338	1.86	-	33.93	6.17	31.00
RMS	5.9002G	48.76	68.20	-19.44	39.48	3	Vertical	338	1.86	-	34.10	6.20	31.02
PK	6.4826G	106.40	Inf	-Inf	96.90	3	Vertical	338	1.86	-	34.30	6.44	31.24
RMS	6.4826G	96.32	Inf	-Inf	86.82	3	Vertical	338	1.86	-	34.30	6.44	31.24
PK	7.177G	61.11	88.20	-27.09	50.21	3	Vertical	338	1.86	-	35.86	6.88	31.84
RMS	7.1966G	51.10	68.20	-17.10	40.07	3	Vertical	338	1.86	-	35.98	6.90	31.85

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	58.41	88.20	-29.79	49.09	3	Horizontal	323	1.76	-	34.14	6.22	31.04
RMS	5.917G	48.73	68.20	-19.47	39.43	3	Horizontal	323	1.76	-	34.13	6.21	31.04
PK	6.4714G	105.81	Inf	-Inf	96.31	3	Horizontal	323	1.76	-	34.30	6.44	31.24
RMS	6.4714G	97.12	Inf	-Inf	87.62	3	Horizontal	323	1.76	-	34.30	6.44	31.24
PK	7.1602G	61.00	88.20	-27.20	50.21	3	Horizontal	323	1.76	-	35.76	6.86	31.83
RMS	7.1994G	51.10	68.20	-17.10	40.06	3	Horizontal	323	1.76	-	36.00	6.90	31.86

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0062G	54.95	88.20	-33.25	38.25	3	Vertical	236	1.52	-	39.22	9.35	31.87
RMS	13.01222G	42.35	68.20	-25.85	25.62	3	Vertical	236	1.52	-	39.25	9.35	31.87

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01408G	55.34	88.20	-32.86	38.60	3	Horizontal	176	2.61	-	39.26	9.35	31.87
RMS	13.00632G	42.25	68.20	-25.95	25.54	3	Horizontal	176	2.61	-	39.23	9.35	31.87

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51126G	46.49	83.54	-37.05	56.96	1	Vertical	344	1.54	-	37.70	14.93	63.10
AV	19.5108G	34.26	63.54	-29.28	44.73	1	Vertical	344	1.54	-	37.70	14.93	63.10

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5105G	45.64	83.54	-37.90	56.11	1	Horizontal	295	1.51	-	37.70	14.93	63.10
AV	19.5138G	34.18	63.54	-29.36	44.65	1	Horizontal	295	1.51	-	37.69	14.93	63.09

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6628G	103.43	Inf	-Inf	93.46	3	Vertical	355	1.66	-	34.85	6.53	31.41
RMS	6.6474G	93.95	Inf	-Inf	84.03	3	Vertical	355	1.66	-	34.79	6.52	31.39
PK	7.1886G	61.34	88.20	-26.86	50.37	3	Vertical	355	1.66	-	35.93	6.89	31.85
RMS	7.2084G	51.21	68.20	-16.99	40.14	3	Vertical	355	1.66	-	36.03	6.90	31.86

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6848G	107.84	Inf	-Inf	97.79	3	Horizontal	52	2.67	-	34.94	6.54	31.43
RMS	6.6298G	97.75	Inf	-Inf	87.90	3	Horizontal	52	2.67	-	34.72	6.51	31.38
PK	7.1578G	61.03	88.20	-27.17	50.25	3	Horizontal	52	2.67	-	35.75	6.86	31.83
RMS	7.2084G	51.20	68.20	-17.00	40.13	3	Horizontal	52	2.67	-	36.03	6.90	31.86

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32904G	55.98	74.00	-18.02	38.32	3	Vertical	8	1.92	-	40.16	9.47	31.97
AV	13.33384G	42.70	54.00	-11.30	25.03	3	Vertical	8	1.92	-	40.17	9.47	31.97

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33016G	55.90	74.00	-18.10	38.24	3	Horizontal	132	2.35	-	40.16	9.47	31.97
AV	13.3302G	42.75	54.00	-11.25	25.09	3	Horizontal	132	2.35	-	40.16	9.47	31.97

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99906G	45.79	83.54	-37.75	56.19	1	Vertical	96	1.52	-	37.40	15.10	62.90
AV	19.9972G	33.91	63.54	-29.63	44.31	1	Vertical	96	1.52	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99666G	45.32	83.54	-38.22	55.72	1	Horizontal	157	1.50	-	37.40	15.10	62.90
AV	19.99872G	33.95	63.54	-29.59	44.35	1	Horizontal	157	1.50	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8602G	104.65	Inf	-Inf	94.42	3	Vertical	339	1.63	-	35.20	6.63	31.60
RMS	6.817G	94.95	Inf	-Inf	84.70	3	Vertical	339	1.63	-	35.20	6.61	31.56
PK	7.177G	60.55	88.20	-27.65	49.65	3	Vertical	339	1.63	-	35.86	6.88	31.84
RMS	7.2218G	51.27	68.20	-16.93	40.16	3	Vertical	339	1.63	-	36.09	6.89	31.87

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	104.99	Inf	-Inf	94.75	3	Horizontal	318	1.76	-	35.20	6.62	31.58
RMS	6.8298G	95.55	Inf	-Inf	85.31	3	Horizontal	318	1.76	-	35.20	6.61	31.57
PK	7.209G	61.90	88.20	-26.30	50.82	3	Horizontal	318	1.76	-	36.04	6.90	31.86
RMS	7.2218G	51.26	68.20	-16.94	40.15	3	Horizontal	318	1.76	-	36.09	6.89	31.87

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65158G	59.53	88.20	-28.67	41.02	3	Vertical	208	2.20	-	40.80	9.58	31.87
RMS	13.64718G	46.01	68.20	-22.19	27.52	3	Vertical	208	2.20	-	40.79	9.58	31.88

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65498G	59.37	88.20	-28.83	40.85	3	Horizontal	186	2.31	-	40.81	9.58	31.87
RMS	13.65422G	46.15	68.20	-22.05	27.63	3	Horizontal	186	2.31	-	40.81	9.58	31.87

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47006G	46.10	83.54	-37.44	55.62	1	Vertical	94	1.53	-	37.69	15.22	62.43
AV	20.47802G	34.01	63.54	-29.53	43.52	1	Vertical	94	1.53	-	37.69	15.22	62.42

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47934G	45.63	83.54	-37.91	55.14	1	Horizontal	25	1.56	-	37.69	15.22	62.42
AV	20.47094G	34.16	63.54	-29.38	43.68	1	Horizontal	25	1.56	-	37.69	15.22	62.43

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.975G	107.51	Inf	-Inf	97.34	3	Vertical	26	1.80	-	35.20	6.69	31.72
RMS	6.976G	97.58	Inf	-Inf	87.41	3	Vertical	26	1.80	-	35.20	6.69	31.72
PK	7.139G	73.90	88.20	-14.30	63.25	3	Vertical	26	1.80	-	35.63	6.84	31.82
RMS	7.127G	58.24	68.20	-9.96	47.66	3	Vertical	26	1.80	-	35.56	6.83	31.81

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 24
02-K-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.007G	109.26	Inf	-Inf	99.08	3	Horizontal	5	1.80	-	35.21	6.71	31.74
RMS	7.007G	99.90	Inf	-Inf	89.72	3	Horizontal	5	1.80	-	35.21	6.71	31.74
PK	7.127G	78.68	88.20	-9.52	68.10	3	Horizontal	5	1.80	-	35.56	6.83	31.81
RMS	7.128G	60.41	68.20	-7.79	49.82	3	Horizontal	5	1.80	-	35.57	6.83	31.81

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96544G	60.82	88.20	-27.38	41.17	3	Vertical	257	2.32	-	41.53	9.69	31.57
RMS	13.9729G	47.56	68.20	-20.64	27.89	3	Vertical	257	2.32	-	41.55	9.69	31.57

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 24
02-K-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96726G	61.46	88.20	-26.74	41.81	3	Horizontal	94	1.39	-	41.53	9.69	31.57
RMS	13.97306G	47.73	68.20	-20.47	28.06	3	Horizontal	94	1.39	-	41.55	9.69	31.57

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 24
03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95718G	46.02	83.54	-37.52	54.41	1	Vertical	286	1.50	-	38.21	15.34	61.94
AV	20.9578G	34.42	63.54	-29.12	42.80	1	Vertical	286	1.50	-	38.22	15.34	61.94

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
Setting 24
03-K-E-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9525G	46.05	83.54	-37.49	54.46	1	Horizontal	187	1.57	-	38.20	15.34	61.95
AV	20.95022G	34.33	63.54	-29.21	42.74	1	Horizontal	187	1.57	-	38.20	15.34	61.95

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88741G	-10.87	6.883G	-46.73	-30.89	-15.84	1
6.90359G	-10.98	6.8828G	-47.46	-31.04	-16.42	2
6.90339G	-11.54	6.8827G	-48.31	-31.57	-16.74	3
6.90409G	-11.53	6.8828G	-48.04	-31.62	-16.42	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98761G	-12.51	6.983G	-48.64	-32.53	-16.11	1
6.98591G	-12.64	6.9602G	-69.24	-52.64	-16.60	2
7.00239G	-13.32	6.9829G	-48.44	-33.37	-15.07	3
6.98591G	-13.16	6.9828G	-49.37	-33.19	-16.18	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

20/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57259G	-8.34	6.624G	-64.79	-47.46	-17.33	1
6.5688G	-8.68	6.4682G	-66.64	-48.68	-17.96	2
6.5698G	-9.05	6.5036G	-66.69	-49.05	-17.64	3
6.55781G	-9.19	6.6584G	-66.71	-49.19	-17.52	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69199G	-9.03	6.624G	-64.58	-49.03	-15.55	1
6.69319G	-9.52	6.7598G	-66.96	-49.52	-17.44	2
6.69159G	-9.36	6.7462G	-66.59	-49.36	-17.23	3
6.67561G	-9.69	6.784G	-66.85	-49.69	-17.16	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

20/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0808G	-9.53	7.0078G	-64.82	-49.53	-15.29	1
7.07941G	-10.09	7.008G	-67.66	-50.09	-17.57	2
7.0872G	-9.87	6.985G	-67.57	-49.87	-17.70	3
7.0868G	-10.34	6.9854G	-67.80	-50.34	-17.46	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9826G	-5.11	5.8086G	-59.75	-45.11	-14.64	1
5.9822G	-4.90	5.805G	-59.91	-44.90	-15.01	2
5.97941G	-4.64	5.8154G	-60.14	-44.64	-15.50	3
5.9818G	-4.87	5.8146G	-59.88	-44.87	-15.01	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

20/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93941G	-7.08	6.7658G	-61.56	-47.08	-14.48	1
6.93621G	-7.13	6.7702G	-61.86	-47.13	-14.73	2
6.93141G	-7.68	6.7738G	-61.42	-47.68	-13.74	3
6.93101G	-7.67	6.7642G	-61.61	-47.67	-13.94	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0202G	-6.62	6.8554G	-61.03	-46.62	-14.41	1
7.01461G	-6.54	6.8502G	-60.84	-46.54	-14.30	2
7.01261G	-7.04	6.857G	-60.57	-47.04	-13.53	3
7.01381G	-7.07	6.857G	-61.30	-47.07	-14.23	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

20/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

20/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

20/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

20/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

20/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

20/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

20/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96022G	-3.48	6.7346G	-52.34	-43.48	-8.86	1
6.95543G	-4.04	6.737G	-52.77	-44.04	-8.73	2
6.94984G	-4.39	6.737G	-52.66	-44.39	-8.27	3
6.94824G	-4.42	6.7386G	-52.50	-44.39	-8.11	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

16/03/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

16/03/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

16/03/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

16/03/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

16/03/2022



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

16/03/2022

