




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	40.67M	39.28	40.00	-0.72	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
QP	40.67M	39.28	40.00	-0.72	-12.62	3	Vertical	111	1.25	"Worst"	51.90	18.50	1.26	32.38
PK	48.43M	34.87	40.00	-5.13	-16.29	3	Vertical	0	2.00	-	51.16	14.74	1.31	32.34
QP	68.8M	34.86	40.00	-5.14	-18.64	3	Vertical	0	2.00	-	53.50	12.18	1.47	32.29
PK	202.66M	39.92	43.50	-3.58	-14.83	3	Vertical	147	1.00	-	54.75	15.21	2.20	32.24
PK	253.1M	39.10	46.00	-6.90	-11.23	3	Vertical	360	3.00	-	50.33	18.67	2.42	32.32
PK	265.71M	39.13	46.00	-6.87	-10.36	3	Vertical	197	1.50	-	49.49	19.39	2.47	32.22

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
PK	39.7M	34.11	40.00	-5.89	-12.08	3	Horizontal	1	3.00	-	46.19	19.05	1.25	32.38
PK	70.74M	34.92	40.00	-5.08	-18.67	3	Horizontal	187	3.00	-	53.59	12.14	1.48	32.29
PK	189.08M	36.99	43.50	-6.51	-15.31	3	Horizontal	157	1.25	-	52.30	14.87	2.14	32.32
QP	201.69M	40.25	43.50	-3.25	-14.85	3	Horizontal	146	1.50	"Worst"	55.10	15.18	2.20	32.23
PK	253.1M	36.71	46.00	-9.29	-11.23	3	Horizontal	360	1.00	-	47.94	18.67	2.42	32.32
PK	265.71M	37.27	46.00	-8.73	-10.36	3	Horizontal	213	1.50	-	47.63	19.39	2.47	32.22




Test Mode: Mode 1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.39155G	53.92	54.00	-0.08	3	Horizontal	142	2.04	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8568G	63.29	88.20	-24.91	55.90	3	Vertical	242	1.80	-	32.23	7.61	32.45
RMS	5.9126G	52.74	68.20	-15.46	45.14	3	Vertical	242	1.80	-	32.40	7.64	32.44
PK	5.947G	118.89	Inf	-Inf	111.28	3	Vertical	242	1.80	-	32.40	7.65	32.44
RMS	5.9478G	109.31	Inf	-Inf	101.70	3	Vertical	242	1.80	-	32.40	7.65	32.44

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8574G	62.93	88.20	-25.27	55.54	3	Horizontal	93	1.80	-	32.23	7.61	32.45
RMS	5.8988G	52.50	68.20	-15.70	44.91	3	Horizontal	93	1.80	-	32.40	7.63	32.44
PK	5.9536G	102.48	Inf	-Inf	94.85	3	Horizontal	93	1.80	-	32.41	7.66	32.44
RMS	5.9528G	91.91	Inf	-Inf	84.28	3	Horizontal	93	1.80	-	32.41	7.66	32.44

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.913G	59.07	74.00	-14.93	74.87	3	Vertical	52	1.80	-	38.93	11.07	65.80
AV	11.91345G	47.34	54.00	-6.66	63.14	3	Vertical	52	1.80	-	38.93	11.07	65.80
PK	17.88395G	61.24	74.00	-12.76	63.83	3	Vertical	263	1.46	-	46.51	13.41	62.51
AV	17.88995G	49.71	54.00	-4.29	52.14	3	Vertical	263	1.46	-	46.66	13.41	62.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
Setting 15.5
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.913G	59.82	74.00	-14.18	75.62	3	Horizontal	52	1.80	-	38.93	11.07	65.80
AV	11.9135G	47.28	54.00	-6.72	63.08	3	Horizontal	52	1.80	-	38.93	11.07	65.80
PK	17.8591G	61.37	74.00	-12.63	64.61	3	Horizontal	120	1.61	-	45.92	13.40	62.56
AV	17.8875G	49.68	54.00	-4.32	52.17	3	Horizontal	120	1.61	-	46.60	13.41	62.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81989G	55.60	83.54	-27.94	46.45	1	Vertical	339	1.49	-	38.98	17.35	47.18
AV	23.81991G	52.31	63.54	-11.23	43.16	1	Vertical	339	1.49	-	38.98	17.35	47.18

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81983G	54.78	83.54	-28.76	45.63	1	Horizontal	90	1.64	-	38.98	17.35	47.18
AV	23.8199G	50.90	63.54	-12.64	41.75	1	Horizontal	90	1.64	-	38.98	17.35	47.18

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.381G	60.08	74.00	-13.92	75.38	3	Vertical	151	1.80	-	38.84	11.26	65.40
AV	12.3795G	47.86	54.00	-6.14	63.16	3	Vertical	151	1.80	-	38.84	11.26	65.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39145G	66.87	74.00	-7.13	82.17	3	Horizontal	142	2.04	-	38.82	11.27	65.39
AV	12.39155G	53.92	54.00	-0.08	69.22	3	Horizontal	142	2.04	-	38.82	11.27	65.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58601G	44.87	83.54	-38.67	41.52	1	Vertical	89	1.50	-	37.70	15.27	49.62
AV	18.5849G	33.00	63.54	-30.54	29.65	1	Vertical	89	1.50	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58523G	44.73	83.54	-38.81	41.38	1	Horizontal	307	1.50	-	37.70	15.27	49.62
AV	18.58464G	32.82	63.54	-30.72	29.47	1	Horizontal	307	1.50	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
Setting 16
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83005G	62.15	88.20	-26.05	76.70	3	Vertical	257	2.64	-	39.26	11.44	65.25
RMS	12.82995G	50.62	68.20	-17.58	65.17	3	Vertical	257	2.64	-	39.26	11.44	65.25

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
Setting 16
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82766G	64.01	88.20	-24.19	78.57	3	Horizontal	44	1.80	-	39.26	11.43	65.25
RMS	12.82755G	51.75	68.20	-16.45	66.31	3	Horizontal	44	1.80	-	39.26	11.43	65.25

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2444G	46.07	83.54	-37.47	42.43	1	Vertical	84	1.76	-	37.91	15.24	49.51
AV	19.24476G	31.87	63.54	-31.67	28.23	1	Vertical	84	1.76	-	37.91	15.24	49.51

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2445G	47.35	83.54	-36.19	43.71	1	Horizontal	292	1.50	-	37.91	15.24	49.51
AV	19.24352G	31.88	63.54	-31.66	28.24	1	Horizontal	292	1.50	-	37.91	15.24	49.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07035G	57.90	88.20	-30.30	72.38	3	Vertical	349	1.80	-	39.08	11.53	65.09
RMS	13.07005G	47.32	68.20	-20.88	61.80	3	Vertical	349	1.80	-	39.08	11.53	65.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0674G	62.66	88.20	-25.54	77.16	3	Horizontal	42	1.80	-	39.07	11.53	65.10
RMS	13.0689G	51.42	68.20	-16.78	65.91	3	Horizontal	42	1.80	-	39.08	11.53	65.10

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60419G	41.06	83.54	-42.48	37.60	1	Vertical	174	1.45	-	37.83	15.22	49.59
AV	19.60252G	29.21	63.54	-34.33	25.77	1	Vertical	174	1.45	-	37.82	15.22	49.60

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60311G	41.02	83.54	-42.52	37.58	1	Horizontal	16	1.37	-	37.82	15.22	49.60
AV	19.60285G	29.35	63.54	-34.19	25.91	1	Horizontal	16	1.37	-	37.82	15.22	49.60

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.3927G	59.80	74.00	-14.20	72.83	3	Vertical	319	1.80	-	39.79	11.65	64.47
AV	13.3927G	47.89	54.00	-6.11	60.92	3	Vertical	319	1.80	-	39.79	11.65	64.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3892G	63.52	74.00	-10.48	76.56	3	Horizontal	45	1.80	-	39.78	11.65	64.47
AV	13.38965G	51.98	54.00	-2.02	65.02	3	Horizontal	45	1.80	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08382G	41.85	83.54	-41.69	37.99	1	Vertical	99	1.59	-	37.84	15.27	49.25
AV	20.0864G	29.40	63.54	-34.14	25.53	1	Vertical	99	1.59	-	37.85	15.27	49.25

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08422G	41.40	83.54	-42.14	37.54	1	Horizontal	118	1.90	-	37.84	15.27	49.25
AV	20.08725G	29.53	63.54	-34.01	25.66	1	Horizontal	118	1.90	-	37.85	15.27	49.25

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71115G	57.46	88.20	-30.74	69.91	3	Vertical	320	1.80	-	40.12	11.77	64.34
RMS	13.7151G	45.45	68.20	-22.75	57.90	3	Vertical	320	1.80	-	40.13	11.77	64.35

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69315G	57.52	88.20	-30.68	70.00	3	Horizontal	20	1.80	-	40.10	11.76	64.34
RMS	13.7131G	45.97	68.20	-22.23	58.42	3	Horizontal	20	1.80	-	40.13	11.77	64.35

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56251G	42.97	83.54	-40.57	38.50	1	Vertical	57	1.66	-	37.93	15.65	49.11
AV	20.56666G	31.22	63.54	-32.32	26.75	1	Vertical	57	1.66	-	37.93	15.65	49.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56433G	43.18	83.54	-40.36	38.71	1	Horizontal	2	1.78	-	37.93	15.65	49.11
AV	20.56715G	31.09	63.54	-32.45	26.62	1	Horizontal	2	1.78	-	37.93	15.65	49.11

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	66.81	88.20	-21.39	59.21	3	Vertical	111	1.80	-	32.40	7.64	32.44
RMS	5.9216G	56.46	68.20	-11.74	48.86	3	Vertical	111	1.80	-	32.40	7.64	32.44
PK	5.9612G	118.70	Inf	-Inf	111.06	3	Vertical	111	1.80	-	32.42	7.66	32.44
RMS	5.9608G	108.82	Inf	-Inf	101.18	3	Vertical	111	1.80	-	32.42	7.66	32.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8836G	63.24	88.20	-24.96	55.73	3	Horizontal	170	1.83	-	32.33	7.62	32.44
RMS	5.9242G	52.52	68.20	-15.68	44.92	3	Horizontal	170	1.83	-	32.40	7.64	32.44
PK	5.9614G	104.29	Inf	-Inf	96.65	3	Horizontal	170	1.83	-	32.42	7.66	32.44
RMS	5.963G	94.22	Inf	-Inf	86.57	3	Horizontal	170	1.83	-	32.43	7.66	32.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9511G	54.22	74.00	-19.78	69.90	3	Vertical	91	1.80	-	39.00	11.09	65.77
AV	11.9299G	43.42	54.00	-10.58	59.17	3	Vertical	91	1.80	-	38.96	11.08	65.79
PK	17.9133G	61.86	74.00	-12.14	63.70	3	Vertical	47	1.99	-	47.19	13.42	62.45
AV	17.9156G	50.51	54.00	-3.49	52.30	3	Vertical	47	1.99	-	47.24	13.42	62.45

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93265G	57.91	74.00	-16.09	73.64	3	Horizontal	52	1.80	-	38.97	11.08	65.78
AV	11.9336G	46.90	54.00	-7.10	62.63	3	Horizontal	52	1.80	-	38.97	11.08	65.78
PK	17.91755G	62.06	74.00	-11.94	63.79	3	Horizontal	251	1.40	-	47.29	13.42	62.44
AV	17.9153G	50.33	54.00	-3.67	52.12	3	Horizontal	251	1.40	-	47.24	13.42	62.45

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
Setting 15.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85986G	57.35	83.54	-26.19	48.35	1	Vertical	80	1.74	-	38.80	17.36	47.16
AV	23.8599G	55.00	63.54	-8.54	46.00	1	Vertical	80	1.74	-	38.80	17.36	47.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85988G	56.87	83.54	-26.67	47.87	1	Horizontal	89	1.62	-	38.80	17.36	47.16
AV	23.8599G	53.96	63.54	-9.58	44.96	1	Horizontal	89	1.62	-	38.80	17.36	47.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42055G	60.12	74.00	-13.88	75.52	3	Vertical	152	1.80	-	38.68	11.28	65.36
AV	12.40045G	47.59	54.00	-6.41	62.90	3	Vertical	152	1.80	-	38.80	11.27	65.38

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41025G	62.62	74.00	-11.38	77.97	3	Horizontal	140	1.80	-	38.74	11.28	65.37
AV	12.40955G	50.93	54.00	-3.07	66.28	3	Horizontal	140	1.80	-	38.74	11.28	65.37

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61391G	44.51	83.54	-39.03	41.11	1	Vertical	358	1.96	-	37.73	15.27	49.60
AV	18.61273G	32.20	63.54	-31.34	28.80	1	Vertical	358	1.96	-	37.73	15.27	49.60

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61438G	44.46	83.54	-39.08	41.06	1	Horizontal	50	1.91	-	37.73	15.27	49.60
AV	18.61286G	32.30	63.54	-31.24	28.90	1	Horizontal	50	1.91	-	37.73	15.27	49.60

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
 Setting 16
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8037G	56.00	88.20	-32.20	70.61	3	Vertical	61	1.88	-	39.21	11.43	65.25
RMS	12.8149G	44.43	68.20	-23.77	59.02	3	Vertical	61	1.88	-	39.23	11.43	65.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
Setting 16
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80695G	63.35	88.20	-24.85	77.96	3	Horizontal	44	1.80	-	39.21	11.43	65.25
RMS	12.8073G	51.82	68.20	-16.38	66.43	3	Horizontal	44	1.80	-	39.21	11.43	65.25

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21537G	43.18	83.54	-40.36	39.46	1	Vertical	140	1.37	-	37.97	15.24	49.49
AV	19.21321G	30.89	63.54	-32.65	27.16	1	Vertical	140	1.37	-	37.97	15.24	49.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21281G	42.26	83.54	-41.28	38.53	1	Horizontal	98	1.97	-	37.97	15.24	49.48
AV	19.21324G	31.00	63.54	-32.54	27.28	1	Horizontal	98	1.97	-	37.97	15.24	49.49

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14925G	55.33	88.20	-32.87	69.31	3	Vertical	244	1.56	-	39.40	11.56	64.94
RMS	13.14495G	43.48	68.20	-24.72	57.49	3	Vertical	244	1.56	-	39.38	11.56	64.95

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
Setting 15.5
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11795G	55.54	88.20	-32.66	69.73	3	Horizontal	54	1.51	-	39.27	11.54	65.00
RMS	13.1459G	43.53	68.20	-24.67	57.54	3	Horizontal	54	1.51	-	39.38	11.56	64.95

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69586G	40.63	83.54	-42.91	37.11	1	Vertical	264	1.80	-	37.82	15.22	49.52
AV	19.69256G	28.63	63.54	-34.91	25.09	1	Vertical	264	1.80	-	37.84	15.22	49.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69352G	40.56	83.54	-42.98	37.02	1	Horizontal	294	1.79	-	37.84	15.22	49.52
AV	19.69258G	28.78	63.54	-34.76	25.24	1	Horizontal	294	1.79	-	37.84	15.22	49.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38095G	56.56	74.00	-17.44	69.65	3	Vertical	49	1.66	-	39.76	11.64	64.49
AV	13.39205G	45.02	54.00	-8.98	58.06	3	Vertical	49	1.66	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38785G	56.29	74.00	-17.71	69.34	3	Horizontal	142	1.63	-	39.78	11.65	64.48
AV	13.3902G	44.94	54.00	-9.06	57.98	3	Horizontal	142	1.63	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0557G	40.61	83.54	-42.93	36.91	1	Vertical	130	1.90	-	37.72	15.24	49.26
AV	20.05662G	28.96	63.54	-34.58	25.24	1	Vertical	130	1.90	-	37.73	15.25	49.26

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05737G	41.22	83.54	-42.32	37.50	1	Horizontal	138	1.48	-	37.73	15.25	49.26
AV	20.05378G	28.96	63.54	-34.58	25.26	1	Horizontal	138	1.48	-	37.72	15.24	49.26

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6953G	57.11	88.20	-31.09	69.59	3	Vertical	199	1.76	-	40.10	11.76	64.34
RMS	13.7035G	44.70	68.20	-23.50	57.16	3	Vertical	199	1.76	-	40.11	11.77	64.34

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70155G	56.53	88.20	-31.67	69.00	3	Horizontal	237	1.68	-	40.10	11.77	64.34
RMS	13.7035G	44.76	68.20	-23.44	57.22	3	Horizontal	237	1.68	-	40.11	11.77	64.34

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5335G	43.13	83.54	-40.41	38.82	1	Vertical	312	1.99	-	37.80	15.63	49.12
AV	20.53736G	30.90	63.54	-32.64	26.57	1	Vertical	312	1.99	-	37.82	15.63	49.12

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53427G	42.74	83.54	-40.80	38.42	1	Horizontal	131	1.97	-	37.81	15.63	49.12
AV	20.53304G	30.90	63.54	-32.64	26.59	1	Horizontal	131	1.97	-	37.80	15.63	49.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	68.73	88.20	-19.47	61.13	3	Vertical	111	1.80	-	32.40	7.64	32.44
RMS	5.921G	58.30	68.20	-9.90	50.70	3	Vertical	111	1.80	-	32.40	7.64	32.44
PK	5.98G	113.03	Inf	-Inf	105.34	3	Vertical	111	1.80	-	32.46	7.67	32.44
RMS	5.9805G	105.19	Inf	-Inf	97.50	3	Vertical	111	1.80	-	32.46	7.67	32.44

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	62.27	88.20	-25.93	54.68	3	Horizontal	169	1.80	-	32.40	7.63	32.44
RMS	5.902G	51.90	68.20	-16.30	44.31	3	Horizontal	169	1.80	-	32.40	7.63	32.44
PK	5.983G	98.08	Inf	-Inf	90.38	3	Horizontal	169	1.80	-	32.47	7.67	32.44
RMS	6.003G	87.66	Inf	-Inf	79.91	3	Horizontal	169	1.80	-	32.51	7.68	32.44

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9836G	53.75	74.00	-20.25	69.32	3	Vertical	214	1.75	-	39.07	11.11	65.75
AV	11.97G	44.16	54.00	-9.84	59.78	3	Vertical	214	1.75	-	39.04	11.10	65.76
PK	17.948G	62.93	74.00	-11.07	63.92	3	Vertical	47	1.91	-	47.96	13.43	62.38
AV	17.97935G	50.50	54.00	-3.50	50.44	3	Vertical	47	1.91	-	48.94	13.44	62.32

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97705G	56.59	74.00	-17.41	72.19	3	Horizontal	48	1.80	-	39.05	11.11	65.76
AV	11.974G	44.75	54.00	-9.25	60.35	3	Horizontal	48	1.80	-	39.05	11.11	65.76
PK	17.96945G	61.02	74.00	-12.98	61.30	3	Horizontal	336	1.84	-	48.62	13.44	62.34
AV	17.97935G	50.44	54.00	-3.56	50.38	3	Horizontal	336	1.84	-	48.94	13.44	62.32

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93998G	54.09	83.54	-29.45	44.95	1	Vertical	134	1.50	-	38.88	17.38	47.12
AV	23.93991G	49.76	63.54	-13.78	40.62	1	Vertical	134	1.50	-	38.88	17.38	47.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93982G	55.21	83.54	-28.33	46.07	1	Horizontal	91	1.50	-	38.88	17.38	47.12
AV	23.93988G	51.92	63.54	-11.62	42.78	1	Horizontal	91	1.50	-	38.88	17.38	47.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4696G	55.22	74.00	-18.78	70.74	3	Vertical	240	1.78	-	38.50	11.30	65.32
AV	12.43085G	42.69	54.00	-11.31	58.15	3	Vertical	240	1.78	-	38.61	11.28	65.35

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46455G	54.49	74.00	-19.51	70.01	3	Horizontal	188	1.41	-	38.50	11.30	65.32
AV	12.4314G	42.66	54.00	-11.34	58.12	3	Horizontal	188	1.41	-	38.61	11.28	65.35

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67563G	43.91	83.54	-39.63	40.50	1	Vertical	251	1.74	-	37.70	15.27	49.56
AV	18.67251G	32.18	63.54	-31.36	28.76	1	Vertical	251	1.74	-	37.71	15.27	49.56

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67683G	44.05	83.54	-39.49	40.65	1	Horizontal	82	1.81	-	37.69	15.27	49.56
AV	18.67373G	32.17	63.54	-31.37	28.75	1	Horizontal	82	1.81	-	37.71	15.27	49.56

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 16
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79155G	54.82	88.20	-33.38	69.51	3	Vertical	135	1.40	-	39.15	11.42	65.26
RMS	12.79G	43.10	68.20	-25.10	57.80	3	Vertical	135	1.40	-	39.14	11.42	65.26

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 16
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78565G	55.10	88.20	-33.10	69.83	3	Horizontal	180	1.56	-	39.11	11.42	65.26
RMS	12.79G	43.01	68.20	-25.19	57.71	3	Horizontal	180	1.56	-	39.14	11.42	65.26

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15633G	42.80	83.54	-40.74	39.27	1	Vertical	113	1.50	-	37.74	15.24	49.45
AV	19.15692G	30.85	63.54	-32.69	27.32	1	Vertical	113	1.50	-	37.74	15.24	49.45

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15258G	42.81	83.54	-40.73	39.29	1	Horizontal	186	1.38	-	37.72	15.24	49.44
AV	19.15288G	30.95	63.54	-32.59	27.43	1	Horizontal	186	1.38	-	37.72	15.24	49.44

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.229G	55.69	88.20	-32.51	69.69	3	Vertical	5	1.57	-	39.20	11.59	64.79
RMS	13.22675G	43.32	68.20	-24.88	57.32	3	Vertical	5	1.57	-	39.20	11.59	64.79

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24435G	55.80	88.20	-32.40	69.77	3	Horizontal	330	1.53	-	39.20	11.59	64.76
RMS	13.2469G	43.21	68.20	-24.99	57.17	3	Horizontal	330	1.53	-	39.20	11.59	64.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87659G	41.65	83.54	-41.89	38.05	1	Vertical	17	1.69	-	37.76	15.21	49.37
AV	19.87628G	30.02	63.54	-33.52	26.42	1	Vertical	17	1.69	-	37.76	15.21	49.37

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87401G	41.79	83.54	-41.75	38.21	1	Horizontal	305	1.78	-	37.74	15.21	49.37
AV	19.87678G	30.02	63.54	-33.52	26.42	1	Horizontal	305	1.78	-	37.76	15.21	49.37

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40935G	56.99	88.20	-31.21	69.93	3	Vertical	307	1.67	-	39.84	11.66	64.44
RMS	13.41285G	44.95	68.20	-23.25	57.87	3	Vertical	307	1.67	-	39.85	11.66	64.43

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4171G	56.44	88.20	-31.76	69.33	3	Horizontal	136	1.61	-	39.87	11.66	64.42
RMS	13.403G	45.11	68.20	-23.09	58.10	3	Horizontal	136	1.61	-	39.81	11.65	64.45

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11636G	41.71	83.54	-41.83	37.86	1	Vertical	192	1.76	-	37.80	15.29	49.24
AV	20.11264G	29.31	63.54	-34.23	25.44	1	Vertical	192	1.76	-	37.82	15.29	49.24

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11402G	41.70	83.54	-41.84	37.83	1	Horizontal	327	1.39	-	37.82	15.29	49.24
AV	20.11611G	29.43	63.54	-34.11	25.58	1	Horizontal	327	1.39	-	37.80	15.29	49.24

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.581G	56.84	88.20	-31.36	69.23	3	Vertical	197	1.52	-	40.18	11.72	64.29
RMS	13.5705G	44.65	68.20	-23.55	57.00	3	Vertical	197	1.52	-	40.22	11.72	64.29

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5775G	56.75	88.20	-31.45	69.13	3	Horizontal	169	1.94	-	40.19	11.72	64.29
RMS	13.57095G	44.64	68.20	-23.56	56.99	3	Horizontal	169	1.94	-	40.22	11.72	64.29

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35331G	42.83	83.54	-40.71	38.44	1	Vertical	221	1.58	-	38.09	15.48	49.18
AV	20.35284G	31.51	63.54	-32.03	27.12	1	Vertical	221	1.58	-	38.09	15.48	49.18

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35655G	43.77	83.54	-39.77	39.37	1	Horizontal	270	1.45	-	38.09	15.49	49.18
AV	20.35287G	31.51	63.54	-32.03	27.12	1	Horizontal	270	1.45	-	38.09	15.48	49.18

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	66.63	88.20	-21.57	59.03	3	Vertical	114	1.80	-	32.40	7.64	32.44
RMS	5.92G	57.35	68.20	-10.85	49.75	3	Vertical	114	1.80	-	32.40	7.64	32.44
PK	6.0004G	111.16	Inf	-Inf	103.42	3	Vertical	114	1.80	-	32.50	7.68	32.44
RMS	6.0004G	101.01	Inf	-Inf	93.27	3	Vertical	114	1.80	-	32.50	7.68	32.44

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	63.18	88.20	-25.02	55.65	3	Horizontal	171	1.80	-	32.35	7.62	32.44
RMS	5.8966G	52.03	68.20	-16.17	44.45	3	Horizontal	171	1.80	-	32.39	7.63	32.44
PK	5.9836G	94.39	Inf	-Inf	86.69	3	Horizontal	171	1.80	-	32.47	7.67	32.44
RMS	6.0028G	85.20	Inf	-Inf	77.45	3	Horizontal	171	1.80	-	32.51	7.68	32.44

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0985G	54.80	74.00	-19.20	69.99	3	Vertical	78	1.02	-	39.30	11.16	65.65
AV	12.05G	43.06	54.00	-10.94	58.31	3	Vertical	78	1.02	-	39.30	11.14	65.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0794G	55.78	74.00	-18.22	71.00	3	Horizontal	209	1.80	-	39.30	11.15	65.67
AV	12.05G	45.82	54.00	-8.18	61.07	3	Horizontal	209	1.80	-	39.30	11.14	65.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
Setting 15.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07381G	45.71	83.54	-37.83	42.39	1	Vertical	204	1.87	-	37.50	15.30	49.48
AV	18.0754G	33.08	63.54	-30.46	29.76	1	Vertical	204	1.87	-	37.50	15.30	49.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07615G	45.09	83.54	-38.45	41.77	1	Horizontal	132	1.80	-	37.50	15.30	49.48
AV	18.07668G	33.02	63.54	-30.52	29.69	1	Horizontal	132	1.80	-	37.51	15.30	49.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.398G	54.77	74.00	-19.23	70.08	3	Vertical	257	1.42	-	38.80	11.27	65.38
AV	12.3668G	42.85	54.00	-11.15	58.13	3	Vertical	257	1.42	-	38.87	11.26	65.41

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3751G	54.96	74.00	-19.04	70.25	3	Horizontal	277	1.67	-	38.85	11.26	65.40
AV	12.3723G	42.91	54.00	-11.09	58.19	3	Horizontal	277	1.67	-	38.86	11.26	65.40

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55522G	44.12	83.54	-39.42	40.79	1	Vertical	76	1.51	-	37.70	15.27	49.64
AV	18.55264G	32.23	63.54	-31.31	28.90	1	Vertical	76	1.51	-	37.70	15.27	49.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 15.5
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55681G	44.54	83.54	-39.00	41.21	1	Horizontal	253	1.86	-	37.70	15.27	49.64
AV	18.55252G	32.23	63.54	-31.31	28.90	1	Horizontal	253	1.86	-	37.70	15.27	49.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7185G	54.27	88.20	-33.93	69.30	3	Vertical	244	1.95	-	38.84	11.39	65.26
RMS	12.7383G	42.49	68.20	-25.71	57.47	3	Vertical	244	1.95	-	38.88	11.40	65.26

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7083G	55.05	88.20	-33.15	70.11	3	Horizontal	81	1.63	-	38.82	11.39	65.27
RMS	12.7094G	42.46	68.20	-25.74	57.51	3	Horizontal	81	1.63	-	38.82	11.39	65.26

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03443G	42.90	83.54	-40.64	39.11	1	Vertical	106	1.81	-	37.90	15.25	49.36
AV	19.03606G	31.31	63.54	-32.23	27.52	1	Vertical	106	1.81	-	37.90	15.25	49.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03379G	43.48	83.54	-40.06	39.69	1	Horizontal	31	1.81	-	37.90	15.25	49.36
AV	19.03567G	31.31	63.54	-32.23	27.52	1	Horizontal	31	1.81	-	37.90	15.25	49.36

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33288G	56.84	74.00	-17.16	70.19	3	Vertical	93	1.80	-	39.60	11.63	64.58
AV	13.32996G	45.11	54.00	-8.89	58.49	3	Vertical	93	1.80	-	39.58	11.63	64.59

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33392G	57.71	74.00	-16.29	71.06	3	Horizontal	141	1.80	-	39.60	11.63	64.58
AV	13.33414G	45.68	54.00	-8.32	59.03	3	Horizontal	141	1.80	-	39.60	11.63	64.58

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99741G	41.03	83.54	-42.51	37.30	1	Vertical	252	1.54	-	37.80	15.20	49.27			
AV	19.99732G	29.34	63.54	-34.20	25.61	1	Vertical	252	1.54	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99464G	41.20	83.54	-42.34	37.47	1	Horizontal	138	1.60	-	37.80	15.20	49.27
AV	19.99404G	29.36	63.54	-34.18	25.63	1	Horizontal	138	1.60	-	37.80	15.20	49.27

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 16
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	62.59	88.20	-25.61	55.00	3	Vertical	341	1.80	-	32.40	7.63	32.44
RMS	5.8838G	52.23	68.20	-15.97	44.71	3	Vertical	341	1.80	-	32.34	7.62	32.44
PK	5.951G	115.46	Inf	-Inf	107.84	3	Vertical	341	1.80	-	32.40	7.66	32.44
RMS	5.9522G	105.24	Inf	-Inf	97.62	3	Vertical	341	1.80	-	32.40	7.66	32.44

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 16
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.892G	61.94	88.20	-26.26	54.38	3	Horizontal	170	1.96	-	32.37	7.63	32.44
RMS	5.8812G	52.02	68.20	-16.18	44.52	3	Horizontal	170	1.96	-	32.32	7.62	32.44
PK	5.9616G	96.54	Inf	-Inf	88.90	3	Horizontal	170	1.96	-	32.42	7.66	32.44
RMS	5.9628G	86.19	Inf	-Inf	78.54	3	Horizontal	170	1.96	-	32.43	7.66	32.44

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90995G	50.09	74.00	-23.91	65.90	3	Vertical	200	1.80	-	38.92	11.07	65.80
AV	11.90996G	40.90	54.00	-13.10	56.71	3	Vertical	200	1.80	-	38.92	11.07	65.80
PK	17.86526G	60.80	74.00	-13.20	63.86	3	Vertical	9	1.80	-	46.07	13.41	62.54
AV	17.86599G	47.13	54.00	-6.87	50.18	3	Vertical	9	1.80	-	46.08	13.41	62.54

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90995G	49.63	74.00	-24.37	65.44	3	Horizontal	149	1.53	-	38.92	11.07	65.80
AV	11.90996G	40.83	54.00	-13.17	56.64	3	Horizontal	149	1.53	-	38.92	11.07	65.80
PK	17.86274G	59.97	74.00	-14.03	63.10	3	Horizontal	148	1.76	-	46.01	13.41	62.55
AV	17.86695G	47.10	54.00	-6.90	50.12	3	Horizontal	148	1.76	-	46.11	13.41	62.54

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81996G	56.25	83.54	-27.29	47.10	1	Vertical	337	1.49	-	38.98	17.35	47.18
AV	23.81992G	52.93	63.54	-10.61	43.78	1	Vertical	337	1.49	-	38.98	17.35	47.18

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81998G	54.83	83.54	-28.71	45.68	1	Horizontal	90	1.64	-	38.98	17.35	47.18
AV	23.81989G	51.02	63.54	-12.52	41.87	1	Horizontal	90	1.64	-	38.98	17.35	47.18

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_X_4TX
Setting 17
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38994G	51.25	74.00	-22.75	66.55	3	Vertical	158	1.99	-	38.82	11.27	65.39
AV	12.38998G	47.04	54.00	-6.96	62.34	3	Vertical	158	1.99	-	38.82	11.27	65.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_X_4TX
Setting 17
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39003G	50.45	74.00	-23.55	65.75	3	Horizontal	152	1.80	-	38.82	11.27	65.39
AV	12.38997G	45.27	54.00	-8.73	60.57	3	Horizontal	152	1.80	-	38.82	11.27	65.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58981G	43.96	83.54	-39.58	40.61	1	Vertical	89	1.50	-	37.70	15.27	49.62
AV	18.58471G	33.53	63.54	-30.01	30.18	1	Vertical	89	1.50	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58387G	44.58	83.54	-38.96	41.23	1	Horizontal	225	1.50	-	37.70	15.27	49.62
AV	18.58451G	32.31	63.54	-31.23	28.96	1	Horizontal	225	1.50	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_X_4TX
Setting 18
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83724G	62.38	88.20	-25.82	76.92	3	Vertical	235	2.38	-	39.27	11.44	65.25
RMS	12.82885G	56.44	68.20	-11.76	71.00	3	Vertical	235	2.38	-	39.26	11.43	65.25

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_X_4TX
Setting 18
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8275G	64.37	88.20	-23.83	78.93	3	Horizontal	28	1.80	-	39.26	11.43	65.25
RMS	12.82655G	53.95	68.20	-14.25	68.52	3	Horizontal	28	1.80	-	39.25	11.43	65.25

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_X_4TX
Setting 18
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24453G	46.41	83.54	-37.13	42.77	1	Vertical	69	1.58	-	37.91	15.24	49.51
AV	19.24495G	31.39	63.54	-32.15	27.75	1	Vertical	69	1.58	-	37.91	15.24	49.51

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_X_4TX
Setting 18
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24483G	47.51	83.54	-36.03	43.87	1	Horizontal	283	1.50	-	37.91	15.24	49.51
AV	19.24351G	31.48	63.54	-32.06	27.84	1	Horizontal	283	1.50	-	37.91	15.24	49.51

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07075G	57.35	88.20	-30.85	71.83	3	Vertical	311	1.80	-	39.08	11.53	65.09
RMS	13.07103G	49.88	68.20	-18.32	64.36	3	Vertical	311	1.80	-	39.08	11.53	65.09

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06911G	62.95	88.20	-25.25	77.44	3	Horizontal	28	1.80	-	39.08	11.53	65.10
RMS	13.06836G	53.77	68.20	-14.43	68.27	3	Horizontal	28	1.80	-	39.07	11.53	65.10

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60363G	41.47	83.54	-42.07	38.03	1	Vertical	158	1.45	-	37.82	15.22	49.60
AV	19.60296G	29.61	63.54	-33.93	26.17	1	Vertical	158	1.45	-	37.82	15.22	49.60

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60315G	41.38	83.54	-42.16	37.94	1	Horizontal	19	1.50	-	37.82	15.22	49.60
AV	19.60278G	29.56	63.54	-33.98	26.12	1	Horizontal	19	1.50	-	37.82	15.22	49.60

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39207G	49.66	74.00	-24.34	62.70	3	Vertical	248	1.80	-	39.78	11.65	64.47
AV	13.38996G	41.61	54.00	-12.39	54.65	3	Vertical	248	1.80	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38991G	49.92	74.00	-24.08	62.96	3	Horizontal	249	1.73	-	39.78	11.65	64.47
AV	13.38995G	44.37	54.00	-9.63	57.41	3	Horizontal	249	1.73	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6695MHz_TX




EUT_X_4TX
Setting 15
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08357G	41.51	83.54	-42.03	37.66	1	Vertical	89	1.53	-	37.83	15.27	49.25
AV	20.08641G	29.71	63.54	-33.83	25.84	1	Vertical	89	1.53	-	37.85	15.27	49.25

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6695MHz_TX








EUT_X_4TX
 Setting 15
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08315G	41.28	83.54	-42.26	37.43	1	Horizontal	107	1.72	-	37.83	15.27	49.25
AV	20.08535G	29.49	63.54	-34.05	25.63	1	Horizontal	107	1.72	-	37.84	15.27	49.25

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6855MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


10/07/2024

EUT_X_4TX
 Setting 16
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71141G	58.97	88.20	-29.23	71.42	3	Vertical	316	1.80	-	40.12	11.77	64.34
RMS	13.71538G	46.57	88.20	-41.63	59.02	3	Vertical	316	1.80	-	40.13	11.77	64.35

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6855MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70361G	59.89	88.20	-28.31	72.35	3	Horizontal	34	1.80	-	40.11	11.77	64.34
RMS	13.71275G	43.63	68.20	-24.57	56.08	3	Horizontal	34	1.80	-	40.13	11.77	64.35

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6855MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56417G	42.51	83.54	-41.03	38.04	1	Vertical	28	1.66	-	37.93	15.65	49.11
AV	20.56553G	31.49	63.54	-32.05	27.02	1	Vertical	28	1.66	-	37.93	15.65	49.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6855MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56541G	43.51	83.54	-40.03	39.04	1	Horizontal	6	1.65	-	37.93	15.65	49.11
AV	20.56495G	31.74	63.54	-31.80	27.27	1	Horizontal	6	1.65	-	37.93	15.65	49.11

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 16
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	62.42	88.20	-25.78	54.82	3	Vertical	351	1.80	-	32.40	7.64	32.44
RMS	5.9224G	52.59	68.20	-15.61	44.99	3	Vertical	351	1.80	-	32.40	7.64	32.44
PK	5.9528G	111.38	Inf	-Inf	103.75	3	Vertical	351	1.80	-	32.41	7.66	32.44
RMS	5.9528G	101.87	Inf	-Inf	94.24	3	Vertical	351	1.80	-	32.41	7.66	32.44

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 16
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.872G	62.07	88.20	-26.13	54.61	3	Horizontal	171	1.87	-	32.29	7.62	32.45
RMS	5.895G	52.19	68.20	-16.01	44.62	3	Horizontal	171	1.87	-	32.38	7.63	32.44
PK	5.9732G	92.38	Inf	-Inf	84.70	3	Horizontal	171	1.87	-	32.45	7.67	32.44
RMS	5.9746G	82.64	Inf	-Inf	74.96	3	Horizontal	171	1.87	-	32.45	7.67	32.44

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92989G	49.10	74.00	-24.90	64.85	3	Vertical	200	1.80	-	38.96	11.08	65.79
AV	11.92998G	41.21	54.00	-12.79	56.96	3	Vertical	200	1.80	-	38.96	11.08	65.79
PK	17.89545G	59.24	74.00	-14.76	61.51	3	Vertical	250	1.80	-	46.79	13.42	62.48
AV	17.89515G	47.69	54.00	-6.31	49.98	3	Vertical	250	1.80	-	46.78	13.42	62.49

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93022G	47.81	74.00	-26.19	63.56	3	Horizontal	244	1.76	-	38.96	11.08	65.79
AV	11.92998G	39.66	54.00	-14.34	55.41	3	Horizontal	244	1.76	-	38.96	11.08	65.79
PK	17.8957G	59.07	74.00	-14.93	61.33	3	Horizontal	222	1.80	-	46.80	13.42	62.48
AV	17.89618G	47.65	54.00	-6.35	49.90	3	Horizontal	222	1.80	-	46.81	13.42	62.48

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85994G	57.25	83.54	-26.29	48.25	1	Vertical	82	1.73	-	38.80	17.36	47.16
AV	23.85991G	54.31	63.54	-9.23	45.31	1	Vertical	82	1.73	-	38.80	17.36	47.16

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85979G	56.54	83.54	-27.00	47.54	1	Horizontal	94	1.63	-	38.80	17.36	47.16
AV	23.85989G	53.33	63.54	-10.21	44.33	1	Horizontal	94	1.63	-	38.80	17.36	47.16

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6205MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40995G	51.64	74.00	-22.36	66.99	3	Vertical	200	1.80	-	38.74	11.28	65.37
AV	12.40996G	43.57	54.00	-10.43	58.92	3	Vertical	200	1.80	-	38.74	11.28	65.37

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6205MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4099G	52.70	74.00	-21.30	68.05	3	Horizontal	285	1.80	-	38.74	11.28	65.37
AV	12.40996G	45.62	54.00	-8.38	60.97	3	Horizontal	285	1.80	-	38.74	11.28	65.37

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6205MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61415G	44.81	83.54	-38.73	41.41	1	Vertical	343	1.73	-	37.73	15.27	49.60
AV	18.61355G	32.58	63.54	-30.96	29.18	1	Vertical	343	1.73	-	37.73	15.27	49.60

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6205MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61581G	44.96	83.54	-38.58	41.56	1	Horizontal	44	1.58	-	37.73	15.27	49.60
AV	18.61476G	32.13	63.54	-31.41	28.73	1	Horizontal	44	1.58	-	37.73	15.27	49.60

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6405MHz_TX








EUT_X_4TX
Setting 17
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80383G	59.17	88.20	-29.03	73.78	3	Vertical	66	1.80	-	39.21	11.43	65.25
RMS	12.81412G	49.32	68.20	-18.88	63.91	3	Vertical	66	1.80	-	39.23	11.43	65.25

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6405MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


10/07/2024

EUT_X_4TX
 Setting 17
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80557G	63.77	88.20	-24.43	78.38	3	Horizontal	71	1.80	-	39.21	11.43	65.25
RMS	12.80716G	50.28	68.20	-17.92	64.89	3	Horizontal	71	1.80	-	39.21	11.43	65.25

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6405MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21471G	43.57	83.54	-39.97	39.85	1	Vertical	131	1.54	-	37.97	15.24	49.49
AV	19.21554G	30.63	63.54	-32.91	26.91	1	Vertical	131	1.54	-	37.97	15.24	49.49

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6405MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21591G	42.57	83.54	-40.97	38.85	1	Horizontal	57	1.50	-	37.97	15.24	49.49
AV	19.21462G	31.31	63.54	-32.23	27.59	1	Horizontal	57	1.50	-	37.97	15.24	49.49

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6565MHz_TX




EUT_X_4TX
Setting 17
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14674G	57.12	88.20	-31.08	71.12	3	Vertical	216	1.54	-	39.39	11.56	64.95
RMS	13.14535G	45.23	68.20	-22.97	59.24	3	Vertical	216	1.54	-	39.38	11.56	64.95

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6565MHz_TX




EUT_X_4TX
 Setting 17
 01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14653G	56.54	88.20	-31.66	70.54	3	Horizontal	27	1.51	-	39.39	11.56	64.95
RMS	13.14533G	41.53	68.20	-26.67	55.54	3	Horizontal	27	1.51	-	39.38	11.56	64.95

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6565MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69415G	40.37	83.54	-43.17	36.83	1	Vertical	224	1.80	-	37.84	15.22	49.52
AV	19.69535G	28.95	63.54	-34.59	25.42	1	Vertical	224	1.80	-	37.83	15.22	49.52

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6565MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69441G	40.95	83.54	-42.59	37.42	1	Horizontal	351	1.80	-	37.83	15.22	49.52
AV	19.69734G	28.64	63.54	-34.90	25.12	1	Horizontal	351	1.80	-	37.82	15.22	49.52

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6685MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.36757G	51.92	74.00	-22.08	65.06	3	Vertical	292	1.80	-	39.74	11.64	64.52
AV	13.36995G	40.92	54.00	-13.08	54.05	3	Vertical	292	1.80	-	39.74	11.64	64.51

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6685MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36998G	52.75	74.00	-21.25	65.88	3	Horizontal	274	1.80	-	39.74	11.64	64.51
AV	13.36997G	44.05	54.00	-9.95	57.18	3	Horizontal	274	1.80	-	39.74	11.64	64.51

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6685MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05613G	40.13	83.54	-43.41	36.43	1	Vertical	135	1.72	-	37.72	15.24	49.26
AV	20.05655G	28.71	63.54	-34.83	24.99	1	Vertical	135	1.72	-	37.73	15.25	49.26

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6685MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05551G	41.97	83.54	-41.57	38.27	1	Horizontal	122	1.50	-	37.72	15.24	49.26
AV	20.05461G	28.46	63.54	-35.08	24.76	1	Horizontal	122	1.50	-	37.72	15.24	49.26

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6845MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70461G	59.74	88.20	-28.46	72.20	3	Vertical	185	1.69	-	40.11	11.77	64.34
RMS	13.70571G	47.69	68.20	-20.51	60.15	3	Vertical	185	1.69	-	40.11	11.77	64.34

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6845MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70458G	57.53	88.20	-30.67	69.99	3	Horizontal	232	1.75	-	40.11	11.77	64.34
RMS	13.70561G	45.13	68.20	-23.07	57.59	3	Horizontal	232	1.75	-	40.11	11.77	64.34

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6845MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53472G	43.59	83.54	-39.95	39.27	1	Vertical	285	1.73	-	37.81	15.63	49.12
AV	20.53654G	30.72	63.54	-32.82	26.39	1	Vertical	285	1.73	-	37.82	15.63	49.12

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6845MHz_TX




EUT_X_4TX
Setting 16
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53358G	42.57	83.54	-40.97	38.26	1	Horizontal	121	1.58	-	37.80	15.63	49.12
AV	20.53513G	30.39	63.54	-33.15	26.07	1	Horizontal	121	1.58	-	37.81	15.63	49.12

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	64.70	88.20	-23.50	57.24	3	Vertical	107	1.78	-	32.29	7.62	32.45
RMS	5.8846G	51.43	68.20	-16.77	43.91	3	Vertical	107	1.78	-	32.34	7.62	32.44
PK	5.9794G	108.01	Inf	-Inf	100.32	3	Vertical	107	1.78	-	32.46	7.67	32.44
RMS	5.9942G	97.33	Inf	-Inf	89.60	3	Vertical	107	1.78	-	32.49	7.68	32.44

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.823G	61.48	88.20	-26.72	54.14	3	Horizontal	166	1.80	-	32.20	7.59	32.45
RMS	5.887G	52.15	68.20	-16.05	44.62	3	Horizontal	166	1.80	-	32.35	7.62	32.44
PK	5.961G	90.17	Inf	-Inf	82.53	3	Horizontal	166	1.80	-	32.42	7.66	32.44
RMS	5.9638G	80.63	Inf	-Inf	72.98	3	Horizontal	166	1.80	-	32.43	7.66	32.44

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9689G	48.60	74.00	-25.40	64.22	3	Vertical	82	1.85	-	39.04	11.10	65.76
AV	11.96838G	36.00	54.00	-18.00	51.62	3	Vertical	82	1.85	-	39.04	11.10	65.76
PK	17.95749G	61.83	74.00	-12.17	62.51	3	Vertical	172	1.41	-	48.24	13.44	62.36
AV	17.95647G	49.15	54.00	-4.85	49.87	3	Vertical	172	1.41	-	48.21	13.44	62.37

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96922G	48.48	74.00	-25.52	64.10	3	Horizontal	251	1.36	-	39.04	11.10	65.76
AV	11.96794G	36.21	54.00	-17.79	51.83	3	Horizontal	251	1.36	-	39.04	11.10	65.76
PK	17.9575G	62.42	74.00	-11.58	63.10	3	Horizontal	238	1.86	-	48.24	13.44	62.36
AV	17.9571G	49.15	54.00	-4.85	49.84	3	Horizontal	238	1.86	-	48.23	13.44	62.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.93993G	55.60	83.54	-27.94	46.46	1	Vertical	132	1.50	-	38.88	17.38	47.12
AV	23.93991G	51.33	63.54	-12.21	42.19	1	Vertical	132	1.50	-	38.88	17.38	47.12

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_X_4TX
Setting 16
01-I-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93989G	57.89	83.54	-25.65	48.75	1	Horizontal	88	1.49	-	38.88	17.38	47.12
AV	23.93991G	54.91	63.54	-8.63	45.77	1	Horizontal	88	1.49	-	38.88	17.38	47.12

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44923G	46.85	74.00	-27.15	62.40	3	Vertical	93	1.47	-	38.50	11.29	65.34
AV	12.45172G	36.01	54.00	-17.99	51.55	3	Vertical	93	1.47	-	38.50	11.29	65.33

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4509G	47.63	74.00	-26.37	63.17	3	Horizontal	290	1.80	-	38.50	11.29	65.33
AV	12.45032G	36.34	54.00	-17.66	51.88	3	Horizontal	290	1.80	-	38.50	11.29	65.33

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_X_4TX
 Setting 16
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67563G	46.91	83.54	-36.63	43.50	1	Vertical	251	1.74	-	37.70	15.27	49.56
AV	18.67251G	35.18	63.54	-28.36	31.76	1	Vertical	251	1.74	-	37.71	15.27	49.56

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_X_4TX
Setting 16
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67683G	46.05	83.54	-37.49	42.65	1	Horizontal	82	1.81	-	37.69	15.27	49.56
AV	18.67373G	34.17	63.54	-29.37	30.75	1	Horizontal	82	1.81	-	37.71	15.27	49.56

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79015G	68.82	88.20	-19.38	83.52	3	Vertical	135	1.40	-	39.14	11.42	65.26
AV	12.79012G	47.10	68.20	-21.10	61.80	3	Vertical	135	1.40	-	39.14	11.42	65.26

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.795G	57.10	88.20	-31.10	71.76	3	Horizontal	180	1.56	-	39.17	11.42	65.25
AV	12.7942G	46.01	68.20	-22.19	60.67	3	Horizontal	180	1.56	-	39.17	11.42	65.25

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15633G	46.80	83.54	-36.74	43.27	1	Vertical	113	1.50	-	37.74	15.24	49.45
AV	19.15692G	34.85	63.54	-28.69	31.32	1	Vertical	113	1.50	-	37.74	15.24	49.45

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1528G	48.81	83.54	-34.73	45.29	1	Horizontal	186	1.38	-	37.72	15.24	49.44
AV	19.1528G	36.95	63.54	-26.59	33.43	1	Horizontal	186	1.38	-	37.72	15.24	49.44

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2275G	55.39	88.20	-32.81	69.39	3	Vertical	5	1.57	-	39.20	11.59	64.79
RMS	13.2267G	43.44	68.20	-24.76	57.44	3	Vertical	5	1.57	-	39.20	11.59	64.79

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2462G	55.55	88.20	-32.65	69.51	3	Horizontal	330	1.53	-	39.20	11.59	64.75
RMS	13.247G	43.33	68.20	-24.87	57.29	3	Horizontal	330	1.53	-	39.20	11.59	64.75

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8766G	46.65	83.54	-36.89	43.05	1	Vertical	17	1.69	-	37.76	15.21	49.37
AV	19.8772G	35.02	63.54	-28.52	31.42	1	Vertical	17	1.69	-	37.76	15.21	49.37

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.877G	46.79	83.54	-36.75	43.19	1	Horizontal	305	1.78	-	37.76	15.21	49.37
AV	19.879G	35.12	63.54	-28.42	31.51	1	Horizontal	305	1.78	-	37.77	15.21	49.37

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4095G	56.71	88.20	-31.49	69.65	3	Vertical	307	1.67	-	39.84	11.66	64.44
RMS	13.4125G	44.55	68.20	-23.65	57.47	3	Vertical	307	1.67	-	39.85	11.66	64.43

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41621G	56.01	88.20	-32.19	68.91	3	Horizontal	136	1.61	-	39.86	11.66	64.42
RMS	13.4157G	44.77	68.20	-23.43	57.67	3	Horizontal	136	1.61	-	39.86	11.66	64.42

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1164G	45.88	83.54	-37.66	42.03	1	Vertical	192	1.76	-	37.80	15.29	49.24
AV	20.11257G	34.31	63.54	-29.23	30.44	1	Vertical	192	1.76	-	37.82	15.29	49.24

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11402G	46.74	83.54	-36.80	42.87	1	Horizontal	327	1.39	-	37.82	15.29	49.24
AV	20.11611G	35.43	63.54	-28.11	31.58	1	Horizontal	327	1.39	-	37.80	15.29	49.24

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.581G	54.84	88.20	-33.36	67.23	3	Vertical	197	1.52	-	40.18	11.72	64.29
RMS	13.5705G	42.65	68.20	-25.55	55.00	3	Vertical	197	1.52	-	40.22	11.72	64.29

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5775G	54.75	88.20	-33.45	67.13	3	Horizontal	169	1.94	-	40.19	11.72	64.29
RMS	13.57095G	42.64	68.20	-25.56	54.99	3	Horizontal	169	1.94	-	40.22	11.72	64.29

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35331G	47.83	83.54	-35.71	43.44	1	Vertical	221	1.58	-	38.09	15.48	49.18
AV	20.35284G	35.51	63.54	-28.03	31.12	1	Vertical	221	1.58	-	38.09	15.48	49.18

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT_X_4TX
Setting 15
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35655G	47.77	83.54	-35.77	43.37	1	Horizontal	270	1.45	-	38.09	15.49	49.18
AV	20.35287G	35.51	63.54	-28.03	31.12	1	Horizontal	270	1.45	-	38.09	15.48	49.18

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	63.32	88.20	-24.88	55.86	3	Vertical	342	1.80	-	32.29	7.62	32.45
RMS	5.8874G	54.36	68.20	-13.84	46.83	3	Vertical	342	1.80	-	32.35	7.62	32.44
PK	6.0138G	106.63	Inf	-Inf	98.86	3	Vertical	342	1.80	-	32.53	7.68	32.44
RMS	6.0114G	96.52	Inf	-Inf	88.76	3	Vertical	342	1.80	-	32.52	7.68	32.44

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 17
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.837G	61.90	88.20	-26.30	54.55	3	Horizontal	172	1.96	-	32.20	7.60	32.45
AV	5.9042G	53.65	68.20	-14.55	46.06	3	Horizontal	172	1.96	-	32.40	7.63	32.44
PK	6.0066G	90.53	Inf	-Inf	82.78	3	Horizontal	172	1.96	-	32.51	7.68	32.44
AV	6.0082G	80.28	Inf	-Inf	72.52	3	Horizontal	172	1.96	-	32.52	7.68	32.44

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0985G	54.14	74.00	-19.86	69.33	3	Vertical	78	1.02	-	39.30	11.16	65.65
AV	12.05G	43.44	54.00	-10.56	58.69	3	Vertical	78	1.02	-	39.30	11.14	65.69

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0794G	54.12	74.00	-19.88	69.34	3	Horizontal	209	1.80	-	39.30	11.15	65.67
AV	12.05G	44.66	54.00	-9.34	59.91	3	Horizontal	209	1.80	-	39.30	11.14	65.69

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0781G	45.51	83.54	-38.03	42.18	1	Vertical	204	1.87	-	37.51	15.30	49.48
AV	18.075G	34.42	63.54	-29.12	31.10	1	Vertical	204	1.87	-	37.50	15.30	49.48

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0765G	45.19	83.54	-38.35	41.86	1	Horizontal	132	1.80	-	37.51	15.30	49.48
AV	18.0768G	34.22	63.54	-29.32	30.89	1	Horizontal	132	1.80	-	37.51	15.30	49.48

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39G	54.12	74.00	-19.88	69.42	3	Vertical	257	1.42	-	38.82	11.27	65.39
AV	12.368G	42.58	54.00	-11.42	57.87	3	Vertical	257	1.42	-	38.86	11.26	65.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_X_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.371G	54.56	74.00	-19.44	69.85	3	Horizontal	277	1.67	-	38.86	11.26	65.41
AV	12.373G	42.51	54.00	-11.49	57.80	3	Horizontal	277	1.67	-	38.85	11.26	65.40

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 17
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55522G	4.12	83.54	-79.42	0.79	1	Vertical	76	1.51	-	37.70	15.27	49.64
AV	18.55264G	35.23	63.54	-28.31	31.90	1	Vertical	76	1.51	-	37.70	15.27	49.64

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_X_4TX
 Setting 17
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55681G	45.54	83.54	-38.00	42.21	1	Horizontal	253	1.86	-	37.70	15.27	49.64
AV	18.55252G	34.23	63.54	-29.31	30.90	1	Horizontal	253	1.86	-	37.70	15.27	49.64

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_X_4TX
Setting 17
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68993G	48.45	74.00	-25.55	63.54	3	Vertical	335	1.80	-	38.80	11.38	65.27
AV	12.68995G	43.15	54.00	-10.85	58.24	3	Vertical	335	1.80	-	38.80	11.38	65.27

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_X_4TX
Setting 17
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68992G	52.40	74.00	-21.60	67.49	3	Horizontal	291	1.80	-	38.80	11.38	65.27
AV	12.68995G	49.31	54.00	-4.69	64.40	3	Horizontal	291	1.80	-	38.80	11.38	65.27

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03443G	44.90	83.54	-38.64	41.11	1	Vertical	106	1.81	-	37.90	15.25	49.36
AV	19.03606G	33.31	63.54	-30.23	29.52	1	Vertical	106	1.81	-	37.90	15.25	49.36

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_X_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03379G	45.48	83.54	-38.06	41.69	1	Horizontal	31	1.81	-	37.90	15.25	49.36
AV	19.03567G	33.31	63.54	-30.23	29.52	1	Horizontal	31	1.81	-	37.90	15.25	49.36

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32986G	51.05	74.00	-22.95	64.43	3	Vertical	294	1.80	-	39.58	11.63	64.59
AV	13.32995G	41.00	54.00	-13.00	54.38	3	Vertical	294	1.80	-	39.58	11.63	64.59

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32991G	51.48	74.00	-22.52	64.86	3	Horizontal	273	1.80	-	39.58	11.63	64.59
AV	13.32995G	43.60	54.00	-10.40	56.98	3	Horizontal	273	1.80	-	39.58	11.63	64.59

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX




EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99741G	41.03	83.54	-42.51	37.30	1	Vertical	252	1.54	-	37.80	15.20	49.27
AV	19.99732G	29.34	63.54	-34.20	25.61	1	Vertical	252	1.54	-	37.80	15.20	49.27

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX



EUT_X_4TX
Setting 16
01-I-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99464G	41.20	83.54	-42.34	37.47	1	Horizontal	138	1.60	-	37.80	15.20	49.27
AV	19.99404G	29.36	63.54	-34.18	25.63	1	Horizontal	138	1.60	-	37.80	15.20	49.27




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.392G	50.60	54.00	-3.40	3	Vertical	35	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	62.55	88.20	-25.65	54.95	3	Vertical	360	1.80	-	32.40	7.64	32.44
RMS	5.9196G	52.26	68.20	-15.94	44.66	3	Vertical	360	1.80	-	32.40	7.64	32.44
PK	5.958G	117.77	Inf	-Inf	110.13	3	Vertical	360	1.80	-	32.42	7.66	32.44
RMS	5.958G	107.70	Inf	-Inf	100.06	3	Vertical	360	1.80	-	32.42	7.66	32.44

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8608G	62.38	88.20	-25.82	54.98	3	Horizontal	356	1.80	-	32.24	7.61	32.45
RMS	5.883G	52.25	68.20	-15.95	44.74	3	Horizontal	356	1.80	-	32.33	7.62	32.44
PK	5.9524G	116.47	Inf	-Inf	108.85	3	Horizontal	356	1.80	-	32.40	7.66	32.44
RMS	5.9532G	106.24	Inf	-Inf	98.61	3	Horizontal	356	1.80	-	32.41	7.66	32.44

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91025G	58.78	74.00	-15.22	74.59	3	Vertical	320	1.80	-	38.92	11.07	65.80
AV	11.91035G	45.94	54.00	-8.06	61.75	3	Vertical	320	1.80	-	38.92	11.07	65.80
PK	17.88245G	55.20	74.00	-18.80	57.82	3	Vertical	357	1.80	-	46.48	13.41	62.51
AV	17.8864G	42.48	54.00	-11.52	45.00	3	Vertical	357	1.80	-	46.57	13.41	62.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91195G	54.99	74.00	-19.01	70.80	3	Horizontal	321	1.80	-	38.92	11.07	65.80
AV	11.91275G	42.24	54.00	-11.76	58.04	3	Horizontal	321	1.80	-	38.93	11.07	65.80
PK	17.8853G	54.79	74.00	-19.21	57.33	3	Horizontal	39	1.80	-	46.55	13.41	62.50
AV	17.8868G	42.50	54.00	-11.50	45.01	3	Horizontal	39	1.80	-	46.58	13.41	62.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82G	53.89	83.54	-29.65	44.74	1	Vertical	189	1.54	-	38.98	17.35	47.18
AV	23.81994G	50.95	63.54	-12.59	41.80	1	Vertical	189	1.54	-	38.98	17.35	47.18

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82004G	54.33	83.54	-29.21	45.18	1	Horizontal	181	1.52	-	38.98	17.35	47.18
AV	23.81996G	50.97	63.54	-12.57	41.82	1	Horizontal	181	1.52	-	38.98	17.35	47.18

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 15.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3927G	63.58	74.00	-10.42	78.89	3	Vertical	35	1.80	-	38.81	11.27	65.39
AV	12.392G	50.60	54.00	-3.40	65.90	3	Vertical	35	1.80	-	38.82	11.27	65.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
 Setting 15.5
 01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3839G	61.57	74.00	-12.43	76.86	3	Horizontal	34	1.80	-	38.83	11.27	65.39
AV	12.38455G	48.80	54.00	-5.20	64.09	3	Horizontal	34	1.80	-	38.83	11.27	65.39

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 15.5
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5854G	54.57	83.54	-28.97	51.22	1	Vertical	291	1.39	-	37.70	15.27	49.62
AV	18.58453G	41.98	63.54	-21.56	38.63	1	Vertical	291	1.39	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58534G	54.16	83.54	-29.38	50.81	1	Horizontal	356	1.64	-	37.70	15.27	49.62
AV	18.58504G	41.85	63.54	-21.69	38.50	1	Horizontal	356	1.64	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 16
01-1-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84428G	61.01	88.20	-27.19	42.02	3	Vertical	327	1.80	-	39.29	11.44	31.74
RMS	12.83759G	48.66	68.20	-19.54	29.68	3	Vertical	327	1.80	-	39.28	11.44	31.74

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 16
01-1-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83609G	61.05	88.20	-27.15	42.08	3	Horizontal	33	1.80	-	39.27	11.44	31.74
RMS	12.83489G	49.09	68.20	-19.11	30.13	3	Horizontal	33	1.80	-	39.27	11.44	31.75

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 16
01-1-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24498G	52.16	83.54	-31.38	48.52	1	Vertical	45	1.61	-	37.91	15.24	49.51
AV	19.24452G	40.16	63.54	-23.38	36.52	1	Vertical	45	1.61	-	37.91	15.24	49.51

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 16
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24523G	51.89	83.54	-31.65	48.25	1	Horizontal	69	1.49	-	37.91	15.24	49.51
AV	19.24492G	40.02	63.54	-23.52	36.38	1	Horizontal	69	1.49	-	37.91	15.24	49.51

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.0714G	58.98	88.20	-29.22	73.45	3	Vertical	326	1.80	-	39.09	11.53	65.09
RMS	13.0719G	47.44	68.20	-20.76	61.91	3	Vertical	326	1.80	-	39.09	11.53	65.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0696G	58.05	88.20	-30.15	72.53	3	Horizontal	29	1.80	-	39.08	11.53	65.09
RMS	13.07G	47.36	68.20	-20.84	61.84	3	Horizontal	29	1.80	-	39.08	11.53	65.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 17
01-I-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60528G	50.43	83.54	-33.11	46.97	1	Vertical	207	1.97	-	37.83	15.22	49.59			
AV	19.60501G	38.92	63.54	-24.62	35.46	1	Vertical	207	1.97	-	37.83	15.22	49.59			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60462G	48.77	83.54	-34.77	45.31	1	Horizontal	150	1.52	-	37.83	15.22	49.59
AV	19.60478G	37.18	63.54	-26.36	33.72	1	Horizontal	150	1.52	-	37.83	15.22	49.59

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
 Setting 16.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3875G	54.30	74.00	-19.70	67.36	3	Vertical	320	1.80	-	39.77	11.65	64.48
AV	13.38975G	42.65	54.00	-11.35	55.69	3	Vertical	320	1.80	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
 Setting 16.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38965G	57.39	74.00	-16.61	70.43	3	Horizontal	29	1.80	-	39.78	11.65	64.47
AV	13.38985G	44.73	54.00	-9.27	57.77	3	Horizontal	29	1.80	-	39.78	11.65	64.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
 Setting 16.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1023G	56.68	83.54	-26.86	52.75	1	Vertical	197	1.86	-	37.89	15.28	49.24
AV	20.0813G	42.19	63.54	-21.35	38.34	1	Vertical	197	1.86	-	37.83	15.27	49.25

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 16.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08547G	50.37	83.54	-33.17	46.51	1	Horizontal	234	1.76	-	37.84	15.27	49.25
AV	20.08455G	37.64	63.54	-25.90	33.78	1	Horizontal	234	1.76	-	37.84	15.27	49.25

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
 Setting 16.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71747G	60.80	88.20	-27.40	40.04	3	Vertical	255	1.47	-	40.13	11.77	31.14
RMS	13.72422G	48.85	68.20	-19.35	28.06	3	Vertical	255	1.47	-	40.15	11.78	31.14

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
 Setting 16.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70658G	61.07	88.20	-27.13	40.32	3	Horizontal	307	1.57	-	40.11	11.77	31.13
RMS	13.7223G	48.91	68.20	-19.29	28.14	3	Horizontal	307	1.57	-	40.14	11.77	31.14

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
 Setting 16.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5578G	54.74	83.54	-28.80	50.28	1	Vertical	203	2.09	-	37.92	15.65	49.11
AV	20.56356G	42.65	63.54	-20.89	38.18	1	Vertical	203	2.09	-	37.93	15.65	49.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 16.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56503G	48.25	83.54	-35.29	43.78	1	Horizontal	224	1.81	-	37.93	15.65	49.11
AV	20.56533G	36.62	63.54	-26.92	32.15	1	Horizontal	224	1.81	-	37.93	15.65	49.11

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15.5
01-1-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	66.74	88.20	-21.46	59.14	3	Vertical	0	1.80	-	32.40	7.64	32.44
RMS	5.925G	58.14	68.20	-10.06	50.54	3	Vertical	0	1.80	-	32.40	7.64	32.44
PK	5.9671G	122.65	Inf	-Inf	115.00	3	Vertical	0	1.80	-	32.43	7.66	32.44
RMS	5.9677G	112.27	Inf	-Inf	104.61	3	Vertical	0	1.80	-	32.44	7.66	32.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-1-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	70.91	88.20	-17.29	63.31	3	Horizontal	354	1.80	-	32.40	7.64	32.44
RMS	5.9236G	59.81	68.20	-8.39	52.21	3	Horizontal	354	1.80	-	32.40	7.64	32.44
PK	5.9632G	120.92	Inf	-Inf	113.27	3	Horizontal	354	1.80	-	32.43	7.66	32.44
RMS	5.9632G	111.25	Inf	-Inf	103.60	3	Horizontal	354	1.80	-	32.43	7.66	32.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9312G	57.03	74.00	-16.97	72.78	3	Vertical	323	1.79	-	38.96	11.08	65.79
AV	11.9308G	45.03	54.00	-8.97	60.78	3	Vertical	323	1.79	-	38.96	11.08	65.79
PK	17.9074G	55.61	74.00	-18.39	57.59	3	Vertical	281	1.80	-	47.06	13.42	62.46
AV	17.9446G	42.81	54.00	-11.19	43.89	3	Vertical	281	1.80	-	47.88	13.43	62.39

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9327G	54.79	74.00	-19.21	70.52	3	Horizontal	320	1.80	-	38.97	11.08	65.78
AV	11.9325G	41.49	54.00	-12.51	57.23	3	Horizontal	320	1.80	-	38.96	11.08	65.78
PK	17.9215G	54.97	74.00	-19.03	56.61	3	Horizontal	16	1.80	-	47.37	13.42	62.43
AV	17.9446G	42.57	54.00	-11.43	43.65	3	Horizontal	16	1.80	-	47.88	13.43	62.39

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85994G	53.42	83.54	-30.12	44.42	1	Vertical	67	1.51	-	38.80	17.36	47.16
AV	23.8597G	42.49	63.54	-21.05	33.49	1	Vertical	67	1.51	-	38.80	17.36	47.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85969G	54.54	83.54	-29.00	45.54	1	Horizontal	347	1.80	-	38.80	17.36	47.16
AV	23.85991G	42.04	63.54	-21.50	33.04	1	Horizontal	347	1.80	-	38.80	17.36	47.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
 Setting 15.5
 01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4131G	58.67	74.00	-15.33	74.04	3	Vertical	36	1.80	-	38.72	11.28	65.37
AV	12.4131G	47.72	54.00	-6.28	63.09	3	Vertical	36	1.80	-	38.72	11.28	65.37

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4132G	57.30	74.00	-16.70	72.67	3	Horizontal	36	1.80	-	38.72	11.28	65.37
AV	12.4131G	46.76	54.00	-7.24	62.13	3	Horizontal	36	1.80	-	38.72	11.28	65.37

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61455G	47.71	83.54	-35.83	44.31	1	Vertical	182	1.62	-	37.73	15.27	49.60
AV	18.61452G	36.87	63.54	-26.67	33.47	1	Vertical	182	1.62	-	37.73	15.27	49.60

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61491G	47.76	83.54	-35.78	44.36	1	Horizontal	248	1.69	-	37.73	15.27	49.60
AV	18.61488G	36.69	63.54	-26.85	33.29	1	Horizontal	248	1.69	-	37.73	15.27	49.60

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8008G	60.35	88.20	-27.85	41.51	3	Vertical	335	1.96	-	39.20	11.42	31.78
RMS	12.8017G	47.82	68.20	-20.38	28.98	3	Vertical	335	1.96	-	39.20	11.42	31.78

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 15.5
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80785G	59.84	88.20	-28.36	40.96	3	Horizontal	186	1.50	-	39.22	11.43	31.77
RMS	12.81515G	47.94	68.20	-20.26	29.04	3	Horizontal	186	1.50	-	39.23	11.43	31.76

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21504G	53.36	83.54	-30.18	49.64	1	Vertical	264	1.41	-	37.97	15.24	49.49
AV	19.21512G	41.01	63.54	-22.53	37.29	1	Vertical	264	1.41	-	37.97	15.24	49.49

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21495G	48.89	83.54	-34.65	45.17	1	Horizontal	297	1.35	-	37.97	15.24	49.49
AV	19.21473G	36.84	63.54	-26.70	33.12	1	Horizontal	297	1.35	-	37.97	15.24	49.49

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11285G	59.78	88.20	-28.42	40.45	3	Vertical	252	1.85	-	39.25	11.54	31.46
RMS	13.1341G	48.12	68.20	-20.08	28.67	3	Vertical	252	1.85	-	39.34	11.55	31.44

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.15385G	59.97	88.20	-28.23	40.44	3	Horizontal	66	1.92	-	39.38	11.56	31.41
RMS	13.1502G	48.10	68.20	-20.10	28.56	3	Horizontal	66	1.92	-	39.40	11.56	31.42

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6952G	48.43	83.54	-35.11	44.90	1	Vertical	115	1.96	-	37.83	15.22	49.52
AV	19.69459G	36.78	63.54	-26.76	33.25	1	Vertical	115	1.96	-	37.83	15.22	49.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6953G	50.64	83.54	-32.90	47.11	1	Horizontal	331	1.71	-	37.83	15.22	49.52
AV	19.69459G	36.49	63.54	-27.05	32.96	1	Horizontal	331	1.71	-	37.83	15.22	49.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36495G	60.81	74.00	-13.19	40.63	3	Vertical	272	1.21	-	39.73	11.64	31.19
AV	13.39455G	48.57	54.00	-5.43	28.28	3	Vertical	272	1.21	-	39.79	11.65	31.15

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3936G	60.92	74.00	-13.08	40.63	3	Horizontal	265	1.59	-	39.79	11.65	31.15
AV	13.3948G	48.49	54.00	-5.51	28.20	3	Horizontal	265	1.59	-	39.79	11.65	31.15

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05469G	51.21	83.54	-32.33	47.51	1	Vertical	199	1.48	-	37.72	15.24	49.26
AV	20.05471G	39.43	63.54	-24.11	35.73	1	Vertical	199	1.48	-	37.72	15.24	49.26

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05452G	49.81	83.54	-33.73	46.11	1	Horizontal	190	1.70	-	37.72	15.24	49.26
AV	20.05475G	37.64	63.54	-25.90	33.94	1	Horizontal	190	1.70	-	37.72	15.24	49.26

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71415G	60.86	88.20	-27.34	40.09	3	Vertical	35	1.93	-	40.13	11.77	31.13
RMS	13.7145G	48.83	68.20	-19.37	28.06	3	Vertical	35	1.93	-	40.13	11.77	31.13

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70035G	60.41	88.20	-27.79	39.67	3	Horizontal	347	1.95	-	40.10	11.77	31.13
RMS	13.71345G	48.83	68.20	-19.37	28.06	3	Horizontal	347	1.95	-	40.13	11.77	31.13

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53453G	53.04	83.54	-30.50	48.72	1	Vertical	22	1.95	-	37.81	15.63	49.12
AV	20.53453G	41.10	63.54	-22.44	36.78	1	Vertical	22	1.95	-	37.81	15.63	49.12

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53531G	48.47	83.54	-35.07	44.15	1	Horizontal	352	1.88	-	37.81	15.63	49.12
AV	20.53455G	36.20	63.54	-27.34	31.88	1	Horizontal	352	1.88	-	37.81	15.63	49.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15
01-1-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9076G	64.75	88.20	-23.45	57.16	3	Vertical	360	1.80	-	32.40	7.63	32.44
RMS	5.9082G	54.42	68.20	-13.78	46.83	3	Vertical	360	1.80	-	32.40	7.63	32.44
PK	6.0084G	111.94	Inf	-Inf	104.18	3	Vertical	360	1.80	-	32.52	7.68	32.44
RMS	5.988G	101.44	Inf	-Inf	93.73	3	Vertical	360	1.80	-	32.48	7.67	32.44

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15
01-1-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9235G	65.77	88.20	-22.43	58.17	3	Horizontal	353	1.80	-	32.40	7.64	32.44
RMS	5.9229G	55.70	68.20	-12.50	48.10	3	Horizontal	353	1.80	-	32.40	7.64	32.44
PK	5.9838G	111.38	Inf	-Inf	103.68	3	Horizontal	353	1.80	-	32.47	7.67	32.44
RMS	5.9835G	101.58	Inf	-Inf	93.88	3	Horizontal	353	1.80	-	32.47	7.67	32.44

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97192G	54.00	74.00	-20.00	69.62	3	Vertical	323	1.80	-	39.04	11.10	65.76
AV	11.96988G	43.18	54.00	-10.82	58.80	3	Vertical	323	1.80	-	39.04	11.10	65.76
PK	17.9928G	57.27	74.00	-16.73	56.74	3	Vertical	290	2.00	-	49.37	13.45	62.29
AV	18.00756G	45.56	54.00	-8.44	44.54	3	Vertical	290	2.00	-	49.84	13.45	62.27

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96964G	46.60	74.00	-27.40	62.22	3	Horizontal	206.4	1.80	-	39.04	11.10	65.76
AV	11.96988G	39.49	54.00	-14.51	55.11	3	Horizontal	206.4	1.80	-	39.04	11.10	65.76
PK	18.01308G	57.41	74.00	-16.59	56.19	3	Horizontal	211	2.00	-	50.02	13.45	62.25
AV	18.0144G	45.66	54.00	-8.34	44.40	3	Horizontal	211	2.00	-	50.06	13.45	62.25

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 15
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94028G	52.57	83.54	-30.97	43.43	1	Vertical	195	1.79	-	38.88	17.38	47.12
AV	23.93957G	41.47	63.54	-22.07	32.33	1	Vertical	195	1.79	-	38.88	17.38	47.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 15
 01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93964G	53.46	83.54	-30.08	44.32	1	Horizontal	104	1.53	-	38.88	17.38	47.12
AV	23.93954G	41.15	63.54	-22.39	32.01	1	Horizontal	104	1.53	-	38.88	17.38	47.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-1-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.45324G	58.52	74.00	-15.48	74.06	3	Vertical	39	1.80	-	38.50	11.29	65.33
AV	12.45372G	46.48	54.00	-7.52	62.02	3	Vertical	39	1.80	-	38.50	11.29	65.33

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45336G	56.50	74.00	-17.50	72.04	3	Horizontal	37	1.80	-	38.50	11.29	65.33
AV	12.45408G	45.20	54.00	-8.80	60.74	3	Horizontal	37	1.80	-	38.50	11.29	65.33

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67518G	54.13	83.54	-29.41	50.72	1	Vertical	241	1.58	-	37.70	15.27	49.56			
AV	18.67492G	42.09	63.54	-21.45	38.68	1	Vertical	241	1.58	-	37.70	15.27	49.56			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 15.5
01-1-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67531G	47.96	83.54	-35.58	44.55	1	Horizontal	294	1.71	-	37.70	15.27	49.56
AV	18.6745G	35.87	63.54	-27.67	32.46	1	Horizontal	294	1.71	-	37.70	15.27	49.56

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79696G	59.59	88.20	-28.61	40.77	3	Vertical	198	1.63	-	39.18	11.42	31.78
RMS	12.80536G	48.00	68.20	-20.20	29.13	3	Vertical	198	1.63	-	39.21	11.43	31.77

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.75176G	59.64	88.20	-28.56	41.15	3	Horizontal	78	1.36	-	38.91	11.41	31.83
RMS	12.78488G	47.86	68.20	-20.34	29.13	3	Horizontal	78	1.36	-	39.11	11.42	31.80

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15532G	52.20	83.54	-31.34	48.68	1	Vertical	32	1.86	-	37.73	15.24	49.45
AV	19.15458G	40.80	63.54	-22.74	37.28	1	Vertical	32	1.86	-	37.73	15.24	49.45

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15528G	49.06	83.54	-34.48	45.54	1	Horizontal	237	1.68	-	37.73	15.24	49.45
AV	19.15488G	36.57	63.54	-26.97	33.05	1	Horizontal	237	1.68	-	37.73	15.24	49.45

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23432G	60.21	88.20	-27.99	40.75	3	Vertical	82	1.45	-	39.20	11.59	31.33
RMS	13.21912G	47.76	68.20	-20.44	28.32	3	Vertical	82	1.45	-	39.20	11.58	31.34

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 17
01-1-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.22008G	60.43	88.20	-27.77	40.99	3	Horizontal	13	1.71	-	39.20	11.58	31.34
RMS	13.21928G	47.76	68.20	-20.44	28.32	3	Horizontal	13	1.71	-	39.20	11.58	31.34

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87545G	52.11	83.54	-31.43	48.52	1	Vertical	223	1.66	-	37.75	15.21	49.37
AV	19.87515G	40.46	63.54	-23.08	36.87	1	Vertical	223	1.66	-	37.75	15.21	49.37

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87491G	50.56	83.54	-32.98	46.97	1	Horizontal	160	1.84	-	37.75	15.21	49.37
AV	19.87543G	39.08	63.54	-24.46	35.49	1	Horizontal	160	1.84	-	37.75	15.21	49.37

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42024G	61.30	88.20	-26.90	40.89	3	Vertical	196	2.45	-	39.88	11.66	31.13
RMS	13.42408G	48.63	68.20	-19.57	28.19	3	Vertical	196	2.45	-	39.90	11.66	31.12

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42008G	60.75	88.20	-27.45	40.34	3	Horizontal	309	1.80	-	39.88	11.66	31.13
RMS	13.40416G	48.77	68.20	-19.43	28.44	3	Horizontal	309	1.80	-	39.82	11.65	31.14

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11455G	52.29	83.54	-31.25	48.43	1	Vertical	63	1.51	-	37.81	15.29	49.24
AV	20.11465G	39.63	63.54	-23.91	35.77	1	Vertical	63	1.51	-	37.81	15.29	49.24

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11513G	49.49	83.54	-34.05	45.63	1	Horizontal	114	1.90	-	37.81	15.29	49.24
AV	20.11452G	37.17	63.54	-26.37	33.31	1	Horizontal	114	1.90	-	37.81	15.29	49.24

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55216G	60.40	88.20	-27.80	39.46	3	Vertical	11	1.88	-	40.29	11.71	31.06
RMS	13.54024G	48.52	68.20	-19.68	27.61	3	Vertical	11	1.88	-	40.26	11.71	31.06

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58288G	61.21	88.20	-26.99	40.40	3	Horizontal	210	1.88	-	40.17	11.72	31.08
RMS	13.58096G	48.61	68.20	-19.59	27.79	3	Horizontal	210	1.88	-	40.18	11.72	31.08

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35538G	53.95	83.54	-29.59	49.56	1	Vertical	15	1.58	-	38.09	15.48	49.18
AV	20.35467G	41.70	63.54	-21.84	37.31	1	Vertical	15	1.58	-	38.09	15.48	49.18

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 17
01-I-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35496G	50.12	83.54	-33.42	45.73	1	Horizontal	290	1.78	-	38.09	15.48	49.18
AV	20.3545G	37.99	63.54	-25.55	33.60	1	Horizontal	290	1.78	-	38.09	15.48	49.18

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-1-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	63.98	88.20	-24.22	56.54	3	Vertical	360	1.80	-	32.28	7.61	32.45
RMS	5.908G	55.83	68.20	-12.37	48.24	3	Vertical	360	1.80	-	32.40	7.63	32.44
PK	6.0075G	108.30	Inf	-Inf	100.54	3	Vertical	360	1.80	-	32.52	7.68	32.44
RMS	6.0085G	99.15	Inf	-Inf	91.39	3	Vertical	360	1.80	-	32.52	7.68	32.44

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 15.5
01-1-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	64.98	88.20	-23.22	57.38	3	Horizontal	354	1.80	-	32.40	7.64	32.44
RMS	5.9225G	55.69	68.20	-12.51	48.09	3	Horizontal	354	1.80	-	32.40	7.64	32.44
PK	5.9815G	107.90	Inf	-Inf	100.21	3	Horizontal	354	1.80	-	32.46	7.67	32.44
RMS	6.0035G	99.25	Inf	-Inf	91.50	3	Horizontal	354	1.80	-	32.51	7.68	32.44

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05G	47.54	74.00	-26.46	62.79	3	Vertical	170	1.80	-	39.30	11.14	65.69
AV	12.05G	43.09	54.00	-10.91	58.34	3	Vertical	170	1.80	-	39.30	11.14	65.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0912G	52.84	74.00	-21.16	68.05	3	Horizontal	321	1.80	-	39.30	11.15	65.66
AV	12.0912G	40.46	54.00	-13.54	55.67	3	Horizontal	321	1.80	-	39.30	11.15	65.66

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08406G	48.97	83.54	-34.57	45.61	1	Vertical	0	1.00	-	37.54	15.30	49.48
AV	18.08448G	36.49	63.54	-27.05	33.13	1	Vertical	0	1.00	-	37.54	15.30	49.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08652G	48.40	83.54	-35.14	45.03	1	Horizontal	213	1.98	-	37.55	15.30	49.48
AV	18.08454G	36.41	63.54	-27.13	33.05	1	Horizontal	213	1.98	-	37.54	15.30	49.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 15.5
 01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.3564G	59.22	74.00	-14.78	41.36	3	Vertical	145	1.57	-	38.89	11.26	32.29
AV	12.3748G	47.03	54.00	-6.97	29.18	3	Vertical	145	1.57	-	38.85	11.26	32.26

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3266G	58.91	74.00	-15.09	41.05	3	Horizontal	94	1.73	-	38.95	11.24	32.33
AV	12.3708G	47.08	54.00	-6.92	29.23	3	Horizontal	94	1.73	-	38.86	11.26	32.27

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5457G	47.71	83.54	-35.83	44.37	1	Vertical	79	1.35	-	37.72	15.27	49.65			
AV	18.5421G	35.79	63.54	-27.75	32.44	1	Vertical	79	1.35	-	37.73	15.27	49.65			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56754G	44.80	83.54	-38.74	41.46	1	Horizontal	324	1.69	-	37.70	15.27	49.63
AV	18.56802G	32.81	63.54	-30.73	29.47	1	Horizontal	324	1.69	-	37.70	15.27	49.63

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68386G	59.39	74.00	-14.61	41.11	3	Vertical	220	1.73	-	38.80	11.38	31.90
AV	12.69166G	47.28	54.00	-6.72	28.99	3	Vertical	220	1.73	-	38.80	11.38	31.89

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 15.5
 01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.66148G	59.49	74.00	-14.51	41.24	3	Horizontal	232	1.85	-	38.80	11.37	31.92
AV	12.67702G	47.27	54.00	-6.73	28.99	3	Horizontal	232	1.85	-	38.80	11.38	31.90

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 15.5
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03111G	47.42	83.54	-36.12	43.63	1	Vertical	81	1.53	-	37.90	15.25	49.36
AV	19.03116G	35.77	63.54	-27.77	31.98	1	Vertical	81	1.53	-	37.90	15.25	49.36

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
 Setting 15.5
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04484G	47.66	83.54	-35.88	43.88	1	Horizontal	14	1.97	-	37.90	15.25	49.37
AV	19.02792G	35.68	63.54	-27.86	31.89	1	Horizontal	14	1.97	-	37.90	15.25	49.36

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2809G	60.87	74.00	-13.13	41.22	3	Vertical	71	1.66	-	39.32	11.61	31.28
AV	13.3795G	48.52	54.00	-5.48	28.29	3	Vertical	71	1.66	-	39.76	11.64	31.17

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
Setting 17
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2884G	60.59	74.00	-13.41	40.90	3	Horizontal	171	1.00	-	39.35	11.61	31.27
AV	13.3783G	48.35	54.00	-5.65	28.12	3	Horizontal	171	1.00	-	39.76	11.64	31.17

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98198G	46.03	83.54	-37.51	42.31	1	Vertical	331	1.68	-	37.80	15.20	49.28
AV	19.9965G	33.50	63.54	-30.04	29.77	1	Vertical	331	1.68	-	37.80	15.20	49.27

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 17
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98492G	46.07	83.54	-37.47	42.35	1	Horizontal	302	1.53	-	37.80	15.20	49.28
AV	19.99824G	33.49	63.54	-30.05	29.76	1	Horizontal	302	1.53	-	37.80	15.20	49.27

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	67.77	88.20	-20.43	60.17	3	Vertical	353	1.80	-	32.40	7.64	32.44
RMS	5.925G	53.60	68.20	-14.60	46.00	3	Vertical	353	1.80	-	32.40	7.64	32.44
PK	5.9572G	122.34	Inf	-Inf	114.71	3	Vertical	353	1.80	-	32.41	7.66	32.44
RMS	5.9564G	111.88	Inf	-Inf	104.25	3	Vertical	353	1.80	-	32.41	7.66	32.44

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 19
01-1-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	63.41	88.20	-24.79	55.81	3	Horizontal	340.4	1.80	-	32.40	7.64	32.44
RMS	5.9234G	52.58	68.20	-15.62	44.98	3	Horizontal	340.4	1.80	-	32.40	7.64	32.44
PK	5.9518G	114.20	Inf	-Inf	106.58	3	Horizontal	340.4	1.80	-	32.40	7.66	32.44
RMS	5.9488G	101.68	Inf	-Inf	94.07	3	Horizontal	340.4	1.80	-	32.40	7.65	32.44

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 19
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9183G	58.28	74.00	-15.72	74.05	3	Vertical	322	1.80	-	38.94	11.08	65.79
AV	11.90855G	45.07	54.00	-8.93	60.88	3	Vertical	322	1.80	-	38.92	11.07	65.80
PK	17.88215G	60.80	74.00	-13.20	63.43	3	Vertical	149	1.64	-	46.47	13.41	62.51
AV	17.88955G	49.19	54.00	-4.81	51.63	3	Vertical	149	1.64	-	46.65	13.41	62.50

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 19
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90259G	53.23	74.00	-20.77	69.05	3	Horizontal	272	1.89	-	38.91	11.07	65.80
AV	11.90165G	41.38	54.00	-12.62	57.21	3	Horizontal	272	1.89	-	38.90	11.07	65.80
PK	17.8681G	60.27	74.00	-13.73	63.27	3	Horizontal	5	1.74	-	46.13	13.41	62.54
AV	17.8886G	49.24	54.00	-4.76	51.70	3	Horizontal	5	1.74	-	46.63	13.41	62.50

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.8116G	56.16	83.54	-27.38	46.97	1	Vertical	294	1.46	-	39.03	17.34	47.18
AV	23.83074G	44.42	63.54	-19.12	35.32	1	Vertical	294	1.46	-	38.92	17.35	47.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.80776G	52.80	83.54	-30.74	43.60	1	Horizontal	92	1.59	-	39.05	17.34	47.19
AV	23.8308G	41.35	63.54	-22.19	32.25	1	Horizontal	92	1.59	-	38.92	17.35	47.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT Y_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3957G	59.41	74.00	-14.59	74.71	3	Vertical	314	1.80	-	38.81	11.27	65.38
AV	12.3897G	47.85	54.00	-6.15	63.15	3	Vertical	314	1.80	-	38.82	11.27	65.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38905G	58.45	74.00	-15.55	73.75	3	Horizontal	318	1.80	-	38.82	11.27	65.39
AV	12.38975G	46.12	54.00	-7.88	61.42	3	Horizontal	318	1.80	-	38.82	11.27	65.39

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59808G	48.06	83.54	-35.48	44.70	1	Vertical	172	1.76	-	37.70	15.27	49.61
AV	18.58692G	36.04	63.54	-27.50	32.69	1	Vertical	172	1.76	-	37.70	15.27	49.62

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59436G	48.26	83.54	-35.28	44.91	1	Horizontal	130	1.45	-	37.70	15.27	49.62
AV	18.57552G	35.97	63.54	-27.57	32.63	1	Horizontal	130	1.45	-	37.70	15.27	49.63

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85175G	54.70	88.20	-33.50	69.21	3	Vertical	66	1.61	-	39.30	11.44	65.25
RMS	12.82995G	43.64	68.20	-24.56	58.19	3	Vertical	66	1.61	-	39.26	11.44	65.25

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8193G	54.64	88.20	-33.56	69.22	3	Horizontal	49	1.48	-	39.24	11.43	65.25
RMS	12.82985G	43.36	68.20	-24.84	57.91	3	Horizontal	49	1.48	-	39.26	11.44	65.25

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25652G	46.85	83.54	-36.69	43.21	1	Vertical	82	1.72	-	37.91	15.24	49.51
AV	19.24728G	34.84	63.54	-28.70	31.20	1	Vertical	82	1.72	-	37.91	15.24	49.51

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23246G	46.80	83.54	-36.74	43.12	1	Horizontal	287	1.71	-	37.94	15.24	49.50
AV	19.23174G	34.91	63.54	-28.63	31.23	1	Horizontal	287	1.71	-	37.94	15.24	49.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09405G	54.79	88.20	-33.41	69.12	3	Vertical	84	1.82	-	39.18	11.54	65.05
RMS	13.09345G	42.81	68.20	-25.39	57.15	3	Vertical	84	1.82	-	39.17	11.54	65.05

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0699G	54.27	88.20	-33.93	68.75	3	Horizontal	165	1.75	-	39.08	11.53	65.09
RMS	13.09285G	42.76	68.20	-25.44	57.10	3	Horizontal	165	1.75	-	39.17	11.54	65.05

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6535MHz_TX



EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59606G	46.07	83.54	-37.47	42.63	1	Vertical	37	1.70	-	37.82	15.22	49.60
AV	19.59G	32.97	63.54	-30.57	29.50	1	Vertical	37	1.70	-	37.86	15.22	49.61