


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
 Setting 20
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.58	74.00	-12.42	54.68	3	Vertical	56	1.80	-	32.80	6.64	32.54
AV	5.15G	50.36	54.00	-3.64	43.46	3	Vertical	56	1.80	-	32.80	6.64	32.54
PK	5.189G	112.94	Inf	-Inf	105.96	3	Vertical	56	1.80	-	32.88	6.63	32.53
AV	5.229G	101.27	Inf	-Inf	94.26	3	Vertical	56	1.80	-	32.90	6.64	32.53
PK	5.403G	59.59	74.00	-14.41	52.02	3	Vertical	56	1.80	-	33.31	6.74	32.48
AV	5.401G	48.29	54.00	-5.71	40.74	3	Vertical	56	1.80	-	33.30	6.73	32.48
PK	5.535G	63.30	68.20	-4.90	54.91	3	Vertical	56	1.80	-	33.87	6.98	32.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.129G	61.12	74.00	-12.88	54.27	3	Horizontal	12	3.00	-	32.76	6.64	32.55			
AV	5.15G	50.04	54.00	-3.96	43.14	3	Horizontal	12	3.00	-	32.80	6.64	32.54			
PK	5.187G	111.92	Inf	-Inf	104.96	3	Horizontal	12	3.00	-	32.87	6.63	32.54			
AV	5.209G	101.30	Inf	-Inf	94.30	3	Horizontal	12	3.00	-	32.90	6.63	32.53			
PK	5.378G	59.75	74.00	-14.25	52.31	3	Horizontal	12	3.00	-	33.21	6.72	32.49			
AV	5.36G	48.40	54.00	-5.60	41.04	3	Horizontal	12	3.00	-	33.14	6.71	32.49			
PK	5.514G	64.41	68.20	-3.79	56.10	3	Horizontal	12	3.00	-	33.83	6.94	32.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.41926G	58.68	68.20	-9.52	41.67	3	Vertical	54	2.27	-	38.74	10.75	32.48				
PK	15.62939G	64.18	74.00	-9.82	45.09	3	Vertical	304	1.45	-	38.22	13.61	32.74				
AV	15.62912G	50.56	54.00	-3.44	31.46	3	Vertical	304	1.45	-	38.23	13.61	32.74				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42014G	58.25	68.20	-9.95	41.24	3	Horizontal	114	2.30	-	38.74	10.75	32.48			
PK	15.63088G	64.72	74.00	-9.28	45.64	3	Horizontal	298	2.66	-	38.21	13.61	32.74			
AV	15.63083G	50.56	54.00	-3.44	31.47	3	Horizontal	298	2.66	-	38.22	13.61	32.74			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 16.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.505G	63.25	68.20	-4.95	54.98	3	Vertical	300	1.80	-	33.81	6.92	32.46			
AV	5.46G	50.10	54.00	-3.90	42.17	3	Vertical	300	1.80	-	33.56	6.84	32.47			
PK	5.755G	111.37	Inf	-Inf	102.42	3	Vertical	300	1.80	-	34.11	7.29	32.45			
AV	5.754G	99.77	Inf	-Inf	90.82	3	Vertical	300	1.80	-	34.11	7.29	32.45			
PK	6.073G	62.67	68.20	-5.53	52.17	3	Vertical	300	1.80	-	35.40	7.53	32.43			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 16.5
 01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.504G	62.71	68.20	-5.49	54.44	3	Horizontal	16	2.82	-	33.81	6.92	32.46			
AV	5.449G	48.92	54.00	-5.08	41.07	3	Horizontal	16	2.82	-	33.50	6.82	32.47			
PK	5.754G	109.80	Inf	-Inf	100.85	3	Horizontal	16	2.82	-	34.11	7.29	32.45			
AV	5.755G	97.78	Inf	-Inf	88.83	3	Horizontal	16	2.82	-	34.11	7.29	32.45			
PK	6.1G	62.36	68.20	-5.84	51.85	3	Horizontal	16	2.82	-	35.40	7.54	32.43			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 16.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55012G	60.96	74.00	-13.04	42.66	3	Vertical	92	2.65	-	39.00	11.90	32.60			
AV	11.55064G	46.84	54.00	-7.16	28.54	3	Vertical	92	2.65	-	39.00	11.90	32.60			
PK	17.32402G	66.30	68.20	-1.90	42.39	3	Vertical	326	1.42	-	41.75	14.03	31.87			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



EUT_Y_4TX
 Setting 16.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54947G	60.37	74.00	-13.63	42.07	3	Horizontal	43	2.59	-	39.00	11.90	32.60			
AV	11.55081G	46.80	54.00	-7.20	28.50	3	Horizontal	43	2.59	-	39.00	11.90	32.60			
PK	17.32547G	66.45	68.20	-1.75	42.54	3	Horizontal	97	1.79	-	41.75	14.03	31.87			




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.425G	53.99	54.00	-0.01	3	Horizontal	12	2.78	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 22
 01-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1032G	65.29	74.00	-8.71	58.49	3	Vertical	58	1.80	-	32.71	6.65	32.56				
AV	5.1052G	52.77	54.00	-1.23	45.96	3	Vertical	58	1.80	-	32.71	6.65	32.55				
PK	5.2584G	120.49	Inf	-Inf	113.43	3	Vertical	58	1.80	-	32.92	6.66	32.52				
AV	5.2592G	110.71	Inf	-Inf	103.65	3	Vertical	58	1.80	-	32.92	6.66	32.52				
PK	5.412G	64.77	74.00	-9.23	57.15	3	Vertical	58	1.80	-	33.35	6.75	32.48				
AV	5.4116G	53.94	54.00	-0.06	46.32	3	Vertical	58	1.80	-	33.35	6.75	32.48				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 22
 01-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1088G	63.36	74.00	-10.64	56.54	3	Horizontal	10	2.97	-	32.72	6.65	32.55			
AV	5.1052G	52.26	54.00	-1.74	45.45	3	Horizontal	10	2.97	-	32.71	6.65	32.55			
PK	5.258G	119.64	Inf	-Inf	112.58	3	Horizontal	10	2.97	-	32.92	6.66	32.52			
AV	5.2588G	109.69	Inf	-Inf	102.63	3	Horizontal	10	2.97	-	32.92	6.66	32.52			
PK	5.4096G	64.52	74.00	-9.48	56.91	3	Horizontal	10	2.97	-	33.34	6.75	32.48			
AV	5.4108G	52.44	54.00	-1.56	44.83	3	Horizontal	10	2.97	-	33.34	6.75	32.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 22
 01-C-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50821G	58.75	68.20	-9.45	41.30	3	Vertical	286	1.56	-	39.02	10.84	32.41			
PK	15.78261G	63.67	74.00	-10.33	44.41	3	Vertical	260	1.61	-	38.40	13.63	32.77			
AV	15.77628G	49.56	54.00	-4.44	30.29	3	Vertical	260	1.61	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 22
 01-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.52633G	58.58	68.20	-9.62	41.08	3	Horizontal	284	1.83	-	39.05	10.86	32.41				
PK	15.77682G	63.36	74.00	-10.64	44.09	3	Horizontal	156	1.53	-	38.40	13.63	32.76				
AV	15.77511G	49.49	54.00	-4.51	30.22	3	Horizontal	156	1.53	-	38.40	13.63	32.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 26.5
 01-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	63.47	74.00	-10.53	56.59	3	Vertical	50	1.80	-	32.79	6.64	32.55
AV	5.1452G	52.04	54.00	-1.96	45.16	3	Vertical	50	1.80	-	32.79	6.64	32.55
PK	5.2992G	123.52	Inf	-Inf	116.35	3	Vertical	50	1.80	-	33.00	6.68	32.51
AV	5.2988G	113.90	Inf	-Inf	106.73	3	Vertical	50	1.80	-	33.00	6.68	32.51
PK	5.358G	70.42	74.00	-3.58	63.07	3	Vertical	50	1.80	-	33.13	6.71	32.49
PK	5.4904G	60.73	68.20	-7.47	52.55	3	Vertical	50	1.80	-	33.74	6.90	32.46
AV	5.4508G	53.53	54.00	-0.47	45.68	3	Vertical	50	1.80	-	33.50	6.82	32.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 26.5
 01-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	63.30	74.00	-10.70	56.42	3	Horizontal	9	2.92	-	32.79	6.64	32.55
AV	5.1452G	52.44	54.00	-1.56	45.56	3	Horizontal	9	2.92	-	32.79	6.64	32.55
PK	5.2984G	123.61	Inf	-Inf	116.44	3	Horizontal	9	2.92	-	33.00	6.68	32.51
AV	5.2988G	113.67	Inf	-Inf	106.50	3	Horizontal	9	2.92	-	33.00	6.68	32.51
PK	5.3576G	70.73	74.00	-3.27	63.38	3	Horizontal	9	2.92	-	33.13	6.71	32.49
PK	5.4644G	60.95	68.20	-7.25	52.98	3	Horizontal	9	2.92	-	33.59	6.85	32.47
AV	5.4508G	53.84	54.00	-0.16	45.99	3	Horizontal	9	2.92	-	33.50	6.82	32.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 26.5
 01-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6023G	58.91	74.00	-15.09	41.29	3	Vertical	202	1.97	-	39.10	10.93	32.41			
AV	10.61G	45.15	54.00	-8.85	27.50	3	Vertical	202	1.97	-	39.12	10.94	32.41			
PK	15.89525G	63.10	74.00	-10.90	43.66	3	Vertical	212	1.67	-	38.58	13.64	32.78			
AV	15.89631G	49.08	54.00	-4.92	29.63	3	Vertical	212	1.67	-	38.59	13.64	32.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 26.5
 01-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5996G	59.44	68.20	-8.76	41.82	3	Horizontal	339	1.62	-	39.10	10.93	32.41			
AV	10.60061G	45.03	54.00	-8.97	27.41	3	Horizontal	339	1.62	-	39.10	10.93	32.41			
PK	15.90336G	62.35	74.00	-11.65	42.90	3	Horizontal	230	1.56	-	38.59	13.64	32.78			
AV	15.90475G	48.97	54.00	-5.03	29.52	3	Horizontal	230	1.56	-	38.59	13.64	32.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 24.5
 01-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	58.40	74.00	-15.60	51.54	3	Vertical	54	1.80	-	32.77	6.64	32.55			
AV	5.148G	46.37	54.00	-7.63	39.47	3	Vertical	54	1.80	-	32.80	6.64	32.54			
PK	5.3184G	121.16	Inf	-Inf	113.93	3	Vertical	54	1.80	-	33.04	6.69	32.50			
AV	5.3192G	111.26	Inf	-Inf	104.03	3	Vertical	54	1.80	-	33.04	6.69	32.50			
PK	5.3508G	68.78	74.00	-5.22	61.47	3	Vertical	54	1.80	-	33.10	6.71	32.50			
AV	5.3512G	53.56	54.00	-0.44	46.25	3	Vertical	54	1.80	-	33.10	6.71	32.50			
PK	5.472G	65.71	68.20	-2.49	57.69	3	Vertical	54	1.80	-	33.63	6.86	32.47			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 24.5
 01-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1312G	59.23	74.00	-14.77	52.38	3	Horizontal	11	3.00	-	32.76	6.64	32.55			
AV	5.1344G	46.11	54.00	-7.89	39.25	3	Horizontal	11	3.00	-	32.77	6.64	32.55			
PK	5.3184G	120.82	Inf	-Inf	113.59	3	Horizontal	11	3.00	-	33.04	6.69	32.50			
AV	5.3188G	110.95	Inf	-Inf	103.72	3	Horizontal	11	3.00	-	33.04	6.69	32.50			
PK	5.356G	67.75	74.00	-6.25	60.41	3	Horizontal	11	3.00	-	33.12	6.71	32.49			
AV	5.358G	53.23	54.00	-0.77	45.88	3	Horizontal	11	3.00	-	33.13	6.71	32.49			
PK	5.4708G	64.70	68.20	-3.50	56.69	3	Horizontal	11	3.00	-	33.62	6.86	32.47			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 24.5
 01-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64421G	58.76	74.00	-15.24	41.01	3	Vertical	344	1.39	-	39.19	10.98	32.42			
AV	10.6382G	45.29	54.00	-8.71	27.56	3	Vertical	344	1.39	-	39.18	10.97	32.42			
PK	15.95709G	63.61	74.00	-10.39	44.28	3	Vertical	323	1.59	-	38.47	13.65	32.79			
AV	15.9649G	49.49	54.00	-4.51	30.19	3	Vertical	323	1.59	-	38.44	13.65	32.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 24.5
 01-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63887G	59.47	74.00	-14.53	41.74	3	Horizontal	341	1.82	-	39.18	10.97	32.42			
AV	10.6406G	45.26	54.00	-8.74	27.53	3	Horizontal	341	1.82	-	39.18	10.97	32.42			
PK	15.7632G	63.89	74.00	-10.11	44.62	3	Horizontal	213	1.93	-	38.40	13.63	32.76			
AV	15.742G	50.44	54.00	-3.56	31.21	3	Horizontal	213	1.93	-	38.37	13.62	32.76			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	63.65	68.20	-4.55	56.37	3	Vertical	295	1.80	-	33.08	6.70	32.50
AV	5.3545G	49.65	54.00	-4.35	42.31	3	Vertical	295	1.80	-	33.12	6.71	32.49
PK	5.458G	64.30	74.00	-9.70	56.38	3	Vertical	295	1.80	-	33.55	6.84	32.47
PK	5.47G	68.07	68.20	-0.13	60.06	3	Vertical	295	1.80	-	33.62	6.86	32.47
PK	5.498G	124.50	Inf	-Inf	116.26	3	Vertical	295	1.80	-	33.79	6.91	32.46
AV	5.4985G	114.71	Inf	-Inf	106.47	3	Vertical	295	1.80	-	33.79	6.91	32.46
PK	5.7375G	62.06	68.20	-6.14	53.14	3	Vertical	295	1.80	-	34.10	7.27	32.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.345G	64.97	68.20	-3.23	57.68	3	Horizontal	12	3.00	-	33.09	6.70	32.50				
AV	5.35G	52.31	54.00	-1.69	45.00	3	Horizontal	12	3.00	-	33.10	6.71	32.50				
PK	5.4605G	65.37	68.20	-2.83	57.44	3	Horizontal	12	3.00	-	33.56	6.84	32.47				
PK	5.468G	63.43	68.20	-4.77	55.43	3	Horizontal	12	3.00	-	33.61	6.86	32.47				
PK	5.4985G	122.79	Inf	-Inf	114.55	3	Horizontal	12	3.00	-	33.79	6.91	32.46				
AV	5.499G	112.83	Inf	-Inf	104.59	3	Horizontal	12	3.00	-	33.79	6.91	32.46				
PK	5.7375G	61.86	68.20	-6.34	52.94	3	Horizontal	12	3.00	-	34.10	7.27	32.45				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00495G	59.05	74.00	-14.95	41.04	3	Vertical	342	1.48	-	39.09	11.35	32.43			
AV	10.98593G	44.84	54.00	-9.16	26.81	3	Vertical	342	1.48	-	39.13	11.33	32.43			
PK	16.49931G	64.38	68.20	-3.82	43.45	3	Vertical	41	1.80	-	39.60	13.79	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.98545G	59.34	74.00	-14.66	41.31	3	Horizontal	336	2.20	-	39.13	11.33	32.43				
AV	10.9856G	44.84	54.00	-9.16	26.81	3	Horizontal	336	2.20	-	39.13	11.33	32.43				
PK	16.49541G	64.88	68.20	-3.32	43.97	3	Horizontal	14	1.80	-	39.58	13.79	32.46				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	58.52	68.20	-9.68	51.24	3	Vertical	298	1.80	-	33.08	6.70	32.50
AV	5.35G	46.61	54.00	-7.39	39.30	3	Vertical	298	1.80	-	33.10	6.71	32.50
PK	5.4195G	62.70	74.00	-11.30	55.03	3	Vertical	298	1.80	-	33.38	6.77	32.48
AV	5.423G	51.90	54.00	-2.10	44.22	3	Vertical	298	1.80	-	33.39	6.77	32.48
PK	5.4685G	59.92	68.20	-8.28	51.92	3	Vertical	298	1.80	-	33.61	6.86	32.47
PK	5.578G	123.50	Inf	-Inf	115.00	3	Vertical	298	1.80	-	33.90	7.06	32.46
AV	5.5785G	113.85	Inf	-Inf	105.35	3	Vertical	298	1.80	-	33.90	7.06	32.46
PK	5.729G	66.08	68.20	-2.12	57.17	3	Vertical	298	1.80	-	34.10	7.26	32.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3305G	59.29	68.20	-8.91	52.03	3	Horizontal	12	2.78	-	33.06	6.70	32.50
AV	5.35G	46.28	54.00	-7.72	38.97	3	Horizontal	12	2.78	-	33.10	6.71	32.50
PK	5.4245G	64.83	74.00	-9.17	57.13	3	Horizontal	12	2.78	-	33.40	6.78	32.48
AV	5.425G	53.99	54.00	-0.01	46.29	3	Horizontal	12	2.78	-	33.40	6.78	32.48
PK	5.464G	60.61	68.20	-7.59	52.65	3	Horizontal	12	2.78	-	33.58	6.85	32.47
PK	5.5795G	123.13	Inf	-Inf	114.63	3	Horizontal	12	2.78	-	33.90	7.06	32.46
AV	5.579G	113.47	Inf	-Inf	104.97	3	Horizontal	12	2.78	-	33.90	7.06	32.46
PK	5.731G	66.96	68.20	-1.24	58.05	3	Horizontal	12	2.78	-	34.10	7.26	32.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.15961G	58.77	74.00	-15.23	40.95	3	Vertical	74	1.64	-	38.80	11.50	32.48				
AV	11.15966G	44.54	54.00	-9.46	26.72	3	Vertical	74	1.64	-	38.80	11.50	32.48				
PK	16.7404G	64.20	68.20	-4.00	42.66	3	Vertical	351	1.97	-	39.96	13.86	32.28				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16031G	59.84	74.00	-14.16	42.02	3	Horizontal	163	1.23	-	38.80	11.50	32.48			
AV	11.15944G	44.53	54.00	-9.47	26.71	3	Horizontal	163	1.23	-	38.80	11.50	32.48			
PK	16.74095G	65.02	68.20	-3.18	43.48	3	Horizontal	157	1.76	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
 Setting 23
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	60.45	74.00	-13.55	52.56	3	Vertical	298	1.80	-	33.53	6.83	32.47			
AV	5.4555G	48.18	54.00	-5.82	40.29	3	Vertical	298	1.80	-	33.53	6.83	32.47			
PK	5.465G	60.32	68.20	-7.88	52.35	3	Vertical	298	1.80	-	33.59	6.85	32.47			
PK	5.6985G	123.06	Inf	-Inf	114.19	3	Vertical	298	1.80	-	34.10	7.22	32.45			
AV	5.6985G	113.35	Inf	-Inf	104.48	3	Vertical	298	1.80	-	34.10	7.22	32.45			
PK	5.7265G	66.17	68.20	-2.03	57.26	3	Vertical	298	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4565G	58.97	74.00	-15.03	51.07	3	Horizontal	18	3.00	-	33.54	6.83	32.47			
AV	5.4545G	47.18	54.00	-6.82	39.29	3	Horizontal	18	3.00	-	33.53	6.83	32.47			
PK	5.4685G	58.87	68.20	-9.33	50.87	3	Horizontal	18	3.00	-	33.61	6.86	32.47			
PK	5.701G	119.97	Inf	-Inf	111.09	3	Horizontal	18	3.00	-	34.10	7.23	32.45			
AV	5.701G	110.43	Inf	-Inf	101.55	3	Horizontal	18	3.00	-	34.10	7.23	32.45			
PK	5.7285G	66.16	68.20	-2.04	57.25	3	Horizontal	18	3.00	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40059G	59.87	74.00	-14.13	41.57	3	Vertical	213	2.02	-	39.10	11.75	32.55			
AV	11.40055G	45.68	54.00	-8.32	27.38	3	Vertical	213	2.02	-	39.10	11.75	32.55			
PK	17.0991G	66.37	68.20	-1.83	43.32	3	Vertical	157	2.79	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40095G	59.84	74.00	-14.16	41.54	3	Horizontal	158	2.98	-	39.10	11.75	32.55			
AV	11.40021G	45.66	54.00	-8.34	27.36	3	Horizontal	158	2.98	-	39.10	11.75	32.55			
PK	17.10032G	66.35	68.20	-1.85	43.30	3	Horizontal	72	1.42	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.47G	60.37	68.20	-7.83	52.36	3	Vertical	301	1.80	-	33.62	6.86	32.47			
PK	5.7185G	126.60	Inf	-Inf	117.70	3	Vertical	301	1.80	-	34.10	7.25	32.45			
AV	5.7185G	116.61	Inf	-Inf	107.71	3	Vertical	301	1.80	-	34.10	7.25	32.45			
PK	5.871G	63.63	68.20	-4.57	54.05	3	Vertical	301	1.80	-	34.63	7.40	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.47G	58.54	68.20	-9.66	50.53	3	Horizontal	20	3.00	-	33.62	6.86	32.47				
PK	5.721G	123.97	Inf	-Inf	115.07	3	Horizontal	20	3.00	-	34.10	7.25	32.45				
AV	5.7205G	114.16	Inf	-Inf	105.26	3	Horizontal	20	3.00	-	34.10	7.25	32.45				
PK	5.8765G	64.22	68.20	-3.98	54.59	3	Horizontal	20	3.00	-	34.66	7.41	32.44				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4404G	60.00	74.00	-14.00	41.75	3	Vertical	93	1.69	-	39.02	11.79	32.56				
AV	11.43987G	45.96	54.00	-8.04	27.71	3	Vertical	93	1.69	-	39.02	11.79	32.56				
PK	17.15979G	66.49	68.20	-1.71	43.26	3	Vertical	212	2.38	-	41.22	13.99	31.98				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44026G	59.91	74.00	-14.09	41.66	3	Horizontal	138	2.42	-	39.02	11.79	32.56			
AV	11.44019G	45.96	54.00	-8.04	27.71	3	Horizontal	138	2.42	-	39.02	11.79	32.56			
PK	17.1598G	66.26	68.20	-1.94	43.03	3	Horizontal	347	1.46	-	41.22	13.99	31.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 25
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1035G	64.75	74.00	-9.25	57.95	3	Vertical	56	1.80	-	32.71	6.65	32.56
AV	5.1045G	52.83	54.00	-1.17	46.02	3	Vertical	56	1.80	-	32.71	6.65	32.55
PK	5.2585G	123.56	Inf	-Inf	116.50	3	Vertical	56	1.80	-	32.92	6.66	32.52
AV	5.259G	112.59	Inf	-Inf	105.53	3	Vertical	56	1.80	-	32.92	6.66	32.52
PK	5.412G	64.94	74.00	-9.06	57.32	3	Vertical	56	1.80	-	33.35	6.75	32.48
AV	5.4115G	53.94	54.00	-0.06	46.32	3	Vertical	56	1.80	-	33.35	6.75	32.48
PK	5.4795G	60.84	68.20	-7.36	52.74	3	Vertical	56	1.80	-	33.68	6.88	32.46

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 25
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1045G	64.35	74.00	-9.65	57.54	3	Horizontal	10	2.96	-	32.71	6.65	32.55
AV	5.1055G	52.90	54.00	-1.10	46.09	3	Horizontal	10	2.96	-	32.71	6.65	32.55
PK	5.2605G	122.99	Inf	-Inf	115.93	3	Horizontal	10	2.96	-	32.92	6.66	32.52
AV	5.259G	112.58	Inf	-Inf	105.52	3	Horizontal	10	2.96	-	32.92	6.66	32.52
PK	5.4115G	64.76	74.00	-9.24	57.14	3	Horizontal	10	2.96	-	33.35	6.75	32.48
AV	5.411G	53.76	54.00	-0.24	46.15	3	Horizontal	10	2.96	-	33.34	6.75	32.48
PK	5.5015G	60.89	68.20	-7.31	52.63	3	Horizontal	10	2.96	-	33.80	6.92	32.46

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 25
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5205G	59.17	68.20	-9.03	41.69	3	Vertical	18	1.38	-	39.04	10.85	32.41			
PK	15.77997G	63.72	74.00	-10.28	44.45	3	Vertical	265	2.47	-	38.40	13.63	32.76			
AV	15.78081G	49.62	54.00	-4.38	30.35	3	Vertical	265	2.47	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 Setting 25
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51942G	59.11	68.20	-9.09	41.63	3	Horizontal	41	1.36	-	39.04	10.85	32.41			
PK	15.77999G	63.25	74.00	-10.75	43.98	3	Horizontal	92	1.10	-	38.40	13.63	32.76			
AV	15.78045G	49.59	54.00	-4.41	30.32	3	Horizontal	92	1.10	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.15	74.00	-9.85	57.25	3	Vertical	64	2.73	-	32.80	6.64	32.54
AV	5.15G	52.97	54.00	-1.03	46.07	3	Vertical	64	2.73	-	32.80	6.64	32.54
PK	5.303G	121.96	Inf	-Inf	114.78	3	Vertical	64	2.73	-	33.01	6.68	32.51
AV	5.3025G	111.60	Inf	-Inf	104.42	3	Vertical	64	2.73	-	33.01	6.68	32.51
PK	5.456G	64.26	74.00	-9.74	56.36	3	Vertical	64	2.73	-	33.54	6.83	32.47
AV	5.4555G	53.18	54.00	-0.82	45.29	3	Vertical	64	2.73	-	33.53	6.83	32.47
PK	5.4625G	62.60	68.20	-5.60	54.64	3	Vertical	64	2.73	-	33.58	6.85	32.47

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	63.33	74.00	-10.67	56.45	3	Horizontal	8	2.91	-	32.79	6.64	32.55
AV	5.144G	51.97	54.00	-2.03	45.09	3	Horizontal	8	2.91	-	32.79	6.64	32.55
PK	5.2985G	121.39	Inf	-Inf	114.22	3	Horizontal	8	2.91	-	33.00	6.68	32.51
AV	5.299G	111.06	Inf	-Inf	103.89	3	Horizontal	8	2.91	-	33.00	6.68	32.51
PK	5.4525G	64.47	74.00	-9.53	56.59	3	Horizontal	8	2.91	-	33.52	6.83	32.47
AV	5.4505G	53.77	54.00	-0.23	45.92	3	Horizontal	8	2.91	-	33.50	6.82	32.47
PK	5.4605G	61.23	68.20	-6.97	53.30	3	Horizontal	8	2.91	-	33.56	6.84	32.47

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59914G	59.69	68.20	-8.51	42.07	3	Vertical	323	2.30	-	39.10	10.93	32.41			
AV	10.60046G	45.53	54.00	-8.47	27.91	3	Vertical	323	2.30	-	39.10	10.93	32.41			
PK	15.90082G	62.99	74.00	-11.01	43.53	3	Vertical	163	2.96	-	38.60	13.64	32.78			
AV	15.8992G	49.21	54.00	-4.79	29.75	3	Vertical	163	2.96	-	38.60	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.59976G	59.58	68.20	-8.62	41.96	3	Horizontal	300	1.49	-	39.10	10.93	32.41				
AV	10.6005G	45.56	54.00	-8.44	27.94	3	Horizontal	300	1.49	-	39.10	10.93	32.41				
PK	15.89989G	63.56	74.00	-10.44	44.10	3	Horizontal	293	1.91	-	38.60	13.64	32.78				
AV	15.89918G	49.21	54.00	-4.79	29.75	3	Horizontal	293	1.91	-	38.60	13.64	32.78				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1355G	59.81	74.00	-14.19	52.95	3	Vertical	51	3.00	-	32.77	6.64	32.55			
AV	5.081G	47.11	54.00	-6.89	40.28	3	Vertical	51	3.00	-	32.74	6.65	32.56			
PK	5.3115G	119.12	Inf	-Inf	111.92	3	Vertical	51	3.00	-	33.02	6.69	32.51			
AV	5.3115G	109.12	Inf	-Inf	101.92	3	Vertical	51	3.00	-	33.02	6.69	32.51			
PK	5.3505G	66.44	74.00	-7.56	59.13	3	Vertical	51	3.00	-	33.10	6.71	32.50			
AV	5.35G	52.78	54.00	-1.22	45.47	3	Vertical	51	3.00	-	33.10	6.71	32.50			
PK	5.4835G	64.18	68.20	-4.02	56.06	3	Vertical	51	3.00	-	33.70	6.88	32.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.39	74.00	-13.61	53.49	3	Horizontal	10	3.00	-	32.80	6.64	32.54
AV	5.0725G	46.89	54.00	-7.11	40.03	3	Horizontal	10	3.00	-	32.76	6.66	32.56
PK	5.319G	119.95	Inf	-Inf	112.72	3	Horizontal	10	3.00	-	33.04	6.69	32.50
AV	5.318G	108.58	Inf	-Inf	101.35	3	Horizontal	10	3.00	-	33.04	6.69	32.50
PK	5.3585G	62.56	74.00	-11.44	55.21	3	Horizontal	10	3.00	-	33.13	6.71	32.49
AV	5.358G	49.11	54.00	-4.89	41.76	3	Horizontal	10	3.00	-	33.13	6.71	32.49
PK	5.4715G	64.04	68.20	-4.16	56.02	3	Horizontal	10	3.00	-	33.63	6.86	32.47

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 21.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64091G	60.25	74.00	-13.75	42.52	3	Vertical	1	1.45	-	39.18	10.97	32.42			
AV	10.6396G	45.59	54.00	-8.41	27.86	3	Vertical	1	1.45	-	39.18	10.97	32.42			
PK	15.96085G	63.11	74.00	-10.89	43.79	3	Vertical	204	2.86	-	38.46	13.65	32.79			
AV	15.96087G	49.48	54.00	-4.52	30.16	3	Vertical	204	2.86	-	38.46	13.65	32.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64041G	59.82	74.00	-14.18	42.09	3	Horizontal	232	2.77	-	39.18	10.97	32.42			
AV	10.63915G	45.61	54.00	-8.39	27.88	3	Horizontal	232	2.77	-	39.18	10.97	32.42			
PK	15.95994G	63.46	74.00	-10.54	44.14	3	Horizontal	76	1.53	-	38.46	13.65	32.79			
AV	15.96047G	49.51	54.00	-4.49	30.19	3	Horizontal	76	1.53	-	38.46	13.65	32.79			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.337G	64.59	68.20	-3.61	57.32	3	Vertical	298	1.80	-	33.07	6.70	32.50				
PK	5.4595G	66.35	74.00	-7.65	58.42	3	Vertical	298	1.80	-	33.56	6.84	32.47				
AV	5.459G	52.01	54.00	-1.99	44.09	3	Vertical	298	1.80	-	33.55	6.84	32.47				
PK	5.47G	65.74	68.20	-2.46	57.73	3	Vertical	298	1.80	-	33.62	6.86	32.47				
PK	5.4985G	124.38	Inf	-Inf	116.14	3	Vertical	298	1.80	-	33.79	6.91	32.46				
AV	5.499G	113.87	Inf	-Inf	105.63	3	Vertical	298	1.80	-	33.79	6.91	32.46				
PK	5.7375G	61.16	68.20	-7.04	52.24	3	Vertical	298	1.80	-	34.10	7.27	32.45				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.344G	64.31	68.20	-3.89	57.02	3	Horizontal	11	3.00	-	33.09	6.70	32.50			
AV	5.35G	51.38	54.00	-2.62	44.07	3	Horizontal	11	3.00	-	33.10	6.71	32.50			
PK	5.459G	64.75	74.00	-9.25	56.83	3	Horizontal	11	3.00	-	33.55	6.84	32.47			
PK	5.4605G	63.06	68.20	-5.14	55.13	3	Horizontal	11	3.00	-	33.56	6.84	32.47			
PK	5.4985G	122.90	Inf	-Inf	114.66	3	Horizontal	11	3.00	-	33.79	6.91	32.46			
AV	5.4985G	111.63	Inf	-Inf	103.39	3	Horizontal	11	3.00	-	33.79	6.91	32.46			
PK	5.7345G	62.18	68.20	-6.02	53.26	3	Horizontal	11	3.00	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00084G	59.77	74.00	-14.23	41.76	3	Vertical	49	2.75	-	39.10	11.34	32.43			
AV	10.99984G	45.56	54.00	-8.44	27.55	3	Vertical	49	2.75	-	39.10	11.34	32.43			
PK	16.50056G	65.35	68.20	-2.85	44.41	3	Vertical	117	1.06	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00099G	59.96	74.00	-14.04	41.95	3	Horizontal	359	1.87	-	39.10	11.34	32.43			
AV	10.99991G	45.55	54.00	-8.45	27.54	3	Horizontal	359	1.87	-	39.10	11.34	32.43			
PK	16.49997G	64.90	68.20	-3.30	43.97	3	Horizontal	99	2.85	-	39.60	13.79	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3405G	58.29	68.20	-9.91	51.01	3	Vertical	298	1.80	-	33.08	6.70	32.50					
PK	5.4215G	62.54	74.00	-11.46	54.86	3	Vertical	298	1.80	-	33.39	6.77	32.48					
AV	5.423G	51.61	54.00	-2.39	43.93	3	Vertical	298	1.80	-	33.39	6.77	32.48					
PK	5.4645G	59.40	68.20	-8.80	51.43	3	Vertical	298	1.80	-	33.59	6.85	32.47					
PK	5.578G	124.51	Inf	-Inf	116.01	3	Vertical	298	1.80	-	33.90	7.06	32.46					
AV	5.579G	113.78	Inf	-Inf	105.28	3	Vertical	298	1.80	-	33.90	7.06	32.46					
PK	5.7295G	64.92	68.20	-3.28	56.01	3	Vertical	298	1.80	-	34.10	7.26	32.45					

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3485G	58.84	68.20	-9.36	51.54	3	Horizontal	9	2.78	-	33.10	6.70	32.50			
PK	5.423G	65.71	74.00	-8.29	58.03	3	Horizontal	9	2.78	-	33.39	6.77	32.48			
AV	5.425G	53.77	54.00	-0.23	46.07	3	Horizontal	9	2.78	-	33.40	6.78	32.48			
PK	5.469G	59.12	68.20	-9.08	51.12	3	Horizontal	9	2.78	-	33.61	6.86	32.47			
PK	5.5775G	123.45	Inf	-Inf	114.95	3	Horizontal	9	2.78	-	33.90	7.06	32.46			
AV	5.5785G	112.78	Inf	-Inf	104.28	3	Horizontal	9	2.78	-	33.90	7.06	32.46			
PK	5.7375G	65.99	68.20	-2.21	57.07	3	Horizontal	9	2.78	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15901G	59.88	74.00	-14.12	42.06	3	Vertical	262	1.25	-	38.80	11.50	32.48			
AV	11.1599G	45.54	54.00	-8.46	27.72	3	Vertical	262	1.25	-	38.80	11.50	32.48			
PK	16.7391G	65.44	68.20	-2.76	43.90	3	Vertical	230	2.31	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15914G	59.62	74.00	-14.38	41.80	3	Horizontal	246	2.71	-	38.80	11.50	32.48			
AV	11.16065G	45.58	54.00	-8.42	27.76	3	Horizontal	246	2.71	-	38.80	11.50	32.48			
PK	16.74085G	66.74	68.20	-1.46	45.20	3	Horizontal	195	2.38	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	59.48	74.00	-14.52	51.56	3	Vertical	298	1.80	-	33.55	6.84	32.47			
AV	5.4585G	48.14	54.00	-5.86	40.22	3	Vertical	298	1.80	-	33.55	6.84	32.47			
PK	5.47G	60.67	68.20	-7.53	52.66	3	Vertical	298	1.80	-	33.62	6.86	32.47			
PK	5.6985G	122.44	Inf	-Inf	113.57	3	Vertical	298	1.80	-	34.10	7.22	32.45			
AV	5.6985G	111.65	Inf	-Inf	102.78	3	Vertical	298	1.80	-	34.10	7.22	32.45			
PK	5.726G	66.68	68.20	-1.52	57.77	3	Vertical	298	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	59.56	74.00	-14.44	51.68	3	Horizontal	17	3.00	-	33.52	6.83	32.47			
PK	5.461G	59.85	68.20	-8.35	51.91	3	Horizontal	17	3.00	-	33.57	6.84	32.47			
AV	5.4585G	47.59	54.00	-6.41	39.67	3	Horizontal	17	3.00	-	33.55	6.84	32.47			
PK	5.701G	118.88	Inf	-Inf	110.00	3	Horizontal	17	3.00	-	34.10	7.23	32.45			
AV	5.701G	109.07	Inf	-Inf	100.19	3	Horizontal	17	3.00	-	34.10	7.23	32.45			
PK	5.7255G	63.90	68.20	-4.30	54.99	3	Horizontal	17	3.00	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.3997G	61.58	74.00	-12.42	43.28	3	Vertical	66	2.32	-	39.10	11.75	32.55				
AV	11.40046G	46.31	54.00	-7.69	28.01	3	Vertical	66	2.32	-	39.10	11.75	32.55				
PK	17.09908G	65.75	68.20	-2.45	42.70	3	Vertical	27	1.37	-	41.10	13.97	32.02				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 21.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40063G	60.10	74.00	-13.90	41.80	3	Horizontal	309	1.27	-	39.10	11.75	32.55			
AV	11.40059G	46.26	54.00	-7.74	27.96	3	Horizontal	309	1.27	-	39.10	11.75	32.55			
PK	17.09969G	64.58	68.20	-3.62	41.53	3	Horizontal	158	2.23	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.47G	59.25	68.20	-8.95	51.24	3	Vertical	302	1.80	-	33.62	6.86	32.47				
PK	5.719G	125.86	Inf	-Inf	116.96	3	Vertical	302	1.80	-	34.10	7.25	32.45				
AV	5.7185G	115.61	Inf	-Inf	106.71	3	Vertical	302	1.80	-	34.10	7.25	32.45				
PK	5.8735G	63.38	68.20	-4.82	53.78	3	Vertical	302	1.80	-	34.64	7.41	32.45				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.47G	57.35	68.20	-10.85	49.34	3	Horizontal	20	3.00	-	33.62	6.86	32.47			
PK	5.7195G	125.13	Inf	-Inf	116.23	3	Horizontal	20	3.00	-	34.10	7.25	32.45			
AV	5.7205G	114.34	Inf	-Inf	105.44	3	Horizontal	20	3.00	-	34.10	7.25	32.45			
PK	5.873G	63.28	68.20	-4.92	53.69	3	Horizontal	20	3.00	-	34.64	7.40	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.43984G	60.86	74.00	-13.14	42.61	3	Vertical	15	1.23	-	39.02	11.79	32.56				
AV	11.43967G	46.67	54.00	-7.33	28.42	3	Vertical	15	1.23	-	39.02	11.79	32.56				
PK	17.16058G	65.79	68.20	-2.41	42.56	3	Vertical	255	1.81	-	41.22	13.99	31.98				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 31
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43961G	60.39	74.00	-13.61	42.14	3	Horizontal	299	2.33	-	39.02	11.79	32.56			
AV	11.4398G	46.59	54.00	-7.41	28.34	3	Horizontal	299	2.33	-	39.02	11.79	32.56			
PK	17.16038G	64.79	68.20	-3.41	41.56	3	Horizontal	64	2.31	-	41.22	13.99	31.98			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.101G	62.48	74.00	-11.52	55.69	3	Vertical	54	1.80	-	32.70	6.65	32.56				
AV	5.098G	50.84	54.00	-3.16	44.05	3	Vertical	54	1.80	-	32.70	6.65	32.56				
PK	5.2685G	119.71	Inf	-Inf	112.63	3	Vertical	54	1.80	-	32.94	6.66	32.52				
AV	5.269G	109.74	Inf	-Inf	102.66	3	Vertical	54	1.80	-	32.94	6.66	32.52				
PK	5.3505G	64.76	74.00	-9.24	57.45	3	Vertical	54	1.80	-	33.10	6.71	32.50				
AV	5.35G	52.88	54.00	-1.12	45.57	3	Vertical	54	1.80	-	33.10	6.71	32.50				
PK	5.5085G	60.88	68.20	-7.32	52.59	3	Vertical	54	1.80	-	33.82	6.93	32.46				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	62.24	74.00	-11.76	55.38	3	Horizontal	9	2.95	-	32.77	6.64	32.55			
AV	5.115G	50.95	54.00	-3.05	44.12	3	Horizontal	9	2.95	-	32.73	6.65	32.55			
PK	5.2685G	121.60	Inf	-Inf	114.52	3	Horizontal	9	2.95	-	32.94	6.66	32.52			
AV	5.2685G	109.17	Inf	-Inf	102.09	3	Horizontal	9	2.95	-	32.94	6.66	32.52			
PK	5.35G	65.45	74.00	-8.55	58.14	3	Horizontal	9	2.95	-	33.10	6.71	32.50			
AV	5.35G	52.56	54.00	-1.44	45.25	3	Horizontal	9	2.95	-	33.10	6.71	32.50			
PK	5.515G	61.54	68.20	-6.66	53.23	3	Horizontal	9	2.95	-	33.83	6.94	32.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54086G	59.53	68.20	-8.67	41.99	3	Vertical	59	1.98	-	39.08	10.87	32.41			
PK	15.81059G	63.57	74.00	-10.43	44.31	3	Vertical	318	1.91	-	38.40	13.63	32.77			
AV	15.8106G	50.03	54.00	-3.97	30.77	3	Vertical	318	1.91	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.54099G	59.00	68.20	-9.20	41.46	3	Horizontal	343	1.81	-	39.08	10.87	32.41				
PK	15.81065G	63.53	74.00	-10.47	44.27	3	Horizontal	173	2.02	-	38.40	13.63	32.77				
AV	15.8106G	49.98	54.00	-4.02	30.72	3	Horizontal	173	2.02	-	38.40	13.63	32.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 19
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.27	74.00	-13.73	53.40	3	Vertical	52	2.46	-	32.78	6.64	32.55
AV	5.14G	49.30	54.00	-4.70	42.43	3	Vertical	52	2.46	-	32.78	6.64	32.55
PK	5.2915G	115.16	Inf	-Inf	108.01	3	Vertical	52	2.46	-	32.98	6.68	32.51
AV	5.292G	104.71	Inf	-Inf	97.56	3	Vertical	52	2.46	-	32.98	6.68	32.51
PK	5.3535G	63.55	74.00	-10.45	56.23	3	Vertical	52	2.46	-	33.11	6.71	32.50
AV	5.352G	52.07	54.00	-1.93	44.75	3	Vertical	52	2.46	-	33.11	6.71	32.50
PK	5.4725G	60.54	68.20	-7.66	52.52	3	Vertical	52	2.46	-	33.63	6.86	32.47

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 19
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.138G	59.69	74.00	-14.31	52.82	3	Horizontal	8	2.90	-	32.78	6.64	32.55				
AV	5.1385G	47.91	54.00	-6.09	41.04	3	Horizontal	8	2.90	-	32.78	6.64	32.55				
PK	5.3095G	113.79	Inf	-Inf	106.60	3	Horizontal	8	2.90	-	33.02	6.68	32.51				
AV	5.308G	103.75	Inf	-Inf	96.56	3	Horizontal	8	2.90	-	33.02	6.68	32.51				
PK	5.35G	64.58	74.00	-9.42	57.27	3	Horizontal	8	2.90	-	33.10	6.71	32.50				
AV	5.35G	52.54	54.00	-1.46	45.23	3	Horizontal	8	2.90	-	33.10	6.71	32.50				
PK	5.4805G	62.04	68.20	-6.16	53.94	3	Horizontal	8	2.90	-	33.68	6.88	32.46				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 19
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61983G	59.59	74.00	-14.41	41.91	3	Vertical	306	2.75	-	39.14	10.95	32.41			
AV	10.6199G	45.69	54.00	-8.31	28.01	3	Vertical	306	2.75	-	39.14	10.95	32.41			
PK	15.93045G	63.13	74.00	-10.87	43.74	3	Vertical	83	2.49	-	38.54	13.64	32.79			
AV	15.93086G	49.21	54.00	-4.79	29.82	3	Vertical	83	2.49	-	38.54	13.64	32.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61941G	60.08	74.00	-13.92	42.40	3	Horizontal	135	2.91	-	39.14	10.95	32.41			
AV	10.62001G	45.71	54.00	-8.29	28.03	3	Horizontal	135	2.91	-	39.14	10.95	32.41			
PK	15.93057G	64.07	74.00	-9.93	44.68	3	Horizontal	188	2.33	-	38.54	13.64	32.79			
AV	15.93079G	49.22	54.00	-4.78	29.83	3	Horizontal	188	2.33	-	38.54	13.64	32.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 21
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.35G	59.94	68.20	-8.26	52.64	3	Vertical	301	1.80	-	33.10	6.70	32.50				
PK	5.449G	61.34	74.00	-12.66	53.49	3	Vertical	301	1.80	-	33.50	6.82	32.47				
PK	5.47G	67.04	68.20	-1.16	59.03	3	Vertical	301	1.80	-	33.62	6.86	32.47				
AV	5.46G	49.93	54.00	-4.07	42.00	3	Vertical	301	1.80	-	33.56	6.84	32.47				
PK	5.5285G	118.27	Inf	-Inf	109.90	3	Vertical	301	1.80	-	33.86	6.97	32.46				
AV	5.5285G	107.89	Inf	-Inf	99.52	3	Vertical	301	1.80	-	33.86	6.97	32.46				
PK	5.7315G	61.91	68.20	-6.29	53.00	3	Vertical	301	1.80	-	34.10	7.26	32.45				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 21
 01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3395G	59.37	68.20	-8.83	52.09	3	Horizontal	10	2.83	-	33.08	6.70	32.50				
PK	5.374G	61.43	74.00	-12.57	54.00	3	Horizontal	10	2.83	-	33.20	6.72	32.49				
AV	5.3745G	49.85	54.00	-4.15	42.42	3	Horizontal	10	2.83	-	33.20	6.72	32.49				
PK	5.4685G	66.27	68.20	-1.93	58.27	3	Horizontal	10	2.83	-	33.61	6.86	32.47				
PK	5.528G	119.88	Inf	-Inf	111.51	3	Horizontal	10	2.83	-	33.86	6.97	32.46				
AV	5.5285G	107.15	Inf	-Inf	98.78	3	Horizontal	10	2.83	-	33.86	6.97	32.46				
PK	5.758G	61.58	68.20	-6.62	52.61	3	Horizontal	10	2.83	-	34.12	7.30	32.45				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Y_4TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02071G	59.08	74.00	-14.92	41.10	3	Vertical	285	1.15	-	39.06	11.36	32.44			
AV	11.02006G	45.45	54.00	-8.55	27.47	3	Vertical	285	1.15	-	39.06	11.36	32.44			
PK	16.52936G	62.64	68.20	-5.56	41.68	3	Vertical	154	1.87	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Y_4TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02069G	59.73	74.00	-14.27	41.75	3	Horizontal	250	1.30	-	39.06	11.36	32.44			
AV	11.01942G	45.42	54.00	-8.58	27.44	3	Horizontal	250	1.30	-	39.06	11.36	32.44			
PK	16.5303G	62.16	68.20	-6.04	41.20	3	Horizontal	289	1.69	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3335G	59.12	68.20	-9.08	51.85	3	Vertical	295	1.80	-	33.07	6.70	32.50
PK	5.43G	62.72	74.00	-11.28	54.99	3	Vertical	295	1.80	-	33.42	6.79	32.48
AV	5.4125G	50.71	54.00	-3.29	43.09	3	Vertical	295	1.80	-	33.35	6.75	32.48
PK	5.469G	68.17	68.20	-0.03	60.17	3	Vertical	295	1.80	-	33.61	6.86	32.47
PK	5.5675G	123.18	Inf	-Inf	114.70	3	Vertical	295	1.80	-	33.90	7.04	32.46
AV	5.568G	111.31	Inf	-Inf	102.83	3	Vertical	295	1.80	-	33.90	7.04	32.46
PK	5.7335G	62.82	68.20	-5.38	53.90	3	Vertical	295	1.80	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	58.86	68.20	-9.34	51.60	3	Horizontal	14	2.93	-	33.06	6.70	32.50
PK	5.394G	61.61	74.00	-12.39	54.09	3	Horizontal	14	2.93	-	33.28	6.73	32.49
AV	5.4145G	50.81	54.00	-3.19	43.17	3	Horizontal	14	2.93	-	33.36	6.76	32.48
PK	5.4685G	67.64	68.20	-0.56	59.64	3	Horizontal	14	2.93	-	33.61	6.86	32.47
PK	5.5485G	119.53	Inf	-Inf	111.09	3	Horizontal	14	2.93	-	33.90	7.00	32.46
AV	5.549G	110.07	Inf	-Inf	101.62	3	Horizontal	14	2.93	-	33.90	7.01	32.46
PK	5.763G	61.29	68.20	-6.91	52.31	3	Horizontal	14	2.93	-	34.13	7.30	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09921G	60.29	74.00	-13.71	42.31	3	Vertical	217	1.47	-	39.00	11.44	32.46			
AV	11.10061G	46.02	54.00	-7.98	28.04	3	Vertical	217	1.47	-	39.00	11.44	32.46			
PK	16.64941G	62.52	68.20	-5.68	41.23	3	Vertical	155	2.32	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10043G	60.84	74.00	-13.16	42.86	3	Horizontal	133	1.26	-	39.00	11.44	32.46			
AV	11.09983G	46.03	54.00	-7.97	28.05	3	Horizontal	133	1.26	-	39.00	11.44	32.46			
PK	16.64963G	62.80	68.20	-5.40	41.51	3	Horizontal	52	1.02	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 22.5
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4465G	59.74	74.00	-14.26	51.90	3	Vertical	298	1.80	-	33.49	6.82	32.47			
AV	5.4465G	48.30	54.00	-5.70	40.46	3	Vertical	298	1.80	-	33.49	6.82	32.47			
PK	5.468G	60.54	68.20	-7.66	52.54	3	Vertical	298	1.80	-	33.61	6.86	32.47			
PK	5.6685G	123.30	Inf	-Inf	114.52	3	Vertical	298	1.80	-	34.04	7.19	32.45			
AV	5.6685G	109.85	Inf	-Inf	101.07	3	Vertical	298	1.80	-	34.04	7.19	32.45			
PK	5.7285G	65.57	68.20	-2.63	56.66	3	Vertical	298	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 22.5
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	59.05	74.00	-14.95	51.24	3	Horizontal	15	3.00	-	33.47	6.81	32.47
AV	5.4475G	47.59	54.00	-6.41	39.75	3	Horizontal	15	3.00	-	33.49	6.82	32.47
PK	5.4685G	60.32	68.20	-7.88	52.32	3	Horizontal	15	3.00	-	33.61	6.86	32.47
PK	5.671G	118.50	Inf	-Inf	109.72	3	Horizontal	15	3.00	-	34.04	7.19	32.45
AV	5.6705G	107.10	Inf	-Inf	98.32	3	Horizontal	15	3.00	-	34.04	7.19	32.45
PK	5.8055G	64.24	68.20	-3.96	55.11	3	Horizontal	15	3.00	-	34.23	7.35	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 22.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3401G	60.04	74.00	-13.96	41.80	3	Vertical	190	2.21	-	39.08	11.69	32.53			
AV	11.33921G	45.96	54.00	-8.04	27.72	3	Vertical	190	2.21	-	39.08	11.69	32.53			
PK	17.01002G	64.61	68.20	-3.59	42.08	3	Vertical	307	2.44	-	40.66	13.94	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 22.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3402G	59.86	74.00	-14.14	41.62	3	Horizontal	109	2.32	-	39.08	11.69	32.53			
AV	11.33946G	45.95	54.00	-8.05	27.71	3	Horizontal	109	2.32	-	39.08	11.69	32.53			
PK	17.01071G	64.59	68.20	-3.61	42.06	3	Horizontal	35	3.00	-	40.66	13.94	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 26
 01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3308G	58.62	68.20	-9.58	51.36	3	Vertical	301	1.80	-	33.06	6.70	32.50
AV	5.35G	46.81	54.00	-7.19	39.50	3	Vertical	301	1.80	-	33.10	6.71	32.50
PK	5.4188G	64.98	74.00	-9.02	57.32	3	Vertical	301	1.80	-	33.38	6.76	32.48
AV	5.418G	53.76	54.00	-0.24	46.11	3	Vertical	301	1.80	-	33.37	6.76	32.48
PK	5.4644G	61.08	68.20	-7.12	53.11	3	Vertical	301	1.80	-	33.59	6.85	32.47
PK	5.7084G	123.60	Inf	-Inf	114.71	3	Vertical	301	1.80	-	34.10	7.24	32.45
AV	5.7084G	113.19	Inf	-Inf	104.30	3	Vertical	301	1.80	-	34.10	7.24	32.45
PK	5.85G	64.06	68.20	-4.14	54.62	3	Vertical	301	1.80	-	34.50	7.39	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
 Setting 26
 01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3476G	57.88	68.20	-10.32	50.58	3	Horizontal	20	3.00	-	33.10	6.70	32.50			
AV	5.35G	46.34	54.00	-7.66	39.03	3	Horizontal	20	3.00	-	33.10	6.71	32.50			
PK	5.4012G	64.33	74.00	-9.67	56.78	3	Horizontal	20	3.00	-	33.30	6.73	32.48			
AV	5.3996G	52.67	54.00	-1.33	45.12	3	Horizontal	20	3.00	-	33.30	6.73	32.48			
PK	5.4636G	59.21	68.20	-8.99	51.25	3	Horizontal	20	3.00	-	33.58	6.85	32.47			
PK	5.7124G	122.29	Inf	-Inf	113.40	3	Horizontal	20	3.00	-	34.10	7.24	32.45			
AV	5.7108G	110.27	Inf	-Inf	101.38	3	Horizontal	20	3.00	-	34.10	7.24	32.45			
PK	5.85G	62.86	68.20	-5.34	53.42	3	Horizontal	20	3.00	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 26
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42023G	60.51	74.00	-13.49	42.24	3	Vertical	150	2.23	-	39.06	11.77	32.56			
AV	11.42022G	46.60	54.00	-7.40	28.33	3	Vertical	150	2.23	-	39.06	11.77	32.56			
PK	17.13067G	65.93	68.20	-2.27	42.79	3	Vertical	28	2.64	-	41.16	13.98	32.00			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 26
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4193G	60.38	74.00	-13.62	42.11	3	Horizontal	21	2.43	-	39.06	11.77	32.56				
AV	11.42022G	46.51	54.00	-7.49	28.24	3	Horizontal	21	2.43	-	39.06	11.77	32.56				
PK	17.13002G	65.34	68.20	-2.86	42.20	3	Horizontal	273	2.91	-	41.16	13.98	32.00				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	59.93	74.00	-14.07	53.07	3	Vertical	57	1.80	-	32.77	6.64	32.55			
AV	5.002G	49.03	54.00	-4.97	42.04	3	Vertical	57	1.80	-	32.90	6.67	32.58			
PK	5.289G	112.13	Inf	-Inf	104.99	3	Vertical	57	1.80	-	32.98	6.67	32.51			
AV	5.269G	100.49	Inf	-Inf	93.41	3	Vertical	57	1.80	-	32.94	6.66	32.52			
PK	5.35G	64.04	74.00	-9.96	56.73	3	Vertical	57	1.80	-	33.10	6.71	32.50			
AV	5.35G	51.74	54.00	-2.26	44.43	3	Vertical	57	1.80	-	33.10	6.71	32.50			
PK	5.584G	63.29	68.20	-4.91	54.78	3	Vertical	57	1.80	-	33.90	7.07	32.46			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.115G	60.46	74.00	-13.54	53.63	3	Horizontal	10	2.95	-	32.73	6.65	32.55
AV	5.117G	48.57	54.00	-5.43	41.74	3	Horizontal	10	2.95	-	32.73	6.65	32.55
PK	5.268G	111.44	Inf	-Inf	104.36	3	Horizontal	10	2.95	-	32.94	6.66	32.52
AV	5.268G	100.22	Inf	-Inf	93.14	3	Horizontal	10	2.95	-	32.94	6.66	32.52
PK	5.369G	62.89	74.00	-11.11	55.49	3	Horizontal	10	2.95	-	33.18	6.71	32.49
AV	5.35G	51.28	54.00	-2.72	43.97	3	Horizontal	10	2.95	-	33.10	6.71	32.50
PK	5.633G	63.85	68.20	-4.35	55.19	3	Horizontal	10	2.95	-	33.97	7.14	32.45

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58088G	60.13	68.20	-8.07	42.53	3	Vertical	275	1.20	-	39.10	10.91	32.41			
PK	15.86998G	63.49	74.00	-10.51	44.15	3	Vertical	295	2.83	-	38.48	13.64	32.78			
AV	15.87057G	49.58	54.00	-4.42	30.24	3	Vertical	295	2.83	-	38.48	13.64	32.78			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57992G	59.67	68.20	-8.53	42.07	3	Horizontal	187	1.14	-	39.10	10.91	32.41
PK	15.87045G	63.27	74.00	-10.73	43.93	3	Horizontal	95	1.78	-	38.48	13.64	32.78
AV	15.87054G	49.61	54.00	-4.39	30.27	3	Horizontal	95	1.78	-	38.48	13.64	32.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.224G	63.14	68.20	-5.06	56.13	3	Vertical	300	1.80	-	32.90	6.64	32.53
PK	5.448G	60.47	74.00	-13.53	52.63	3	Vertical	300	1.80	-	33.49	6.82	32.47
AV	5.449G	48.37	54.00	-5.63	40.52	3	Vertical	300	1.80	-	33.50	6.82	32.47
PK	5.47G	61.66	68.20	-6.54	53.65	3	Vertical	300	1.80	-	33.62	6.86	32.47
PK	5.51G	113.61	Inf	-Inf	105.32	3	Vertical	300	1.80	-	33.82	6.93	32.46
AV	5.529G	102.05	Inf	-Inf	93.68	3	Vertical	300	1.80	-	33.86	6.97	32.46
PK	5.814G	61.38	68.20	-6.82	52.19	3	Vertical	300	1.80	-	34.28	7.36	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.233G	62.92	68.20	-5.28	55.89	3	Horizontal	12	3.00	-	32.90	6.65	32.52			
PK	5.449G	60.21	74.00	-13.79	52.36	3	Horizontal	12	3.00	-	33.50	6.82	32.47			
AV	5.449G	48.41	54.00	-5.59	40.56	3	Horizontal	12	3.00	-	33.50	6.82	32.47			
PK	5.469G	61.07	68.20	-7.13	53.07	3	Horizontal	12	3.00	-	33.61	6.86	32.47			
PK	5.509G	111.68	Inf	-Inf	103.39	3	Horizontal	12	3.00	-	33.82	6.93	32.46			
AV	5.509G	100.48	Inf	-Inf	92.19	3	Horizontal	12	3.00	-	33.82	6.93	32.46			
PK	5.874G	62.61	68.20	-5.59	53.01	3	Horizontal	12	3.00	-	34.64	7.41	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06067G	59.84	74.00	-14.16	41.89	3	Vertical	145	2.01	-	39.00	11.40	32.45			
AV	11.06074G	46.08	54.00	-7.92	28.13	3	Vertical	145	2.01	-	39.00	11.40	32.45			
PK	16.59069G	65.94	68.20	-2.26	44.91	3	Vertical	75	1.34	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05953G	59.74	74.00	-14.26	41.79	3	Horizontal	190	2.92	-	39.00	11.40	32.45			
AV	11.061G	46.04	54.00	-7.96	28.09	3	Horizontal	190	2.92	-	39.00	11.40	32.45			
PK	16.59023G	65.73	68.20	-2.47	44.70	3	Horizontal	170	1.22	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.119G	46.11	54.00	-7.89	39.27	3	Vertical	296	1.80	-	32.74	6.65	32.55			
PK	5.313G	59.97	68.20	-8.23	52.75	3	Vertical	296	1.80	-	33.03	6.69	32.50			
PK	5.455G	59.80	74.00	-14.20	51.91	3	Vertical	296	1.80	-	33.53	6.83	32.47			
AV	5.453G	48.76	54.00	-5.24	40.88	3	Vertical	296	1.80	-	33.52	6.83	32.47			
PK	5.469G	60.52	68.20	-7.68	52.52	3	Vertical	296	1.80	-	33.61	6.86	32.47			
PK	5.587G	110.98	Inf	-Inf	102.46	3	Vertical	296	1.80	-	33.90	7.08	32.46			
AV	5.608G	100.38	Inf	-Inf	91.81	3	Vertical	296	1.80	-	33.92	7.11	32.46			
PK	5.783G	61.76	68.20	-6.44	52.71	3	Vertical	296	1.80	-	34.17	7.33	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.118G	45.98	54.00	-8.02	39.14	3	Horizontal	13	2.78	-	32.74	6.65	32.55			
PK	5.307G	61.22	68.20	-6.98	54.04	3	Horizontal	13	2.78	-	33.01	6.68	32.51			
PK	5.458G	60.01	74.00	-13.99	52.09	3	Horizontal	13	2.78	-	33.55	6.84	32.47			
AV	5.436G	48.42	54.00	-5.58	40.66	3	Horizontal	13	2.78	-	33.44	6.80	32.48			
PK	5.462G	59.18	68.20	-9.02	51.24	3	Horizontal	13	2.78	-	33.57	6.84	32.47			
PK	5.608G	108.31	Inf	-Inf	99.74	3	Horizontal	13	2.78	-	33.92	7.11	32.46			
AV	5.608G	97.98	Inf	-Inf	89.41	3	Horizontal	13	2.78	-	33.92	7.11	32.46			
PK	5.98G	61.77	68.20	-6.43	51.51	3	Horizontal	13	2.78	-	35.22	7.48	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22011G	59.15	74.00	-14.85	41.25	3	Vertical	237	1.99	-	38.84	11.56	32.50			
AV	11.21957G	45.71	54.00	-8.29	27.81	3	Vertical	237	1.99	-	38.84	11.56	32.50			
PK	16.82952G	64.03	68.20	-4.17	42.03	3	Vertical	94	2.49	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 15.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21915G	59.62	74.00	-14.38	41.72	3	Horizontal	107	2.62	-	38.84	11.56	32.50			
AV	11.22092G	45.74	54.00	-8.26	27.83	3	Horizontal	107	2.62	-	38.84	11.57	32.50			
PK	16.82938G	64.30	68.20	-3.90	42.30	3	Horizontal	53	1.04	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 15
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.23G	58.55	68.20	-9.65	51.53	3	Vertical	301	1.80	-	32.90	6.64	32.52			
PK	5.374G	60.29	74.00	-13.71	52.86	3	Vertical	301	1.80	-	33.20	6.72	32.49			
AV	5.35G	46.98	54.00	-7.02	39.67	3	Vertical	301	1.80	-	33.10	6.71	32.50			
AV	5.414G	48.36	54.00	-5.64	40.72	3	Vertical	301	1.80	-	33.36	6.76	32.48			
PK	5.462G	59.27	68.20	-8.93	51.33	3	Vertical	301	1.80	-	33.57	6.84	32.47			
PK	5.729G	109.72	Inf	-Inf	100.81	3	Vertical	301	1.80	-	34.10	7.26	32.45			
AV	5.708G	97.90	Inf	-Inf	89.02	3	Vertical	301	1.80	-	34.10	7.23	32.45			
PK	5.946G	61.29	68.20	-6.91	51.19	3	Vertical	301	1.80	-	35.08	7.46	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 15
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	60.06	68.20	-8.14	52.77	3	Horizontal	16	2.70	-	33.09	6.70	32.50			
AV	5.35G	47.25	54.00	-6.75	39.94	3	Horizontal	16	2.70	-	33.10	6.71	32.50			
PK	5.42G	61.00	74.00	-13.00	53.33	3	Horizontal	16	2.70	-	33.38	6.77	32.48			
AV	5.404G	48.10	54.00	-5.90	40.52	3	Horizontal	16	2.70	-	33.32	6.74	32.48			
PK	5.466G	58.18	68.20	-10.02	50.20	3	Horizontal	16	2.70	-	33.60	6.85	32.47			
PK	5.71G	106.29	Inf	-Inf	97.40	3	Horizontal	16	2.70	-	34.10	7.24	32.45			
AV	5.669G	95.42	Inf	-Inf	86.64	3	Horizontal	16	2.70	-	34.04	7.19	32.45			
PK	5.85G	61.10	68.20	-7.10	51.66	3	Horizontal	16	2.70	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 15
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3797G	60.97	74.00	-13.03	42.68	3	Vertical	29	1.59	-	39.10	11.73	32.54			
AV	11.38082G	46.60	54.00	-7.40	28.31	3	Vertical	29	1.59	-	39.10	11.73	32.54			
PK	17.06991G	65.69	68.20	-2.51	42.79	3	Vertical	57	2.47	-	40.98	13.96	32.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 15
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3804G	60.70	74.00	-13.30	42.41	3	Horizontal	189	2.12	-	39.10	11.73	32.54			
AV	11.38028G	46.52	54.00	-7.48	28.23	3	Horizontal	189	2.12	-	39.10	11.73	32.54			
PK	17.06927G	65.18	68.20	-3.02	42.28	3	Horizontal	161	2.52	-	40.98	13.96	32.04			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.109G	64.84	74.00	-9.16	58.02	3	Vertical	55	1.80	-	32.72	6.65	32.55			
AV	5.109G	52.76	54.00	-1.24	45.94	3	Vertical	55	1.80	-	32.72	6.65	32.55			
PK	5.269G	110.58	Inf	-Inf	103.50	3	Vertical	55	1.80	-	32.94	6.66	32.52			
AV	5.269G	98.92	Inf	-Inf	91.84	3	Vertical	55	1.80	-	32.94	6.66	32.52			
PK	5.39G	66.38	74.00	-7.62	58.88	3	Vertical	55	1.80	-	33.26	6.73	32.49			
AV	5.409G	53.71	54.00	-0.29	46.10	3	Vertical	55	1.80	-	33.34	6.75	32.48			
PK	5.537G	61.35	68.20	-6.85	52.96	3	Vertical	55	1.80	-	33.87	6.98	32.46			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.089G	63.59	74.00	-10.41	56.78	3	Horizontal	12	3.00	-	32.72	6.65	32.56			
AV	5.089G	51.39	54.00	-2.61	44.58	3	Horizontal	12	3.00	-	32.72	6.65	32.56			
PK	5.229G	108.60	Inf	-Inf	101.59	3	Horizontal	12	3.00	-	32.90	6.64	32.53			
AV	5.209G	97.46	Inf	-Inf	90.46	3	Horizontal	12	3.00	-	32.90	6.63	32.53			
PK	5.368G	64.77	74.00	-9.23	57.38	3	Horizontal	12	3.00	-	33.17	6.71	32.49			
AV	5.35G	52.43	54.00	-1.57	45.12	3	Horizontal	12	3.00	-	33.10	6.71	32.50			
PK	5.614G	61.47	68.20	-6.73	52.88	3	Horizontal	12	3.00	-	33.93	7.12	32.46			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49908G	59.46	68.20	-8.74	42.04	3	Vertical	103	1.04	-	39.00	10.83	32.41			
PK	15.75065G	64.80	74.00	-9.20	45.53	3	Vertical	104	2.31	-	38.40	13.63	32.76			
AV	15.74901G	49.30	54.00	-4.70	30.04	3	Vertical	104	2.31	-	38.40	13.62	32.76			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 19.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49904G	59.14	68.20	-9.06	41.72	3	Horizontal	311	2.34	-	39.00	10.83	32.41			
PK	15.74954G	65.27	74.00	-8.73	46.01	3	Horizontal	316	2.24	-	38.40	13.62	32.76			
AV	15.74976G	48.34	54.00	-5.66	29.08	3	Horizontal	316	2.24	-	38.40	13.62	32.76			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.316G	61.50	68.20	-6.70	54.28	3	Vertical	294	1.80	-	33.03	6.69	32.50			
PK	5.449G	66.85	74.00	-7.15	59.00	3	Vertical	294	1.80	-	33.50	6.82	32.47			
AV	5.45G	53.70	54.00	-0.30	45.85	3	Vertical	294	1.80	-	33.50	6.82	32.47			
PK	5.468G	67.68	68.20	-0.52	59.68	3	Vertical	294	1.80	-	33.61	6.86	32.47			
PK	5.588G	114.75	Inf	-Inf	106.23	3	Vertical	294	1.80	-	33.90	7.08	32.46			
AV	5.549G	101.31	Inf	-Inf	92.86	3	Vertical	294	1.80	-	33.90	7.01	32.46			
PK	5.729G	67.50	68.20	-0.70	58.59	3	Vertical	294	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.285G	60.95	68.20	-7.25	53.82	3	Horizontal	10	2.84	-	32.97	6.67	32.51			
PK	5.45G	64.22	74.00	-9.78	56.37	3	Horizontal	10	2.84	-	33.50	6.82	32.47			
AV	5.449G	52.49	54.00	-1.51	44.64	3	Horizontal	10	2.84	-	33.50	6.82	32.47			
PK	5.468G	66.35	68.20	-1.85	58.35	3	Horizontal	10	2.84	-	33.61	6.86	32.47			
AV	5.528G	100.06	Inf	-Inf	91.69	3	Horizontal	10	2.84	-	33.86	6.97	32.46			
PK	5.589G	111.91	Inf	-Inf	103.39	3	Horizontal	10	2.84	-	33.90	7.08	32.46			
PK	5.728G	66.21	68.20	-1.99	57.30	3	Horizontal	10	2.84	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1395G	59.82	74.00	-14.18	41.97	3	Vertical	228	1.49	-	38.84	11.48	32.47			
AV	11.14005G	46.17	54.00	-7.83	28.32	3	Vertical	228	1.49	-	38.84	11.48	32.47			
PK	16.70922G	65.61	68.20	-2.59	44.21	3	Vertical	28	1.36	-	39.84	13.86	32.30			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
 Setting 20.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13993G	60.25	74.00	-13.75	42.40	3	Horizontal	139	1.87	-	38.84	11.48	32.47			
AV	11.13947G	46.15	54.00	-7.85	28.30	3	Horizontal	139	1.87	-	38.84	11.48	32.47			
PK	16.70997G	65.34	68.20	-2.86	43.94	3	Horizontal	308	2.26	-	39.84	13.86	32.30			

<Radio 2>

For WLAN 5GHz: 47 CFR FCC Part 15, Subpart E (Section 15.407) - UNII 1~3

Test Items	Mode (MHz)	Reference Worst-Case (R_{dB})	Variant Test (V_{dB})	dB Difference (d_{dB})	Spot-Check Parameters	Pass Criterion ($d_{dB} < d_{dBmax}(M_{dB})$)
Maximum Conducted Output Power	802.11be EHT40_Nss1,(MCS0)_4TX 5795MHz	29.81	29.79	-0.02	$C_{dB}=30dBm$ $M_{dB}= C_{dB}-R_{dB} =0.19$ $d_{dBmax}(M_{dB})=3.01$	Pass
Unwanted Emissions Band-edge	802.11be EHT20_Nss1,(MCS0)_4TX 5785MHz	67.93	63.18	-4.75	$C_{dB}=68.2dBuV/m$ $M_{dB}= C_{dB}-R_{dB} =0.27$ $d_{dBmax}(M_{dB})=3.01$	Pass
Unwanted Emissions Harmonic	802.11be EHT20_Nss1,(MCS0)_4TX 5745MHz	66.51	56.09	-10.42	$C_{dB}=68.2dBuV/m$ $M_{dB}= C_{dB}-R_{dB} =1.69$ $d_{dBmax}(M_{dB})=3.08$	Pass

Compared Test Result

Maximum Conducted Output Power

Parent Device								
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11be EHT40_Nss1,(MCS0)_4TX 5795MHz	Pass	5.95	24.30	23.45	23.67	23.71	29.81	30.00

Variant Device								
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11be EHT40_Nss1,(MCS0)_4TX 5795MHz	Pass	5.95	23.29	24.49	23.47	23.72	29.79	30.00


Unwanted Emissions / Band-edge

Radio 2 / 802.11be EHT20_Nss1,(MCS0)_4TX 5785MHz

Parent Device

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 28
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4858G	67.38	68.20	-0.82	59.24	3	Vertical	302	1.80	-	33.71	6.89	32.46
AV	5.46G	48.87	54.00	-5.13	40.94	3	Vertical	302	1.80	-	33.56	6.84	32.47
PK	5.7834G	127.50	Inf	-Inf	118.45	3	Vertical	302	1.80	-	34.17	7.33	32.45
AV	5.7834G	115.41	Inf	-Inf	106.36	3	Vertical	302	1.80	-	34.17	7.33	32.45
PK	6.1082G	62.44	68.20	-5.76	51.94	3	Vertical	302	1.80	-	35.38	7.55	32.43

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 28
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4754G	67.93	68.20	-0.27	59.88	3	Horizontal	18	3.00	-	33.65	6.87	32.47
AV	5.46G	47.71	54.00	-6.29	39.78	3	Horizontal	18	3.00	-	33.56	6.84	32.47
PK	5.7842G	123.73	Inf	-Inf	114.68	3	Horizontal	18	3.00	-	34.17	7.33	32.45
AV	5.7858G	113.42	Inf	-Inf	104.37	3	Horizontal	18	3.00	-	34.17	7.33	32.45
PK	6.0298G	62.29	68.20	-5.91	51.86	3	Horizontal	18	3.00	-	35.36	7.51	32.44

Variant Device

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 25
04-V-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4722G	62.78	68.20	-5.42	69.24	3	Vertical	300	1.80	-	31.69	5.56	43.71
AV	5.4522G	41.11	54.00	-12.89	47.66	3	Vertical	300	1.80	-	31.61	5.56	43.72
PK	5.7826G	118.28	Inf	-Inf	124.04	3	Vertical	300	1.80	-	32.10	5.56	43.42
AV	5.7834G	109.42	Inf	-Inf	115.18	3	Vertical	300	1.80	-	32.10	5.56	43.42
PK	5.9426G	63.18	68.20	-5.02	68.49	3	Vertical	300	1.80	-	32.30	5.65	43.26

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX



EUT_Y_4TX
Setting 25
04-V-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	39.84	54.00	-14.16	46.36	3	Horizontal	3	3.00	-	31.64	5.56	43.72
PK	5.6346G	61.72	68.20	-6.48	68.00	3	Horizontal	3	3.00	-	31.74	5.55	43.57
PK	5.7938G	117.93	Inf	-Inf	123.68	3	Horizontal	3	3.00	-	32.10	5.56	43.41
AV	5.793G	109.59	Inf	-Inf	115.34	3	Horizontal	3	3.00	-	32.10	5.56	43.41
PK	5.9434G	62.86	68.20	-5.34	68.17	3	Horizontal	3	3.00	-	32.30	5.65	43.26


Unwanted Emissions / Harmonic

Radio 2 / 802.11be EHT20_Nss1,(MCS0)_4TX 5745MHz

Parent Device

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 25
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48948G	61.07	74.00	-12.93	42.89	3	Vertical	176	1.90	-	38.92	11.84	32.58
AV	11.49013G	46.52	54.00	-7.48	28.34	3	Vertical	176	1.90	-	38.92	11.84	32.58
PK	17.23566G	66.51	68.20	-1.69	42.99	3	Vertical	245	1.25	-	41.44	14.01	31.93

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 25
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49026G	60.54	74.00	-13.46	42.36	3	Horizontal	87	2.78	-	38.92	11.84	32.58
AV	11.48987G	46.50	54.00	-7.50	28.32	3	Horizontal	87	2.78	-	38.92	11.84	32.58
PK	17.23489G	64.35	68.20	-3.85	40.83	3	Horizontal	293	2.39	-	41.44	14.01	31.93

Variant Device

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 24
04-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48838G	51.65	74.00	-22.35	43.95	3	Vertical	260	2.53	-	39.98	10.46	42.74
AV	11.49747G	39.01	54.00	-14.99	31.29	3	Vertical	260	2.53	-	39.99	10.47	42.74
PK	17.24661G	56.09	68.20	-12.11	41.89	3	Vertical	319	1.80	-	40.60	16.38	42.78

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX



EUT_Y_4TX
Setting 24
04-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4972G	50.82	74.00	-23.18	43.10	3	Horizontal	44	2.15	-	39.99	10.47	42.74
AV	11.49999G	39.01	54.00	-14.99	31.28	3	Horizontal	44	2.15	-	40.00	10.47	42.74
PK	17.24631G	55.65	68.20	-12.55	41.45	3	Horizontal	183	1.39	-	40.60	16.38	42.78