


**802.11ac vht80, 5775MHz, Bandedge,  
Horizontal**

Project No.: 2402U80231E-RF-A1  
Polarization: Horizontal  
Test Mode: Transmitting  
Note: 802.11ac00\_U-NII-3\_middle channel 5775MHz

Serial No.: 2HQ4-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5650.00         | 51.68          | 7.89          | 59.57           | 68.20          | 8.63        | Peak     |
| 2   | 5700.00         | 56.24          | 7.98          | 64.22           | 105.20         | 40.98       | Peak     |
| 3   | 5720.00         | 59.06          | 8.02          | 67.08           | 110.80         | 43.72       | Peak     |
| 4   | 5725.00         | 60.25          | 8.03          | 68.28           | 122.20         | 53.92       | Peak     |
| 5   | 5850.00         | 55.71          | 8.20          | 63.91           | 122.20         | 58.29       | Peak     |
| 6   | 5855.00         | 55.08          | 8.21          | 63.29           | 110.80         | 47.51       | Peak     |
| 7   | 5875.00         | 52.16          | 8.28          | 60.44           | 105.20         | 44.76       | Peak     |
| 8   | 5925.00         | 50.01          | 8.40          | 58.41           | 68.20          | 9.79        | Peak     |

**802.11ac vht80, 5775MHz, Bandedge,  
Vertical**

Project No.: 2402U80231E-RF-A1  
Polarization: Vertical  
Test Mode: Transmitting  
Note: 802.11ac00\_U-NII-3\_middle channel 5775MHz

Serial No.: 2HQ4-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5650.00         | 50.45          | 7.89          | 58.34           | 68.20          | 9.86        | Peak     |
| 2   | 5700.00         | 59.12          | 7.98          | 67.10           | 105.20         | 38.10       | Peak     |
| 3   | 5720.00         | 61.85          | 8.02          | 69.87           | 110.80         | 40.93       | Peak     |
| 4   | 5725.00         | 63.30          | 8.03          | 71.33           | 122.20         | 50.87       | Peak     |
| 5   | 5850.00         | 61.28          | 8.20          | 69.48           | 122.20         | 52.72       | Peak     |
| 6   | 5855.00         | 59.43          | 8.21          | 67.64           | 110.80         | 43.16       | Peak     |
| 7   | 5875.00         | 56.02          | 8.28          | 64.30           | 105.20         | 40.90       | Peak     |
| 8   | 5925.00         | 49.30          | 8.40          | 57.70           | 68.20          | 10.50       | Peak     |

**802.11ax he20, 5745MHz, Bandedge,  
Horizontal**

Project No.: 2402U80231E-RF-A1  
Polarization: Horizontal  
Test Mode: Transmitting  
Note: 802.11ax20\_U-NII-3\_low channel 5745MHz

Serial No.: 2HQ4-1  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5658.00         | 50.00          | 7.89          | 58.69           | 68.20          | 9.51        | Peak     |
| 2   | 5700.00         | 54.18          | 7.98          | 62.16           | 105.20         | 43.04       | Peak     |
| 3   | 5720.00         | 65.38          | 8.02          | 73.40           | 110.80         | 37.40       | Peak     |
| 4   | 5725.00         | 69.81          | 8.03          | 77.84           | 122.20         | 44.36       | Peak     |

**802.11ax he20, 5745MHz, Bandedge,  
Vertical**

Project No.: 2402U80231E-RF-A1  
Polarization: Vertical  
Test Mode: Transmitting  
Note: 802.11ax20\_U-NII-3\_low channel 5745MHz

Serial No.: 2HQ4-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5658.00         | 50.64          | 7.89          | 58.53           | 68.20          | 9.67        | Peak     |
| 2   | 5700.00         | 52.31          | 7.98          | 60.29           | 105.20         | 44.91       | Peak     |
| 3   | 5720.00         | 62.97          | 8.02          | 70.99           | 110.80         | 39.81       | Peak     |
| 4   | 5725.00         | 68.60          | 8.03          | 76.63           | 122.20         | 45.57       | Peak     |

**802.11ax he20, 5825MHz, Bandedge,  
Horizontal**

Project No.: 2402U80231E-RF-A1  
Polarization: Horizontal  
Test Mode: Transmitting  
Note: 802.11ax20\_U-NII-3\_high channel 5825MHz

Serial No.: 2HQ4-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5850.00         | 74.34          | 8.20          | 82.54           | 122.20         | 39.66       | Peak     |
| 2   | 5855.00         | 65.76          | 8.21          | 73.97           | 110.80         | 36.83       | Peak     |
| 3   | 5875.00         | 56.06          | 8.28          | 64.34           | 105.20         | 40.86       | Peak     |
| 4   | 5925.00         | 51.00          | 8.40          | 59.40           | 68.20          | 8.80        | Peak     |

**802.11ax he20, 5825MHz, Bandedge,  
Vertical**

Project No.: 2402U80231E-RF-A1  
Polarization: Vertical  
Test Mode: Transmitting  
Note: 802.11ax20\_U-NII-3\_high channel 5825MHz

Serial No.: 2HQ4-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5850.00         | 69.02          | 8.20          | 77.22           | 122.20         | 44.98       | Peak     |
| 2   | 5855.00         | 59.93          | 8.21          | 68.14           | 110.80         | 42.66       | Peak     |
| 3   | 5875.00         | 51.89          | 8.28          | 60.17           | 105.20         | 45.03       | Peak     |
| 4   | 5925.00         | 50.60          | 8.40          | 59.00           | 68.20          | 9.20        | Peak     |

**802.11ax he40, 5755MHz, Bandedge,  
Horizontal**

Project No.: 2402U80231E-RF-A1  
Polarization: Horizontal  
Test Mode: Transmitting  
Note: 802.11ax40\_U-NII-3\_low channel 5755MHz

Serial No.: 2M04-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5650.00         | 49.96          | 7.89          | 57.85           | 68.20          | 10.35       | Peak     |
| 2   | 5700.00         | 53.54          | 7.98          | 61.52           | 105.20         | 43.68       | Peak     |
| 3   | 5720.00         | 68.22          | 8.02          | 76.24           | 110.80         | 34.56       | Peak     |
| 4   | 5725.00         | 69.51          | 8.03          | 77.54           | 122.20         | 44.66       | Peak     |

**802.11ax he40, 5755MHz, Bandedge,  
Vertical**

Project No.: 2402U80231E-RF-A1  
Polarization: Vertical  
Test Mode: Transmitting  
Note: 802.11ax40\_U-NII-3\_low channel 5755MHz

Serial No.: 2M04-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5650.00         | 50.14          | 7.89          | 58.03           | 68.20          | 10.17       | Peak     |
| 2   | 5700.00         | 54.95          | 7.98          | 62.93           | 105.20         | 42.27       | Peak     |
| 3   | 5720.00         | 63.50          | 8.02          | 71.52           | 110.80         | 39.28       | Peak     |
| 4   | 5725.00         | 66.64          | 8.03          | 74.67           | 122.20         | 47.53       | Peak     |

**802.11ax he40, 5795MHz, Bandedge,  
Horizontal**

Project No.: 2402U80231E-RF-A1  
Polarization: Horizontal  
Test Mode: Transmitting  
Note: 802.11ax40\_U-NII-3\_high channel 5795MHz

Serial No.: 2M04-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5850.00         | 55.02          | 8.20          | 63.22           | 122.20         | 58.98       | Peak     |
| 2   | 5855.00         | 53.72          | 8.21          | 61.93           | 110.80         | 48.87       | Peak     |
| 3   | 5875.00         | 49.99          | 8.28          | 58.27           | 105.20         | 46.93       | Peak     |
| 4   | 5925.00         | 49.86          | 8.40          | 58.26           | 68.20          | 9.94        | Peak     |

**802.11ax he40, 5795MHz, Bandedge,  
Vertical**

Project No.: 2402U80231E-RF-A1  
Polarization: Vertical  
Test Mode: Transmitting  
Note: 802.11ax40\_U-NII-3\_high channel 5795MHz

Serial No.: 2M04-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5850.00         | 61.97          | 8.20          | 70.17           | 122.20         | 52.03       | Peak     |
| 2   | 5855.00         | 58.77          | 8.21          | 66.98           | 110.80         | 43.82       | Peak     |
| 3   | 5875.00         | 53.60          | 8.28          | 61.88           | 105.20         | 43.32       | Peak     |
| 4   | 5925.00         | 50.75          | 8.40          | 59.15           | 68.20          | 9.05        | Peak     |

**802.11ax he80, 5775MHz, Bandedge,  
Horizontal**

Project No.: 2402U80231E-RF-A1  
Polarization: Horizontal  
Test Mode: Transmitting  
Note: 802.11ax80\_U-NII-3\_middle channel 5775MHz

Serial No.: 2M04-2  
Tester: Colin Yang




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5650.00         | 50.64          | 7.89          | 58.53           | 68.20          | 9.67        | Peak     |
| 2   | 5700.00         | 56.78          | 7.98          | 64.76           | 105.20         | 40.44       | Peak     |
| 3   | 5720.00         | 61.33          | 8.02          | 69.35           | 110.80         | 41.45       | Peak     |
| 4   | 5725.00         | 62.67          | 8.03          | 70.70           | 122.20         | 51.50       | Peak     |
| 5   | 5850.00         | 56.99          | 8.20          | 65.19           | 122.20         | 57.01       | Peak     |
| 6   | 5855.00         | 56.71          | 8.21          | 64.92           | 110.80         | 45.88       | Peak     |
| 7   | 5875.00         | 51.14          | 8.28          | 59.42           | 105.20         | 45.78       | Peak     |
| 8   | 5925.00         | 49.44          | 8.40          | 57.84           | 68.20          | 10.36       | Peak     |

**802.11ax he80, 5775MHz, Bandedge,  
Vertical**

Project No.: 2402U80231E-RF-A1  
Polarization: Vertical  
Test Mode: Transmitting  
Note: 802.11ax80\_U-NII-3\_middle channel 5775MHz

Serial No.: 2M04-2  
Tester: Colin Yang



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|-----------------|----------------|-------------|----------|
| 1   | 5650.00         | 52.02          | 7.89          | 59.91           | 68.20          | 8.29        | Peak     |
| 2   | 5700.00         | 58.27          | 7.98          | 66.25           | 105.20         | 38.95       | Peak     |
| 3   | 5720.00         | 62.97          | 8.02          | 70.99           | 110.80         | 39.81       | Peak     |
| 4   | 5725.00         | 66.17          | 8.03          | 74.20           | 122.20         | 48.00       | Peak     |
| 5   | 5850.00         | 60.30          | 8.20          | 68.50           | 122.20         | 53.70       | Peak     |
| 6   | 5855.00         | 61.38          | 8.21          | 69.59           | 110.80         | 41.21       | Peak     |
| 7   | 5875.00         | 55.99          | 8.28          | 64.27           | 105.20         | 40.93       | Peak     |
| 8   | 5925.00         | 50.36          | 8.40          | 58.76           | 68.20          | 9.44        | Peak     |

5.3 Emission Bandwidth

|             |           |              |                       |
|-------------|-----------|--------------|-----------------------|
| Serial No.: | 2MQ4-1    | Test Date:   | 2024/06/28~2024/08/29 |
| Test Site:  | RF        | Test Mode:   | Transmitting          |
| Tester:     | Jojo Zhou | Test Result: | Pass                  |

Environmental Conditions:

|                       |           |                              |       |                        |            |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|
| Temperature:<br>(°C): | 25.3~26.9 | Relative<br>Humidity:<br>(%) | 48~58 | ATM Pressure:<br>(kPa) | 99.8~101.2 |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|

Test Equipment List and Details:

| Manufacturer | Description        | Model           | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|-----------------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40           | 101947        | 2023/10/18       | 2024/10/17           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM503    | 2024/06/07       | 2025/06/06           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM502    | 2024/06/07       | 2025/06/06           |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

26dB Emission Bandwidth:

Test Data:  
5250-5350 MHz


| Mode                   | Value (MHz) |
|------------------------|-------------|
| a_5260MHz              | 26.715      |
| a_5280MHz              | 26.334      |
| a_5320MHz              | 25.909      |
| n20_5260MHz            | 24.921      |
| n20_5280MHz            | 23.114      |
| n20_5320MHz            | 23.114      |
| n40_5270MHz            | 44.800      |
| n40_5310MHz            | 44.500      |
| ac20_5260MHz           | 22.950      |
| ac20_5280MHz           | 22.724      |
| ac20_5320MHz           | 23.084      |
| ac40_5270MHz           | 45.000      |
| ac40_5310MHz           | 45.300      |
| ac80_5290MHz           | 88.600      |
| ax20_5260MHz_RU_242/61 | 40.812      |
| ax20_5280MHz_RU_242/61 | 38.486      |
| ax20_5320MHz_RU_242/61 | 26.610      |
| ax40_5270MHz_RU_484/65 | 77.408      |
| ax40_5310MHz_RU_484/65 | 86.056      |
| ax80_5290MHz_RU_996/67 | 185.101     |

**5470-5725 MHz**

| Mode                   | Value (MHz) |
|------------------------|-------------|
| a_5500MHz              | 29.992      |
| a_5580MHz              | 29.100      |
| a_5700MHz              | 24.958      |
| a_5720MHz              | 26.523      |
| n20_5500MHz            | 39.748      |
| n20_5580MHz            | 37.466      |
| n20_5700MHz            | 23.316      |
| n20_5720MHz            | 22.987      |
| n40_5510MHz            | 47.915      |
| n40_5550MHz            | 46.900      |
| n40_5670MHz            | 46.000      |
| n40_5710MHz            | 45.500      |
| ac20_5500MHz           | 21.992      |
| ac20_5580MHz           | 21.886      |
| ac20_5700MHz           | 21.989      |
| ac20_5720MHz           | 21.935      |
| ac40_5510MHz           | 43.900      |
| ac40_5550MHz           | 43.900      |
| ac40_5670MHz           | 43.800      |
| ac40_5710MHz           | 43.800      |
| ac80_5530MHz           | 88.200      |
| ac80_5610MHz           | 88.000      |
| ac80_5690MHz           | 87.600      |
| ax20_5500MHz_RU_242/61 | 46.245      |
| ax20_5580MHz_RU_242/61 | 39.281      |
| ax20_5700MHz_RU_242/61 | 44.459      |
| ax20_5720MHz_RU_242/61 | 52.539      |
| ax40_5510MHz_RU_484/65 | 95.237      |
| ax40_5550MHz_RU_484/65 | 81.365      |
| ax40_5670MHz_RU_484/65 | 81.919      |
| ax40_5710MHz_RU_484/65 | 82.127      |
| ax80_5530MHz_RU_996/67 | 191.759     |
| ax80_5610MHz_RU_996/67 | 140.280     |
| ax80_5690MHz_RU_996/67 | 148.915     |


## 5250-5350 MHz

## a\_5260MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:29:01

## a\_5280MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:30:27

## a\_5320MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:31:48

## n20\_5260MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:33:33

## n20\_5280MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:34:57

## n20\_5320MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:36:26


## n40\_5270MHz




## n40\_5310MHz




## ac20\_5260MHz




## ac20\_5280MHz



## ac20\_5320MHz




## ac40\_5270MHz






## ac40\_5310MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:48:09

## ac80\_5290MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:49:24

## ax20\_5260MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:03:25

## ax20\_5280MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:16:14

## ax20\_5320MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:38:31

## ax40\_5270MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:53:53

## ax40\_5310MHz\_RU\_484/65



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 15:07:16


## ax80\_5290MHz\_RU\_996/67



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 16:19:45


## 5470-5725 MHz

## a\_5500MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:51:53

## a\_5580MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:53:22

## a\_5700MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:55:06

## a\_5720MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:56:38


## n20\_5500MHz




## n20\_5580MHz




## n20\_5700MHz




## n20\_5720MHz




## n40\_5510MHz



## n40\_5550MHz




n40\_5670MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:16:10

n40\_5710MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:17:01

ac20\_5500MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:18:47

ac20\_5580MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:20:20

ac20\_5700MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:22:09

ac20\_5720MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:23:38

## ac40\_5510MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:24:44

## ac40\_5550MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:25:42

## ac40\_5670MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:26:32

## ac40\_5710MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:27:21

## ac80\_5530MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:28:34

## ac80\_5610MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:29:31

## ac80\_5690MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:30:35

## ax20\_5500MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 16:56:15

## ax20\_5580MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 17:25:42

## ax20\_5700MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 17:44:24

## ax20\_5720MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 17:58:40

## ax40\_5510MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 18:12:13

## ax40\_5550MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 29.AUG.2024 10:50:32

## ax40\_5670MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 19:12:49

## ax40\_5710MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 19:23:28

## ax80\_5530MHz\_RU\_996/67




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 16.AUG.2024 09:11:12

## ax80\_5610MHz\_RU\_996/67



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 16.AUG.2024 09:27:06

## ax80\_5690MHz\_RU\_996/67



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 16.AUG.2024 09:52:36

5.4 99% Occupied Bandwidth

|             |           |              |                       |
|-------------|-----------|--------------|-----------------------|
| Serial No.: | 2MQ4-1    | Test Date:   | 2024/06/28~2024/08/16 |
| Test Site:  | RF        | Test Mode:   | Transmitting          |
| Tester:     | Jojo Zhou | Test Result: | /                     |

Environmental Conditions:

|                       |           |                              |       |                        |            |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|
| Temperature:<br>(°C): | 25.6~26.8 | Relative<br>Humidity:<br>(%) | 48~56 | ATM Pressure:<br>(kPa) | 99.8~101.2 |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|

Test Equipment List and Details:

| Manufacturer | Description        | Model           | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|-----------------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40           | 101947        | 2023/10/18       | 2024/10/17           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM503    | 2024/06/07       | 2025/06/06           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM502    | 2024/06/07       | 2025/06/06           |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5250-5350 MHz

| Mode                   | 99% OBW<br>(MHz) |
|------------------------|------------------|
| a_5260MHz              | 16.750           |
| a_5280MHz              | 16.750           |
| a_5320MHz              | 16.700           |
| n20_5260MHz            | 17.850           |
| n20_5280MHz            | 17.850           |
| n20_5320MHz            | 17.900           |
| n40_5270MHz            | 36.800           |
| n40_5310MHz            | 36.700           |
| ac20_5260MHz           | 17.800           |
| ac20_5280MHz           | 17.850           |
| ac20_5320MHz           | 17.800           |
| ac40_5270MHz           | 36.700           |
| ac40_5310MHz           | 36.700           |
| ac80_5290MHz           | 76.400           |
| ax20_5260MHz_RU_242/61 | 19.250           |
| ax20_5280MHz_RU_242/61 | 19.250           |
| ax20_5320MHz_RU_242/61 | 19.100           |
| ax40_5270MHz_RU_484/65 | 39.200           |
| ax40_5310MHz_RU_484/65 | 39.800           |
| ax80_5290MHz_RU_996/67 | 80               |




**5470-5725 MHz**

| <b>Mode</b>            | <b>99% OBW<br/>(MHz)</b> |
|------------------------|--------------------------|
| a_5500MHz              | 16.800                   |
| a_5580MHz              | 16.800                   |
| a_5700MHz              | 16.700                   |
| a_5720MHz              | 16.700                   |
| n20_5500MHz            | 18                       |
| n20_5580MHz            | 18                       |
| n20_5700MHz            | 17.800                   |
| n20_5720MHz            | 17.800                   |
| n40_5510MHz            | 36.900                   |
| n40_5550MHz            | 36.900                   |
| n40_5670MHz            | 36.900                   |
| n40_5710MHz            | 36.800                   |
| ac20_5500MHz           | 17.750                   |
| ac20_5580MHz           | 17.750                   |
| ac20_5700MHz           | 17.800                   |
| ac20_5720MHz           | 17.750                   |
| ac40_5510MHz           | 36.800                   |
| ac40_5550MHz           | 36.800                   |
| ac40_5670MHz           | 36.800                   |
| ac40_5710MHz           | 36.700                   |
| ac80_5530MHz           | 76.200                   |
| ac80_5610MHz           | 76.400                   |
| ac80_5690MHz           | 76.400                   |
| ax20_5500MHz_RU_242/61 | 19.850                   |
| ax20_5580MHz_RU_242/61 | 19.250                   |
| ax20_5700MHz_RU_242/61 | 19.600                   |
| ax20_5720MHz_RU_242/61 | 21.200                   |
| ax40_5510MHz_RU_484/65 | 42.100                   |
| ax40_5550MHz_RU_484/65 | 38.500                   |
| ax40_5670MHz_RU_484/65 | 39.200                   |
| ax40_5710MHz_RU_484/65 | 39.500                   |
| ax80_5530MHz_RU_996/67 | 79.800                   |
| ax80_5610MHz_RU_996/67 | 78.400                   |
| ax80_5690MHz_RU_996/67 | 78.400                   |


## 5250-5350 MHz

## a\_5260MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:28:18

## a\_5280MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:29:40

## a\_5320MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:31:04

## n20\_5260MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:32:49

## n20\_5280MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:34:10

## n20\_5320MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:35:41

n40\_5270MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:37:33

n40\_5310MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:38:33

ac20\_5260MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:41:41

ac20\_5280MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:43:16

ac20\_5320MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:44:43

ac40\_5270MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:46:33

## ac40\_5310MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:47:52

## ac80\_5290MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 14:49:02

## ax20\_5260MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:01:52

## ax20\_5280MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:14:34

## ax20\_5320MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:36:53

## ax40\_5270MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 14:52:48

## ax40\_5310MHz\_RU\_484/65



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 15:06:10


## ax80\_5290MHz\_RU\_996/67



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 16:18:20


## 5470-5725 MHz

## a\_5500MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:51:00

## a\_5580MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:52:33

## a\_5700MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:54:10

## a\_5720MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:55:46

## n20\_5500MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 15:58:22

## n20\_5580MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:00:05

## n20\_5700MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:09:27

## n20\_5720MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:11:09

## n40\_5510MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:13:12

## n40\_5550MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:14:50

n40\_5670MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:15:51

n40\_5710MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:16:43

ac20\_5500MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:17:53

ac20\_5580MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:19:29

ac20\_5700MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:21:11

ac20\_5720MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:22:48

## ac40\_5510MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:24:20

## ac40\_5550MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:25:17

## ac40\_5670MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:26:13

## ac40\_5710MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:27:02

## ac80\_5530MHz



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:28:11


## ac80\_5610MHz



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:29:05




ac80\_5690MHz




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 28.JUN.2024 16:30:13

ax20\_5500MHz\_RU\_242/61



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 16:54:11

ax20\_5580MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 17:23:45

ax20\_5700MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 17:42:21

ax20\_5720MHz\_RU\_242/61




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 17:56:42

ax40\_5510MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 18:10:50

## ax40\_5550MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 18:28:46

## ax40\_5670MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 19:11:36

## ax40\_5710MHz\_RU\_484/65




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 15.AUG.2024 19:22:16

## ax80\_5530MHz\_RU\_996/67




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 16.AUG.2024 09:09:53

## ax80\_5610MHz\_RU\_996/67



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 16.AUG.2024 09:25:42

## ax80\_5690MHz\_RU\_996/67



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 16.AUG.2024 09:51:10

**5.5 Spot Check With Maximum Conducted Output Power**

|                    |           |                     |                       |
|--------------------|-----------|---------------------|-----------------------|
| <b>Serial No.:</b> | 2MQ4-1    | <b>Test Date:</b>   | 2024/06/28~2024/08/16 |
| <b>Test Site:</b>  | RF        | <b>Test Mode:</b>   | Transmitting          |
| <b>Tester:</b>     | Jojo Zhou | <b>Test Result:</b> | Pass                  |

**Environmental Conditions:**

|                               |           |                                       |       |                                |            |
|-------------------------------|-----------|---------------------------------------|-------|--------------------------------|------------|
| <b>Temperature:<br/>(°C):</b> | 25.6~26.8 | <b>Relative<br/>Humidity:<br/>(%)</b> | 48~56 | <b>ATM Pressure:<br/>(kPa)</b> | 99.8~101.2 |
|-------------------------------|-----------|---------------------------------------|-------|--------------------------------|------------|

**Test Equipment List and Details:**

| <b>Manufacturer</b> | <b>Description</b>                | <b>Model</b>        | <b>Serial Number</b> | <b>Calibration<br/>Date</b> | <b>Calibration<br/>Due Date</b> |
|---------------------|-----------------------------------|---------------------|----------------------|-----------------------------|---------------------------------|
| Anritsu             | Microwave<br>Peak Power<br>Sensor | MA24418A            | 12618                | 2023/09/04                  | 2024/09/03                      |
| Eastsheep           | Coaxial<br>Attenuator             | 5W-N-JK-6G-<br>10dB | F-08-EM503           | 2024/06/07                  | 2025/06/06                      |

*\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

**Test Data:****5150-5250 MHz:**

| Mode                                   | Average Output Power (dBm) | FCC Conducted Limit (dBm) | EIRP (dBm) | RSS-247 EIRP Limit (dBm) |
|----------------------------------------|----------------------------|---------------------------|------------|--------------------------|
| ax80_5210MHz_RU_26/0_Chain 0           | 1.42                       | 24                        | 5.12       | 23                       |
| ax80_5210MHz_RU_52/37_Chain 0          | 3.15                       | 24                        | 6.85       | 23                       |
| ax80_5210MHz_RU_106/53_Chain 0         | 5.31                       | 24                        | 9.01       | 23                       |
| ax80_5210MHz_RU_242/61_Chain 0         | 7.24                       | 24                        | 10.94      | 23                       |
| ax80_5210MHz_RU_484/65_Chain 0         | 10.33                      | 24                        | 14.03      | 23                       |
| ax80_5210MHz_RU_996/67_Chain 0         | 15.16                      | 24                        | 18.86      | 23                       |
| ax80_5210MHz_RU_26/0_Chain 1           | 1.32                       | 24                        | 5.02       | 23                       |
| ax80_5210MHz_RU_52/37_Chain 1          | 3.21                       | 24                        | 6.91       | 23                       |
| ax80_5210MHz_RU_106/53_Chain 1         | 5.35                       | 24                        | 9.05       | 23                       |
| ax80_5210MHz_RU_242/61_Chain 1         | 7.58                       | 24                        | 11.28      | 23                       |
| ax80_5210MHz_RU_484/65_Chain 1         | 10.31                      | 24                        | 14.01      | 23                       |
| ax80_5210MHz_RU_996/67_Chain 1         | 15.06                      | 24                        | 18.76      | 23                       |
| ax80_5210MHz_RU_26/0_Chain 0+Chain 1   | 4.38                       | 24                        | 8.08       | 23                       |
| ax80_5210MHz_RU_52/37_Chain 0+Chain 1  | 6.19                       | 24                        | 9.89       | 23                       |
| ax80_5210MHz_RU_106/53_Chain 0+Chain 1 | 8.34                       | 24                        | 12.04      | 23                       |
| ax80_5210MHz_RU_242/61_Chain 0+Chain 1 | 10.42                      | 24                        | 14.12      | 23                       |
| ax80_5210MHz_RU_484/65_Chain 0+Chain 1 | 13.33                      | 24                        | 17.03      | 23                       |
| ax80_5210MHz_RU_996/67_Chain 0+Chain 1 | <b>18.12</b>               | 24                        | 21.82      | 23                       |

**5725-5850 MHz**

| Mode                        | Average Output Power (dBm) | Limit (dBm) | Result |
|-----------------------------|----------------------------|-------------|--------|
| n40_5755MHz_Chain 0         | 14.76                      | 30          | Pass   |
| n40_5755MHz_Chain 1         | 14.89                      | 30          | Pass   |
| n40_5755MHz_Chain 0+Chain 1 | 17.84                      | 30          | Pass   |
| n40_5795MHz_Chain 0         | 15.05                      | 30          | Pass   |
| n40_5795MHz_Chain 1         | 14.88                      | 30          | Pass   |
| n40_5795MHz_Chain 0+Chain 1 | <b>17.98</b>               | 30          | Pass   |

**Note:**

The Spot Check data were similar to the original data, so this report can reuse data.

5.6 Maximum Conducted Output Power

|             |           |              |                       |
|-------------|-----------|--------------|-----------------------|
| Serial No.: | 2MQ4-1    | Test Date:   | 2024/06/28~2024/08/16 |
| Test Site:  | RF        | Test Mode:   | Transmitting          |
| Tester:     | Jojo Zhou | Test Result: | Pass                  |

Environmental Conditions:

|                       |           |                              |       |                        |            |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|
| Temperature:<br>(°C): | 25.6~26.8 | Relative<br>Humidity:<br>(%) | 48~56 | ATM Pressure:<br>(kPa) | 99.8~101.2 |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|

Test Equipment List and Details:

| Manufacturer | Description                 | Model           | Serial Number | Calibration Date | Calibration Due Date |
|--------------|-----------------------------|-----------------|---------------|------------------|----------------------|
| Anritsu      | Microwave Peak Power Sensor | MA24418A        | 12618         | 2023/09/04       | 2024/09/03           |
| Eastsheep    | Coaxial Attenuator          | 5W-N-JK-6G-10dB | F-08-EM503    | 2024/06/07       | 2025/06/06           |
| Eastsheep    | Coaxial Attenuator          | 5W-N-JK-6G-10dB | F-08-EM502    | 2024/06/07       | 2025/06/06           |

*\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

**5250-5350 MHz**

| Mode                                   | Average Output Power (dBm) | FCC Limit (dBm) | RSS-247 Limit (dBm) | Max. EIRP (dBm) |               |
|----------------------------------------|----------------------------|-----------------|---------------------|-----------------|---------------|
|                                        |                            |                 |                     | Result          | RSS-247 Limit |
| a_5260MHz_Chain 0                      | 13.37                      | 24              | 23.24               | 17.07           | 29.24         |
| a_5260MHz_Chain 1                      | 13.11                      | 24              | 23.24               | 16.81           | 29.24         |
| a_5280MHz_Chain 0                      | 13.43                      | 24              | 23.24               | 17.13           | 29.24         |
| a_5280MHz_Chain 1                      | 13.27                      | 24              | 23.24               | 16.97           | 29.24         |
| a_5320MHz_Chain 0                      | 13.89                      | 24              | 23.23               | 17.59           | 29.23         |
| a_5320MHz_Chain 1                      | 13.59                      | 24              | 23.23               | 17.29           | 29.23         |
| n20_5260MHz_Chain 0                    | 12.5                       | 24              | 23.52               | 16.2            | 29.52         |
| n20_5260MHz_Chain 1                    | 12.16                      | 24              | 23.52               | 15.86           | 29.52         |
| n20_5260MHz_Chain 0+Chain 1            | 15.34                      | 24              | 23.52               | 19.04           | 29.52         |
| n20_5280MHz_Chain 0                    | 12.47                      | 24              | 23.52               | 16.17           | 29.52         |
| n20_5280MHz_Chain 1                    | 12.31                      | 24              | 23.52               | 16.01           | 29.52         |
| n20_5280MHz_Chain 0+Chain 1            | 15.4                       | 24              | 23.52               | 19.1            | 29.52         |
| n20_5320MHz_Chain 0                    | 12.97                      | 24              | 23.53               | 16.67           | 29.53         |
| n20_5320MHz_Chain 1                    | 12.92                      | 24              | 23.53               | 16.62           | 29.53         |
| n20_5320MHz_Chain 0+Chain 1            | 15.96                      | 24              | 23.53               | 19.66           | 29.53         |
| n40_5270MHz_Chain 0                    | 11.49                      | 24              | 23.98               | 15.19           | 30            |
| n40_5270MHz_Chain 1                    | 11.12                      | 24              | 23.98               | 14.82           | 30            |
| n40_5270MHz_Chain 0+Chain 1            | 14.32                      | 24              | 23.98               | 18.02           | 30            |
| n40_5310MHz_Chain 0                    | 9.86                       | 24              | 23.98               | 13.56           | 30            |
| n40_5310MHz_Chain 1                    | 9.79                       | 24              | 23.98               | 13.49           | 30            |
| n40_5310MHz_Chain 0+Chain 1            | 12.84                      | 24              | 23.98               | 16.54           | 30            |
| ac20_5260MHz_Chain 0                   | 11.46                      | 24              | 23.50               | 15.16           | 29.50         |
| ac20_5260MHz_Chain 1                   | 11.9                       | 24              | 23.50               | 15.6            | 29.50         |
| ac20_5260MHz_Chain 0+Chain 1           | 14.7                       | 24              | 23.50               | 18.4            | 29.50         |
| ac20_5280MHz_Chain 0                   | 11.58                      | 24              | 23.52               | 15.28           | 29.52         |
| ac20_5280MHz_Chain 1                   | 11.01                      | 24              | 23.52               | 14.71           | 29.52         |
| ac20_5280MHz_Chain 0+Chain 1           | 14.31                      | 24              | 23.52               | 18.01           | 29.52         |
| ac20_5320MHz_Chain 0                   | 12.06                      | 24              | 23.50               | 15.76           | 29.50         |
| ac20_5320MHz_Chain 1                   | 12.64                      | 24              | 23.50               | 16.34           | 29.50         |
| ac20_5320MHz_Chain 0+Chain 1           | 15.37                      | 24              | 23.50               | 19.07           | 29.50         |
| ac40_5270MHz_Chain 0                   | 11.55                      | 24              | 23.98               | 15.25           | 30            |
| ac40_5270MHz_Chain 1                   | 10.98                      | 24              | 23.98               | 14.68           | 30            |
| ac40_5270MHz_Chain 0+Chain 1           | 14.28                      | 24              | 23.98               | 17.98           | 30            |
| ac40_5310MHz_Chain 0                   | 12.02                      | 24              | 23.98               | 15.72           | 30            |
| ac40_5310MHz_Chain 1                   | 12.43                      | 24              | 23.98               | 16.13           | 30            |
| ac40_5310MHz_Chain 0+Chain 1           | 15.24                      | 24              | 23.98               | 18.94           | 30            |
| ac80_5290MHz_Chain 0                   | 8.76                       | 24              | 23.98               | 12.46           | 30            |
| ac80_5290MHz_Chain 1                   | 8.51                       | 24              | 23.98               | 12.21           | 30            |
| ac80_5290MHz_Chain 0+Chain 1           | 11.65                      | 24              | 23.98               | 15.35           | 30            |
| ax20_5260MHz_RU_26/0_Chain 0           | 7.85                       | 24              | 23.84               | 11.55           | 29.84         |
| ax20_5260MHz_RU_52/37_Chain 0          | 9.83                       | 24              | 23.84               | 13.53           | 29.84         |
| ax20_5260MHz_RU_106/53_Chain 0         | 11.72                      | 24              | 23.84               | 15.42           | 29.84         |
| ax20_5260MHz_RU_242/61_Chain 0         | 13.42                      | 24              | 23.84               | 17.12           | 29.84         |
| ax20_5260MHz_RU_26/0_Chain 1           | 6.19                       | 24              | 23.84               | 9.89            | 29.84         |
| ax20_5260MHz_RU_52/37_Chain 1          | 8.35                       | 24              | 23.84               | 12.05           | 29.84         |
| ax20_5260MHz_RU_106/53_Chain 1         | 10.14                      | 24              | 23.84               | 13.84           | 29.84         |
| ax20_5260MHz_RU_242/61_Chain 1         | 13.12                      | 24              | 23.84               | 16.82           | 29.84         |
| ax20_5260MHz_RU_26/0_Chain 0+Chain 1   | 10.11                      | 24              | 23.84               | 13.81           | 29.84         |
| ax20_5260MHz_RU_52/37_Chain 0+Chain 1  | 12.16                      | 24              | 23.84               | 15.86           | 29.84         |
| ax20_5260MHz_RU_106/53_Chain 0+Chain 1 | 14.01                      | 24              | 23.84               | 17.71           | 29.84         |
| ax20_5260MHz_RU_242/61_Chain 0+Chain 1 | 16.28                      | 24              | 23.84               | 19.98           | 29.84         |
| ax20_5280MHz_RU_26/0_Chain 0           | 7.47                       | 24              | 23.84               | 11.17           | 29.84         |
| ax20_5280MHz_RU_52/37_Chain 0          | 9.5                        | 24              | 23.84               | 13.2            | 29.84         |
| ax20_5280MHz_RU_106/53_Chain 0         | 11.27                      | 24              | 23.84               | 14.97           | 29.84         |
| ax20_5280MHz_RU_242/61_Chain 0         | 14.02                      | 24              | 23.84               | 17.72           | 29.84         |
| ax20_5280MHz_RU_26/0_Chain 1           | 6.02                       | 24              | 23.84               | 9.72            | 29.84         |
| ax20_5280MHz_RU_52/37_Chain 1          | 8.1                        | 24              | 23.84               | 11.8            | 29.84         |
| ax20_5280MHz_RU_106/53_Chain 1         | 9.94                       | 24              | 23.84               | 13.64           | 29.84         |

| Mode                                   | Average Output Power (dBm) | FCC Limit (dBm) | RSS-247 Limit (dBm) | Max. EIRP (dBm) |               |
|----------------------------------------|----------------------------|-----------------|---------------------|-----------------|---------------|
|                                        |                            |                 |                     | Result          | RSS-247 Limit |
| ax20_5280MHz_RU_242/61_Chain 1         | 13.25                      | 24              | 23.84               | 16.95           | 29.84         |
| ax20_5280MHz_RU_26/0_Chain 0+Chain 1   | 9.82                       | 24              | 23.84               | 13.52           | 29.84         |
| ax20_5280MHz_RU_52/37_Chain 0+Chain 1  | 11.87                      | 24              | 23.84               | 15.57           | 29.84         |
| ax20_5280MHz_RU_106/53_Chain 0+Chain 1 | 13.67                      | 24              | 23.84               | 17.37           | 29.84         |
| ax20_5280MHz_RU_242/61_Chain 0+Chain 1 | 16.66                      | 24              | 23.84               | 20.36           | 29.84         |
| ax20_5320MHz_RU_26/8_Chain 0           | 6.01                       | 24              | 23.81               | 9.71            | 29.81         |
| ax20_5320MHz_RU_52/40_Chain 0          | 7.88                       | 24              | 23.81               | 11.58           | 29.81         |
| ax20_5320MHz_RU_106/54_Chain 0         | 9.72                       | 24              | 23.81               | 13.42           | 29.81         |
| ax20_5320MHz_RU_242/61_Chain 0         | 13.67                      | 24              | 23.81               | 17.37           | 29.81         |
| ax20_5320MHz_RU_26/8_Chain 1           | 6.41                       | 24              | 23.81               | 10.11           | 29.81         |
| ax20_5320MHz_RU_52/40_Chain 1          | 8.35                       | 24              | 23.81               | 12.05           | 29.81         |
| ax20_5320MHz_RU_106/54_Chain 1         | 10.16                      | 24              | 23.81               | 13.86           | 29.81         |
| ax20_5320MHz_RU_242/61_Chain 1         | 13.39                      | 24              | 23.81               | 17.09           | 29.81         |
| ax20_5320MHz_RU_26/8_Chain 0+Chain 1   | 9.22                       | 24              | 23.81               | 12.92           | 29.81         |
| ax20_5320MHz_RU_52/40_Chain 0+Chain 1  | 11.13                      | 24              | 23.81               | 14.83           | 29.81         |
| ax20_5320MHz_RU_106/54_Chain 0+Chain 1 | 12.96                      | 24              | 23.81               | 16.66           | 29.81         |
| ax20_5320MHz_RU_242/61_Chain 0+Chain 1 | 16.54                      | 24              | 23.81               | 20.24           | 29.81         |
| ax40_5270MHz_RU_26/0_Chain 0           | 4.83                       | 24              | 23.98               | 8.53            | 30            |
| ax40_5270MHz_RU_52/37_Chain 0          | 6.54                       | 24              | 23.98               | 10.24           | 30            |
| ax40_5270MHz_RU_106/53_Chain 0         | 8.41                       | 24              | 23.98               | 12.11           | 30            |
| ax40_5270MHz_RU_242/61_Chain 0         | 9.4                        | 24              | 23.98               | 13.1            | 30            |
| ax40_5270MHz_RU_484/65_Chain 0         | 14.29                      | 24              | 23.98               | 17.99           | 30            |
| ax40_5270MHz_RU_26/0_Chain 1           | 4.77                       | 24              | 23.98               | 8.47            | 30            |
| ax40_5270MHz_RU_52/37_Chain 1          | 6.35                       | 24              | 23.98               | 10.05           | 30            |
| ax40_5270MHz_RU_106/53_Chain 1         | 8.43                       | 24              | 23.98               | 12.13           | 30            |
| ax40_5270MHz_RU_242/61_Chain 1         | 10.34                      | 24              | 23.98               | 14.04           | 30            |
| ax40_5270MHz_RU_484/65_Chain 1         | 14.58                      | 24              | 23.98               | 18.28           | 30            |
| ax40_5270MHz_RU_26/0_Chain 0+Chain 1   | 7.81                       | 24              | 23.98               | 11.51           | 30            |
| ax40_5270MHz_RU_52/37_Chain 0+Chain 1  | 9.46                       | 24              | 23.98               | 13.16           | 30            |
| ax40_5270MHz_RU_106/53_Chain 0+Chain 1 | 11.43                      | 24              | 23.98               | 15.13           | 30            |
| ax40_5270MHz_RU_242/61_Chain 0+Chain 1 | 12.91                      | 24              | 23.98               | 16.61           | 30            |
| ax40_5270MHz_RU_484/65_Chain 0+Chain 1 | 17.45                      | 24              | 23.98               | 21.15           | 30            |
| ax40_5310MHz_RU_26/17_Chain 0          | 4.28                       | 24              | 23.98               | 7.98            | 30            |
| ax40_5310MHz_RU_52/44_Chain 0          | 5.95                       | 24              | 23.98               | 9.65            | 30            |
| ax40_5310MHz_RU_106/56_Chain 0         | 7.87                       | 24              | 23.98               | 11.57           | 30            |
| ax40_5310MHz_RU_242/62_Chain 0         | 10.77                      | 24              | 23.98               | 14.47           | 30            |
| ax40_5310MHz_RU_484/65_Chain 0         | 14.42                      | 24              | 23.98               | 18.12           | 30            |
| ax40_5310MHz_RU_26/17_Chain 1          | 4.82                       | 24              | 23.98               | 8.52            | 30            |
| ax40_5310MHz_RU_52/44_Chain 1          | 6.2                        | 24              | 23.98               | 9.9             | 30            |
| ax40_5310MHz_RU_106/56_Chain 1         | 8.35                       | 24              | 23.98               | 12.05           | 30            |
| ax40_5310MHz_RU_242/62_Chain 1         | 10.25                      | 24              | 23.98               | 13.95           | 30            |
| ax40_5310MHz_RU_484/65_Chain 1         | 14.61                      | 24              | 23.98               | 18.31           | 30            |
| ax40_5310MHz_RU_26/17_Chain 0+Chain 1  | 7.57                       | 24              | 23.98               | 11.27           | 30            |
| ax40_5310MHz_RU_52/44_Chain 0+Chain 1  | 9.09                       | 24              | 23.98               | 12.79           | 30            |
| ax40_5310MHz_RU_106/56_Chain 0+Chain 1 | 11.13                      | 24              | 23.98               | 14.83           | 30            |
| ax40_5310MHz_RU_242/62_Chain 0+Chain 1 | 13.53                      | 24              | 23.98               | 17.23           | 30            |
| ax40_5310MHz_RU_484/65_Chain 0+Chain 1 | 17.53                      | 24              | 23.98               | 21.23           | 30            |
| ax80_5290MHz_RU_26/0_Chain 0           | 2.13                       | 24              | 23.98               | 5.83            | 30            |
| ax80_5290MHz_RU_52/37_Chain 0          | 4.11                       | 24              | 23.98               | 7.81            | 30            |
| ax80_5290MHz_RU_106/53_Chain 0         | 6.07                       | 24              | 23.98               | 9.77            | 30            |
| ax80_5290MHz_RU_242/61_Chain 0         | 9.03                       | 24              | 23.98               | 12.73           | 30            |
| ax80_5290MHz_RU_484/65_Chain 0         | 11.09                      | 24              | 23.98               | 14.79           | 30            |
| ax80_5290MHz_RU_996/67_Chain 0         | 12.61                      | 24              | 23.98               | 16.31           | 30            |
| ax80_5290MHz_RU_26/0_Chain 1           | 1.91                       | 24              | 23.98               | 5.61            | 30            |
| ax80_5290MHz_RU_52/37_Chain 1          | 3.1                        | 24              | 23.98               | 6.8             | 30            |
| ax80_5290MHz_RU_106/53_Chain 1         | 5.34                       | 24              | 23.98               | 9.04            | 30            |
| ax80_5290MHz_RU_242/61_Chain 1         | 8.01                       | 24              | 23.98               | 11.71           | 30            |
| ax80_5290MHz_RU_484/65_Chain 1         | 10.15                      | 24              | 23.98               | 13.85           | 30            |
| ax80_5290MHz_RU_996/67_Chain 1         | 12.44                      | 24              | 23.98               | 16.14           | 30            |
| ax80_5290MHz_RU_26/0_Chain 0+Chain 1   | 5.03                       | 24              | 23.98               | 8.73            | 30            |

| Mode                                   | Average<br>Output<br>Power<br>(dBm) | FCC Limit<br>(dBm) | RSS-247<br>Limit<br>(dBm) | Max. EIRP<br>(dBm) |                  |
|----------------------------------------|-------------------------------------|--------------------|---------------------------|--------------------|------------------|
|                                        |                                     |                    |                           | Result             | RSS-247<br>Limit |
| ax80_5290MHz_RU_52/37_Chain 0+Chain 1  | 6.64                                | 24                 | 23.98                     | 10.34              | 30               |
| ax80_5290MHz_RU_106/53_Chain 0+Chain 1 | 8.73                                | 24                 | 23.98                     | 12.43              | 30               |
| ax80_5290MHz_RU_242/61_Chain 0+Chain 1 | 11.56                               | 24                 | 23.98                     | 15.26              | 30               |
| ax80_5290MHz_RU_484/65_Chain 0+Chain 1 | 13.66                               | 24                 | 23.98                     | 17.36              | 30               |
| ax80_5290MHz_RU_996/67_Chain 0+Chain 1 | 15.54                               | 24                 | 23.98                     | 19.24              | 30               |



## 5470-5725 MHz

| Mode                         | Average Output Power (dBm) | FCC Limit (dBm) | RSS-247 Limit (dBm) | Max. EIRP (dBm) |        |
|------------------------------|----------------------------|-----------------|---------------------|-----------------|--------|
|                              |                            |                 |                     | Result          | Result |
| a_5500MHz_Chain 0            | 14.27                      | 24              | 23.25               | 17.97           | 29.25  |
| a_5500MHz_Chain 1            | 14.88                      | 24              | 23.25               | 18.58           | 29.25  |
| a_5580MHz_Chain 0            | 14.23                      | 24              | 23.25               | 17.93           | 29.25  |
| a_5580MHz_Chain 1            | 14.69                      | 24              | 23.25               | 18.39           | 29.25  |
| a_5700MHz_Chain 0            | 14.08                      | 24              | 23.23               | 17.78           | 29.23  |
| a_5700MHz_Chain 1            | 14.63                      | 24              | 23.23               | 18.33           | 29.23  |
| a_5720MHz_Chain 0            | 14.12                      | 24              | 23.23               | 17.82           | 29.23  |
| a_5720MHz_Chain 1            | 13.42                      | 24              | 23.23               | 17.12           | 29.23  |
| n20_5500MHz_Chain 0          | 14.39                      | 24              | 23.55               | 18.09           | 29.55  |
| n20_5500MHz_Chain 1          | 14.65                      | 24              | 23.55               | 18.35           | 29.55  |
| n20_5500MHz_Chain 0+Chain 1  | 17.53                      | 24              | 23.55               | 21.23           | 29.55  |
| n20_5580MHz_Chain 0          | 14.39                      | 24              | 23.55               | 18.09           | 29.55  |
| n20_5580MHz_Chain 1          | 14.73                      | 24              | 23.55               | 18.43           | 29.55  |
| n20_5580MHz_Chain 0+Chain 1  | 17.57                      | 24              | 23.55               | 21.27           | 29.55  |
| n20_5700MHz_Chain 0          | 10.15                      | 24              | 23.50               | 13.85           | 29.50  |
| n20_5700MHz_Chain 1          | 9.79                       | 24              | 23.50               | 13.49           | 29.50  |
| n20_5700MHz_Chain 0+Chain 1  | 12.98                      | 24              | 23.50               | 16.68           | 29.50  |
| n20_5720MHz_Chain 0          | 10.23                      | 24              | 23.50               | 13.93           | 29.50  |
| n20_5720MHz_Chain 1          | 9.66                       | 24              | 23.50               | 13.36           | 29.50  |
| n20_5720MHz_Chain 0+Chain 1  | 12.96                      | 24              | 23.50               | 16.66           | 29.50  |
| n40_5510MHz_Chain 0          | 11.53                      | 24              | 23.98               | 15.23           | 30     |
| n40_5510MHz_Chain 1          | 11.01                      | 24              | 23.98               | 14.71           | 30     |
| n40_5510MHz_Chain 0+Chain 1  | 14.29                      | 24              | 23.98               | 17.99           | 30     |
| n40_5550MHz_Chain 0          | 10.6                       | 24              | 23.98               | 14.3            | 30     |
| n40_5550MHz_Chain 1          | 10.2                       | 24              | 23.98               | 13.9            | 30     |
| n40_5550MHz_Chain 0+Chain 1  | 13.41                      | 24              | 23.98               | 17.11           | 30     |
| n40_5670MHz_Chain 0          | 9.8                        | 24              | 23.98               | 13.5            | 30     |
| n40_5670MHz_Chain 1          | 9.97                       | 24              | 23.98               | 13.67           | 30     |
| n40_5670MHz_Chain 0+Chain 1  | 12.90                      | 24              | 23.98               | 16.6            | 30     |
| n40_5710MHz_Chain 0          | 10.13                      | 24              | 23.98               | 13.83           | 30     |
| n40_5710MHz_Chain 1          | 9.86                       | 24              | 23.98               | 13.56           | 30     |
| n40_5710MHz_Chain 0+Chain 1  | 13.01                      | 24              | 23.98               | 16.71           | 30     |
| ac20_5500MHz_Chain 0         | 10.3                       | 24              | 23.49               | 14              | 29.49  |
| ac20_5500MHz_Chain 1         | 9.07                       | 24              | 23.49               | 12.77           | 29.49  |
| ac20_5500MHz_Chain 0+Chain 1 | 12.74                      | 24              | 23.49               | 16.44           | 29.49  |
| ac20_5580MHz_Chain 0         | 10.04                      | 24              | 23.49               | 13.74           | 29.49  |
| ac20_5580MHz_Chain 1         | 10.07                      | 24              | 23.49               | 13.77           | 29.49  |
| ac20_5580MHz_Chain 0+Chain 1 | 13.07                      | 24              | 23.49               | 16.77           | 29.49  |
| ac20_5700MHz_Chain 0         | 10.03                      | 24              | 23.50               | 13.73           | 29.50  |
| ac20_5700MHz_Chain 1         | 9.88                       | 24              | 23.50               | 13.58           | 29.50  |
| ac20_5700MHz_Chain 0+Chain 1 | 12.97                      | 24              | 23.50               | 16.67           | 29.50  |
| ac20_5720MHz_Chain 0         | 10.01                      | 24              | 23.49               | 13.71           | 29.49  |
| ac20_5720MHz_Chain 1         | 9.65                       | 24              | 23.49               | 13.35           | 29.49  |
| ac20_5720MHz_Chain 0+Chain 1 | 12.84                      | 24              | 23.49               | 16.54           | 29.49  |
| ac40_5510MHz_Chain 0         | 10.31                      | 24              | 23.98               | 14.01           | 30     |
| ac40_5510MHz_Chain 1         | 10.19                      | 24              | 23.98               | 13.89           | 30     |
| ac40_5510MHz_Chain 0+Chain 1 | 13.26                      | 24              | 23.98               | 16.96           | 30     |
| ac40_5550MHz_Chain 0         | 10.48                      | 24              | 23.98               | 14.18           | 30     |
| ac40_5550MHz_Chain 1         | 10.38                      | 24              | 23.98               | 14.08           | 30     |
| ac40_5550MHz_Chain 0+Chain 1 | 13.44                      | 24              | 23.98               | 17.14           | 30     |
| ac40_5670MHz_Chain 0         | 9.76                       | 24              | 23.98               | 13.46           | 30     |
| ac40_5670MHz_Chain 1         | 9.98                       | 24              | 23.98               | 13.68           | 30     |
| ac40_5670MHz_Chain 0+Chain 1 | 12.88                      | 24              | 23.98               | 16.58           | 30     |
| ac40_5710MHz_Chain 0         | 10.08                      | 24              | 23.98               | 13.78           | 30     |
| ac40_5710MHz_Chain 1         | 9.86                       | 24              | 23.98               | 13.56           | 30     |
| ac40_5710MHz_Chain 0+Chain 1 | 12.98                      | 24              | 23.98               | 16.68           | 30     |
| ac80_5530MHz_Chain 0         | 9.36                       | 24              | 23.98               | 13.06           | 30     |
| ac80_5530MHz_Chain 1         | 9.37                       | 24              | 23.98               | 13.07           | 30     |

| Mode                                   | Average<br>Output Power<br>(dBm) | FCC<br>Limit<br>(dBm) | RSS-247 Limit<br>(dBm) | Max. EIRP<br>(dBm) |        |
|----------------------------------------|----------------------------------|-----------------------|------------------------|--------------------|--------|
|                                        |                                  |                       |                        | Result             | Result |
| ac80_5530MHz_Chain 0+Chain 1           | 12.39                            | 24                    | 23.98                  | 16.09              | 30     |
| ac80_5610MHz_Chain 0                   | 9.78                             | 24                    | 23.98                  | 13.48              | 30     |
| ac80_5610MHz_Chain 1                   | 9.58                             | 24                    | 23.98                  | 13.28              | 30     |
| ac80_5610MHz_Chain 0+Chain 1           | 12.69                            | 24                    | 23.98                  | 16.39              | 30     |
| ac80_5690MHz_Chain 0                   | 9.2                              | 24                    | 23.98                  | 12.9               | 30     |
| ac80_5690MHz_Chain 1                   | 8.93                             | 24                    | 23.98                  | 12.63              | 30     |
| ac80_5690MHz_Chain 0+Chain 1           | 12.08                            | 24                    | 23.98                  | 15.78              | 30     |
| ax20_5500MHz_RU_26/0_Chain 0           | 8.22                             | 24                    | 23.98                  | 11.92              | 30     |
| ax20_5500MHz_RU_52/37_Chain 0          | 10.16                            | 24                    | 23.98                  | 13.86              | 30     |
| ax20_5500MHz_RU_106/53_Chain 0         | 12.35                            | 24                    | 23.98                  | 16.05              | 30     |
| ax20_5500MHz_RU_242/61_Chain 0         | 13.44                            | 24                    | 23.98                  | 17.14              | 30     |
| ax20_5500MHz_RU_26/0_Chain 1           | 8.53                             | 24                    | 23.98                  | 12.23              | 30     |
| ax20_5500MHz_RU_52/37_Chain 1          | 9.37                             | 24                    | 23.98                  | 13.07              | 30     |
| ax20_5500MHz_RU_106/53_Chain 1         | 11.09                            | 24                    | 23.98                  | 14.79              | 30     |
| ax20_5500MHz_RU_242/61_Chain 1         | 13.32                            | 24                    | 23.98                  | 17.02              | 30     |
| ax20_5500MHz_RU_26/0_Chain 0+Chain 1   | 11.39                            | 24                    | 23.98                  | 15.09              | 30     |
| ax20_5500MHz_RU_52/37_Chain 0+Chain 1  | 12.79                            | 24                    | 23.98                  | 16.49              | 30     |
| ax20_5500MHz_RU_106/53_Chain 0+Chain 1 | 14.78                            | 24                    | 23.98                  | 18.48              | 30     |
| ax20_5500MHz_RU_242/61_Chain 0+Chain 1 | 16.39                            | 24                    | 23.98                  | 20.09              | 30     |
| ax20_5580MHz_RU_26/0_Chain 0           | 8.86                             | 24                    | 23.84                  | 12.56              | 29.84  |
| ax20_5580MHz_RU_52/37_Chain 0          | 9.61                             | 24                    | 23.84                  | 13.31              | 29.84  |
| ax20_5580MHz_RU_106/53_Chain 0         | 11.64                            | 24                    | 23.84                  | 15.34              | 29.84  |
| ax20_5580MHz_RU_242/61_Chain 0         | 13.32                            | 24                    | 23.84                  | 17.02              | 29.84  |
| ax20_5580MHz_RU_26/0_Chain 1           | 8.87                             | 24                    | 23.84                  | 12.57              | 29.84  |
| ax20_5580MHz_RU_52/37_Chain 1          | 10.91                            | 24                    | 23.84                  | 14.61              | 29.84  |
| ax20_5580MHz_RU_106/53_Chain 1         | 12.85                            | 24                    | 23.84                  | 16.55              | 29.84  |
| ax20_5580MHz_RU_242/61_Chain 1         | 14.09                            | 24                    | 23.84                  | 17.79              | 29.84  |
| ax20_5580MHz_RU_26/0_Chain 0+Chain 1   | 11.88                            | 24                    | 23.84                  | 15.58              | 29.84  |
| ax20_5580MHz_RU_52/37_Chain 0+Chain 1  | 13.32                            | 24                    | 23.84                  | 17.02              | 29.84  |
| ax20_5580MHz_RU_106/53_Chain 0+Chain 1 | 15.30                            | 24                    | 23.84                  | 19                 | 29.84  |
| ax20_5580MHz_RU_242/61_Chain 0+Chain 1 | 16.73                            | 24                    | 23.84                  | 20.43              | 29.84  |
| ax20_5700MHz_RU_26/8_Chain 0           | 8.6                              | 24                    | 23.92                  | 12.3               | 29.92  |
| ax20_5700MHz_RU_52/40_Chain 0          | 9.49                             | 24                    | 23.92                  | 13.19              | 29.92  |
| ax20_5700MHz_RU_106/54_Chain 0         | 11.42                            | 24                    | 23.92                  | 15.12              | 29.92  |
| ax20_5700MHz_RU_242/61_Chain 0         | 13.6                             | 24                    | 23.92                  | 17.3               | 29.92  |
| ax20_5700MHz_RU_26/8_Chain 1           | 9.18                             | 24                    | 23.92                  | 12.88              | 29.92  |
| ax20_5700MHz_RU_52/40_Chain 1          | 10.31                            | 24                    | 23.92                  | 14.01              | 29.92  |
| ax20_5700MHz_RU_106/54_Chain 1         | 12.28                            | 24                    | 23.92                  | 15.98              | 29.92  |
| ax20_5700MHz_RU_242/61_Chain 1         | 12.34                            | 24                    | 23.92                  | 16.04              | 29.92  |
| ax20_5700MHz_RU_26/8_Chain 0+Chain 1   | 11.91                            | 24                    | 23.92                  | 15.61              | 29.92  |
| ax20_5700MHz_RU_52/40_Chain 0+Chain 1  | 12.93                            | 24                    | 23.92                  | 16.63              | 29.92  |
| ax20_5700MHz_RU_106/54_Chain 0+Chain 1 | 14.88                            | 24                    | 23.92                  | 18.58              | 29.92  |
| ax20_5700MHz_RU_242/61_Chain 0+Chain 1 | 16.03                            | 24                    | 23.92                  | 19.73              | 29.92  |
| ax20_5720MHz_RU_26/8_Chain 0           | 9.53                             | 24                    | 23.98                  | 13.23              | 30     |
| ax20_5720MHz_RU_52/40_Chain 0          | 11.53                            | 24                    | 23.98                  | 15.23              | 30     |
| ax20_5720MHz_RU_106/54_Chain 0         | 11.52                            | 24                    | 23.98                  | 15.22              | 30     |
| ax20_5720MHz_RU_242/61_Chain 0         | 13.62                            | 24                    | 23.98                  | 17.32              | 30     |
| ax20_5720MHz_RU_26/8_Chain 1           | 7.77                             | 24                    | 23.98                  | 11.47              | 30     |
| ax20_5720MHz_RU_52/40_Chain 1          | 11.97                            | 24                    | 23.98                  | 15.67              | 30     |
| ax20_5720MHz_RU_106/54_Chain 1         | 11.95                            | 24                    | 23.98                  | 15.65              | 30     |
| ax20_5720MHz_RU_242/61_Chain 1         | 13.15                            | 24                    | 23.98                  | 16.85              | 30     |
| ax20_5720MHz_RU_26/8_Chain 0+Chain 1   | 11.75                            | 24                    | 23.98                  | 15.45              | 30     |
| ax20_5720MHz_RU_52/40_Chain 0+Chain 1  | 14.77                            | 24                    | 23.98                  | 18.47              | 30     |
| ax20_5720MHz_RU_106/54_Chain 0+Chain 1 | 14.75                            | 24                    | 23.98                  | 18.45              | 30     |
| ax20_5720MHz_RU_242/61_Chain 0+Chain 1 | 16.40                            | 24                    | 23.98                  | 20.1               | 30     |
| ax40_5510MHz_RU_26/0_Chain 0           | 4.47                             | 24                    | 23.98                  | 8.17               | 30     |
| ax40_5510MHz_RU_52/37_Chain 0          | 6.31                             | 24                    | 23.98                  | 10.01              | 30     |
| ax40_5510MHz_RU_106/53_Chain 0         | 8.26                             | 24                    | 23.98                  | 11.96              | 30     |
| ax40_5510MHz_RU_242/61_Chain 0         | 10.18                            | 24                    | 23.98                  | 13.88              | 30     |
| ax40_5510MHz_RU_484/65_Chain 0         | 13.66                            | 24                    | 23.98                  | 17.36              | 30     |

| Mode                                   | Average Output Power (dBm) | FCC Limit (dBm) | RSS-247 Limit (dBm) | Max. EIRP (dBm) |        |
|----------------------------------------|----------------------------|-----------------|---------------------|-----------------|--------|
|                                        |                            |                 |                     | Result          | Result |
| ax40_5510MHz_RU_26/0_Chain 1           | 4.81                       | 24              | 23.98               | 8.51            | 30     |
| ax40_5510MHz_RU_52/37_Chain 1          | 6.47                       | 24              | 23.98               | 10.17           | 30     |
| ax40_5510MHz_RU_106/53_Chain 1         | 8.13                       | 24              | 23.98               | 11.83           | 30     |
| ax40_5510MHz_RU_242/61_Chain 1         | 10.31                      | 24              | 23.98               | 14.01           | 30     |
| ax40_5510MHz_RU_484/65_Chain 1         | 12.72                      | 24              | 23.98               | 16.42           | 30     |
| ax40_5510MHz_RU_26/0_Chain 0+Chain 1   | 7.65                       | 24              | 23.98               | 11.35           | 30     |
| ax40_5510MHz_RU_52/37_Chain 0+Chain 1  | 9.40                       | 24              | 23.98               | 13.1            | 30     |
| ax40_5510MHz_RU_106/53_Chain 0+Chain 1 | 11.21                      | 24              | 23.98               | 14.91           | 30     |
| ax40_5510MHz_RU_242/61_Chain 0+Chain 1 | 13.26                      | 24              | 23.98               | 16.96           | 30     |
| ax40_5510MHz_RU_484/65_Chain 0+Chain 1 | 16.23                      | 24              | 23.98               | 19.93           | 30     |
| ax40_5550MHz_RU_26/0_Chain 0           | 5.34                       | 24              | 23.98               | 9.04            | 30     |
| ax40_5550MHz_RU_52/37_Chain 0          | 6.17                       | 24              | 23.98               | 9.87            | 30     |
| ax40_5550MHz_RU_106/53_Chain 0         | 8.17                       | 24              | 23.98               | 11.87           | 30     |
| ax40_5550MHz_RU_242/61_Chain 0         | 11.09                      | 24              | 23.98               | 14.79           | 30     |
| ax40_5550MHz_RU_484/65_Chain 0         | 15.14                      | 24              | 23.98               | 18.84           | 30     |
| ax40_5550MHz_RU_26/0_Chain 1           | 4.54                       | 24              | 23.98               | 8.24            | 30     |
| ax40_5550MHz_RU_52/37_Chain 1          | 6.18                       | 24              | 23.98               | 9.88            | 30     |
| ax40_5550MHz_RU_106/53_Chain 1         | 8.34                       | 24              | 23.98               | 12.04           | 30     |
| ax40_5550MHz_RU_242/61_Chain 1         | 10.24                      | 24              | 23.98               | 13.94           | 30     |
| ax40_5550MHz_RU_484/65_Chain 1         | 12.56                      | 24              | 23.98               | 16.26           | 30     |
| ax40_5550MHz_RU_26/0_Chain 0+Chain 1   | 7.97                       | 24              | 23.98               | 11.67           | 30     |
| ax40_5550MHz_RU_52/37_Chain 0+Chain 1  | 9.19                       | 24              | 23.98               | 12.89           | 30     |
| ax40_5550MHz_RU_106/53_Chain 0+Chain 1 | 11.27                      | 24              | 23.98               | 14.97           | 30     |
| ax40_5550MHz_RU_242/61_Chain 0+Chain 1 | 13.70                      | 24              | 23.98               | 17.4            | 30     |
| ax40_5550MHz_RU_484/65_Chain 0+Chain 1 | <b>17.05</b>               | 24              | 23.98               | <b>20.75</b>    | 30     |
| ax40_5670MHz_RU_26/17_Chain 0          | 6.12                       | 24              | 23.98               | 9.82            | 30     |
| ax40_5670MHz_RU_52/44_Chain 0          | 7.2                        | 24              | 23.98               | 10.9            | 30     |
| ax40_5670MHz_RU_106/56_Chain 0         | 9.03                       | 24              | 23.98               | 12.73           | 30     |
| ax40_5670MHz_RU_242/62_Chain 0         | 12.15                      | 24              | 23.98               | 15.85           | 30     |
| ax40_5670MHz_RU_484/65_Chain 0         | 13.79                      | 24              | 23.98               | 17.49           | 30     |
| ax40_5670MHz_RU_26/17_Chain 1          | 4.5                        | 24              | 23.98               | 8.2             | 30     |
| ax40_5670MHz_RU_52/44_Chain 1          | 6.06                       | 24              | 23.98               | 9.76            | 30     |
| ax40_5670MHz_RU_106/56_Chain 1         | 7.81                       | 24              | 23.98               | 11.51           | 30     |
| ax40_5670MHz_RU_242/62_Chain 1         | 10.76                      | 24              | 23.98               | 14.46           | 30     |
| ax40_5670MHz_RU_484/65_Chain 1         | 13.25                      | 24              | 23.98               | 16.95           | 30     |
| ax40_5670MHz_RU_26/17_Chain 0+Chain 1  | 8.40                       | 24              | 23.98               | 12.1            | 30     |
| ax40_5670MHz_RU_52/44_Chain 0+Chain 1  | 9.68                       | 24              | 23.98               | 13.38           | 30     |
| ax40_5670MHz_RU_106/56_Chain 0+Chain 1 | 11.47                      | 24              | 23.98               | 15.17           | 30     |
| ax40_5670MHz_RU_242/62_Chain 0+Chain 1 | 14.52                      | 24              | 23.98               | 18.22           | 30     |
| ax40_5670MHz_RU_484/65_Chain 0+Chain 1 | 16.54                      | 24              | 23.98               | 20.24           | 30     |
| ax40_5710MHz_RU_26/17_Chain 0          | 5.49                       | 24              | 23.98               | 9.19            | 30     |
| ax40_5710MHz_RU_52/44_Chain 0          | 6.61                       | 24              | 23.98               | 10.31           | 30     |
| ax40_5710MHz_RU_106/56_Chain 0         | 8.58                       | 24              | 23.98               | 12.28           | 30     |
| ax40_5710MHz_RU_242/62_Chain 0         | 11.52                      | 24              | 23.98               | 15.22           | 30     |
| ax40_5710MHz_RU_484/65_Chain 0         | 13.28                      | 24              | 23.98               | 16.98           | 30     |
| ax40_5710MHz_RU_26/17_Chain 1          | 5.74                       | 24              | 23.98               | 9.44            | 30     |
| ax40_5710MHz_RU_52/44_Chain 1          | 6.53                       | 24              | 23.98               | 10.23           | 30     |
| ax40_5710MHz_RU_106/56_Chain 1         | 8.6                        | 24              | 23.98               | 12.3            | 30     |
| ax40_5710MHz_RU_242/62_Chain 1         | 11.47                      | 24              | 23.98               | 15.17           | 30     |
| ax40_5710MHz_RU_484/65_Chain 1         | 12.94                      | 24              | 23.98               | 16.64           | 30     |
| ax40_5710MHz_RU_26/17_Chain 0+Chain 1  | 8.63                       | 24              | 23.98               | 12.33           | 30     |
| ax40_5710MHz_RU_52/44_Chain 0+Chain 1  | 9.58                       | 24              | 23.98               | 13.28           | 30     |
| ax40_5710MHz_RU_106/56_Chain 0+Chain 1 | 11.60                      | 24              | 23.98               | 15.3            | 30     |
| ax40_5710MHz_RU_242/62_Chain 0+Chain 1 | 14.51                      | 24              | 23.98               | 18.21           | 30     |
| ax40_5710MHz_RU_484/65_Chain 0+Chain 1 | 16.12                      | 24              | 23.98               | 19.82           | 30     |
| ax80_5530MHz_RU_26/0_Chain 0           | 2.33                       | 24              | 23.98               | 6.03            | 30     |
| ax80_5530MHz_RU_52/37_Chain 0          | 3.27                       | 24              | 23.98               | 6.97            | 30     |
| ax80_5530MHz_RU_106/53_Chain 0         | 5.18                       | 24              | 23.98               | 8.88            | 30     |
| ax80_5530MHz_RU_242/61_Chain 0         | 8.16                       | 24              | 23.98               | 11.86           | 30     |
| ax80_5530MHz_RU_484/65_Chain 0         | 11.11                      | 24              | 23.98               | 14.81           | 30     |

| Mode                                   | Average<br>Output Power<br>(dBm) | FCC<br>Limit<br>(dBm) | RSS-247 Limit<br>(dBm) | Max. EIRP<br>(dBm) |        |
|----------------------------------------|----------------------------------|-----------------------|------------------------|--------------------|--------|
|                                        |                                  |                       |                        | Result             | Result |
| ax80_5530MHz_RU_996/67_Chain 0         | 13.52                            | 24                    | 23.98                  | 17.22              | 30     |
| ax80_5530MHz_RU_26/0_Chain 1           | 2.11                             | 24                    | 23.98                  | 5.81               | 30     |
| ax80_5530MHz_RU_52/37_Chain 1          | 3.28                             | 24                    | 23.98                  | 6.98               | 30     |
| ax80_5530MHz_RU_106/53_Chain 1         | 5.32                             | 24                    | 23.98                  | 9.02               | 30     |
| ax80_5530MHz_RU_242/61_Chain 1         | 7.38                             | 24                    | 23.98                  | 11.08              | 30     |
| ax80_5530MHz_RU_484/65_Chain 1         | 10.39                            | 24                    | 23.98                  | 14.09              | 30     |
| ax80_5530MHz_RU_996/67_Chain 1         | 12.58                            | 24                    | 23.98                  | 16.28              | 30     |
| ax80_5530MHz_RU_26/0_Chain 0+Chain 1   | 5.23                             | 24                    | 23.98                  | 8.93               | 30     |
| ax80_5530MHz_RU_52/37_Chain 0+Chain 1  | 6.29                             | 24                    | 23.98                  | 9.99               | 30     |
| ax80_5530MHz_RU_106/53_Chain 0+Chain 1 | 8.26                             | 24                    | 23.98                  | 11.96              | 30     |
| ax80_5530MHz_RU_242/61_Chain 0+Chain 1 | 10.80                            | 24                    | 23.98                  | 14.5               | 30     |
| ax80_5530MHz_RU_484/65_Chain 0+Chain 1 | 13.78                            | 24                    | 23.98                  | 17.48              | 30     |
| ax80_5530MHz_RU_996/67_Chain 0+Chain 1 | 16.09                            | 24                    | 23.98                  | 19.79              | 30     |
| ax80_5610MHz_RU_26/0_Chain 0           | 2.98                             | 24                    | 23.98                  | 6.68               | 30     |
| ax80_5610MHz_RU_52/37_Chain 0          | 3.87                             | 24                    | 23.98                  | 7.57               | 30     |
| ax80_5610MHz_RU_106/53_Chain 0         | 5.89                             | 24                    | 23.98                  | 9.59               | 30     |
| ax80_5610MHz_RU_242/61_Chain 0         | 8.8                              | 24                    | 23.98                  | 12.5               | 30     |
| ax80_5610MHz_RU_484/65_Chain 0         | 10.96                            | 24                    | 23.98                  | 14.66              | 30     |
| ax80_5610MHz_RU_996/67_Chain 0         | 13.32                            | 24                    | 23.98                  | 17.02              | 30     |
| ax80_5610MHz_RU_26/0_Chain 1           | 2.06                             | 24                    | 23.98                  | 5.76               | 30     |
| ax80_5610MHz_RU_52/37_Chain 1          | 2.26                             | 24                    | 23.98                  | 5.96               | 30     |
| ax80_5610MHz_RU_106/53_Chain 1         | 4.81                             | 24                    | 23.98                  | 8.51               | 30     |
| ax80_5610MHz_RU_242/61_Chain 1         | 7.52                             | 24                    | 23.98                  | 11.22              | 30     |
| ax80_5610MHz_RU_484/65_Chain 1         | 10.59                            | 24                    | 23.98                  | 14.29              | 30     |
| ax80_5610MHz_RU_996/67_Chain 1         | 12.62                            | 24                    | 23.98                  | 16.32              | 30     |
| ax80_5610MHz_RU_26/0_Chain 0+Chain 1   | 5.55                             | 24                    | 23.98                  | 9.25               | 30     |
| ax80_5610MHz_RU_52/37_Chain 0+Chain 1  | 6.15                             | 24                    | 23.98                  | 9.85               | 30     |
| ax80_5610MHz_RU_106/53_Chain 0+Chain 1 | 8.39                             | 24                    | 23.98                  | 12.09              | 30     |
| ax80_5610MHz_RU_242/61_Chain 0+Chain 1 | 11.22                            | 24                    | 23.98                  | 14.92              | 30     |
| ax80_5610MHz_RU_484/65_Chain 0+Chain 1 | 13.79                            | 24                    | 23.98                  | 17.49              | 30     |
| ax80_5610MHz_RU_996/67_Chain 0+Chain 1 | 15.99                            | 24                    | 23.98                  | 19.69              | 30     |
| ax80_5690MHz_RU_26/36_Chain 0          | 2.48                             | 24                    | 23.98                  | 6.18               | 30     |
| ax80_5690MHz_RU_52/52_Chain 0          | 4.37                             | 24                    | 23.98                  | 8.07               | 30     |
| ax80_5690MHz_RU_106/60_Chain 0         | 6.39                             | 24                    | 23.98                  | 10.09              | 30     |
| ax80_5690MHz_RU_242/64_Chain 0         | 9.45                             | 24                    | 23.98                  | 13.15              | 30     |
| ax80_5690MHz_RU_484/66_Chain 0         | 11.58                            | 24                    | 23.98                  | 15.28              | 30     |
| ax80_5690MHz_RU_996/67_Chain 0         | 13.08                            | 24                    | 23.98                  | 16.78              | 30     |
| ax80_5690MHz_RU_26/36_Chain 1          | 2.05                             | 24                    | 23.98                  | 5.75               | 30     |
| ax80_5690MHz_RU_52/52_Chain 1          | 3.07                             | 24                    | 23.98                  | 6.77               | 30     |
| ax80_5690MHz_RU_106/60_Chain 1         | 4.93                             | 24                    | 23.98                  | 8.63               | 30     |
| ax80_5690MHz_RU_242/64_Chain 1         | 7.99                             | 24                    | 23.98                  | 11.69              | 30     |
| ax80_5690MHz_RU_484/66_Chain 1         | 11.0                             | 24                    | 23.98                  | 14.7               | 30     |
| ax80_5690MHz_RU_996/67_Chain 1         | 12.18                            | 24                    | 23.98                  | 15.88              | 30     |
| ax80_5690MHz_RU_26/36_Chain 0+Chain 1  | 5.28                             | 24                    | 23.98                  | 8.98               | 30     |
| ax80_5690MHz_RU_52/52_Chain 0+Chain 1  | 6.78                             | 24                    | 23.98                  | 10.48              | 30     |
| ax80_5690MHz_RU_106/60_Chain 0+Chain 1 | 8.73                             | 24                    | 23.98                  | 12.43              | 30     |
| ax80_5690MHz_RU_242/64_Chain 0+Chain 1 | 11.79                            | 24                    | 23.98                  | 15.49              | 30     |
| ax80_5690MHz_RU_484/66_Chain 0+Chain 1 | 14.31                            | 24                    | 23.98                  | 18.01              | 30     |
| ax80_5690MHz_RU_996/67_Chain 0+Chain 1 | 15.66                            | 24                    | 23.98                  | 19.36              | 30     |

5.7 Maximum power spectral density

|             |           |              |                       |
|-------------|-----------|--------------|-----------------------|
| Serial No.: | 2MQ4-1    | Test Date:   | 2024/07/01~2024/08/15 |
| Test Site:  | RF        | Test Mode:   | Transmitting          |
| Tester:     | Jojo Zhou | Test Result: | Pass                  |

Environmental Conditions:

|                       |           |                              |       |                        |            |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|
| Temperature:<br>(°C): | 25.6~26.8 | Relative<br>Humidity:<br>(%) | 48~56 | ATM Pressure:<br>(kPa) | 99.8~101.2 |
|-----------------------|-----------|------------------------------|-------|------------------------|------------|

Test Equipment List and Details:

| Manufacturer | Description        | Model           | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|-----------------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40           | 101947        | 2023/10/18       | 2024/10/17           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM503    | 2024/06/07       | 2025/06/06           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM502    | 2024/06/07       | 2025/06/06           |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5250-5350 MHz

| Mode                         | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-<br>247 Limit<br>(dBm/MHz) |
|------------------------------|--------------------|------------------------------|------------------|------------------------------------|
| a_5260MHz_Chain 0            | 4.94               | 0.18                         | 5.12             | 11                                 |
| a_5260MHz_Chain 1            | 5.17               | 0.18                         | 5.35             | 11                                 |
| a_5280MHz_Chain 0            | 4.75               | 0.18                         | 4.93             | 11                                 |
| a_5280MHz_Chain 1            | 4.96               | 0.18                         | 5.14             | 11                                 |
| a_5320MHz_Chain 0            | 5.09               | 0.18                         | 5.27             | 11                                 |
| a_5320MHz_Chain 1            | 4.99               | 0.18                         | 5.17             | 11                                 |
| n20_5260MHz_Chain 0          | 3.02               | 0.95                         | 3.97             | 11                                 |
| n20_5260MHz_Chain 1          | 2.98               | 0.95                         | 3.93             | 11                                 |
| n20_5260MHz_Chain 0+Chain 1  | 6.01               | 0.95                         | 6.96             | 10.3                               |
| n20_5280MHz_Chain 0          | 2.88               | 0.95                         | 3.83             | 11                                 |
| n20_5280MHz_Chain 1          | 2.97               | 0.95                         | 3.92             | 11                                 |
| n20_5280MHz_Chain 0+Chain 1  | 5.94               | 0.95                         | 6.89             | 10.3                               |
| n20_5320MHz_Chain 0          | 2.85               | 0.95                         | 3.80             | 11                                 |
| n20_5320MHz_Chain 1          | 3.32               | 0.95                         | 4.27             | 11                                 |
| n20_5320MHz_Chain 0+Chain 1  | 6.10               | 0.95                         | 7.05             | 10.3                               |
| n40_5270MHz_Chain 0          | -0.18              | 0.96                         | 0.78             | 11                                 |
| n40_5270MHz_Chain 1          | -0.30              | 0.96                         | 0.66             | 11                                 |
| n40_5270MHz_Chain 0+Chain 1  | 2.77               | 0.96                         | 3.73             | 10.3                               |
| n40_5310MHz_Chain 0          | -2.16              | 0.96                         | -1.20            | 11                                 |
| n40_5310MHz_Chain 1          | -2.10              | 0.96                         | -1.14            | 11                                 |
| n40_5310MHz_Chain 0+Chain 1  | 0.88               | 0.96                         | 1.84             | 10.3                               |
| ac20_5260MHz_Chain 0         | 2.93               | 0.96                         | 3.89             | 11                                 |
| ac20_5260MHz_Chain 1         | 3.18               | 0.96                         | 4.14             | 11                                 |
| ac20_5260MHz_Chain 0+Chain 1 | 6.07               | 0.96                         | 7.03             | 10.3                               |
| ac20_5280MHz_Chain 0         | 2.87               | 0.96                         | 3.83             | 11                                 |
| ac20_5280MHz_Chain 1         | 3.00               | 0.96                         | 3.96             | 11                                 |
| ac20_5280MHz_Chain 0+Chain 1 | 5.95               | 0.96                         | 6.91             | 10.3                               |

| Mode                                   | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-<br>247 Limit<br>(dBm/MHz) |
|----------------------------------------|--------------------|------------------------------|------------------|------------------------------------|
| ac20_5320MHz_Chain 0                   | 3.33               | 0.96                         | 4.29             | 11                                 |
| ac20_5320MHz_Chain 1                   | 3.42               | 0.96                         | 4.38             | 11                                 |
| ac20_5320MHz_Chain 0+Chain 1           | 6.39               | 0.96                         | 7.35             | 10.3                               |
| ac40_5270MHz_Chain 0                   | -0.02              | 0.97                         | 0.95             | 11                                 |
| ac40_5270MHz_Chain 1                   | 0.12               | 0.97                         | 1.09             | 11                                 |
| ac40_5270MHz_Chain 0+Chain 1           | 3.06               | 0.97                         | 4.03             | 10.3                               |
| ac40_5310MHz_Chain 0                   | 0.43               | 0.97                         | 1.40             | 11                                 |
| ac40_5310MHz_Chain 1                   | 0.04               | 0.97                         | 1.01             | 11                                 |
| ac40_5310MHz_Chain 0+Chain 1           | 3.25               | 0.97                         | 4.22             | 10.3                               |
| ac80_5290MHz_Chain 0                   | -6.28              | 0.98                         | -5.30            | 11                                 |
| ac80_5290MHz_Chain 1                   | -6.06              | 0.98                         | -5.08            | 11                                 |
| ac80_5290MHz_Chain 0+Chain 1           | -3.16              | 0.98                         | -2.18            | 10.3                               |
| ax20_5260MHz_RU_26/0_Chain 0           | 0.33               | 0.95                         | 1.28             | 11                                 |
| ax20_5260MHz_RU_52/37_Chain 0          | 0.61               | 0.95                         | 1.56             | 11                                 |
| ax20_5260MHz_RU_106/53_Chain 0         | 0.83               | 0.95                         | 1.78             | 11                                 |
| ax20_5260MHz_RU_242/61_Chain 0         | 0.13               | 0.95                         | 1.08             | 11                                 |
| ax20_5260MHz_RU_26/0_Chain 1           | 0.11               | 0.95                         | 1.06             | 11                                 |
| ax20_5260MHz_RU_52/37_Chain 1          | 0.72               | 0.95                         | 1.67             | 11                                 |
| ax20_5260MHz_RU_106/53_Chain 1         | 0.84               | 0.95                         | 1.79             | 11                                 |
| ax20_5260MHz_RU_242/61_Chain 1         | 0.08               | 0.95                         | 1.03             | 11                                 |
| ax20_5260MHz_RU_26/0_Chain 0+Chain 1   | 3.23               | 0.95                         | 4.18             | 10.3                               |
| ax20_5260MHz_RU_52/37_Chain 0+Chain 1  | 3.68               | 0.95                         | 4.63             | 10.3                               |
| ax20_5260MHz_RU_106/53_Chain 0+Chain 1 | 3.85               | 0.95                         | 4.80             | 10.3                               |
| ax20_5260MHz_RU_242/61_Chain 0+Chain 1 | 3.12               | 0.95                         | 4.07             | 10.3                               |
| ax20_5280MHz_RU_26/0_Chain 0           | 0.23               | 0.95                         | 1.18             | 11                                 |
| ax20_5280MHz_RU_52/37_Chain 0          | 0.72               | 0.95                         | 1.67             | 11                                 |
| ax20_5280MHz_RU_106/53_Chain 0         | 0.50               | 0.95                         | 1.45             | 11                                 |
| ax20_5280MHz_RU_242/61_Chain 0         | 0.23               | 0.95                         | 1.18             | 11                                 |
| ax20_5280MHz_RU_26/0_Chain 1           | 0.45               | 0.95                         | 1.40             | 11                                 |
| ax20_5280MHz_RU_52/37_Chain 1          | 0.83               | 0.95                         | 1.78             | 11                                 |
| ax20_5280MHz_RU_106/53_Chain 1         | 0.66               | 0.95                         | 1.61             | 11                                 |
| ax20_5280MHz_RU_242/61_Chain 1         | 0.41               | 0.95                         | 1.36             | 11                                 |
| ax20_5280MHz_RU_26/0_Chain 0+Chain 1   | 3.35               | 0.95                         | 4.30             | 10.3                               |
| ax20_5280MHz_RU_52/37_Chain 0+Chain 1  | 3.79               | 0.95                         | 4.74             | 10.3                               |
| ax20_5280MHz_RU_106/53_Chain 0+Chain 1 | 3.59               | 0.95                         | 4.54             | 10.3                               |
| ax20_5280MHz_RU_242/61_Chain 0+Chain 1 | 3.33               | 0.95                         | 4.28             | 11                                 |
| ax20_5320MHz_RU_26/8_Chain 0           | 0.41               | 0.95                         | 1.36             | 11                                 |
| ax20_5320MHz_RU_52/40_Chain 0          | 0.51               | 0.95                         | 1.46             | 11                                 |
| ax20_5320MHz_RU_106/54_Chain 0         | 0.64               | 0.95                         | 1.59             | 11                                 |
| ax20_5320MHz_RU_242/61_Chain 0         | 0.51               | 0.95                         | 1.46             | 11                                 |
| ax20_5320MHz_RU_26/8_Chain 1           | 0.54               | 0.95                         | 1.49             | 11                                 |
| ax20_5320MHz_RU_52/40_Chain 1          | 0.91               | 0.95                         | 1.86             | 11                                 |
| ax20_5320MHz_RU_106/54_Chain 1         | 0.90               | 0.95                         | 1.85             | 11                                 |
| ax20_5320MHz_RU_242/61_Chain 1         | 0.07               | 0.95                         | 1.02             | 11                                 |
| ax20_5320MHz_RU_26/8_Chain 0+Chain 1   | 3.49               | 0.95                         | 4.44             | 10.3                               |
| ax20_5320MHz_RU_52/40_Chain 0+Chain 1  | 3.72               | 0.95                         | 4.67             | 10.3                               |
| ax20_5320MHz_RU_106/54_Chain 0+Chain 1 | 3.78               | 0.95                         | 4.73             | 10.3                               |
| ax20_5320MHz_RU_242/61_Chain 0+Chain 1 | 3.31               | 0.95                         | 4.26             | 10.3                               |
| ax40_5270MHz_RU_26/0_Chain 0           | -1.17              | 0.96                         | -0.21            | 11                                 |
| ax40_5270MHz_RU_52/37_Chain 0          | -1.14              | 0.96                         | -0.18            | 11                                 |
| ax40_5270MHz_RU_106/53_Chain 0         | -1.05              | 0.96                         | -0.09            | 11                                 |
| ax40_5270MHz_RU_242/61_Chain 0         | -1.35              | 0.96                         | -0.39            | 11                                 |
| ax40_5270MHz_RU_484/65_Chain 0         | -1.18              | 0.96                         | -0.22            | 11                                 |
| ax40_5270MHz_RU_26/0_Chain 1           | -1.51              | 0.96                         | -0.55            | 11                                 |
| ax40_5270MHz_RU_52/37_Chain 1          | -1.22              | 0.96                         | -0.26            | 11                                 |
| ax40_5270MHz_RU_106/53_Chain 1         | -1.14              | 0.96                         | -0.18            | 11                                 |
| ax40_5270MHz_RU_242/61_Chain 1         | -1.80              | 0.96                         | -0.84            | 11                                 |
| ax40_5270MHz_RU_484/65_Chain 1         | -1.62              | 0.96                         | -0.66            | 11                                 |
| ax40_5270MHz_RU_26/0_Chain 0+Chain 1   | 1.67               | 0.96                         | 2.63             | 10.3                               |



| Mode                                   | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-<br>247 Limit<br>(dBm/MHz) |
|----------------------------------------|--------------------|------------------------------|------------------|------------------------------------|
| ax40_5270MHz_RU_52/37_Chain 0+Chain 1  | 1.83               | 0.96                         | 2.79             | 10.3                               |
| ax40_5270MHz_RU_106/53_Chain 0+Chain 1 | 1.92               | 0.96                         | 2.88             | 10.3                               |
| ax40_5270MHz_RU_242/61_Chain 0+Chain 1 | 1.44               | 0.96                         | 2.40             | 10.3                               |
| ax40_5270MHz_RU_484/65_Chain 0+Chain 1 | 1.62               | 0.96                         | 2.58             | 10.3                               |
| ax40_5310MHz_RU_26/17_Chain 0          | -1.53              | 0.96                         | -0.57            | 11                                 |
| ax40_5310MHz_RU_52/44_Chain 0          | -1.28              | 0.96                         | -0.32            | 11                                 |
| ax40_5310MHz_RU_106/56_Chain 0         | -1.25              | 0.96                         | -0.29            | 11                                 |
| ax40_5310MHz_RU_242/62_Chain 0         | -1.45              | 0.96                         | -0.49            | 11                                 |
| ax40_5310MHz_RU_484/65_Chain 0         | -1.45              | 0.96                         | -0.49            | 11                                 |
| ax40_5310MHz_RU_26/17_Chain 1          | -1.30              | 0.96                         | -0.34            | 11                                 |
| ax40_5310MHz_RU_52/44_Chain 1          | -1.02              | 0.96                         | -0.06            | 11                                 |
| ax40_5310MHz_RU_106/56_Chain 1         | -1.10              | 0.96                         | -0.14            | 11                                 |
| ax40_5310MHz_RU_242/62_Chain 1         | -1.81              | 0.96                         | -0.85            | 11                                 |
| ax40_5310MHz_RU_484/65_Chain 1         | -1.10              | 0.96                         | -0.14            | 11                                 |
| ax40_5310MHz_RU_26/17_Chain 0+Chain 1  | 1.60               | 0.96                         | 2.56             | 10.3                               |
| ax40_5310MHz_RU_52/44_Chain 0+Chain 1  | 1.86               | 0.96                         | 2.82             | 10.3                               |
| ax40_5310MHz_RU_106/56_Chain 0+Chain 1 | 1.84               | 0.96                         | 2.80             | 10.3                               |
| ax40_5310MHz_RU_242/62_Chain 0+Chain 1 | 1.38               | 0.96                         | 2.34             | 10.3                               |
| ax40_5310MHz_RU_484/65_Chain 0+Chain 1 | 1.74               | 0.96                         | 2.70             | 10.3                               |
| ax80_5290MHz_RU_26/0_Chain 0           | -4.28              | 0.97                         | -3.31            | 11                                 |
| ax80_5290MHz_RU_52/37_Chain 0          | -4.09              | 0.97                         | -3.12            | 11                                 |
| ax80_5290MHz_RU_106/53_Chain 0         | -4.28              | 0.97                         | -3.31            | 11                                 |
| ax80_5290MHz_RU_242/61_Chain 0         | -4.13              | 0.97                         | -3.16            | 11                                 |
| ax80_5290MHz_RU_484/65_Chain 0         | -4.72              | 0.97                         | -3.75            | 11                                 |
| ax80_5290MHz_RU_996/67_Chain 0         | -4.14              | 0.97                         | -3.17            | 11                                 |
| ax80_5290MHz_RU_26/0_Chain 1           | -4.15              | 0.97                         | -3.18            | 11                                 |
| ax80_5290MHz_RU_52/37_Chain 1          | -4.06              | 0.97                         | -3.09            | 11                                 |
| ax80_5290MHz_RU_106/53_Chain 1         | -4.12              | 0.97                         | -3.15            | 11                                 |
| ax80_5290MHz_RU_242/61_Chain 1         | -4.24              | 0.97                         | -3.27            | 11                                 |
| ax80_5290MHz_RU_484/65_Chain 1         | -4.61              | 0.97                         | -3.64            | 11                                 |
| ax80_5290MHz_RU_996/67_Chain 1         | -4.25              | 0.97                         | -3.28            | 11                                 |
| ax80_5290MHz_RU_26/0_Chain 0+Chain 1   | -1.20              | 0.97                         | -0.23            | 10.3                               |
| ax80_5290MHz_RU_52/37_Chain 0+Chain 1  | -1.06              | 0.97                         | -0.09            | 10.3                               |
| ax80_5290MHz_RU_106/53_Chain 0+Chain 1 | -1.19              | 0.97                         | -0.22            | 10.3                               |
| ax80_5290MHz_RU_242/61_Chain 0+Chain 1 | -1.17              | 0.97                         | -0.20            | 10.3                               |
| ax80_5290MHz_RU_484/65_Chain 0+Chain 1 | -1.65              | 0.97                         | -0.68            | 10.3                               |
| ax80_5290MHz_RU_996/67_Chain 0+Chain 1 | -1.18              | 0.97                         | -0.21            | 10.3                               |

## 5470-5725 MHz

| Mode                         | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-247<br>Limit<br>(dBm/MHz) |
|------------------------------|--------------------|------------------------------|------------------|-----------------------------------|
| a_5500MHz_Chain 0            | 5.45               | 0.18                         | 5.63             | 11                                |
| a_5500MHz_Chain 1            | 5.14               | 0.18                         | 5.32             | 11                                |
| a_5580MHz_Chain 0            | 5.13               | 0.18                         | 5.31             | 11                                |
| a_5580MHz_Chain 1            | 4.60               | 0.18                         | 4.78             | 11                                |
| a_5700MHz_Chain 0            | 4.86               | 0.18                         | 5.04             | 11                                |
| a_5700MHz_Chain 1            | 5.04               | 0.18                         | 5.22             | 11                                |
| a_5720MHz_Chain 0            | 4.90               | 0.18                         | 5.08             | 11                                |
| a_5720MHz_Chain 1            | 4.87               | 0.18                         | 5.05             | 11                                |
| n20_5500MHz_Chain 0          | 4.74               | 0.95                         | 5.69             | 11                                |
| n20_5500MHz_Chain 1          | 4.59               | 0.95                         | 5.54             | 11                                |
| n20_5500MHz_Chain 0+Chain 1  | 7.68               | 0.95                         | 8.63             | 10.3                              |
| n20_5580MHz_Chain 0          | 4.24               | 0.95                         | 5.19             | 11                                |
| n20_5580MHz_Chain 1          | 3.82               | 0.95                         | 4.77             | 11                                |
| n20_5580MHz_Chain 0+Chain 1  | 7.05               | 0.95                         | 8.00             | 10.3                              |
| n20_5700MHz_Chain 0          | -0.42              | 0.95                         | 0.53             | 11                                |
| n20_5700MHz_Chain 1          | 0.15               | 0.95                         | 1.10             | 11                                |
| n20_5700MHz_Chain 0+Chain 1  | 2.88               | 0.95                         | 3.83             | 10.3                              |
| n20_5720MHz_Chain 0          | -0.23              | 0.95                         | 0.72             | 11                                |
| n20_5720MHz_Chain 1          | 0.14               | 0.95                         | 1.09             | 11                                |
| n20_5720MHz_Chain 0+Chain 1  | 2.97               | 0.95                         | 3.92             | 10.3                              |
| n40_5510MHz_Chain 0          | -0.58              | 0.95                         | 0.37             | 11                                |
| n40_5510MHz_Chain 1          | -1.01              | 0.95                         | -0.06            | 11                                |
| n40_5510MHz_Chain 0+Chain 1  | 2.22               | 0.96                         | 3.18             | 10.3                              |
| n40_5550MHz_Chain 0          | -0.69              | 0.96                         | 0.27             | 11                                |
| n40_5550MHz_Chain 1          | -0.83              | 0.96                         | 0.13             | 11                                |
| n40_5550MHz_Chain 0+Chain 1  | 2.25               | 0.96                         | 3.21             | 10.3                              |
| n40_5670MHz_Chain 0          | -2.63              | 0.96                         | -1.67            | 11                                |
| n40_5670MHz_Chain 1          | -2.01              | 0.96                         | -1.05            | 11                                |
| n40_5670MHz_Chain 0+Chain 1  | 0.70               | 0.96                         | 1.66             | 10.3                              |
| n40_5710MHz_Chain 0          | -2.20              | 0.96                         | -1.24            | 11                                |
| n40_5710MHz_Chain 1          | -1.83              | 0.96                         | -0.87            | 11                                |
| n40_5710MHz_Chain 0+Chain 1  | 1                  | 0.96                         | 1.96             | 10.3                              |
| ac20_5500MHz_Chain 0         | 1.53               | 0.96                         | 2.49             | 11                                |
| ac20_5500MHz_Chain 1         | 1.38               | 0.96                         | 2.34             | 11                                |
| ac20_5500MHz_Chain 0+Chain 1 | 4.47               | 0.96                         | 5.43             | 10.3                              |
| ac20_5580MHz_Chain 0         | 0.93               | 0.96                         | 1.89             | 11                                |
| ac20_5580MHz_Chain 1         | 0.94               | 0.96                         | 1.90             | 11                                |
| ac20_5580MHz_Chain 0+Chain 1 | 3.95               | 0.96                         | 4.91             | 10.3                              |
| ac20_5700MHz_Chain 0         | 0.57               | 0.96                         | 1.53             | 11                                |
| ac20_5700MHz_Chain 1         | 1.06               | 0.96                         | 2.02             | 11                                |
| ac20_5700MHz_Chain 0+Chain 1 | 3.83               | 0.96                         | 4.79             | 10.3                              |
| ac20_5720MHz_Chain 0         | 0.51               | 0.96                         | 1.47             | 11                                |
| ac20_5720MHz_Chain 1         | 1.12               | 0.96                         | 2.08             | 11                                |
| ac20_5720MHz_Chain 0+Chain 1 | 3.84               | 0.96                         | 4.80             | 10.3                              |
| ac40_5510MHz_Chain 0         | -1.51              | 0.97                         | -0.54            | 11                                |
| ac40_5510MHz_Chain 1         | -1.51              | 0.97                         | -0.54            | 11                                |
| ac40_5510MHz_Chain 0+Chain 1 | 1.50               | 0.97                         | 2.47             | 10.3                              |
| ac40_5550MHz_Chain 0         | -1.47              | 0.97                         | -0.50            | 11                                |
| ac40_5550MHz_Chain 1         | -1.28              | 0.97                         | -0.31            | 11                                |
| ac40_5550MHz_Chain 0+Chain 1 | 1.64               | 0.97                         | 2.61             | 10.3                              |
| ac40_5670MHz_Chain 0         | -2.33              | 0.97                         | -1.36            | 11                                |
| ac40_5670MHz_Chain 1         | -1.45              | 0.97                         | -0.48            | 11                                |
| ac40_5670MHz_Chain 0+Chain 1 | 1.14               | 0.97                         | 2.11             | 10.3                              |
| ac40_5710MHz_Chain 0         | -2.45              | 0.97                         | -1.48            | 11                                |
| ac40_5710MHz_Chain 1         | -1.71              | 0.97                         | -0.74            | 11                                |
| ac40_5710MHz_Chain 0+Chain 1 | 0.95               | 0.97                         | 1.92             | 10.3                              |




| Mode                                   | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-247<br>Limit<br>(dBm/MHz) |
|----------------------------------------|--------------------|------------------------------|------------------|-----------------------------------|
| ac80_5530MHz_Chain 0                   | -5.93              | 0.98                         | -4.95            | 11                                |
| ac80_5530MHz_Chain 1                   | -5.67              | 0.98                         | -4.69            | 11                                |
| ac80_5530MHz_Chain 0+Chain 1           | -2.79              | 0.98                         | -1.81            | 10.3                              |
| ac80_5610MHz_Chain 0                   | -5.97              | 0.98                         | -4.99            | 11                                |
| ac80_5610MHz_Chain 1                   | -5.65              | 0.98                         | -4.67            | 11                                |
| ac80_5610MHz_Chain 0+Chain 1           | -2.80              | 0.98                         | -1.82            | 10.3                              |
| ac80_5690MHz_Chain 0                   | -6.48              | 0.98                         | -5.50            | 11                                |
| ac80_5690MHz_Chain 1                   | -5.87              | 0.98                         | -4.89            | 11                                |
| ac80_5690MHz_Chain 0+Chain 1           | -3.15              | 0.98                         | -2.17            | 10.3                              |
| ax20_5500MHz_RU_26/0_Chain 0           | 2.13               | 0.95                         | 3.08             | 11                                |
| ax20_5500MHz_RU_52/37_Chain 0          | 2.47               | 0.95                         | 3.42             | 11                                |
| ax20_5500MHz_RU_106/53_Chain 0         | 2.93               | 0.95                         | 3.88             | 11                                |
| ax20_5500MHz_RU_242/61_Chain 0         | 2.08               | 0.95                         | 3.03             | 11                                |
| ax20_5500MHz_RU_26/0_Chain 1           | 2.81               | 0.95                         | 3.76             | 11                                |
| ax20_5500MHz_RU_52/37_Chain 1          | 2.36               | 0.95                         | 3.31             | 11                                |
| ax20_5500MHz_RU_106/53_Chain 1         | 2.72               | 0.95                         | 3.67             | 11                                |
| ax20_5500MHz_RU_242/61_Chain 1         | 2.57               | 0.95                         | 3.52             | 11                                |
| ax20_5500MHz_RU_26/0_Chain 0+Chain 1   | 5.49               | 0.95                         | 6.44             | 10.3                              |
| ax20_5500MHz_RU_52/37_Chain 0+Chain 1  | 5.43               | 0.95                         | 6.38             | 10.3                              |
| ax20_5500MHz_RU_106/53_Chain 0+Chain 1 | 5.84               | 0.95                         | 6.79             | 10.3                              |
| ax20_5500MHz_RU_242/61_Chain 0+Chain 1 | 5.34               | 0.95                         | 6.29             | 10.3                              |
| ax20_5580MHz_RU_26/0_Chain 0           | 1.81               | 0.95                         | 2.76             | 11                                |
| ax20_5580MHz_RU_52/37_Chain 0          | 1.61               | 0.95                         | 2.56             | 11                                |
| ax20_5580MHz_RU_106/53_Chain 0         | 1.31               | 0.95                         | 2.26             | 11                                |
| ax20_5580MHz_RU_242/61_Chain 0         | 1.74               | 0.95                         | 2.69             | 11                                |
| ax20_5580MHz_RU_26/0_Chain 1           | 1.37               | 0.95                         | 2.32             | 11                                |
| ax20_5580MHz_RU_52/37_Chain 1          | 1.88               | 0.95                         | 2.83             | 11                                |
| ax20_5580MHz_RU_106/53_Chain 1         | 1.51               | 0.95                         | 2.46             | 11                                |
| ax20_5580MHz_RU_242/61_Chain 1         | 1.22               | 0.95                         | 2.17             | 11                                |
| ax20_5580MHz_RU_26/0_Chain 0+Chain 1   | 4.61               | 0.95                         | 5.56             | 10.3                              |
| ax20_5580MHz_RU_52/37_Chain 0+Chain 1  | 4.76               | 0.95                         | 5.71             | 10.3                              |
| ax20_5580MHz_RU_106/53_Chain 0+Chain 1 | 4.42               | 0.95                         | 5.37             | 10.3                              |
| ax20_5580MHz_RU_242/61_Chain 0+Chain 1 | 4.50               | 0.95                         | 5.45             | 10.3                              |
| ax20_5700MHz_RU_26/8_Chain 0           | 1.71               | 0.95                         | 2.66             | 11                                |
| ax20_5700MHz_RU_52/40_Chain 0          | 1.27               | 0.95                         | 2.22             | 11                                |
| ax20_5700MHz_RU_106/54_Chain 0         | 1.13               | 0.95                         | 2.08             | 11                                |
| ax20_5700MHz_RU_242/61_Chain 0         | 1.68               | 0.95                         | 2.63             | 11                                |
| ax20_5700MHz_RU_26/8_Chain 1           | 1.60               | 0.95                         | 2.55             | 11                                |
| ax20_5700MHz_RU_52/40_Chain 1          | 1.10               | 0.95                         | 2.05             | 11                                |
| ax20_5700MHz_RU_106/54_Chain 1         | 1.29               | 0.95                         | 2.24             | 11                                |
| ax20_5700MHz_RU_242/61_Chain 1         | 1.56               | 0.95                         | 2.51             | 11                                |
| ax20_5700MHz_RU_26/8_Chain 0+Chain 1   | 4.67               | 0.95                         | 5.62             | 10.3                              |
| ax20_5700MHz_RU_52/40_Chain 0+Chain 1  | 4.20               | 0.95                         | 5.15             | 10.3                              |
| ax20_5700MHz_RU_106/54_Chain 0+Chain 1 | 4.22               | 0.95                         | 5.17             | 10.3                              |
| ax20_5700MHz_RU_242/61_Chain 0+Chain 1 | 4.63               | 0.95                         | 5.58             | 10.3                              |
| ax20_5720MHz_RU_26/8_Chain 0           | 1.80               | 0.95                         | 2.75             | 11                                |
| ax20_5720MHz_RU_52/40_Chain 0          | 1.20               | 0.95                         | 2.15             | 11                                |
| ax20_5720MHz_RU_106/54_Chain 0         | 1.22               | 0.95                         | 2.17             | 11                                |
| ax20_5720MHz_RU_242/61_Chain 0         | 1.64               | 0.95                         | 2.59             | 11                                |
| ax20_5720MHz_RU_26/8_Chain 1           | 1.16               | 0.95                         | 2.11             | 11                                |
| ax20_5720MHz_RU_52/40_Chain 1          | 1.38               | 0.95                         | 2.33             | 11                                |
| ax20_5720MHz_RU_106/54_Chain 1         | 1.67               | 0.95                         | 2.62             | 11                                |
| ax20_5720MHz_RU_242/61_Chain 1         | 1.10               | 0.95                         | 2.05             | 11                                |
| ax20_5720MHz_RU_26/8_Chain 0+Chain 1   | 4.50               | 0.95                         | 5.45             | 10.3                              |
| ax20_5720MHz_RU_52/40_Chain 0+Chain 1  | 4.30               | 0.95                         | 5.25             | 10.3                              |
| ax20_5720MHz_RU_106/54_Chain 0+Chain 1 | 4.46               | 0.95                         | 5.41             | 10.3                              |
| ax20_5720MHz_RU_242/61_Chain 0+Chain 1 | 4.39               | 0.95                         | 5.34             | 10.3                              |
| ax40_5510MHz_RU_26/0_Chain 0           | -1.62              | 0.96                         | -0.66            | 11                                |

| Mode                                   | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-247<br>Limit<br>(dBm/MHz) |
|----------------------------------------|--------------------|------------------------------|------------------|-----------------------------------|
| ax40_5510MHz_RU_52/37_Chain 0          | -1.35              | 0.96                         | -0.39            | 11                                |
| ax40_5510MHz_RU_106/53_Chain 0         | -1.80              | 0.96                         | -0.84            | 11                                |
| ax40_5510MHz_RU_242/61_Chain 0         | -1.47              | 0.96                         | -0.51            | 11                                |
| ax40_5510MHz_RU_484/65_Chain 0         | -1.25              | 0.96                         | -0.29            | 11                                |
| ax40_5510MHz_RU_26/0_Chain 1           | -1.81              | 0.96                         | -0.85            | 11                                |
| ax40_5510MHz_RU_52/37_Chain 1          | -1.66              | 0.96                         | -0.70            | 11                                |
| ax40_5510MHz_RU_106/53_Chain 1         | -1.47              | 0.96                         | -0.51            | 11                                |
| ax40_5510MHz_RU_242/61_Chain 1         | -1.83              | 0.96                         | -0.87            | 11                                |
| ax40_5510MHz_RU_484/65_Chain 1         | -1.31              | 0.96                         | -0.35            | 11                                |
| ax40_5510MHz_RU_26/0_Chain 0+Chain 1   | 1.30               | 0.96                         | 2.26             | 10.3                              |
| ax40_5510MHz_RU_52/37_Chain 0+Chain 1  | 1.51               | 0.96                         | 2.47             | 10.3                              |
| ax40_5510MHz_RU_106/53_Chain 0+Chain 1 | 1.38               | 0.96                         | 2.34             | 10.3                              |
| ax40_5510MHz_RU_242/61_Chain 0+Chain 1 | 1.36               | 0.96                         | 2.32             | 10.3                              |
| ax40_5510MHz_RU_484/65_Chain 0+Chain 1 | 1.73               | 0.96                         | 2.69             | 10.3                              |
| ax40_5550MHz_RU_26/0_Chain 0           | -1.22              | 0.96                         | -0.26            | 11                                |
| ax40_5550MHz_RU_52/37_Chain 0          | -1.54              | 0.96                         | -0.58            | 11                                |
| ax40_5550MHz_RU_106/53_Chain 0         | -1.82              | 0.96                         | -0.86            | 11                                |
| ax40_5550MHz_RU_242/61_Chain 0         | -1.49              | 0.96                         | -0.53            | 11                                |
| ax40_5550MHz_RU_484/65_Chain 0         | -1.52              | 0.96                         | -0.56            | 11                                |
| ax40_5550MHz_RU_26/0_Chain 1           | -1.10              | 0.96                         | -0.14            | 11                                |
| ax40_5550MHz_RU_52/37_Chain 1          | -1.02              | 0.96                         | -0.06            | 11                                |
| ax40_5550MHz_RU_106/53_Chain 1         | -1.31              | 0.96                         | -0.35            | 11                                |
| ax40_5550MHz_RU_242/61_Chain 1         | -1.73              | 0.96                         | -0.77            | 11                                |
| ax40_5550MHz_RU_484/65_Chain 1         | -1.58              | 0.96                         | -0.62            | 11                                |
| ax40_5550MHz_RU_26/0_Chain 0+Chain 1   | 1.85               | 0.96                         | 2.81             | 10.3                              |
| ax40_5550MHz_RU_52/37_Chain 0+Chain 1  | 1.74               | 0.96                         | 2.70             | 10.3                              |
| ax40_5550MHz_RU_106/53_Chain 0+Chain 1 | 1.45               | 0.96                         | 2.41             | 10.3                              |
| ax40_5550MHz_RU_242/61_Chain 0+Chain 1 | 1.40               | 0.96                         | 2.36             | 10.3                              |
| ax40_5550MHz_RU_484/65_Chain 0+Chain 1 | 1.46               | 0.96                         | 2.42             | 10.3                              |
| ax40_5670MHz_RU_26/17_Chain 0          | -1.28              | 0.96                         | -0.32            | 11                                |
| ax40_5670MHz_RU_52/44_Chain 0          | -1.37              | 0.96                         | -0.41            | 11                                |
| ax40_5670MHz_RU_106/56_Chain 0         | -1.53              | 0.96                         | -0.57            | 11                                |
| ax40_5670MHz_RU_242/62_Chain 0         | -1.21              | 0.96                         | -0.25            | 11                                |
| ax40_5670MHz_RU_484/65_Chain 0         | -1.55              | 0.96                         | -0.59            | 11                                |
| ax40_5670MHz_RU_26/17_Chain 1          | -1.69              | 0.96                         | -0.73            | 11                                |
| ax40_5670MHz_RU_52/44_Chain 1          | -1.51              | 0.96                         | -0.55            | 11                                |
| ax40_5670MHz_RU_106/56_Chain 1         | -1.67              | 0.96                         | -0.71            | 11                                |
| ax40_5670MHz_RU_242/62_Chain 1         | -1.85              | 0.96                         | -0.89            | 11                                |
| ax40_5670MHz_RU_484/65_Chain 1         | -1.56              | 0.96                         | -0.60            | 11                                |
| ax40_5670MHz_RU_26/17_Chain 0+Chain 1  | 1.53               | 0.96                         | 2.49             | 10.3                              |
| ax40_5670MHz_RU_52/44_Chain 0+Chain 1  | 1.57               | 0.96                         | 2.53             | 10.3                              |
| ax40_5670MHz_RU_106/56_Chain 0+Chain 1 | 1.41               | 0.96                         | 2.37             | 10.3                              |
| ax40_5670MHz_RU_242/62_Chain 0+Chain 1 | 1.49               | 0.96                         | 2.45             | 10.3                              |
| ax40_5670MHz_RU_484/65_Chain 0+Chain 1 | 1.46               | 0.96                         | 2.42             | 10.3                              |
| ax40_5710MHz_RU_26/17_Chain 0          | -1.16              | 0.96                         | -0.20            | 11                                |
| ax40_5710MHz_RU_52/44_Chain 0          | -1.87              | 0.96                         | -0.91            | 11                                |
| ax40_5710MHz_RU_106/56_Chain 0         | -1.89              | 0.96                         | -0.93            | 11                                |
| ax40_5710MHz_RU_242/62_Chain 0         | -1.71              | 0.96                         | -0.75            | 11                                |
| ax40_5710MHz_RU_484/65_Chain 0         | -1.09              | 0.96                         | -0.13            | 11                                |
| ax40_5710MHz_RU_26/17_Chain 1          | -1.08              | 0.96                         | -0.12            | 11                                |
| ax40_5710MHz_RU_52/44_Chain 1          | -1.53              | 0.96                         | -0.57            | 11                                |
| ax40_5710MHz_RU_106/56_Chain 1         | -1.75              | 0.96                         | -0.79            | 11                                |
| ax40_5710MHz_RU_242/62_Chain 1         | -1.36              | 0.96                         | -0.40            | 11                                |
| ax40_5710MHz_RU_484/65_Chain 1         | -1.85              | 0.96                         | -0.89            | 11                                |
| ax40_5710MHz_RU_26/17_Chain 0+Chain 1  | 1.89               | 0.96                         | 2.85             | 10.3                              |
| ax40_5710MHz_RU_52/44_Chain 0+Chain 1  | 1.31               | 0.96                         | 2.27             | 10.3                              |
| ax40_5710MHz_RU_106/56_Chain 0+Chain 1 | 1.19               | 0.96                         | 2.15             | 10.3                              |
| ax40_5710MHz_RU_242/62_Chain 0+Chain 1 | 1.48               | 0.96                         | 2.44             | 10.3                              |

| Mode                                   | Value<br>(dBm/MHz) | Duty Cycle<br>Factor<br>(dB) | PSD<br>(dBm/MHz) | FCC&RSS-247<br>Limit<br>(dBm/MHz) |
|----------------------------------------|--------------------|------------------------------|------------------|-----------------------------------|
| ax40_5710MHz_RU_484/65_Chain 0+Chain 1 | 1.56               | 0.96                         | 2.52             | 10.3                              |
| ax80_5530MHz_RU_26/0_Chain 0           | -4.08              | 0.97                         | -3.11            | 11                                |
| ax80_5530MHz_RU_52/37_Chain 0          | -4.69              | 0.97                         | -3.72            | 11                                |
| ax80_5530MHz_RU_106/53_Chain 0         | -4.79              | 0.97                         | -3.82            | 11                                |
| ax80_5530MHz_RU_242/61_Chain 0         | -4.45              | 0.97                         | -3.48            | 11                                |
| ax80_5530MHz_RU_484/65_Chain 0         | -4.39              | 0.97                         | -3.42            | 11                                |
| ax80_5530MHz_RU_996/67_Chain 0         | -4.07              | 0.97                         | -3.10            | 11                                |
| ax80_5530MHz_RU_26/0_Chain 1           | -4.36              | 0.97                         | -3.39            | 11                                |
| ax80_5530MHz_RU_52/37_Chain 1          | -4.48              | 0.97                         | -3.51            | 11                                |
| ax80_5530MHz_RU_106/53_Chain 1         | -4.36              | 0.97                         | -3.39            | 11                                |
| ax80_5530MHz_RU_242/61_Chain 1         | -4.68              | 0.97                         | -3.71            | 11                                |
| ax80_5530MHz_RU_484/65_Chain 1         | -4.58              | 0.97                         | -3.61            | 11                                |
| ax80_5530MHz_RU_996/67_Chain 1         | -4.37              | 0.97                         | -3.40            | 11                                |
| ax80_5530MHz_RU_26/0_Chain 0+Chain 1   | -1.21              | 0.97                         | -0.24            | 10.3                              |
| ax80_5530MHz_RU_52/37_Chain 0+Chain 1  | -1.57              | 0.97                         | -0.60            | 10.3                              |
| ax80_5530MHz_RU_106/53_Chain 0+Chain 1 | -1.56              | 0.97                         | -0.59            | 10.3                              |
| ax80_5530MHz_RU_242/61_Chain 0+Chain 1 | -1.55              | 0.97                         | -0.58            | 10.3                              |
| ax80_5530MHz_RU_484/65_Chain 0+Chain 1 | -1.47              | 0.97                         | -0.50            | 10.3                              |
| ax80_5530MHz_RU_996/67_Chain 0+Chain 1 | -1.21              | 0.97                         | -0.24            | 10.3                              |
| ax80_5610MHz_RU_26/0_Chain 0           | -4.13              | 0.97                         | -3.16            | 11                                |
| ax80_5610MHz_RU_52/37_Chain 0          | -4.26              | 0.97                         | -3.29            | 11                                |
| ax80_5610MHz_RU_106/53_Chain 0         | -4.73              | 0.97                         | -3.76            | 11                                |
| ax80_5610MHz_RU_242/61_Chain 0         | -4.58              | 0.97                         | -3.61            | 11                                |
| ax80_5610MHz_RU_484/65_Chain 0         | -4.87              | 0.97                         | -3.90            | 11                                |
| ax80_5610MHz_RU_996/67_Chain 0         | -4.17              | 0.97                         | -3.20            | 11                                |
| ax80_5610MHz_RU_26/0_Chain 1           | -4.21              | 0.97                         | -3.24            | 11                                |
| ax80_5610MHz_RU_52/37_Chain 1          | -4.84              | 0.97                         | -3.87            | 11                                |
| ax80_5610MHz_RU_106/53_Chain 1         | -4.46              | 0.97                         | -3.49            | 11                                |
| ax80_5610MHz_RU_242/61_Chain 1         | -4.64              | 0.97                         | -3.67            | 11                                |
| ax80_5610MHz_RU_484/65_Chain 1         | -4.22              | 0.97                         | -3.25            | 11                                |
| ax80_5610MHz_RU_996/67_Chain 1         | -4.13              | 0.97                         | -3.16            | 11                                |
| ax80_5610MHz_RU_26/0_Chain 0+Chain 1   | -1.16              | 0.97                         | -0.19            | 10.3                              |
| ax80_5610MHz_RU_52/37_Chain 0+Chain 1  | -1.53              | 0.97                         | -0.56            | 10.3                              |
| ax80_5610MHz_RU_106/53_Chain 0+Chain 1 | -1.58              | 0.97                         | -0.61            | 10.3                              |
| ax80_5610MHz_RU_242/61_Chain 0+Chain 1 | -1.60              | 0.97                         | -0.63            | 10.3                              |
| ax80_5610MHz_RU_484/65_Chain 0+Chain 1 | -1.52              | 0.97                         | -0.55            | 10.3                              |
| ax80_5610MHz_RU_996/67_Chain 0+Chain 1 | -1.14              | 0.97                         | -0.17            | 10.3                              |
| ax80_5690MHz_RU_26/36_Chain 0          | -4.69              | 0.97                         | -3.72            | 11                                |
| ax80_5690MHz_RU_52/52_Chain 0          | -4.08              | 0.97                         | -3.11            | 11                                |
| ax80_5690MHz_RU_106/60_Chain 0         | -4.30              | 0.97                         | -3.33            | 11                                |
| ax80_5690MHz_RU_242/64_Chain 0         | -4.13              | 0.97                         | -3.16            | 11                                |
| ax80_5690MHz_RU_484/66_Chain 0         | -4.68              | 0.97                         | -3.71            | 11                                |
| ax80_5690MHz_RU_996/67_Chain 0         | -4.61              | 0.97                         | -3.64            | 11                                |
| ax80_5690MHz_RU_26/36_Chain 1          | -4.66              | 0.97                         | -3.69            | 11                                |
| ax80_5690MHz_RU_52/52_Chain 1          | -4.50              | 0.97                         | -3.53            | 11                                |
| ax80_5690MHz_RU_106/60_Chain 1         | -4.73              | 0.97                         | -3.76            | 11                                |
| ax80_5690MHz_RU_242/64_Chain 1         | -4.71              | 0.97                         | -3.74            | 11                                |
| ax80_5690MHz_RU_484/66_Chain 1         | -4.30              | 0.97                         | -3.33            | 11                                |
| ax80_5690MHz_RU_996/67_Chain 1         | -4.23              | 0.97                         | -3.26            | 11                                |
| ax80_5690MHz_RU_26/36_Chain 0+Chain 1  | -1.66              | 0.97                         | -0.69            | 10.3                              |
| ax80_5690MHz_RU_52/52_Chain 0+Chain 1  | -1.27              | 0.97                         | -0.30            | 10.3                              |
| ax80_5690MHz_RU_106/60_Chain 0+Chain 1 | -1.50              | 0.97                         | -0.53            | 10.3                              |
| ax80_5690MHz_RU_242/64_Chain 0+Chain 1 | -1.40              | 0.97                         | -0.43            | 10.3                              |
| ax80_5690MHz_RU_484/66_Chain 0+Chain 1 | -1.48              | 0.97                         | -0.51            | 10.3                              |
| ax80_5690MHz_RU_996/67_Chain 0+Chain 1 | -1.41              | 0.97                         | -0.44            | 10.3                              |


## 5250-5350 MHz

a\_5260MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:06:51

a\_5260MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 13:39:27

a\_5280MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:35:39

a\_5280MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 13:40:00

a\_5320MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:40:21

a\_5320MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 13:40:39

n20\_5260MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:41:41

n20\_5260MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:03:27

n20\_5280MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:42:19

n20\_5280MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:04:00

n20\_5320MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:42:57

n20\_5320MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:04:52

n40\_5270MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:44:24

n40\_5270MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:05:33

n40\_5310MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:45:18

n40\_5310MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:06:16

ac20\_5260MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:46:14

ac20\_5260MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:07:08

ac20\_5280MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:46:43

ac20\_5280MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:07:49

ac20\_5320MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:47:17

ac20\_5320MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:08:25

ac40\_5270MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:48:24

ac40\_5270MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:09:14

ac40\_5310MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 10:49:13

ac40\_5310MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:09:50

ac80\_5290MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:04:20

ac80\_5290MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:10:44

ax20\_5260MHz\_RU\_26/0\_Chain 0



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:08:48


ax20\_5260MHz\_RU\_52/37\_Chain 0



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:09:44




ax20\_5260MHz\_RU\_106/53\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:10:39

ax20\_5260MHz\_RU\_242/61\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:11:55

ax20\_5260MHz\_RU\_26/0\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:20:21

ax20\_5260MHz\_RU\_52/37\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:24:45

ax20\_5260MHz\_RU\_106/53\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:30:15

ax20\_5260MHz\_RU\_242/61\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:33:56

ax20\_5280MHz\_RU\_26/0\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:17:27

ax20\_5280MHz\_RU\_52/37\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:25:00

ax20\_5280MHz\_RU\_106/53\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:26:15

ax20\_5280MHz\_RU\_242/61\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 15:42:15

ax20\_5280MHz\_RU\_26/0\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:39:42

ax20\_5280MHz\_RU\_52/37\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:41:10

ax20\_5280MHz\_RU\_106/53\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:44:06

ax20\_5280MHz\_RU\_242/61\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:45:32

ax20\_5320MHz\_RU\_26/8\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:11:00

ax20\_5320MHz\_RU\_52/40\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:14:09

ax20\_5320MHz\_RU\_106/54\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:14:45

ax20\_5320MHz\_RU\_242/61\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:16:24

ax20\_5320MHz\_RU\_26/8\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:49:08

ax20\_5320MHz\_RU\_52/40\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:49:41

ax20\_5320MHz\_RU\_106/54\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:55:43

ax20\_5320MHz\_RU\_242/61\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 09:57:07

ax40\_5270MHz\_RU\_26/0\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:30:22

ax40\_5270MHz\_RU\_52/37\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:31:15

ax40\_5270MHz\_RU\_106/53\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:32:28

ax40\_5270MHz\_RU\_242/61\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 10:26:39

ax40\_5270MHz\_RU\_484/65\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:21:14

ax40\_5270MHz\_RU\_26/0\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 10:08:00

ax40\_5270MHz\_RU\_52/37\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 10:09:01

ax40\_5270MHz\_RU\_106/53\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 10:09:56


ax40\_5270MHz\_RU\_242/61\_Chain 1




ax40\_5270MHz\_RU\_484/65\_Chain 1




ax40\_5310MHz\_RU\_26/17\_Chain 0




ax40\_5310MHz\_RU\_52/44\_Chain 0




ax40\_5310MHz\_RU\_106/56\_Chain 0



ax40\_5310MHz\_RU\_242/62\_Chain 0




ax40\_5310MHz\_RU\_484/65\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 12.AUG.2024 16:45:32

ax40\_5310MHz\_RU\_26/17\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:03:20

ax40\_5310MHz\_RU\_52/44\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:04:39

ax40\_5310MHz\_RU\_106/56\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:11:41

ax40\_5310MHz\_RU\_242/62\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:12:38

ax40\_5310MHz\_RU\_484/65\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:13:43

ax80\_5290MHz\_RU\_26/0\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 13.AUG.2024 09:06:32

ax80\_5290MHz\_RU\_52/37\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 13.AUG.2024 09:22:20

ax80\_5290MHz\_RU\_106/53\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 13.AUG.2024 09:24:14

ax80\_5290MHz\_RU\_242/61\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 13.AUG.2024 09:25:50

ax80\_5290MHz\_RU\_484/65\_Chain 0



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 13.AUG.2024 09:27:23


ax80\_5290MHz\_RU\_996/67\_Chain 0



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 13.AUG.2024 09:59:21




ax80\_5290MHz\_RU\_26/0\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:24:39

ax80\_5290MHz\_RU\_52/37\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:25:44

ax80\_5290MHz\_RU\_106/53\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:27:37

ax80\_5290MHz\_RU\_242/61\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:31:17

ax80\_5290MHz\_RU\_484/65\_Chain 1



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:37:10


ax80\_5290MHz\_RU\_996/67\_Chain 1



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 14.AUG.2024 11:33:46


## 5470-5725 MHz

a\_5500MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:15:27

a\_5500MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:20:06

a\_5580MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:16:15

a\_5580MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:20:44

a\_5700MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:16:46

a\_5700MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:21:13

a\_5720MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:17:48

a\_5720MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:21:57

n20\_5500MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:19:20

n20\_5500MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:23:34

n20\_5580MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:19:52

n20\_5580MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:26:09

n20\_5700MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:20:28

n20\_5700MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:27:12

n20\_5720MHz\_Chain 0




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:21:16

n20\_5720MHz\_Chain 1




ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:27:56

n40\_5510MHz\_Chain 0



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 11:22:07

n40\_5510MHz\_Chain 1



ProjectNo.:2402U80231E-RF-A1 Tester:Jojo Zhou  
Date: 1.JUL.2024 14:30:17