

FCC

RF

TEST REPORT


ISSUED BY
Shenzhen BALUN Technology Co., Ltd.



FOR
Notebook Computer

ISSUED TO
Samsung Electronics Co., Ltd.

19 Chapin Road, Building D, Pine Brook, New Jersey, United States,
07058



Prepared by: 

Ye Hongji

Date: Nov. 17, 2020

Approved by: 

Liao Jianming
(Technical Director)

Date: Nov. 17, 2020



Report No.: BL-SZ2090237-609

EUT Name: Notebook Computer

Model Name: NT550XDA (refer section 2.4)

Brand Name: Samsung

Test Standard: 47 CFR Part 15 Subpart E

FCC ID: ZCANP550XDAX

Test Conclusion: Pass

Test Date: Sep. 10, 2020 ~ Nov. 06, 2020

Date of Issue: Nov. 17, 2020

NOTE: This test report of test results only related to testing samples, which can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. Any objections should be raised within thirty days from the date of issue. To validate the report, please contact us.

Revision History

Version	Issue Date	Revisions Content
<u>Rev. 01</u>	<u>Oct. 29, 2020</u>	<u>Initial Issue</u>
<u>Rev. 02</u>	<u>Nov. 17, 2020</u>	<u>Add the RU26 Mode in section A.1, A.2, A.3 and A.4.</u>

TABLE OF CONTENTS

1	ADMINISTRATIVE DATA (GENERAL INFORMATION)	4
1.1	Identification of the Testing Laboratory	4
1.2	Identification of the Responsible Testing Location	4
1.3	Laboratory Condition	4
1.4	Announce	5
2	PRODUCT INFORMATION	6
2.1	Applicant	6
2.2	Manufacturer	6
2.3	Factory	6
2.4	General Description for Equipment under Test (EUT)	6
2.5	Technical Information	7
2.6	Additional Instructions	9
2.7	Channel List	19
3	SUMMARY OF TEST RESULTS	23
3.1	Test Standards	23
3.2	Verdict	23
4	GENERAL TEST CONFIGURATIONS	24
4.1	Test Environments	24
4.2	Test Equipment List	24
4.3	Measurement Uncertainty	25
4.4	Description of Test Setup	26
5	TEST ITEMS	29
5.1	RF Output Power	29
5.2	Emission Bandwidth and 6 dB Bandwidth	30
5.3	Power Spectral density (PSD)	31
5.4	Conducted Emission	32

5.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	33
ANNEX A	TEST RESULT	38
A.1	RF Output Power	38
A.2	Emission Bandwidth & 99% Bandwidth	63
A.3	6 dB Bandwidth	71
A.4	Power Spectral Density	73
A.5	Conducted Emissions	93
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	97
ANNEX B	TEST SETUP PHOTOS	835
ANNEX C	EUT EXTERNAL PHOTOS	835
ANNEX D	EUT INTERNAL PHOTOS	835

1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

1.1 Identification of the Testing Laboratory

Company Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Identification of the Responsible Testing Location

Test Location	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory has been listed by Industry Canada to perform electromagnetic emission measurements. The recognition numbers of test site are 11524A-1. The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196. The laboratory is a testing organization accredited by American Association for Laboratory Accreditation(A2LA) according to ISO/IEC 17025.The accreditation certificate is 4344.01. The laboratory is a testing organization accredited by China National Accreditation Service for Conformity Assessment (CNAS) according to ISO/IEC 17025. The accreditation certificate number is L6791.
Description	All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055

1.3 Laboratory Condition

Ambient Temperature	20°C to 25°C
Ambient Relative Humidity	45% to 55%
Ambient Pressure	100 kPa to 102 kPa

1.4 Announce

- (1) The test report reference to the report template version v4.4.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (5) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (6) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (7) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.

2 PRODUCT INFORMATION

2.1 Applicant

Applicant	Samsung Electronics Co., Ltd.
Address	19 Chapin Road, Building D, Pine Brook, New Jersey, United States, 07058

2.2 Manufacturer

Manufacturer	Nanchang Huaqin Electronic Technology Co Ltd
Address	No.2999, Tianxiang Avenue, High-tech Development Zone, Nanchang City, Jiangxi Province, P.R. China

2.3 Factory

Factory	N/A
Address	N/A

2.4 General Description for Equipment under Test (EUT)

EUT Name	Notebook Computer
Model Name Under Test	NT550XDA
Series Model Name	550XDA, NT550XDZ, 550XDZ, NT551XDA, NP550XDA, NT550XDA
Description of Model name differentiation	Only differences are model names for trading purpose.
Serial Number	N/A
Hardware Version	N/A
Software Version	N/A
Dimensions (Approx.)	359.26 x 241.3 x18.85mm
Weight (Approx.)	1.89Kg

Antenna Information:

Antenna Port	Model Name	Antenna Manufacturer	Antenna Type	Antenna Gain (dBi)			
				2.4 GHz	5.15-5.35 GHz	5.47-5.725 GHz	5.725-5.85 GHz
Main Antenna	F-0G-XZ-0236-000-00	Speed	PIFA	0.85	2.90	2.05	1.59
Auxiliary Antenna	F-0G-XZ-0237-000-00		PIFA	1.71	-1.00	0.29	0.26
Main Antenna	N12-7050-R0A	South Star	PIFA	0.29	2.47	2.41	2.51
Auxiliary Antenna	N12-7051-R0A		PIFA	1.80	1.82	1.49	1.44

2.5 Technical Information

Network and Wireless connectivity	Bluetooth (BR+EDR+BLE) WIFI 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac and 802.11ax, U-NII-1/2A/2C/3

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz U-NII-3: 5725 MHz to 5850 MHz
Product Type	☐ Mobile ☒ Portable ☐ Fix Location
Modulation technology	OFDM, OFDMA
Modulation Type	1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK
Product Type	Portable for FCC standard
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9 802.11ax: up to 1021 Mbps
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz, 160 MHz 802.11ax: 20 MHz, 40 MHz, 80 MHz, 160 MHz
Maximum Output Power	U-NII-1: 12.98 dBm U-NII-2A: 12.95 dBm U-NII-2C: 12.96 dBm U-NII-3: 12.94 dBm
Antenna System (eg., MIMO, Smart Antenna)	Cyclic Delay Diversity (CDD)
Categorization as Correlated or Completely Uncorrelated	Correlated
Antenna Type	Main Antenna Aux. Antenna
Antenna Gain	Main Antenna Speed: U-NII-1: 2.90 dBi U-NII-2A: 2.90 dBi U-NII-2C: 2.05 dBi U-NII-3: 1.59 dBi South Star: U-NII-1: 2.47 dBi U-NII-2A: 2.47 dBi U-NII-2C: 2.41 dBi U-NII-3: 2.51 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.) Aux. Antenna Speed: U-NII-1: -1.00 dBi

		U-NII-2A: -1.00 dBi U-NII-2C: 0.29 dBi U-NII-3: 0.26 dBi South Star: U-NII-1: 1.82 dBi U-NII-2A: 1.82 dBi U-NII-2C: 1.49 dBi U-NII-3: 1.44 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)
Total directional gain	For power spectral density(PSD) measurements	Speed: 5.90 dBi South Star: 5.51 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = $10 \log(NANT/NSS)$ dB. $NSS = 1$, GANT set equal to the gain of the antenna having the highest gain.
	For power measurements	Speed: 2.90 dBi South Star: 2.51 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = 0.
About the Product		The equipment is Notebook Computer, intended for used with information technology equipment.

2.6 Additional Instructions

EUT Software Settings:

Mode	☒ Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

Test Software Version	DRTU

U-NII-1 (5150 - 5250 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	36	5180	13.00	13.00	--	--
11a	44	5220	13.00	13.00	--	--
11a	48	5240	13.00	13.00	--	--
11n(HT20)	36	5180	13.00	13.00	10.50	10.50
11n(HT20)	44	5220	13.00	13.00	10.50	10.50
11n(HT20)	48	5240	13.00	13.00	10.50	10.50
11n(HT40)	38	5190	13.00	13.00	10.00	10.00
11n(HT40)	46	5230	13.00	13.00	10.00	10.50
11ac(VHT20)	36	5180	13.00	13.00	10.50	10.50
11ac(VHT20)	44	5220	13.00	13.00	10.50	10.50
11ac(VHT20)	48	5240	13.00	13.00	10.50	10.50
11ac(VHT40)	38	5190	13.00	13.00	10.50	10.00
11ac(VHT40)	46	5230	13.00	13.00	10.50	10.50
11ac(VHT80)	42	5210	13.00	12.50	10.50	10.00
11ac(VHT160)	50	5250	11.50	11.00	9.00	9.00
11ax(HE20)-SU	36	5180	13.00	13.00	10.50	10.50
11ax(HE20)-SU	44	5220	13.50	13.00	10.50	10.50
11ax(HE20)-SU	48	5240	13.00	13.00	10.50	10.50
11ax(HE40)-SU	38	5190	13.00	13.00	10.50	10.50
11ax(HE40)-SU	46	5230	13.00	13.00	10.50	10.50
11ax(HE80)-SU	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)-SU	50	5250	11.50	11.50	9.00	9.00
11ax(HE20)-RU26	36	5180	13.00	13.00	10.50	10.50
11ax(HE20)-RU26	44	5220	13.50	13.00	10.50	10.50
11ax(HE20)-RU26	48	5240	13.00	13.00	10.50	10.50
11ax(HE40)-RU26	38	5190	13.00	13.00	10.50	10.50
11ax(HE40)-RU26	46	5230	13.00	13.00	10.50	10.50
11ax(HE80)-RU26	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)-RU26	50	5250	11.50	11.50	9.00	9.00

11ax(HE20)-RU52	36	5180	13.00	13.00	10.50	10.50
11ax(HE20)-RU52	44	5220	13.50	13.00	10.50	10.50
11ax(HE20)-RU52	48	5240	13.00	13.00	10.50	10.50
11ax(HE40)-RU52	38	5190	13.00	13.00	10.50	10.50
11ax(HE40)-RU52	46	5230	13.00	13.00	10.50	10.50
11ax(HE80)-RU52	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)-RU52	50	5250	11.50	11.50	9.00	9.00
11ax(HE20)-RU106	36	5180	13.00	13.00	10.50	10.50
11ax(HE20)-RU106	44	5220	13.50	13.00	10.50	10.50
11ax(HE20)-RU106	48	5240	13.00	13.00	10.50	10.50
11ax(HE40)-RU106	38	5190	13.00	13.00	10.50	10.50
11ax(HE40)-RU106	46	5230	13.00	13.00	10.50	10.50
11ax(HE80)-RU106	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)- RU106	50	5250	11.50	11.50	9.00	9.00
11ax(HE20)-RU242	36	5180	13.00	13.00	10.50	10.50
11ax(HE20)-RU242	44	5220	13.50	13.00	10.50	10.50
11ax(HE20)-RU242	48	5240	13.00	13.00	10.50	10.50
11ax(HE40)-RU242	38	5190	13.00	13.00	10.50	10.50
11ax(HE40)-RU242	46	5230	13.00	13.00	10.50	10.50
11ax(HE80)-RU242	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)- RU242	50	5250	11.50	11.50	9.00	9.00
11ax(HE40)-RU484	38	5190	13.00	13.00	10.50	10.50
11ax(HE40)-RU484	46	5230	13.00	13.00	10.50	10.50
11ax(HE80)-RU484	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)- RU484	50	5250	11.50	11.50	9.00	9.00
11ax(HE80)-RU996	42	5210	13.00	13.00	10.50	10.50
11ax(HE160)- RU996	50	5250	11.50	11.50	9.00	9.00
11ax(HE160)- RU996*2	50	5250	11.50	11.50	9.00	9.00

U-NII-2A (5250 - 5350 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	52	5260	13.00	13.00	--	--
11a	60	5300	13.00	13.00	--	--
11a	64	5320	13.00	13.00	--	--
11n(HT20)	52	5260	13.00	13.00	10.00	10.00
11n(HT20)	60	5300	13.00	13.00	10.00	10.00
11n(HT20)	64	5320	13.00	13.00	10.00	10.00
11n(HT40)	54	5270	13.00	12.50	10.00	10.00
11n(HT40)	62	5310	13.00	12.50	10.00	10.00
11ac(VHT20)	52	5260	13.00	13.00	10.00	10.00
11ac(VHT20)	60	5300	13.00	13.00	10.00	10.00
11ac(VHT20)	64	5320	13.00	13.00	10.00	10.00
11ac(VHT40)	54	5270	13.00	12.50	10.00	10.00
11ac(VHT40)	62	5310	13.00	12.50	10.00	10.00
11ac(VHT80)	58	5290	12.50	12.50	10.00	10.00
11ac(VHT160)	50	5250	11.50	11.00	9.00	9.00
11ax(HE20)-SU	52	5260	13.00	13.00	10.50	10.50
11ax(HE20)-SU	60	5300	13.00	13.00	10.50	10.50
11ax(HE20)-SU	64	5320	13.50	13.00	10.50	10.50
11ax(HE40)-SU	54	5270	13.00	13.00	10.50	10.50
11ax(HE40)-SU	62	5310	13.00	13.00	10.50	10.50
11ax(HE80)-SU	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)-SU	50	5250	11.50	11.50	9.00	9.00
11ax(HE20)-RU26	52	5260	13.00	13.00	10.50	10.50
11ax(HE20)-RU26	60	5300	13.00	13.00	10.50	10.50
11ax(HE20)-RU26	64	5320	13.50	13.50	10.50	10.50
11ax(HE40)-RU26	54	5270	13.00	13.00	10.50	10.50
11ax(HE40)-RU26	62	5310	13.00	13.00	10.50	10.50
11ax(HE80)-RU26	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)-RU26	50	5250	11.50	11.50	9.00	9.00
11ax(HE20)-RU52	52	5260	13.00	13.00	10.50	10.50
11ax(HE20)-RU52	60	5300	13.00	13.00	10.50	10.50
11ax(HE20)-RU52	64	5320	13.50	13.50	10.50	10.50
11ax(HE40)-RU52	54	5270	13.00	13.00	10.50	10.50
11ax(HE40)-RU52	62	5310	13.00	13.00	10.50	10.50
11ax(HE80)-RU52	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)-RU52	50	5250	11.50	11.50	9.00	9.00

11ax(HE20)-RU106	52	5260	13.00	13.00	10.50	10.50
11ax(HE20)-RU106	60	5300	13.00	13.00	10.50	10.50
11ax(HE20)-RU106	64	5320	13.50	13.50	10.50	10.50
11ax(HE40)-RU106	54	5270	13.00	13.00	10.50	10.50
11ax(HE40)-RU106	62	5310	13.00	13.00	10.50	10.50
11ax(HE80)-RU106	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)- RU106	50	5250	11.50	11.50	9.00	9.00
11ax(HE20)-RU242	52	5260	13.00	13.00	10.50	10.50
11ax(HE20)-RU242	60	5300	13.00	13.00	10.50	10.50
11ax(HE20)-RU242	64	5320	13.50	13.50	10.50	10.50
11ax(HE40)-RU242	54	5270	13.00	13.00	10.50	10.50
11ax(HE40)-RU242	62	5310	13.00	13.00	10.50	10.50
11ax(HE80)-RU242	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)- RU242	50	5250	11.50	11.50	9.00	9.00
11ax(HE40)-RU484	54	5270	13.00	13.00	10.50	10.50
11ax(HE40)-RU484	62	5310	13.00	13.00	10.50	10.50
11ax(HE80)-RU484	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)- RU484	50	5250	11.50	11.50	9.00	9.00
11ax(HE80)-RU996	58	5290	13.00	13.00	10.00	10.00
11ax(HE160)- RU996	50	5250	11.50	11.50	9.00	9.00
11ax(HE160)- RU996*2	50	5250	11.50	11.50	9.00	9.00

U-NII-2C (5470 - 5725 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	100	5500	13.50	13.50	--	--
11a	116	5580	14.00	13.50	--	--
11a	140	5700	14.50	13.50	--	--
11a	144	5720	14.50	14.00	--	--
11n(HT20)	100	5500	13.50	13.50	10.50	11.00
11n(HT20)	116	5580	14.00	13.50	11.00	11.00
11n(HT20)	140	5700	14.50	13.50	11.50	11.00
11n(HT20)	144	5720	14.50	14.00	11.50	11.00
11n(HT40)	102	5510	13.50	13.50	10.50	10.50
11n(HT40)	118	5590	14.00	13.50	11.00	11.00
11n(HT40)	134	5670	14.00	13.50	11.00	11.00
11n(HT40)	142	5710	14.50	13.50	11.50	11.00
11ac(VHT20)	100	5500	13.50	13.50	10.50	11.00
11ac(VHT20)	116	5580	14.00	13.50	11.00	11.00
11ac(VHT20)	140	5700	14.50	13.50	11.50	11.00
11ac(VHT20)	144	5720	14.50	14.00	11.50	11.50
11ac(VHT40)	102	5510	13.50	13.50	10.50	10.50
11ac(VHT40)	118	5590	14.00	13.50	11.00	11.00
11ac(VHT40)	134	5670	14.00	13.50	11.00	11.00
11ac(VHT40)	142	5710	14.50	13.50	11.50	11.00
11ac(VHT80)	106	5530	13.50	13.00	10.50	10.50
11ac(VHT80)	122	5610	14.00	13.00	11.00	10.50
11ac(VHT80)	138	5690	14.00	13.00	11.00	10.50
11ac(VHT160)	114	5570	12.50	11.50	9.50	9.00
11ax(HE20)-SU	100	5500	13.50	13.50	10.50	11.00
11ax(HE20)-SU	116	5580	14.50	13.50	11.00	11.00
11ax(HE20)-SU	140	5700	14.50	14.00	11.50	11.00
11ax(HE20)-SU	144	5720	14.50	14.00	11.50	11.50
11ax(HE40)-SU	102	5510	13.50	13.50	11.00	11.00
11ax(HE40)-SU	118	5590	14.50	13.50	11.50	11.00
11ax(HE40)-SU	134	5670	14.50	14.00	11.50	11.50
11ax(HE40)-SU	142	5710	14.50	14.00	11.50	11.00
11ax(HE80)-SU	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-SU	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-SU	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)-SU	114	5570	12.50	12.00	10.00	9.50


11ax(HE20)-RU26	100	5500	13.50	13.50	10.50	11.00
11ax(HE20)-RU26	116	5580	14.50	13.50	11.00	11.00
11ax(HE20)-RU26	140	5700	14.50	14.00	11.50	11.00
11ax(HE20)-RU26	144	5720	14.50	14.00	11.50	11.50
11ax(HE40)-RU26	102	5510	13.50	13.50	11.00	11.00
11ax(HE40)-RU26	118	5590	14.50	13.50	11.50	11.00
11ax(HE40)-RU26	134	5670	14.50	14.00	11.50	11.50
11ax(HE40)-RU26	142	5710	14.50	14.00	11.50	11.00
11ax(HE80)-RU26	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-RU26	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-RU26	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)-RU26	114	5570	12.50	12.00	10.00	9.50
11ax(HE20)-RU52	100	5500	13.50	13.50	10.50	11.00
11ax(HE20)-RU52	116	5580	14.50	13.50	11.00	11.00
11ax(HE20)-RU52	140	5700	14.50	14.00	11.50	11.00
11ax(HE20)-RU52	144	5720	14.50	14.00	11.50	11.50
11ax(HE40)-RU52	102	5510	13.50	13.50	11.00	11.00
11ax(HE40)-RU52	118	5590	14.50	13.50	11.50	11.00
11ax(HE40)-RU52	134	5670	14.50	14.00	11.50	11.50
11ax(HE40)-RU52	142	5710	14.50	14.00	11.50	11.00
11ax(HE80)-RU52	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-RU52	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-RU52	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)-RU52	114	5570	12.50	12.00	10.00	9.50
11ax(HE20)-RU106	100	5500	13.50	13.50	10.50	11.00
11ax(HE20)-RU106	116	5580	14.50	13.50	11.00	11.00
11ax(HE20)-RU106	140	5700	14.50	14.00	11.50	11.00
11ax(HE20)-RU106	144	5720	14.50	14.00	11.50	11.50
11ax(HE40)-RU106	102	5510	13.50	13.50	11.00	11.00
11ax(HE40)-RU106	118	5590	14.50	13.50	11.50	11.00
11ax(HE40)-RU106	134	5670	14.50	14.00	11.50	11.50
11ax(HE40)-RU106	142	5710	14.50	14.00	11.50	11.00
11ax(HE80)-RU106	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-RU106	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-RU106	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)-RU106	114	5570	12.50	12.00	10.00	9.50

11ax(HE20)-RU242	100	5500	13.50	13.50	10.50	11.00
11ax(HE20)-RU242	116	5580	14.50	13.50	11.00	11.00
11ax(HE20)-RU242	140	5700	14.50	14.00	11.50	11.00
11ax(HE20)-RU242	144	5720	14.50	14.00	11.50	11.50
11ax(HE40)-RU242	102	5510	13.50	13.50	11.00	11.00
11ax(HE40)-RU242	118	5590	14.50	13.50	11.50	11.00
11ax(HE40)-RU242	134	5670	14.50	14.00	11.50	11.50
11ax(HE40)-RU242	142	5710	14.50	14.00	11.50	11.00
11ax(HE80)-RU242	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-RU242	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-RU242	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)- RU242	114	5570	12.50	12.00	10.00	9.50
11ax(HE40)-RU484	102	5510	13.50	13.50	11.00	11.00
11ax(HE40)-RU484	118	5590	14.50	13.50	11.50	11.00
11ax(HE40)-RU484	134	5670	14.50	14.00	11.50	11.50
11ax(HE40)-RU484	142	5710	14.50	14.00	11.50	11.00
11ax(HE80)-RU484	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-RU484	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-RU484	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)- RU484	114	5570	12.50	12.00	10.00	9.50
11ax(HE80)-RU966	106	5530	13.50	13.50	11.00	11.00
11ax(HE80)-RU966	122	5610	14.00	13.50	11.50	11.00
11ax(HE80)-RU966	138	5690	14.50	13.50	11.50	11.00
11ax(HE160)- RU966	114	5570	12.50	12.00	10.00	9.50
11ax(HE160)- RU966*2	114	5570	12.50	12.00	10.00	9.50

U-NII-3 (5725 - 5850 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	144	5720	14.50	14.00	--	--
11a	149	5745	14.00	14.00	--	--
11a	157	5785	14.50	14.00	--	--
11a	165	5825	14.50	13.50	--	--
11n(HT20)	144	5720	14.50	14.00	11.50	11.00
11n(HT20)	149	5745	14.00	14.00	11.50	11.50
11n(HT20)	157	5785	14.50	14.00	11.50	11.00
11n(HT20)	165	5825	14.50	14.00	11.50	11.00
11n(HT40)	142	5710	14.50	13.50	11.50	11.00
11n(HT40)	151	5755	14.00	13.50	11.50	11.00
11n(HT40)	159	5795	14.50	13.50	11.50	11.00
11ac(VHT20)	144	5720	14.50	14.00	11.50	11.50
11ac(VHT20)	149	5745	14.50	14.00	11.50	11.50
11ac(VHT20)	157	5785	14.50	14.00	11.50	11.00
11ac(VHT20)	165	5825	14.50	13.50	11.50	11.00
11ac(VHT40)	142	5710	14.50	13.50	11.50	11.00
11ac(VHT40)	151	5755	14.00	14.00	11.50	11.00
11ac(VHT40)	159	5795	14.50	13.50	11.50	11.00
11ac(VHT80)	138	5690	14.00	13.00	11.00	10.50
11ac(VHT80)	155	5775	14.00	13.50	11.50	11.00
11ax(HE20)-SU	144	5720	14.50	14.00	11.50	11.50
11ax(HE20)-SU	149	5745	14.50	14.50	11.50	11.50
11ax(HE20)-SU	157	5785	15.00	14.00	12.00	11.50
11ax(HE20)-SU	165	5825	5.00	14.00	12.00	11.00
11ax(HE40)-SU	142	5710	14.50	14.00	11.50	11.00
11ax(HE40)-SU	151	5755	14.50	14.00	11.50	11.50
11ax(HE40)-SU	159	5795	15.00	14.00	12.00	11.00
11ax(HE80)-SU	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-SU	155	5775	14.50	14.00	11.50	11.00
11ax(HE20)-RU26	144	5720	14.50	14.00	11.50	11.50
11ax(HE20)-RU26	149	5745	14.50	14.50	11.50	11.50
11ax(HE20)-RU26	157	5785	15.00	14.00	12.00	11.50
11ax(HE20)-RU26	165	5825	15.00	14.00	12.00	11.00
11ax(HE40)-RU26	142	5710	14.50	14.00	11.50	11.00
11ax(HE40)-RU26	151	5755	14.50	14.00	11.50	11.50
11ax(HE40)-RU26	159	5795	15.00	14.00	12.00	11.00
11ax(HE80)-RU26	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-RU26	155	5775	14.00	14.00	11.50	11.00

11ax(HE20)-RU52	144	5720	14.50	14.00	11.50	11.50
11ax(HE20)-RU52	149	5745	14.50	14.50	11.50	11.50
11ax(HE20)-RU52	157	5785	15.00	14.00	12.00	11.50
11ax(HE20)-RU52	165	5825	15.00	14.00	12.00	11.00
11ax(HE40)-RU52	142	5710	14.50	14.00	11.50	11.00
11ax(HE40)-RU52	151	5755	14.50	14.00	11.50	11.50
11ax(HE40)-RU52	159	5795	15.00	14.00	12.00	11.00
11ax(HE80)-RU52	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-RU52	155	5775	14.00	14.00	11.50	11.00
11ax(HE20)-RU106	144	5720	14.50	14.00	11.50	11.50
11ax(HE20)-RU106	149	5745	14.50	14.50	11.50	11.50
11ax(HE20)-RU106	157	5785	15.00	14.00	12.00	11.50
11ax(HE20)-RU106	165	5825	15.00	14.00	12.00	11.00
11ax(HE40)-RU106	142	5710	14.50	14.00	11.50	11.00
11ax(HE40)-RU106	151	5755	14.50	14.00	11.50	11.50
11ax(HE40)-RU106	159	5795	15.00	14.00	12.00	11.00
11ax(HE80)-RU106	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-RU106	155	5775	14.00	14.00	11.50	11.00
11ax(HE20)-RU242	144	5720	14.50	14.00	11.50	11.50
11ax(HE20)-RU242	149	5745	14.50	14.50	11.50	11.50
11ax(HE20)-RU242	157	5785	15.00	14.00	12.00	11.50
11ax(HE20)-RU242	165	5825	15.00	14.00	12.00	11.00
11ax(HE40)-RU242	142	5710	14.50	14.00	11.50	11.00
11ax(HE40)-RU242	151	5755	14.50	14.00	11.50	11.50
11ax(HE40)-RU242	159	5795	15.00	14.00	12.00	11.00
11ax(HE80)-RU242	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-RU242	155	5775	14.00	14.00	11.50	11.00
11ax(HE40)-RU484	142	5710	14.50	14.00	11.50	11.00
11ax(HE40)-RU484	151	5755	14.50	14.00	11.50	11.50
11ax(HE40)-RU484	159	5795	15.00	14.00	12.00	11.00
11ax(HE80)-RU484	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-RU484	155	5775	14.00	14.00	11.50	11.00
11ax(HE80)-RU966	138	5690	14.50	13.50	11.50	11.00
11ax(HE80)-RU966	155	5775	14.00	14.00	11.50	11.00

Run Software



2.7 Channel List

20 MHz		40 MHz		80 MHz		160 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210	50	5250
40	5200	46	5230	58	5290	114	5570
44	5220	54	5270	106	5530		
48	5240	62	5310	122	5610		
52	5260	102	5510	138	5690		
56	5280	110	5550	155	5775		
60	5300	118	5590				
64	5320	134	5670				
100	5500	142	5710				
104	5520	151	5755				
108	5540	159	5795				
116	5580						
112	5560						
132	5660						
136	5680						
140	5700						
144	5720						
149	5745						
153	5765						
157	5785						
161	5805						
165	5825						

Note: Until further notice, devices subject to this section shall not be capable of transmitting in the band 5600-5650 MHz. This restriction is for the protection of weather radars operating in this band.

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)/ax(HE20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	144	--	5720
116	Mid	5580	149	Low	5745
140	High	5700	157	Mid	5785
144	--	5720	165	High	5825

For 802.11n(HT40)/ac(VHT40)/ax(HE40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	142	--	5710
118	Mid	5590	151	Low	5755
134	High	5670	159	High	5795
142	--	5710			

For 802.11ac(VHT80)/ax(HE80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Low	5210	58	Low	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	138	--	5690
122	High	5610	155	Mid	5775
138	--	5690			

For 802.11ac(VHT160)/ax(HE160)

U-NII-1 (5150 - 5250 MHz) U-NII-2A (5250 - 5350 MHz)			U-NII-2C (5470 - 5725 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
50	Mid	5250	114	Mid	5570

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ac(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(80 MHz)	29.3		42	58	138/122/106	155/138
	11ac(160 MHz)	58.5		50	50	114	/
	11ax(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ax(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ax(80 MHz)	29.3		42	58	138/122/106	155/138
	11ax(160 MHz)	58.5		50	50	114	/
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ac(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(80 MHz)	29.3		42	58	138/122/106	155/138
	11ac(160 MHz)	58.5		50	50	114	/
	11ax(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ax(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ax(80 MHz)	29.3		42	58	138/122/106	155/138
	11ax(160 MHz)	58.5		50	50	114	/
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149/144
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149/144
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151/142
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149/144
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151/142
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155/138
	11ac(160 MHz)	58.5		N/A	N/A	N/A	/
	11ax(20 MHz)	6.5		N/A	N/A	N/A	165/157/149/144
	11ax(40 MHz)	13.5		N/A	N/A	N/A	159/151/142
	11ax(80 MHz)	29.3		N/A	N/A	N/A	155/138
	11ax(160 MHz)	58.5		N/A	N/A	N/A	/
Power Spectral	11a	6	BPSK	48/44/36	64/60/52	144/140/116/100	165/157/149/144

Density	11n(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ac(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(80 MHz)	29.3		42	58	138/122/106	155/138
	11ac(160 MHz)	58.5		50	50	114	/
	11ax(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ax(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ax(80 MHz)	29.3		42	58	138/122/106	155/138
	11ax(160 MHz)	58.5		50	50	114	/
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ac(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(80 MHz)	29.3		42	58	138/122/106	155/138
	11ac(160 MHz)	58.5		50	50	114	/
	11ax(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ax(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ax(80 MHz)	29.3		42	58	138/122/106	155/138
	11ax(160 MHz)	58.5		50	50	114	/
Band Edge (Restricted- band)	11a	6	BPSK	48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11n(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ac(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ac(80 MHz)	29.3		42	58	138/122/106	155/138
	11ac(160 MHz)	58.5		50	50	114	/
	11ax(20 MHz)	6.5		48/44/36	64/60/52	144/140/116/100	165/157/149/144
	11ax(40 MHz)	13.5		46/38	62/54	142/134/118/102	159/151/142
	11ax(80 MHz)	29.3		42	58	138/122/106	155/138
	11ax(160 MHz)	58.5		50	50	114	/

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E (10-1-16 Edition)	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	KDB Publication 662911 D01v02r01	Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc)
4	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A ^{Note2}

Note¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note³: All the fully loaded RUs and partially loaded RUs were tested, and recorded worst mode.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	45% to 55%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+22°C to +25°C
	LT (Low Temperature)	-10°C
	HT (High Temperature)	+35°C
Working Voltage of the EUT	NV (Normal Voltage)	11.4 V
	LV (Low Voltage)	10.0 V
	HV (High Voltage)	12.5 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-30	103118	2020.06.08	2021.06.07
Switch Unit with OSP-B157	ROHDE&SCHWARZ	OSP120	101270	2020.06.08	2021.06.07
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2020.06.09	2021.06.08
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2020.06.09	2021.06.08
LISN	SCHWARZBECK	NSLK 8127	8127-687	2020.06.09	2021.06.08
Bluetooth Tester	ROHDE&SCHWARZ	CBT	101005	2020.06.08	2021.06.07
DC Power Supply	ROHDE&SCHWARZ	HMP2020	018141664	2020.06.08	2021.06.07
Power Splitter	KMW	DCPD-LDC	1305003215	--	--
Power Sensor	ROHDE&SCHWARZ	NRP-Z21	103971	2020.06.08	2021.06.07
Attenuator (20 dB)	KMW	ZA-S1-201	110617091	--	--
Attenuator (6 dB)	KMW	ZA-S1-61	1305003189	--	--
Temperature Chamber	AHK	SP20	1412	2020.06.10	2021.06.09
Test Antenna-Loop(9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2019.10.29	2021.10.28
Test Antenna-Bi-Log(30 MHz-3 GHz)	SCHWARZBECK	VULB 9163	9163-624	2019.07.02	2021.07.01
Test Antenna-Horn(1-18 GHz)	SCHWARZBECK	BBHA 9120D	9120D-1917	2019.07.02	2021.07.01
Test Antenna-Horn (18-40 GHz)	A-INFO	LB-180400KF	J211060273	2019.01.06	2021.01.05
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2017.02.21	2022.02.20
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	N/A	2018.08.08	2021.08.07
Shielded Enclosure	ChangNing	CN-130701	130703	--	--
Signal Generator	ROHDE&SCHWARZ	SMB100A	177746	2020.06.08	2021.06.07
Power Amplifier	OPHIR RF	5225F	1037	2020.02.19	2021.02.18
Power Amplifier	OPHIR RF	5273F	1016	2020.02.19	2021.02.18
Directional Coupler	Werlantone	C5982-10	109275	N/A	N/A
Directional Coupler	Werlantone	CHP-273E	S00801z-01	N/A	N/A

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Sound Level Meter	B&K	NL-20	00844023	2019.11.12	2020.11.11
Ear Simulator	B&K	4185	2409449	2019.11.12	2020.11.11
Ear Simulator	B&K	4195	2418189	2019.11.12	2020.11.11
Audio analyzer	B&K	UPL 16	100129	2019.11.12	2020.11.11

4.3 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Measurement	Value
Occupied Channel Bandwidth	$\pm 4\%$
RF output power, conducted	± 1.4 dB
Power Spectral Density, conducted	± 2.5 dB
Unwanted Emissions, conducted	± 2.8 dB
All emissions, radiated	± 5.4 dB
Temperature	$\pm 1^{\circ}\text{C}$
Humidity	$\pm 4\%$


4.4 Description of Test Setup

4.4.1 For Antenna Port Test




(Diagram 1)

4.4.2 For AC Power Supply Port Test




(Diagram 2)

4.4.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.4.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.4.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 26 dB emissions bandwidth in MHz.	

RSS-247, 6.2

The maximum conducted output power shall not exceed:

Frequency Band (MHz)	Limit
5150-5250	N/A
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 99% emissions bandwidth in MHz.	

The maximum e.i.r.p. shall not exceed:

Frequency Band (MHz)	Limit
5150-5250	200 mW or 10 dBm + 10log B, whichever is less.
5250-5350	1W or 17 dBm + 10log B, whichever is less.
5470-5725	1W or 17 dBm + 10log B, whichever is less.
5725-5850	N/A
Note: Where "B" is the 99% emissions bandwidth in MHz.	

5.1.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a), RSS-247, 6.2

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

RSS-247, 6.2

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	N/A
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

The e.i.r.p. spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	10 dBm/MHz
5250-5350	N/A
5470-5725	N/A
5725-5850	N/A

5.3.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207, RSS-GEN, 8.8

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.4.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)


5.5.1 Limit

FCC §15.209 & 15.407(b), RSS-247, 6.2

Frequency (MHz)	Field Strength ($\mu\text{V/m}$)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. 

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.4.3-4.4.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test

setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (\text{RBW}/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
 - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.
 - 2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where

x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360° , and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW $\geq$ RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note 2: All the configurations were pre tested, RU26 is the worst configuration.

Test Data

Conducted Power

Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	12.84	19.22	250	Pass
11a	CH44	12.66	18.44	250	Pass
11a	CH48	12.78	18.95	250	Pass
11n(HT20)	CH36	12.71	18.66	250	Pass
11n(HT20)	CH44	12.62	18.27	250	Pass
11n(HT20)	CH48	12.68	18.53	250	Pass
11n(HT40)	CH38	12.80	19.05	250	Pass
11n(HT40)	CH46	12.75	18.83	250	Pass
11ac(VHT20)	CH36	12.73	18.74	250	Pass
11ac(VHT20)	CH44	12.60	18.19	250	Pass
11ac(VHT20)	CH48	12.73	18.74	250	Pass
11ac(VHT40)	CH38	12.84	19.22	250	Pass
11ac(VHT40)	CH46	12.81	19.09	250	Pass
11ac(VHT80)	CH42	12.86	19.34	250	Pass
11ac(VHT160)	CH50	11.96	15.72	250	Pass
11ax(HE20)-SU	CH36	12.60	18.22	250	Pass
11ax(HE20)-SU	CH44	12.76	18.90	250	Pass
11ax(HE20)-SU	CH48	12.63	18.34	250	Pass
11ax(HE40)-SU	CH38	12.61	18.23	250	Pass
11ax(HE40)-SU	CH46	12.63	18.32	250	Pass
11ax(HE80)-SU	CH42	12.59	18.17	250	Pass
11ax(HE160)-SU	CH50	11.79	15.10	250	Pass
11ax(HE20)-RU26	CH36	12.89	19.47	250	Pass
11ax(HE20)-RU26	CH44	12.90	19.52	250	Pass
11ax(HE20)-RU26	CH48	12.62	18.30	250	Pass
11ax(HE40)-RU26	CH38	12.56	18.02	250	Pass
11ax(HE40)-RU26	CH46	12.57	18.07	250	Pass
11ax(HE80)-RU26	CH42	12.58	18.13	250	Pass
11ax(HE160)-RU26	CH50	11.58	14.39	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	12.91	19.53	211	Pass
11a	CH60	12.92	19.57	210	Pass
11a	CH64	12.85	19.26	211	Pass
11n(HT20)	CH52	12.82	19.14	224	Pass
11n(HT20)	CH60	12.83	19.18	223	Pass
11n(HT20)	CH64	12.71	18.66	224	Pass
11n(HT40)	CH54	12.93	19.63	250	Pass
11n(HT40)	CH62	12.89	19.45	250	Pass
11ac(VHT20)	CH52	12.81	19.09	224	Pass
11ac(VHT20)	CH60	12.80	19.05	224	Pass
11ac(VHT20)	CH64	12.71	18.66	224	Pass
11ac(VHT40)	CH54	12.94	19.67	250	Pass
11ac(VHT40)	CH62	12.87	19.36	250	Pass
11ac(VHT80)	CH58	12.69	18.60	250	Pass
11ac(VHT160)	CH50	11.96	15.72	250	Pass
11ax(HE20)-SU	CH52	12.61	18.26	238	Pass
11ax(HE20)-SU	CH60	12.59	18.17	238	Pass
11ax(HE20)-SU	CH64	12.91	19.56	238	Pass
11ax(HE40)-SU	CH54	12.75	18.83	250	Pass
11ax(HE40)-SU	CH62	12.60	18.19	250	Pass
11ax(HE80)-SU	CH58	12.87	19.38	250	Pass
11ax(HE160)-SU	CH50	11.79	15.10	250	Pass
11ax(HE20)-RU26	CH52	12.79	19.03	235	Pass
11ax(HE20)-RU26	CH60	12.90	19.52	234	Pass
11ax(HE20)-RU26	CH64	12.69	18.60	235	Pass
11ax(HE40)-RU26	CH54	12.62	18.27	250	Pass
11ax(HE40)-RU26	CH62	12.54	17.94	250	Pass
11ax(HE80)-RU26	CH58	12.67	18.51	250	Pass
11ax(HE160)-RU26	CH50	11.58	14.39	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	12.93	19.62	211	Pass
11a	CH116	12.90	19.48	211	Pass
11a	CH140	12.96	19.76	211	Pass
11a	CH144	12.92	19.57	211	Pass
11n(HT20)	CH100	12.87	19.36	224	Pass
11n(HT20)	CH116	12.89	19.45	224	Pass
11n(HT20)	CH140	12.88	19.40	224	Pass
11n(HT20)	CH144	12.94	19.67	224	Pass
11n(HT40)	CH102	12.86	19.31	250	Pass
11n(HT40)	CH118	12.85	19.27	250	Pass
11n(HT40)	CH134	12.83	19.18	250	Pass
11n(HT40)	CH142	12.85	19.27	250	Pass
11ac(VHT20)	CH100	12.78	18.96	224	Pass
11ac(VHT20)	CH116	12.69	18.57	224	Pass
11ac(VHT20)	CH140	12.78	18.96	224	Pass
11ac(VHT20)	CH144	12.82	19.14	224	Pass
11ac(VHT40)	CH102	12.90	19.49	250	Pass
11ac(VHT40)	CH118	12.81	19.09	250	Pass
11ac(VHT40)	CH134	12.91	19.54	250	Pass
11ac(VHT40)	CH142	12.93	19.63	250	Pass
11ac(VHT80)	CH106	12.94	19.70	250	Pass
11ac(VHT80)	CH122	12.90	19.52	250	Pass
11ac(VHT80)	CH138	12.70	18.64	250	Pass
11ac(VHT160)	CH114	11.93	15.61	250	Pass
11ax(HE20)-SU	CH100	12.67	18.51	238	Pass
11ax(HE20)-SU	CH116	12.90	19.52	238	Pass
11ax(HE20)-SU	CH140	12.60	18.22	238	Pass
11ax(HE20)-SU	CH144	12.67	18.51	238	Pass
11ax(HE40)-SU	CH102	12.78	18.96	250	Pass
11ax(HE40)-SU	CH118	12.88	19.40	250	Pass
11ax(HE40)-SU	CH134	12.93	19.63	250	Pass
11ax(HE40)-SU	CH142	12.71	18.66	250	Pass
11ax(HE80)-SU	CH106	12.76	18.90	250	Pass
11ax(HE80)-SU	CH122	12.70	18.64	250	Pass
11ax(HE80)-SU	CH138	12.89	19.47	250	Pass
11ax(HE160)-SU	CH114	11.87	15.38	250	Pass

11ax(HE20)-RU26	CH100	12.91	19.56	234	Pass
11ax(HE20)-RU26	CH116	12.86	19.34	235	Pass
11ax(HE20)-RU26	CH140	12.85	19.30	235	Pass
11ax(HE20)-RU26	CH144	12.92	19.61	233	Pass
11ax(HE40)-RU26	CH102	12.68	18.53	250	Pass
11ax(HE40)-RU26	CH118	12.71	18.66	250	Pass
11ax(HE40)-RU26	CH134	12.68	18.53	250	Pass
11ax(HE40)-RU26	CH142	12.67	18.49	250	Pass
11ax(HE80)-RU26	CH106	12.65	18.43	250	Pass
11ax(HE80)-RU26	CH122	12.63	18.34	250	Pass
11ax(HE80)-RU26	CH138	12.82	19.16	250	Pass
11ax(HE160)-RU26	CH114	11.76	15.00	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH144	12.92	19.57	1000	Pass
11a	CH149	12.65	18.39	1000	Pass
11a	CH157	12.73	18.74	1000	Pass
11a	CH165	12.70	18.61	1000	Pass
11n(HT20)	CH144	12.94	19.67	1000	Pass
11n(HT20)	CH149	12.59	18.15	1000	Pass
11n(HT20)	CH157	12.60	18.19	1000	Pass
11n(HT20)	CH165	12.59	18.15	1000	Pass
11n(HT40)	CH142	12.85	19.27	1000	Pass
11n(HT40)	CH151	12.67	18.49	1000	Pass
11n(HT40)	CH159	12.90	19.49	1000	Pass
11ac(VHT20)	CH144	12.82	19.14	1000	Pass
11ac(VHT20)	CH149	12.93	19.63	1000	Pass
11ac(VHT20)	CH157	12.60	18.19	1000	Pass
11ac(VHT20)	CH165	12.59	18.15	1000	Pass
11ac(VHT40)	CH142	12.93	19.63	1000	Pass
11ac(VHT40)	CH151	12.67	18.49	1000	Pass
11ac(VHT40)	CH159	12.91	19.54	1000	Pass
11ac(VHT80)	CH138	12.70	18.64	1000	Pass
11ac(VHT80)	CH155	12.71	18.68	1000	Pass
11ax(HE20)-SU	CH144	12.67	18.51	1000	Pass
11ax(HE20)-SU	CH149	12.85	19.30	1000	Pass
11ax(HE20)-SU	CH157	12.92	19.61	1000	Pass
11ax(HE20)-SU	CH165	12.87	19.38	1000	Pass
11ax(HE40)-SU	CH142	12.71	18.66	1000	Pass
11ax(HE40)-SU	CH151	12.86	19.31	1000	Pass
11ax(HE40)-SU	CH159	12.89	19.45	1000	Pass
11ax(HE80)-SU	CH138	12.89	19.47	1000	Pass
11ax(HE80)-SU	CH155	12.85	19.30	1000	Pass
11ax(HE20)-RU26	CH144	12.92	19.61	1000	Pass
11ax(HE20)-RU26	CH149	12.67	18.51	1000	Pass
11ax(HE20)-RU26	CH157	12.86	19.34	1000	Pass
11ax(HE20)-RU26	CH165	12.88	19.43	1000	Pass
11ax(HE40)-RU26	CH142	12.67	18.49	1000	Pass
11ax(HE40)-RU26	CH151	12.78	18.96	1000	Pass
11ax(HE40)-RU26	CH159	12.67	18.49	1000	Pass
11ax(HE80)-RU26	CH138	12.82	19.16	1000	Pass
11ax(HE80)-RU26	CH155	12.75	18.86	1000	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	12.94	19.66	250	Pass
11a	CH44	12.80	19.04	250	Pass
11a	CH48	12.92	19.57	250	Pass
11n(HT20)	CH36	12.83	19.18	250	Pass
11n(HT20)	CH44	12.75	18.83	250	Pass
11n(HT20)	CH48	12.77	18.92	250	Pass
11n(HT40)	CH38	12.97	19.81	250	Pass
11n(HT40)	CH46	12.91	19.54	250	Pass
11ac(VHT20)	CH36	12.84	19.22	250	Pass
11ac(VHT20)	CH44	12.65	18.40	250	Pass
11ac(VHT20)	CH48	12.75	18.83	250	Pass
11ac(VHT40)	CH38	12.98	19.85	250	Pass
11ac(VHT40)	CH46	12.89	19.45	250	Pass
11ac(VHT80)	CH42	12.62	18.30	250	Pass
11ac(VHT160)	CH50	11.59	14.44	250	Pass
11ax(HE20)-SU	CH36	12.73	18.77	250	Pass
11ax(HE20)-SU	CH44	12.62	18.30	250	Pass
11ax(HE20)-SU	CH48	12.65	18.43	250	Pass
11ax(HE40)-SU	CH38	12.84	19.22	250	Pass
11ax(HE40)-SU	CH46	12.68	18.53	250	Pass
11ax(HE80)-SU	CH42	12.86	19.34	250	Pass
11ax(HE160)-SU	CH50	11.92	15.56	250	Pass
11ax(HE20)-RU26	CH36	12.83	19.21	250	Pass
11ax(HE20)-RU26	CH44	12.79	19.03	250	Pass
11ax(HE20)-RU26	CH48	12.94	19.70	250	Pass
11ax(HE40)-RU26	CH38	12.74	18.79	250	Pass
11ax(HE40)-RU26	CH46	12.57	18.07	250	Pass
11ax(HE80)-RU26	CH42	12.81	19.12	250	Pass
11ax(HE160)-RU26	CH50	11.82	15.21	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	12.95	19.71	250	Pass
11a	CH60	12.93	19.62	250	Pass
11a	CH64	12.86	19.31	250	Pass
11n(HT20)	CH52	12.93	19.63	250	Pass
11n(HT20)	CH60	12.86	19.31	250	Pass
11n(HT20)	CH64	12.89	19.45	250	Pass
11n(HT40)	CH54	12.67	18.49	250	Pass
11n(HT40)	CH62	12.58	18.11	250	Pass
11ac(VHT20)	CH52	12.86	19.31	250	Pass
11ac(VHT20)	CH60	12.88	19.40	250	Pass
11ac(VHT20)	CH64	12.89	19.45	250	Pass
11ac(VHT40)	CH54	12.66	18.44	250	Pass
11ac(VHT40)	CH62	12.61	18.23	250	Pass
11ac(VHT80)	CH58	12.80	19.07	250	Pass
11ac(VHT160)	CH50	11.59	14.44	250	Pass
11ax(HE20)-SU	CH52	12.81	19.12	250	Pass
11ax(HE20)-SU	CH60	12.77	18.94	250	Pass
11ax(HE20)-SU	CH64	12.67	18.51	250	Pass
11ax(HE40)-SU	CH54	12.89	19.45	250	Pass
11ax(HE40)-SU	CH62	12.81	19.09	250	Pass
11ax(HE80)-SU	CH58	12.93	19.65	250	Pass
11ax(HE160)-SU	CH50	11.92	15.56	250	Pass
11ax(HE20)-RU26	CH52	12.69	18.60	250	Pass
11ax(HE20)-RU26	CH60	12.67	18.51	250	Pass
11ax(HE20)-RU26	CH64	12.62	18.30	250	Pass
11ax(HE40)-RU26	CH54	12.80	19.05	250	Pass
11ax(HE40)-RU26	CH62	12.69	18.57	250	Pass
11ax(HE80)-RU26	CH58	12.79	19.03	250	Pass
11ax(HE160)-RU26	CH50	11.82	15.21	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	12.94	19.66	250	Pass
11a	CH116	12.95	19.71	250	Pass
11a	CH140	12.89	19.44	250	Pass
11a	CH144	12.91	19.53	250	Pass
11n(HT20)	CH100	12.81	19.09	250	Pass
11n(HT20)	CH116	12.73	18.74	250	Pass
11n(HT20)	CH140	12.77	18.92	250	Pass
11n(HT20)	CH144	12.90	19.49	250	Pass
11n(HT40)	CH102	12.86	19.31	250	Pass
11n(HT40)	CH118	12.92	19.58	250	Pass
11n(HT40)	CH134	12.75	18.83	250	Pass
11n(HT40)	CH142	12.77	18.92	250	Pass
11ac(VHT20)	CH100	12.81	19.09	250	Pass
11ac(VHT20)	CH116	12.73	18.74	250	Pass
11ac(VHT20)	CH140	12.77	18.92	250	Pass
11ac(VHT20)	CH144	12.91	19.54	250	Pass
11ac(VHT40)	CH102	12.92	19.58	250	Pass
11ac(VHT40)	CH118	12.94	19.67	250	Pass
11ac(VHT40)	CH134	12.65	18.40	250	Pass
11ac(VHT40)	CH142	12.78	18.96	250	Pass
11ac(VHT80)	CH106	12.61	18.26	250	Pass
11ac(VHT80)	CH122	12.60	18.22	250	Pass
11ac(VHT80)	CH138	12.59	18.17	250	Pass
11ac(VHT160)	CH114	11.59	14.44	250	Pass
11ax(HE20)-SU	CH100	12.70	18.64	250	Pass
11ax(HE20)-SU	CH116	12.62	18.30	250	Pass
11ax(HE20)-SU	CH140	12.93	19.65	250	Pass
11ax(HE20)-SU	CH144	12.69	18.60	250	Pass
11ax(HE40)-SU	CH102	12.80	19.05	250	Pass
11ax(HE40)-SU	CH118	12.69	18.57	250	Pass
11ax(HE40)-SU	CH134	12.85	19.27	250	Pass
11ax(HE40)-SU	CH142	12.92	19.58	250	Pass
11ax(HE80)-SU	CH106	12.89	19.47	250	Pass
11ax(HE80)-SU	CH122	12.79	19.03	250	Pass
11ax(HE80)-SU	CH138	12.79	19.03	250	Pass
11ax(HE160)-SU	CH114	11.88	15.42	250	Pass

11ax(HE20)-RU26	CH100	12.85	19.30	250	Pass
11ax(HE20)-RU26	CH116	12.66	18.47	250	Pass
11ax(HE20)-RU26	CH140	12.72	18.73	250	Pass
11ax(HE20)-RU26	CH144	12.86	19.34	250	Pass
11ax(HE40)-RU26	CH102	12.79	19.00	250	Pass
11ax(HE40)-RU26	CH118	12.59	18.15	250	Pass
11ax(HE40)-RU26	CH134	12.80	19.05	250	Pass
11ax(HE40)-RU26	CH142	12.61	18.23	250	Pass
11ax(HE80)-RU26	CH106	12.82	19.16	250	Pass
11ax(HE80)-RU26	CH122	12.76	18.90	250	Pass
11ax(HE80)-RU26	CH138	12.62	18.30	250	Pass
11ax(HE160)-RU26	CH114	11.77	15.03	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH144	12.91	19.53	1000	Pass
11a	CH149	12.75	18.82	1000	Pass
11a	CH157	12.92	19.57	1000	Pass
11a	CH165	12.82	19.13	1000	Pass
11n(HT20)	CH144	12.90	19.49	1000	Pass
11n(HT20)	CH149	12.69	18.57	1000	Pass
11n(HT20)	CH157	12.88	19.40	1000	Pass
11n(HT20)	CH165	12.80	19.05	1000	Pass
11n(HT40)	CH142	12.77	18.92	1000	Pass
11n(HT40)	CH151	12.58	18.11	1000	Pass
11n(HT40)	CH159	12.78	18.96	1000	Pass
11ac(VHT20)	CH144	12.91	19.54	1000	Pass
11ac(VHT20)	CH149	12.67	18.49	1000	Pass
11ac(VHT20)	CH157	12.88	19.40	1000	Pass
11ac(VHT20)	CH165	12.81	19.09	1000	Pass
11ac(VHT40)	CH142	12.78	18.96	1000	Pass
11ac(VHT40)	CH151	12.92	19.58	1000	Pass
11ac(VHT40)	CH159	12.77	18.92	1000	Pass
11ac(VHT80)	CH138	12.59	18.17	1000	Pass
11ac(VHT80)	CH155	12.81	19.12	1000	Pass
11ax(HE20)-SU	CH144	12.69	18.60	1000	Pass
11ax(HE20)-SU	CH149	12.86	19.34	1000	Pass
11ax(HE20)-SU	CH157	12.82	19.16	1000	Pass
11ax(HE20)-SU	CH165	12.93	19.65	1000	Pass
11ax(HE40)-SU	CH142	12.92	19.58	1000	Pass
11ax(HE40)-SU	CH151	12.68	18.53	1000	Pass
11ax(HE40)-SU	CH159	12.92	19.58	1000	Pass
11ax(HE80)-SU	CH138	12.79	19.03	1000	Pass
11ax(HE80)-SU	CH155	12.90	19.52	1000	Pass
11ax(HE20)-RU26	CH144	12.86	19.34	1000	Pass
11ax(HE20)-RU26	CH149	12.75	18.86	1000	Pass
11ax(HE20)-RU26	CH157	12.68	18.56	1000	Pass
11ax(HE20)-RU26	CH165	12.87	19.38	1000	Pass
11ax(HE40)-RU26	CH142	12.61	18.23	1000	Pass
11ax(HE40)-RU26	CH151	12.61	18.23	1000	Pass
11ax(HE40)-RU26	CH159	12.80	19.05	1000	Pass
11ax(HE80)-RU26	CH138	12.62	18.30	1000	Pass
11ax(HE80)-RU26	CH155	12.84	19.25	1000	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH36	9.96	9.90	250	Pass
11n(HT20)	CH44	9.82	9.59	250	Pass
11n(HT20)	CH48	9.90	9.77	250	Pass
11n(HT40)	CH38	9.60	9.12	250	Pass
11n(HT40)	CH46	9.66	9.24	250	Pass
11ac(VHT20)	CH36	9.93	9.84	250	Pass
11ac(VHT20)	CH44	9.77	9.48	250	Pass
11ac(VHT20)	CH48	9.87	9.70	250	Pass
11ac(VHT40)	CH38	9.88	9.72	250	Pass
11ac(VHT40)	CH46	9.90	9.77	250	Pass
11ac(VHT80)	CH42	9.87	9.72	250	Pass
11ac(VHT160)	CH50	8.89	7.75	250	Pass
11ax(HE20)-SU	CH36	9.97	9.94	250	Pass
11ax(HE20)-SU	CH44	9.56	9.05	250	Pass
11ax(HE20)-SU	CH48	9.85	9.67	250	Pass
11ax(HE40)-SU	CH38	9.61	9.14	250	Pass
11ax(HE40)-SU	CH46	9.68	9.29	250	Pass
11ax(HE80)-SU	CH42	9.83	9.63	250	Pass
11ax(HE160)-SU	CH50	8.79	7.57	250	Pass
11ax(HE20)-RU26	CH36	9.68	9.30	250	Pass
11ax(HE20)-RU26	CH44	9.55	9.03	250	Pass
11ax(HE20)-RU26	CH48	9.69	9.32	250	Pass
11ax(HE40)-RU26	CH38	9.57	9.05	250	Pass
11ax(HE40)-RU26	CH46	9.62	9.16	250	Pass
11ax(HE80)-RU26	CH42	9.66	9.26	250	Pass
11ax(HE160)-RU26	CH50	8.69	7.40	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH52	9.67	9.26	224	Pass
11n(HT20)	CH60	9.67	9.26	223	Pass
11n(HT20)	CH64	9.61	9.14	224	Pass
11n(HT40)	CH54	9.71	9.35	250	Pass
11n(HT40)	CH62	9.63	9.18	250	Pass
11ac(VHT20)	CH52	9.69	9.31	224	Pass
11ac(VHT20)	CH60	9.72	9.37	224	Pass
11ac(VHT20)	CH64	9.62	9.16	224	Pass
11ac(VHT40)	CH54	9.69	9.31	250	Pass
11ac(VHT40)	CH62	9.61	9.14	250	Pass
11ac(VHT80)	CH58	9.95	9.90	250	Pass
11ac(VHT160)	CH50	8.89	7.75	250	Pass
11ax(HE20)-SU	CH52	9.92	9.83	238	Pass
11ax(HE20)-SU	CH60	9.93	9.85	238	Pass
11ax(HE20)-SU	CH64	9.90	9.78	238	Pass
11ax(HE40)-SU	CH54	9.91	9.79	250	Pass
11ax(HE40)-SU	CH62	9.88	9.72	250	Pass
11ax(HE80)-SU	CH58	9.67	9.28	250	Pass
11ax(HE160)-SU	CH50	8.79	7.57	250	Pass
11ax(HE20)-RU26	CH52	9.88	9.74	235	Pass
11ax(HE20)-RU26	CH60	9.93	9.85	234	Pass
11ax(HE20)-RU26	CH64	9.65	9.24	235	Pass
11ax(HE40)-RU26	CH54	9.83	9.61	250	Pass
11ax(HE40)-RU26	CH62	9.66	9.24	250	Pass
11ax(HE80)-RU26	CH58	9.63	9.19	250	Pass
11ax(HE160)-RU26	CH50	8.69	7.40	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH100	9.76	9.46	224	Pass
11n(HT20)	CH116	9.71	9.35	224	Pass
11n(HT20)	CH140	9.80	9.55	224	Pass
11n(HT20)	CH144	9.88	9.72	224	Pass
11n(HT40)	CH102	9.69	9.31	250	Pass
11n(HT40)	CH118	9.65	9.22	250	Pass
11n(HT40)	CH134	9.66	9.24	250	Pass
11n(HT40)	CH142	9.83	9.61	250	Pass
11ac(VHT20)	CH100	9.78	9.50	224	Pass
11ac(VHT20)	CH116	9.72	9.37	224	Pass
11ac(VHT20)	CH140	9.80	9.55	224	Pass
11ac(VHT20)	CH144	9.71	9.35	224	Pass
11ac(VHT40)	CH102	9.66	9.24	250	Pass
11ac(VHT40)	CH118	9.58	9.07	250	Pass
11ac(VHT40)	CH134	9.66	9.24	250	Pass
11ac(VHT40)	CH142	9.78	9.50	250	Pass
11ac(VHT80)	CH106	9.82	9.60	250	Pass
11ac(VHT80)	CH122	9.68	9.30	250	Pass
11ac(VHT80)	CH138	9.63	9.19	250	Pass
11ac(VHT160)	CH114	8.86	7.70	250	Pass
11ax(HE20)-SU	CH100	9.69	9.32	238	Pass
11ax(HE20)-SU	CH116	9.65	9.24	238	Pass
11ax(HE20)-SU	CH140	9.87	9.72	238	Pass
11ax(HE20)-SU	CH144	9.82	9.60	238	Pass
11ax(HE40)-SU	CH102	9.90	9.77	250	Pass
11ax(HE40)-SU	CH118	9.81	9.57	250	Pass
11ax(HE40)-SU	CH134	9.87	9.70	250	Pass
11ax(HE40)-SU	CH142	9.65	9.22	250	Pass
11ax(HE80)-SU	CH106	9.89	9.76	250	Pass
11ax(HE80)-SU	CH122	9.92	9.83	250	Pass
11ax(HE80)-SU	CH138	9.67	9.28	250	Pass
11ax(HE160)-SU	CH114	8.93	7.82	250	Pass

11ax(HE20)-RU26	CH100	9.89	9.76	234	Pass
11ax(HE20)-RU26	CH116	9.81	9.58	235	Pass
11ax(HE20)-RU26	CH140	9.57	9.07	235	Pass
11ax(HE20)-RU26	CH144	9.60	9.13	233	Pass
11ax(HE40)-RU26	CH102	9.74	9.42	250	Pass
11ax(HE40)-RU26	CH118	9.66	9.24	250	Pass
11ax(HE40)-RU26	CH134	9.72	9.37	250	Pass
11ax(HE40)-RU26	CH142	9.75	9.44	250	Pass
11ax(HE80)-RU26	CH106	9.66	9.26	250	Pass
11ax(HE80)-RU26	CH122	9.80	9.56	250	Pass
11ax(HE80)-RU26	CH138	9.55	9.03	250	Pass
11ax(HE160)-RU26	CH114	8.84	7.66	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH144	9.88	9.72	1000	Pass
11n(HT20)	CH149	9.94	9.86	1000	Pass
11n(HT20)	CH157	9.58	9.07	1000	Pass
11n(HT20)	CH165	9.66	9.24	1000	Pass
11n(HT40)	CH142	9.83	9.61	1000	Pass
11n(HT40)	CH151	9.91	9.79	1000	Pass
11n(HT40)	CH159	9.68	9.29	1000	Pass
11ac(VHT20)	CH144	9.71	9.35	1000	Pass
11ac(VHT20)	CH149	9.91	9.79	1000	Pass
11ac(VHT20)	CH157	9.61	9.14	1000	Pass
11ac(VHT20)	CH165	9.57	9.05	1000	Pass
11ac(VHT40)	CH142	9.78	9.50	1000	Pass
11ac(VHT40)	CH151	9.89	9.75	1000	Pass
11ac(VHT40)	CH159	9.72	9.37	1000	Pass
11ac(VHT80)	CH138	9.63	9.19	1000	Pass
11ac(VHT80)	CH155	9.93	9.85	1000	Pass
11ax(HE20)-SU	CH144	9.82	9.60	1000	Pass
11ax(HE20)-SU	CH149	9.78	9.52	1000	Pass
11ax(HE20)-SU	CH157	9.85	9.67	1000	Pass
11ax(HE20)-SU	CH165	9.68	9.30	1000	Pass
11ax(HE40)-SU	CH142	9.65	9.22	1000	Pass
11ax(HE40)-SU	CH151	9.61	9.14	1000	Pass
11ax(HE40)-SU	CH159	9.83	9.61	1000	Pass
11ax(HE80)-SU	CH138	9.67	9.28	1000	Pass
11ax(HE80)-SU	CH155	9.76	9.47	1000	Pass
11ax(HE20)-RU26	CH144	9.60	9.13	1000	Pass
11ax(HE20)-RU26	CH149	9.84	9.65	1000	Pass
11ax(HE20)-RU26	CH157	9.93	9.85	1000	Pass
11ax(HE20)-RU26	CH165	9.94	9.87	1000	Pass
11ax(HE40)-RU26	CH142	9.75	9.44	1000	Pass
11ax(HE40)-RU26	CH151	9.59	9.10	1000	Pass
11ax(HE40)-RU26	CH159	9.67	9.27	1000	Pass
11ax(HE80)-RU26	CH138	9.55	9.03	1000	Pass
11ax(HE80)-RU26	CH155	9.72	9.39	1000	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH36	9.93	9.84	250	Pass
11n(HT20)	CH44	9.88	9.72	250	Pass
11n(HT20)	CH48	9.92	9.81	250	Pass
11n(HT40)	CH38	9.61	9.14	250	Pass
11n(HT40)	CH46	9.93	9.84	250	Pass
11ac(VHT20)	CH36	9.94	9.86	250	Pass
11ac(VHT20)	CH44	9.84	9.63	250	Pass
11ac(VHT20)	CH48	9.86	9.68	250	Pass
11ac(VHT40)	CH38	9.66	9.24	250	Pass
11ac(VHT40)	CH46	9.87	9.70	250	Pass
11ac(VHT80)	CH42	9.68	9.30	250	Pass
11ac(VHT160)	CH50	8.71	7.44	250	Pass
11ax(HE20)-SU	CH36	9.82	9.60	250	Pass
11ax(HE20)-SU	CH44	9.59	9.11	250	Pass
11ax(HE20)-SU	CH48	9.75	9.45	250	Pass
11ax(HE40)-SU	CH38	9.92	9.81	250	Pass
11ax(HE40)-SU	CH46	9.75	9.44	250	Pass
11ax(HE80)-SU	CH42	9.91	9.81	250	Pass
11ax(HE160)-SU	CH50	8.84	7.66	250	Pass
11ax(HE20)-RU26	CH36	9.73	9.41	250	Pass
11ax(HE20)-RU26	CH44	9.57	9.07	250	Pass
11ax(HE20)-RU26	CH48	9.66	9.26	250	Pass
11ax(HE40)-RU26	CH38	9.64	9.20	250	Pass
11ax(HE40)-RU26	CH46	9.71	9.35	250	Pass
11ax(HE80)-RU26	CH42	9.73	9.41	250	Pass
11ax(HE160)-RU26	CH50	8.68	7.38	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH52	9.62	9.16	250	Pass
11n(HT20)	CH60	9.61	9.14	250	Pass
11n(HT20)	CH64	9.59	9.10	250	Pass
11n(HT40)	CH54	9.77	9.48	250	Pass
11n(HT40)	CH62	9.66	9.24	250	Pass
11ac(VHT20)	CH52	9.63	9.18	250	Pass
11ac(VHT20)	CH60	9.59	9.10	250	Pass
11ac(VHT20)	CH64	9.59	9.10	250	Pass
11ac(VHT40)	CH54	9.72	9.37	250	Pass
11ac(VHT40)	CH62	9.65	9.22	250	Pass
11ac(VHT80)	CH58	9.87	9.72	250	Pass
11ac(VHT160)	CH50	8.71	7.44	250	Pass
11ax(HE20)-SU	CH52	9.86	9.69	250	Pass
11ax(HE20)-SU	CH60	9.86	9.69	250	Pass
11ax(HE20)-SU	CH64	9.77	9.49	250	Pass
11ax(HE40)-SU	CH54	9.92	9.81	250	Pass
11ax(HE40)-SU	CH62	9.85	9.66	250	Pass
11ax(HE80)-SU	CH58	9.58	9.09	250	Pass
11ax(HE160)-SU	CH50	8.84	7.66	250	Pass
11ax(HE20)-RU26	CH52	9.80	9.56	250	Pass
11ax(HE20)-RU26	CH60	9.85	9.67	250	Pass
11ax(HE20)-RU26	CH64	9.77	9.49	250	Pass
11ax(HE40)-RU26	CH54	9.81	9.57	250	Pass
11ax(HE40)-RU26	CH62	9.74	9.42	250	Pass
11ax(HE80)-RU26	CH58	9.57	9.07	250	Pass
11ax(HE160)-RU26	CH50	8.68	7.38	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH100	9.92	9.81	250	Pass
11n(HT20)	CH116	9.88	9.72	250	Pass
11n(HT20)	CH140	9.85	9.66	250	Pass
11n(HT20)	CH144	9.67	9.26	250	Pass
11n(HT40)	CH102	9.61	9.14	250	Pass
11n(HT40)	CH118	9.93	9.84	250	Pass
11n(HT40)	CH134	9.90	9.77	250	Pass
11n(HT40)	CH142	9.90	9.77	250	Pass
11ac(VHT20)	CH100	9.90	9.77	250	Pass
11ac(VHT20)	CH116	9.90	9.77	250	Pass
11ac(VHT20)	CH140	9.86	9.68	250	Pass
11ac(VHT20)	CH144	9.91	9.79	250	Pass
11ac(VHT40)	CH102	9.57	9.05	250	Pass
11ac(VHT40)	CH118	9.92	9.81	250	Pass
11ac(VHT40)	CH134	9.76	9.46	250	Pass
11ac(VHT40)	CH142	9.89	9.75	250	Pass
11ac(VHT80)	CH106	9.71	9.36	250	Pass
11ac(VHT80)	CH122	9.65	9.24	250	Pass
11ac(VHT80)	CH138	9.68	9.30	250	Pass
11ac(VHT160)	CH114	8.71	7.44	250	Pass
11ax(HE20)-SU	CH100	9.88	9.74	250	Pass
11ax(HE20)-SU	CH116	9.84	9.65	250	Pass
11ax(HE20)-SU	CH140	9.76	9.47	250	Pass
11ax(HE20)-SU	CH144	9.86	9.69	250	Pass
11ax(HE40)-SU	CH102	9.92	9.81	250	Pass
11ax(HE40)-SU	CH118	9.94	9.86	250	Pass
11ax(HE40)-SU	CH134	9.93	9.84	250	Pass
11ax(HE40)-SU	CH142	9.70	9.33	250	Pass
11ax(HE80)-SU	CH106	9.87	9.72	250	Pass
11ax(HE80)-SU	CH122	9.86	9.69	250	Pass
11ax(HE80)-SU	CH138	9.93	9.85	250	Pass
11ax(HE160)-SU	CH114	8.95	7.85	250	Pass

11ax(HE20)-RU26	CH100	9.80	9.56	250	Pass
11ax(HE20)-RU26	CH116	9.64	9.21	250	Pass
11ax(HE20)-RU26	CH140	9.58	9.09	250	Pass
11ax(HE20)-RU26	CH144	9.83	9.63	250	Pass
11ax(HE40)-RU26	CH102	9.72	9.37	250	Pass
11ax(HE40)-RU26	CH118	9.75	9.44	250	Pass
11ax(HE40)-RU26	CH134	9.69	9.31	250	Pass
11ax(HE40)-RU26	CH142	9.68	9.29	250	Pass
11ax(HE80)-RU26	CH106	9.80	9.56	250	Pass
11ax(HE80)-RU26	CH122	9.71	9.36	250	Pass
11ax(HE80)-RU26	CH138	9.83	9.63	250	Pass
11ax(HE160)-RU26	CH114	8.85	7.68	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH144	9.67	9.26	1000	Pass
11n(HT20)	CH149	9.93	9.84	1000	Pass
11n(HT20)	CH157	9.73	9.39	1000	Pass
11n(HT20)	CH165	9.90	9.77	1000	Pass
11n(HT40)	CH142	9.90	9.77	1000	Pass
11n(HT40)	CH151	9.68	9.29	1000	Pass
11n(HT40)	CH159	9.85	9.66	1000	Pass
11ac(VHT20)	CH144	9.91	9.79	1000	Pass
11ac(VHT20)	CH149	9.82	9.59	1000	Pass
11ac(VHT20)	CH157	9.73	9.39	1000	Pass
11ac(VHT20)	CH165	9.93	9.84	1000	Pass
11ac(VHT40)	CH142	9.89	9.75	1000	Pass
11ac(VHT40)	CH151	9.68	9.29	1000	Pass
11ac(VHT40)	CH159	9.91	9.79	1000	Pass
11ac(VHT80)	CH138	9.68	9.30	1000	Pass
11ac(VHT80)	CH155	9.86	9.69	1000	Pass
11ax(HE20)-SU	CH144	9.86	9.69	1000	Pass
11ax(HE20)-SU	CH149	9.71	9.36	1000	Pass
11ax(HE20)-SU	CH157	9.92	9.83	1000	Pass
11ax(HE20)-SU	CH165	9.73	9.41	1000	Pass
11ax(HE40)-SU	CH142	9.70	9.33	1000	Pass
11ax(HE40)-SU	CH151	9.93	9.84	1000	Pass
11ax(HE40)-SU	CH159	9.67	9.27	1000	Pass
11ax(HE80)-SU	CH138	9.93	9.85	1000	Pass
11ax(HE80)-SU	CH155	9.61	9.15	1000	Pass
11ax(HE20)-RU26	CH144	9.83	9.63	1000	Pass
11ax(HE20)-RU26	CH149	9.93	9.85	1000	Pass
11ax(HE20)-RU26	CH157	9.94	9.87	1000	Pass
11ax(HE20)-RU26	CH165	9.66	9.26	1000	Pass
11ax(HE40)-RU26	CH142	9.68	9.29	1000	Pass
11ax(HE40)-RU26	CH151	9.86	9.68	1000	Pass
11ax(HE40)-RU26	CH159	9.60	9.12	1000	Pass
11ax(HE80)-RU26	CH138	9.83	9.63	1000	Pass
11ax(HE80)-RU26	CH155	9.58	9.09	1000	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH36	12.95	19.74	250	Pass
11n(HT20)	CH44	12.86	19.31	250	Pass
11n(HT20)	CH48	12.92	19.58	250	Pass
11n(HT40)	CH38	12.61	18.25	250	Pass
11n(HT40)	CH46	12.81	19.08	250	Pass
11ac(VHT20)	CH36	12.94	19.70	250	Pass
11ac(VHT20)	CH44	12.81	19.12	250	Pass
11ac(VHT20)	CH48	12.87	19.38	250	Pass
11ac(VHT40)	CH38	12.78	18.97	250	Pass
11ac(VHT40)	CH46	12.89	19.47	250	Pass
11ac(VHT80)	CH42	12.79	19.01	250	Pass
11ac(VHT160)	CH50	11.82	15.19	250	Pass
11ax(HE20)-SU	CH36	12.91	19.55	250	Pass
11ax(HE20)-SU	CH44	12.59	18.15	250	Pass
11ax(HE20)-SU	CH48	12.82	19.12	250	Pass
11ax(HE40)-SU	CH38	12.78	18.95	250	Pass
11ax(HE40)-SU	CH46	12.72	18.72	250	Pass
11ax(HE80)-SU	CH42	12.89	19.43	250	Pass
11ax(HE160)-SU	CH50	11.83	15.23	250	Pass
11ax(HE20)-RU26	CH36	12.72	18.71	250	Pass
11ax(HE20)-RU26	CH44	12.57	18.09	250	Pass
11ax(HE20)-RU26	CH48	12.69	18.58	250	Pass
11ax(HE40)-RU26	CH38	12.61	18.26	250	Pass
11ax(HE40)-RU26	CH46	12.67	18.51	250	Pass
11ax(HE80)-RU26	CH42	12.71	18.66	250	Pass
11ax(HE160)-RU26	CH50	11.70	14.78	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH52	12.65	18.42	224	Pass
11n(HT20)	CH60	12.65	18.40	223	Pass
11n(HT20)	CH64	12.61	18.23	224	Pass
11n(HT40)	CH54	12.75	18.83	250	Pass
11n(HT40)	CH62	12.65	18.42	250	Pass
11ac(VHT20)	CH52	12.67	18.49	224	Pass
11ac(VHT20)	CH60	12.66	18.47	224	Pass
11ac(VHT20)	CH64	12.61	18.25	224	Pass
11ac(VHT40)	CH54	12.71	18.68	250	Pass
11ac(VHT40)	CH62	12.64	18.36	250	Pass
11ac(VHT80)	CH58	12.92	19.61	250	Pass
11ac(VHT160)	CH50	11.82	15.19	250	Pass
11ax(HE20)-SU	CH52	12.91	19.52	238	Pass
11ax(HE20)-SU	CH60	12.91	19.54	238	Pass
11ax(HE20)-SU	CH64	12.85	19.28	238	Pass
11ax(HE40)-SU	CH54	12.92	19.61	250	Pass
11ax(HE40)-SU	CH62	12.87	19.38	250	Pass
11ax(HE80)-SU	CH58	12.64	18.37	250	Pass
11ax(HE160)-SU	CH50	11.83	15.23	250	Pass
11ax(HE20)-RU26	CH52	12.86	19.30	235	Pass
11ax(HE20)-RU26	CH60	12.91	19.52	234	Pass
11ax(HE20)-RU26	CH64	12.73	18.73	235	Pass
11ax(HE40)-RU26	CH54	12.83	19.18	250	Pass
11ax(HE40)-RU26	CH62	12.71	18.66	250	Pass
11ax(HE80)-RU26	CH58	12.62	18.26	250	Pass
11ax(HE160)-RU26	CH50	11.70	14.78	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH100	12.85	19.27	224	Pass
11n(HT20)	CH116	12.80	19.07	224	Pass
11n(HT20)	CH140	12.83	19.20	224	Pass
11n(HT20)	CH144	12.78	18.99	224	Pass
11n(HT40)	CH102	12.66	18.45	250	Pass
11n(HT40)	CH118	12.80	19.06	250	Pass
11n(HT40)	CH134	12.79	19.01	250	Pass
11n(HT40)	CH142	12.87	19.38	250	Pass
11ac(VHT20)	CH100	12.85	19.27	224	Pass
11ac(VHT20)	CH116	12.82	19.14	224	Pass
11ac(VHT20)	CH140	12.84	19.23	224	Pass
11ac(VHT20)	CH144	12.82	19.14	224	Pass
11ac(VHT40)	CH102	12.62	18.30	250	Pass
11ac(VHT40)	CH118	12.76	18.89	250	Pass
11ac(VHT40)	CH134	12.72	18.70	250	Pass
11ac(VHT40)	CH142	12.84	19.25	250	Pass
11ac(VHT80)	CH106	12.78	18.97	250	Pass
11ac(VHT80)	CH122	12.68	18.53	250	Pass
11ac(VHT80)	CH138	12.67	18.49	250	Pass
11ac(VHT160)	CH114	11.80	15.14	250	Pass
11ax(HE20)-SU	CH100	12.80	19.06	238	Pass
11ax(HE20)-SU	CH116	12.76	18.88	238	Pass
11ax(HE20)-SU	CH140	12.83	19.19	238	Pass
11ax(HE20)-SU	CH144	12.85	19.30	238	Pass
11ax(HE40)-SU	CH102	12.92	19.58	250	Pass
11ax(HE40)-SU	CH118	12.88	19.43	250	Pass
11ax(HE40)-SU	CH134	12.91	19.54	250	Pass
11ax(HE40)-SU	CH142	12.68	18.55	250	Pass
11ax(HE80)-SU	CH106	12.89	19.48	250	Pass
11ax(HE80)-SU	CH122	12.91	19.52	250	Pass
11ax(HE80)-SU	CH138	12.82	19.13	250	Pass
11ax(HE160)-SU	CH114	11.95	15.67	250	Pass

11ax(HE20)-RU26	CH100	12.86	19.32	234	Pass
11ax(HE20)-RU26	CH116	12.74	18.80	235	Pass
11ax(HE20)-RU26	CH140	12.59	18.15	235	Pass
11ax(HE20)-RU26	CH144	12.73	18.76	233	Pass
11ax(HE40)-RU26	CH102	12.74	18.79	250	Pass
11ax(HE40)-RU26	CH118	12.71	18.68	250	Pass
11ax(HE40)-RU26	CH134	12.71	18.68	250	Pass
11ax(HE40)-RU26	CH142	12.72	18.72	250	Pass
11ax(HE80)-RU26	CH106	12.75	18.82	250	Pass
11ax(HE80)-RU26	CH122	12.77	18.92	250	Pass
11ax(HE80)-RU26	CH138	12.71	18.65	250	Pass
11ax(HE160)-RU26	CH114	11.86	15.33	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n(HT20)	CH144	12.78	18.99	1000	Pass
11n(HT20)	CH149	12.94	19.70	1000	Pass
11n(HT20)	CH157	12.66	18.47	1000	Pass
11n(HT20)	CH165	12.79	19.01	1000	Pass
11n(HT40)	CH142	12.87	19.38	1000	Pass
11n(HT40)	CH151	12.81	19.08	1000	Pass
11n(HT40)	CH159	12.77	18.94	1000	Pass
11ac(VHT20)	CH144	12.82	19.14	1000	Pass
11ac(VHT20)	CH149	12.87	19.38	1000	Pass
11ac(VHT20)	CH157	12.68	18.53	1000	Pass
11ac(VHT20)	CH165	12.76	18.89	1000	Pass
11ac(VHT40)	CH142	12.84	19.25	1000	Pass
11ac(VHT40)	CH151	12.79	19.03	1000	Pass
11ac(VHT40)	CH159	12.82	19.16	1000	Pass
11ac(VHT80)	CH138	12.67	18.49	1000	Pass
11ac(VHT80)	CH155	12.91	19.54	1000	Pass
11ax(HE20)-SU	CH144	12.85	19.30	1000	Pass
11ax(HE20)-SU	CH149	12.76	18.88	1000	Pass
11ax(HE20)-SU	CH157	12.90	19.50	1000	Pass
11ax(HE20)-SU	CH165	12.72	18.71	1000	Pass
11ax(HE40)-SU	CH142	12.68	18.55	1000	Pass
11ax(HE40)-SU	CH151	12.78	18.97	1000	Pass
11ax(HE40)-SU	CH159	12.76	18.88	1000	Pass
11ax(HE80)-SU	CH138	12.82	19.13	1000	Pass
11ax(HE80)-SU	CH155	12.70	18.62	1000	Pass
11ax(HE20)-RU26	CH144	12.73	18.76	1000	Pass
11ax(HE20)-RU26	CH149	12.90	19.50	1000	Pass
11ax(HE20)-RU26	CH157	12.95	19.72	1000	Pass
11ax(HE20)-RU26	CH165	12.82	19.13	1000	Pass
11ax(HE40)-RU26	CH142	12.72	18.72	1000	Pass
11ax(HE40)-RU26	CH151	12.74	18.78	1000	Pass
11ax(HE40)-RU26	CH159	12.64	18.38	1000	Pass
11ax(HE80)-RU26	CH138	12.71	18.65	1000	Pass
11ax(HE80)-RU26	CH155	12.67	18.47	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note 1: Test plots please refer to the document "Annex No.: BL-SZ2090237-609 Data Part 1.pdf".

Note 2: All the configurations were pre tested, RU26 is the worst configuration.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	25.64	17.37
11a	CH44	23.12	16.79
11a	CH48	23.36	16.73
11n(HT20)	CH36	23.12	17.77
11n(HT20)	CH44	23.40	17.77
11n(HT20)	CH48	23.44	17.77
11n(HT40)	CH38	43.00	36.12
11n(HT40)	CH46	43.80	36.35
11ac(VHT20)	CH36	23.36	17.77
11ac(VHT20)	CH44	23.32	17.77
11ac(VHT20)	CH48	23.44	17.77
11ac(VHT40)	CH38	43.40	36.12
11ac(VHT40)	CH46	43.30	36.35
11ac(VHT80)	CH42	85.60	75.02
11ac(VHT160)	CH50	165.20	152.82
11ax(HE20)-SU	CH36	22.96	18.93
11ax(HE20)-SU	CH44	23.40	18.93
11ax(HE20)-SU	CH48	22.96	18.93
11ax(HE40)-SU	CH38	43.00	37.51
11ax(HE40)-SU	CH46	43.50	37.63
11ax(HE80)-SU	CH42	83.40	76.87
11ax(HE160)-SU	CH50	165.60	154.67
11ax(HE20)-RU26	CH36	20.99	18.99
11ax(HE20)-RU26	CH44	20.52	18.64
11ax(HE20)-RU26	CH48	20.52	18.64

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.00	16.73
11a	CH60	23.00	16.67
11a	CH64	23.32	16.79
11n(HT20)	CH52	23.48	17.77
11n(HT20)	CH60	23.36	17.71
11n(HT20)	CH64	23.44	17.83
11n(HT40)	CH54	43.30	36.24
11n(HT40)	CH62	43.30	36.35
11ac(VHT20)	CH52	23.32	17.77
11ac(VHT20)	CH60	23.24	17.77
11ac(VHT20)	CH64	23.60	17.77
11ac(VHT40)	CH54	43.50	36.12
11ac(VHT40)	CH62	43.30	36.24
11ac(VHT80)	CH58	87.40	75.02
11ac(VHT160)	CH50	165.20	152.82
11ax(HE20)-SU	CH52	22.88	18.93
11ax(HE20)-SU	CH60	22.72	18.93
11ax(HE20)-SU	CH64	23.56	18.93
11ax(HE40)-SU	CH54	43.10	37.51
11ax(HE40)-SU	CH62	43.00	37.51
11ax(HE80)-SU	CH58	83.80	76.64
11ax(HE160)-SU	CH50	165.60	154.67
11ax(HE20)-RU26	CH52	20.35	18.64
11ax(HE20)-RU26	CH60	20.29	18.58
11ax(HE20)-RU26	CH64	20.35	18.64

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.40	16.73
11a	CH116	23.12	16.73
11a	CH140	23.40	16.73
11a	CH144	23.16	16.73
11n(HT20)	CH100	23.20	17.77
11n(HT20)	CH116	23.48	17.77
11n(HT20)	CH140	23.60	17.77
11n(HT20)	CH144	23.32	17.77
11n(HT40)	CH102	44.10	36.24
11n(HT40)	CH118	43.80	36.24
11n(HT40)	CH134	43.80	36.24
11n(HT40)	CH142	44.20	36.24
11ac(VHT20)	CH100	23.68	17.77
11ac(VHT20)	CH116	23.28	17.83
11ac(VHT20)	CH140	23.44	17.83
11ac(VHT20)	CH144	23.04	17.77
11ac(VHT40)	CH102	44.00	36.35
11ac(VHT40)	CH118	43.30	36.35
11ac(VHT40)	CH134	43.50	36.24
11ac(VHT40)	CH142	43.70	36.35
11ac(VHT80)	CH106	86.20	75.25
11ac(VHT80)	CH122	87.40	75.48
11ac(VHT80)	CH138	87.00	75.48
11ac(VHT160)	CH114	165.20	153.75
11ax(HE20)-SU	CH100	22.68	18.93
11ax(HE20)-SU	CH116	23.28	18.93
11ax(HE20)-SU	CH140	23.08	18.93
11ax(HE20)-SU	CH144	22.88	18.87
11ax(HE40)-SU	CH102	43.40	37.63
11ax(HE40)-SU	CH118	43.00	37.63
11ax(HE40)-SU	CH134	42.70	37.63
11ax(HE40)-SU	CH142	43.00	37.51
11ax(HE80)-SU	CH106	83.20	76.87
11ax(HE80)-SU	CH122	83.40	76.87
11ax(HE80)-SU	CH138	83.40	76.87
11ax(HE160)-SU	CH114	165.60	155.14
11ax(HE20)-RU26	CH100	20.29	18.58
11ax(HE20)-RU26	CH116	20.46	18.64
11ax(HE20)-RU26	CH140	20.41	18.64
11ax(HE20)-RU26	CH144	20.75	18.52

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH144	23.16	16.73
11a	CH149	23.08	16.67
11a	CH157	23.36	16.79
11a	CH165	22.84	16.73
11n(HT20)	CH144	23.32	17.77
11n(HT20)	CH149	23.32	17.71
11n(HT20)	CH157	23.52	17.83
11n(HT20)	CH165	23.12	17.71
11n(HT40)	CH142	44.20	36.24
11n(HT40)	CH151	43.10	36.24
11n(HT40)	CH159	44.00	36.35
11ac(VHT20)	CH144	23.04	17.77
11ac(VHT20)	CH149	23.32	17.71
11ac(VHT20)	CH157	23.44	17.83
11ac(VHT20)	CH165	23.40	17.77
11ac(VHT40)	CH142	43.70	36.35
11ac(VHT40)	CH151	43.20	36.24
11ac(VHT40)	CH159	44.30	36.35
11ac(VHT80)	CH138	87.00	75.48
11ac(VHT80)	CH155	86.60	75.48
11ax(HE20)-SU	CH144	22.88	18.87
11ax(HE20)-SU	CH149	23.12	18.93
11ax(HE20)-SU	CH157	23.36	18.93
11ax(HE20)-SU	CH165	22.92	18.93
11ax(HE40)-SU	CH142	43.00	37.51
11ax(HE40)-SU	CH151	42.70	37.51
11ax(HE40)-SU	CH159	43.50	37.74
11ax(HE80)-SU	CH138	83.40	76.87
11ax(HE80)-SU	CH155	83.60	76.87
11ax(HE20)-RU26	CH144	20.75	18.52
11ax(HE20)-RU26	CH149	20.64	18.70
11ax(HE20)-RU26	CH157	20.46	18.64
11ax(HE20)-RU26	CH165	20.58	18.64

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	22.88	16.73
11a	CH44	23.20	16.73
11a	CH48	23.36	16.73
11n(HT20)	CH36	23.48	17.77
11n(HT20)	CH44	23.60	17.77
11n(HT20)	CH48	23.36	17.77
11n(HT40)	CH38	43.30	36.24
11n(HT40)	CH46	43.40	36.35
11ac(VHT20)	CH36	23.36	17.77
11ac(VHT20)	CH44	23.44	17.83
11ac(VHT20)	CH48	23.44	17.77
11ac(VHT40)	CH38	43.40	36.12
11ac(VHT40)	CH46	43.60	36.35
11ac(VHT80)	CH42	86.00	75.25
11ac(VHT160)	CH50	164.80	152.82
11ax(HE20)-SU	CH36	22.88	18.93
11ax(HE20)-SU	CH44	23.16	18.93
11ax(HE20)-SU	CH48	23.20	18.93
11ax(HE40)-SU	CH38	42.60	37.51
11ax(HE40)-SU	CH46	43.50	37.63
11ax(HE80)-SU	CH42	83.80	76.87
11ax(HE160)-SU	CH50	165.60	154.21
11ax(HE20)-RU26	CH36	20.35	18.58
11ax(HE20)-RU26	CH44	20.46	18.64
11ax(HE20)-RU26	CH48	20.41	18.58

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.20	16.73
11a	CH60	22.92	16.73
11a	CH64	23.28	16.73
11n(HT20)	CH52	23.28	17.77
11n(HT20)	CH60	23.52	17.77
11n(HT20)	CH64	23.68	17.77
11n(HT40)	CH54	43.40	36.24
11n(HT40)	CH62	43.90	36.35
11ac(VHT20)	CH52	23.52	17.77
11ac(VHT20)	CH60	23.16	17.71
11ac(VHT20)	CH64	23.40	17.77
11ac(VHT40)	CH54	42.80	36.12
11ac(VHT40)	CH62	43.30	36.35
11ac(VHT80)	CH58	85.00	75.25
11ac(VHT160)	CH50	164.80	152.82
11ax(HE20)-SU	CH52	23.28	18.93
11ax(HE20)-SU	CH60	23.00	18.87
11ax(HE20)-SU	CH64	23.40	18.93
11ax(HE40)-SU	CH54	43.00	37.40
11ax(HE40)-SU	CH62	43.20	37.63
11ax(HE80)-SU	CH58	83.40	76.87
11ax(HE160)-SU	CH50	165.60	154.21
11ax(HE20)-RU26	CH52	20.35	18.64
11ax(HE20)-RU26	CH60	20.29	18.58
11ax(HE20)-RU26	CH64	20.23	18.64

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.44	16.73
11a	CH116	23.36	16.67
11a	CH140	23.04	16.73
11a	CH144	23.00	16.73
11n(HT20)	CH100	23.44	17.77
11n(HT20)	CH116	23.40	17.77
11n(HT20)	CH140	23.52	17.77
11n(HT20)	CH144	23.16	17.77
11n(HT40)	CH102	44.10	36.24
11n(HT40)	CH118	43.80	36.24
11n(HT40)	CH134	43.20	36.24
11n(HT40)	CH142	43.20	36.24
11ac(VHT20)	CH100	23.48	17.77
11ac(VHT20)	CH116	23.40	17.83
11ac(VHT20)	CH140	23.40	17.77
11ac(VHT20)	CH144	23.28	17.77
11ac(VHT40)	CH102	43.60	36.35
11ac(VHT40)	CH118	43.60	36.24
11ac(VHT40)	CH134	43.40	36.24
11ac(VHT40)	CH142	43.00	36.24
11ac(VHT80)	CH106	86.60	75.25
11ac(VHT80)	CH122	85.60	75.48
11ac(VHT80)	CH138	87.60	75.48
11ac(VHT160)	CH114	165.60	153.29
11ax(HE20)-SU	CH100	23.44	18.93
11ax(HE20)-SU	CH116	23.32	18.93
11ax(HE20)-SU	CH140	23.04	18.93
11ax(HE20)-SU	CH144	23.00	18.93
11ax(HE40)-SU	CH102	43.30	37.63
11ax(HE40)-SU	CH118	43.00	37.63
11ax(HE40)-SU	CH134	43.20	37.63
11ax(HE40)-SU	CH142	42.80	37.63
11ax(HE80)-SU	CH106	83.60	76.87
11ax(HE80)-SU	CH122	83.20	76.87
11ax(HE80)-SU	CH138	83.60	77.11
11ax(HE160)-SU	CH114	166.00	155.14
11ax(HE20)-RU26	CH100	20.46	18.58
11ax(HE20)-RU26	CH116	20.35	18.64
11ax(HE20)-RU26	CH140	20.58	18.64
11ax(HE20)-RU26	CH144	20.64	18.64

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH144	23.00	16.73
11a	CH149	23.04	16.67
11a	CH157	23.44	16.79
11a	CH165	23.00	16.73
11n(HT20)	CH144	23.16	17.77
11n(HT20)	CH149	23.36	17.71
11n(HT20)	CH157	23.56	17.77
11n(HT20)	CH165	23.16	17.77
11n(HT40)	CH142	23.36	17.71
11n(HT40)	CH151	43.50	36.24
11n(HT40)	CH159	44.40	36.24
11ac(VHT20)	CH144	23.28	17.77
11ac(VHT20)	CH149	23.36	17.71
11ac(VHT20)	CH157	23.64	17.83
11ac(VHT20)	CH165	23.12	17.71
11ac(VHT40)	CH142	43.00	36.24
11ac(VHT40)	CH151	43.60	36.24
11ac(VHT40)	CH159	43.70	36.35
11ac(VHT80)	CH138	87.60	75.48
11ac(VHT80)	CH155	87.00	75.48
11ax(HE20)-SU	CH144	23.00	18.93
11ax(HE20)-SU	CH149	23.12	18.93
11ax(HE20)-SU	CH157	23.00	18.99
11ax(HE20)-SU	CH165	23.04	18.93
11ax(HE40)-SU	CH142	42.80	37.63
11ax(HE40)-SU	CH151	42.50	37.51
11ax(HE40)-SU	CH159	43.10	37.51
11ax(HE80)-SU	CH138	83.60	77.11
11ax(HE80)-SU	CH155	84.00	76.87
11ax(HE20)-RU26	CH144	20.64	18.64
11ax(HE20)-RU26	CH149	20.35	18.64
11ax(HE20)-RU26	CH157	20.29	18.70
11ax(HE20)-RU26	CH165	20.29	18.64

A.3 6 dB Bandwidth

Note 1: Test plots please refer to the document "Annex No.: BL-SZ2090237-609 Data Part 2.pdf".

Note 2: All the configurations were pre tested, RU26 is the worst configuration.

Test Data

Main Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.22	500.00	Pass
11a	CH157	15.22	500.00	Pass
11a	CH165	15.22	500.00	Pass
11n(HT20)	CH149	15.22	500.00	Pass
11n(HT20)	CH157	15.22	500.00	Pass
11n(HT20)	CH165	15.22	500.00	Pass
11n(HT40)	CH151	35.22	500.00	Pass
11n(HT40)	CH159	33.97	500.00	Pass
11ac(VHT20)	CH149	16.37	500.00	Pass
11ac(VHT20)	CH157	15.22	500.00	Pass
11ac(VHT20)	CH165	15.22	500.00	Pass
11ac(VHT40)	CH151	35.17	500.00	Pass
11ac(VHT40)	CH159	35.12	500.00	Pass
11ac(VHT80)	CH155	73.92	500.00	Pass
11ax(HE20)-SU	CH149	14.82	500.00	Pass
11ax(HE20)-SU	CH157	15.22	500.00	Pass
11ax(HE20)-SU	CH165	15.72	500.00	Pass
11ax(HE40)-SU	CH151	35.22	500.00	Pass
11ax(HE40)-SU	CH159	35.22	500.00	Pass
11ax(HE80)-SU	CH155	68.97	500.00	Pass
11ax(HE20)-RU26	CH149	2.15	500.00	Pass
11ax(HE20)-RU26	CH157	2.15	500.00	Pass
11ax(HE20)-RU26	CH165	2.10	500.00	Pass

Aux. Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.22	500.00	Pass
11a	CH157	15.22	500.00	Pass
11a	CH165	15.22	500.00	Pass
11n(HT20)	CH149	15.42	500.00	Pass
11n(HT20)	CH157	17.62	500.00	Pass
11n(HT20)	CH165	15.22	500.00	Pass
11n(HT40)	CH151	35.17	500.00	Pass
11n(HT40)	CH159	35.22	500.00	Pass
11ac(VHT20)	CH149	16.17	500.00	Pass
11ac(VHT20)	CH157	17.72	500.00	Pass
11ac(VHT20)	CH165	17.72	500.00	Pass
11ac(VHT40)	CH151	35.22	500.00	Pass
11ac(VHT40)	CH159	35.12	500.00	Pass
11ac(VHT80)	CH155	75.17	500.00	Pass
11ax(HE20)-SU	CH149	15.67	500.00	Pass
11ax(HE20)-SU	CH157	18.57	500.00	Pass
11ax(HE20)-SU	CH165	16.17	500.00	Pass
11ax(HE40)-SU	CH151	36.32	500.00	Pass
11ax(HE40)-SU	CH159	35.42	500.00	Pass
11ax(HE80)-SU	CH155	75.17	500.00	Pass
11ax(HE20)-RU26	CH149	2.20	500.00	Pass
11ax(HE20)-RU26	CH157	2.10	500.00	Pass
11ax(HE20)-RU26	CH165	2.15	500.00	Pass

A.4 Power Spectral Density

Note 1: Test plots please refer to the document "Annex No.: BL-SZ2090237-609 Data Part 3.pdf".

Note 2: The RBW used in U-NII-3 is 1 MHz, and the PSD factor is: $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$.

Note 3: All the configurations were pre tested, RU26 is the worst configuration.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	3.35	11.00	Pass
11a	CH44	2.83	11.00	Pass
11a	CH48	3.23	11.00	Pass
11n(HT20)	CH36	3.01	11.00	Pass
11n(HT20)	CH44	2.67	11.00	Pass
11n(HT20)	CH48	2.84	11.00	Pass
11n(HT40)	CH38	-0.32	11.00	Pass
11n(HT40)	CH46	-0.53	11.00	Pass
11ac(VHT20)	CH36	2.88	11.00	Pass
11ac(VHT20)	CH44	2.63	11.00	Pass
11ac(VHT20)	CH48	2.89	11.00	Pass
11ac(VHT40)	CH38	-0.33	11.00	Pass
11ac(VHT40)	CH46	-0.51	11.00	Pass
11ac(VHT80)	CH42	-3.12	11.00	Pass
11ac(VHT160)	CH50	-6.00	11.00	Pass
11ax(HE20)-SU	CH36	2.46	11.00	Pass
11ax(HE20)-SU	CH44	2.77	11.00	Pass
11ax(HE20)-SU	CH48	2.37	11.00	Pass
11ax(HE40)-SU	CH38	-0.80	11.00	Pass
11ax(HE40)-SU	CH46	-0.96	11.00	Pass
11ax(HE80)-SU	CH42	-3.51	11.00	Pass
11ax(HE160)-SU	CH50	-6.31	11.00	Pass
11ax(HE20)-RU26	CH36	8.57	11.00	Pass
11ax(HE20)-RU26	CH44	8.17	11.00	Pass
11ax(HE20)-RU26	CH48	8.26	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	3.07	11.00	Pass
11a	CH60	3.17	11.00	Pass
11a	CH64	2.92	11.00	Pass
11n(HT20)	CH52	2.86	11.00	Pass
11n(HT20)	CH60	2.88	11.00	Pass
11n(HT20)	CH64	2.71	11.00	Pass
11n(HT40)	CH54	-0.45	11.00	Pass
11n(HT40)	CH62	-0.56	11.00	Pass
11ac(VHT20)	CH52	2.90	11.00	Pass
11ac(VHT20)	CH60	2.94	11.00	Pass
11ac(VHT20)	CH64	2.65	11.00	Pass
11ac(VHT40)	CH54	-0.42	11.00	Pass
11ac(VHT40)	CH62	-0.53	11.00	Pass
11ac(VHT80)	CH58	-3.60	11.00	Pass
11ac(VHT160)	CH50	-6.00	11.00	Pass
11ax(HE20)-SU	CH52	2.42	11.00	Pass
11ax(HE20)-SU	CH60	2.40	11.00	Pass
11ax(HE20)-SU	CH64	2.83	11.00	Pass
11ax(HE40)-SU	CH54	-0.91	11.00	Pass
11ax(HE40)-SU	CH62	-1.03	11.00	Pass
11ax(HE80)-SU	CH58	-3.64	11.00	Pass
11ax(HE160)-SU	CH50	-6.31	11.00	Pass
11ax(HE20)-RU26	CH52	8.30	11.00	Pass
11ax(HE20)-RU26	CH60	8.72	11.00	Pass
11ax(HE20)-RU26	CH64	8.16	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	3.39	11.00	Pass
11a	CH116	3.35	11.00	Pass
11a	CH140	3.38	11.00	Pass
11a	CH144	3.41	11.00	Pass
11n(HT20)	CH100	3.05	11.00	Pass
11n(HT20)	CH116	3.12	11.00	Pass
11n(HT20)	CH140	3.11	11.00	Pass
11n(HT20)	CH144	3.17	11.00	Pass
11n(HT40)	CH102	-0.04	11.00	Pass
11n(HT40)	CH118	-0.13	11.00	Pass
11n(HT40)	CH134	0.09	11.00	Pass
11n(HT40)	CH142	-0.15	11.00	Pass
11ac(VHT20)	CH100	3.16	11.00	Pass
11ac(VHT20)	CH116	3.15	11.00	Pass
11ac(VHT20)	CH140	3.11	11.00	Pass
11ac(VHT20)	CH144	3.20	11.00	Pass
11ac(VHT40)	CH102	-0.03	11.00	Pass
11ac(VHT40)	CH118	-0.14	11.00	Pass
11ac(VHT40)	CH134	0.09	11.00	Pass
11ac(VHT40)	CH142	-0.18	11.00	Pass
11ac(VHT80)	CH106	-2.94	11.00	Pass
11ac(VHT80)	CH122	-3.21	11.00	Pass
11ac(VHT80)	CH138	-3.25	11.00	Pass
11ac(VHT160)	CH114	-5.98	11.00	Pass
11ax(HE20)-SU	CH100	2.73	11.00	Pass
11ax(HE20)-SU	CH116	3.37	11.00	Pass
11ax(HE20)-SU	CH140	2.72	11.00	Pass
11ax(HE20)-SU	CH144	2.78	11.00	Pass
11ax(HE40)-SU	CH102	-0.55	11.00	Pass
11ax(HE40)-SU	CH118	-0.12	11.00	Pass
11ax(HE40)-SU	CH134	0.18	11.00	Pass
11ax(HE40)-SU	CH142	-0.68	11.00	Pass
11ax(HE80)-SU	CH106	-3.36	11.00	Pass
11ax(HE80)-SU	CH122	-3.61	11.00	Pass
11ax(HE80)-SU	CH138	-3.17	11.00	Pass
11ax(HE160)-SU	CH114	-6.50	11.00	Pass
11ax(HE20)-RU26	CH100	8.38	11.00	Pass
11ax(HE20)-RU26	CH116	8.04	11.00	Pass
11ax(HE20)-RU26	CH140	8.08	11.00	Pass
11ax(HE20)-RU26	CH144	7.87	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH144	0.44	30.00	Pass
11a	CH149	0.77	30.00	Pass
11a	CH157	0.34	30.00	Pass
11a	CH165	0.08	30.00	Pass
11n(HT20)	CH144	0.25	30.00	Pass
11n(HT20)	CH149	0.49	30.00	Pass
11n(HT20)	CH157	0.00	30.00	Pass
11n(HT20)	CH165	-0.12	30.00	Pass
11n(HT40)	CH142	-3.02	30.00	Pass
11n(HT40)	CH151	-2.76	30.00	Pass
11n(HT40)	CH159	-3.22	30.00	Pass
11ac(VHT20)	CH144	0.26	30.00	Pass
11ac(VHT20)	CH149	1.03	30.00	Pass
11ac(VHT20)	CH157	0.07	30.00	Pass
11ac(VHT20)	CH165	-0.07	30.00	Pass
11ac(VHT40)	CH142	-3.00	30.00	Pass
11ac(VHT40)	CH151	-2.73	30.00	Pass
11ac(VHT40)	CH159	-3.35	30.00	Pass
11ac(VHT80)	CH138	-6.09	30.00	Pass
11ac(VHT80)	CH155	-6.02	30.00	Pass
11ax(HE20)-SU	CH144	-0.18	30.00	Pass
11ax(HE20)-SU	CH149	0.59	30.00	Pass
11ax(HE20)-SU	CH157	0.11	30.00	Pass
11ax(HE20)-SU	CH165	-0.02	30.00	Pass
11ax(HE40)-SU	CH142	-3.44	30.00	Pass
11ax(HE40)-SU	CH151	-2.58	30.00	Pass
11ax(HE40)-SU	CH159	-3.23	30.00	Pass
11ax(HE80)-SU	CH138	-5.95	30.00	Pass
11ax(HE80)-SU	CH155	-5.83	30.00	Pass
11ax(HE20)-RU26	CH144	5.10	30.00	Pass
11ax(HE20)-RU26	CH149	5.84	30.00	Pass
11ax(HE20)-RU26	CH157	5.88	30.00	Pass
11ax(HE20)-RU26	CH165	5.63	30.00	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	3.64	11.00	Pass
11a	CH44	3.45	11.00	Pass
11a	CH48	3.53	11.00	Pass
11n(HT20)	CH36	3.35	11.00	Pass
11n(HT20)	CH44	3.21	11.00	Pass
11n(HT20)	CH48	3.32	11.00	Pass
11n(HT40)	CH38	0.05	11.00	Pass
11n(HT40)	CH46	-0.08	11.00	Pass
11ac(VHT20)	CH36	3.35	11.00	Pass
11ac(VHT20)	CH44	3.22	11.00	Pass
11ac(VHT20)	CH48	3.01	11.00	Pass
11ac(VHT40)	CH38	0.28	11.00	Pass
11ac(VHT40)	CH46	-0.06	11.00	Pass
11ac(VHT80)	CH42	-3.18	11.00	Pass
11ac(VHT160)	CH50	-6.19	11.00	Pass
11ax(HE20)-SU	CH36	2.91	11.00	Pass
11ax(HE20)-SU	CH44	2.75	11.00	Pass
11ax(HE20)-SU	CH48	2.64	11.00	Pass
11ax(HE40)-SU	CH38	-0.25	11.00	Pass
11ax(HE40)-SU	CH46	-0.59	11.00	Pass
11ax(HE80)-SU	CH42	-3.03	11.00	Pass
11ax(HE160)-SU	CH50	-6.00	11.00	Pass
11ax(HE20)-RU26	CH36	9.98	11.00	Pass
11ax(HE20)-RU26	CH44	9.41	11.00	Pass
11ax(HE20)-RU26	CH48	9.22	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	3.36	11.00	Pass
11a	CH60	3.35	11.00	Pass
11a	CH64	3.02	11.00	Pass
11n(HT20)	CH52	3.13	11.00	Pass
11n(HT20)	CH60	3.01	11.00	Pass
11n(HT20)	CH64	2.82	11.00	Pass
11n(HT40)	CH54	-0.75	11.00	Pass
11n(HT40)	CH62	-0.75	11.00	Pass
11ac(VHT20)	CH52	3.08	11.00	Pass
11ac(VHT20)	CH60	3.05	11.00	Pass
11ac(VHT20)	CH64	2.89	11.00	Pass
11ac(VHT40)	CH54	-0.71	11.00	Pass
11ac(VHT40)	CH62	-0.75	11.00	Pass
11ac(VHT80)	CH58	-3.42	11.00	Pass
11ac(VHT160)	CH50	-6.19	11.00	Pass
11ax(HE20)-SU	CH52	2.71	11.00	Pass
11ax(HE20)-SU	CH60	2.49	11.00	Pass
11ax(HE20)-SU	CH64	2.41	11.00	Pass
11ax(HE40)-SU	CH54	-0.71	11.00	Pass
11ax(HE40)-SU	CH62	-0.76	11.00	Pass
11ax(HE80)-SU	CH58	-3.31	11.00	Pass
11ax(HE160)-SU	CH50	-6.00	11.00	Pass
11ax(HE20)-RU26	CH52	9.23	11.00	Pass
11ax(HE20)-RU26	CH60	9.23	11.00	Pass
11ax(HE20)-RU26	CH64	8.65	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	3.26	11.00	Pass
11a	CH116	3.49	11.00	Pass
11a	CH140	3.01	11.00	Pass
11a	CH144	3.33	11.00	Pass
11n(HT20)	CH100	3.11	11.00	Pass
11n(HT20)	CH116	3.23	11.00	Pass
11n(HT20)	CH140	2.76	11.00	Pass
11n(HT20)	CH144	3.07	11.00	Pass
11n(HT40)	CH102	-0.03	11.00	Pass
11n(HT40)	CH118	-0.08	11.00	Pass
11n(HT40)	CH134	-0.19	11.00	Pass
11n(HT40)	CH142	-0.61	11.00	Pass
11ac(VHT20)	CH100	3.11	11.00	Pass
11ac(VHT20)	CH116	3.18	11.00	Pass
11ac(VHT20)	CH140	2.79	11.00	Pass
11ac(VHT20)	CH144	3.06	11.00	Pass
11ac(VHT40)	CH102	-0.06	11.00	Pass
11ac(VHT40)	CH118	-0.17	11.00	Pass
11ac(VHT40)	CH134	-0.29	11.00	Pass
11ac(VHT40)	CH142	-0.55	11.00	Pass
11ac(VHT80)	CH106	-3.37	11.00	Pass
11ac(VHT80)	CH122	-3.70	11.00	Pass
11ac(VHT80)	CH138	-3.63	11.00	Pass
11ac(VHT160)	CH114	-6.68	11.00	Pass
11ax(HE20)-SU	CH100	2.71	11.00	Pass
11ax(HE20)-SU	CH116	2.83	11.00	Pass
11ax(HE20)-SU	CH140	2.90	11.00	Pass
11ax(HE20)-SU	CH144	2.59	11.00	Pass
11ax(HE40)-SU	CH102	-0.53	11.00	Pass
11ax(HE40)-SU	CH118	-0.65	11.00	Pass
11ax(HE40)-SU	CH134	-0.05	11.00	Pass
11ax(HE40)-SU	CH142	-0.59	11.00	Pass
11ax(HE80)-SU	CH106	-3.11	11.00	Pass
11ax(HE80)-SU	CH122	-3.62	11.00	Pass
11ax(HE80)-SU	CH138	-3.44	11.00	Pass
11ax(HE160)-SU	CH114	-6.56	11.00	Pass
11ax(HE20)-RU26	CH100	9.74	11.00	Pass
11ax(HE20)-RU26	CH116	9.72	11.00	Pass
11ax(HE20)-RU26	CH140	9.50	11.00	Pass
11ax(HE20)-RU26	CH144	9.43	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH144	0.29	30.00	Pass
11a	CH149	0.65	30.00	Pass
11a	CH157	0.27	30.00	Pass
11a	CH165	0.32	30.00	Pass
11n(HT20)	CH144	0.09	30.00	Pass
11n(HT20)	CH149	0.41	30.00	Pass
11n(HT20)	CH157	0.02	30.00	Pass
11n(HT20)	CH165	0.50	30.00	Pass
11n(HT40)	CH142	-3.47	30.00	Pass
11n(HT40)	CH151	-3.11	30.00	Pass
11n(HT40)	CH159	-3.71	30.00	Pass
11ac(VHT20)	CH144	0.12	30.00	Pass
11ac(VHT20)	CH149	0.42	30.00	Pass
11ac(VHT20)	CH157	0.06	30.00	Pass
11ac(VHT20)	CH165	-0.11	30.00	Pass
11ac(VHT40)	CH142	-3.39	30.00	Pass
11ac(VHT40)	CH151	-2.62	30.00	Pass
11ac(VHT40)	CH159	-3.76	30.00	Pass
11ac(VHT80)	CH138	-6.62	30.00	Pass
11ac(VHT80)	CH155	-6.04	30.00	Pass
11ax(HE20)-SU	CH144	-0.32	30.00	Pass
11ax(HE20)-SU	CH149	0.58	30.00	Pass
11ax(HE20)-SU	CH157	-0.37	30.00	Pass
11ax(HE20)-SU	CH165	0.10	30.00	Pass
11ax(HE40)-SU	CH142	-3.38	30.00	Pass
11ax(HE40)-SU	CH151	-3.00	30.00	Pass
11ax(HE40)-SU	CH159	-3.75	30.00	Pass
11ax(HE80)-SU	CH138	-6.41	30.00	Pass
11ax(HE80)-SU	CH155	-5.79	30.00	Pass
11ax(HE20)-RU26	CH144	6.75	30.00	Pass
11ax(HE20)-RU26	CH149	7.02	30.00	Pass
11ax(HE20)-RU26	CH157	6.59	30.00	Pass
11ax(HE20)-RU26	CH165	7.01	30.00	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH36	0.26	11.00	Pass
11n(HT20)	CH44	0.04	11.00	Pass
11n(HT20)	CH48	0.10	11.00	Pass
11n(HT40)	CH38	-3.98	11.00	Pass
11n(HT40)	CH46	-3.83	11.00	Pass
11ac(VHT20)	CH36	0.32	11.00	Pass
11ac(VHT20)	CH44	0.03	11.00	Pass
11ac(VHT20)	CH48	0.23	11.00	Pass
11ac(VHT40)	CH38	-3.20	11.00	Pass
11ac(VHT40)	CH46	-3.26	11.00	Pass
11ac(VHT80)	CH42	-5.84	11.00	Pass
11ac(VHT160)	CH50	-8.69	11.00	Pass
11ax(HE20)-SU	CH36	-0.21	11.00	Pass
11ax(HE20)-SU	CH44	-0.45	11.00	Pass
11ax(HE20)-SU	CH48	-0.12	11.00	Pass
11ax(HE40)-SU	CH38	-3.69	11.00	Pass
11ax(HE40)-SU	CH46	-3.74	11.00	Pass
11ax(HE80)-SU	CH42	-6.28	11.00	Pass
11ax(HE160)-SU	CH50	-9.11	11.00	Pass
11ax(HE20)-RU26	CH36	5.38	11.00	Pass
11ax(HE20)-RU26	CH44	3.88	11.00	Pass
11ax(HE20)-RU26	CH48	5.21	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH52	-0.31	11.00	Pass
11n(HT20)	CH60	-0.32	11.00	Pass
11n(HT20)	CH64	-0.47	11.00	Pass
11n(HT40)	CH54	-3.83	11.00	Pass
11n(HT40)	CH62	-3.84	11.00	Pass
11ac(VHT20)	CH52	-0.27	11.00	Pass
11ac(VHT20)	CH60	-0.24	11.00	Pass
11ac(VHT20)	CH64	-0.46	11.00	Pass
11ac(VHT40)	CH54	-3.81	11.00	Pass
11ac(VHT40)	CH62	-3.86	11.00	Pass
11ac(VHT80)	CH58	-6.29	11.00	Pass
11ac(VHT160)	CH50	-8.69	11.00	Pass
11ax(HE20)-SU	CH52	-0.14	11.00	Pass
11ax(HE20)-SU	CH60	-0.09	11.00	Pass
11ax(HE20)-SU	CH64	-0.41	11.00	Pass
11ax(HE40)-SU	CH54	-3.89	11.00	Pass
11ax(HE40)-SU	CH62	-3.92	11.00	Pass
11ax(HE80)-SU	CH58	-6.71	11.00	Pass
11ax(HE160)-SU	CH50	-9.11	11.00	Pass
11ax(HE20)-RU26	CH52	5.17	11.00	Pass
11ax(HE20)-RU26	CH60	5.71	11.00	Pass
11ax(HE20)-RU26	CH64	5.00	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH100	-0.03	11.00	Pass
11n(HT20)	CH116	0.02	11.00	Pass
11n(HT20)	CH140	-0.04	11.00	Pass
11n(HT20)	CH144	-0.02	11.00	Pass
11n(HT40)	CH102	-3.41	11.00	Pass
11n(HT40)	CH118	-3.52	11.00	Pass
11n(HT40)	CH134	-3.20	11.00	Pass
11n(HT40)	CH142	-3.61	11.00	Pass
11ac(VHT20)	CH100	-0.03	11.00	Pass
11ac(VHT20)	CH116	-0.01	11.00	Pass
11ac(VHT20)	CH140	-0.04	11.00	Pass
11ac(VHT20)	CH144	-0.22	11.00	Pass
11ac(VHT40)	CH102	-3.35	11.00	Pass
11ac(VHT40)	CH118	-3.52	11.00	Pass
11ac(VHT40)	CH134	-3.06	11.00	Pass
11ac(VHT40)	CH142	-3.49	11.00	Pass
11ac(VHT80)	CH106	-6.16	11.00	Pass
11ac(VHT80)	CH122	-6.49	11.00	Pass
11ac(VHT80)	CH138	-6.48	11.00	Pass
11ac(VHT160)	CH114	-9.32	11.00	Pass
11ax(HE20)-SU	CH100	-0.44	11.00	Pass
11ax(HE20)-SU	CH116	-0.28	11.00	Pass
11ax(HE20)-SU	CH140	-0.44	11.00	Pass
11ax(HE20)-SU	CH144	-0.37	11.00	Pass
11ax(HE40)-SU	CH102	-3.37	11.00	Pass
11ax(HE40)-SU	CH118	-3.44	11.00	Pass
11ax(HE40)-SU	CH134	-3.10	11.00	Pass
11ax(HE40)-SU	CH142	-3.74	11.00	Pass
11ax(HE80)-SU	CH106	-5.84	11.00	Pass
11ax(HE80)-SU	CH122	-6.12	11.00	Pass
11ax(HE80)-SU	CH138	-6.14	11.00	Pass
11ax(HE160)-SU	CH114	-8.82	11.00	Pass
11ax(HE20)-RU26	CH100	5.91	11.00	Pass
11ax(HE20)-RU26	CH116	6.26	11.00	Pass
11ax(HE20)-RU26	CH140	5.16	11.00	Pass
11ax(HE20)-RU26	CH144	4.98	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n(HT20)	CH144	-2.98	30.00	Pass
11n(HT20)	CH149	-2.03	30.00	Pass
11n(HT20)	CH157	-2.87	30.00	Pass
11n(HT20)	CH165	-2.99	30.00	Pass
11n(HT40)	CH142	-6.43	30.00	Pass
11n(HT40)	CH151	-5.36	30.00	Pass
11n(HT40)	CH159	-6.31	30.00	Pass
11ac(VHT20)	CH144	-2.90	30.00	Pass
11ac(VHT20)	CH149	-2.03	30.00	Pass
11ac(VHT20)	CH157	-2.80	30.00	Pass
11ac(VHT20)	CH165	-3.02	30.00	Pass
11ac(VHT40)	CH142	-6.39	30.00	Pass
11ac(VHT40)	CH151	-5.25	30.00	Pass
11ac(VHT40)	CH159	-6.47	30.00	Pass
11ac(VHT80)	CH138	-9.31	30.00	Pass
11ac(VHT80)	CH155	-8.55	30.00	Pass
11ax(HE20)-SU	CH144	-3.28	30.00	Pass
11ax(HE20)-SU	CH149	-2.35	30.00	Pass
11ax(HE20)-SU	CH157	-2.84	30.00	Pass
11ax(HE20)-SU	CH165	-3.02	30.00	Pass
11ax(HE40)-SU	CH142	-6.77	30.00	Pass
11ax(HE40)-SU	CH151	-5.93	30.00	Pass
11ax(HE40)-SU	CH159	-6.48	30.00	Pass
11ax(HE80)-SU	CH138	-9.21	30.00	Pass
11ax(HE80)-SU	CH155	-8.93	30.00	Pass
11ax(HE20)-RU26	CH144	2.57	30.00	Pass
11ax(HE20)-RU26	CH149	2.98	30.00	Pass
11ax(HE20)-RU26	CH157	2.66	30.00	Pass
11ax(HE20)-RU26	CH165	2.84	30.00	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH36	0.19	11.00	Pass
11n(HT20)	CH44	0.10	11.00	Pass
11n(HT20)	CH48	0.07	11.00	Pass
11n(HT40)	CH38	-3.61	11.00	Pass
11n(HT40)	CH46	-3.15	11.00	Pass
11ac(VHT20)	CH36	0.30	11.00	Pass
11ac(VHT20)	CH44	0.02	11.00	Pass
11ac(VHT20)	CH48	0.19	11.00	Pass
11ac(VHT40)	CH38	-3.36	11.00	Pass
11ac(VHT40)	CH46	-3.16	11.00	Pass
11ac(VHT80)	CH42	-6.26	11.00	Pass
11ac(VHT160)	CH50	-8.78	11.00	Pass
11ax(HE20)-SU	CH36	-0.22	11.00	Pass
11ax(HE20)-SU	CH44	-0.42	11.00	Pass
11ax(HE20)-SU	CH48	-0.36	11.00	Pass
11ax(HE40)-SU	CH38	-3.51	11.00	Pass
11ax(HE40)-SU	CH46	-3.92	11.00	Pass
11ax(HE80)-SU	CH42	-6.33	11.00	Pass
11ax(HE160)-SU	CH50	-9.29	11.00	Pass
11ax(HE20)-RU26	CH36	6.57	11.00	Pass
11ax(HE20)-RU26	CH44	5.98	11.00	Pass
11ax(HE20)-RU26	CH48	5.42	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH52	-0.36	11.00	Pass
11n(HT20)	CH60	-0.43	11.00	Pass
11n(HT20)	CH64	-0.63	11.00	Pass
11n(HT40)	CH54	-3.86	11.00	Pass
11n(HT40)	CH62	-3.90	11.00	Pass
11ac(VHT20)	CH52	-0.33	11.00	Pass
11ac(VHT20)	CH60	-0.47	11.00	Pass
11ac(VHT20)	CH64	-0.61	11.00	Pass
11ac(VHT40)	CH54	-3.77	11.00	Pass
11ac(VHT40)	CH62	-3.92	11.00	Pass
11ac(VHT80)	CH58	-6.54	11.00	Pass
11ac(VHT160)	CH50	-8.78	11.00	Pass
11ax(HE20)-SU	CH52	-0.32	11.00	Pass
11ax(HE20)-SU	CH60	-0.39	11.00	Pass
11ax(HE20)-SU	CH64	-0.52	11.00	Pass
11ax(HE40)-SU	CH54	-3.69	11.00	Pass
11ax(HE40)-SU	CH62	-3.77	11.00	Pass
11ax(HE80)-SU	CH58	-6.80	11.00	Pass
11ax(HE160)-SU	CH50	-9.29	11.00	Pass
11ax(HE20)-RU26	CH52	6.12	11.00	Pass
11ax(HE20)-RU26	CH60	5.84	11.00	Pass
11ax(HE20)-RU26	CH64	6.04	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH100	0.27	11.00	Pass
11n(HT20)	CH116	0.42	11.00	Pass
11n(HT20)	CH140	0.08	11.00	Pass
11n(HT20)	CH144	-0.31	11.00	Pass
11n(HT40)	CH102	-3.39	11.00	Pass
11n(HT40)	CH118	-3.00	11.00	Pass
11n(HT40)	CH134	-3.06	11.00	Pass
11n(HT40)	CH142	-3.38	11.00	Pass
11ac(VHT20)	CH100	0.24	11.00	Pass
11ac(VHT20)	CH116	0.34	11.00	Pass
11ac(VHT20)	CH140	0.04	11.00	Pass
11ac(VHT20)	CH144	0.23	11.00	Pass
11ac(VHT40)	CH102	-3.61	11.00	Pass
11ac(VHT40)	CH118	-2.97	11.00	Pass
11ac(VHT40)	CH134	-3.14	11.00	Pass
11ac(VHT40)	CH142	-3.49	11.00	Pass
11ac(VHT80)	CH106	-6.28	11.00	Pass
11ac(VHT80)	CH122	-6.74	11.00	Pass
11ac(VHT80)	CH138	-6.41	11.00	Pass
11ac(VHT160)	CH114	-9.55	11.00	Pass
11ax(HE20)-SU	CH100	-0.22	11.00	Pass
11ax(HE20)-SU	CH116	-0.16	11.00	Pass
11ax(HE20)-SU	CH140	-0.49	11.00	Pass
11ax(HE20)-SU	CH144	-0.20	11.00	Pass
11ax(HE40)-SU	CH102	-3.55	11.00	Pass
11ax(HE40)-SU	CH118	-3.64	11.00	Pass
11ax(HE40)-SU	CH134	-3.09	11.00	Pass
11ax(HE40)-SU	CH142	-3.99	11.00	Pass
11ax(HE80)-SU	CH106	-6.14	11.00	Pass
11ax(HE80)-SU	CH122	-6.59	11.00	Pass
11ax(HE80)-SU	CH138	-6.32	11.00	Pass
11ax(HE160)-SU	CH114	-9.60	11.00	Pass
11ax(HE20)-RU26	CH100	5.90	11.00	Pass
11ax(HE20)-RU26	CH116	6.37	11.00	Pass
11ax(HE20)-RU26	CH140	5.65	11.00	Pass
11ax(HE20)-RU26	CH144	5.89	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n(HT20)	CH144	-3.14	30.00	Pass
11n(HT20)	CH149	-2.28	30.00	Pass
11n(HT20)	CH157	-3.34	30.00	Pass
11n(HT20)	CH165	-2.89	30.00	Pass
11n(HT40)	CH142	-6.16	30.00	Pass
11n(HT40)	CH151	-5.94	30.00	Pass
11n(HT40)	CH159	-6.58	30.00	Pass
11ac(VHT20)	CH144	-2.62	30.00	Pass
11ac(VHT20)	CH149	-2.36	30.00	Pass
11ac(VHT20)	CH157	-3.20	30.00	Pass
11ac(VHT20)	CH165	-2.85	30.00	Pass
11ac(VHT40)	CH142	-6.25	30.00	Pass
11ac(VHT40)	CH151	-6.05	30.00	Pass
11ac(VHT40)	CH159	-6.53	30.00	Pass
11ac(VHT80)	CH138	-9.33	30.00	Pass
11ac(VHT80)	CH155	-9.00	30.00	Pass
11ax(HE20)-SU	CH144	-2.62	30.00	Pass
11ax(HE20)-SU	CH149	-2.79	30.00	Pass
11ax(HE20)-SU	CH157	-3.15	30.00	Pass
11ax(HE20)-SU	CH165	-3.18	30.00	Pass
11ax(HE40)-SU	CH142	-6.68	30.00	Pass
11ax(HE40)-SU	CH151	-5.94	30.00	Pass
11ax(HE40)-SU	CH159	-7.12	30.00	Pass
11ax(HE80)-SU	CH138	-9.22	30.00	Pass
11ax(HE80)-SU	CH155	-9.20	30.00	Pass
11ax(HE20)-RU26	CH144	3.47	30.00	Pass
11ax(HE20)-RU26	CH149	3.93	30.00	Pass
11ax(HE20)-RU26	CH157	3.87	30.00	Pass
11ax(HE20)-RU26	CH165	3.58	30.00	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH36	3.24	11.00	Pass
11n(HT20)	CH44	3.08	11.00	Pass
11n(HT20)	CH48	3.10	11.00	Pass
11n(HT40)	CH38	-0.78	11.00	Pass
11n(HT40)	CH46	-0.47	11.00	Pass
11ac(VHT20)	CH36	3.32	11.00	Pass
11ac(VHT20)	CH44	3.04	11.00	Pass
11ac(VHT20)	CH48	3.22	11.00	Pass
11ac(VHT40)	CH38	-0.27	11.00	Pass
11ac(VHT40)	CH46	-0.20	11.00	Pass
11ac(VHT80)	CH42	-3.03	11.00	Pass
11ac(VHT160)	CH50	-5.72	11.00	Pass
11ax(HE20)-SU	CH36	2.80	11.00	Pass
11ax(HE20)-SU	CH44	2.58	11.00	Pass
11ax(HE20)-SU	CH48	2.77	11.00	Pass
11ax(HE40)-SU	CH38	-0.59	11.00	Pass
11ax(HE40)-SU	CH46	-0.82	11.00	Pass
11ax(HE80)-SU	CH42	-3.29	11.00	Pass
11ax(HE160)-SU	CH50	-6.19	11.00	Pass
11ax(HE20)-RU26	CH36	9.03	11.00	Pass
11ax(HE20)-RU26	CH44	8.07	11.00	Pass
11ax(HE20)-RU26	CH48	8.33	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH52	2.68	11.00	Pass
11n(HT20)	CH60	2.64	11.00	Pass
11n(HT20)	CH64	2.46	11.00	Pass
11n(HT40)	CH54	-0.83	11.00	Pass
11n(HT40)	CH62	-0.86	11.00	Pass
11ac(VHT20)	CH52	2.71	11.00	Pass
11ac(VHT20)	CH60	2.66	11.00	Pass
11ac(VHT20)	CH64	2.48	11.00	Pass
11ac(VHT40)	CH54	-0.78	11.00	Pass
11ac(VHT40)	CH62	-0.88	11.00	Pass
11ac(VHT80)	CH58	-3.40	11.00	Pass
11ac(VHT160)	CH50	-5.72	11.00	Pass
11ax(HE20)-SU	CH52	2.78	11.00	Pass
11ax(HE20)-SU	CH60	2.77	11.00	Pass
11ax(HE20)-SU	CH64	2.55	11.00	Pass
11ax(HE40)-SU	CH54	-0.78	11.00	Pass
11ax(HE40)-SU	CH62	-0.83	11.00	Pass
11ax(HE80)-SU	CH58	-3.74	11.00	Pass
11ax(HE160)-SU	CH50	-6.19	11.00	Pass
11ax(HE20)-RU26	CH52	8.68	11.00	Pass
11ax(HE20)-RU26	CH60	8.79	11.00	Pass
11ax(HE20)-RU26	CH64	8.56	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n(HT20)	CH100	3.13	11.00	Pass
11n(HT20)	CH116	3.23	11.00	Pass
11n(HT20)	CH140	3.03	11.00	Pass
11n(HT20)	CH144	2.85	11.00	Pass
11n(HT40)	CH102	-0.39	11.00	Pass
11n(HT40)	CH118	-0.24	11.00	Pass
11n(HT40)	CH134	-0.12	11.00	Pass
11n(HT40)	CH142	-0.48	11.00	Pass
11ac(VHT20)	CH100	3.12	11.00	Pass
11ac(VHT20)	CH116	3.18	11.00	Pass
11ac(VHT20)	CH140	3.01	11.00	Pass
11ac(VHT20)	CH144	3.02	11.00	Pass
11ac(VHT40)	CH102	-0.47	11.00	Pass
11ac(VHT40)	CH118	-0.23	11.00	Pass
11ac(VHT40)	CH134	-0.09	11.00	Pass
11ac(VHT40)	CH142	-0.48	11.00	Pass
11ac(VHT80)	CH106	-3.21	11.00	Pass
11ac(VHT80)	CH122	-3.60	11.00	Pass
11ac(VHT80)	CH138	-3.43	11.00	Pass
11ac(VHT160)	CH114	-6.42	11.00	Pass
11ax(HE20)-SU	CH100	2.68	11.00	Pass
11ax(HE20)-SU	CH116	2.79	11.00	Pass
11ax(HE20)-SU	CH140	2.55	11.00	Pass
11ax(HE20)-SU	CH144	2.73	11.00	Pass
11ax(HE40)-SU	CH102	-0.45	11.00	Pass
11ax(HE40)-SU	CH118	-0.53	11.00	Pass
11ax(HE40)-SU	CH134	-0.08	11.00	Pass
11ax(HE40)-SU	CH142	-0.85	11.00	Pass
11ax(HE80)-SU	CH106	-2.98	11.00	Pass
11ax(HE80)-SU	CH122	-3.34	11.00	Pass
11ax(HE80)-SU	CH138	-3.22	11.00	Pass
11ax(HE160)-SU	CH114	-6.18	11.00	Pass
11ax(HE20)-RU26	CH100	8.92	11.00	Pass
11ax(HE20)-RU26	CH116	9.33	11.00	Pass
11ax(HE20)-RU26	CH140	8.42	11.00	Pass
11ax(HE20)-RU26	CH144	8.47	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n(HT20)	CH144	-0.05	30.00	Pass
11n(HT20)	CH149	0.86	30.00	Pass
11n(HT20)	CH157	-0.09	30.00	Pass
11n(HT20)	CH165	0.07	30.00	Pass
11n(HT40)	CH142	-3.28	30.00	Pass
11n(HT40)	CH151	-2.63	30.00	Pass
11n(HT40)	CH159	-3.43	30.00	Pass
11ac(VHT20)	CH144	0.25	30.00	Pass
11ac(VHT20)	CH149	0.82	30.00	Pass
11ac(VHT20)	CH157	0.01	30.00	Pass
11ac(VHT20)	CH165	0.08	30.00	Pass
11ac(VHT40)	CH142	-3.31	30.00	Pass
11ac(VHT40)	CH151	-2.62	30.00	Pass
11ac(VHT40)	CH159	-3.49	30.00	Pass
11ac(VHT80)	CH138	-6.31	30.00	Pass
11ac(VHT80)	CH155	-5.76	30.00	Pass
11ax(HE20)-SU	CH144	0.07	30.00	Pass
11ax(HE20)-SU	CH149	0.45	30.00	Pass
11ax(HE20)-SU	CH157	0.02	30.00	Pass
11ax(HE20)-SU	CH165	-0.09	30.00	Pass
11ax(HE40)-SU	CH142	-3.71	30.00	Pass
11ax(HE40)-SU	CH151	-2.92	30.00	Pass
11ax(HE40)-SU	CH159	-3.78	30.00	Pass
11ax(HE80)-SU	CH138	-6.20	30.00	Pass
11ax(HE80)-SU	CH155	-6.05	30.00	Pass
11ax(HE20)-RU26	CH144	6.05	30.00	Pass
11ax(HE20)-RU26	CH149	6.49	30.00	Pass
11ax(HE20)-RU26	CH157	6.32	30.00	Pass
11ax(HE20)-RU26	CH165	6.24	30.00	Pass

A.5 Conducted Emissions

Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

Speed

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.152	44.96	10.41	65.89	-20.93	Peak	L	Pass
1**	0.152	34.79	10.41	55.89	-21.10	AV	L	Pass
2	0.200	53.32	10.38	63.61	-10.29	Peak	L	Pass
2**	0.200	37.76	10.38	53.61	-15.85	AV	L	Pass
3	0.252	47.43	10.34	61.69	-14.26	Peak	L	Pass
3**	0.252	36.65	10.34	51.69	-15.04	AV	L	Pass
4	0.466	42.35	10.30	56.58	-14.23	Peak	L	Pass
4**	0.466	34.38	10.30	46.58	-12.20	AV	L	Pass
5	3.926	47.08	10.29	56.00	-8.92	Peak	L	Pass
5**	3.926	32.86	10.29	46.00	-13.14	AV	L	Pass
6	22.242	45.11	10.60	60.00	-14.89	Peak	L	Pass
6**	22.242	29.06	10.60	50.00	-20.94	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B




No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.156	60.44	10.41	65.67	-5.23	Peak	N	N/A
1*	0.156	56.46	10.41	65.67	-9.21	QP	N	Pass
1**	0.156	45.94	10.41	55.67	-9.73	AV	N	Pass
2	0.158	54.53	10.40	65.57	-11.04	Peak	N	Pass
2**	0.158	49.13	10.40	55.57	-6.44	AV	N	Pass
3	0.166	60.21	10.40	65.16	-4.95	Peak	N	N/A
3*	0.166	56.34	10.40	65.16	-8.82	QP	N	Pass
3**	0.166	40.85	10.40	55.16	-14.31	AV	N	Pass
4	0.198	52.57	10.38	63.69	-11.12	Peak	N	Pass
4**	0.198	27.96	10.38	53.69	-25.73	AV	N	Pass
5	2.014	44.71	10.25	56.00	-11.29	Peak	N	Pass
5**	2.014	32.32	10.25	46.00	-13.68	AV	N	Pass

South Star

PHASE L


CE Test case_FCC_CE_FCC PART 15B_ Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	48.24	10.41	66.00	-17.76	Peak	L	Pass
1**	0.150	30.20	10.41	56.00	-25.80	AV	L	Pass
2	0.252	40.54	10.34	61.69	-21.15	Peak	L	Pass
2**	0.252	26.83	10.34	51.69	-24.86	AV	L	Pass
3	0.828	36.34	10.26	56.00	-19.66	Peak	L	Pass
3**	0.828	25.25	10.26	46.00	-20.75	AV	L	Pass
4	1.538	35.69	10.24	56.00	-20.31	Peak	L	Pass
4**	1.538	24.72	10.24	46.00	-21.28	AV	L	Pass
5	2.688	36.51	10.28	56.00	-19.49	Peak	L	Pass
5**	2.688	24.48	10.28	46.00	-21.52	AV	L	Pass
6	6.070	38.93	10.32	60.00	-21.07	Peak	L	Pass
6**	6.070	24.87	10.32	50.00	-25.13	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_ Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.152	49.56	10.41	65.89	-16.33	Peak	N	Pass
1**	0.152	31.36	10.41	55.89	-24.53	AV	N	Pass
2	0.270	40.12	10.34	61.12	-21.00	Peak	N	Pass
2**	0.270	27.26	10.34	51.12	-23.86	AV	N	Pass
3	0.484	37.45	10.29	56.27	-18.82	Peak	N	Pass
3**	0.484	26.43	10.29	46.27	-19.84	AV	N	Pass
4	1.474	35.78	10.25	56.00	-20.22	Peak	N	Pass
4**	1.474	23.69	10.25	46.00	-22.31	AV	N	Pass
5	4.752	37.30	10.30	56.00	-18.70	Peak	N	Pass
5**	4.752	24.26	10.30	46.00	-21.74	AV	N	Pass
6	17.788	36.39	10.49	60.00	-23.61	Peak	N	Pass
6**	17.788	23.80	10.49	50.00	-26.20	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Test Data

Note¹: The symbol of "--" in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Speed

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	105.078	28.25	-28.62	43.5	-15.25	Peak	163.00	200	Horizontal	Pass
2	176.421	29.22	-26.67	43.5	-14.28	Peak	360.00	200	Horizontal	Pass
3	280.066	31.99	-24.99	46.0	-14.01	Peak	91.00	100	Horizontal	Pass
4	340.934	37.44	-22.93	46.0	-8.56	Peak	354.00	100	Horizontal	Pass
5	471.156	32.52	-19.58	46.0	-13.48	Peak	136.00	200	Horizontal	Pass
6	700.076	33.12	-14.29	46.0	-12.88	Peak	231.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	50.855	30.67	-26.48	40.0	-9.33	Peak	360.00	200	Vertical	Pass
2	103.381	25.64	-28.94	43.5	-17.86	Peak	353.00	100	Vertical	Pass
3	175.112	27.08	-26.33	43.5	-16.42	Peak	341.00	100	Vertical	Pass
4	409.658	33.73	-21.02	46.0	-12.27	Peak	348.00	100	Vertical	Pass
5	500.110	36.78	-19.06	46.0	-9.22	Peak	341.00	100	Vertical	Pass
6	708.661	34.12	-14.76	46.0	-11.88	Peak	335.00	200	Vertical	Pass

South Star

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.000	22.88	-27.20	40.0	-17.12	Peak	360.00	200	Horizontal	Pass
2	89.267	25.48	-30.17	43.5	-18.02	Peak	2.00	100	Horizontal	Pass
3	221.915	30.84	-27.36	46.0	-15.16	Peak	59.00	200	Horizontal	Pass
4	279.726	31.33	-24.98	46.0	-14.67	Peak	360.00	200	Horizontal	Pass
5	366.930	30.87	-22.36	46.0	-15.13	Peak	360.00	200	Horizontal	Pass
6	518.153	30.75	-18.55	46.0	-15.25	Peak	178.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.817	37.21	-27.15	40.0	-2.79	Peak	0.00	122	Vertical	N/A
1*	30.817	32.04	-27.15	40.0	-7.96	QP	0.00	122	Vertical	Pass
2	49.934	27.53	-26.62	40.0	-12.47	Peak	164.00	100	Vertical	Pass
3	223.612	27.62	-27.19	46.0	-18.38	Peak	178.00	200	Vertical	Pass
4	392.732	28.62	-21.66	46.0	-17.38	Peak	0.00	200	Vertical	Pass
5	584.064	30.26	-17.21	46.0	-15.74	Peak	147.00	100	Vertical	Pass
6	664.865	30.71	-14.98	46.0	-15.29	Peak	233.00	100	Vertical	Pass

Note 1: The spurious above 18G is noise only, do not show on the report.

Note 2: RU and SU modes have been pre-tested, SU mode is the worst, and presented in the report

Speed

Main Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.400	42.12	-15.24	74.0	-31.88	Peak	157.00	150	Horizontal	Pass
1**	1682.400	31.54	-15.24	54.0	-22.46	AV	157.00	150	Horizontal	Pass
2	2860.900	41.86	-7.98	74.0	-32.14	Peak	242.00	150	Horizontal	Pass
2**	2860.900	32.37	-7.98	54.0	-21.63	AV	242.00	150	Horizontal	Pass
3	4178.000	47.17	-3.96	74.0	-26.83	Peak	116.00	150	Horizontal	Pass
3**	4178.000	35.66	-3.96	54.0	-18.34	AV	116.00	150	Horizontal	Pass
4	5182.000	101.34	-0.57	--	-166.66	Peak	268.00	150	Horizontal	N/A
4**	5182.000	94.78	-0.57	--	94.78	AV	268.00	150	Horizontal	N/A
5	11624.438	50.41	20.27	74.0	-23.59	Peak	88.00	150	Horizontal	Pass
5**	11624.438	39.04	20.27	54.0	-14.96	AV	88.00	150	Horizontal	Pass
6	15949.088	55.07	23.94	74.0	-18.93	Peak	5.00	150	Horizontal	Pass
6**	15949.088	44.22	23.94	54.0	-9.78	AV	5.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.100	42.28	-15.04	74.0	-31.72	Peak	277.00	150	Vertical	Pass
1**	1173.100	31.65	-15.04	54.0	-22.35	AV	277.00	150	Vertical	Pass
2	2886.000	41.91	-8.19	74.0	-32.09	Peak	140.00	150	Vertical	Pass
2**	2886.000	31.69	-8.19	54.0	-22.31	AV	140.00	150	Vertical	Pass
3	4182.400	46.70	-3.92	74.0	-27.30	Peak	185.00	150	Vertical	Pass
3**	4182.400	35.00	-3.92	54.0	-19.00	AV	185.00	150	Vertical	Pass
4	5182.600	99.95	-0.57	--	-54.05	Peak	154.00	150	Vertical	N/A
4**	5182.600	92.16	-0.57	--	92.16	AV	154.00	150	Vertical	N/A
5	11641.975	49.73	20.37	74.0	-24.27	Peak	311.00	150	Vertical	Pass
5**	11641.975	38.66	20.37	54.0	-15.34	AV	311.00	150	Vertical	Pass
6	15612.826	54.57	23.48	74.0	-19.43	Peak	246.00	150	Vertical	Pass
6**	15612.826	44.17	23.48	54.0	-9.83	AV	246.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.700	42.97	-15.27	74.0	-31.03	Peak	159.00	150	Horizontal	Pass
1**	1675.700	34.15	-15.27	54.0	-19.85	AV	159.00	150	Horizontal	Pass
2	2857.600	41.65	-8.06	74.0	-32.35	Peak	69.00	150	Horizontal	Pass
2**	2857.600	31.57	-8.06	54.0	-22.43	AV	69.00	150	Horizontal	Pass
3	4189.000	48.05	-3.94	74.0	-25.95	Peak	176.00	150	Horizontal	Pass
3**	4189.000	36.33	-3.94	54.0	-17.67	AV	176.00	150	Horizontal	Pass
4	5217.600	101.72	-0.27	--	-173.28	Peak	275.00	150	Horizontal	N/A
4**	5217.600	95.15	-0.27	--	95.15	AV	275.00	150	Horizontal	N/A
5	11663.537	49.67	20.23	74.0	-24.33	Peak	142.00	150	Horizontal	Pass
5**	11663.537	37.86	20.23	54.0	-16.14	AV	142.00	150	Horizontal	Pass
6	16065.375	54.78	24.11	74.0	-19.22	Peak	143.00	150	Horizontal	Pass
6**	16065.375	43.91	24.11	54.0	-10.09	AV	143.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.200	41.87	-14.88	74.0	-32.13	Peak	280.00	150	Vertical	Pass
1**	1165.200	31.29	-14.88	54.0	-22.71	AV	280.00	150	Vertical	Pass
2	2849.200	42.02	-8.23	74.0	-31.98	Peak	105.00	150	Vertical	Pass
2**	2849.200	31.90	-8.23	54.0	-22.10	AV	105.00	150	Vertical	Pass
3	3993.600	47.41	-4.54	74.0	-26.59	Peak	90.00	150	Vertical	Pass
3**	3993.600	34.51	-4.54	54.0	-19.49	AV	90.00	150	Vertical	Pass
4	5216.000	100.92	-0.29	--	-49.08	Peak	150.00	150	Vertical	N/A
4**	5216.000	93.95	-0.29	--	93.95	AV	150.00	150	Vertical	N/A
5	11598.850	50.08	20.12	74.0	-23.92	Peak	47.00	150	Vertical	Pass
5**	11598.850	39.85	20.12	54.0	-14.15	AV	47.00	150	Vertical	Pass
6	15551.662	55.10	23.60	74.0	-18.90	Peak	225.00	150	Vertical	Pass
6**	15551.662	44.23	23.60	54.0	-9.77	AV	225.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.900	42.24	-15.22	74.0	-31.76	Peak	155.00	150	Horizontal	Pass
1**	1678.900	33.16	-15.22	54.0	-20.84	AV	155.00	150	Horizontal	Pass
2	2861.400	41.62	-7.99	74.0	-32.38	Peak	340.00	150	Horizontal	Pass
2**	2861.400	33.27	-7.99	54.0	-20.73	AV	340.00	150	Horizontal	Pass
3	4076.400	46.51	-3.96	74.0	-27.49	Peak	200.00	150	Horizontal	Pass
3**	4076.400	35.30	-3.96	54.0	-18.70	AV	200.00	150	Horizontal	Pass
4	5241.600	100.67	-0.93	--	-172.33	Peak	273.00	150	Horizontal	N/A
4**	5241.600	95.09	-0.93	--	95.09	AV	273.00	150	Horizontal	N/A
5	11545.088	49.74	19.66	74.0	-24.26	Peak	81.00	150	Horizontal	Pass
5**	11545.088	38.11	19.66	54.0	-15.89	AV	81.00	150	Horizontal	Pass
6	16002.638	55.70	24.01	74.0	-18.30	Peak	6.00	150	Horizontal	Pass
6**	16002.638	43.45	24.01	54.0	-10.55	AV	6.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.400	41.50	-15.10	74.0	-32.50	Peak	284.00	150	Vertical	Pass
1**	1184.400	32.61	-15.10	54.0	-21.39	AV	284.00	150	Vertical	Pass
2	2875.700	41.79	-8.35	74.0	-32.21	Peak	215.00	150	Vertical	Pass
2**	2875.700	32.66	-8.35	54.0	-21.34	AV	215.00	150	Vertical	Pass
3	4263.200	47.16	-3.25	74.0	-26.84	Peak	186.00	150	Vertical	Pass
3**	4263.200	36.36	-3.25	54.0	-17.64	AV	186.00	150	Vertical	Pass
4	5241.400	100.17	-0.94	--	-47.83	Peak	148.00	150	Vertical	N/A
4**	5241.400	93.47	-0.94	--	93.47	AV	148.00	150	Vertical	N/A
5	11609.775	49.85	20.18	74.0	-24.15	Peak	342.00	150	Vertical	Pass
5**	11609.775	37.85	20.18	54.0	-16.15	AV	342.00	150	Vertical	Pass
6	15488.137	54.78	23.78	74.0	-19.22	Peak	283.00	150	Vertical	Pass
6**	15488.137	43.15	23.78	54.0	-10.85	AV	283.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.300	44.47	-15.21	74.0	-29.53	Peak	213.00	150	Horizontal	Pass
1**	1666.300	31.98	-15.21	54.0	-22.02	AV	213.00	150	Horizontal	Pass
2	2813.100	41.19	-8.37	74.0	-32.81	Peak	29.00	150	Horizontal	Pass
2**	2813.100	31.86	-8.37	54.0	-22.14	AV	29.00	150	Horizontal	Pass
3	4129.200	46.68	-4.08	74.0	-27.32	Peak	161.00	150	Horizontal	Pass
3**	4129.200	35.12	-4.08	54.0	-18.88	AV	161.00	150	Horizontal	Pass
4	5183.200	101.35	-0.58	--	-167.65	Peak	269.00	150	Horizontal	N/A
4**	5183.200	94.61	-0.58	--	94.61	AV	269.00	150	Horizontal	N/A
5	12226.463	50.39	20.44	74.0	-23.61	Peak	20.00	150	Horizontal	Pass
5**	12226.463	38.05	20.44	54.0	-15.95	AV	20.00	150	Horizontal	Pass
6	15909.713	55.15	23.45	74.0	-18.85	Peak	257.00	150	Horizontal	Pass
6**	15909.713	43.08	23.45	54.0	-10.92	AV	257.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.500	41.16	-14.77	74.0	-32.84	Peak	316.00	150	Vertical	Pass
1**	1218.500	30.98	-14.77	54.0	-23.02	AV	316.00	150	Vertical	Pass
2	2804.600	42.12	-8.75	74.0	-31.88	Peak	128.00	150	Vertical	Pass
2**	2804.600	32.07	-8.75	54.0	-21.93	AV	128.00	150	Vertical	Pass
3	4236.600	47.33	-3.36	74.0	-26.67	Peak	198.00	150	Vertical	Pass
3**	4236.600	36.81	-3.36	54.0	-17.19	AV	198.00	150	Vertical	Pass
4	5182.000	99.74	-0.57	--	-52.26	Peak	152.00	150	Vertical	N/A
4**	5182.000	92.24	-0.57	--	92.24	AV	152.00	150	Vertical	N/A
5	12145.100	50.43	19.88	74.0	-23.57	Peak	96.00	150	Vertical	Pass
5**	12145.100	38.41	19.88	54.0	-15.59	AV	96.00	150	Vertical	Pass
6	16008.412	54.95	24.00	74.0	-19.05	Peak	269.00	150	Vertical	Pass
6**	16008.412	43.45	24.00	54.0	-10.55	AV	269.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	41.93	-14.79	74.0	-32.07	Peak	360.00	150	Horizontal	Pass
1**	1327.700	32.46	-14.79	54.0	-21.54	AV	360.00	150	Horizontal	Pass
2	2753.300	41.26	-9.02	74.0	-32.74	Peak	43.00	150	Horizontal	Pass
2**	2753.300	31.42	-9.02	54.0	-22.58	AV	43.00	150	Horizontal	Pass
3	4243.200	48.43	-3.29	74.0	-25.57	Peak	360.00	150	Horizontal	Pass
3**	4243.200	35.27	-3.29	54.0	-18.73	AV	360.00	150	Horizontal	Pass
4	5216.600	101.11	-0.30	--	-164.89	Peak	266.00	150	Horizontal	N/A
4**	5216.600	94.61	-0.30	--	94.61	AV	266.00	150	Horizontal	N/A
5	12317.312	50.24	19.93	74.0	-23.76	Peak	234.00	150	Horizontal	Pass
5**	12317.312	38.35	19.93	54.0	-15.65	AV	234.00	150	Horizontal	Pass
6	15560.849	55.58	23.58	74.0	-18.42	Peak	90.00	150	Horizontal	Pass
6**	15560.849	43.56	23.58	54.0	-10.44	AV	90.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.900	41.34	-14.76	74.0	-32.66	Peak	304.00	150	Vertical	Pass
1**	1218.900	31.37	-14.76	54.0	-22.63	AV	304.00	150	Vertical	Pass
2	2797.700	41.51	-8.83	74.0	-32.49	Peak	70.00	150	Vertical	Pass
2**	2797.700	31.61	-8.83	54.0	-22.39	AV	70.00	150	Vertical	Pass
3	3988.600	47.07	-4.32	74.0	-26.93	Peak	73.00	150	Vertical	Pass
3**	3988.600	35.87	-4.32	54.0	-18.13	AV	73.00	150	Vertical	Pass
4	5218.200	100.48	-0.24	--	-54.52	Peak	155.00	150	Vertical	N/A
4**	5218.200	94.43	-0.24	--	94.43	AV	155.00	150	Vertical	N/A
5	11623.576	50.33	20.26	74.0	-23.67	Peak	59.00	150	Vertical	Pass
5**	11623.576	38.75	20.26	54.0	-15.25	AV	59.00	150	Vertical	Pass
6	15608.887	55.62	23.50	74.0	-18.38	Peak	360.00	150	Vertical	Pass
6**	15608.887	43.82	23.50	54.0	-10.18	AV	360.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.400	42.78	-15.21	74.0	-31.22	Peak	155.00	150	Horizontal	Pass
1**	1667.400	33.48	-15.21	54.0	-20.52	AV	155.00	150	Horizontal	Pass
2	2829.200	41.69	-8.25	74.0	-32.31	Peak	325.00	150	Horizontal	Pass
2**	2829.200	32.89	-8.25	54.0	-21.11	AV	325.00	150	Horizontal	Pass
3	4069.000	46.93	-3.83	74.0	-27.07	Peak	209.00	150	Horizontal	Pass
3**	4069.000	34.94	-3.83	54.0	-19.06	AV	209.00	150	Horizontal	Pass
4	5244.200	100.70	-0.81	--	-171.30	Peak	272.00	150	Horizontal	N/A
4**	5244.200	94.17	-0.81	--	94.17	AV	272.00	150	Horizontal	N/A
5	11619.838	49.77	20.24	74.0	-24.23	Peak	231.00	150	Horizontal	Pass
5**	11619.838	39.24	20.24	54.0	-14.76	AV	231.00	150	Horizontal	Pass
6	15560.063	56.05	23.58	74.0	-17.95	Peak	42.00	150	Horizontal	Pass
6**	15560.063	43.66	23.58	54.0	-10.34	AV	42.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.000	39.80	-14.70	74.0	-34.20	Peak	320.00	150	Vertical	Pass
1**	1225.000	29.07	-14.70	54.0	-24.93	AV	320.00	150	Vertical	Pass
2	2749.200	42.00	-8.96	74.0	-32.00	Peak	136.00	150	Vertical	Pass
2**	2749.200	32.96	-8.96	54.0	-21.04	AV	136.00	150	Vertical	Pass
3	3983.400	47.00	-4.27	74.0	-27.00	Peak	92.00	150	Vertical	Pass
3**	3983.400	37.77	-4.27	54.0	-16.23	AV	92.00	150	Vertical	Pass
4	5236.400	100.72	-0.80	--	-53.28	Peak	154.00	150	Vertical	N/A
4**	5236.400	93.85	-0.80	--	93.85	AV	154.00	150	Vertical	N/A
5	12315.588	50.32	19.93	74.0	-23.68	Peak	336.00	150	Vertical	Pass
5**	12315.588	37.49	19.93	54.0	-16.51	AV	336.00	150	Vertical	Pass
6	15935.963	56.29	23.85	74.0	-17.71	Peak	222.00	150	Vertical	Pass
6**	15935.963	44.25	23.85	54.0	-9.75	AV	222.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	42.33	-15.22	74.0	-31.67	Peak	209.00	150	Horizontal	Pass
1**	1668.200	33.19	-15.22	54.0	-20.81	AV	209.00	150	Horizontal	Pass
2	2864.200	41.35	-8.04	74.0	-32.65	Peak	250.00	150	Horizontal	Pass
2**	2864.200	32.81	-8.04	54.0	-21.19	AV	250.00	150	Horizontal	Pass
3	4240.800	46.92	-3.38	74.0	-27.08	Peak	0.00	150	Horizontal	Pass
3**	4240.800	35.57	-3.38	54.0	-18.43	AV	0.00	150	Horizontal	Pass
4	5201.800	98.93	-0.46	--	-174.07	Peak	273.00	150	Horizontal	N/A
4**	5201.800	94.35	-0.46	--	94.35	AV	273.00	150	Horizontal	N/A
5	12208.638	50.52	20.44	74.0	-23.48	Peak	86.00	150	Horizontal	Pass
5**	12208.638	39.53	20.44	54.0	-14.47	AV	86.00	150	Horizontal	Pass
6	15640.912	55.54	23.56	74.0	-18.46	Peak	84.00	150	Horizontal	Pass
6**	15640.912	42.99	23.56	54.0	-11.01	AV	84.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.000	42.15	-15.27	74.0	-31.85	Peak	292.00	150	Vertical	Pass
1**	1193.000	32.00	-15.27	54.0	-22.00	AV	292.00	150	Vertical	Pass
2	2892.400	41.86	-7.98	74.0	-32.14	Peak	276.00	150	Vertical	Pass
2**	2892.400	32.80	-7.98	54.0	-21.20	AV	276.00	150	Vertical	Pass
3	3999.600	47.48	-4.51	74.0	-26.52	Peak	81.00	150	Vertical	Pass
3**	3999.600	35.99	-4.51	54.0	-18.01	AV	81.00	150	Vertical	Pass
4	5179.600	96.99	-0.62	--	-59.01	Peak	156.00	150	Vertical	N/A
4**	5179.600	89.19	-0.62	--	89.19	AV	156.00	150	Vertical	N/A
5	11611.213	49.93	20.19	74.0	-24.07	Peak	71.00	150	Vertical	Pass
5**	11611.213	38.04	20.19	54.0	-15.96	AV	71.00	150	Vertical	Pass
6	16003.687	55.17	24.01	74.0	-18.83	Peak	228.00	150	Vertical	Pass
6**	16003.687	42.31	24.01	54.0	-11.69	AV	228.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	43.16	-15.23	74.0	-30.84	Peak	157.00	150	Horizontal	Pass
1**	1669.900	33.33	-15.23	54.0	-20.67	AV	157.00	150	Horizontal	Pass
2	2892.700	42.06	-8.01	74.0	-31.94	Peak	132.00	150	Horizontal	Pass
2**	2892.700	32.46	-8.01	54.0	-21.54	AV	132.00	150	Horizontal	Pass
3	4102.000	47.02	-4.26	74.0	-26.98	Peak	360.00	150	Horizontal	Pass
3**	4102.000	34.94	-4.26	54.0	-19.06	AV	360.00	150	Horizontal	Pass
4	5225.000	99.44	-0.45	--	-172.56	Peak	272.00	150	Horizontal	N/A
4**	5225.000	91.63	-0.45	--	91.63	AV	272.00	150	Horizontal	N/A
5	11647.438	50.80	20.38	74.0	-23.20	Peak	325.00	150	Horizontal	Pass
5**	11647.438	37.66	20.38	54.0	-16.34	AV	325.00	150	Horizontal	Pass
6	15627.787	55.05	23.49	74.0	-18.95	Peak	309.00	150	Horizontal	Pass
6**	15627.787	43.41	23.49	54.0	-10.59	AV	309.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.000	42.20	-15.04	74.0	-31.80	Peak	310.00	150	Vertical	Pass
1**	1176.000	30.82	-15.04	54.0	-23.18	AV	310.00	150	Vertical	Pass
2	2861.400	42.23	-7.99	74.0	-31.77	Peak	154.00	150	Vertical	Pass
2**	2861.400	32.01	-7.99	54.0	-21.99	AV	154.00	150	Vertical	Pass
3	4300.600	47.89	-3.54	74.0	-26.11	Peak	298.00	150	Vertical	Pass
3**	4300.600	35.38	-3.54	54.0	-18.62	AV	298.00	150	Vertical	Pass
4	5236.400	97.34	-0.80	--	-56.66	Peak	154.00	150	Vertical	N/A
4**	5236.400	91.65	-0.80	--	91.65	AV	154.00	150	Vertical	N/A
5	12216.974	50.42	20.45	74.0	-23.58	Peak	254.00	150	Vertical	Pass
5**	12216.974	37.91	20.45	54.0	-16.09	AV	254.00	150	Vertical	Pass
6	15954.338	55.52	23.97	74.0	-18.48	Peak	112.00	150	Vertical	Pass
6**	15954.338	43.59	23.97	54.0	-10.41	AV	112.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.000	41.32	-15.22	74.0	-32.68	Peak	213.00	150	Horizontal	Pass
1**	1669.000	33.41	-15.22	54.0	-20.59	AV	213.00	150	Horizontal	Pass
2	2882.700	41.59	-8.32	74.0	-32.41	Peak	144.00	150	Horizontal	Pass
2**	2882.700	32.21	-8.32	54.0	-21.79	AV	144.00	150	Horizontal	Pass
3	3991.400	46.66	-4.45	74.0	-27.34	Peak	309.00	150	Horizontal	Pass
3**	3991.400	35.31	-4.45	54.0	-18.69	AV	309.00	150	Horizontal	Pass
4	5180.800	101.60	-0.58	--	-171.40	Peak	273.00	150	Horizontal	N/A
4**	5180.800	94.14	-0.58	--	94.14	AV	273.00	150	Horizontal	N/A
5	12215.825	50.85	20.45	74.0	-23.15	Peak	147.00	150	Horizontal	Pass
5**	12215.825	38.05	20.45	54.0	-15.95	AV	147.00	150	Horizontal	Pass
6	16042.013	55.12	24.04	74.0	-18.88	Peak	313.00	150	Horizontal	Pass
6**	16042.013	42.53	24.04	54.0	-11.47	AV	313.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.000	41.19	-14.73	74.0	-32.81	Peak	313.00	150	Vertical	Pass
1**	1224.000	30.29	-14.73	54.0	-23.71	AV	313.00	150	Vertical	Pass
2	2883.500	42.18	-8.34	74.0	-31.82	Peak	86.00	150	Vertical	Pass
2**	2883.500	32.35	-8.34	54.0	-21.65	AV	86.00	150	Vertical	Pass
3	4070.600	46.84	-3.91	74.0	-27.16	Peak	298.00	150	Vertical	Pass
3**	4070.600	34.41	-3.91	54.0	-19.59	AV	298.00	150	Vertical	Pass
4	5176.000	99.33	-0.54	--	-54.67	Peak	154.00	150	Vertical	N/A
4**	5176.000	93.16	-0.54	--	93.16	AV	154.00	150	Vertical	N/A
5	11641.687	49.49	20.37	74.0	-24.51	Peak	357.00	150	Vertical	Pass
5**	11641.687	38.92	20.37	54.0	-15.08	AV	357.00	150	Vertical	Pass
6	15920.737	55.58	23.65	74.0	-18.42	Peak	0.00	150	Vertical	Pass
6**	15920.737	44.66	23.65	54.0	-9.34	AV	0.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.000	42.45	-15.23	74.0	-31.55	Peak	214.00	150	Horizontal	Pass
1**	1670.000	31.74	-15.23	54.0	-22.26	AV	214.00	150	Horizontal	Pass
2	2882.100	41.95	-8.31	74.0	-32.05	Peak	17.00	150	Horizontal	Pass
2**	2882.100	32.05	-8.31	54.0	-21.95	AV	17.00	150	Horizontal	Pass
3	4207.400	46.88	-3.99	74.0	-27.12	Peak	0.00	150	Horizontal	Pass
3**	4207.400	35.46	-3.99	54.0	-18.54	AV	0.00	150	Horizontal	Pass
4	5218.800	101.26	-0.21	--	-176.74	Peak	278.00	150	Horizontal	N/A
4**	5218.800	93.73	-0.21	--	93.73	AV	278.00	150	Horizontal	N/A
5	11672.450	49.74	20.14	74.0	-24.26	Peak	63.00	150	Horizontal	Pass
5**	11672.450	38.87	20.14	54.0	-15.13	AV	63.00	150	Horizontal	Pass
6	15510.187	54.69	23.87	74.0	-19.31	Peak	184.00	150	Horizontal	Pass
6**	15510.187	44.74	23.87	54.0	-9.26	AV	184.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	39.45	-14.74	74.0	-34.55	Peak	221.00	150	Vertical	Pass
1**	1331.800	31.55	-14.74	54.0	-22.45	AV	221.00	150	Vertical	Pass
2	2818.200	42.04	-8.28	74.0	-31.96	Peak	311.00	150	Vertical	Pass
2**	2818.200	31.72	-8.28	54.0	-22.28	AV	311.00	150	Vertical	Pass
3	4150.600	46.93	-3.45	74.0	-27.07	Peak	188.00	150	Vertical	Pass
3**	4150.600	35.42	-3.45	54.0	-18.58	AV	188.00	150	Vertical	Pass
4	5217.000	99.87	-0.30	--	-51.13	Peak	151.00	150	Vertical	N/A
4**	5217.000	93.14	-0.30	--	93.14	AV	151.00	150	Vertical	N/A
5	11916.250	49.93	18.11	74.0	-24.07	Peak	299.00	150	Vertical	Pass
5**	11916.250	38.82	18.11	54.0	-15.18	AV	299.00	150	Vertical	Pass
6	15598.913	55.17	23.55	74.0	-18.83	Peak	94.00	150	Vertical	Pass
6**	15598.913	43.27	23.55	54.0	-10.73	AV	94.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.000	41.87	-15.28	74.0	-32.13	Peak	154.00	150	Horizontal	Pass
1**	1676.000	33.46	-15.28	54.0	-20.54	AV	154.00	150	Horizontal	Pass
2	2896.200	41.80	-8.04	74.0	-32.20	Peak	312.00	150	Horizontal	Pass
2**	2896.200	32.25	-8.04	54.0	-21.75	AV	312.00	150	Horizontal	Pass
3	4119.400	46.67	-4.22	74.0	-27.33	Peak	313.00	150	Horizontal	Pass
3**	4119.400	34.97	-4.22	54.0	-19.03	AV	313.00	150	Horizontal	Pass
4	5238.000	100.37	-0.92	--	-165.63	Peak	266.00	150	Horizontal	N/A
4**	5238.000	94.08	-0.92	--	94.08	AV	266.00	150	Horizontal	N/A
5	11657.213	50.39	20.30	74.0	-23.61	Peak	333.00	150	Horizontal	Pass
5**	11657.213	38.00	20.30	54.0	-16.00	AV	333.00	150	Horizontal	Pass
6	15944.625	54.92	23.92	74.0	-19.08	Peak	152.00	150	Horizontal	Pass
6**	15944.625	43.59	23.92	54.0	-10.41	AV	152.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	40.34	-14.77	74.0	-33.66	Peak	219.00	150	Vertical	Pass
1**	1329.200	30.20	-14.77	54.0	-23.80	AV	219.00	150	Vertical	Pass
2	2786.100	41.87	-8.76	74.0	-32.13	Peak	347.00	150	Vertical	Pass
2**	2786.100	30.86	-8.76	54.0	-23.14	AV	347.00	150	Vertical	Pass
3	4221.200	47.13	-3.68	74.0	-26.87	Peak	221.00	150	Vertical	Pass
3**	4221.200	35.64	-3.68	54.0	-18.36	AV	221.00	150	Vertical	Pass
4	5244.000	100.44	-0.82	--	-46.56	Peak	147.00	150	Vertical	N/A
4**	5244.000	94.04	-0.82	--	94.04	AV	147.00	150	Vertical	N/A
5	11774.800	50.21	18.75	74.0	-23.79	Peak	184.00	150	Vertical	Pass
5**	11774.800	37.82	18.75	54.0	-16.18	AV	184.00	150	Vertical	Pass
6	16024.688	55.07	23.98	74.0	-18.93	Peak	0.00	150	Vertical	Pass
6**	16024.688	43.28	23.98	54.0	-10.72	AV	0.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	41.77	-15.23	74.0	-32.23	Peak	159.00	150	Horizontal	Pass
1**	1669.700	31.60	-15.23	54.0	-22.40	AV	159.00	150	Horizontal	Pass
2	2880.500	42.25	-8.28	74.0	-31.75	Peak	201.00	150	Horizontal	Pass
2**	2880.500	32.81	-8.28	54.0	-21.19	AV	201.00	150	Horizontal	Pass
3	4217.400	46.60	-3.83	74.0	-27.40	Peak	26.00	150	Horizontal	Pass
3**	4217.400	35.71	-3.83	54.0	-18.29	AV	26.00	150	Horizontal	Pass
4	5181.400	98.75	-0.58	--	-170.25	Peak	269.00	150	Horizontal	N/A
4**	5181.400	91.05	-0.58	--	91.05	AV	269.00	150	Horizontal	N/A
5	11743.750	49.92	19.04	74.0	-24.08	Peak	195.00	150	Horizontal	Pass
5**	11743.750	38.01	19.04	54.0	-15.99	AV	195.00	150	Horizontal	Pass
6	15536.437	55.52	23.71	74.0	-18.48	Peak	298.00	150	Horizontal	Pass
6**	15536.437	42.67	23.71	54.0	-11.33	AV	298.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.900	40.82	-15.08	74.0	-33.18	Peak	282.00	150	Vertical	Pass
1**	1182.900	33.16	-15.08	54.0	-20.84	AV	282.00	150	Vertical	Pass
2	2873.600	41.48	-8.29	74.0	-32.52	Peak	111.00	150	Vertical	Pass
2**	2873.600	32.62	-8.29	54.0	-21.38	AV	111.00	150	Vertical	Pass
3	3999.600	47.25	-4.51	74.0	-26.75	Peak	100.00	150	Vertical	Pass
3**	3999.600	35.84	-4.51	54.0	-18.16	AV	100.00	150	Vertical	Pass
4	5200.600	97.51	-0.61	--	-51.49	Peak	149.00	150	Vertical	N/A
4**	5200.600	89.89	-0.61	--	89.89	AV	149.00	150	Vertical	N/A
5	11686.250	50.03	19.99	74.0	-23.97	Peak	109.00	150	Vertical	Pass
5**	11686.250	38.01	19.99	54.0	-15.99	AV	109.00	150	Vertical	Pass
6	15995.550	55.91	24.02	74.0	-18.09	Peak	147.00	150	Vertical	Pass
6**	15995.550	43.36	24.02	54.0	-10.64	AV	147.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.200	42.31	-15.22	74.0	-31.69	Peak	198.00	150	Horizontal	Pass
1**	1680.200	32.16	-15.22	54.0	-21.84	AV	198.00	150	Horizontal	Pass
2	2867.300	42.23	-8.10	74.0	-31.77	Peak	353.00	150	Horizontal	Pass
2**	2867.300	32.66	-8.10	54.0	-21.34	AV	353.00	150	Horizontal	Pass
3	3897.000	46.60	-5.11	74.0	-27.40	Peak	283.00	150	Horizontal	Pass
3**	3897.000	34.00	-5.11	54.0	-20.00	AV	283.00	150	Horizontal	Pass
4	5220.600	98.08	-0.32	--	-184.92	Peak	283.00	150	Horizontal	N/A
4**	5220.600	90.39	-0.32	--	90.39	AV	283.00	150	Horizontal	N/A
5	11692.000	49.51	19.92	74.0	-24.49	Peak	257.00	150	Horizontal	Pass
5**	11692.000	37.99	19.92	54.0	-16.01	AV	257.00	150	Horizontal	Pass
6	15606.263	54.95	23.52	74.0	-19.05	Peak	34.00	150	Horizontal	Pass
6**	15606.263	44.68	23.52	54.0	-9.32	AV	34.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.500	39.88	-15.08	74.0	-34.12	Peak	296.00	150	Vertical	Pass
1**	1183.500	28.92	-15.08	54.0	-25.08	AV	296.00	150	Vertical	Pass
2	2815.900	41.96	-8.33	74.0	-32.04	Peak	145.00	150	Vertical	Pass
2**	2815.900	33.03	-8.33	54.0	-20.97	AV	145.00	150	Vertical	Pass
3	4040.800	46.21	-3.96	74.0	-27.79	Peak	217.00	150	Vertical	Pass
3**	4040.800	37.42	-3.96	54.0	-16.58	AV	217.00	150	Vertical	Pass
4	5242.200	97.62	-0.91	--	-66.38	Peak	164.00	150	Vertical	N/A
4**	5242.200	90.91	-0.91	--	90.91	AV	164.00	150	Vertical	N/A
5	11815.912	49.53	18.42	74.0	-24.47	Peak	233.00	150	Vertical	Pass
5**	11815.912	38.40	18.42	54.0	-15.60	AV	233.00	150	Vertical	Pass
6	15547.987	55.85	23.63	74.0	-18.15	Peak	351.00	150	Vertical	Pass
6**	15547.987	44.01	23.63	54.0	-9.99	AV	351.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.300	41.86	-15.32	74.0	-32.14	Peak	203.00	150	Horizontal	Pass
1**	1671.300	32.72	-15.32	54.0	-21.28	AV	203.00	150	Horizontal	Pass
2	2801.700	41.41	-8.75	74.0	-32.59	Peak	279.00	150	Horizontal	Pass
2**	2801.700	31.37	-8.75	54.0	-22.63	AV	279.00	150	Horizontal	Pass
3	4185.200	46.86	-3.99	74.0	-27.14	Peak	269.00	150	Horizontal	Pass
3**	4185.200	35.48	-3.99	54.0	-18.52	AV	269.00	150	Horizontal	Pass
4	5214.600	95.61	-0.30	--	-184.39	Peak	280.00	150	Horizontal	N/A
4**	5214.600	88.92	-0.30	--	88.92	AV	280.00	150	Horizontal	N/A
5	10999.700	49.66	19.02	74.0	-24.34	Peak	324.00	150	Horizontal	Pass
5**	10999.700	36.90	19.02	54.0	-17.10	AV	324.00	150	Horizontal	Pass
6	15622.799	55.08	23.46	74.0	-18.92	Peak	137.00	150	Horizontal	Pass
6**	15622.799	43.50	23.46	54.0	-10.50	AV	137.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.300	41.42	-14.77	74.0	-32.58	Peak	285.00	150	Vertical	Pass
1**	1223.300	35.11	-14.77	54.0	-18.89	AV	285.00	150	Vertical	Pass
2	2816.700	41.45	-8.30	74.0	-32.55	Peak	157.00	150	Vertical	Pass
2**	2816.700	33.32	-8.30	54.0	-20.68	AV	157.00	150	Vertical	Pass
3	4068.600	46.76	-3.85	74.0	-27.24	Peak	117.00	150	Vertical	Pass
3**	4068.600	35.97	-3.85	54.0	-18.03	AV	117.00	150	Vertical	Pass
4	5206.400	94.61	-0.39	--	-66.39	Peak	161.00	150	Vertical	N/A
4**	5206.400	86.72	-0.39	--	86.72	AV	161.00	150	Vertical	N/A
5	11799.525	49.88	18.55	74.0	-24.12	Peak	293.00	150	Vertical	Pass
5**	11799.525	38.32	18.55	54.0	-15.68	AV	293.00	150	Vertical	Pass
6	15765.599	54.39	23.26	74.0	-19.61	Peak	25.00	150	Vertical	Pass
6**	15765.599	41.95	23.26	54.0	-12.05	AV	25.00	150	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.700	42.47	-15.21	74.0	-31.53	Peak	202.00	150	Horizontal	Pass
1**	1666.700	31.13	-15.21	54.0	-22.87	AV	202.00	150	Horizontal	Pass
2	2823.700	41.01	-8.32	74.0	-32.99	Peak	30.00	150	Horizontal	Pass
2**	2823.700	31.78	-8.32	54.0	-22.22	AV	30.00	150	Horizontal	Pass
3	4136.400	45.73	-5.03	74.0	-28.27	Peak	222.00	150	Horizontal	Pass
3**	4136.400	34.00	-5.03	54.0	-20.00	AV	222.00	150	Horizontal	Pass
4	4823.600	49.50	-2.05	74.0	-24.50	Peak	36.00	150	Horizontal	Pass
4**	4823.600	36.53	-2.05	54.0	-17.47	AV	36.00	150	Horizontal	Pass
5	7475.237	48.29	17.55	74.0	-25.71	Peak	221.00	150	Horizontal	Pass
5**	7475.237	36.43	17.55	54.0	-17.57	AV	221.00	150	Horizontal	Pass
6	11683.662	50.09	20.02	74.0	-23.91	Peak	19.00	150	Horizontal	Pass
6**	11683.662	39.52	20.02	54.0	-14.48	AV	19.00	150	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.400	39.56	-14.82	74.0	-34.44	Peak	231.00	150	Vertical	Pass
1**	1385.400	31.81	-14.82	54.0	-22.19	AV	231.00	150	Vertical	Pass
2	1994.400	47.23	-13.60	68.2	-20.97	Peak	0.00	150	Vertical	Pass
2**	1994.400	34.10	-13.60	--	34.10	AV	0.00	150	Vertical	N/A
3	2817.900	41.28	-8.27	74.0	-32.72	Peak	259.00	150	Vertical	Pass
3**	2817.900	32.37	-8.27	54.0	-21.63	AV	259.00	150	Vertical	Pass
4	4663.400	47.98	-2.71	74.0	-26.02	Peak	185.00	150	Vertical	Pass
4**	4663.400	36.06	-2.71	54.0	-17.94	AV	185.00	150	Vertical	Pass
5	11616.099	50.64	20.22	74.0	-23.36	Peak	13.00	150	Vertical	Pass
5**	11616.099	39.04	20.22	54.0	-14.96	AV	13.00	150	Vertical	Pass
6	15831.487	55.93	23.37	74.0	-18.07	Peak	79.00	150	Vertical	Pass
6**	15831.487	41.88	23.37	54.0	-12.12	AV	79.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.500	42.82	-15.22	74.0	-31.18	Peak	207.00	150	Horizontal	Pass
1**	1668.500	31.63	-15.22	54.0	-22.37	AV	207.00	150	Horizontal	Pass
2	2844.900	41.24	-8.46	74.0	-32.76	Peak	263.00	150	Horizontal	Pass
2**	2844.900	32.22	-8.46	54.0	-21.78	AV	263.00	150	Horizontal	Pass
3	4128.200	46.85	-4.02	74.0	-27.15	Peak	123.00	150	Horizontal	Pass
3**	4128.200	33.97	-4.02	54.0	-20.03	AV	123.00	150	Horizontal	Pass
4	5176.800	101.85	-0.53	--	-21.15	Peak	123.00	150	Horizontal	N/A
4**	5176.800	94.91	-0.53	--	94.91	AV	123.00	150	Horizontal	N/A
5	11786.013	49.38	18.66	74.0	-24.62	Peak	0.00	150	Horizontal	Pass
5**	11786.013	37.94	18.66	54.0	-16.06	AV	0.00	150	Horizontal	Pass
6	15654.300	54.26	23.49	74.0	-19.74	Peak	78.00	150	Horizontal	Pass
6**	15654.300	43.95	23.49	54.0	-10.05	AV	78.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.500	39.76	-14.97	74.0	-34.24	Peak	187.00	100	Vertical	Pass
1**	1557.500	28.98	-14.97	54.0	-25.02	AV	187.00	100	Vertical	Pass
2	2821.600	41.46	-8.39	74.0	-32.54	Peak	93.00	100	Vertical	Pass
2**	2821.600	32.38	-8.39	54.0	-21.62	AV	93.00	100	Vertical	Pass
3	3993.800	47.83	-4.53	74.0	-26.17	Peak	97.00	100	Vertical	Pass
3**	3993.800	38.18	-4.53	54.0	-15.82	AV	97.00	100	Vertical	Pass
4	5178.600	100.35	-0.65	--	-58.65	Peak	159.00	100	Vertical	N/A
4**	5178.600	91.74	-0.65	--	91.74	AV	159.00	100	Vertical	N/A
5	11669.000	49.86	20.18	74.0	-24.14	Peak	149.00	100	Vertical	Pass
5**	11669.000	37.49	20.18	54.0	-16.51	AV	149.00	100	Vertical	Pass
6	15605.474	55.11	23.52	74.0	-18.89	Peak	108.00	100	Vertical	Pass
6**	15605.474	42.76	23.52	54.0	-11.24	AV	108.00	100	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.500	42.29	-15.21	74.0	-31.71	Peak	201.00	150	Horizontal	Pass
1**	1667.500	33.35	-15.21	54.0	-20.65	AV	201.00	150	Horizontal	Pass
2	2816.900	42.29	-8.30	74.0	-31.71	Peak	257.00	150	Horizontal	Pass
2**	2816.900	32.19	-8.30	54.0	-21.81	AV	257.00	150	Horizontal	Pass
3	4063.200	47.02	-3.85	74.0	-26.98	Peak	146.00	150	Horizontal	Pass
3**	4063.200	34.49	-3.85	54.0	-19.51	AV	146.00	150	Horizontal	Pass
4	5224.800	102.93	-0.45	--	-43.07	Peak	146.00	150	Horizontal	N/A
4**	5224.800	93.69	-0.45	--	93.69	AV	146.00	150	Horizontal	N/A
5	11659.225	49.49	20.28	74.0	-24.51	Peak	0.00	150	Horizontal	Pass
5**	11659.225	38.12	20.28	54.0	-15.88	AV	0.00	150	Horizontal	Pass
6	15507.562	55.09	23.90	74.0	-18.91	Peak	160.00	150	Horizontal	Pass
6**	15507.562	43.28	23.90	54.0	-10.72	AV	160.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1231.300	41.51	-14.73	74.0	-32.49	Peak	291.00	150	Vertical	Pass
1**	1231.300	30.91	-14.73	54.0	-23.09	AV	291.00	150	Vertical	Pass
2	2859.600	42.09	-8.00	74.0	-31.91	Peak	11.00	150	Vertical	Pass
2**	2859.600	32.14	-8.00	54.0	-21.86	AV	11.00	150	Vertical	Pass
3	4026.000	46.27	-3.86	74.0	-27.73	Peak	355.00	150	Vertical	Pass
3**	4026.000	35.56	-3.86	54.0	-18.44	AV	355.00	150	Vertical	Pass
4	5220.800	100.96	-0.34	--	-56.04	Peak	157.00	150	Vertical	N/A
4**	5220.800	92.36	-0.34	--	92.36	AV	157.00	150	Vertical	N/A
5	12366.763	50.24	19.56	74.0	-23.76	Peak	213.00	150	Vertical	Pass
5**	12366.763	38.53	19.56	54.0	-15.47	AV	213.00	150	Vertical	Pass
6	15519.112	55.47	23.78	74.0	-18.53	Peak	55.00	150	Vertical	Pass
6**	15519.112	43.24	23.78	54.0	-10.76	AV	55.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	43.11	-15.21	74.0	-30.89	Peak	207.00	150	Horizontal	Pass
1**	1665.900	31.26	-15.21	54.0	-22.74	AV	207.00	150	Horizontal	Pass
2	2849.700	41.90	-8.21	74.0	-32.10	Peak	174.00	150	Horizontal	Pass
2**	2849.700	32.18	-8.21	54.0	-21.82	AV	174.00	150	Horizontal	Pass
3	3985.800	47.27	-4.33	74.0	-26.73	Peak	345.00	150	Horizontal	Pass
3**	3985.800	35.81	-4.33	54.0	-18.19	AV	345.00	150	Horizontal	Pass
4	5244.000	102.45	-0.82	--	-175.55	Peak	278.00	150	Horizontal	N/A
4**	5244.000	95.55	-0.82	--	95.55	AV	278.00	150	Horizontal	N/A
5	11663.250	50.43	20.24	74.0	-23.57	Peak	300.00	150	Horizontal	Pass
5**	11663.250	38.88	20.24	54.0	-15.12	AV	300.00	150	Horizontal	Pass
6	15617.025	55.57	23.46	74.0	-18.43	Peak	363.00	150	Horizontal	Pass
6**	15617.025	42.93	23.46	54.0	-11.07	AV	363.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.200	39.86	-14.84	74.0	-34.14	Peak	272.00	150	Vertical	Pass
1**	1387.200	27.54	-14.84	54.0	-26.46	AV	272.00	150	Vertical	Pass
2	2860.700	42.11	-7.97	74.0	-31.89	Peak	350.00	150	Vertical	Pass
2**	2860.700	34.81	-7.97	54.0	-19.19	AV	350.00	150	Vertical	Pass
3	3993.600	47.28	-4.54	74.0	-26.72	Peak	95.00	150	Vertical	Pass
3**	3993.600	35.17	-4.54	54.0	-18.83	AV	95.00	150	Vertical	Pass
4	5242.200	102.09	-0.91	--	-64.91	Peak	167.00	150	Vertical	N/A
4**	5242.200	94.44	-0.91	--	94.44	AV	167.00	150	Vertical	N/A
5	11618.975	49.50	20.23	74.0	-24.50	Peak	161.00	150	Vertical	Pass
5**	11618.975	38.40	20.23	54.0	-15.60	AV	161.00	150	Vertical	Pass
6	15699.974	54.83	23.57	74.0	-19.17	Peak	172.00	150	Vertical	Pass
6**	15699.974	41.76	23.57	54.0	-12.24	AV	172.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.700	41.90	-15.31	74.0	-32.10	Peak	205.00	150	Horizontal	Pass
1**	1676.700	31.31	-15.31	54.0	-22.69	AV	205.00	150	Horizontal	Pass
2	2819.900	41.23	-8.40	74.0	-32.77	Peak	219.00	150	Horizontal	Pass
2**	2819.900	31.12	-8.40	54.0	-22.88	AV	219.00	150	Horizontal	Pass
3	4212.200	47.99	-3.83	74.0	-26.01	Peak	55.00	150	Horizontal	Pass
3**	4212.200	35.30	-3.83	54.0	-18.70	AV	55.00	150	Horizontal	Pass
4	5177.600	99.66	-0.58	--	-182.34	Peak	282.00	150	Horizontal	N/A
4**	5177.600	90.41	-0.58	--	90.41	AV	282.00	150	Horizontal	N/A
5	11596.550	49.93	20.09	74.0	-24.07	Peak	146.00	150	Horizontal	Pass
5**	11596.550	39.82	20.09	54.0	-14.18	AV	146.00	150	Horizontal	Pass
6	16082.175	54.97	24.06	74.0	-19.03	Peak	338.00	150	Horizontal	Pass
6**	16082.175	42.53	24.06	54.0	-11.47	AV	338.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.800	40.94	-14.69	74.0	-33.06	Peak	294.00	150	Vertical	Pass
1**	1225.800	32.17	-14.69	54.0	-21.83	AV	294.00	150	Vertical	Pass
2	2843.100	41.68	-8.55	74.0	-32.32	Peak	164.00	150	Vertical	Pass
2**	2843.100	31.56	-8.55	54.0	-22.44	AV	164.00	150	Vertical	Pass
3	4095.400	47.00	-4.44	74.0	-27.00	Peak	226.00	150	Vertical	Pass
3**	4095.400	34.78	-4.44	54.0	-19.22	AV	226.00	150	Vertical	Pass
4	5190.600	98.12	-0.76	--	-58.88	Peak	157.00	150	Vertical	N/A
4**	5190.600	88.28	-0.76	--	88.28	AV	157.00	150	Vertical	N/A
5	5997.400	57.55	2.08	68.2	-10.65	Peak	216.00	150	Vertical	Pass
5**	5997.400	41.01	2.08	--	41.01	AV	216.00	150	Vertical	N/A
6	15558.487	54.73	23.58	74.0	-19.27	Peak	0.00	150	Vertical	Pass
6**	15558.487	42.94	23.58	54.0	-11.06	AV	0.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.700	42.38	-15.34	74.0	-31.62	Peak	153.00	150	Horizontal	Pass
1**	1673.700	34.28	-15.34	54.0	-19.72	AV	153.00	150	Horizontal	Pass
2	2825.300	41.26	-8.34	74.0	-32.74	Peak	194.00	150	Horizontal	Pass
2**	2825.300	32.40	-8.34	54.0	-21.60	AV	194.00	150	Horizontal	Pass
3	4234.800	46.97	-3.46	74.0	-27.03	Peak	324.00	150	Horizontal	Pass
3**	4234.800	36.42	-3.46	54.0	-17.58	AV	324.00	150	Horizontal	Pass
4	5239.800	99.89	-0.96	--	-183.11	Peak	283.00	150	Horizontal	N/A
4**	5239.800	89.81	-0.96	--	89.81	AV	283.00	150	Horizontal	N/A
5	12148.263	50.27	19.91	74.0	-23.73	Peak	190.00	150	Horizontal	Pass
5**	12148.263	37.89	19.91	54.0	-16.11	AV	190.00	150	Horizontal	Pass
6	15638.025	54.58	23.55	74.0	-19.42	Peak	180.00	150	Horizontal	Pass
6**	15638.025	42.71	23.55	54.0	-11.29	AV	180.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.500	40.04	-15.04	74.0	-33.96	Peak	292.00	150	Vertical	Pass
1**	1199.500	30.86	-15.04	54.0	-23.14	AV	292.00	150	Vertical	Pass
2	2775.800	42.26	-8.58	74.0	-31.74	Peak	84.00	150	Vertical	Pass
2**	2775.800	32.09	-8.58	54.0	-21.91	AV	84.00	150	Vertical	Pass
3	3984.200	46.85	-4.28	74.0	-27.15	Peak	104.00	150	Vertical	Pass
3**	3984.200	36.38	-4.28	54.0	-17.62	AV	104.00	150	Vertical	Pass
4	5239.200	99.55	-0.95	--	-61.45	Peak	161.00	150	Vertical	N/A
4**	5239.200	90.08	-0.95	--	90.08	AV	161.00	150	Vertical	N/A
5	11686.825	49.55	19.98	74.0	-24.45	Peak	210.00	150	Vertical	Pass
5**	11686.825	39.17	19.98	54.0	-14.83	AV	210.00	150	Vertical	Pass
6	15622.537	54.23	23.46	74.0	-19.77	Peak	77.00	150	Vertical	Pass
6**	15622.537	43.91	23.46	54.0	-10.09	AV	77.00	150	Vertical	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	39.62	-14.79	74.0	-34.38	Peak	301.00	150	Horizontal	Pass
1**	1328.800	32.92	-14.79	54.0	-21.08	AV	301.00	150	Horizontal	Pass
2	2823.500	41.68	-8.33	74.0	-32.32	Peak	345.00	150	Horizontal	Pass
2**	2823.500	31.51	-8.33	54.0	-22.49	AV	345.00	150	Horizontal	Pass
3	4047.000	47.06	-3.90	74.0	-26.94	Peak	0.00	150	Horizontal	Pass
3**	4047.000	38.37	-3.90	54.0	-15.63	AV	0.00	150	Horizontal	Pass
4	5195.400	97.19	-0.72	--	-179.81	Peak	277.00	150	Horizontal	N/A
4**	5195.400	86.84	-0.72	--	86.84	AV	277.00	150	Horizontal	N/A
5	11014.362	50.07	18.96	74.0	-23.93	Peak	48.00	150	Horizontal	Pass
5**	11014.362	38.03	18.96	54.0	-15.97	AV	48.00	150	Horizontal	Pass
6	15527.250	54.73	23.75	74.0	-19.27	Peak	18.00	150	Horizontal	Pass
6**	15527.250	43.26	23.75	54.0	-10.74	AV	18.00	150	Horizontal	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1209.300	39.71	-14.89	74.0	-34.29	Peak	278.00	150	Vertical	Pass
1**	1209.300	27.79	-14.89	54.0	-26.21	AV	278.00	150	Vertical	Pass
2	2814.100	41.88	-8.34	74.0	-32.12	Peak	150.00	150	Vertical	Pass
2**	2814.100	31.58	-8.34	54.0	-22.42	AV	150.00	150	Vertical	Pass
3	4000.000	47.50	-4.52	74.0	-26.50	Peak	97.00	150	Vertical	Pass
3**	4000.000	37.46	-4.52	54.0	-16.54	AV	97.00	150	Vertical	Pass
4	5230.800	95.47	-0.51	--	-70.53	Peak	166.00	150	Vertical	N/A
4**	5230.800	86.26	-0.51	--	86.26	AV	166.00	150	Vertical	N/A
5	12185.925	50.77	20.31	74.0	-23.23	Peak	199.00	150	Vertical	Pass
5**	12185.925	38.24	20.31	54.0	-15.76	AV	199.00	150	Vertical	Pass
6	15548.775	55.66	23.62	74.0	-18.34	Peak	308.00	150	Vertical	Pass
6**	15548.775	42.93	23.62	54.0	-11.07	AV	308.00	150	Vertical	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.700	42.31	-15.21	74.0	-31.69	Peak	196.00	150	Horizontal	Pass
1**	1666.700	32.16	-15.21	54.0	-21.84	AV	196.00	150	Horizontal	Pass
2	2845.800	41.75	-8.40	74.0	-32.25	Peak	187.00	150	Horizontal	Pass
2**	2845.800	32.53	-8.40	54.0	-21.47	AV	187.00	150	Horizontal	Pass
3	4171.600	46.85	-3.82	74.0	-27.15	Peak	0.00	150	Horizontal	Pass
3**	4171.600	37.45	-3.82	54.0	-16.55	AV	0.00	150	Horizontal	Pass
4	5235.400	95.29	-0.77	--	-163.71	Peak	259.00	150	Horizontal	N/A
4**	5235.400	87.22	-0.77	--	87.22	AV	259.00	150	Horizontal	N/A
5	11668.138	49.53	20.19	74.0	-24.47	Peak	101.00	150	Horizontal	Pass
5**	11668.138	38.02	20.19	54.0	-15.98	AV	101.00	150	Horizontal	Pass
6	15488.925	55.94	23.79	74.0	-18.06	Peak	0.00	150	Horizontal	Pass
6**	15488.925	44.16	23.79	54.0	-9.84	AV	0.00	150	Horizontal	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1396.700	38.33	-14.92	74.0	-35.67	Peak	242.00	150	Vertical	Pass
1**	1396.700	29.08	-14.92	54.0	-24.92	AV	242.00	150	Vertical	Pass
2	2830.200	42.04	-8.28	74.0	-31.96	Peak	263.00	150	Vertical	Pass
2**	2830.200	31.95	-8.28	54.0	-22.05	AV	263.00	150	Vertical	Pass
3	3971.200	47.08	-4.20	74.0	-26.92	Peak	245.00	150	Vertical	Pass
3**	3971.200	35.24	-4.20	54.0	-18.76	AV	245.00	150	Vertical	Pass
4	5292.400	94.83	-0.06	--	-75.17	Peak	170.00	150	Vertical	N/A
4**	5292.400	85.49	-0.06	--	85.49	AV	170.00	150	Vertical	N/A
5	5993.000	58.37	2.07	68.2	-9.83	Peak	182.00	150	Vertical	Pass
5**	5993.000	40.52	2.07	--	40.52	AV	182.00	150	Vertical	N/A
6	15959.588	54.90	23.99	74.0	-19.10	Peak	269.00	150	Vertical	Pass
6**	15959.588	43.18	23.99	54.0	-10.82	AV	269.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.900	42.18	-15.22	74.0	-31.82	Peak	143.00	150	Horizontal	Pass
1**	1679.900	32.56	-15.22	54.0	-21.44	AV	143.00	150	Horizontal	Pass
2	2872.100	43.04	-8.23	74.0	-30.96	Peak	60.00	150	Horizontal	Pass
2**	2872.100	33.24	-8.23	54.0	-20.76	AV	60.00	150	Horizontal	Pass
3	4036.400	47.58	-3.94	74.0	-26.42	Peak	293.00	150	Horizontal	Pass
3**	4036.400	34.31	-3.94	54.0	-19.69	AV	293.00	150	Horizontal	Pass
4	5264.000	100.77	-0.85	--	-155.23	Peak	256.00	150	Horizontal	N/A
4**	5264.000	93.89	-0.85	--	93.89	AV	256.00	150	Horizontal	N/A
5	11881.463	50.26	18.06	74.0	-23.74	Peak	224.00	150	Horizontal	Pass
5**	11881.463	37.35	18.06	54.0	-16.65	AV	224.00	150	Horizontal	Pass
6	16040.700	55.05	24.03	74.0	-18.95	Peak	104.00	150	Horizontal	Pass
6**	16040.700	43.46	24.03	54.0	-10.54	AV	104.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.300	41.16	-15.03	74.0	-32.84	Peak	274.00	150	Vertical	Pass
1**	1196.300	28.93	-15.03	54.0	-25.07	AV	274.00	150	Vertical	Pass
2	2778.200	41.71	-8.52	74.0	-32.29	Peak	0.00	150	Vertical	Pass
2**	2778.200	31.51	-8.52	54.0	-22.49	AV	0.00	150	Vertical	Pass
3	3972.600	47.64	-4.19	74.0	-26.36	Peak	58.00	150	Vertical	Pass
3**	3972.600	36.86	-4.19	54.0	-17.14	AV	58.00	150	Vertical	Pass
4	5258.200	100.06	-1.04	--	-64.94	Peak	165.00	150	Vertical	N/A
4**	5258.200	93.09	-1.04	--	93.09	AV	165.00	150	Vertical	N/A
5	5982.600	58.71	1.98	68.2	-9.49	Peak	218.00	150	Vertical	Pass
5**	5982.600	44.73	1.98	--	44.73	AV	218.00	150	Vertical	N/A
6	15924.412	54.49	23.70	74.0	-19.51	Peak	297.00	150	Vertical	Pass
6**	15924.412	43.84	23.70	54.0	-10.16	AV	297.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.400	42.43	-15.24	74.0	-31.57	Peak	154.00	150	Horizontal	Pass
1**	1678.400	32.11	-15.24	54.0	-21.89	AV	154.00	150	Horizontal	Pass
2	2825.600	41.50	-8.36	74.0	-32.50	Peak	0.00	150	Horizontal	Pass
2**	2825.600	32.47	-8.36	54.0	-21.53	AV	0.00	150	Horizontal	Pass
3	4161.800	47.65	-3.49	74.0	-26.35	Peak	354.00	150	Horizontal	Pass
3**	4161.800	36.92	-3.49	54.0	-17.08	AV	354.00	150	Horizontal	Pass
4	5283.200	100.80	-0.30	--	-162.20	Peak	263.00	150	Horizontal	N/A
4**	5283.200	94.12	-0.30	--	94.12	AV	263.00	150	Horizontal	N/A
5	11552.275	49.66	19.72	74.0	-24.34	Peak	3.00	150	Horizontal	Pass
5**	11552.275	37.29	19.72	54.0	-16.71	AV	3.00	150	Horizontal	Pass
6	15624.901	54.88	23.48	74.0	-19.12	Peak	362.00	150	Horizontal	Pass
6**	15624.901	43.88	23.48	54.0	-10.12	AV	362.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.400	40.90	-14.72	74.0	-33.10	Peak	278.00	150	Vertical	Pass
1**	1224.400	32.10	-14.72	54.0	-21.90	AV	278.00	150	Vertical	Pass
2	2844.800	41.48	-8.46	74.0	-32.52	Peak	199.00	150	Vertical	Pass
2**	2844.800	32.76	-8.46	54.0	-21.24	AV	199.00	150	Vertical	Pass
3	3986.600	47.34	-4.35	74.0	-26.66	Peak	100.00	150	Vertical	Pass
3**	3986.600	36.49	-4.35	54.0	-17.51	AV	100.00	150	Vertical	Pass
4	5303.000	101.69	-0.29	--	-61.31	Peak	163.00	150	Vertical	N/A
4**	5303.000	95.02	-0.29	--	95.02	AV	163.00	150	Vertical	N/A
5	11640.250	49.57	20.36	74.0	-24.43	Peak	97.00	150	Vertical	Pass
5**	11640.250	38.25	20.36	54.0	-15.75	AV	97.00	150	Vertical	Pass
6	15656.925	55.03	23.48	74.0	-18.97	Peak	347.00	150	Vertical	Pass
6**	15656.925	42.87	23.48	54.0	-11.13	AV	347.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.800	41.97	-15.25	74.0	-32.03	Peak	202.00	150	Horizontal	Pass
1**	1682.800	32.39	-15.25	54.0	-21.61	AV	202.00	150	Horizontal	Pass
2	2817.200	41.14	-8.29	74.0	-32.86	Peak	71.00	150	Horizontal	Pass
2**	2817.200	31.71	-8.29	54.0	-22.29	AV	71.00	150	Horizontal	Pass
3	4147.800	46.89	-3.59	74.0	-27.11	Peak	360.00	150	Horizontal	Pass
3**	4147.800	37.77	-3.59	54.0	-16.23	AV	360.00	150	Horizontal	Pass
4	5322.800	100.71	-0.01	--	-159.29	Peak	260.00	150	Horizontal	N/A
4**	5322.800	93.67	-0.01	--	93.67	AV	260.00	150	Horizontal	N/A
5	11601.438	50.47	20.14	74.0	-23.53	Peak	282.00	150	Horizontal	Pass
5**	11601.438	37.32	20.14	54.0	-16.68	AV	282.00	150	Horizontal	Pass
6	16075.088	54.97	24.06	74.0	-19.03	Peak	166.00	150	Horizontal	Pass
6**	16075.088	43.54	24.06	54.0	-10.46	AV	166.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.000	39.47	-14.76	74.0	-34.53	Peak	221.00	150	Vertical	Pass
1**	1327.000	28.70	-14.76	54.0	-25.30	AV	221.00	150	Vertical	Pass
2	2780.500	41.23	-8.59	74.0	-32.77	Peak	245.00	150	Vertical	Pass
2**	2780.500	31.65	-8.59	54.0	-22.35	AV	245.00	150	Vertical	Pass
3	3980.400	47.22	-4.04	74.0	-26.78	Peak	176.00	150	Vertical	Pass
3**	3980.400	35.47	-4.04	54.0	-18.53	AV	176.00	150	Vertical	Pass
4	5322.800	101.71	-0.01	--	-63.29	Peak	165.00	150	Vertical	N/A
4**	5322.800	94.28	-0.01	--	94.28	AV	165.00	150	Vertical	N/A
5	11417.437	49.35	18.58	74.0	-24.65	Peak	279.00	150	Vertical	Pass
5**	11417.437	35.99	18.58	54.0	-18.01	AV	279.00	150	Vertical	Pass
6	15709.162	55.08	23.52	74.0	-18.92	Peak	215.00	150	Vertical	Pass
6**	15709.162	42.48	23.52	54.0	-11.52	AV	215.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	39.62	-14.77	74.0	-34.38	Peak	229.00	150	Horizontal	Pass
1**	1332.600	31.20	-14.77	54.0	-22.80	AV	229.00	150	Horizontal	Pass
2	2871.400	41.41	-8.21	74.0	-32.59	Peak	196.00	150	Horizontal	Pass
2**	2871.400	32.45	-8.21	54.0	-21.55	AV	196.00	150	Horizontal	Pass
3	3805.400	46.97	-5.39	74.0	-27.03	Peak	8.00	150	Horizontal	Pass
3**	3805.400	35.88	-5.39	54.0	-18.12	AV	8.00	150	Horizontal	Pass
4	5263.000	100.68	-0.93	--	-154.32	Peak	255.00	150	Horizontal	N/A
4**	5263.000	93.99	-0.93	--	93.99	AV	255.00	150	Horizontal	N/A
5	11658.075	50.19	20.29	74.0	-23.81	Peak	120.00	150	Horizontal	Pass
5**	11658.075	38.44	20.29	54.0	-15.56	AV	120.00	150	Horizontal	Pass
6	16076.925	54.85	24.05	74.0	-19.15	Peak	245.00	150	Horizontal	Pass
6**	16076.925	43.30	24.05	54.0	-10.70	AV	245.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1226.700	40.23	-14.69	74.0	-33.77	Peak	292.00	150	Vertical	Pass
1**	1226.700	30.83	-14.69	54.0	-23.17	AV	292.00	150	Vertical	Pass
2	2850.200	42.00	-8.20	74.0	-32.00	Peak	0.00	150	Vertical	Pass
2**	2850.200	32.56	-8.20	54.0	-21.44	AV	0.00	150	Vertical	Pass
3	3976.400	47.20	-4.11	74.0	-26.80	Peak	304.00	150	Vertical	Pass
3**	3976.400	34.57	-4.11	54.0	-19.43	AV	304.00	150	Vertical	Pass
4	5255.600	99.81	-1.13	--	-66.19	Peak	166.00	150	Vertical	N/A
4**	5255.600	92.51	-1.13	--	92.51	AV	166.00	150	Vertical	N/A
5	5981.800	60.42	1.99	68.2	-7.78	Peak	209.00	150	Vertical	Pass
5**	5981.800	39.70	1.99	--	39.70	AV	209.00	150	Vertical	N/A
6	15683.174	54.98	23.59	74.0	-19.02	Peak	89.00	150	Vertical	Pass
6**	15683.174	43.29	23.59	54.0	-10.71	AV	89.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.300	43.12	-15.21	74.0	-30.88	Peak	191.00	150	Horizontal	Pass
1**	1667.300	33.68	-15.21	54.0	-20.32	AV	191.00	150	Horizontal	Pass
2	2829.900	41.63	-8.27	74.0	-32.37	Peak	297.00	150	Horizontal	Pass
2**	2829.900	33.54	-8.27	54.0	-20.46	AV	297.00	150	Horizontal	Pass
3	3976.800	46.61	-4.10	74.0	-27.39	Peak	252.00	150	Horizontal	Pass
3**	3976.800	36.01	-4.10	54.0	-17.99	AV	252.00	150	Horizontal	Pass
4	5303.200	101.13	-0.30	--	-64.87	Peak	166.00	150	Horizontal	N/A
4**	5303.200	94.57	-0.30	--	94.57	AV	166.00	150	Horizontal	N/A
5	11617.537	49.42	20.22	74.0	-24.58	Peak	178.00	150	Horizontal	Pass
5**	11617.537	39.49	20.22	54.0	-14.51	AV	178.00	150	Horizontal	Pass
6	15681.863	54.63	23.59	74.0	-19.37	Peak	329.00	150	Horizontal	Pass
6**	15681.863	43.07	23.59	54.0	-10.93	AV	329.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.500	38.23	-15.14	74.0	-35.77	Peak	203.00	150	Vertical	Pass
1**	1566.500	27.66	-15.14	54.0	-26.34	AV	203.00	150	Vertical	Pass
2	2714.800	42.29	-8.74	74.0	-31.71	Peak	352.00	150	Vertical	Pass
2**	2714.800	31.01	-8.74	54.0	-22.99	AV	352.00	150	Vertical	Pass
3	3988.200	47.25	-4.33	74.0	-26.75	Peak	116.00	150	Vertical	Pass
3**	3988.200	37.61	-4.33	54.0	-16.39	AV	116.00	150	Vertical	Pass
4	5302.200	101.97	-0.31	--	-59.03	Peak	161.00	150	Vertical	N/A
4**	5302.200	94.24	-0.31	--	94.24	AV	161.00	150	Vertical	N/A
5	5980.800	58.57	2.01	68.2	-9.63	Peak	176.00	150	Vertical	Pass
5**	5980.800	40.43	2.01	--	40.43	AV	176.00	150	Vertical	N/A
6	15560.325	55.56	23.58	74.0	-18.44	Peak	114.00	150	Vertical	Pass
6**	15560.325	43.82	23.58	54.0	-10.18	AV	114.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.800	42.30	-15.21	74.0	-31.70	Peak	205.00	150	Horizontal	Pass
1**	1665.800	33.13	-15.21	54.0	-20.87	AV	205.00	150	Horizontal	Pass
2	2810.000	40.69	-8.52	74.0	-33.31	Peak	216.00	150	Horizontal	Pass
2**	2810.000	31.45	-8.52	54.0	-22.55	AV	216.00	150	Horizontal	Pass
3	4171.000	46.86	-3.79	74.0	-27.14	Peak	360.00	150	Horizontal	Pass
3**	4171.000	35.33	-3.79	54.0	-18.67	AV	360.00	150	Horizontal	Pass
4	5318.200	100.36	0.07	--	-58.64	Peak	159.00	150	Horizontal	N/A
4**	5318.200	94.24	0.07	--	94.24	AV	159.00	150	Horizontal	N/A
5	11064.100	49.86	18.82	74.0	-24.14	Peak	111.00	150	Horizontal	Pass
5**	11064.100	37.79	18.82	54.0	-16.21	AV	111.00	150	Horizontal	Pass
6	15641.962	54.65	23.56	74.0	-19.35	Peak	37.00	150	Horizontal	Pass
6**	15641.962	43.60	23.56	54.0	-10.40	AV	37.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1392.300	38.92	-14.83	74.0	-35.08	Peak	222.00	150	Vertical	Pass
1**	1392.300	29.51	-14.83	54.0	-24.49	AV	222.00	150	Vertical	Pass
2	2885.700	43.10	-8.21	74.0	-30.90	Peak	180.00	150	Vertical	Pass
2**	2885.700	31.86	-8.21	54.0	-22.14	AV	180.00	150	Vertical	Pass
3	3974.600	46.32	-4.14	74.0	-27.68	Peak	265.00	150	Vertical	Pass
3**	3974.600	36.03	-4.14	54.0	-17.97	AV	265.00	150	Vertical	Pass
4	5318.200	100.86	0.07	--	-62.14	Peak	163.00	150	Vertical	N/A
4**	5318.200	94.25	0.07	--	94.25	AV	163.00	150	Vertical	N/A
5	6000.600	58.10	2.04	68.2	-10.10	Peak	175.00	150	Vertical	Pass
5**	6000.600	40.04	2.04	--	40.04	AV	175.00	150	Vertical	N/A
6	15997.650	55.12	24.02	74.0	-18.88	Peak	62.00	150	Vertical	Pass
6**	15997.650	43.83	24.02	54.0	-10.17	AV	62.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	42.00	-15.21	74.0	-32.00	Peak	200.00	150	Horizontal	Pass
1**	1667.800	31.43	-15.21	54.0	-22.57	AV	200.00	150	Horizontal	Pass
2	2752.600	41.20	-8.97	74.0	-32.80	Peak	110.00	150	Horizontal	Pass
2**	2752.600	31.66	-8.97	54.0	-22.34	AV	110.00	150	Horizontal	Pass
3	4077.400	46.35	-3.98	74.0	-27.65	Peak	200.00	150	Horizontal	Pass
3**	4077.400	34.67	-3.98	54.0	-19.33	AV	200.00	150	Horizontal	Pass
4	5267.800	97.56	-0.43	--	-44.44	Peak	142.00	150	Horizontal	N/A
4**	5267.800	91.20	-0.43	--	91.20	AV	142.00	150	Horizontal	N/A
5	11659.800	49.68	20.27	74.0	-24.32	Peak	174.00	150	Horizontal	Pass
5**	11659.800	37.76	20.27	54.0	-16.24	AV	174.00	150	Horizontal	Pass
6	15524.100	54.77	23.76	74.0	-19.23	Peak	146.00	150	Horizontal	Pass
6**	15524.100	43.08	23.76	54.0	-10.92	AV	146.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.800	39.62	-14.91	74.0	-34.38	Peak	277.00	150	Vertical	Pass
1**	1213.800	30.05	-14.91	54.0	-23.95	AV	277.00	150	Vertical	Pass
2	2826.900	41.38	-8.36	74.0	-32.62	Peak	211.00	150	Vertical	Pass
2**	2826.900	31.32	-8.36	54.0	-22.68	AV	211.00	150	Vertical	Pass
3	3984.400	48.67	-4.29	74.0	-25.33	Peak	306.00	150	Vertical	Pass
3**	3984.400	36.40	-4.29	54.0	-17.60	AV	306.00	150	Vertical	Pass
4	5277.800	97.35	-0.51	--	-59.65	Peak	157.00	150	Vertical	N/A
4**	5277.800	91.67	-0.51	--	91.67	AV	157.00	150	Vertical	N/A
5	5989.600	59.19	2.06	68.2	-9.01	Peak	157.00	150	Vertical	Pass
5**	5989.600	40.01	2.06	--	40.01	AV	157.00	150	Vertical	N/A
6	15520.162	54.87	23.77	74.0	-19.13	Peak	0.00	150	Vertical	Pass
6**	15520.162	43.37	23.77	54.0	-10.63	AV	0.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.600	41.76	-15.23	74.0	-32.24	Peak	243.00	150	Horizontal	Pass
1**	1678.600	30.59	-15.23	54.0	-23.41	AV	243.00	150	Horizontal	Pass
2	2830.100	41.47	-8.28	74.0	-32.53	Peak	130.00	150	Horizontal	Pass
2**	2830.100	31.62	-8.28	54.0	-22.38	AV	130.00	150	Horizontal	Pass
3	4020.800	46.55	-4.03	74.0	-27.45	Peak	331.00	150	Horizontal	Pass
3**	4020.800	35.02	-4.03	54.0	-18.98	AV	331.00	150	Horizontal	Pass
4	5299.400	98.19	0.27	--	-154.81	Peak	253.00	150	Horizontal	N/A
4**	5299.400	91.14	0.27	--	91.14	AV	253.00	150	Horizontal	N/A
5	12091.338	49.35	19.33	74.0	-24.65	Peak	76.00	150	Horizontal	Pass
5**	12091.338	37.38	19.33	54.0	-16.62	AV	76.00	150	Horizontal	Pass
6	16147.276	54.96	24.07	74.0	-19.04	Peak	294.00	150	Horizontal	Pass
6**	16147.276	42.91	24.07	54.0	-11.09	AV	294.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.800	39.78	-15.11	74.0	-34.22	Peak	301.00	150	Vertical	Pass
1**	1185.800	28.38	-15.11	54.0	-25.62	AV	301.00	150	Vertical	Pass
2	2808.800	40.65	-8.59	74.0	-33.35	Peak	360.00	150	Vertical	Pass
2**	2808.800	31.70	-8.59	54.0	-22.30	AV	360.00	150	Vertical	Pass
3	3995.600	47.03	-4.49	74.0	-26.97	Peak	94.00	150	Vertical	Pass
3**	3995.600	37.38	-4.49	54.0	-16.62	AV	94.00	150	Vertical	Pass
4	5300.600	97.00	0.28	--	-54.00	Peak	151.00	150	Vertical	N/A
4**	5300.600	91.04	0.28	--	91.04	AV	151.00	150	Vertical	N/A
5	12112.900	49.79	19.55	74.0	-24.21	Peak	202.00	150	Vertical	Pass
5**	12112.900	36.89	19.55	54.0	-17.11	AV	202.00	150	Vertical	Pass
6	15482.625	55.12	23.69	74.0	-18.88	Peak	168.00	150	Vertical	Pass
6**	15482.625	42.81	23.69	54.0	-11.19	AV	168.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	42.06	-15.21	74.0	-31.94	Peak	195.00	150	Horizontal	Pass
1**	1667.800	32.62	-15.21	54.0	-21.38	AV	195.00	150	Horizontal	Pass
2	2812.100	41.09	-8.41	74.0	-32.91	Peak	306.00	150	Horizontal	Pass
2**	2812.100	32.14	-8.41	54.0	-21.86	AV	306.00	150	Horizontal	Pass
3	4139.400	46.49	-4.04	74.0	-27.51	Peak	360.00	150	Horizontal	Pass
3**	4139.400	35.78	-4.04	54.0	-18.22	AV	360.00	150	Horizontal	Pass
4	5264.400	100.92	-0.82	--	-60.08	Peak	161.00	150	Horizontal	N/A
4**	5264.400	93.33	-0.82	--	93.33	AV	161.00	150	Horizontal	N/A
5	12334.276	49.51	19.82	74.0	-24.49	Peak	280.00	150	Horizontal	Pass
5**	12334.276	38.33	19.82	54.0	-15.67	AV	280.00	150	Horizontal	Pass
6	15562.687	54.62	23.58	74.0	-19.38	Peak	294.00	150	Horizontal	Pass
6**	15562.687	43.27	23.58	54.0	-10.73	AV	294.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	38.86	-14.78	74.0	-35.14	Peak	266.00	150	Vertical	Pass
1**	1333.000	31.59	-14.78	54.0	-22.41	AV	266.00	150	Vertical	Pass
2	2785.300	40.65	-8.72	74.0	-33.35	Peak	68.00	150	Vertical	Pass
2**	2785.300	31.87	-8.72	54.0	-22.13	AV	68.00	150	Vertical	Pass
3	3983.000	47.96	-4.26	74.0	-26.04	Peak	116.00	150	Vertical	Pass
3**	3983.000	36.27	-4.26	54.0	-17.73	AV	116.00	150	Vertical	Pass
4	5262.600	100.07	-0.96	--	-69.93	Peak	170.00	150	Vertical	N/A
4**	5262.600	93.39	-0.96	--	93.39	AV	170.00	150	Vertical	N/A
5	11697.750	49.28	19.85	74.0	-24.72	Peak	0.00	150	Vertical	Pass
5**	11697.750	37.84	19.85	54.0	-16.16	AV	0.00	150	Vertical	Pass
6	15603.112	54.60	23.53	74.0	-19.40	Peak	107.00	150	Vertical	Pass
6**	15603.112	43.05	23.53	54.0	-10.95	AV	107.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	42.16	-15.21	74.0	-31.84	Peak	197.00	150	Horizontal	Pass
1**	1667.800	33.63	-15.21	54.0	-20.37	AV	197.00	150	Horizontal	Pass
2	2824.800	41.58	-8.32	74.0	-32.42	Peak	360.00	150	Horizontal	Pass
2**	2824.800	30.95	-8.32	54.0	-23.05	AV	360.00	150	Horizontal	Pass
3	3975.800	46.48	-4.12	74.0	-27.52	Peak	122.00	150	Horizontal	Pass
3**	3975.800	35.50	-4.12	54.0	-18.50	AV	122.00	150	Horizontal	Pass
4	5303.600	101.10	-0.31	--	-59.90	Peak	161.00	150	Horizontal	N/A
4**	5303.600	94.38	-0.31	--	94.38	AV	161.00	150	Horizontal	N/A
5	12440.937	49.93	18.75	74.0	-24.07	Peak	161.00	150	Horizontal	Pass
5**	12440.937	38.08	18.75	54.0	-15.92	AV	161.00	150	Horizontal	Pass
6	15529.349	55.15	23.74	74.0	-18.85	Peak	51.00	150	Horizontal	Pass
6**	15529.349	43.07	23.74	54.0	-10.93	AV	51.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.400	41.22	-14.77	74.0	-32.78	Peak	298.00	150	Vertical	Pass
1**	1218.400	31.11	-14.77	54.0	-22.89	AV	298.00	150	Vertical	Pass
2	2828.800	41.44	-8.23	74.0	-32.56	Peak	16.00	150	Vertical	Pass
2**	2828.800	32.57	-8.23	54.0	-21.43	AV	16.00	150	Vertical	Pass
3	3991.600	47.79	-4.47	74.0	-26.21	Peak	97.00	150	Vertical	Pass
3**	3991.600	36.75	-4.47	54.0	-17.25	AV	97.00	150	Vertical	Pass
4	5296.200	101.53	-0.52	--	-63.47	Peak	165.00	150	Vertical	N/A
4**	5296.200	94.53	-0.52	--	94.53	AV	165.00	150	Vertical	N/A
5	11613.513	50.07	20.20	74.0	-23.93	Peak	73.00	150	Vertical	Pass
5**	11613.513	38.76	20.20	54.0	-15.24	AV	73.00	150	Vertical	Pass
6	16002.638	55.11	24.01	74.0	-18.89	Peak	80.00	150	Vertical	Pass
6**	16002.638	44.33	24.01	54.0	-9.67	AV	80.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	39.23	-14.77	74.0	-34.77	Peak	345.00	150	Horizontal	Pass
1**	1332.800	31.56	-14.77	54.0	-22.44	AV	345.00	150	Horizontal	Pass
2	2800.800	41.05	-8.77	74.0	-32.95	Peak	76.00	150	Horizontal	Pass
2**	2800.800	32.28	-8.77	54.0	-21.72	AV	76.00	150	Horizontal	Pass
3	3905.400	46.87	-4.98	74.0	-27.13	Peak	124.00	150	Horizontal	Pass
3**	3905.400	33.88	-4.98	54.0	-20.12	AV	124.00	150	Horizontal	Pass
4	5317.200	100.77	-0.03	--	-62.23	Peak	163.00	150	Horizontal	N/A
4**	5317.200	93.67	-0.03	--	93.67	AV	163.00	150	Horizontal	N/A
5	12061.150	50.06	19.04	74.0	-23.94	Peak	0.00	150	Horizontal	Pass
5**	12061.150	36.84	19.04	54.0	-17.16	AV	0.00	150	Horizontal	Pass
6	15614.925	54.95	23.47	74.0	-19.05	Peak	363.00	150	Horizontal	Pass
6**	15614.925	43.53	23.47	54.0	-10.47	AV	363.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.800	38.99	-14.96	74.0	-35.01	Peak	198.00	150	Vertical	Pass
1**	1553.800	27.57	-14.96	54.0	-26.43	AV	198.00	150	Vertical	Pass
2	2830.500	41.96	-8.29	74.0	-32.04	Peak	237.00	150	Vertical	Pass
2**	2830.500	33.05	-8.29	54.0	-20.95	AV	237.00	150	Vertical	Pass
3	3982.200	47.24	-4.23	74.0	-26.76	Peak	119.00	150	Vertical	Pass
3**	3982.200	35.61	-4.23	54.0	-18.39	AV	119.00	150	Vertical	Pass
4	5316.800	101.10	-0.06	--	-57.90	Peak	159.00	150	Vertical	N/A
4**	5316.800	93.53	-0.06	--	93.53	AV	159.00	150	Vertical	N/A
5	11665.549	49.78	20.21	74.0	-24.22	Peak	346.00	150	Vertical	Pass
5**	11665.549	37.66	20.21	54.0	-16.34	AV	346.00	150	Vertical	Pass
6	15912.863	55.05	23.51	74.0	-18.95	Peak	288.00	150	Vertical	Pass
6**	15912.863	44.60	23.51	54.0	-9.40	AV	288.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.100	42.43	-15.21	74.0	-31.57	Peak	149.00	150	Horizontal	Pass
1**	1666.100	31.31	-15.21	54.0	-22.69	AV	149.00	150	Horizontal	Pass
2	2802.200	41.85	-8.74	74.0	-32.15	Peak	217.00	150	Horizontal	Pass
2**	2802.200	31.33	-8.74	54.0	-22.67	AV	217.00	150	Horizontal	Pass
3	4029.800	46.28	-3.98	74.0	-27.72	Peak	12.00	150	Horizontal	Pass
3**	4029.800	36.00	-3.98	54.0	-18.00	AV	12.00	150	Horizontal	Pass
4	5263.000	97.50	-0.93	--	-163.50	Peak	261.00	150	Horizontal	N/A
4**	5263.000	90.30	-0.93	--	90.30	AV	261.00	150	Horizontal	N/A
5	11682.513	49.33	20.04	74.0	-24.67	Peak	65.00	150	Horizontal	Pass
5**	11682.513	37.10	20.04	54.0	-16.90	AV	65.00	150	Horizontal	Pass
6	15596.812	55.24	23.55	74.0	-18.76	Peak	336.00	150	Horizontal	Pass
6**	15596.812	42.99	23.55	54.0	-11.01	AV	336.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.500	39.39	-14.95	74.0	-34.61	Peak	191.00	150	Vertical	Pass
1**	1546.500	27.63	-14.95	54.0	-26.37	AV	191.00	150	Vertical	Pass
2	2785.800	41.12	-8.75	74.0	-32.88	Peak	56.00	150	Vertical	Pass
2**	2785.800	31.57	-8.75	54.0	-22.43	AV	56.00	150	Vertical	Pass
3	3999.800	47.12	-4.52	74.0	-26.88	Peak	335.00	150	Vertical	Pass
3**	3999.800	37.14	-4.52	54.0	-16.86	AV	335.00	150	Vertical	Pass
4	5275.800	97.66	-0.53	--	-77.34	Peak	175.00	150	Vertical	N/A
4**	5275.800	91.05	-0.53	--	91.05	AV	175.00	150	Vertical	N/A
5	12195.987	50.20	20.40	74.0	-23.80	Peak	59.00	150	Vertical	Pass
5**	12195.987	40.44	20.40	54.0	-13.56	AV	59.00	150	Vertical	Pass
6	15602.850	54.72	23.54	74.0	-19.28	Peak	62.00	150	Vertical	Pass
6**	15602.850	43.50	23.54	54.0	-10.50	AV	62.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	42.58	-15.22	74.0	-31.42	Peak	193.00	150	Horizontal	Pass
1**	1668.100	32.85	-15.22	54.0	-21.15	AV	193.00	150	Horizontal	Pass
2	2816.400	41.42	-8.31	74.0	-32.58	Peak	44.00	150	Horizontal	Pass
2**	2816.400	31.76	-8.31	54.0	-22.24	AV	44.00	150	Horizontal	Pass
3	3982.800	47.04	-4.26	74.0	-26.96	Peak	91.00	150	Horizontal	Pass
3**	3982.800	34.12	-4.26	54.0	-19.88	AV	91.00	150	Horizontal	Pass
4	5317.400	98.03	-0.01	--	-157.97	Peak	256.00	150	Horizontal	N/A
4**	5317.400	92.33	-0.01	--	92.33	AV	256.00	150	Horizontal	N/A
5	11782.563	49.81	18.69	74.0	-24.19	Peak	348.00	150	Horizontal	Pass
5**	11782.563	38.26	18.69	54.0	-15.74	AV	348.00	150	Horizontal	Pass
6	15557.701	54.19	23.59	74.0	-19.81	Peak	55.00	150	Horizontal	Pass
6**	15557.701	42.75	23.59	54.0	-11.25	AV	55.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.200	38.62	-15.02	74.0	-35.38	Peak	193.00	150	Vertical	Pass
1**	1535.200	28.48	-15.02	54.0	-25.52	AV	193.00	150	Vertical	Pass
2	2735.300	42.07	-8.63	74.0	-31.93	Peak	212.00	150	Vertical	Pass
2**	2735.300	31.17	-8.63	54.0	-22.83	AV	212.00	150	Vertical	Pass
3	3993.200	46.88	-4.56	74.0	-27.12	Peak	294.00	150	Vertical	Pass
3**	3993.200	39.05	-4.56	54.0	-14.95	AV	294.00	150	Vertical	Pass
4	5313.000	97.84	0.14	--	-66.16	Peak	164.00	150	Vertical	N/A
4**	5313.000	91.33	0.14	--	91.33	AV	164.00	150	Vertical	N/A
5	11604.888	49.78	20.16	74.0	-24.22	Peak	238.00	150	Vertical	Pass
5**	11604.888	39.04	20.16	54.0	-14.96	AV	238.00	150	Vertical	Pass
6	15536.700	54.95	23.71	74.0	-19.05	Peak	334.00	150	Vertical	Pass
6**	15536.700	43.25	23.71	54.0	-10.75	AV	334.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.600	42.00	-15.21	74.0	-32.00	Peak	200.00	150	Horizontal	Pass
1**	1665.600	31.35	-15.21	54.0	-22.65	AV	200.00	150	Horizontal	Pass
2	2840.100	41.39	-8.53	74.0	-32.61	Peak	66.00	150	Horizontal	Pass
2**	2840.100	31.31	-8.53	54.0	-22.69	AV	66.00	150	Horizontal	Pass
3	4089.800	47.42	-4.46	74.0	-26.58	Peak	112.00	150	Horizontal	Pass
3**	4089.800	36.23	-4.46	54.0	-17.77	AV	112.00	150	Horizontal	Pass
4	5280.400	95.15	-0.39	--	-75.85	Peak	171.00	150	Horizontal	N/A
4**	5280.400	88.04	-0.39	--	88.04	AV	171.00	150	Horizontal	N/A
5	11640.250	49.52	20.36	74.0	-24.48	Peak	150.00	150	Horizontal	Pass
5**	11640.250	38.48	20.36	54.0	-15.52	AV	150.00	150	Horizontal	Pass
6	15482.100	54.92	23.68	74.0	-19.08	Peak	156.00	150	Horizontal	Pass
6**	15482.100	43.39	23.68	54.0	-10.61	AV	156.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.100	39.26	-15.03	74.0	-34.74	Peak	178.00	150	Vertical	Pass
1**	1524.100	29.14	-15.03	54.0	-24.86	AV	178.00	150	Vertical	Pass
2	2859.500	42.12	-8.00	74.0	-31.88	Peak	272.00	150	Vertical	Pass
2**	2859.500	32.56	-8.00	54.0	-21.44	AV	272.00	150	Vertical	Pass
3	3986.800	47.43	-4.35	74.0	-26.57	Peak	98.00	150	Vertical	Pass
3**	3986.800	39.00	-4.35	54.0	-15.00	AV	98.00	150	Vertical	Pass
4	5283.600	95.97	-0.31	--	-80.03	Peak	176.00	150	Vertical	N/A
4**	5283.600	87.13	-0.31	--	87.13	AV	176.00	150	Vertical	N/A
5	12231.349	50.89	20.44	74.0	-23.11	Peak	153.00	150	Vertical	Pass
5**	12231.349	39.50	20.44	54.0	-14.50	AV	153.00	150	Vertical	Pass
6	15927.825	54.75	23.75	74.0	-19.25	Peak	363.00	150	Vertical	Pass
6**	15927.825	43.62	23.75	54.0	-10.38	AV	363.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.000	42.36	-15.22	74.0	-31.64	Peak	137.00	150	Horizontal	Pass
1**	1668.000	33.08	-15.22	54.0	-20.92	AV	137.00	150	Horizontal	Pass
2	2726.100	42.00	-8.78	74.0	-32.00	Peak	43.00	150	Horizontal	Pass
2**	2726.100	31.41	-8.78	54.0	-22.59	AV	43.00	150	Horizontal	Pass
3	4237.400	47.47	-3.31	74.0	-26.53	Peak	235.00	150	Horizontal	Pass
3**	4237.400	37.50	-3.31	54.0	-16.50	AV	235.00	150	Horizontal	Pass
4	5259.000	100.89	-1.05	--	-44.11	Peak	145.00	150	Horizontal	N/A
4**	5259.000	94.21	-1.05	--	94.21	AV	145.00	150	Horizontal	N/A
5	12463.362	49.98	18.61	74.0	-24.02	Peak	22.00	150	Horizontal	Pass
5**	12463.362	38.49	18.61	54.0	-15.51	AV	22.00	150	Horizontal	Pass
6	15564.787	55.15	23.58	74.0	-18.85	Peak	348.00	150	Horizontal	Pass
6**	15564.787	43.26	23.58	54.0	-10.74	AV	348.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1206.700	40.02	-14.98	74.0	-33.98	Peak	289.00	150	Vertical	Pass
1**	1206.700	30.59	-14.98	54.0	-23.41	AV	289.00	150	Vertical	Pass
2	2844.900	41.58	-8.46	74.0	-32.42	Peak	0.00	150	Vertical	Pass
2**	2844.900	32.35	-8.46	54.0	-21.65	AV	0.00	150	Vertical	Pass
3	3992.000	47.76	-4.49	74.0	-26.24	Peak	103.00	150	Vertical	Pass
3**	3992.000	37.42	-4.49	54.0	-16.58	AV	103.00	150	Vertical	Pass
4	5260.400	99.99	-1.05	--	-69.01	Peak	169.00	150	Vertical	N/A
4**	5260.400	91.26	-1.05	--	91.26	AV	169.00	150	Vertical	N/A
5	11607.763	49.76	20.17	74.0	-24.24	Peak	123.00	150	Vertical	Pass
5**	11607.763	38.10	20.17	54.0	-15.90	AV	123.00	150	Vertical	Pass
6	16075.875	55.27	24.06	74.0	-18.73	Peak	283.00	150	Vertical	Pass
6**	16075.875	43.20	24.06	54.0	-10.80	AV	283.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.200	41.74	-15.29	74.0	-32.26	Peak	193.00	150	Horizontal	Pass
1**	1674.200	32.46	-15.29	54.0	-21.54	AV	193.00	150	Horizontal	Pass
2	2811.300	40.91	-8.44	74.0	-33.09	Peak	231.00	150	Horizontal	Pass
2**	2811.300	32.51	-8.44	54.0	-21.49	AV	231.00	150	Horizontal	Pass
3	4047.200	46.56	-3.88	74.0	-27.44	Peak	277.00	150	Horizontal	Pass
3**	4047.200	34.46	-3.88	54.0	-19.54	AV	277.00	150	Horizontal	Pass
4	5298.000	102.04	-0.51	--	-174.96	Peak	277.00	150	Horizontal	N/A
4**	5298.000	93.36	-0.51	--	93.36	AV	277.00	150	Horizontal	N/A
5	12231.063	50.36	20.44	74.0	-23.64	Peak	216.00	150	Horizontal	Pass
5**	12231.063	37.68	20.44	54.0	-16.32	AV	216.00	150	Horizontal	Pass
6	16020.750	54.81	23.97	74.0	-19.19	Peak	363.00	150	Horizontal	Pass
6**	16020.750	43.43	23.97	54.0	-10.57	AV	363.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1227.700	39.51	-14.74	74.0	-34.49	Peak	301.00	150	Vertical	Pass
1**	1227.700	31.70	-14.74	54.0	-22.30	AV	301.00	150	Vertical	Pass
2	2856.800	41.80	-8.06	74.0	-32.20	Peak	321.00	150	Vertical	Pass
2**	2856.800	31.58	-8.06	54.0	-22.42	AV	321.00	150	Vertical	Pass
3	3994.600	46.91	-4.49	74.0	-27.09	Peak	107.00	150	Vertical	Pass
3**	3994.600	35.59	-4.49	54.0	-18.41	AV	107.00	150	Vertical	Pass
4	5297.000	101.67	-0.51	--	-76.33	Peak	178.00	150	Vertical	N/A
4**	5297.000	93.29	-0.51	--	93.29	AV	178.00	150	Vertical	N/A
5	12452.150	50.30	18.64	74.0	-23.70	Peak	117.00	150	Vertical	Pass
5**	12452.150	39.38	18.64	54.0	-14.62	AV	117.00	150	Vertical	Pass
6	15999.750	55.08	24.02	74.0	-18.92	Peak	276.00	150	Vertical	Pass
6**	15999.750	42.95	24.02	54.0	-11.05	AV	276.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	42.55	-15.21	74.0	-31.45	Peak	196.00	150	Horizontal	Pass
1**	1667.100	32.28	-15.21	54.0	-21.72	AV	196.00	150	Horizontal	Pass
2	2823.700	41.45	-8.32	74.0	-32.55	Peak	2.00	150	Horizontal	Pass
2**	2823.700	33.09	-8.32	54.0	-20.91	AV	2.00	150	Horizontal	Pass
3	4015.000	46.61	-4.08	74.0	-27.39	Peak	252.00	150	Horizontal	Pass
3**	4015.000	34.43	-4.08	54.0	-19.57	AV	252.00	150	Horizontal	Pass
4	5323.600	100.66	-0.03	--	-52.34	Peak	153.00	150	Horizontal	N/A
4**	5323.600	93.26	-0.03	--	93.26	AV	153.00	150	Horizontal	N/A
5	11889.512	49.97	18.04	74.0	-24.03	Peak	30.00	150	Horizontal	Pass
5**	11889.512	36.93	18.04	54.0	-17.07	AV	30.00	150	Horizontal	Pass
6	15468.450	54.82	23.58	74.0	-19.18	Peak	289.00	150	Horizontal	Pass
6**	15468.450	43.08	23.58	54.0	-10.92	AV	289.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1216.500	40.63	-14.81	74.0	-33.37	Peak	290.00	150	Vertical	Pass
1**	1216.500	32.59	-14.81	54.0	-21.41	AV	290.00	150	Vertical	Pass
2	2838.800	41.19	-8.47	74.0	-32.81	Peak	246.00	150	Vertical	Pass
2**	2838.800	31.60	-8.47	54.0	-22.40	AV	246.00	150	Vertical	Pass
3	3983.200	47.63	-4.27	74.0	-26.37	Peak	288.00	150	Vertical	Pass
3**	3983.200	37.25	-4.27	54.0	-16.75	AV	288.00	150	Vertical	Pass
4	5321.600	103.11	-0.09	--	-67.89	Peak	171.00	150	Vertical	N/A
4**	5321.600	91.87	-0.09	--	91.87	AV	171.00	150	Vertical	N/A
5	12252.338	49.93	20.44	74.0	-24.07	Peak	258.00	150	Vertical	Pass
5**	12252.338	37.47	20.44	54.0	-16.53	AV	258.00	150	Vertical	Pass
6	16147.013	54.67	24.07	74.0	-19.33	Peak	241.00	150	Vertical	Pass
6**	16147.013	42.73	24.07	54.0	-11.27	AV	241.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.900	42.27	-15.32	74.0	-31.73	Peak	145.00	150	Horizontal	Pass
1**	1673.900	31.89	-15.32	54.0	-22.11	AV	145.00	150	Horizontal	Pass
2	2811.300	41.93	-8.44	74.0	-32.07	Peak	68.00	150	Horizontal	Pass
2**	2811.300	32.32	-8.44	54.0	-21.68	AV	68.00	150	Horizontal	Pass
3	3982.000	47.14	-4.21	74.0	-26.86	Peak	0.00	150	Horizontal	Pass
3**	3982.000	35.27	-4.21	54.0	-18.73	AV	0.00	150	Horizontal	Pass
4	5277.600	99.98	-0.51	--	-62.02	Peak	162.00	150	Horizontal	N/A
4**	5277.600	90.67	-0.51	--	90.67	AV	162.00	150	Horizontal	N/A
5	11528.125	49.73	19.51	74.0	-24.27	Peak	138.00	150	Horizontal	Pass
5**	11528.125	38.36	19.51	54.0	-15.64	AV	138.00	150	Horizontal	Pass
6	15654.300	54.56	23.49	74.0	-19.44	Peak	118.00	150	Horizontal	Pass
6**	15654.300	43.02	23.49	54.0	-10.98	AV	118.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.300	40.26	-15.25	74.0	-33.74	Peak	186.00	150	Vertical	Pass
1**	1584.300	29.89	-15.25	54.0	-24.11	AV	186.00	150	Vertical	Pass
2	2818.300	40.82	-8.29	74.0	-33.18	Peak	22.00	150	Vertical	Pass
2**	2818.300	32.11	-8.29	54.0	-21.89	AV	22.00	150	Vertical	Pass
3	3992.000	48.39	-4.49	74.0	-25.61	Peak	97.00	150	Vertical	Pass
3**	3992.000	35.97	-4.49	54.0	-18.03	AV	97.00	150	Vertical	Pass
4	5277.200	98.46	-0.51	--	-63.54	Peak	162.00	150	Vertical	N/A
4**	5277.200	90.48	-0.51	--	90.48	AV	162.00	150	Vertical	N/A
5	12166.088	50.37	20.11	74.0	-23.63	Peak	153.00	150	Vertical	Pass
5**	12166.088	39.14	20.11	54.0	-14.86	AV	153.00	150	Vertical	Pass
6	15425.662	55.17	23.18	74.0	-18.83	Peak	360.00	150	Vertical	Pass
6**	15425.662	42.53	23.18	54.0	-11.47	AV	360.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.000	41.73	-15.21	74.0	-32.27	Peak	152.00	150	Horizontal	Pass
1**	1667.000	30.46	-15.21	54.0	-23.54	AV	152.00	150	Horizontal	Pass
2	2815.800	41.13	-8.33	74.0	-32.87	Peak	82.00	150	Horizontal	Pass
2**	2815.800	32.12	-8.33	54.0	-21.88	AV	82.00	150	Horizontal	Pass
3	4016.400	46.28	-4.09	74.0	-27.72	Peak	339.00	150	Horizontal	Pass
3**	4016.400	35.30	-4.09	54.0	-18.70	AV	339.00	150	Horizontal	Pass
4	5302.400	99.20	0.30	--	-157.80	Peak	257.00	150	Horizontal	N/A
4**	5302.400	91.84	0.30	--	91.84	AV	257.00	150	Horizontal	N/A
5	11001.138	49.72	19.01	74.0	-24.28	Peak	24.00	150	Horizontal	Pass
5**	11001.138	37.28	19.01	54.0	-16.72	AV	24.00	150	Horizontal	Pass
6	15991.612	55.14	24.01	74.0	-18.86	Peak	161.00	150	Horizontal	Pass
6**	15991.612	42.79	24.01	54.0	-11.21	AV	161.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1226.500	39.78	-14.68	74.0	-34.22	Peak	271.00	150	Vertical	Pass
1**	1226.500	32.82	-14.68	54.0	-21.18	AV	271.00	150	Vertical	Pass
2	2735.800	41.56	-8.63	74.0	-32.44	Peak	32.00	150	Vertical	Pass
2**	2735.800	31.87	-8.63	54.0	-22.13	AV	32.00	150	Vertical	Pass
3	3997.600	48.75	-4.56	74.0	-25.25	Peak	114.00	150	Vertical	Pass
3**	3997.600	35.36	-4.56	54.0	-18.64	AV	114.00	150	Vertical	Pass
4	5320.400	99.95	-0.03	--	-69.05	Peak	169.00	150	Vertical	N/A
4**	5320.400	88.71	-0.03	--	88.71	AV	169.00	150	Vertical	N/A
5	12520.863	50.38	18.60	74.0	-23.62	Peak	209.00	150	Vertical	Pass
5**	12520.863	37.36	18.60	54.0	-16.64	AV	209.00	150	Vertical	Pass
6	15600.750	54.24	23.55	74.0	-19.76	Peak	14.00	150	Vertical	Pass
6**	15600.750	43.01	23.55	54.0	-10.99	AV	14.00	150	Vertical	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	41.99	-15.28	74.0	-32.01	Peak	193.00	150	Horizontal	Pass
1**	1670.900	32.13	-15.28	54.0	-21.87	AV	193.00	150	Horizontal	Pass
2	2805.800	40.85	-8.74	74.0	-33.15	Peak	335.00	150	Horizontal	Pass
2**	2805.800	31.11	-8.74	54.0	-22.89	AV	335.00	150	Horizontal	Pass
3	4124.000	47.06	-4.03	74.0	-26.94	Peak	360.00	150	Horizontal	Pass
3**	4124.000	36.51	-4.03	54.0	-17.49	AV	360.00	150	Horizontal	Pass
4	5280.200	98.46	-0.40	--	-187.54	Peak	286.00	150	Horizontal	N/A
4**	5280.200	87.76	-0.40	--	87.76	AV	286.00	150	Horizontal	N/A
5	11662.387	50.69	20.25	74.0	-23.31	Peak	207.00	150	Horizontal	Pass
5**	11662.387	37.76	20.25	54.0	-16.24	AV	207.00	150	Horizontal	Pass
6	15606.263	54.96	23.52	74.0	-19.04	Peak	363.00	150	Horizontal	Pass
6**	15606.263	43.79	23.52	54.0	-10.21	AV	363.00	150	Horizontal	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1227.600	40.99	-14.73	74.0	-33.01	Peak	300.00	150	Vertical	Pass
1**	1227.600	31.16	-14.73	54.0	-22.84	AV	300.00	150	Vertical	Pass
2	2740.100	41.79	-8.77	74.0	-32.21	Peak	326.00	150	Vertical	Pass
2**	2740.100	31.35	-8.77	54.0	-22.65	AV	326.00	150	Vertical	Pass
3	3995.000	48.24	-4.48	74.0	-25.76	Peak	92.00	150	Vertical	Pass
3**	3995.000	37.75	-4.48	54.0	-16.25	AV	92.00	150	Vertical	Pass
4	5306.600	97.44	0.17	--	-62.56	Peak	160.00	150	Vertical	N/A
4**	5306.600	86.81	0.17	--	86.81	AV	160.00	150	Vertical	N/A
5	11770.776	50.03	18.77	74.0	-23.97	Peak	267.00	150	Vertical	Pass
5**	11770.776	37.99	18.77	54.0	-16.01	AV	267.00	150	Vertical	Pass
6	15654.563	54.18	23.49	74.0	-19.82	Peak	327.00	150	Vertical	Pass
6**	15654.563	42.76	23.49	54.0	-11.24	AV	327.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.000	41.71	-15.24	74.0	-32.29	Peak	143.00	150	Horizontal	Pass
1**	1682.000	33.05	-15.24	54.0	-20.95	AV	143.00	150	Horizontal	Pass
2	2813.000	41.90	-8.37	74.0	-32.10	Peak	172.00	150	Horizontal	Pass
2**	2813.000	32.84	-8.37	54.0	-21.16	AV	172.00	150	Horizontal	Pass
3	3986.200	46.37	-4.34	74.0	-27.63	Peak	129.00	150	Horizontal	Pass
3**	3986.200	35.44	-4.34	54.0	-18.56	AV	129.00	150	Horizontal	Pass
4	5503.600	100.22	0.49	--	-159.78	Peak	260.00	150	Horizontal	N/A
4**	5503.600	93.06	0.49	--	93.06	AV	260.00	150	Horizontal	N/A
5	11660.375	49.41	20.27	74.0	-24.59	Peak	230.00	150	Horizontal	Pass
5**	11660.375	38.84	20.27	54.0	-15.16	AV	230.00	150	Horizontal	Pass
6	15549.825	54.89	23.61	74.0	-19.11	Peak	101.00	150	Horizontal	Pass
6**	15549.825	42.91	23.61	54.0	-11.09	AV	101.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.800	40.77	-14.77	74.0	-33.23	Peak	288.00	150	Vertical	Pass
1**	1217.800	30.84	-14.77	54.0	-23.16	AV	288.00	150	Vertical	Pass
2	2864.800	42.00	-8.05	74.0	-32.00	Peak	79.00	150	Vertical	Pass
2**	2864.800	31.51	-8.05	54.0	-22.49	AV	79.00	150	Vertical	Pass
3	3978.600	47.16	-4.07	74.0	-26.84	Peak	99.00	150	Vertical	Pass
3**	3978.600	35.08	-4.07	54.0	-18.92	AV	99.00	150	Vertical	Pass
4	5497.600	99.04	0.58	--	-57.96	Peak	157.00	150	Vertical	N/A
4**	5497.600	92.29	0.58	--	92.29	AV	157.00	150	Vertical	N/A
5	11685.675	49.11	20.00	74.0	-24.89	Peak	232.00	150	Vertical	Pass
5**	11685.675	37.55	20.00	54.0	-16.45	AV	232.00	150	Vertical	Pass
6	15489.974	55.16	23.81	74.0	-18.84	Peak	40.00	150	Vertical	Pass
6**	15489.974	43.22	23.81	54.0	-10.78	AV	40.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	39.29	-14.75	74.0	-34.71	Peak	349.00	150	Horizontal	Pass
1**	1332.000	30.88	-14.75	54.0	-23.12	AV	349.00	150	Horizontal	Pass
2	2828.600	41.24	-8.22	74.0	-32.76	Peak	333.00	150	Horizontal	Pass
2**	2828.600	30.79	-8.22	54.0	-23.21	AV	333.00	150	Horizontal	Pass
3	4196.000	46.89	-4.05	74.0	-27.11	Peak	11.00	150	Horizontal	Pass
3**	4196.000	35.12	-4.05	54.0	-18.88	AV	11.00	150	Horizontal	Pass
4	5579.200	99.86	0.84	--	-163.14	Peak	263.00	150	Horizontal	N/A
4**	5579.200	92.92	0.84	--	92.92	AV	263.00	150	Horizontal	N/A
5	12192.538	49.95	20.37	74.0	-24.05	Peak	273.00	150	Horizontal	Pass
5**	12192.538	39.59	20.37	54.0	-14.41	AV	273.00	150	Horizontal	Pass
6	15479.474	55.17	23.65	74.0	-18.83	Peak	90.00	150	Horizontal	Pass
6**	15479.474	43.47	23.65	54.0	-10.53	AV	90.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1389.000	38.80	-14.92	74.0	-35.20	Peak	229.00	150	Vertical	Pass
1**	1389.000	30.60	-14.92	54.0	-23.40	AV	229.00	150	Vertical	Pass
2	2816.900	41.82	-8.30	74.0	-32.18	Peak	0.00	150	Vertical	Pass
2**	2816.900	31.93	-8.30	54.0	-22.07	AV	0.00	150	Vertical	Pass
3	4130.600	46.67	-4.10	74.0	-27.33	Peak	120.00	150	Vertical	Pass
3**	4130.600	34.51	-4.10	54.0	-19.49	AV	120.00	150	Vertical	Pass
4	5581.000	96.51	0.89	--	-83.49	Peak	180.00	150	Vertical	N/A
4**	5581.000	89.16	0.89	--	89.16	AV	180.00	150	Vertical	N/A
5	11669.862	50.26	20.17	74.0	-23.74	Peak	210.00	150	Vertical	Pass
5**	11669.862	37.46	20.17	54.0	-16.54	AV	210.00	150	Vertical	Pass
6	15622.799	55.79	23.46	74.0	-18.21	Peak	114.00	150	Vertical	Pass
6**	15622.799	44.16	23.46	54.0	-9.84	AV	114.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	41.40	-15.23	74.0	-32.60	Peak	155.00	150	Horizontal	Pass
1**	1669.300	32.94	-15.23	54.0	-21.06	AV	155.00	150	Horizontal	Pass
2	2780.000	41.06	-8.54	74.0	-32.94	Peak	317.00	150	Horizontal	Pass
2**	2780.000	31.74	-8.54	54.0	-22.26	AV	317.00	150	Horizontal	Pass
3	4218.400	47.17	-3.74	74.0	-26.83	Peak	136.00	150	Horizontal	Pass
3**	4218.400	35.75	-3.74	54.0	-18.25	AV	136.00	150	Horizontal	Pass
4	5704.000	99.05	-0.66	--	-177.95	Peak	277.00	150	Horizontal	N/A
4**	5704.000	93.15	-0.66	--	93.15	AV	277.00	150	Horizontal	N/A
5	12501.599	49.71	18.54	74.0	-24.29	Peak	53.00	150	Horizontal	Pass
5**	12501.599	39.05	18.54	54.0	-14.95	AV	53.00	150	Horizontal	Pass
6	15713.625	54.32	23.50	74.0	-19.68	Peak	45.00	150	Horizontal	Pass
6**	15713.625	43.03	23.50	54.0	-10.97	AV	45.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.300	40.88	-14.77	74.0	-33.12	Peak	270.00	150	Vertical	Pass
1**	1218.300	27.63	-14.77	54.0	-26.37	AV	270.00	150	Vertical	Pass
2	2830.200	40.75	-8.28	74.0	-33.25	Peak	270.00	150	Vertical	Pass
2**	2830.200	31.82	-8.28	54.0	-22.18	AV	270.00	150	Vertical	Pass
3	4157.200	46.57	-3.49	74.0	-27.43	Peak	257.00	150	Vertical	Pass
3**	4157.200	36.30	-3.49	54.0	-17.70	AV	257.00	150	Vertical	Pass
4	5696.600	95.26	-0.67	--	-69.74	Peak	165.00	150	Vertical	N/A
4**	5696.600	87.70	-0.67	--	87.70	AV	165.00	150	Vertical	N/A
5	12361.875	50.00	19.61	74.0	-24.00	Peak	224.00	150	Vertical	Pass
5**	12361.875	39.13	19.61	54.0	-14.87	AV	224.00	150	Vertical	Pass
6	15543.262	54.78	23.67	74.0	-19.22	Peak	202.00	150	Vertical	Pass
6**	15543.262	43.72	23.67	54.0	-10.28	AV	202.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	41.65	-15.23	74.0	-32.35	Peak	211.00	150	Horizontal	Pass
1**	1669.400	31.79	-15.23	54.0	-22.21	AV	211.00	150	Horizontal	Pass
2	2821.400	41.36	-8.39	74.0	-32.64	Peak	100.00	150	Horizontal	Pass
2**	2821.400	31.31	-8.39	54.0	-22.69	AV	100.00	150	Horizontal	Pass
3	4341.800	45.87	-3.10	74.0	-28.13	Peak	103.00	150	Horizontal	Pass
3**	4341.800	36.38	-3.10	54.0	-17.62	AV	103.00	150	Horizontal	Pass
4	5718.600	100.57	-0.56	--	-156.43	Peak	257.00	150	Horizontal	N/A
4**	5718.600	92.95	-0.56	--	92.95	AV	257.00	150	Horizontal	N/A
5	11679.638	49.14	20.07	74.0	-24.86	Peak	265.00	150	Horizontal	Pass
5**	11679.638	38.07	20.07	54.0	-15.93	AV	265.00	150	Horizontal	Pass
6	15544.575	55.01	23.66	74.0	-18.99	Peak	125.00	150	Horizontal	Pass
6**	15544.575	42.85	23.66	54.0	-11.15	AV	125.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.100	43.69	-15.09	74.0	-30.31	Peak	310.00	150	Vertical	Pass
1**	1187.100	34.17	-15.09	54.0	-19.83	AV	310.00	150	Vertical	Pass
2	2884.700	42.12	-8.28	74.0	-31.88	Peak	329.00	150	Vertical	Pass
2**	2884.700	32.47	-8.28	54.0	-21.53	AV	329.00	150	Vertical	Pass
3	4217.400	46.22	-3.83	74.0	-27.78	Peak	116.00	150	Vertical	Pass
3**	4217.400	36.18	-3.83	54.0	-17.82	AV	116.00	150	Vertical	Pass
4	5722.800	96.53	-0.50	--	-63.47	Peak	160.00	150	Vertical	N/A
4**	5722.800	89.18	-0.50	--	89.18	AV	160.00	150	Vertical	N/A
5	12229.913	50.51	20.44	74.0	-23.49	Peak	0.00	150	Vertical	Pass
5**	12229.913	36.44	20.44	54.0	-17.56	AV	0.00	150	Vertical	Pass
6	15439.313	54.34	23.25	74.0	-19.66	Peak	252.00	150	Vertical	Pass
6**	15439.313	42.91	23.25	54.0	-11.09	AV	252.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.700	41.41	-15.28	74.0	-32.59	Peak	158.00	150	Horizontal	Pass
1**	1677.700	31.19	-15.28	54.0	-22.81	AV	158.00	150	Horizontal	Pass
2	2784.700	42.20	-8.70	74.0	-31.80	Peak	343.00	150	Horizontal	Pass
2**	2784.700	31.30	-8.70	54.0	-22.70	AV	343.00	150	Horizontal	Pass
3	4019.200	45.71	-4.06	74.0	-28.29	Peak	265.00	150	Horizontal	Pass
3**	4019.200	35.98	-4.06	54.0	-18.02	AV	265.00	150	Horizontal	Pass
4	5496.200	100.51	0.64	--	-155.49	Peak	256.00	150	Horizontal	Pass
4**	5496.200	93.84	0.64	--	93.84	AV	256.00	150	Horizontal	N/A
5	12087.888	49.09	19.30	74.0	-24.91	Peak	72.00	150	Horizontal	Pass
5**	12087.888	37.49	19.30	54.0	-16.51	AV	72.00	150	Horizontal	Pass
6	15789.750	55.46	23.16	74.0	-18.54	Peak	165.00	150	Horizontal	Pass
6**	15789.750	43.41	23.16	54.0	-10.59	AV	165.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1205.700	41.09	-14.98	74.0	-32.91	Peak	304.00	150	Vertical	Pass
1**	1205.700	30.56	-14.98	54.0	-23.44	AV	304.00	150	Vertical	Pass
2	2846.500	41.96	-8.35	74.0	-32.04	Peak	98.00	150	Vertical	Pass
2**	2846.500	31.66	-8.35	54.0	-22.34	AV	98.00	150	Vertical	Pass
3	4223.800	46.15	-3.62	74.0	-27.85	Peak	16.00	150	Vertical	Pass
3**	4223.800	38.27	-3.62	54.0	-15.73	AV	16.00	150	Vertical	Pass
4	5498.000	99.32	0.56	--	-40.68	Peak	140.00	150	Vertical	Pass
4**	5498.000	91.47	0.56	--	91.47	AV	140.00	150	Vertical	N/A
5	11617.825	49.58	20.23	74.0	-24.42	Peak	9.00	150	Vertical	Pass
5**	11617.825	37.52	20.23	54.0	-16.48	AV	9.00	150	Vertical	Pass
6	15976.651	55.05	24.00	74.0	-18.95	Peak	49.00	150	Vertical	Pass
6**	15976.651	42.72	24.00	54.0	-11.28	AV	49.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	41.13	-15.22	74.0	-32.87	Peak	214.00	150	Horizontal	Pass
1**	1668.200	33.09	-15.22	54.0	-20.91	AV	214.00	150	Horizontal	Pass
2	2824.600	41.54	-8.31	74.0	-32.46	Peak	165.00	150	Horizontal	Pass
2**	2824.600	31.91	-8.31	54.0	-22.09	AV	165.00	150	Horizontal	Pass
3	4170.600	46.43	-3.77	74.0	-27.57	Peak	192.00	150	Horizontal	Pass
3**	4170.600	36.71	-3.77	54.0	-17.29	AV	192.00	150	Horizontal	Pass
4	5577.400	101.42	0.73	--	-154.58	Peak	256.00	150	Horizontal	N/A
4**	5577.400	95.51	0.73	--	95.51	AV	256.00	150	Horizontal	N/A
5	11557.450	49.83	19.76	74.0	-24.17	Peak	219.00	150	Horizontal	Pass
5**	11557.450	38.39	19.76	54.0	-15.61	AV	219.00	150	Horizontal	Pass
6	15577.650	54.67	23.58	74.0	-19.33	Peak	302.00	150	Horizontal	Pass
6**	15577.650	43.54	23.58	54.0	-10.46	AV	302.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.600	43.25	-14.87	74.0	-30.75	Peak	293.00	150	Vertical	Pass
1**	1164.600	32.64	-14.87	54.0	-21.36	AV	293.00	150	Vertical	Pass
2	2876.300	41.58	-8.34	74.0	-32.42	Peak	156.00	150	Vertical	Pass
2**	2876.300	31.44	-8.34	54.0	-22.56	AV	156.00	150	Vertical	Pass
3	3990.600	46.99	-4.41	74.0	-27.01	Peak	177.00	150	Vertical	Pass
3**	3990.600	36.44	-4.41	54.0	-17.56	AV	177.00	150	Vertical	Pass
4	5581.600	96.37	0.86	--	-62.63	Peak	159.00	150	Vertical	N/A
4**	5581.600	89.83	0.86	--	89.83	AV	159.00	150	Vertical	N/A
5	11682.513	50.02	20.04	74.0	-23.98	Peak	333.00	150	Vertical	Pass
5**	11682.513	38.31	20.04	54.0	-15.69	AV	333.00	150	Vertical	Pass
6	15917.325	55.06	23.59	74.0	-18.94	Peak	350.00	150	Vertical	Pass
6**	15917.325	44.15	23.59	54.0	-9.85	AV	350.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.800	41.61	-15.22	74.0	-32.39	Peak	158.00	150	Horizontal	Pass
1**	1678.800	33.53	-15.22	54.0	-20.47	AV	158.00	150	Horizontal	Pass
2	2853.100	41.59	-8.16	74.0	-32.41	Peak	134.00	150	Horizontal	Pass
2**	2853.100	32.46	-8.16	54.0	-21.54	AV	134.00	150	Horizontal	Pass
3	3970.200	45.87	-4.18	74.0	-28.13	Peak	360.00	150	Horizontal	Pass
3**	3970.200	37.11	-4.18	54.0	-16.89	AV	360.00	150	Horizontal	Pass
4	5696.200	101.47	-0.65	--	-159.53	Peak	261.00	150	Horizontal	N/A
4**	5696.200	94.95	-0.65	--	94.95	AV	261.00	150	Horizontal	N/A
5	11610.637	49.70	20.19	74.0	-24.30	Peak	213.00	150	Horizontal	Pass
5**	11610.637	38.48	20.19	54.0	-15.52	AV	213.00	150	Horizontal	Pass
6	15504.675	54.91	23.92	74.0	-19.09	Peak	165.00	150	Horizontal	Pass
6**	15504.675	44.26	23.92	54.0	-9.74	AV	165.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.300	44.70	-15.21	74.0	-29.30	Peak	274.00	150	Vertical	Pass
1**	1667.300	34.02	-15.21	54.0	-19.98	AV	274.00	150	Vertical	Pass
2	2815.000	41.00	-8.34	74.0	-33.00	Peak	181.00	150	Vertical	Pass
2**	2815.000	31.73	-8.34	54.0	-22.27	AV	181.00	150	Vertical	Pass
3	3998.400	46.31	-4.54	74.0	-27.69	Peak	102.00	150	Vertical	Pass
3**	3998.400	36.67	-4.54	54.0	-17.33	AV	102.00	150	Vertical	Pass
4	5696.200	95.71	-0.65	--	-70.29	Peak	166.00	150	Vertical	N/A
4**	5696.200	88.76	-0.65	--	88.76	AV	166.00	150	Vertical	N/A
5	12394.937	50.46	19.25	74.0	-23.54	Peak	128.00	150	Vertical	Pass
5**	12394.937	37.86	19.25	54.0	-16.14	AV	128.00	150	Vertical	Pass
6	15880.050	55.17	23.35	74.0	-18.83	Peak	34.00	150	Vertical	Pass
6**	15880.050	43.46	23.35	54.0	-10.54	AV	34.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.800	42.04	-14.95	74.0	-31.96	Peak	349.00	150	Horizontal	Pass
1**	1151.800	30.42	-14.95	54.0	-23.58	AV	349.00	150	Horizontal	Pass
2	2847.500	41.79	-8.28	74.0	-32.21	Peak	121.00	150	Horizontal	Pass
2**	2847.500	31.88	-8.28	54.0	-22.12	AV	121.00	150	Horizontal	Pass
3	4254.200	46.10	-3.07	74.0	-27.90	Peak	197.00	150	Horizontal	Pass
3**	4254.200	38.23	-3.07	54.0	-15.77	AV	197.00	150	Horizontal	Pass
4	5724.600	100.75	-0.48	--	-152.25	Peak	253.00	150	Horizontal	N/A
4**	5724.600	94.71	-0.48	--	94.71	AV	253.00	150	Horizontal	N/A
5	11950.463	49.60	18.19	74.0	-24.40	Peak	291.00	150	Horizontal	Pass
5**	11950.463	37.81	18.19	54.0	-16.19	AV	291.00	150	Horizontal	Pass
6	15617.287	54.89	23.46	74.0	-19.11	Peak	138.00	150	Horizontal	Pass
6**	15617.287	44.04	23.46	54.0	-9.96	AV	138.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.400	41.39	-15.05	74.0	-32.61	Peak	315.00	150	Vertical	Pass
1**	1189.400	30.00	-15.05	54.0	-24.00	AV	315.00	150	Vertical	Pass
2	2889.400	41.87	-8.14	74.0	-32.13	Peak	72.00	150	Vertical	Pass
2**	2889.400	32.10	-8.14	54.0	-21.90	AV	72.00	150	Vertical	Pass
3	4035.800	46.34	-3.90	74.0	-27.66	Peak	326.00	150	Vertical	Pass
3**	4035.800	36.29	-3.90	54.0	-17.71	AV	326.00	150	Vertical	Pass
4	5718.600	96.03	-0.56	--	-67.97	Peak	164.00	150	Vertical	N/A
4**	5718.600	88.69	-0.56	--	88.69	AV	164.00	150	Vertical	N/A
5	12499.299	50.43	18.54	74.0	-23.57	Peak	307.00	150	Vertical	Pass
5**	12499.299	37.39	18.54	54.0	-16.61	AV	307.00	150	Vertical	Pass
6	16137.825	55.12	24.13	74.0	-18.88	Peak	338.00	150	Vertical	Pass
6**	16137.825	42.42	24.13	54.0	-11.58	AV	338.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.000	41.18	-15.22	74.0	-32.82	Peak	159.00	150	Horizontal	Pass
1**	1668.000	30.79	-15.22	54.0	-23.21	AV	159.00	150	Horizontal	Pass
2	2871.000	41.52	-8.19	74.0	-32.48	Peak	87.00	150	Horizontal	Pass
2**	2871.000	32.28	-8.19	54.0	-21.72	AV	87.00	150	Horizontal	Pass
3	4152.000	46.20	-3.50	74.0	-27.80	Peak	87.00	150	Horizontal	Pass
3**	4152.000	37.19	-3.50	54.0	-16.81	AV	87.00	150	Horizontal	Pass
4	5500.800	96.93	0.48	--	-156.07	Peak	253.00	150	Horizontal	N/A
4**	5500.800	89.92	0.48	--	89.92	AV	253.00	150	Horizontal	N/A
5	11562.050	50.10	19.79	74.0	-23.90	Peak	333.00	150	Horizontal	Pass
5**	11562.050	37.61	19.79	54.0	-16.39	AV	333.00	150	Horizontal	Pass
6	15956.175	55.79	23.97	74.0	-18.21	Peak	115.00	150	Horizontal	Pass
6**	15956.175	44.20	23.97	54.0	-9.80	AV	115.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.800	41.63	-15.03	74.0	-32.37	Peak	291.00	150	Vertical	Pass
1**	1176.800	32.83	-15.03	54.0	-21.17	AV	291.00	150	Vertical	Pass
2	2732.100	42.56	-8.73	74.0	-31.44	Peak	360.00	150	Vertical	Pass
2**	2732.100	31.80	-8.73	54.0	-22.20	AV	360.00	150	Vertical	Pass
3	3995.000	46.33	-4.48	74.0	-27.67	Peak	126.00	150	Vertical	Pass
3**	3995.000	37.18	-4.48	54.0	-16.82	AV	126.00	150	Vertical	Pass
4	5499.200	95.75	0.51	--	-48.25	Peak	144.00	150	Vertical	N/A
4**	5499.200	87.83	0.51	--	87.83	AV	144.00	150	Vertical	N/A
5	11604.888	49.39	20.16	74.0	-24.61	Peak	10.00	150	Vertical	Pass
5**	11604.888	39.43	20.16	54.0	-14.57	AV	10.00	150	Vertical	Pass
6	15614.401	55.40	23.48	74.0	-18.60	Peak	350.00	150	Vertical	Pass
6**	15614.401	43.17	23.48	54.0	-10.83	AV	350.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	43.00	-15.21	74.0	-31.00	Peak	218.00	150	Horizontal	Pass
1**	1665.900	31.53	-15.21	54.0	-22.47	AV	218.00	150	Horizontal	Pass
2	2814.400	41.46	-8.34	74.0	-32.54	Peak	207.00	150	Horizontal	Pass
2**	2814.400	31.78	-8.34	54.0	-22.22	AV	207.00	150	Horizontal	Pass
3	4291.600	47.25	-3.75	74.0	-26.75	Peak	226.00	150	Horizontal	Pass
3**	4291.600	37.13	-3.75	54.0	-16.87	AV	226.00	150	Horizontal	Pass
4	5602.400	98.73	-0.01	--	-160.27	Peak	259.00	150	Horizontal	N/A
4**	5602.400	90.56	-0.01	--	90.56	AV	259.00	150	Horizontal	N/A
5	11807.000	49.59	18.49	74.0	-24.41	Peak	0.00	150	Horizontal	Pass
5**	11807.000	38.39	18.49	54.0	-15.61	AV	0.00	150	Horizontal	Pass
6	15493.913	54.99	23.87	74.0	-19.01	Peak	0.00	150	Horizontal	Pass
6**	15493.913	43.29	23.87	54.0	-10.71	AV	0.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.000	42.60	-15.06	74.0	-31.40	Peak	50.00	150	Vertical	Pass
1**	1181.000	31.44	-15.06	54.0	-22.56	AV	50.00	150	Vertical	Pass
2	2863.700	42.21	-8.04	74.0	-31.79	Peak	41.00	150	Vertical	Pass
2**	2863.700	33.09	-8.04	54.0	-20.91	AV	41.00	150	Vertical	Pass
3	4306.000	46.69	-3.40	74.0	-27.31	Peak	0.00	150	Vertical	Pass
3**	4306.000	37.04	-3.40	54.0	-16.96	AV	0.00	150	Vertical	Pass
4	5584.600	94.10	0.54	--	-31.90	Peak	126.00	150	Vertical	N/A
4**	5584.600	86.56	0.54	--	86.56	AV	126.00	150	Vertical	N/A
5	11836.325	50.04	18.24	74.0	-23.96	Peak	240.00	150	Vertical	Pass
5**	11836.325	38.33	18.24	54.0	-15.67	AV	240.00	150	Vertical	Pass
6	15953.025	54.88	23.96	74.0	-19.12	Peak	144.00	150	Vertical	Pass
6**	15953.025	44.22	23.96	54.0	-9.78	AV	144.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.000	41.54	-15.40	74.0	-32.46	Peak	255.00	150	Horizontal	Pass
1**	1672.000	33.60	-15.40	54.0	-20.40	AV	255.00	150	Horizontal	Pass
2	2881.300	41.88	-8.29	74.0	-32.12	Peak	87.00	150	Horizontal	Pass
2**	2881.300	33.00	-8.29	54.0	-21.00	AV	87.00	150	Horizontal	Pass
3	4168.400	45.72	-3.78	74.0	-28.28	Peak	91.00	150	Horizontal	Pass
3**	4168.400	36.88	-3.78	54.0	-17.12	AV	91.00	150	Horizontal	Pass
4	5673.200	98.04	-0.09	--	-172.96	Peak	271.00	150	Horizontal	N/A
4**	5673.200	90.64	-0.09	--	90.64	AV	271.00	150	Horizontal	N/A
5	12339.738	50.38	19.78	74.0	-23.62	Peak	314.00	150	Horizontal	Pass
5**	12339.738	38.28	19.78	54.0	-15.72	AV	314.00	150	Horizontal	Pass
6	15508.088	54.88	23.89	74.0	-19.12	Peak	190.00	150	Horizontal	Pass
6**	15508.088	44.74	23.89	54.0	-9.26	AV	190.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.100	41.68	-14.92	74.0	-32.32	Peak	274.00	150	Vertical	Pass
1**	1154.100	33.07	-14.92	54.0	-20.93	AV	274.00	150	Vertical	Pass
2	2800.300	41.50	-8.78	74.0	-32.50	Peak	9.00	150	Vertical	Pass
2**	2800.300	30.85	-8.78	54.0	-23.15	AV	9.00	150	Vertical	Pass
3	4203.600	46.25	-4.16	74.0	-27.75	Peak	215.00	150	Vertical	Pass
3**	4203.600	36.68	-4.16	54.0	-17.32	AV	215.00	150	Vertical	Pass
4	5677.000	92.68	-0.17	--	-33.32	Peak	126.00	150	Vertical	N/A
4**	5677.000	85.06	-0.17	--	85.06	AV	126.00	150	Vertical	N/A
5	11687.113	49.57	19.98	74.0	-24.43	Peak	26.00	150	Vertical	Pass
5**	11687.113	38.39	19.98	54.0	-15.61	AV	26.00	150	Vertical	Pass
6	15890.813	55.29	23.31	74.0	-18.71	Peak	88.00	150	Vertical	Pass
6**	15890.813	43.78	23.31	54.0	-10.22	AV	88.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.200	41.34	-15.21	74.0	-32.66	Peak	146.00	150	Horizontal	Pass
1**	1667.200	32.39	-15.21	54.0	-21.61	AV	146.00	150	Horizontal	Pass
2	2763.700	41.99	-8.78	74.0	-32.01	Peak	136.00	150	Horizontal	Pass
2**	2763.700	31.80	-8.78	54.0	-22.20	AV	136.00	150	Horizontal	Pass
3	4185.600	45.89	-4.03	74.0	-28.11	Peak	170.00	150	Horizontal	Pass
3**	4185.600	37.16	-4.03	54.0	-16.84	AV	170.00	150	Horizontal	Pass
4	5718.200	97.73	-0.56	--	-83.27	Peak	181.00	150	Horizontal	N/A
4**	5718.200	91.72	-0.56	--	91.72	AV	181.00	150	Horizontal	N/A
5	12410.750	50.53	19.06	74.0	-23.47	Peak	303.00	150	Horizontal	Pass
5**	12410.750	37.91	19.06	54.0	-16.09	AV	303.00	150	Horizontal	Pass
6	15661.125	54.66	23.47	74.0	-19.34	Peak	8.00	150	Horizontal	Pass
6**	15661.125	43.24	23.47	54.0	-10.76	AV	8.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.600	42.68	-15.10	74.0	-31.32	Peak	255.00	150	Vertical	Pass
1**	1142.600	31.85	-15.10	54.0	-22.15	AV	255.00	150	Vertical	Pass
2	2877.900	41.64	-8.32	74.0	-32.36	Peak	30.00	150	Vertical	Pass
2**	2877.900	31.85	-8.32	54.0	-22.15	AV	30.00	150	Vertical	Pass
3	4203.800	46.62	-4.15	74.0	-27.38	Peak	360.00	150	Vertical	Pass
3**	4203.800	38.15	-4.15	54.0	-15.85	AV	360.00	150	Vertical	Pass
4	5701.000	93.15	-0.81	--	-76.85	Peak	170.00	150	Vertical	N/A
4**	5701.000	85.19	-0.81	--	85.19	AV	170.00	150	Vertical	N/A
5	12172.987	50.23	20.18	74.0	-23.77	Peak	47.00	150	Vertical	Pass
5**	12172.987	38.10	20.18	54.0	-15.90	AV	47.00	150	Vertical	Pass
6	15999.487	54.34	24.02	74.0	-19.66	Peak	86.00	150	Vertical	Pass
6**	15999.487	43.80	24.02	54.0	-10.20	AV	86.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	42.42	-14.82	74.0	-31.58	Peak	312.00	150	Horizontal	Pass
1**	1328.400	32.82	-14.82	54.0	-21.18	AV	312.00	150	Horizontal	Pass
2	2827.200	41.91	-8.34	74.0	-32.09	Peak	267.00	150	Horizontal	Pass
2**	2827.200	32.03	-8.34	54.0	-21.97	AV	267.00	150	Horizontal	Pass
3	4239.400	46.57	-3.42	74.0	-27.43	Peak	79.00	150	Horizontal	Pass
3**	4239.400	37.08	-3.42	54.0	-16.92	AV	79.00	150	Horizontal	Pass
4	5503.600	100.19	0.49	--	-169.81	Peak	270.00	150	Horizontal	N/A
4**	5503.600	93.99	0.49	--	93.99	AV	270.00	150	Horizontal	N/A
5	11634.787	49.70	20.33	74.0	-24.30	Peak	248.00	150	Horizontal	Pass
5**	11634.787	38.77	20.33	54.0	-15.23	AV	248.00	150	Horizontal	Pass
6	15939.375	55.44	23.90	74.0	-18.56	Peak	353.00	150	Horizontal	Pass
6**	15939.375	44.13	23.90	54.0	-9.87	AV	353.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1389.500	43.04	-14.95	74.0	-30.96	Peak	235.00	150	Vertical	Pass
1**	1389.500	32.95	-14.95	54.0	-21.05	AV	235.00	150	Vertical	Pass
2	2880.000	41.67	-8.27	74.0	-32.33	Peak	45.00	150	Vertical	Pass
2**	2880.000	33.12	-8.27	54.0	-20.88	AV	45.00	150	Vertical	Pass
3	4004.400	46.29	-4.69	74.0	-27.71	Peak	194.00	150	Vertical	Pass
3**	4004.400	35.81	-4.69	54.0	-18.19	AV	194.00	150	Vertical	Pass
4	5502.200	98.59	0.47	--	-48.41	Peak	147.00	150	Vertical	N/A
4**	5502.200	91.52	0.47	--	91.52	AV	147.00	150	Vertical	N/A
5	12234.225	50.73	20.43	74.0	-23.27	Peak	0.00	150	Vertical	Pass
5**	12234.225	38.19	20.43	54.0	-15.81	AV	0.00	150	Vertical	Pass
6	15904.987	55.22	23.36	74.0	-18.78	Peak	142.00	150	Vertical	Pass
6**	15904.987	43.75	23.36	54.0	-10.25	AV	142.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.400	42.15	-15.33	74.0	-31.85	Peak	143.00	150	Horizontal	Pass
1**	1671.400	31.78	-15.33	54.0	-22.22	AV	143.00	150	Horizontal	Pass
2	2869.800	41.48	-8.20	74.0	-32.52	Peak	94.00	150	Horizontal	Pass
2**	2869.800	31.98	-8.20	54.0	-22.02	AV	94.00	150	Horizontal	Pass
3	4313.800	46.18	-3.29	74.0	-27.82	Peak	193.00	150	Horizontal	Pass
3**	4313.800	37.82	-3.29	54.0	-16.18	AV	193.00	150	Horizontal	Pass
4	5582.400	101.98	0.82	--	-160.02	Peak	262.00	150	Horizontal	N/A
4**	5582.400	95.39	0.82	--	95.39	AV	262.00	150	Horizontal	N/A
5	12284.250	50.30	20.18	74.0	-23.70	Peak	183.00	150	Horizontal	Pass
5**	12284.250	37.56	20.18	54.0	-16.44	AV	183.00	150	Horizontal	Pass
6	16158.825	54.83	23.87	74.0	-19.17	Peak	224.00	150	Horizontal	Pass
6**	16158.825	43.11	23.87	54.0	-10.89	AV	224.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.000	42.83	-14.86	74.0	-31.17	Peak	232.00	150	Vertical	Pass
1**	1383.000	31.39	-14.86	54.0	-22.61	AV	232.00	150	Vertical	Pass
2	2867.800	41.66	-8.13	74.0	-32.34	Peak	291.00	150	Vertical	Pass
2**	2867.800	32.93	-8.13	54.0	-21.07	AV	291.00	150	Vertical	Pass
3	4242.200	46.21	-3.33	74.0	-27.79	Peak	169.00	150	Vertical	Pass
3**	4242.200	36.83	-3.33	54.0	-17.17	AV	169.00	150	Vertical	Pass
4	5582.200	97.48	0.83	--	-58.52	Peak	156.00	150	Vertical	N/A
4**	5582.200	90.27	0.83	--	90.27	AV	156.00	150	Vertical	N/A
5	12202.025	51.65	20.43	74.0	-22.35	Peak	66.00	150	Vertical	Pass
5**	12202.025	38.51	20.43	54.0	-15.49	AV	66.00	150	Vertical	Pass
6	15522.263	55.15	23.77	74.0	-18.85	Peak	233.00	150	Vertical	Pass
6**	15522.263	43.18	23.77	54.0	-10.82	AV	233.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.800	41.61	-15.27	74.0	-32.39	Peak	204.00	150	Horizontal	Pass
1**	1677.800	31.76	-15.27	54.0	-22.24	AV	204.00	150	Horizontal	Pass
2	2816.200	41.38	-8.32	74.0	-32.62	Peak	96.00	150	Horizontal	Pass
2**	2816.200	32.35	-8.32	54.0	-21.65	AV	96.00	150	Horizontal	Pass
3	4364.600	46.81	-3.41	74.0	-27.19	Peak	86.00	150	Horizontal	Pass
3**	4364.600	37.00	-3.41	54.0	-17.00	AV	86.00	150	Horizontal	Pass
4	5704.000	101.38	-0.66	--	-171.62	Peak	273.00	150	Horizontal	N/A
4**	5704.000	94.30	-0.66	--	94.30	AV	273.00	150	Horizontal	N/A
5	11654.050	50.23	20.34	74.0	-23.77	Peak	351.00	150	Horizontal	Pass
5**	11654.050	38.45	20.34	54.0	-15.55	AV	351.00	150	Horizontal	Pass
6	16148.850	56.32	24.05	74.0	-17.68	Peak	308.00	150	Horizontal	Pass
6**	16148.850	43.70	24.05	54.0	-10.30	AV	308.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.300	41.40	-14.94	74.0	-32.60	Peak	287.00	150	Vertical	Pass
1**	1160.300	32.49	-14.94	54.0	-21.51	AV	287.00	150	Vertical	Pass
2	2736.600	42.44	-8.63	74.0	-31.56	Peak	12.00	150	Vertical	Pass
2**	2736.600	32.21	-8.63	54.0	-21.79	AV	12.00	150	Vertical	Pass
3	3998.200	46.56	-4.54	74.0	-27.44	Peak	184.00	150	Vertical	Pass
3**	3998.200	37.87	-4.54	54.0	-16.13	AV	184.00	150	Vertical	Pass
4	5704.000	96.78	-0.66	--	-75.22	Peak	172.00	150	Vertical	N/A
4**	5704.000	90.20	-0.66	--	90.20	AV	172.00	150	Vertical	N/A
5	11049.725	50.29	18.79	74.0	-23.71	Peak	7.00	150	Vertical	Pass
5**	11049.725	36.78	18.79	54.0	-17.22	AV	7.00	150	Vertical	Pass
6	15570.300	54.95	23.58	74.0	-19.05	Peak	38.00	150	Vertical	Pass
6**	15570.300	42.74	23.58	54.0	-11.26	AV	38.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.300	41.75	-15.30	74.0	-32.25	Peak	244.00	150	Horizontal	Pass
1**	1676.300	33.10	-15.30	54.0	-20.90	AV	244.00	150	Horizontal	Pass
2	2882.200	41.58	-8.31	74.0	-32.42	Peak	83.00	150	Horizontal	Pass
2**	2882.200	32.96	-8.31	54.0	-21.04	AV	83.00	150	Horizontal	Pass
3	4252.000	46.52	-3.20	74.0	-27.48	Peak	236.00	150	Horizontal	Pass
3**	4252.000	37.86	-3.20	54.0	-16.14	AV	236.00	150	Horizontal	Pass
4	5723.200	101.87	-0.50	--	-171.13	Peak	273.00	150	Horizontal	N/A
4**	5723.200	95.00	-0.50	--	95.00	AV	273.00	150	Horizontal	N/A
5	11606.612	50.28	20.17	74.0	-23.72	Peak	169.00	150	Horizontal	Pass
5**	11606.612	38.31	20.17	54.0	-15.69	AV	169.00	150	Horizontal	Pass
6	15997.650	55.44	24.02	74.0	-18.56	Peak	123.00	150	Horizontal	Pass
6**	15997.650	43.18	24.02	54.0	-10.82	AV	123.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.300	41.39	-15.02	74.0	-32.61	Peak	276.00	150	Vertical	Pass
1**	1177.300	28.32	-15.02	54.0	-25.68	AV	276.00	150	Vertical	Pass
2	2777.800	41.78	-8.53	74.0	-32.22	Peak	86.00	150	Vertical	Pass
2**	2777.800	31.97	-8.53	54.0	-22.03	AV	86.00	150	Vertical	Pass
3	3992.400	46.78	-4.52	74.0	-27.22	Peak	100.00	150	Vertical	Pass
3**	3992.400	37.96	-4.52	54.0	-16.04	AV	100.00	150	Vertical	Pass
4	5717.800	96.66	-0.55	--	-79.34	Peak	176.00	150	Vertical	N/A
4**	5717.800	89.77	-0.55	--	89.77	AV	176.00	150	Vertical	N/A
5	11811.599	50.44	18.46	74.0	-23.56	Peak	72.00	150	Vertical	Pass
5**	11811.599	38.22	18.46	54.0	-15.78	AV	72.00	150	Vertical	Pass
6	15498.900	55.53	23.95	74.0	-18.47	Peak	77.00	150	Vertical	Pass
6**	15498.900	43.92	23.95	54.0	-10.08	AV	77.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	43.78	-15.21	74.0	-30.22	Peak	215.00	150	Horizontal	Pass
1**	1667.100	34.28	-15.21	54.0	-19.72	AV	215.00	150	Horizontal	Pass
2	2827.500	41.56	-8.31	74.0	-32.44	Peak	2.00	150	Horizontal	Pass
2**	2827.500	32.33	-8.31	54.0	-21.67	AV	2.00	150	Horizontal	Pass
3	4024.400	46.53	-3.93	74.0	-27.47	Peak	241.00	150	Horizontal	Pass
3**	4024.400	35.51	-3.93	54.0	-18.49	AV	241.00	150	Horizontal	Pass
4	5515.400	97.45	0.36	--	-161.55	Peak	259.00	150	Horizontal	N/A
4**	5515.400	91.04	0.36	--	91.04	AV	259.00	150	Horizontal	N/A
5	12164.938	50.20	20.10	74.0	-23.80	Peak	8.00	150	Horizontal	Pass
5**	12164.938	39.58	20.10	54.0	-14.42	AV	8.00	150	Horizontal	Pass
6	16151.737	55.06	24.01	74.0	-18.94	Peak	111.00	150	Horizontal	Pass
6**	16151.737	42.67	24.01	54.0	-11.33	AV	111.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.100	42.13	-14.98	74.0	-31.87	Peak	309.00	150	Vertical	Pass
1**	1207.100	32.99	-14.98	54.0	-21.01	AV	309.00	150	Vertical	Pass
2	2886.500	42.23	-8.18	74.0	-31.77	Peak	342.00	150	Vertical	Pass
2**	2886.500	32.58	-8.18	54.0	-21.42	AV	342.00	150	Vertical	Pass
3	4116.600	47.58	-4.04	74.0	-26.42	Peak	282.00	150	Vertical	Pass
3**	4116.600	36.75	-4.04	54.0	-17.25	AV	282.00	150	Vertical	Pass
4	5499.800	98.26	0.49	--	-41.74	Peak	140.00	150	Vertical	N/A
4**	5499.800	91.45	0.49	--	91.45	AV	140.00	150	Vertical	N/A
5	12183.050	51.04	20.29	74.0	-22.96	Peak	271.00	150	Vertical	Pass
5**	12183.050	38.49	20.29	54.0	-15.51	AV	271.00	150	Vertical	Pass
6	16152.526	55.40	23.99	74.0	-18.60	Peak	316.00	150	Vertical	Pass
6**	16152.526	43.23	23.99	54.0	-10.77	AV	316.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	40.21	-14.73	74.0	-33.79	Peak	20.00	150	Horizontal	Pass
1**	1331.700	29.46	-14.73	54.0	-24.54	AV	20.00	150	Horizontal	Pass
2	2808.100	41.74	-8.63	74.0	-32.26	Peak	218.00	150	Horizontal	Pass
2**	2808.100	32.92	-8.63	54.0	-21.08	AV	218.00	150	Horizontal	Pass
3	4059.000	46.59	-3.99	74.0	-27.41	Peak	316.00	150	Horizontal	Pass
3**	4059.000	37.40	-3.99	54.0	-16.60	AV	316.00	150	Horizontal	Pass
4	5579.600	99.72	0.87	--	-149.28	Peak	249.00	150	Horizontal	N/A
4**	5579.600	92.27	0.87	--	92.27	AV	249.00	150	Horizontal	N/A
5	11554.288	51.20	19.74	74.0	-22.80	Peak	99.00	150	Horizontal	Pass
5**	11554.288	37.93	19.74	54.0	-16.07	AV	99.00	150	Horizontal	Pass
6	15544.575	54.52	23.66	74.0	-19.48	Peak	360.00	150	Horizontal	Pass
6**	15544.575	43.08	23.66	54.0	-10.92	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1232.200	41.74	-14.73	74.0	-32.26	Peak	295.00	150	Vertical	Pass
1**	1232.200	33.21	-14.73	54.0	-20.79	AV	295.00	150	Vertical	Pass
2	2867.600	42.15	-8.11	74.0	-31.85	Peak	36.00	150	Vertical	Pass
2**	2867.600	32.92	-8.11	54.0	-21.08	AV	36.00	150	Vertical	Pass
3	4163.000	47.16	-3.49	74.0	-26.84	Peak	316.00	150	Vertical	Pass
3**	4163.000	35.86	-3.49	54.0	-18.14	AV	316.00	150	Vertical	Pass
4	5598.000	95.68	0.33	--	-89.32	Peak	185.00	150	Vertical	N/A
4**	5598.000	89.19	0.33	--	89.19	AV	185.00	150	Vertical	N/A
5	11606.038	51.11	20.16	74.0	-22.89	Peak	212.00	150	Vertical	Pass
5**	11606.038	37.82	20.16	54.0	-16.18	AV	212.00	150	Vertical	Pass
6	15882.675	54.87	23.34	74.0	-19.13	Peak	253.00	150	Vertical	Pass
6**	15882.675	43.02	23.34	54.0	-10.98	AV	253.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.200	42.70	-15.24	74.0	-31.30	Peak	204.00	150	Horizontal	Pass
1**	1670.200	33.16	-15.24	54.0	-20.84	AV	204.00	150	Horizontal	Pass
2	2874.300	41.79	-8.31	74.0	-32.21	Peak	89.00	150	Horizontal	Pass
2**	2874.300	32.72	-8.31	54.0	-21.28	AV	89.00	150	Horizontal	Pass
3	4064.800	47.62	-3.88	74.0	-26.38	Peak	360.00	150	Horizontal	Pass
3**	4064.800	35.51	-3.88	54.0	-18.49	AV	360.00	150	Horizontal	Pass
4	5660.800	97.88	-0.03	--	-164.12	Peak	262.00	150	Horizontal	N/A
4**	5660.800	91.35	-0.03	--	91.35	AV	262.00	150	Horizontal	N/A
5	12195.987	51.02	20.40	74.0	-22.98	Peak	266.00	150	Horizontal	Pass
5**	12195.987	39.02	20.40	54.0	-14.98	AV	266.00	150	Horizontal	Pass
6	16133.625	55.54	24.09	74.0	-18.46	Peak	173.00	150	Horizontal	Pass
6**	16133.625	43.40	24.09	54.0	-10.60	AV	173.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.800	44.52	-15.04	74.0	-29.48	Peak	272.00	150	Vertical	Pass
1**	1175.800	36.89	-15.04	54.0	-17.11	AV	272.00	150	Vertical	Pass
2	2894.500	42.41	-8.14	74.0	-31.59	Peak	176.00	150	Vertical	Pass
2**	2894.500	33.19	-8.14	54.0	-20.81	AV	176.00	150	Vertical	Pass
3	4123.200	47.91	-4.08	74.0	-26.09	Peak	232.00	150	Vertical	Pass
3**	4123.200	38.21	-4.08	54.0	-15.79	AV	232.00	150	Vertical	Pass
4	5678.400	94.75	-0.19	--	-71.25	Peak	166.00	150	Vertical	N/A
4**	5678.400	87.97	-0.19	--	87.97	AV	166.00	150	Vertical	N/A
5	11785.725	50.32	18.66	74.0	-23.68	Peak	334.00	150	Vertical	Pass
5**	11785.725	37.91	18.66	54.0	-16.09	AV	334.00	150	Vertical	Pass
6	15942.525	55.41	23.91	74.0	-18.59	Peak	-1.00	150	Vertical	Pass
6**	15942.525	44.63	23.91	54.0	-9.37	AV	-1.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.700	43.09	-15.23	74.0	-30.91	Peak	156.00	150	Horizontal	Pass
1**	1674.700	33.31	-15.23	54.0	-20.69	AV	156.00	150	Horizontal	Pass
2	2735.200	41.74	-8.63	74.0	-32.26	Peak	252.00	150	Horizontal	Pass
2**	2735.200	31.97	-8.63	54.0	-22.03	AV	252.00	150	Horizontal	Pass
3	4182.800	46.90	-3.92	74.0	-27.10	Peak	70.00	150	Horizontal	Pass
3**	4182.800	36.57	-3.92	54.0	-17.43	AV	70.00	150	Horizontal	Pass
4	5698.800	98.76	-0.82	--	-72.24	Peak	171.00	150	Horizontal	N/A
4**	5698.800	91.87	-0.82	--	91.87	AV	171.00	150	Horizontal	N/A
5	12208.638	50.48	20.44	74.0	-23.52	Peak	60.00	150	Horizontal	Pass
5**	12208.638	38.91	20.44	54.0	-15.09	AV	60.00	150	Horizontal	Pass
6	15968.513	55.96	24.00	74.0	-18.04	Peak	104.00	150	Horizontal	Pass
6**	15968.513	43.82	24.00	54.0	-10.18	AV	104.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.800	44.00	-15.00	74.0	-30.00	Peak	285.00	150	Vertical	Pass
1**	1198.800	34.23	-15.00	54.0	-19.77	AV	285.00	150	Vertical	Pass
2	2790.800	41.11	-8.87	74.0	-32.89	Peak	0.00	150	Vertical	Pass
2**	2790.800	32.38	-8.87	54.0	-21.62	AV	0.00	150	Vertical	Pass
3	4234.200	47.44	-3.47	74.0	-26.56	Peak	49.00	150	Vertical	Pass
3**	4234.200	35.59	-3.47	54.0	-18.41	AV	49.00	150	Vertical	Pass
4	5713.200	94.37	-0.49	--	-70.63	Peak	165.00	150	Vertical	N/A
4**	5713.200	88.52	-0.49	--	88.52	AV	165.00	150	Vertical	N/A
5	11616.963	50.38	20.22	74.0	-23.62	Peak	64.00	150	Vertical	Pass
5**	11616.963	39.74	20.22	54.0	-14.26	AV	64.00	150	Vertical	Pass
6	15674.512	55.07	23.55	74.0	-18.93	Peak	76.00	150	Vertical	Pass
6**	15674.512	43.76	23.55	54.0	-10.24	AV	76.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1237.000	42.01	-14.82	74.0	-31.99	Peak	163.00	150	Horizontal	Pass
1**	1237.000	29.08	-14.82	54.0	-24.92	AV	163.00	150	Horizontal	Pass
2	2829.100	41.71	-8.24	74.0	-32.29	Peak	72.00	150	Horizontal	Pass
2**	2829.100	31.88	-8.24	54.0	-22.12	AV	72.00	150	Horizontal	Pass
3	4116.600	47.19	-4.04	74.0	-26.81	Peak	303.00	150	Horizontal	Pass
3**	4116.600	35.57	-4.04	54.0	-18.43	AV	303.00	150	Horizontal	Pass
4	5549.800	95.16	0.38	--	-169.84	Peak	265.00	150	Horizontal	N/A
4**	5549.800	88.41	0.38	--	88.41	AV	265.00	150	Horizontal	N/A
5	12346.925	51.08	19.73	74.0	-22.92	Peak	360.00	150	Horizontal	Pass
5**	12346.925	39.60	19.73	54.0	-14.40	AV	360.00	150	Horizontal	Pass
6	16082.962	56.04	24.07	74.0	-17.96	Peak	336.00	150	Horizontal	Pass
6**	16082.962	44.49	24.07	54.0	-9.51	AV	336.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.600	44.45	-15.02	74.0	-29.55	Peak	293.00	150	Vertical	Pass
1**	1177.600	34.88	-15.02	54.0	-19.12	AV	293.00	150	Vertical	Pass
2	2853.500	42.06	-8.15	74.0	-31.94	Peak	12.00	150	Vertical	Pass
2**	2853.500	34.62	-8.15	54.0	-19.38	AV	12.00	150	Vertical	Pass
3	4208.200	46.88	-3.99	74.0	-27.12	Peak	249.00	150	Vertical	Pass
3**	4208.200	35.96	-3.99	54.0	-18.04	AV	249.00	150	Vertical	Pass
4	5506.200	94.34	0.38	--	-50.66	Peak	145.00	150	Vertical	N/A
4**	5506.200	88.69	0.38	--	88.69	AV	145.00	150	Vertical	N/A
5	12287.700	50.40	20.13	74.0	-23.60	Peak	314.00	150	Vertical	Pass
5**	12287.700	39.05	20.13	54.0	-14.95	AV	314.00	150	Vertical	Pass
6	15675.825	55.55	23.56	74.0	-18.45	Peak	362.00	150	Vertical	Pass
6**	15675.825	44.28	23.56	54.0	-9.72	AV	362.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.100	41.59	-15.30	74.0	-32.41	Peak	208.00	150	Horizontal	Pass
1**	1674.100	30.73	-15.30	54.0	-23.27	AV	208.00	150	Horizontal	Pass
2	2832.400	41.83	-8.44	74.0	-32.17	Peak	3.00	150	Horizontal	Pass
2**	2832.400	32.39	-8.44	54.0	-21.61	AV	3.00	150	Horizontal	Pass
3	4155.800	47.65	-3.53	74.0	-26.35	Peak	42.00	150	Horizontal	Pass
3**	4155.800	36.38	-3.53	54.0	-17.62	AV	42.00	150	Horizontal	Pass
4	5625.400	96.19	0.00	--	-84.81	Peak	181.00	150	Horizontal	N/A
4**	5625.400	88.44	0.00	--	88.44	AV	181.00	150	Horizontal	N/A
5	12335.425	50.93	19.81	74.0	-23.07	Peak	36.00	150	Horizontal	Pass
5**	12335.425	39.06	19.81	54.0	-14.94	AV	36.00	150	Horizontal	Pass
6	15357.674	55.41	22.51	74.0	-18.59	Peak	180.00	150	Horizontal	Pass
6**	15357.674	43.32	22.51	54.0	-10.68	AV	180.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.200	43.85	-15.05	74.0	-30.15	Peak	286.00	150	Vertical	Pass
1**	1179.200	35.42	-15.05	54.0	-18.58	AV	286.00	150	Vertical	Pass
2	2751.700	41.39	-8.95	74.0	-32.61	Peak	194.00	150	Vertical	Pass
2**	2751.700	31.53	-8.95	54.0	-22.47	AV	194.00	150	Vertical	Pass
3	4085.600	47.03	-4.22	74.0	-26.97	Peak	210.00	150	Vertical	Pass
3**	4085.600	36.49	-4.22	54.0	-17.51	AV	210.00	150	Vertical	Pass
4	5596.400	92.34	0.36	--	-99.66	Peak	192.00	150	Vertical	N/A
4**	5596.400	85.41	0.36	--	85.41	AV	192.00	150	Vertical	N/A
5	11674.174	50.89	20.13	74.0	-23.11	Peak	196.00	150	Vertical	Pass
5**	11674.174	39.60	20.13	54.0	-14.40	AV	196.00	150	Vertical	Pass
6	15497.588	55.27	23.93	74.0	-18.73	Peak	141.00	150	Vertical	Pass
6**	15497.588	44.78	23.93	54.0	-9.22	AV	141.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	42.02	-14.70	74.0	-31.98	Peak	299.00	150	Horizontal	Pass
1**	1330.700	30.22	-14.70	54.0	-23.78	AV	299.00	150	Horizontal	Pass
2	2867.400	41.91	-8.10	74.0	-32.09	Peak	41.00	150	Horizontal	Pass
2**	2867.400	31.62	-8.10	54.0	-22.38	AV	41.00	150	Horizontal	Pass
3	4201.800	47.16	-4.05	74.0	-26.84	Peak	94.00	150	Horizontal	Pass
3**	4201.800	35.68	-4.05	54.0	-18.32	AV	94.00	150	Horizontal	Pass
4	5712.200	95.82	-0.40	--	-175.18	Peak	271.00	150	Horizontal	N/A
4**	5712.200	88.57	-0.40	--	88.57	AV	271.00	150	Horizontal	N/A
5	11582.175	51.06	19.91	74.0	-22.94	Peak	56.00	150	Horizontal	Pass
5**	11582.175	37.12	19.91	54.0	-16.88	AV	56.00	150	Horizontal	Pass
6	15890.025	55.27	23.31	74.0	-18.73	Peak	261.00	150	Horizontal	Pass
6**	15890.025	43.53	23.31	54.0	-10.47	AV	261.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1210.300	44.53	-14.94	74.0	-29.47	Peak	292.00	150	Vertical	Pass
1**	1210.300	33.03	-14.94	54.0	-20.97	AV	292.00	150	Vertical	Pass
2	2885.400	42.64	-8.23	74.0	-31.36	Peak	189.00	150	Vertical	Pass
2**	2885.400	32.14	-8.23	54.0	-21.86	AV	189.00	150	Vertical	Pass
3	4097.600	47.13	-4.49	74.0	-26.87	Peak	238.00	150	Vertical	Pass
3**	4097.600	37.72	-4.49	54.0	-16.28	AV	238.00	150	Vertical	Pass
4	5669.800	92.99	-0.08	--	-79.01	Peak	172.00	150	Vertical	N/A
4**	5669.800	84.05	-0.08	--	84.05	AV	172.00	150	Vertical	N/A
5	11652.901	50.51	20.36	74.0	-23.49	Peak	4.00	150	Vertical	Pass
5**	11652.901	39.15	20.36	54.0	-14.85	AV	4.00	150	Vertical	Pass
6	15515.437	55.49	23.82	74.0	-18.51	Peak	325.00	150	Vertical	Pass
6**	15515.437	43.50	23.82	54.0	-10.50	AV	325.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.100	42.47	-15.30	74.0	-31.53	Peak	210.00	150	Horizontal	Pass
1**	1674.100	29.92	-15.30	54.0	-24.08	AV	210.00	150	Horizontal	Pass
2	2785.900	41.95	-8.75	74.0	-32.05	Peak	191.00	150	Horizontal	Pass
2**	2785.900	32.21	-8.75	54.0	-21.79	AV	191.00	150	Horizontal	Pass
3	3955.000	47.11	-4.62	74.0	-26.89	Peak	235.00	150	Horizontal	Pass
3**	3955.000	33.96	-4.62	54.0	-20.04	AV	235.00	150	Horizontal	Pass
4	5607.000	93.77	-0.12	--	-77.23	Peak	171.00	150	Horizontal	N/A
4**	5607.000	86.39	-0.12	--	86.39	AV	171.00	150	Horizontal	N/A
5	11620.412	50.34	20.24	74.0	-23.66	Peak	333.00	150	Horizontal	Pass
5**	11620.412	38.55	20.24	54.0	-15.45	AV	333.00	150	Horizontal	Pass
6	15864.563	55.24	23.35	74.0	-18.76	Peak	28.00	150	Horizontal	Pass
6**	15864.563	43.03	23.35	54.0	-10.97	AV	28.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.200	44.71	-15.27	74.0	-29.29	Peak	298.00	150	Vertical	Pass
1**	1192.200	35.49	-15.27	54.0	-18.51	AV	298.00	150	Vertical	Pass
2	2840.400	41.94	-8.54	74.0	-32.06	Peak	128.00	150	Vertical	Pass
2**	2840.400	34.03	-8.54	54.0	-19.97	AV	128.00	150	Vertical	Pass
3	3999.800	47.58	-4.52	74.0	-26.42	Peak	183.00	150	Vertical	Pass
3**	3999.800	34.67	-4.52	54.0	-19.33	AV	183.00	150	Vertical	Pass
4	5554.200	91.31	0.62	--	-62.69	Peak	154.00	150	Vertical	N/A
4**	5554.200	84.34	0.62	--	84.34	AV	154.00	150	Vertical	N/A
5	11758.125	50.82	18.86	74.0	-23.18	Peak	56.00	150	Vertical	Pass
5**	11758.125	38.24	18.86	54.0	-15.76	AV	56.00	150	Vertical	Pass
6	15491.287	54.97	23.83	74.0	-19.03	Peak	16.00	150	Vertical	Pass
6**	15491.287	44.06	23.83	54.0	-9.94	AV	16.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.300	42.92	-15.24	74.0	-31.08	Peak	209.00	150	Horizontal	Pass
1**	1682.300	33.81	-15.24	54.0	-20.19	AV	209.00	150	Horizontal	Pass
2	2779.200	41.52	-8.51	74.0	-32.48	Peak	0.00	150	Horizontal	Pass
2**	2779.200	31.46	-8.51	54.0	-22.54	AV	0.00	150	Horizontal	Pass
3	4277.200	47.90	-3.43	74.0	-26.10	Peak	141.00	150	Horizontal	Pass
3**	4277.200	36.22	-3.43	54.0	-17.78	AV	141.00	150	Horizontal	Pass
4	5497.600	101.54	0.58	--	-161.46	Peak	263.00	150	Horizontal	N/A
4**	5497.600	92.67	0.58	--	92.67	AV	263.00	150	Horizontal	N/A
5	12301.787	51.00	19.97	74.0	-23.00	Peak	221.00	150	Horizontal	Pass
5**	12301.787	40.55	19.97	54.0	-13.45	AV	221.00	150	Horizontal	Pass
6	15932.550	55.55	23.81	74.0	-18.45	Peak	302.00	150	Horizontal	Pass
6**	15932.550	44.24	23.81	54.0	-9.76	AV	302.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.000	42.51	-15.05	74.0	-31.49	Peak	280.00	150	Vertical	Pass
1**	1189.000	32.88	-15.05	54.0	-21.12	AV	280.00	150	Vertical	Pass
2	2782.800	41.24	-8.70	74.0	-32.76	Peak	182.00	150	Vertical	Pass
2**	2782.800	30.74	-8.70	54.0	-23.26	AV	182.00	150	Vertical	Pass
3	4321.400	47.90	-3.08	74.0	-26.10	Peak	321.00	150	Vertical	Pass
3**	4321.400	36.41	-3.08	54.0	-17.59	AV	321.00	150	Vertical	Pass
4	5498.200	99.50	0.55	--	-54.50	Peak	154.00	150	Vertical	N/A
4**	5498.200	91.45	0.55	--	91.45	AV	154.00	150	Vertical	N/A
5	12323.637	51.62	19.90	74.0	-22.38	Peak	327.00	150	Vertical	Pass
5**	12323.637	38.99	19.90	54.0	-15.01	AV	327.00	150	Vertical	Pass
6	15904.725	55.86	23.36	74.0	-18.14	Peak	38.00	150	Vertical	Pass
6**	15904.725	43.18	23.36	54.0	-10.82	AV	38.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.500	42.00	-15.22	74.0	-32.00	Peak	210.00	150	Horizontal	Pass
1**	1679.500	32.34	-15.22	54.0	-21.66	AV	210.00	150	Horizontal	Pass
2	2860.100	41.89	-7.98	74.0	-32.11	Peak	182.00	150	Horizontal	Pass
2**	2860.100	31.90	-7.98	54.0	-22.10	AV	182.00	150	Horizontal	Pass
3	4162.400	48.14	-3.49	74.0	-25.86	Peak	321.00	150	Horizontal	Pass
3**	4162.400	36.81	-3.49	54.0	-17.19	AV	321.00	150	Horizontal	Pass
4	5576.200	103.27	0.68	--	-158.73	Peak	262.00	150	Horizontal	N/A
4**	5576.200	96.81	0.68	--	96.81	AV	262.00	150	Horizontal	N/A
5	11688.549	51.26	19.96	74.0	-22.74	Peak	45.00	150	Horizontal	Pass
5**	11688.549	38.22	19.96	54.0	-15.78	AV	45.00	150	Horizontal	Pass
6	15943.312	55.06	23.92	74.0	-18.94	Peak	155.00	150	Horizontal	Pass
6**	15943.312	43.40	23.92	54.0	-10.60	AV	155.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.400	44.09	-15.02	74.0	-29.91	Peak	286.00	150	Vertical	Pass
1**	1177.400	35.79	-15.02	54.0	-18.21	AV	286.00	150	Vertical	Pass
2	2790.900	41.18	-8.87	74.0	-32.82	Peak	229.00	150	Vertical	Pass
2**	2790.900	31.98	-8.87	54.0	-22.02	AV	229.00	150	Vertical	Pass
3	4135.200	46.79	-4.17	74.0	-27.21	Peak	65.00	150	Vertical	Pass
3**	4135.200	36.17	-4.17	54.0	-17.83	AV	65.00	150	Vertical	Pass
4	5581.200	100.11	0.88	--	-100.89	Peak	201.00	150	Vertical	N/A
4**	5581.200	93.14	0.88	--	93.14	AV	201.00	150	Vertical	N/A
5	11749.787	50.87	18.95	74.0	-23.13	Peak	59.00	150	Vertical	Pass
5**	11749.787	39.38	18.95	54.0	-14.62	AV	59.00	150	Vertical	Pass
6	16082.175	55.18	24.06	74.0	-18.82	Peak	37.00	150	Vertical	Pass
6**	16082.175	43.13	24.06	54.0	-10.87	AV	37.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	42.77	-15.22	74.0	-31.23	Peak	206.00	150	Horizontal	Pass
1**	1668.900	33.33	-15.22	54.0	-20.67	AV	206.00	150	Horizontal	Pass
2	2803.700	41.26	-8.73	74.0	-32.74	Peak	127.00	150	Horizontal	Pass
2**	2803.700	31.80	-8.73	54.0	-22.20	AV	127.00	150	Horizontal	Pass
3	4081.600	47.47	-4.29	74.0	-26.53	Peak	97.00	150	Horizontal	Pass
3**	4081.600	35.11	-4.29	54.0	-18.89	AV	97.00	150	Horizontal	Pass
4	5702.400	103.59	-0.74	--	-66.41	Peak	170.00	150	Horizontal	N/A
4**	5702.400	94.84	-0.74	--	94.84	AV	170.00	150	Horizontal	N/A
5	12658.288	50.63	19.07	74.0	-23.37	Peak	222.00	150	Horizontal	Pass
5**	12658.288	38.32	19.07	54.0	-15.68	AV	222.00	150	Horizontal	Pass
6	15518.325	55.00	23.79	74.0	-19.00	Peak	168.00	150	Horizontal	Pass
6**	15518.325	45.08	23.79	54.0	-8.92	AV	168.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.500	43.35	-15.02	74.0	-30.65	Peak	290.00	150	Vertical	Pass
1**	1177.500	32.54	-15.02	54.0	-21.46	AV	290.00	150	Vertical	Pass
2	2836.300	41.74	-8.47	74.0	-32.26	Peak	61.00	150	Vertical	Pass
2**	2836.300	33.39	-8.47	54.0	-20.61	AV	61.00	150	Vertical	Pass
3	4045.800	46.82	-3.98	74.0	-27.18	Peak	0.00	150	Vertical	Pass
3**	4045.800	33.81	-3.98	54.0	-20.19	AV	0.00	150	Vertical	Pass
4	5702.800	98.92	-0.72	--	-71.08	Peak	170.00	150	Vertical	N/A
4**	5702.800	91.44	-0.72	--	91.44	AV	170.00	150	Vertical	N/A
5	12276.487	51.10	20.26	74.0	-22.90	Peak	0.00	150	Vertical	Pass
5**	12276.487	41.12	20.26	54.0	-12.88	AV	0.00	150	Vertical	Pass
6	15547.201	55.40	23.64	74.0	-18.60	Peak	78.00	150	Vertical	Pass
6**	15547.201	43.99	23.64	54.0	-10.01	AV	78.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	41.49	-14.77	74.0	-32.51	Peak	306.00	150	Horizontal	Pass
1**	1332.800	34.58	-14.77	54.0	-19.42	AV	306.00	150	Horizontal	Pass
2	2833.000	41.77	-8.47	74.0	-32.23	Peak	232.00	150	Horizontal	Pass
2**	2833.000	32.13	-8.47	54.0	-21.87	AV	232.00	150	Horizontal	Pass
3	4171.600	47.22	-3.82	74.0	-26.78	Peak	360.00	150	Horizontal	Pass
3**	4171.600	36.06	-3.82	54.0	-17.94	AV	360.00	150	Horizontal	Pass
4	5723.000	102.53	-0.50	--	-168.47	Peak	271.00	150	Horizontal	N/A
4**	5723.000	93.81	-0.50	--	93.81	AV	271.00	150	Horizontal	N/A
5	11666.987	50.64	20.20	74.0	-23.36	Peak	70.00	150	Horizontal	Pass
5**	11666.987	39.86	20.20	54.0	-14.14	AV	70.00	150	Horizontal	Pass
6	16009.463	55.77	23.99	74.0	-18.23	Peak	121.00	150	Horizontal	Pass
6**	16009.463	44.06	23.99	54.0	-9.94	AV	121.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1170.700	44.41	-15.04	74.0	-29.59	Peak	276.00	150	Vertical	Pass
1**	1170.700	37.69	-15.04	54.0	-16.31	AV	276.00	150	Vertical	Pass
2	2874.000	42.17	-8.30	74.0	-31.83	Peak	116.00	150	Vertical	Pass
2**	2874.000	32.55	-8.30	54.0	-21.45	AV	116.00	150	Vertical	Pass
3	4169.600	47.43	-3.73	74.0	-26.57	Peak	241.00	150	Vertical	Pass
3**	4169.600	36.84	-3.73	54.0	-17.16	AV	241.00	150	Vertical	Pass
4	5720.400	98.25	-0.58	--	13.25	Peak	85.00	150	Vertical	N/A
4**	5720.400	88.16	-0.58	--	88.16	AV	85.00	150	Vertical	N/A
5	12268.151	51.27	20.32	74.0	-22.73	Peak	136.00	150	Vertical	Pass
5**	12268.151	38.80	20.32	54.0	-15.20	AV	136.00	150	Vertical	Pass
6	15471.075	56.11	23.60	74.0	-17.89	Peak	117.00	150	Vertical	Pass
6**	15471.075	43.92	23.60	54.0	-10.08	AV	117.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1301.500	44.83	-14.69	74.0	-29.17	Peak	237.00	150	Horizontal	Pass
1**	1301.500	35.66	-14.69	54.0	-18.34	AV	237.00	150	Horizontal	Pass
2	2830.500	41.70	-8.29	74.0	-32.30	Peak	321.00	150	Horizontal	Pass
2**	2830.500	32.19	-8.29	54.0	-21.81	AV	321.00	150	Horizontal	Pass
3	4296.600	47.47	-3.62	74.0	-26.53	Peak	271.00	150	Horizontal	Pass
3**	4296.600	36.07	-3.62	54.0	-17.93	AV	271.00	150	Horizontal	Pass
4	5499.000	99.62	0.52	--	-200.38	Peak	300.00	150	Horizontal	N/A
4**	5499.000	90.20	0.52	--	90.20	AV	300.00	150	Horizontal	N/A
5	12369.350	50.78	19.52	74.0	-23.22	Peak	261.00	150	Horizontal	Pass
5**	12369.350	39.48	19.52	54.0	-14.52	AV	261.00	150	Horizontal	Pass
6	15961.162	55.49	23.99	74.0	-18.51	Peak	173.00	150	Horizontal	Pass
6**	15961.162	45.80	23.99	54.0	-8.20	AV	173.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.500	44.63	-15.05	74.0	-29.37	Peak	278.00	150	Vertical	Pass
1**	1179.500	35.12	-15.05	54.0	-18.88	AV	278.00	150	Vertical	Pass
2	2818.700	42.14	-8.32	74.0	-31.86	Peak	136.00	150	Vertical	Pass
2**	2818.700	32.60	-8.32	54.0	-21.40	AV	136.00	150	Vertical	Pass
3	4231.600	47.59	-3.46	74.0	-26.41	Peak	25.00	150	Vertical	Pass
3**	4231.600	36.07	-3.46	54.0	-17.93	AV	25.00	150	Vertical	Pass
4	5521.000	98.53	0.06	--	-55.47	Peak	154.00	150	Vertical	N/A
4**	5521.000	89.72	0.06	--	89.72	AV	154.00	150	Vertical	N/A
5	12229.338	50.86	20.44	74.0	-23.14	Peak	275.00	150	Vertical	Pass
5**	12229.338	39.39	20.44	54.0	-14.61	AV	275.00	150	Vertical	Pass
6	15953.812	55.44	23.96	74.0	-18.56	Peak	130.00	150	Vertical	Pass
6**	15953.812	43.10	23.96	54.0	-10.90	AV	130.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	41.92	-15.21	74.0	-32.08	Peak	209.00	150	Horizontal	Pass
1**	1667.800	31.43	-15.21	54.0	-22.57	AV	209.00	150	Horizontal	Pass
2	2820.300	41.71	-8.41	74.0	-32.29	Peak	209.00	150	Horizontal	Pass
2**	2820.300	31.35	-8.41	54.0	-22.65	AV	209.00	150	Horizontal	Pass
3	4028.000	46.65	-3.91	74.0	-27.35	Peak	9.00	150	Horizontal	Pass
3**	4028.000	35.29	-3.91	54.0	-18.71	AV	9.00	150	Horizontal	Pass
4	5599.200	100.69	0.31	--	-151.31	Peak	252.00	150	Horizontal	N/A
4**	5599.200	91.80	0.31	--	91.80	AV	252.00	150	Horizontal	N/A
5	12114.338	49.42	19.57	74.0	-24.58	Peak	293.00	150	Horizontal	Pass
5**	12114.338	37.83	19.57	54.0	-16.17	AV	293.00	150	Horizontal	Pass
6	15548.775	54.64	23.62	74.0	-19.36	Peak	266.00	150	Horizontal	Pass
6**	15548.775	42.91	23.62	54.0	-11.09	AV	266.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1152.800	41.36	-14.94	74.0	-32.64	Peak	252.00	150	Vertical	Pass
1**	1152.800	30.49	-14.94	54.0	-23.51	AV	252.00	150	Vertical	Pass
2	2848.900	41.48	-8.23	74.0	-32.52	Peak	85.00	150	Vertical	Pass
2**	2848.900	33.02	-8.23	54.0	-20.98	AV	85.00	150	Vertical	Pass
3	3994.000	48.42	-4.52	74.0	-25.58	Peak	119.00	150	Vertical	Pass
3**	3994.000	36.50	-4.52	54.0	-17.50	AV	119.00	150	Vertical	Pass
4	5585.600	96.74	0.68	--	-40.26	Peak	137.00	150	Vertical	N/A
4**	5585.600	87.59	0.68	--	87.59	AV	137.00	150	Vertical	N/A
5	12256.650	50.36	20.41	74.0	-23.64	Peak	53.00	150	Vertical	Pass
5**	12256.650	37.46	20.41	54.0	-16.54	AV	53.00	150	Vertical	Pass
6	15495.487	54.84	23.90	74.0	-19.16	Peak	158.00	150	Vertical	Pass
6**	15495.487	43.62	23.90	54.0	-10.38	AV	158.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.800	41.92	-15.27	74.0	-32.08	Peak	220.00	150	Horizontal	Pass
1**	1670.800	32.47	-15.27	54.0	-21.53	AV	220.00	150	Horizontal	Pass
2	2871.000	41.76	-8.19	74.0	-32.24	Peak	134.00	150	Horizontal	Pass
2**	2871.000	32.18	-8.19	54.0	-21.82	AV	134.00	150	Horizontal	Pass
3	4170.800	46.76	-3.78	74.0	-27.24	Peak	360.00	150	Horizontal	Pass
3**	4170.800	35.11	-3.78	54.0	-18.89	AV	360.00	150	Horizontal	Pass
4	5662.800	100.18	-0.03	--	-191.82	Peak	292.00	150	Horizontal	N/A
4**	5662.800	92.46	-0.03	--	92.46	AV	292.00	150	Horizontal	N/A
5	12138.200	49.68	19.83	74.0	-24.32	Peak	0.00	150	Horizontal	Pass
5**	12138.200	37.80	19.83	54.0	-16.20	AV	0.00	150	Horizontal	Pass
6	15653.775	55.02	23.50	74.0	-18.98	Peak	213.00	150	Horizontal	Pass
6**	15653.775	43.83	23.50	54.0	-10.17	AV	213.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.200	43.19	-14.86	74.0	-30.81	Peak	238.00	150	Vertical	Pass
1**	1163.200	34.46	-14.86	54.0	-19.54	AV	238.00	150	Vertical	Pass
2	2848.500	42.10	-8.25	74.0	-31.90	Peak	245.00	150	Vertical	Pass
2**	2848.500	32.19	-8.25	54.0	-21.81	AV	245.00	150	Vertical	Pass
3	4260.200	47.03	-3.39	74.0	-26.97	Peak	262.00	150	Vertical	Pass
3**	4260.200	34.65	-3.39	54.0	-19.35	AV	262.00	150	Vertical	Pass
4	5681.400	92.84	-0.27	--	-178.16	Peak	271.00	150	Vertical	Pass
4**	5681.400	84.99	-0.27	--	84.99	AV	271.00	150	Vertical	N/A
5	12046.488	49.81	18.93	74.0	-24.19	Peak	254.00	150	Vertical	Pass
5**	12046.488	37.57	18.93	54.0	-16.43	AV	254.00	150	Vertical	Pass
6	15415.162	55.19	23.07	74.0	-18.81	Peak	62.00	150	Vertical	Pass
6**	15415.162	42.83	23.07	54.0	-11.17	AV	62.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.400	41.64	-14.84	74.0	-32.36	Peak	160.00	150	Horizontal	Pass
1**	1215.400	32.62	-14.84	54.0	-21.38	AV	160.00	150	Horizontal	Pass
2	2866.800	42.13	-8.07	74.0	-31.87	Peak	360.00	150	Horizontal	Pass
2**	2866.800	32.66	-8.07	54.0	-21.34	AV	360.00	150	Horizontal	Pass
3	4249.000	47.60	-3.18	74.0	-26.40	Peak	337.00	150	Horizontal	Pass
3**	4249.000	35.95	-3.18	54.0	-18.05	AV	337.00	150	Horizontal	Pass
4	5708.800	99.74	-0.45	--	-158.26	Peak	258.00	150	Horizontal	N/A
4**	5708.800	90.61	-0.45	--	90.61	AV	258.00	150	Horizontal	N/A
5	12336.287	50.04	19.81	74.0	-23.96	Peak	354.00	150	Horizontal	Pass
5**	12336.287	37.84	19.81	54.0	-16.16	AV	354.00	150	Horizontal	Pass
6	15468.450	56.27	23.58	74.0	-17.73	Peak	272.00	150	Horizontal	Pass
6**	15468.450	42.95	23.58	54.0	-11.05	AV	272.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.300	43.33	-15.07	74.0	-30.67	Peak	292.00	150	Vertical	Pass
1**	1182.300	31.99	-15.07	54.0	-22.01	AV	292.00	150	Vertical	Pass
2	2826.200	42.13	-8.39	74.0	-31.87	Peak	274.00	150	Vertical	Pass
2**	2826.200	31.54	-8.39	54.0	-22.46	AV	274.00	150	Vertical	Pass
3	4142.800	47.14	-3.96	74.0	-26.86	Peak	3.00	150	Vertical	Pass
3**	4142.800	35.96	-3.96	54.0	-18.04	AV	3.00	150	Vertical	Pass
4	5713.200	94.53	-0.49	--	21.53	Peak	73.00	150	Vertical	N/A
4**	5713.200	86.16	-0.49	--	86.16	AV	73.00	150	Vertical	N/A
5	11583.325	49.29	19.93	74.0	-24.71	Peak	112.00	150	Vertical	Pass
5**	11583.325	37.54	19.93	54.0	-16.46	AV	112.00	150	Vertical	Pass
6	15491.025	55.09	23.83	74.0	-18.91	Peak	10.00	150	Vertical	Pass
6**	15491.025	43.69	23.83	54.0	-10.31	AV	10.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.400	42.16	-14.81	74.0	-31.84	Peak	155.00	150	Horizontal	Pass
1**	1222.400	32.65	-14.81	54.0	-21.35	AV	155.00	150	Horizontal	Pass
2	2866.800	42.09	-8.07	74.0	-31.91	Peak	155.00	150	Horizontal	Pass
2**	2866.800	33.03	-8.07	54.0	-20.97	AV	155.00	150	Horizontal	Pass
3	4230.200	47.18	-3.43	74.0	-26.82	Peak	347.00	150	Horizontal	Pass
3**	4230.200	35.41	-3.43	54.0	-18.59	AV	347.00	150	Horizontal	Pass
4	5555.000	96.36	0.59	--	-164.64	Peak	261.00	150	Horizontal	N/A
4**	5555.000	86.50	0.59	--	86.50	AV	261.00	150	Horizontal	N/A
5	11544.800	49.07	19.66	74.0	-24.93	Peak	56.00	150	Horizontal	Pass
5**	11544.800	37.14	19.66	54.0	-16.86	AV	56.00	150	Horizontal	Pass
6	15586.312	54.67	23.57	74.0	-19.33	Peak	264.00	150	Horizontal	Pass
6**	15586.312	43.01	23.57	54.0	-10.99	AV	264.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.000	41.98	-14.98	74.0	-32.02	Peak	308.00	150	Vertical	Pass
1**	1207.000	31.26	-14.98	54.0	-22.74	AV	308.00	150	Vertical	Pass
2	2759.300	41.66	-8.90	74.0	-32.34	Peak	181.00	150	Vertical	Pass
2**	2759.300	31.86	-8.90	54.0	-22.14	AV	181.00	150	Vertical	Pass
3	3983.600	46.60	-4.27	74.0	-27.40	Peak	137.00	150	Vertical	Pass
3**	3983.600	35.56	-4.27	54.0	-18.44	AV	137.00	150	Vertical	Pass
4	5527.400	94.39	0.21	--	-42.61	Peak	137.00	150	Vertical	N/A
4**	5527.400	85.93	0.21	--	85.93	AV	137.00	150	Vertical	N/A
5	12188.512	49.61	20.33	74.0	-24.39	Peak	0.00	150	Vertical	Pass
5**	12188.512	37.47	20.33	54.0	-16.53	AV	0.00	150	Vertical	Pass
6	15721.500	54.54	23.46	74.0	-19.46	Peak	316.00	150	Vertical	Pass
6**	15721.500	42.97	23.46	54.0	-11.03	AV	316.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.800	41.08	-15.37	74.0	-32.92	Peak	208.00	150	Horizontal	Pass
1**	1671.800	32.71	-15.37	54.0	-21.29	AV	208.00	150	Horizontal	Pass
2	2788.500	41.44	-8.87	74.0	-32.56	Peak	227.00	150	Horizontal	Pass
2**	2788.500	30.95	-8.87	54.0	-23.05	AV	227.00	150	Horizontal	Pass
3	4237.600	47.23	-3.32	74.0	-26.77	Peak	195.00	150	Horizontal	Pass
3**	4237.600	35.74	-3.32	54.0	-18.26	AV	195.00	150	Horizontal	Pass
4	5623.000	97.16	-0.22	--	-70.84	Peak	168.00	150	Horizontal	N/A
4**	5623.000	87.61	-0.22	--	87.61	AV	168.00	150	Horizontal	N/A
5	11802.401	49.27	18.53	74.0	-24.73	Peak	357.00	150	Horizontal	Pass
5**	11802.401	37.41	18.53	54.0	-16.59	AV	357.00	150	Horizontal	Pass
6	15934.125	55.44	23.83	74.0	-18.56	Peak	276.00	150	Horizontal	Pass
6**	15934.125	42.51	23.83	54.0	-11.49	AV	276.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1231.200	41.67	-14.73	74.0	-32.33	Peak	305.00	150	Vertical	Pass
1**	1231.200	30.72	-14.73	54.0	-23.28	AV	305.00	150	Vertical	Pass
2	2834.900	41.73	-8.47	74.0	-32.27	Peak	177.00	150	Vertical	Pass
2**	2834.900	33.08	-8.47	54.0	-20.92	AV	177.00	150	Vertical	Pass
3	3989.000	47.43	-4.33	74.0	-26.57	Peak	125.00	150	Vertical	Pass
3**	3989.000	36.49	-4.33	54.0	-17.51	AV	125.00	150	Vertical	Pass
4	5586.800	91.88	0.83	--	-5.12	Peak	97.00	150	Vertical	N/A
4**	5586.800	84.50	0.83	--	84.50	AV	97.00	150	Vertical	N/A
5	11606.901	50.05	20.17	74.0	-23.95	Peak	19.00	150	Vertical	Pass
5**	11606.901	38.09	20.17	54.0	-15.91	AV	19.00	150	Vertical	Pass
6	16138.613	54.73	24.14	74.0	-19.27	Peak	194.00	150	Vertical	Pass
6**	16138.613	43.03	24.14	54.0	-10.97	AV	194.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	42.40	-15.22	74.0	-31.60	Peak	215.00	150	Horizontal	Pass
1**	1668.100	32.40	-15.22	54.0	-21.60	AV	215.00	150	Horizontal	Pass
2	2861.000	41.95	-7.98	74.0	-32.05	Peak	171.00	150	Horizontal	Pass
2**	2861.000	32.90	-7.98	54.0	-21.10	AV	171.00	150	Horizontal	Pass
3	4103.000	46.92	-4.34	74.0	-27.08	Peak	129.00	150	Horizontal	Pass
3**	4103.000	34.30	-4.34	54.0	-19.70	AV	129.00	150	Horizontal	Pass
4	5669.200	97.33	-0.03	--	-162.67	Peak	260.00	150	Horizontal	N/A
4**	5669.200	88.16	-0.03	--	88.16	AV	260.00	150	Horizontal	N/A
5	11812.175	49.22	18.45	74.0	-24.78	Peak	319.00	150	Horizontal	Pass
5**	11812.175	36.97	18.45	54.0	-17.03	AV	319.00	150	Horizontal	Pass
6	16121.026	55.33	23.98	74.0	-18.67	Peak	107.00	150	Horizontal	Pass
6**	16121.026	43.18	23.98	54.0	-10.82	AV	107.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.200	40.27	-15.05	74.0	-33.73	Peak	283.00	150	Vertical	Pass
1**	1179.200	31.62	-15.05	54.0	-22.38	AV	283.00	150	Vertical	Pass
2	2820.800	41.87	-8.40	74.0	-32.13	Peak	283.00	150	Vertical	Pass
2**	2820.800	31.50	-8.40	54.0	-22.50	AV	283.00	150	Vertical	Pass
3	4101.600	46.03	-4.23	74.0	-27.97	Peak	251.00	150	Vertical	Pass
3**	4101.600	34.59	-4.23	54.0	-19.41	AV	251.00	150	Vertical	Pass
4	5710.800	92.32	-0.34	--	16.32	Peak	76.00	150	Vertical	N/A
4**	5710.800	83.19	-0.34	--	83.19	AV	76.00	150	Vertical	N/A
5	12395.225	50.25	19.24	74.0	-23.75	Peak	235.00	150	Vertical	Pass
5**	12395.225	37.29	19.24	54.0	-16.71	AV	235.00	150	Vertical	Pass
6	15516.750	54.64	23.81	74.0	-19.36	Peak	285.00	150	Vertical	Pass
6**	15516.750	42.88	23.81	54.0	-11.12	AV	285.00	150	Vertical	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.600	41.88	-15.24	74.0	-32.12	Peak	221.00	150	Horizontal	Pass
1**	1674.600	32.18	-15.24	54.0	-21.82	AV	221.00	150	Horizontal	Pass
2	2828.600	41.70	-8.22	74.0	-32.30	Peak	22.00	150	Horizontal	Pass
2**	2828.600	31.62	-8.22	54.0	-22.38	AV	22.00	150	Horizontal	Pass
3	4318.400	46.79	-3.15	74.0	-27.21	Peak	258.00	150	Horizontal	Pass
3**	4318.400	34.76	-3.15	54.0	-19.24	AV	258.00	150	Horizontal	Pass
4	5602.600	96.13	-0.04	--	-161.87	Peak	258.00	150	Horizontal	N/A
4**	5602.600	85.68	-0.04	--	85.68	AV	258.00	150	Horizontal	N/A
5	11606.612	49.44	20.17	74.0	-24.56	Peak	323.00	150	Horizontal	Pass
5**	11606.612	38.10	20.17	54.0	-15.90	AV	323.00	150	Horizontal	Pass
6	15811.800	54.60	23.22	74.0	-19.40	Peak	262.00	150	Horizontal	Pass
6**	15811.800	43.24	23.22	54.0	-10.76	AV	262.00	150	Horizontal	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1169.000	39.75	-15.02	74.0	-34.25	Peak	306.00	150	Vertical	Pass
1**	1169.000	30.79	-15.02	54.0	-23.21	AV	306.00	150	Vertical	Pass
2	2813.400	41.83	-8.35	74.0	-32.17	Peak	246.00	150	Vertical	Pass
2**	2813.400	32.30	-8.35	54.0	-21.70	AV	246.00	150	Vertical	Pass
3	4254.600	47.08	-3.07	74.0	-26.92	Peak	0.00	150	Vertical	Pass
3**	4254.600	34.93	-3.07	54.0	-19.07	AV	0.00	150	Vertical	Pass
4	5531.400	91.50	0.30	--	-49.50	Peak	141.00	150	Vertical	N/A
4**	5531.400	81.76	0.30	--	81.76	AV	141.00	150	Vertical	N/A
5	11726.213	49.43	19.34	74.0	-24.57	Peak	149.00	150	Vertical	Pass
5**	11726.213	36.99	19.34	54.0	-17.01	AV	149.00	150	Vertical	Pass
6	15869.550	55.33	23.35	74.0	-18.67	Peak	194.00	150	Vertical	Pass
6**	15869.550	42.76	23.35	54.0	-11.24	AV	194.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.600	41.58	-15.21	74.0	-32.42	Peak	153.00	150	Horizontal	Pass
1**	1666.600	32.20	-15.21	54.0	-21.80	AV	153.00	150	Horizontal	Pass
2	2851.900	42.49	-8.18	74.0	-31.51	Peak	162.00	150	Horizontal	Pass
2**	2851.900	31.62	-8.18	54.0	-22.38	AV	162.00	150	Horizontal	Pass
3	4187.200	46.57	-4.02	74.0	-27.43	Peak	23.00	150	Horizontal	Pass
3**	4187.200	35.21	-4.02	54.0	-18.79	AV	23.00	150	Horizontal	Pass
4	5747.600	100.31	0.31	--	-188.69	Peak	289.00	150	Horizontal	N/A
4**	5747.600	93.03	0.31	--	93.03	AV	289.00	150	Horizontal	N/A
5	12213.238	50.25	20.44	74.0	-23.75	Peak	41.00	150	Horizontal	Pass
5**	12213.238	38.15	20.44	54.0	-15.85	AV	41.00	150	Horizontal	Pass
6	15666.113	54.68	23.50	74.0	-19.32	Peak	196.00	150	Horizontal	Pass
6**	15666.113	43.41	23.50	54.0	-10.59	AV	196.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.000	40.17	-15.01	74.0	-33.83	Peak	307.00	150	Vertical	Pass
1**	1199.000	29.71	-15.01	54.0	-24.29	AV	307.00	150	Vertical	Pass
2	2869.000	41.67	-8.20	74.0	-32.33	Peak	50.00	150	Vertical	Pass
2**	2869.000	32.94	-8.20	54.0	-21.06	AV	50.00	150	Vertical	Pass
3	4177.800	46.41	-3.96	74.0	-27.59	Peak	134.00	150	Vertical	Pass
3**	4177.800	35.27	-3.96	54.0	-18.73	AV	134.00	150	Vertical	N/A
4	5743.600	95.96	0.14	--	7.96	Peak	88.00	150	Vertical	N/A
4**	5743.600	90.29	0.14	--	90.29	AV	88.00	150	Vertical	N/A
5	12209.212	49.38	20.44	74.0	-24.62	Peak	258.00	150	Vertical	Pass
5**	12209.212	37.14	20.44	54.0	-16.86	AV	258.00	150	Vertical	Pass
6	16182.974	55.32	23.65	74.0	-18.68	Peak	139.00	150	Vertical	Pass
6**	16182.974	42.48	23.65	54.0	-11.52	AV	139.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	41.15	-15.22	74.0	-32.85	Peak	211.00	150	Horizontal	Pass
1**	1667.900	34.25	-15.22	54.0	-19.75	AV	211.00	150	Horizontal	Pass
2	2883.700	42.20	-8.34	74.0	-31.80	Peak	145.00	150	Horizontal	Pass
2**	2883.700	32.84	-8.34	54.0	-21.16	AV	145.00	150	Horizontal	Pass
3	4236.800	46.35	-3.35	74.0	-27.65	Peak	253.00	150	Horizontal	Pass
3**	4236.800	35.29	-3.35	54.0	-18.71	AV	253.00	150	Horizontal	Pass
4	5781.800	101.16	1.04	--	-169.84	Peak	271.00	150	Horizontal	N/A
4**	5781.800	94.66	1.04	--	94.66	AV	271.00	150	Horizontal	N/A
5	11552.562	49.35	19.72	74.0	-24.65	Peak	342.00	150	Horizontal	Pass
5**	11552.562	36.81	19.72	54.0	-17.19	AV	342.00	150	Horizontal	Pass
6	16106.849	55.27	24.15	74.0	-18.73	Peak	49.00	150	Horizontal	Pass
6**	16106.849	42.80	24.15	54.0	-11.20	AV	49.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1152.500	41.19	-14.94	74.0	-32.81	Peak	245.00	150	Vertical	Pass
1**	1152.500	33.15	-14.94	54.0	-20.85	AV	245.00	150	Vertical	Pass
2	2876.100	42.04	-8.34	74.0	-31.96	Peak	278.00	150	Vertical	Pass
2**	2876.100	33.65	-8.34	54.0	-20.35	AV	278.00	150	Vertical	Pass
3	3998.800	46.63	-4.52	74.0	-27.37	Peak	96.00	150	Vertical	Pass
3**	3998.800	35.76	-4.52	54.0	-18.24	AV	96.00	150	Vertical	Pass
4	5783.200	96.32	0.91	--	-74.68	Peak	171.00	150	Vertical	N/A
4**	5783.200	89.16	0.91	--	89.16	AV	171.00	150	Vertical	N/A
5	11622.138	49.97	20.25	74.0	-24.03	Peak	303.00	150	Vertical	Pass
5**	11622.138	38.49	20.25	54.0	-15.51	AV	303.00	150	Vertical	Pass
6	15494.963	54.79	23.89	74.0	-19.21	Peak	322.00	150	Vertical	Pass
6**	15494.963	42.97	23.89	54.0	-11.03	AV	322.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.700	42.10	-15.22	74.0	-31.90	Peak	205.00	150	Horizontal	Pass
1**	1664.700	31.54	-15.22	54.0	-22.46	AV	205.00	150	Horizontal	Pass
2	2776.100	41.84	-8.57	74.0	-32.16	Peak	256.00	150	Horizontal	Pass
2**	2776.100	30.85	-8.57	54.0	-23.15	AV	256.00	150	Horizontal	Pass
3	4236.600	47.14	-3.36	74.0	-26.86	Peak	157.00	150	Horizontal	Pass
3**	4236.600	35.67	-3.36	54.0	-18.33	AV	157.00	150	Horizontal	Pass
4	5823.000	101.03	0.86	--	-171.97	Peak	273.00	150	Horizontal	N/A
4**	5823.000	96.00	0.86	--	96.00	AV	273.00	150	Horizontal	N/A
5	11681.075	49.18	20.05	74.0	-24.82	Peak	124.00	150	Horizontal	Pass
5**	11681.075	37.84	20.05	54.0	-16.16	AV	124.00	150	Horizontal	Pass
6	16150.950	54.69	24.02	74.0	-19.31	Peak	75.00	150	Horizontal	Pass
6**	16150.950	42.15	24.02	54.0	-11.85	AV	75.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.400	40.43	-15.05	74.0	-33.57	Peak	300.00	150	Vertical	Pass
1**	1190.400	29.82	-15.05	54.0	-24.18	AV	300.00	150	Vertical	Pass
2	2882.000	42.40	-8.30	74.0	-31.60	Peak	360.00	150	Vertical	Pass
2**	2882.000	32.74	-8.30	54.0	-21.26	AV	360.00	150	Vertical	Pass
3	3999.000	46.69	-4.52	74.0	-27.31	Peak	138.00	150	Vertical	Pass
3**	3999.000	34.78	-4.52	54.0	-19.22	AV	138.00	150	Vertical	Pass
4	5822.000	98.81	0.89	--	12.81	Peak	86.00	150	Vertical	N/A
4**	5822.000	90.60	0.89	--	90.60	AV	86.00	150	Vertical	N/A
5	11762.150	50.18	18.83	74.0	-23.82	Peak	6.00	150	Vertical	Pass
5**	11762.150	37.33	18.83	54.0	-16.67	AV	6.00	150	Vertical	Pass
6	15550.612	54.40	23.61	74.0	-19.60	Peak	173.00	150	Vertical	Pass
6**	15550.612	43.04	23.61	54.0	-10.96	AV	173.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	41.97	-15.23	74.0	-32.03	Peak	205.00	150	Horizontal	Pass
1**	1669.400	33.21	-15.23	54.0	-20.79	AV	205.00	150	Horizontal	Pass
2	2887.800	42.20	-8.16	74.0	-31.80	Peak	7.00	150	Horizontal	Pass
2**	2887.800	32.37	-8.16	54.0	-21.63	AV	7.00	150	Horizontal	Pass
3	4258.400	46.92	-3.38	74.0	-27.08	Peak	337.00	150	Horizontal	Pass
3**	4258.400	35.09	-3.38	54.0	-18.91	AV	337.00	150	Horizontal	Pass
4	5746.600	99.67	0.38	--	-172.33	Peak	272.00	150	Horizontal	N/A
4**	5746.600	93.04	0.38	--	93.04	AV	272.00	150	Horizontal	N/A
5	11778.250	49.12	18.72	74.0	-24.88	Peak	200.00	150	Horizontal	Pass
5**	11778.250	37.54	18.72	54.0	-16.46	AV	200.00	150	Horizontal	Pass
6	15648.525	54.97	23.53	74.0	-19.03	Peak	158.00	150	Horizontal	Pass
6**	15648.525	43.72	23.53	54.0	-10.28	AV	158.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.200	41.75	-14.86	74.0	-32.25	Peak	277.00	150	Vertical	Pass
1**	1163.200	32.05	-14.86	54.0	-21.95	AV	277.00	150	Vertical	Pass
2	2827.500	42.10	-8.31	74.0	-31.90	Peak	102.00	150	Vertical	Pass
2**	2827.500	31.86	-8.31	54.0	-22.14	AV	102.00	150	Vertical	Pass
3	4028.800	46.62	-3.98	74.0	-27.38	Peak	158.00	150	Vertical	Pass
3**	4028.800	35.22	-3.98	54.0	-18.78	AV	158.00	150	Vertical	Pass
4	5749.000	94.61	0.29	--	11.61	Peak	83.00	150	Vertical	N/A
4**	5749.000	88.45	0.29	--	88.45	AV	83.00	150	Vertical	N/A
5	11614.375	49.43	20.21	74.0	-24.57	Peak	101.00	150	Vertical	Pass
5**	11614.375	37.57	20.21	54.0	-16.43	AV	101.00	150	Vertical	Pass
6	15522.787	55.25	23.77	74.0	-18.75	Peak	105.00	150	Vertical	Pass
6**	15522.787	43.45	23.77	54.0	-10.55	AV	105.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.300	42.31	-15.21	74.0	-31.69	Peak	157.00	150	Horizontal	Pass
1**	1667.300	31.67	-15.21	54.0	-22.33	AV	157.00	150	Horizontal	Pass
2	2881.000	41.98	-8.29	74.0	-32.02	Peak	307.00	150	Horizontal	Pass
2**	2881.000	32.76	-8.29	54.0	-21.24	AV	307.00	150	Horizontal	Pass
3	3995.400	47.26	-4.48	74.0	-26.74	Peak	84.00	150	Horizontal	Pass
3**	3995.400	35.54	-4.48	54.0	-18.46	AV	84.00	150	Horizontal	Pass
4	5788.600	100.72	1.02	--	-170.28	Peak	271.00	150	Horizontal	N/A
4**	5788.600	94.27	1.02	--	94.27	AV	271.00	150	Horizontal	N/A
5	11666.700	48.96	20.20	74.0	-25.04	Peak	109.00	150	Horizontal	Pass
5**	11666.700	37.99	20.20	54.0	-16.01	AV	109.00	150	Horizontal	Pass
6	15487.088	54.71	23.76	74.0	-19.29	Peak	9.00	150	Horizontal	Pass
6**	15487.088	43.71	23.76	54.0	-10.29	AV	9.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.700	41.31	-14.92	74.0	-32.69	Peak	243.00	150	Vertical	Pass
1**	1153.700	31.31	-14.92	54.0	-22.69	AV	243.00	150	Vertical	Pass
2	2816.300	41.79	-8.32	74.0	-32.21	Peak	4.00	150	Vertical	Pass
2**	2816.300	31.89	-8.32	54.0	-22.11	AV	4.00	150	Vertical	Pass
3	3991.400	46.21	-4.45	74.0	-27.79	Peak	249.00	150	Vertical	Pass
3**	3991.400	35.95	-4.45	54.0	-18.05	AV	249.00	150	Vertical	Pass
4	5787.200	95.70	0.86	--	-72.30	Peak	168.00	150	Vertical	N/A
4**	5787.200	90.15	0.86	--	90.15	AV	168.00	150	Vertical	N/A
5	11682.800	49.28	20.03	74.0	-24.72	Peak	33.00	150	Vertical	Pass
5**	11682.800	39.80	20.03	54.0	-14.20	AV	33.00	150	Vertical	Pass
6	15552.451	55.00	23.60	74.0	-19.00	Peak	268.00	150	Vertical	Pass
6**	15552.451	43.04	23.60	54.0	-10.96	AV	268.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.700	41.44	-15.21	74.0	-32.56	Peak	158.00	150	Horizontal	Pass
1**	1666.700	30.31	-15.21	54.0	-23.69	AV	158.00	150	Horizontal	Pass
2	2718.500	42.74	-8.66	74.0	-31.26	Peak	360.00	150	Horizontal	Pass
2**	2718.500	32.82	-8.66	54.0	-21.18	AV	360.00	150	Horizontal	Pass
3	4021.400	46.83	-4.04	74.0	-27.17	Peak	294.00	150	Horizontal	Pass
3**	4021.400	35.67	-4.04	54.0	-18.33	AV	294.00	150	Horizontal	Pass
4	5827.000	101.36	0.81	--	-165.64	Peak	267.00	150	Horizontal	N/A
4**	5827.000	94.67	0.81	--	94.67	AV	267.00	150	Horizontal	N/A
5	11691.138	49.19	19.93	74.0	-24.81	Peak	14.00	150	Horizontal	Pass
5**	11691.138	37.95	19.93	54.0	-16.05	AV	14.00	150	Horizontal	Pass
6	15525.412	54.53	23.76	74.0	-19.47	Peak	163.00	150	Horizontal	Pass
6**	15525.412	44.06	23.76	54.0	-9.94	AV	163.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.600	40.47	-14.81	74.0	-33.53	Peak	66.00	150	Vertical	Pass
1**	1360.600	29.28	-14.81	54.0	-24.72	AV	66.00	150	Vertical	Pass
2	2891.900	42.24	-8.01	74.0	-31.76	Peak	235.00	150	Vertical	Pass
2**	2891.900	33.32	-8.01	54.0	-20.68	AV	235.00	150	Vertical	Pass
3	4158.400	47.31	-3.53	74.0	-26.69	Peak	251.00	150	Vertical	Pass
3**	4158.400	35.37	-3.53	54.0	-18.63	AV	251.00	150	Vertical	Pass
4	5823.200	98.68	0.85	--	19.68	Peak	79.00	150	Vertical	N/A
4**	5823.200	92.31	0.85	--	92.31	AV	79.00	150	Vertical	N/A
5	11785.437	49.34	18.67	74.0	-24.66	Peak	190.00	150	Vertical	Pass
5**	11785.437	37.43	18.67	54.0	-16.57	AV	190.00	150	Vertical	Pass
6	15803.138	54.80	23.17	74.0	-19.20	Peak	37.00	150	Vertical	Pass
6**	15803.138	42.08	23.17	54.0	-11.92	AV	37.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.600	41.89	-15.24	74.0	-32.11	Peak	163.00	150	Horizontal	Pass
1**	1674.600	32.47	-15.24	54.0	-21.53	AV	163.00	150	Horizontal	Pass
2	2831.300	42.04	-8.35	74.0	-31.96	Peak	347.00	150	Horizontal	Pass
2**	2831.300	33.08	-8.35	54.0	-20.92	AV	347.00	150	Horizontal	Pass
3	4236.200	46.31	-3.39	74.0	-27.69	Peak	292.00	150	Horizontal	Pass
3**	4236.200	35.33	-3.39	54.0	-18.67	AV	292.00	150	Horizontal	Pass
4	5763.000	97.36	0.74	--	-167.64	Peak	265.00	150	Horizontal	N/A
4**	5763.000	90.30	0.74	--	90.30	AV	265.00	150	Horizontal	N/A
5	12216.112	50.00	20.45	74.0	-24.00	Peak	191.00	150	Horizontal	Pass
5**	12216.112	37.65	20.45	54.0	-16.35	AV	191.00	150	Horizontal	Pass
6	15649.313	55.03	23.52	74.0	-18.97	Peak	164.00	150	Horizontal	Pass
6**	15649.313	43.77	23.52	54.0	-10.23	AV	164.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.900	39.84	-15.04	74.0	-34.16	Peak	278.00	150	Vertical	Pass
1**	1171.900	31.47	-15.04	54.0	-22.53	AV	278.00	150	Vertical	Pass
2	2814.300	41.71	-8.34	74.0	-32.29	Peak	85.00	150	Vertical	Pass
2**	2814.300	31.38	-8.34	54.0	-22.62	AV	85.00	150	Vertical	Pass
3	4238.600	47.11	-3.38	74.0	-26.89	Peak	0.00	150	Vertical	Pass
3**	4238.600	35.19	-3.38	54.0	-18.81	AV	0.00	150	Vertical	Pass
4	5750.200	93.03	0.31	--	7.03	Peak	86.00	150	Vertical	N/A
4**	5750.200	86.09	0.31	--	86.09	AV	86.00	150	Vertical	N/A
5	11910.500	49.16	18.08	74.0	-24.84	Peak	252.00	150	Vertical	Pass
5**	11910.500	38.07	18.08	54.0	-15.93	AV	252.00	150	Vertical	Pass
6	15497.588	54.69	23.93	74.0	-19.31	Peak	24.00	150	Vertical	Pass
6**	15497.588	43.88	23.93	54.0	-10.12	AV	24.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.400	41.48	-15.21	74.0	-32.52	Peak	201.00	150	Horizontal	Pass
1**	1665.400	28.84	-15.21	54.0	-25.16	AV	201.00	150	Horizontal	Pass
2	2829.000	41.86	-8.24	74.0	-32.14	Peak	48.00	150	Horizontal	Pass
2**	2829.000	31.98	-8.24	54.0	-22.02	AV	48.00	150	Horizontal	Pass
3	4215.000	46.97	-3.96	74.0	-27.03	Peak	49.00	150	Horizontal	Pass
3**	4215.000	34.95	-3.96	54.0	-19.05	AV	49.00	150	Horizontal	Pass
4	5784.200	98.17	0.77	--	-169.83	Peak	268.00	150	Horizontal	N/A
4**	5784.200	90.93	0.77	--	90.93	AV	268.00	150	Horizontal	N/A
5	11637.950	48.91	20.35	74.0	-25.09	Peak	328.00	150	Horizontal	Pass
5**	11637.950	36.74	20.35	54.0	-17.26	AV	328.00	150	Horizontal	Pass
6	15546.937	55.25	23.64	74.0	-18.75	Peak	11.00	150	Horizontal	Pass
6**	15546.937	43.58	23.64	54.0	-10.42	AV	11.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.600	41.10	-15.11	74.0	-32.90	Peak	284.00	150	Vertical	Pass
1**	1185.600	33.48	-15.11	54.0	-20.52	AV	284.00	150	Vertical	Pass
2	2878.800	41.46	-8.29	74.0	-32.54	Peak	284.00	150	Vertical	Pass
2**	2878.800	32.63	-8.29	54.0	-21.37	AV	284.00	150	Vertical	Pass
3	3987.400	46.59	-4.34	74.0	-27.41	Peak	110.00	150	Vertical	Pass
3**	3987.400	33.84	-4.34	54.0	-20.16	AV	110.00	150	Vertical	Pass
4	5807.200	94.28	0.85	--	3.28	Peak	91.00	150	Vertical	N/A
4**	5807.200	87.52	0.85	--	87.52	AV	91.00	150	Vertical	N/A
5	12323.350	50.12	19.90	74.0	-23.88	Peak	316.00	150	Vertical	Pass
5**	12323.350	36.94	19.90	54.0	-17.06	AV	316.00	150	Vertical	Pass
6	15388.125	54.44	22.77	74.0	-19.56	Peak	10.00	150	Vertical	Pass
6**	15388.125	42.59	22.77	54.0	-11.41	AV	10.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.000	41.84	-15.22	74.0	-32.16	Peak	201.00	150	Horizontal	Pass
1**	1669.000	32.07	-15.22	54.0	-21.93	AV	201.00	150	Horizontal	Pass
2	2710.500	42.16	-8.82	74.0	-31.84	Peak	319.00	150	Horizontal	Pass
2**	2710.500	31.37	-8.82	54.0	-22.63	AV	319.00	150	Horizontal	Pass
3	4159.200	46.50	-3.53	74.0	-27.50	Peak	72.00	150	Horizontal	Pass
3**	4159.200	35.24	-3.53	54.0	-18.76	AV	72.00	150	Horizontal	Pass
4	5743.000	100.12	0.10	--	-198.88	Peak	299.00	150	Horizontal	N/A
4**	5743.000	94.08	0.10	--	94.08	AV	299.00	150	Horizontal	N/A
5	12208.925	49.17	20.44	74.0	-24.83	Peak	290.00	150	Horizontal	Pass
5**	12208.925	37.44	20.44	54.0	-16.56	AV	290.00	150	Horizontal	Pass
6	15893.701	54.35	23.29	74.0	-19.65	Peak	50.00	150	Horizontal	Pass
6**	15893.701	43.49	23.29	54.0	-10.51	AV	50.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.100	42.87	-14.78	74.0	-31.13	Peak	277.00	150	Vertical	Pass
1**	1223.100	33.13	-14.78	54.0	-20.87	AV	277.00	150	Vertical	Pass
2	2840.100	42.25	-8.53	74.0	-31.75	Peak	0.00	150	Vertical	Pass
2**	2840.100	31.95	-8.53	54.0	-22.05	AV	0.00	150	Vertical	Pass
3	4125.000	46.50	-3.98	74.0	-27.50	Peak	259.00	150	Vertical	Pass
3**	4125.000	34.32	-3.98	54.0	-19.68	AV	259.00	150	Vertical	Pass
4	5746.800	96.19	0.37	--	10.19	Peak	86.00	150	Vertical	N/A
4**	5746.800	88.87	0.37	--	88.87	AV	86.00	150	Vertical	N/A
5	11642.263	49.75	20.37	74.0	-24.25	Peak	239.00	150	Vertical	Pass
5**	11642.263	39.65	20.37	54.0	-14.35	AV	239.00	150	Vertical	Pass
6	15900.526	54.36	23.28	74.0	-19.64	Peak	124.00	150	Vertical	Pass
6**	15900.526	43.78	23.28	54.0	-10.22	AV	124.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	42.10	-15.23	74.0	-31.90	Peak	201.00	150	Horizontal	Pass
1**	1669.900	32.42	-15.23	54.0	-21.58	AV	201.00	150	Horizontal	Pass
2	2888.500	41.89	-8.15	74.0	-32.11	Peak	191.00	150	Horizontal	Pass
2**	2888.500	32.78	-8.15	54.0	-21.22	AV	191.00	150	Horizontal	Pass
3	4097.600	46.42	-4.49	74.0	-27.58	Peak	0.00	150	Horizontal	Pass
3**	4097.600	34.80	-4.49	54.0	-19.20	AV	0.00	150	Horizontal	Pass
4	5786.800	101.90	0.81	--	-164.10	Peak	266.00	150	Horizontal	N/A
4**	5786.800	94.79	0.81	--	94.79	AV	266.00	150	Horizontal	N/A
5	11641.113	49.43	20.37	74.0	-24.57	Peak	240.00	150	Horizontal	Pass
5**	11641.113	37.68	20.37	54.0	-16.32	AV	240.00	150	Horizontal	Pass
6	16151.737	54.71	24.01	74.0	-19.29	Peak	198.00	150	Horizontal	Pass
6**	16151.737	43.31	24.01	54.0	-10.69	AV	198.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1144.500	41.67	-15.03	74.0	-32.33	Peak	235.00	150	Vertical	Pass
1**	1144.500	32.08	-15.03	54.0	-21.92	AV	235.00	150	Vertical	Pass
2	2868.100	41.49	-8.14	74.0	-32.51	Peak	131.00	150	Vertical	Pass
2**	2868.100	31.78	-8.14	54.0	-22.22	AV	131.00	150	Vertical	Pass
3	3982.200	46.92	-4.23	74.0	-27.08	Peak	360.00	150	Vertical	Pass
3**	3982.200	34.47	-4.23	54.0	-19.53	AV	360.00	150	Vertical	Pass
4	5787.000	96.22	0.83	--	-74.78	Peak	171.00	150	Vertical	N/A
4**	5787.000	90.44	0.83	--	90.44	AV	171.00	150	Vertical	N/A
5	11667.849	49.61	20.19	74.0	-24.39	Peak	208.00	150	Vertical	Pass
5**	11667.849	37.67	20.19	54.0	-16.33	AV	208.00	150	Vertical	Pass
6	15568.201	55.19	23.58	74.0	-18.81	Peak	34.00	150	Vertical	Pass
6**	15568.201	41.98	23.58	54.0	-12.02	AV	34.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.300	41.94	-15.32	74.0	-32.06	Peak	166.00	150	Horizontal	Pass
1**	1671.300	33.48	-15.32	54.0	-20.52	AV	166.00	150	Horizontal	Pass
2	2880.000	42.72	-8.27	74.0	-31.28	Peak	231.00	150	Horizontal	Pass
2**	2880.000	32.62	-8.27	54.0	-21.38	AV	231.00	150	Horizontal	Pass
3	4008.800	46.61	-4.53	74.0	-27.39	Peak	307.00	150	Horizontal	Pass
3**	4008.800	34.74	-4.53	54.0	-19.26	AV	307.00	150	Horizontal	Pass
4	5823.000	101.67	0.86	--	-159.33	Peak	261.00	150	Horizontal	N/A
4**	5823.000	94.62	0.86	--	94.62	AV	261.00	150	Horizontal	N/A
5	12139.924	49.59	19.85	74.0	-24.41	Peak	21.00	150	Horizontal	Pass
5**	12139.924	37.60	19.85	54.0	-16.40	AV	21.00	150	Horizontal	Pass
6	15965.100	56.28	23.99	74.0	-17.72	Peak	3.00	150	Horizontal	Pass
6**	15965.100	42.43	23.99	54.0	-11.57	AV	3.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.300	40.10	-15.07	74.0	-33.90	Peak	312.00	150	Vertical	Pass
1**	1182.300	29.42	-15.07	54.0	-24.58	AV	312.00	150	Vertical	Pass
2	2839.700	41.82	-8.50	74.0	-32.18	Peak	15.00	150	Vertical	Pass
2**	2839.700	31.62	-8.50	54.0	-22.38	AV	15.00	150	Vertical	Pass
3	4192.000	47.24	-4.09	74.0	-26.76	Peak	2.00	150	Vertical	Pass
3**	4192.000	36.28	-4.09	54.0	-17.72	AV	2.00	150	Vertical	Pass
4	5823.400	99.06	0.84	--	24.06	Peak	75.00	150	Vertical	N/A
4**	5823.400	91.65	0.84	--	91.65	AV	75.00	150	Vertical	N/A
5	11538.475	48.98	19.60	74.0	-25.02	Peak	191.00	150	Vertical	Pass
5**	11538.475	37.11	19.60	54.0	-16.89	AV	191.00	150	Vertical	Pass
6	15913.650	55.06	23.53	74.0	-18.94	Peak	234.00	150	Vertical	Pass
6**	15913.650	42.36	23.53	54.0	-11.64	AV	234.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.800	42.02	-15.27	74.0	-31.98	Peak	160.00	150	Horizontal	Pass
1**	1677.800	31.34	-15.27	54.0	-22.66	AV	160.00	150	Horizontal	Pass
2	2878.300	42.29	-8.31	74.0	-31.71	Peak	298.00	150	Horizontal	Pass
2**	2878.300	32.90	-8.31	54.0	-21.10	AV	298.00	150	Horizontal	Pass
3	4249.600	46.45	-3.18	74.0	-27.55	Peak	355.00	150	Horizontal	Pass
3**	4249.600	38.12	-3.18	54.0	-15.88	AV	355.00	150	Horizontal	Pass
4	5758.600	97.32	0.63	--	-156.68	Peak	254.00	150	Horizontal	N/A
4**	5758.600	89.59	0.63	--	89.59	AV	254.00	150	Horizontal	N/A
5	12426.849	50.30	18.88	74.0	-23.70	Peak	360.00	150	Horizontal	Pass
5**	12426.849	37.24	18.88	54.0	-16.76	AV	360.00	150	Horizontal	Pass
6	15531.450	54.61	23.73	74.0	-19.39	Peak	53.00	150	Horizontal	Pass
6**	15531.450	43.53	23.73	54.0	-10.47	AV	53.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.300	41.81	-14.92	74.0	-32.19	Peak	82.00	150	Vertical	Pass
1**	1166.300	33.16	-14.92	54.0	-20.84	AV	82.00	150	Vertical	Pass
2	2857.200	41.94	-8.06	74.0	-32.06	Peak	18.00	150	Vertical	Pass
2**	2857.200	31.36	-8.06	54.0	-22.64	AV	18.00	150	Vertical	Pass
3	4239.200	46.75	-3.41	74.0	-27.25	Peak	131.00	150	Vertical	Pass
3**	4239.200	35.84	-3.41	54.0	-18.16	AV	131.00	150	Vertical	Pass
4	5762.800	94.00	0.74	--	-69.00	Peak	163.00	150	Vertical	N/A
4**	5762.800	88.16	0.74	--	88.16	AV	163.00	150	Vertical	N/A
5	11583.901	49.85	19.94	74.0	-24.15	Peak	322.00	150	Vertical	Pass
5**	11583.901	37.43	19.94	54.0	-16.57	AV	322.00	150	Vertical	Pass
6	15923.888	55.03	23.70	74.0	-18.97	Peak	124.00	150	Vertical	Pass
6**	15923.888	42.85	23.70	54.0	-11.15	AV	124.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.000	41.72	-15.26	74.0	-32.28	Peak	160.00	150	Horizontal	Pass
1**	1678.000	31.34	-15.26	54.0	-22.66	AV	160.00	150	Horizontal	Pass
2	2776.200	41.45	-8.57	74.0	-32.55	Peak	51.00	150	Horizontal	Pass
2**	2776.200	31.22	-8.57	54.0	-22.78	AV	51.00	150	Horizontal	Pass
3	4039.600	45.88	-4.00	74.0	-28.12	Peak	341.00	150	Horizontal	Pass
3**	4039.600	34.57	-4.00	54.0	-19.43	AV	341.00	150	Horizontal	Pass
4	5787.200	98.78	0.86	--	-66.22	Peak	165.00	150	Horizontal	N/A
4**	5787.200	91.55	0.86	--	91.55	AV	165.00	150	Horizontal	N/A
5	12041.026	49.84	18.89	74.0	-24.16	Peak	330.00	150	Horizontal	Pass
5**	12041.026	36.77	18.89	54.0	-17.23	AV	330.00	150	Horizontal	Pass
6	16154.362	54.89	23.96	74.0	-19.11	Peak	190.00	150	Horizontal	Pass
6**	16154.362	42.57	23.96	54.0	-11.43	AV	190.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.600	42.76	-14.92	74.0	-31.24	Peak	274.00	150	Vertical	Pass
1**	1153.600	35.72	-14.92	54.0	-18.28	AV	274.00	150	Vertical	Pass
2	2880.000	42.27	-8.27	74.0	-31.73	Peak	145.00	150	Vertical	Pass
2**	2880.000	33.89	-8.27	54.0	-20.11	AV	145.00	150	Vertical	Pass
3	3999.200	46.97	-4.51	74.0	-27.03	Peak	150.00	150	Vertical	Pass
3**	3999.200	36.92	-4.51	54.0	-17.08	AV	150.00	150	Vertical	Pass
4	5788.000	95.44	0.95	--	22.44	Peak	73.00	150	Vertical	N/A
4**	5788.000	89.01	0.95	--	89.01	AV	73.00	150	Vertical	N/A
5	11680.787	48.93	20.06	74.0	-25.07	Peak	127.00	150	Vertical	Pass
5**	11680.787	38.05	20.06	54.0	-15.95	AV	127.00	150	Vertical	Pass
6	15539.588	54.77	23.70	74.0	-19.23	Peak	43.00	150	Vertical	Pass
6**	15539.588	43.33	23.70	54.0	-10.67	AV	43.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.000	42.07	-15.24	74.0	-31.93	Peak	19.00	150	Horizontal	Pass
1**	1122.000	30.81	-15.24	54.0	-23.19	AV	19.00	150	Horizontal	Pass
2	2837.300	42.37	-8.47	74.0	-31.63	Peak	288.00	150	Horizontal	Pass
2**	2837.300	32.78	-8.47	54.0	-21.22	AV	288.00	150	Horizontal	Pass
3	4300.000	47.20	-3.56	74.0	-26.80	Peak	330.00	150	Horizontal	Pass
3**	4300.000	34.30	-3.56	54.0	-19.70	AV	330.00	150	Horizontal	Pass
4	5755.400	95.12	0.52	--	-168.88	Peak	264.00	150	Horizontal	N/A
4**	5755.400	87.45	0.52	--	87.45	AV	264.00	150	Horizontal	N/A
5	11969.150	48.90	18.34	74.0	-25.10	Peak	102.00	150	Horizontal	Pass
5**	11969.150	36.22	18.34	54.0	-17.78	AV	102.00	150	Horizontal	Pass
6	15482.625	55.17	23.69	74.0	-18.83	Peak	278.00	150	Horizontal	Pass
6**	15482.625	42.77	23.69	54.0	-11.23	AV	278.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.900	42.95	-15.34	74.0	-31.05	Peak	275.00	150	Vertical	Pass
1**	1119.900	34.34	-15.34	54.0	-19.66	AV	275.00	150	Vertical	Pass
2	2864.200	41.48	-8.04	74.0	-32.52	Peak	251.00	150	Vertical	Pass
2**	2864.200	32.05	-8.04	54.0	-21.95	AV	251.00	150	Vertical	Pass
3	3995.800	46.52	-4.50	74.0	-27.48	Peak	156.00	150	Vertical	Pass
3**	3995.800	35.08	-4.50	54.0	-18.92	AV	156.00	150	Vertical	Pass
4	5792.400	91.54	1.04	--	17.54	Peak	74.00	150	Vertical	N/A
4**	5792.400	85.20	1.04	--	85.20	AV	74.00	150	Vertical	N/A
5	11592.237	49.81	20.04	74.0	-24.19	Peak	85.00	150	Vertical	Pass
5**	11592.237	37.94	20.04	54.0	-16.06	AV	85.00	150	Vertical	Pass
6	16055.925	54.83	24.12	74.0	-19.17	Peak	101.00	150	Vertical	Pass
6**	16055.925	42.64	24.12	54.0	-11.36	AV	101.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.000	42.27	-15.21	74.0	-31.73	Peak	155.00	150	Horizontal	Pass
1**	1666.000	29.34	-15.21	54.0	-24.66	AV	155.00	150	Horizontal	Pass
2	2743.100	41.62	-8.84	74.0	-32.38	Peak	321.00	150	Horizontal	Pass
2**	2743.100	31.78	-8.84	54.0	-22.22	AV	321.00	150	Horizontal	Pass
3	3933.000	46.67	-4.78	74.0	-27.33	Peak	303.00	150	Horizontal	Pass
3**	3933.000	34.07	-4.78	54.0	-19.93	AV	303.00	150	Horizontal	Pass
4	5748.000	102.60	0.29	--	-151.40	Peak	254.00	150	Horizontal	N/A
4**	5748.000	93.94	0.29	--	93.94	AV	254.00	150	Horizontal	N/A
5	12269.587	49.99	20.31	74.0	-24.01	Peak	170.00	150	Horizontal	Pass
5**	12269.587	38.58	20.31	54.0	-15.42	AV	170.00	150	Horizontal	Pass
6	15874.800	54.69	23.35	74.0	-19.31	Peak	134.00	150	Horizontal	Pass
6**	15874.800	43.51	23.35	54.0	-10.49	AV	134.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.600	41.95	-14.92	74.0	-32.05	Peak	270.00	150	Vertical	Pass
1**	1153.600	32.50	-14.92	54.0	-21.50	AV	270.00	150	Vertical	Pass
2	2813.600	42.24	-8.34	74.0	-31.76	Peak	235.00	150	Vertical	Pass
2**	2813.600	31.48	-8.34	54.0	-22.52	AV	235.00	150	Vertical	Pass
3	3988.200	46.79	-4.33	74.0	-27.21	Peak	231.00	150	Vertical	Pass
3**	3988.200	36.40	-4.33	54.0	-17.60	AV	231.00	150	Vertical	Pass
4	5746.000	97.67	0.40	--	-62.33	Peak	160.00	150	Vertical	N/A
4**	5746.000	90.66	0.40	--	90.66	AV	160.00	150	Vertical	N/A
5	11670.150	49.45	20.17	74.0	-24.55	Peak	310.00	150	Vertical	Pass
5**	11670.150	37.42	20.17	54.0	-16.58	AV	310.00	150	Vertical	Pass
6	16149.112	54.68	24.05	74.0	-19.32	Peak	192.00	150	Vertical	Pass
6**	16149.112	42.92	24.05	54.0	-11.08	AV	192.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.200	41.42	-15.29	74.0	-32.58	Peak	156.00	150	Horizontal	Pass
1**	1676.200	31.62	-15.29	54.0	-22.38	AV	156.00	150	Horizontal	Pass
2	2838.200	42.60	-8.47	74.0	-31.40	Peak	156.00	150	Horizontal	Pass
2**	2838.200	31.68	-8.47	54.0	-22.32	AV	156.00	150	Horizontal	Pass
3	4228.000	46.90	-3.51	74.0	-27.10	Peak	200.00	150	Horizontal	Pass
3**	4228.000	35.88	-3.51	54.0	-18.12	AV	200.00	150	Horizontal	Pass
4	5787.200	103.07	0.86	--	-161.93	Peak	265.00	150	Horizontal	N/A
4**	5787.200	95.58	0.86	--	95.58	AV	265.00	150	Horizontal	N/A
5	11007.462	49.60	18.99	74.0	-24.40	Peak	255.00	150	Horizontal	Pass
5**	11007.462	37.33	18.99	54.0	-16.67	AV	255.00	150	Horizontal	Pass
6	15881.888	55.01	23.34	74.0	-18.99	Peak	221.00	150	Horizontal	Pass
6**	15881.888	42.90	23.34	54.0	-11.10	AV	221.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.700	41.00	-15.18	74.0	-33.00	Peak	308.00	150	Vertical	Pass
1**	1136.700	32.42	-15.18	54.0	-21.58	AV	308.00	150	Vertical	Pass
2	2876.500	42.41	-8.34	74.0	-31.59	Peak	219.00	150	Vertical	Pass
2**	2876.500	33.70	-8.34	54.0	-20.30	AV	219.00	150	Vertical	Pass
3	4017.600	47.00	-4.08	74.0	-27.00	Peak	221.00	150	Vertical	Pass
3**	4017.600	35.00	-4.08	54.0	-19.00	AV	221.00	150	Vertical	Pass
4	5788.400	100.29	0.99	--	-55.71	Peak	156.00	150	Vertical	N/A
4**	5788.400	91.18	0.99	--	91.18	AV	156.00	150	Vertical	N/A
5	11793.200	49.45	18.60	74.0	-24.55	Peak	172.00	150	Vertical	Pass
5**	11793.200	38.65	18.60	54.0	-15.35	AV	172.00	150	Vertical	Pass
6	15885.825	54.76	23.33	74.0	-19.24	Peak	285.00	150	Vertical	Pass
6**	15885.825	43.38	23.33	54.0	-10.62	AV	285.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.400	41.36	-15.21	74.0	-32.64	Peak	160.00	150	Horizontal	Pass
1**	1666.400	30.59	-15.21	54.0	-23.41	AV	160.00	150	Horizontal	Pass
2	2818.500	42.44	-8.30	74.0	-31.56	Peak	318.00	150	Horizontal	Pass
2**	2818.500	31.05	-8.30	54.0	-22.95	AV	318.00	150	Horizontal	Pass
3	4254.200	47.24	-3.07	74.0	-26.76	Peak	281.00	150	Horizontal	Pass
3**	4254.200	35.34	-3.07	54.0	-18.66	AV	281.00	150	Horizontal	Pass
4	5823.400	102.29	0.84	--	-62.71	Peak	165.00	150	Horizontal	N/A
4**	5823.400	95.34	0.84	--	95.34	AV	165.00	150	Horizontal	N/A
5	11841.212	49.50	18.19	74.0	-24.50	Peak	360.00	150	Horizontal	Pass
5**	11841.212	37.64	18.19	54.0	-16.36	AV	360.00	150	Horizontal	Pass
6	15548.512	54.96	23.62	74.0	-19.04	Peak	-2.00	150	Horizontal	Pass
6**	15548.512	42.68	23.62	54.0	-11.32	AV	-2.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.800	42.69	-14.95	74.0	-31.31	Peak	261.00	150	Vertical	Pass
1**	1157.800	33.71	-14.95	54.0	-20.29	AV	261.00	150	Vertical	Pass
2	2876.600	41.96	-8.34	74.0	-32.04	Peak	302.00	150	Vertical	Pass
2**	2876.600	32.69	-8.34	54.0	-21.31	AV	302.00	150	Vertical	Pass
3	3981.800	47.39	-4.19	74.0	-26.61	Peak	99.00	150	Vertical	Pass
3**	3981.800	36.27	-4.19	54.0	-17.73	AV	99.00	150	Vertical	Pass
4	5824.600	99.04	0.79	--	-54.96	Peak	154.00	150	Vertical	N/A
4**	5824.600	91.47	0.79	--	91.47	AV	154.00	150	Vertical	N/A
5	12285.975	49.68	20.15	74.0	-24.32	Peak	107.00	150	Vertical	Pass
5**	12285.975	37.12	20.15	54.0	-16.88	AV	107.00	150	Vertical	Pass
6	15537.487	55.78	23.71	74.0	-18.22	Peak	132.00	150	Vertical	Pass
6**	15537.487	42.85	23.71	54.0	-11.15	AV	132.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.300	42.68	-15.28	74.0	-31.32	Peak	206.00	150	Horizontal	Pass
1**	1674.300	33.94	-15.28	54.0	-20.06	AV	206.00	150	Horizontal	Pass
2	2885.300	42.65	-8.24	74.0	-31.35	Peak	187.00	150	Horizontal	Pass
2**	2885.300	33.90	-8.24	54.0	-20.10	AV	187.00	150	Horizontal	Pass
3	4152.400	47.23	-3.51	74.0	-26.77	Peak	189.00	150	Horizontal	Pass
3**	4152.400	35.45	-3.51	54.0	-18.55	AV	189.00	150	Horizontal	Pass
4	5764.000	98.48	0.84	--	-164.52	Peak	263.00	150	Horizontal	N/A
4**	5764.000	90.65	0.84	--	90.65	AV	263.00	150	Horizontal	N/A
5	11702.925	50.78	19.77	74.0	-23.22	Peak	248.00	150	Horizontal	Pass
5**	11702.925	39.02	19.77	54.0	-14.98	AV	248.00	150	Horizontal	Pass
6	15492.862	55.92	23.86	74.0	-18.08	Peak	-1.00	150	Horizontal	Pass
6**	15492.862	44.41	23.86	54.0	-9.59	AV	-1.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.900	41.29	-14.82	74.0	-32.71	Peak	273.00	150	Vertical	Pass
1**	1215.900	34.61	-14.82	54.0	-19.39	AV	273.00	150	Vertical	Pass
2	2732.800	42.17	-8.80	74.0	-31.83	Peak	46.00	150	Vertical	Pass
2**	2732.800	31.79	-8.80	54.0	-22.21	AV	46.00	150	Vertical	Pass
3	4159.000	47.50	-3.54	74.0	-26.50	Peak	46.00	150	Vertical	Pass
3**	4159.000	37.99	-3.54	54.0	-16.01	AV	46.00	150	Vertical	Pass
4	5757.000	98.14	0.62	--	-72.86	Peak	171.00	150	Vertical	N/A
4**	5757.000	90.80	0.62	--	90.80	AV	171.00	150	Vertical	N/A
5	12342.612	51.10	19.76	74.0	-22.90	Peak	140.00	150	Vertical	Pass
5**	12342.612	38.79	19.76	54.0	-15.21	AV	140.00	150	Vertical	Pass
6	15631.988	55.85	23.52	74.0	-18.15	Peak	204.00	150	Vertical	Pass
6**	15631.988	44.15	23.52	54.0	-9.85	AV	204.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	43.14	-15.23	74.0	-30.86	Peak	208.00	150	Horizontal	Pass
1**	1669.900	31.82	-15.23	54.0	-22.18	AV	208.00	150	Horizontal	Pass
2	2815.000	41.59	-8.34	74.0	-32.41	Peak	292.00	150	Horizontal	Pass
2**	2815.000	32.29	-8.34	54.0	-21.71	AV	292.00	150	Horizontal	Pass
3	4173.400	47.00	-3.88	74.0	-27.00	Peak	189.00	150	Horizontal	Pass
3**	4173.400	35.66	-3.88	54.0	-18.34	AV	189.00	150	Horizontal	Pass
4	5800.000	99.98	0.88	--	-89.02	Peak	189.00	150	Horizontal	N/A
4**	5800.000	90.77	0.88	--	90.77	AV	189.00	150	Horizontal	N/A
5	11689.987	50.37	19.94	74.0	-23.63	Peak	65.00	150	Horizontal	Pass
5**	11689.987	38.60	19.94	54.0	-15.40	AV	65.00	150	Horizontal	Pass
6	15905.250	55.37	23.37	74.0	-18.63	Peak	-1.00	150	Horizontal	Pass
6**	15905.250	43.41	23.37	54.0	-10.59	AV	-1.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.300	41.47	-15.11	74.0	-32.53	Peak	304.00	150	Vertical	Pass
1**	1201.300	33.88	-15.11	54.0	-20.12	AV	304.00	150	Vertical	Pass
2	2777.200	41.71	-8.54	74.0	-32.29	Peak	58.00	150	Vertical	Pass
2**	2777.200	31.73	-8.54	54.0	-22.27	AV	58.00	150	Vertical	Pass
3	4149.000	47.46	-3.52	74.0	-26.54	Peak	293.00	150	Vertical	Pass
3**	4149.000	35.82	-3.52	54.0	-18.18	AV	293.00	150	Vertical	Pass
4	5786.600	100.00	0.79	--	-69.00	Peak	169.00	150	Vertical	N/A
4**	5786.600	92.34	0.79	--	92.34	AV	169.00	150	Vertical	N/A
5	12218.700	50.57	20.45	74.0	-23.43	Peak	227.00	150	Vertical	Pass
5**	12218.700	39.34	20.45	54.0	-14.66	AV	227.00	150	Vertical	Pass
6	15637.238	55.03	23.55	74.0	-18.97	Peak	186.00	150	Vertical	Pass
6**	15637.238	44.07	23.55	54.0	-9.93	AV	186.00	150	Vertical	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.400	42.46	-15.21	74.0	-31.54	Peak	216.00	150	Horizontal	Pass
1**	1666.400	33.27	-15.21	54.0	-20.73	AV	216.00	150	Horizontal	Pass
2	2774.000	41.43	-8.50	74.0	-32.57	Peak	23.00	150	Horizontal	Pass
2**	2774.000	31.71	-8.50	54.0	-22.29	AV	23.00	150	Horizontal	Pass
3	4235.200	47.06	-3.46	74.0	-26.94	Peak	339.00	150	Horizontal	Pass
3**	4235.200	36.41	-3.46	54.0	-17.59	AV	339.00	150	Horizontal	Pass
4	5787.400	97.10	0.88	--	-74.90	Peak	172.00	150	Horizontal	N/A
4**	5787.400	87.76	0.88	--	87.76	AV	172.00	150	Horizontal	N/A
5	12348.937	51.44	19.72	74.0	-22.56	Peak	105.00	150	Horizontal	Pass
5**	12348.937	39.00	19.72	54.0	-15.00	AV	105.00	150	Horizontal	Pass
6	15485.250	55.91	23.73	74.0	-18.09	Peak	208.00	150	Horizontal	Pass
6**	15485.250	43.78	23.73	54.0	-10.22	AV	208.00	150	Horizontal	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.300	42.34	-15.03	74.0	-31.66	Peak	264.00	150	Vertical	Pass
1**	1176.300	33.96	-15.03	54.0	-20.04	AV	264.00	150	Vertical	Pass
2	2868.200	42.18	-8.15	74.0	-31.82	Peak	3.00	150	Vertical	Pass
2**	2868.200	32.68	-8.15	54.0	-21.32	AV	3.00	150	Vertical	Pass
3	4024.200	47.17	-3.95	74.0	-26.83	Peak	285.00	150	Vertical	Pass
3**	4024.200	36.08	-3.95	54.0	-17.92	AV	285.00	150	Vertical	Pass
4	5785.800	98.75	0.77	--	-72.25	Peak	171.00	150	Vertical	N/A
4**	5785.800	88.77	0.77	--	88.77	AV	171.00	150	Vertical	N/A
5	12356.700	50.35	19.66	74.0	-23.65	Peak	360.00	150	Vertical	Pass
5**	12356.700	37.72	19.66	54.0	-16.28	AV	360.00	150	Vertical	Pass
6	15981.112	56.37	24.01	74.0	-17.63	Peak	362.00	150	Vertical	Pass
6**	15981.112	43.73	24.01	54.0	-10.27	AV	362.00	150	Vertical	Pass

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	41.05	-15.23	74.0	-32.95	Peak	219.00	150	Horizontal	Pass
1**	1669.900	33.79	-15.23	54.0	-20.21	AV	219.00	150	Horizontal	Pass
2	2849.300	41.88	-8.22	74.0	-32.12	Peak	233.00	150	Horizontal	Pass
2**	2849.300	31.49	-8.22	54.0	-22.51	AV	233.00	150	Horizontal	Pass
3	4115.800	47.05	-4.05	74.0	-26.95	Peak	127.00	150	Horizontal	Pass
3**	4115.800	35.69	-4.05	54.0	-18.31	AV	127.00	150	Horizontal	Pass
4	5177.600	102.70	-0.58	--	-175.30	Peak	278.00	150	Horizontal	N/A
4**	5177.600	95.93	-0.58	--	95.93	AV	278.00	150	Horizontal	N/A
5	12348.363	51.00	19.72	74.0	-23.00	Peak	144.00	150	Horizontal	Pass
5**	12348.363	40.09	19.72	54.0	-13.91	AV	144.00	150	Horizontal	Pass
6	15934.913	55.04	23.84	74.0	-18.96	Peak	321.00	150	Horizontal	Pass
6**	15934.913	43.75	23.84	54.0	-10.25	AV	321.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.200	46.04	-15.04	74.0	-27.96	Peak	295.00	150	Vertical	Pass
1**	1171.200	36.65	-15.04	54.0	-17.35	AV	295.00	150	Vertical	Pass
2	2829.600	42.50	-8.26	74.0	-31.50	Peak	360.00	150	Vertical	Pass
2**	2829.600	32.44	-8.26	54.0	-21.56	AV	360.00	150	Vertical	Pass
3	4286.800	47.74	-3.86	74.0	-26.26	Peak	360.00	150	Vertical	Pass
3**	4286.800	35.94	-3.86	54.0	-18.06	AV	360.00	150	Vertical	Pass
4	5177.600	100.01	-0.58	--	-55.99	Peak	156.00	150	Vertical	N/A
4**	5177.600	94.33	-0.58	--	94.33	AV	156.00	150	Vertical	N/A
5	5983.600	59.83	1.98	68.2	-8.37	Peak	156.00	150	Vertical	Pass
5**	5983.600	40.17	1.98	--	40.17	AV	156.00	150	Vertical	N/A
6	15640.388	56.16	23.56	74.0	-17.84	Peak	304.00	150	Vertical	Pass
6**	15640.388	44.69	23.56	54.0	-9.31	AV	304.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	42.11	-14.70	74.0	-31.89	Peak	350.00	150	Horizontal	Pass
1**	1330.300	30.77	-14.70	54.0	-23.23	AV	350.00	150	Horizontal	Pass
2	2865.600	41.99	-8.05	74.0	-32.01	Peak	190.00	150	Horizontal	Pass
2**	2865.600	32.86	-8.05	54.0	-21.14	AV	190.00	150	Horizontal	Pass
3	3976.000	46.67	-4.12	74.0	-27.33	Peak	296.00	150	Horizontal	Pass
3**	3976.000	34.29	-4.12	54.0	-19.71	AV	296.00	150	Horizontal	Pass
4	5218.200	102.74	-0.24	--	-142.26	Peak	245.00	150	Horizontal	N/A
4**	5218.200	95.81	-0.24	--	95.81	AV	245.00	150	Horizontal	N/A
5	11604.888	50.85	20.16	74.0	-23.15	Peak	279.00	150	Horizontal	Pass
5**	11604.888	38.48	20.16	54.0	-15.52	AV	279.00	150	Horizontal	Pass
6	15506.513	55.23	23.91	74.0	-18.77	Peak	77.00	150	Horizontal	Pass
6**	15506.513	45.23	23.91	54.0	-8.77	AV	77.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1180.200	44.11	-15.06	74.0	-29.89	Peak	301.00	150	Vertical	Pass
1**	1180.200	36.77	-15.06	54.0	-17.23	AV	301.00	150	Vertical	Pass
2	2882.200	42.48	-8.31	74.0	-31.52	Peak	317.00	150	Vertical	Pass
2**	2882.200	33.00	-8.31	54.0	-21.00	AV	317.00	150	Vertical	Pass
3	4137.400	47.18	-4.06	74.0	-26.82	Peak	0.00	150	Vertical	Pass
3**	4137.400	36.24	-4.06	54.0	-17.76	AV	0.00	150	Vertical	Pass
4	5216.000	100.79	-0.29	--	-57.21	Peak	158.00	150	Vertical	N/A
4**	5216.000	93.86	-0.29	--	93.86	AV	158.00	150	Vertical	N/A
5	5973.000	58.06	1.83	68.2	-10.14	Peak	158.00	150	Vertical	Pass
5**	5973.000	40.18	1.83	--	40.18	AV	158.00	150	Vertical	N/A
6	16058.550	55.11	24.13	74.0	-18.89	Peak	108.00	150	Vertical	Pass
6**	16058.550	44.77	24.13	54.0	-9.23	AV	108.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.500	42.71	-15.29	74.0	-31.29	Peak	360.00	150	Horizontal	Pass
1**	1118.500	33.54	-15.29	54.0	-20.46	AV	360.00	150	Horizontal	Pass
2	2889.500	42.50	-8.13	74.0	-31.50	Peak	311.00	150	Horizontal	Pass
2**	2889.500	32.04	-8.13	54.0	-21.96	AV	311.00	150	Horizontal	Pass
3	4032.800	47.07	-4.01	74.0	-26.93	Peak	0.00	150	Horizontal	Pass
3**	4032.800	36.30	-4.01	54.0	-17.70	AV	0.00	150	Horizontal	Pass
4	5241.200	102.08	-0.94	--	-137.92	Peak	240.00	150	Horizontal	N/A
4**	5241.200	96.77	-0.94	--	96.77	AV	240.00	150	Horizontal	N/A
5	12335.713	51.04	19.81	74.0	-22.96	Peak	0.00	150	Horizontal	Pass
5**	12335.713	39.22	19.81	54.0	-14.78	AV	0.00	150	Horizontal	Pass
6	15434.588	55.92	23.23	74.0	-18.08	Peak	268.00	150	Horizontal	Pass
6**	15434.588	42.95	23.23	54.0	-11.05	AV	268.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.200	45.06	-15.06	74.0	-28.94	Peak	67.00	150	Vertical	Pass
1**	1181.200	33.40	-15.06	54.0	-20.60	AV	67.00	150	Vertical	Pass
2	2719.400	42.05	-8.71	74.0	-31.95	Peak	152.00	150	Vertical	Pass
2**	2719.400	31.84	-8.71	54.0	-22.16	AV	152.00	150	Vertical	Pass
3	4170.600	47.91	-3.77	74.0	-26.09	Peak	84.00	150	Vertical	Pass
3**	4170.600	36.02	-3.77	54.0	-17.98	AV	84.00	150	Vertical	Pass
4	5236.400	100.12	-0.80	--	-53.88	Peak	154.00	150	Vertical	N/A
4**	5236.400	93.38	-0.80	--	93.38	AV	154.00	150	Vertical	N/A
5	11689.125	50.79	19.96	74.0	-23.21	Peak	238.00	150	Vertical	Pass
5**	11689.125	39.38	19.96	54.0	-14.62	AV	238.00	150	Vertical	Pass
6	15547.201	55.70	23.64	74.0	-18.30	Peak	360.00	150	Vertical	Pass
6**	15547.201	43.62	23.64	54.0	-10.38	AV	360.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.400	40.88	-14.69	74.0	-33.12	Peak	164.00	150	Horizontal	Pass
1**	1225.400	32.46	-14.69	54.0	-21.54	AV	164.00	150	Horizontal	Pass
2	2888.700	42.31	-8.15	74.0	-31.69	Peak	252.00	150	Horizontal	Pass
2**	2888.700	33.49	-8.15	54.0	-20.51	AV	252.00	150	Horizontal	Pass
3	4056.600	47.54	-3.90	74.0	-26.46	Peak	292.00	150	Horizontal	Pass
3**	4056.600	35.02	-3.90	54.0	-18.98	AV	292.00	150	Horizontal	Pass
4	5184.200	102.17	-0.63	--	-172.83	Peak	275.00	150	Horizontal	N/A
4**	5184.200	96.78	-0.63	--	96.78	AV	275.00	150	Horizontal	N/A
5	11612.650	50.57	20.20	74.0	-23.43	Peak	360.00	150	Horizontal	Pass
5**	11612.650	38.69	20.20	54.0	-15.31	AV	360.00	150	Horizontal	Pass
6	15549.300	55.18	23.62	74.0	-18.82	Peak	212.00	150	Horizontal	Pass
6**	15549.300	44.24	23.62	54.0	-9.76	AV	212.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1395.700	42.99	-14.90	74.0	-31.01	Peak	66.00	150	Vertical	Pass
1**	1395.700	30.66	-14.90	54.0	-23.34	AV	66.00	150	Vertical	Pass
2	2744.900	41.75	-8.84	74.0	-32.25	Peak	262.00	150	Vertical	Pass
2**	2744.900	31.49	-8.84	54.0	-22.51	AV	262.00	150	Vertical	Pass
3	3996.200	46.80	-4.52	74.0	-27.20	Peak	261.00	150	Vertical	Pass
3**	3996.200	36.60	-4.52	54.0	-17.40	AV	261.00	150	Vertical	Pass
4	5181.000	100.74	-0.58	--	-51.26	Peak	152.00	150	Vertical	N/A
4**	5181.000	93.01	-0.58	--	93.01	AV	152.00	150	Vertical	N/A
5	11681.362	50.74	20.05	74.0	-23.26	Peak	345.00	150	Vertical	Pass
5**	11681.362	41.49	20.05	54.0	-12.51	AV	345.00	150	Vertical	Pass
6	15669.000	54.85	23.52	74.0	-19.15	Peak	342.00	150	Vertical	Pass
6**	15669.000	43.92	23.52	54.0	-10.08	AV	342.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	41.03	-14.76	74.0	-32.97	Peak	158.00	150	Horizontal	Pass
1**	1332.500	33.16	-14.76	54.0	-20.84	AV	158.00	150	Horizontal	Pass
2	2828.900	42.02	-8.24	74.0	-31.98	Peak	360.00	150	Horizontal	Pass
2**	2828.900	32.16	-8.24	54.0	-21.84	AV	360.00	150	Horizontal	Pass
3	4133.800	46.55	-4.15	74.0	-27.45	Peak	181.00	150	Horizontal	Pass
3**	4133.800	35.82	-4.15	54.0	-18.18	AV	181.00	150	Horizontal	Pass
4	5224.200	102.26	-0.43	--	-42.74	Peak	145.00	150	Horizontal	N/A
4**	5224.200	95.09	-0.43	--	95.09	AV	145.00	150	Horizontal	N/A
5	12344.050	51.11	19.75	74.0	-22.89	Peak	122.00	150	Horizontal	Pass
5**	12344.050	39.59	19.75	54.0	-14.41	AV	122.00	150	Horizontal	Pass
6	15935.963	56.08	23.85	74.0	-17.92	Peak	264.00	150	Horizontal	Pass
6**	15935.963	44.20	23.85	54.0	-9.80	AV	264.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.800	43.20	-15.11	74.0	-30.80	Peak	51.00	150	Vertical	Pass
1**	1185.800	34.07	-15.11	54.0	-19.93	AV	51.00	150	Vertical	Pass
2	2866.200	41.82	-8.06	74.0	-32.18	Peak	0.00	150	Vertical	Pass
2**	2866.200	32.76	-8.06	54.0	-21.24	AV	0.00	150	Vertical	Pass
3	4275.800	47.86	-3.43	74.0	-26.14	Peak	146.00	150	Vertical	Pass
3**	4275.800	37.20	-3.43	54.0	-16.80	AV	146.00	150	Vertical	Pass
4	5223.600	100.36	-0.41	--	-45.64	Peak	146.00	150	Vertical	N/A
4**	5223.600	93.27	-0.41	--	93.27	AV	146.00	150	Vertical	N/A
5	11663.537	50.42	20.23	74.0	-23.58	Peak	96.00	150	Vertical	Pass
5**	11663.537	38.70	20.23	54.0	-15.30	AV	96.00	150	Vertical	Pass
6	15874.275	55.86	23.35	74.0	-18.14	Peak	360.00	150	Vertical	Pass
6**	15874.275	43.62	23.35	54.0	-10.38	AV	360.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.800	40.92	-14.79	74.0	-33.08	Peak	160.00	150	Horizontal	Pass
1**	1222.800	31.02	-14.79	54.0	-22.98	AV	160.00	150	Horizontal	Pass
2	2779.000	41.60	-8.51	74.0	-32.40	Peak	13.00	150	Horizontal	Pass
2**	2779.000	31.71	-8.51	54.0	-22.29	AV	13.00	150	Horizontal	Pass
3	4118.200	47.06	-4.20	74.0	-26.94	Peak	216.00	150	Horizontal	Pass
3**	4118.200	36.89	-4.20	54.0	-17.11	AV	216.00	150	Horizontal	Pass
4	5238.800	101.83	-0.94	--	-150.17	Peak	252.00	150	Horizontal	N/A
4**	5238.800	95.61	-0.94	--	95.61	AV	252.00	150	Horizontal	N/A
5	11660.088	51.19	20.27	74.0	-22.81	Peak	0.00	150	Horizontal	Pass
5**	11660.088	39.10	20.27	54.0	-14.90	AV	0.00	150	Horizontal	Pass
6	15535.912	55.40	23.72	74.0	-18.60	Peak	290.00	150	Horizontal	Pass
6**	15535.912	43.90	23.72	54.0	-10.10	AV	290.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1216.300	42.75	-14.81	74.0	-31.25	Peak	32.00	150	Vertical	Pass
1**	1216.300	29.27	-14.81	54.0	-24.73	AV	32.00	150	Vertical	Pass
2	2723.900	41.96	-8.66	74.0	-32.04	Peak	160.00	150	Vertical	Pass
2**	2723.900	34.42	-8.66	54.0	-19.58	AV	160.00	150	Vertical	Pass
3	4068.000	47.80	-3.88	74.0	-26.20	Peak	77.00	150	Vertical	Pass
3**	4068.000	37.66	-3.88	54.0	-16.34	AV	77.00	150	Vertical	Pass
4	5242.600	99.87	-0.90	--	-53.13	Peak	153.00	150	Vertical	N/A
4**	5242.600	93.98	-0.90	--	93.98	AV	153.00	150	Vertical	N/A
5	12339.738	51.36	19.78	74.0	-22.64	Peak	21.00	150	Vertical	Pass
5**	12339.738	40.53	19.78	54.0	-13.47	AV	21.00	150	Vertical	Pass
6	15739.875	54.84	23.49	74.0	-19.16	Peak	360.00	150	Vertical	Pass
6**	15739.875	43.60	23.49	54.0	-10.40	AV	360.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1321.200	40.46	-14.75	74.0	-33.54	Peak	351.00	150	Horizontal	Pass
1**	1321.200	29.88	-14.75	54.0	-24.12	AV	351.00	150	Horizontal	Pass
2	2870.400	41.94	-8.19	74.0	-32.06	Peak	296.00	150	Horizontal	Pass
2**	2870.400	32.05	-8.19	54.0	-21.95	AV	296.00	150	Horizontal	Pass
3	4252.400	47.63	-3.19	74.0	-26.37	Peak	0.00	150	Horizontal	Pass
3**	4252.400	36.79	-3.19	54.0	-17.21	AV	0.00	150	Horizontal	Pass
4	5196.800	99.87	-0.77	--	-169.13	Peak	269.00	150	Horizontal	N/A
4**	5196.800	91.44	-0.77	--	91.44	AV	269.00	150	Horizontal	N/A
5	12321.912	51.17	19.91	74.0	-22.83	Peak	100.00	150	Horizontal	Pass
5**	12321.912	38.61	19.91	54.0	-15.39	AV	100.00	150	Horizontal	Pass
6	15475.537	55.28	23.62	74.0	-18.72	Peak	125.00	150	Horizontal	Pass
6**	15475.537	44.18	23.62	54.0	-9.82	AV	125.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.400	42.56	-15.05	74.0	-31.44	Peak	310.00	150	Vertical	Pass
1**	1189.400	30.80	-15.05	54.0	-23.20	AV	310.00	150	Vertical	Pass
2	2791.100	41.47	-8.86	74.0	-32.53	Peak	103.00	150	Vertical	Pass
2**	2791.100	30.82	-8.86	54.0	-23.18	AV	103.00	150	Vertical	Pass
3	3993.600	48.36	-4.54	74.0	-25.64	Peak	174.00	150	Vertical	Pass
3**	3993.600	36.44	-4.54	54.0	-17.56	AV	174.00	150	Vertical	Pass
4	5201.600	97.29	-0.49	--	-56.71	Peak	154.00	150	Vertical	N/A
4**	5201.600	90.43	-0.49	--	90.43	AV	154.00	150	Vertical	N/A
5	5977.200	58.58	1.95	68.2	-9.62	Peak	154.00	150	Vertical	Pass
5**	5977.200	46.52	1.95	--	46.52	AV	154.00	150	Vertical	N/A
6	15941.213	54.95	23.91	74.0	-19.05	Peak	154.00	150	Vertical	Pass
6**	15941.213	43.55	23.91	54.0	-10.45	AV	154.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	40.41	-14.74	74.0	-33.59	Peak	0.00	150	Horizontal	Pass
1**	1331.900	32.05	-14.74	54.0	-21.95	AV	0.00	150	Horizontal	Pass
2	2850.300	42.18	-8.20	74.0	-31.82	Peak	203.00	150	Horizontal	Pass
2**	2850.300	31.42	-8.20	54.0	-22.58	AV	203.00	150	Horizontal	Pass
3	4101.800	46.83	-4.25	74.0	-27.17	Peak	57.00	150	Horizontal	Pass
3**	4101.800	36.95	-4.25	54.0	-17.05	AV	57.00	150	Horizontal	Pass
4	5225.600	100.05	-0.47	--	-149.95	Peak	250.00	150	Horizontal	N/A
4**	5225.600	92.01	-0.47	--	92.01	AV	250.00	150	Horizontal	N/A
5	11631.050	51.06	20.31	74.0	-22.94	Peak	180.00	150	Horizontal	Pass
5**	11631.050	38.52	20.31	54.0	-15.48	AV	180.00	150	Horizontal	Pass
6	15938.850	55.36	23.89	74.0	-18.64	Peak	27.00	150	Horizontal	Pass
6**	15938.850	44.64	23.89	54.0	-9.36	AV	27.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1178.600	42.40	-15.04	74.0	-31.60	Peak	307.00	150	Vertical	Pass
1**	1178.600	34.10	-15.04	54.0	-19.90	AV	307.00	150	Vertical	Pass
2	2827.900	41.64	-8.28	74.0	-32.36	Peak	38.00	150	Vertical	Pass
2**	2827.900	31.65	-8.28	54.0	-22.35	AV	38.00	150	Vertical	Pass
3	4251.400	47.67	-3.19	74.0	-26.33	Peak	287.00	150	Vertical	Pass
3**	4251.400	37.25	-3.19	54.0	-16.75	AV	287.00	150	Vertical	Pass
4	5218.000	97.83	-0.25	--	-53.17	Peak	151.00	150	Vertical	N/A
4**	5218.000	92.00	-0.25	--	92.00	AV	151.00	150	Vertical	N/A
5	12359.000	50.47	19.64	74.0	-23.53	Peak	49.00	150	Vertical	Pass
5**	12359.000	39.53	19.64	54.0	-14.47	AV	49.00	150	Vertical	Pass
6	15937.800	55.56	23.88	74.0	-18.44	Peak	312.00	150	Vertical	Pass
6**	15937.800	44.42	23.88	54.0	-9.58	AV	312.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.800	40.54	-14.64	74.0	-33.46	Peak	349.00	150	Horizontal	Pass
1**	1340.800	32.21	-14.64	54.0	-21.79	AV	349.00	150	Horizontal	Pass
2	2803.900	41.70	-8.73	74.0	-32.30	Peak	329.00	150	Horizontal	Pass
2**	2803.900	31.45	-8.73	54.0	-22.55	AV	329.00	150	Horizontal	Pass
3	4073.400	47.38	-4.09	74.0	-26.62	Peak	344.00	150	Horizontal	Pass
3**	4073.400	35.27	-4.09	54.0	-18.73	AV	344.00	150	Horizontal	Pass
4	5181.800	102.17	-0.58	--	-160.83	Peak	263.00	150	Horizontal	N/A
4**	5181.800	95.62	-0.58	--	95.62	AV	263.00	150	Horizontal	N/A
5	11657.787	50.86	20.30	74.0	-23.14	Peak	49.00	150	Horizontal	Pass
5**	11657.787	41.47	20.30	54.0	-12.53	AV	49.00	150	Horizontal	Pass
6	15972.450	55.69	24.00	74.0	-18.31	Peak	142.00	150	Horizontal	Pass
6**	15972.450	43.05	24.00	54.0	-10.95	AV	142.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.700	41.49	-15.04	74.0	-32.51	Peak	270.00	150	Vertical	Pass
1**	1171.700	31.08	-15.04	54.0	-22.92	AV	270.00	150	Vertical	Pass
2	2870.500	41.95	-8.19	74.0	-32.05	Peak	0.00	150	Vertical	Pass
2**	2870.500	33.83	-8.19	54.0	-20.17	AV	0.00	150	Vertical	Pass
3	4109.200	47.10	-4.22	74.0	-26.90	Peak	127.00	150	Vertical	Pass
3**	4109.200	35.69	-4.22	54.0	-18.31	AV	127.00	150	Vertical	Pass
4	5177.800	99.67	-0.60	--	-48.33	Peak	148.00	150	Vertical	N/A
4**	5177.800	92.83	-0.60	--	92.83	AV	148.00	150	Vertical	N/A
5	11548.537	50.54	19.69	74.0	-23.46	Peak	360.00	150	Vertical	Pass
5**	11548.537	38.18	19.69	54.0	-15.82	AV	360.00	150	Vertical	Pass
6	15499.688	55.92	23.96	74.0	-18.08	Peak	90.00	150	Vertical	Pass
6**	15499.688	43.87	23.96	54.0	-10.13	AV	90.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1221.900	42.19	-14.82	74.0	-31.81	Peak	157.00	150	Horizontal	Pass
1**	1221.900	30.48	-14.82	54.0	-23.52	AV	157.00	150	Horizontal	Pass
2	2878.300	41.99	-8.31	74.0	-32.01	Peak	99.00	150	Horizontal	Pass
2**	2878.300	33.51	-8.31	54.0	-20.49	AV	99.00	150	Horizontal	Pass
3	4330.800	47.49	-2.77	74.0	-26.51	Peak	3.00	150	Horizontal	Pass
3**	4330.800	36.61	-2.77	54.0	-17.39	AV	3.00	150	Horizontal	Pass
4	5218.600	102.49	-0.22	--	-41.51	Peak	144.00	150	Horizontal	N/A
4**	5218.600	95.35	-0.22	--	95.35	AV	144.00	150	Horizontal	N/A
5	11717.300	51.31	19.50	74.0	-22.69	Peak	95.00	150	Horizontal	Pass
5**	11717.300	38.37	19.50	54.0	-15.63	AV	95.00	150	Horizontal	Pass
6	15900.526	55.57	23.28	74.0	-18.43	Peak	147.00	150	Horizontal	Pass
6**	15900.526	44.26	23.28	54.0	-9.74	AV	147.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.200	43.28	-15.09	74.0	-30.72	Peak	57.00	150	Vertical	Pass
1**	1184.200	33.97	-15.09	54.0	-20.03	AV	57.00	150	Vertical	Pass
2	2835.000	42.38	-8.47	74.0	-31.62	Peak	76.00	150	Vertical	Pass
2**	2835.000	31.86	-8.47	54.0	-22.14	AV	76.00	150	Vertical	Pass
3	4101.800	47.57	-4.25	74.0	-26.43	Peak	0.00	150	Vertical	Pass
3**	4101.800	35.42	-4.25	54.0	-18.58	AV	0.00	150	Vertical	Pass
4	5218.600	101.82	-0.22	--	-41.18	Peak	143.00	150	Vertical	N/A
4**	5218.600	94.09	-0.22	--	94.09	AV	143.00	150	Vertical	N/A
5	12353.825	51.00	19.68	74.0	-23.00	Peak	360.00	150	Vertical	Pass
5**	12353.825	39.58	19.68	54.0	-14.42	AV	360.00	150	Vertical	Pass
6	15939.375	55.62	23.90	74.0	-18.38	Peak	171.00	150	Vertical	Pass
6**	15939.375	44.97	23.90	54.0	-9.03	AV	171.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1232.100	42.35	-14.73	74.0	-31.65	Peak	164.00	150	Horizontal	Pass
1**	1232.100	34.86	-14.73	54.0	-19.14	AV	164.00	150	Horizontal	Pass
2	2878.200	42.92	-8.31	74.0	-31.08	Peak	360.00	150	Horizontal	Pass
2**	2878.200	32.14	-8.31	54.0	-21.86	AV	360.00	150	Horizontal	Pass
3	3939.000	47.13	-5.04	74.0	-26.87	Peak	259.00	150	Horizontal	Pass
3**	3939.000	34.82	-5.04	54.0	-19.18	AV	259.00	150	Horizontal	Pass
4	5242.200	102.07	-0.91	--	-30.93	Peak	133.00	150	Horizontal	N/A
4**	5242.200	95.58	-0.91	--	95.58	AV	133.00	150	Horizontal	N/A
5	12291.438	51.45	20.08	74.0	-22.55	Peak	0.00	150	Horizontal	Pass
5**	12291.438	38.80	20.08	54.0	-15.20	AV	0.00	150	Horizontal	Pass
6	16138.087	55.88	24.13	74.0	-18.12	Peak	131.00	150	Horizontal	Pass
6**	16138.087	43.99	24.13	54.0	-10.01	AV	131.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.400	43.83	-14.86	74.0	-30.17	Peak	299.00	150	Vertical	Pass
1**	1163.400	35.47	-14.86	54.0	-18.53	AV	299.00	150	Vertical	Pass
2	2751.000	41.77	-8.98	74.0	-32.23	Peak	59.00	150	Vertical	Pass
2**	2751.000	31.17	-8.98	54.0	-22.83	AV	59.00	150	Vertical	Pass
3	4084.200	47.86	-4.23	74.0	-26.14	Peak	201.00	150	Vertical	Pass
3**	4084.200	35.62	-4.23	54.0	-18.38	AV	201.00	150	Vertical	Pass
4	5244.000	100.61	-0.82	--	-38.39	Peak	139.00	150	Vertical	N/A
4**	5244.000	93.91	-0.82	--	93.91	AV	139.00	150	Vertical	N/A
5	5983.600	60.18	1.98	68.2	-8.02	Peak	160.00	150	Vertical	Pass
5**	5983.600	40.89	1.98	--	40.89	AV	160.00	150	Vertical	N/A
6	15935.700	56.15	23.85	74.0	-17.85	Peak	193.00	150	Vertical	Pass
6**	15935.700	43.52	23.85	54.0	-10.48	AV	193.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.400	40.50	-14.66	74.0	-33.50	Peak	358.00	150	Horizontal	Pass
1**	1340.400	29.97	-14.66	54.0	-24.03	AV	358.00	150	Horizontal	Pass
2	2877.800	42.18	-8.32	74.0	-31.82	Peak	360.00	150	Horizontal	Pass
2**	2877.800	33.47	-8.32	54.0	-20.53	AV	360.00	150	Horizontal	Pass
3	3989.000	48.00	-4.33	74.0	-26.00	Peak	92.00	150	Horizontal	Pass
3**	3989.000	36.43	-4.33	54.0	-17.57	AV	92.00	150	Horizontal	Pass
4	5197.000	99.07	-0.77	--	-158.93	Peak	258.00	150	Horizontal	N/A
4**	5197.000	91.91	-0.77	--	91.91	AV	258.00	150	Horizontal	N/A
5	12020.901	50.81	18.75	74.0	-23.19	Peak	320.00	150	Horizontal	Pass
5**	12020.901	37.71	18.75	54.0	-16.29	AV	320.00	150	Horizontal	Pass
6	15514.651	56.36	23.83	74.0	-17.64	Peak	338.00	150	Horizontal	Pass
6**	15514.651	44.11	23.83	54.0	-9.89	AV	338.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.700	45.24	-15.05	74.0	-28.76	Peak	60.00	150	Vertical	Pass
1**	1179.700	34.60	-15.05	54.0	-19.40	AV	60.00	150	Vertical	Pass
2	2859.400	42.00	-8.01	74.0	-32.00	Peak	81.00	150	Vertical	Pass
2**	2859.400	31.45	-8.01	54.0	-22.55	AV	81.00	150	Vertical	Pass
3	4160.200	47.25	-3.50	74.0	-26.75	Peak	321.00	150	Vertical	Pass
3**	4160.200	37.05	-3.50	54.0	-16.95	AV	321.00	150	Vertical	Pass
4	5201.000	97.32	-0.56	--	-56.68	Peak	154.00	150	Vertical	N/A
4**	5201.000	90.96	-0.56	--	90.96	AV	154.00	150	Vertical	N/A
5	5980.400	61.98	2.02	68.2	-6.22	Peak	154.00	150	Vertical	Pass
5**	5980.400	40.22	2.02	--	40.22	AV	154.00	150	Vertical	N/A
6	15519.901	55.59	23.78	74.0	-18.41	Peak	360.00	150	Vertical	Pass
6**	15519.901	44.59	23.78	54.0	-9.41	AV	360.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1228.700	42.88	-14.77	74.0	-31.12	Peak	188.00	150	Horizontal	Pass
1**	1228.700	32.56	-14.77	54.0	-21.44	AV	188.00	150	Horizontal	Pass
2	2729.400	42.39	-8.67	74.0	-31.61	Peak	334.00	150	Horizontal	Pass
2**	2729.400	32.25	-8.67	54.0	-21.75	AV	334.00	150	Horizontal	Pass
3	4146.000	47.95	-3.68	74.0	-26.05	Peak	276.00	150	Horizontal	Pass
3**	4146.000	35.56	-3.68	54.0	-18.44	AV	276.00	150	Horizontal	Pass
4	5234.400	99.65	-0.75	--	-156.35	Peak	256.00	150	Horizontal	N/A
4**	5234.400	92.84	-0.75	--	92.84	AV	256.00	150	Horizontal	N/A
5	12367.050	51.22	19.55	74.0	-22.78	Peak	115.00	150	Horizontal	Pass
5**	12367.050	39.52	19.55	54.0	-14.48	AV	115.00	150	Horizontal	Pass
6	15958.013	55.16	23.98	74.0	-18.84	Peak	66.00	150	Horizontal	Pass
6**	15958.013	43.56	23.98	54.0	-10.44	AV	66.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.400	43.96	-14.90	74.0	-30.04	Peak	42.00	150	Vertical	Pass
1**	1161.400	31.75	-14.90	54.0	-22.25	AV	42.00	150	Vertical	Pass
2	2812.800	41.30	-8.38	74.0	-32.70	Peak	42.00	150	Vertical	Pass
2**	2812.800	32.62	-8.38	54.0	-21.38	AV	42.00	150	Vertical	Pass
3	3992.000	48.33	-4.49	74.0	-25.67	Peak	67.00	150	Vertical	Pass
3**	3992.000	37.16	-4.49	54.0	-16.84	AV	67.00	150	Vertical	Pass
4	5223.000	97.74	-0.40	--	-52.26	Peak	150.00	150	Vertical	N/A
4**	5223.000	90.50	-0.40	--	90.50	AV	150.00	150	Vertical	N/A
5	12388.612	50.66	19.31	74.0	-23.34	Peak	360.00	150	Vertical	Pass
5**	12388.612	39.08	19.31	54.0	-14.92	AV	360.00	150	Vertical	Pass
6	15482.888	55.62	23.70	74.0	-18.38	Peak	223.00	150	Vertical	Pass
6**	15482.888	43.61	23.70	54.0	-10.39	AV	223.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1191.600	42.79	-15.20	74.0	-31.21	Peak	129.00	150	Horizontal	Pass
1**	1191.600	34.52	-15.20	54.0	-19.48	AV	129.00	150	Horizontal	Pass
2	2867.500	42.12	-8.11	74.0	-31.88	Peak	0.00	150	Horizontal	Pass
2**	2867.500	32.98	-8.11	54.0	-21.02	AV	0.00	150	Horizontal	Pass
3	4086.800	46.85	-4.24	74.0	-27.15	Peak	345.00	150	Horizontal	Pass
3**	4086.800	36.25	-4.24	54.0	-17.75	AV	345.00	150	Horizontal	Pass
4	5198.200	96.64	-0.77	--	-184.36	Peak	281.00	150	Horizontal	N/A
4**	5198.200	88.13	-0.77	--	88.13	AV	281.00	150	Horizontal	N/A
5	11619.838	51.78	20.24	74.0	-22.22	Peak	91.00	150	Horizontal	Pass
5**	11619.838	38.91	20.24	54.0	-15.09	AV	91.00	150	Horizontal	Pass
6	15419.362	55.33	23.14	74.0	-18.67	Peak	360.00	150	Horizontal	Pass
6**	15419.362	43.79	23.14	54.0	-10.21	AV	360.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	44.35	-14.93	74.0	-29.65	Peak	256.00	150	Vertical	Pass
1**	1156.200	37.30	-14.93	54.0	-16.70	AV	256.00	150	Vertical	Pass
2	2879.000	41.94	-8.28	74.0	-32.06	Peak	129.00	150	Vertical	Pass
2**	2879.000	32.32	-8.28	54.0	-21.68	AV	129.00	150	Vertical	Pass
3	3984.000	49.10	-4.28	74.0	-24.90	Peak	172.00	150	Vertical	Pass
3**	3984.000	37.13	-4.28	54.0	-16.87	AV	172.00	150	Vertical	Pass
4	5218.400	94.98	-0.23	--	-77.02	Peak	172.00	150	Vertical	N/A
4**	5218.400	86.48	-0.23	--	86.48	AV	172.00	150	Vertical	N/A
5	5981.600	58.06	1.99	68.2	-10.14	Peak	172.00	150	Vertical	Pass
5**	5981.600	40.43	1.99	--	40.43	AV	172.00	150	Vertical	N/A
6	15535.126	55.68	23.72	74.0	-18.32	Peak	362.00	150	Vertical	Pass
6**	15535.126	44.28	23.72	54.0	-9.72	AV	362.00	150	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.800	42.56	-15.00	74.0	-31.44	Peak	140.00	150	Horizontal	Pass
1**	1211.800	32.45	-15.00	54.0	-21.55	AV	140.00	150	Horizontal	Pass
2	2705.200	41.61	-8.79	74.0	-32.39	Peak	340.00	150	Horizontal	Pass
2**	2705.200	32.44	-8.79	54.0	-21.56	AV	340.00	150	Horizontal	Pass
3	4097.400	46.38	-4.78	74.0	-27.62	Peak	265.00	150	Horizontal	Pass
3**	4097.400	34.74	-4.78	54.0	-19.26	AV	265.00	150	Horizontal	Pass
4	6947.000	53.52	3.59	68.2	-14.68	Peak	243.00	150	Horizontal	Pass
4**	6947.000	41.79	3.59	--	41.79	AV	243.00	150	Horizontal	N/A
5	12273.901	51.50	20.28	74.0	-22.50	Peak	208.00	150	Horizontal	Pass
5**	12273.901	38.88	20.28	54.0	-15.12	AV	208.00	150	Horizontal	Pass
6	15862.462	55.13	23.34	74.0	-18.87	Peak	207.00	150	Horizontal	Pass
6**	15862.462	44.54	23.34	54.0	-9.46	AV	207.00	150	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.900	45.24	-15.04	74.0	-28.76	Peak	253.00	150	Vertical	Pass
1**	1173.900	34.83	-15.04	54.0	-19.17	AV	253.00	150	Vertical	Pass
2	2881.600	42.19	-8.30	74.0	-31.81	Peak	167.00	150	Vertical	Pass
2**	2881.600	32.79	-8.30	54.0	-21.21	AV	167.00	150	Vertical	Pass
3	4005.400	45.91	-4.99	74.0	-28.09	Peak	360.00	150	Vertical	Pass
3**	4005.400	34.25	-4.99	54.0	-19.75	AV	360.00	150	Vertical	Pass
4	6966.400	53.94	3.87	68.2	-14.26	Peak	22.00	150	Vertical	Pass
4**	6966.400	42.80	3.87	--	42.80	AV	22.00	150	Vertical	N/A
5	11665.838	52.28	20.21	74.0	-21.72	Peak	59.00	150	Vertical	Pass
5**	11665.838	39.91	20.21	54.0	-14.09	AV	59.00	150	Vertical	Pass
6	15447.451	55.36	23.35	74.0	-18.64	Peak	271.00	150	Vertical	Pass
6**	15447.451	44.92	23.35	54.0	-9.08	AV	271.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.000	42.78	-14.73	74.0	-31.22	Peak	142.00	150	Horizontal	Pass
1**	1224.000	34.61	-14.73	54.0	-19.39	AV	142.00	150	Horizontal	Pass
2	2819.100	41.99	-8.34	74.0	-32.01	Peak	251.00	150	Horizontal	Pass
2**	2819.100	31.96	-8.34	54.0	-22.04	AV	251.00	150	Horizontal	Pass
3	4051.800	46.93	-3.72	74.0	-27.07	Peak	249.00	150	Horizontal	Pass
3**	4051.800	35.36	-3.72	54.0	-18.64	AV	249.00	150	Horizontal	Pass
4	5184.000	103.51	-0.62	--	-189.49	Peak	293.00	150	Horizontal	N/A
4**	5184.000	94.39	-0.62	--	94.39	AV	293.00	150	Horizontal	N/A
5	11666.987	50.38	20.20	74.0	-23.62	Peak	40.00	150	Horizontal	Pass
5**	11666.987	39.69	20.20	54.0	-14.31	AV	40.00	150	Horizontal	Pass
6	15619.912	55.72	23.45	74.0	-18.28	Peak	21.00	150	Horizontal	Pass
6**	15619.912	44.47	23.45	54.0	-9.53	AV	21.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.500	44.49	-15.08	74.0	-29.51	Peak	267.00	150	Vertical	Pass
1**	1183.500	34.72	-15.08	54.0	-19.28	AV	267.00	150	Vertical	Pass
2	2863.000	41.88	-8.04	74.0	-32.12	Peak	151.00	150	Vertical	Pass
2**	2863.000	33.11	-8.04	54.0	-20.89	AV	151.00	150	Vertical	Pass
3	3998.200	47.74	-4.54	74.0	-26.26	Peak	264.00	150	Vertical	Pass
3**	3998.200	37.69	-4.54	54.0	-16.31	AV	264.00	150	Vertical	Pass
4	5178.200	101.01	-0.62	--	-71.99	Peak	173.00	150	Vertical	N/A
4**	5178.200	92.69	-0.62	--	92.69	AV	173.00	150	Vertical	N/A
5	5990.400	60.22	2.07	68.2	-7.98	Peak	310.00	150	Vertical	Pass
5**	5990.400	40.18	2.07	--	40.18	AV	310.00	150	Vertical	N/A
6	15449.550	55.86	23.38	74.0	-18.14	Peak	362.00	150	Vertical	Pass
6**	15449.550	43.29	23.38	54.0	-10.71	AV	362.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.500	42.07	-15.22	74.0	-31.93	Peak	291.00	150	Horizontal	Pass
1**	1115.500	32.66	-15.22	54.0	-21.34	AV	291.00	150	Horizontal	Pass
2	2882.500	42.27	-8.31	74.0	-31.73	Peak	137.00	150	Horizontal	Pass
2**	2882.500	33.99	-8.31	54.0	-20.01	AV	137.00	150	Horizontal	Pass
3	4030.800	48.19	-3.93	74.0	-25.81	Peak	21.00	150	Horizontal	Pass
3**	4030.800	37.00	-3.93	54.0	-17.00	AV	21.00	150	Horizontal	Pass
4	5217.600	104.77	-0.27	--	-55.23	Peak	160.00	150	Horizontal	N/A
4**	5217.600	95.75	-0.27	--	95.75	AV	160.00	150	Horizontal	N/A
5	12224.162	51.33	20.44	74.0	-22.67	Peak	-2.00	150	Horizontal	Pass
5**	12224.162	38.99	20.44	54.0	-15.01	AV	-2.00	150	Horizontal	Pass
6	15938.850	55.06	23.89	74.0	-18.94	Peak	362.00	150	Horizontal	Pass
6**	15938.850	44.38	23.89	54.0	-9.62	AV	362.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.500	44.34	-14.94	74.0	-29.66	Peak	25.00	150	Vertical	Pass
1**	1160.500	35.54	-14.94	54.0	-18.46	AV	25.00	150	Vertical	Pass
2	2786.000	41.97	-8.75	74.0	-32.03	Peak	180.00	150	Vertical	Pass
2**	2786.000	31.09	-8.75	54.0	-22.91	AV	180.00	150	Vertical	Pass
3	3998.200	47.34	-4.54	74.0	-26.66	Peak	181.00	150	Vertical	Pass
3**	3998.200	35.32	-4.54	54.0	-18.68	AV	181.00	150	Vertical	Pass
4	5223.800	101.62	-0.41	--	-79.38	Peak	181.00	150	Vertical	N/A
4**	5223.800	92.04	-0.41	--	92.04	AV	181.00	150	Vertical	N/A
5	5992.600	58.92	2.11	68.2	-9.28	Peak	226.00	150	Vertical	Pass
5**	5992.600	40.13	2.11	--	40.13	AV	226.00	150	Vertical	N/A
6	15516.750	55.57	23.81	74.0	-18.43	Peak	119.00	150	Vertical	Pass
6**	15516.750	44.12	23.81	54.0	-9.88	AV	119.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.500	43.04	-14.71	74.0	-30.96	Peak	154.00	150	Horizontal	Pass
1**	1224.500	33.76	-14.71	54.0	-20.24	AV	154.00	150	Horizontal	Pass
2	2721.400	41.90	-8.70	74.0	-32.10	Peak	19.00	150	Horizontal	Pass
2**	2721.400	32.19	-8.70	54.0	-21.81	AV	19.00	150	Horizontal	Pass
3	4033.000	47.46	-4.02	74.0	-26.54	Peak	229.00	150	Horizontal	Pass
3**	4033.000	35.48	-4.02	54.0	-18.52	AV	229.00	150	Horizontal	Pass
4	5240.600	104.14	-0.96	--	-169.86	Peak	274.00	150	Horizontal	N/A
4**	5240.600	95.79	-0.96	--	95.79	AV	274.00	150	Horizontal	N/A
5	12338.013	50.89	19.80	74.0	-23.11	Peak	133.00	150	Horizontal	Pass
5**	12338.013	39.03	19.80	54.0	-14.97	AV	133.00	150	Horizontal	Pass
6	15530.662	56.60	23.74	74.0	-17.40	Peak	-1.00	150	Horizontal	Pass
6**	15530.662	43.30	23.74	54.0	-10.70	AV	-1.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.900	45.99	-15.07	74.0	-28.01	Peak	268.00	150	Vertical	Pass
1**	1187.900	36.37	-15.07	54.0	-17.63	AV	268.00	150	Vertical	Pass
2	2827.400	41.77	-8.32	74.0	-32.23	Peak	154.00	150	Vertical	Pass
2**	2827.400	32.85	-8.32	54.0	-21.15	AV	154.00	150	Vertical	Pass
3	3989.400	46.93	-4.35	74.0	-27.07	Peak	256.00	150	Vertical	Pass
3**	3989.400	34.95	-4.35	54.0	-19.05	AV	256.00	150	Vertical	Pass
4	5243.400	102.30	-0.86	--	-59.70	Peak	162.00	150	Vertical	N/A
4**	5243.400	93.57	-0.86	--	93.57	AV	162.00	150	Vertical	N/A
5	5987.200	58.46	2.14	68.2	-9.74	Peak	186.00	150	Vertical	Pass
5**	5987.200	41.69	2.14	--	41.69	AV	186.00	150	Vertical	N/A
6	15666.638	55.50	23.50	74.0	-18.50	Peak	274.00	150	Vertical	Pass
6**	15666.638	43.37	23.50	54.0	-10.63	AV	274.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.700	42.31	-14.80	74.0	-31.69	Peak	153.00	150	Horizontal	Pass
1**	1222.700	35.68	-14.80	54.0	-18.32	AV	153.00	150	Horizontal	Pass
2	2866.400	41.74	-8.06	74.0	-32.26	Peak	223.00	150	Horizontal	Pass
2**	2866.400	32.47	-8.06	54.0	-21.53	AV	223.00	150	Horizontal	Pass
3	4171.600	47.36	-3.82	74.0	-26.64	Peak	139.00	150	Horizontal	Pass
3**	4171.600	36.70	-3.82	54.0	-17.30	AV	139.00	150	Horizontal	Pass
4	5188.400	102.10	-0.78	--	-177.90	Peak	280.00	150	Horizontal	N/A
4**	5188.400	93.87	-0.78	--	93.87	AV	280.00	150	Horizontal	N/A
5	11620.412	50.82	20.24	74.0	-23.18	Peak	330.00	150	Horizontal	Pass
5**	11620.412	38.43	20.24	54.0	-15.57	AV	330.00	150	Horizontal	Pass
6	15566.099	56.00	23.58	74.0	-18.00	Peak	157.00	150	Horizontal	Pass
6**	15566.099	43.99	23.58	54.0	-10.01	AV	157.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.900	45.30	-15.04	74.0	-28.70	Peak	270.00	150	Vertical	Pass
1**	1175.900	34.07	-15.04	54.0	-19.93	AV	270.00	150	Vertical	Pass
2	2894.200	42.43	-8.12	74.0	-31.57	Peak	223.00	150	Vertical	Pass
2**	2894.200	34.20	-8.12	54.0	-19.80	AV	223.00	150	Vertical	Pass
3	4302.800	48.18	-3.62	74.0	-25.82	Peak	70.00	150	Vertical	Pass
3**	4302.800	36.23	-3.62	54.0	-17.77	AV	70.00	150	Vertical	Pass
4	5196.600	97.56	-0.76	--	-66.44	Peak	164.00	150	Vertical	N/A
4**	5196.600	89.37	-0.76	--	89.37	AV	164.00	150	Vertical	N/A
5	12336.000	51.34	19.81	74.0	-22.66	Peak	162.00	150	Vertical	Pass
5**	12336.000	39.45	19.81	54.0	-14.55	AV	162.00	150	Vertical	Pass
6	15880.838	55.92	23.35	74.0	-18.08	Peak	321.00	150	Vertical	Pass
6**	15880.838	43.38	23.35	54.0	-10.62	AV	321.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.800	43.37	-14.91	74.0	-30.63	Peak	126.00	150	Horizontal	Pass
1**	1213.800	32.38	-14.91	54.0	-21.62	AV	126.00	150	Horizontal	Pass
2	2745.800	41.30	-8.85	74.0	-32.70	Peak	357.00	150	Horizontal	Pass
2**	2745.800	30.64	-8.85	54.0	-23.36	AV	357.00	150	Horizontal	Pass
3	4219.800	47.89	-3.68	74.0	-26.11	Peak	72.00	150	Horizontal	Pass
3**	4219.800	36.59	-3.68	54.0	-17.41	AV	72.00	150	Horizontal	Pass
4	5232.000	100.80	-0.52	--	-185.20	Peak	286.00	150	Horizontal	N/A
4**	5232.000	91.40	-0.52	--	91.40	AV	286.00	150	Horizontal	N/A
5	12223.013	50.95	20.45	74.0	-23.05	Peak	360.00	150	Horizontal	Pass
5**	12223.013	39.00	20.45	54.0	-15.00	AV	360.00	150	Horizontal	Pass
6	15479.213	55.51	23.65	74.0	-18.49	Peak	60.00	150	Horizontal	Pass
6**	15479.213	43.93	23.65	54.0	-10.07	AV	60.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.300	45.28	-14.86	74.0	-28.72	Peak	75.00	150	Vertical	Pass
1**	1163.300	35.12	-14.86	54.0	-18.88	AV	75.00	150	Vertical	Pass
2	2823.700	41.95	-8.32	74.0	-32.05	Peak	3.00	150	Vertical	Pass
2**	2823.700	31.76	-8.32	54.0	-22.24	AV	3.00	150	Vertical	Pass
3	3984.000	47.42	-4.28	74.0	-26.58	Peak	122.00	150	Vertical	Pass
3**	3984.000	38.19	-4.28	54.0	-15.81	AV	122.00	150	Vertical	Pass
4	5237.800	98.63	-0.90	--	-72.37	Peak	171.00	150	Vertical	N/A
4**	5237.800	87.97	-0.90	--	87.97	AV	171.00	150	Vertical	N/A
5	5992.800	58.63	2.09	68.2	-9.57	Peak	195.00	150	Vertical	Pass
5**	5992.800	41.32	2.09	--	41.32	AV	195.00	150	Vertical	N/A
6	15550.349	55.45	23.61	74.0	-18.55	Peak	229.00	150	Vertical	Pass
6**	15550.349	43.29	23.61	54.0	-10.71	AV	229.00	150	Vertical	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1144.600	42.85	-15.02	74.0	-31.15	Peak	336.00	150	Horizontal	Pass
1**	1144.600	33.38	-15.02	54.0	-20.62	AV	336.00	150	Horizontal	Pass
2	2817.300	41.75	-8.29	74.0	-32.25	Peak	358.00	150	Horizontal	Pass
2**	2817.300	32.50	-8.29	54.0	-21.50	AV	358.00	150	Horizontal	Pass
3	4084.800	47.09	-4.22	74.0	-26.91	Peak	0.00	150	Horizontal	Pass
3**	4084.800	36.09	-4.22	54.0	-17.91	AV	0.00	150	Horizontal	Pass
4	5225.800	98.44	-0.47	--	-167.56	Peak	266.00	150	Horizontal	N/A
4**	5225.800	90.10	-0.47	--	90.10	AV	266.00	150	Horizontal	N/A
5	11681.651	50.38	20.05	74.0	-23.62	Peak	30.00	150	Horizontal	Pass
5**	11681.651	40.33	20.05	54.0	-13.67	AV	30.00	150	Horizontal	Pass
6	15821.513	55.34	23.29	74.0	-18.66	Peak	192.00	150	Horizontal	Pass
6**	15821.513	43.42	23.29	54.0	-10.58	AV	192.00	150	Horizontal	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.000	45.50	-15.06	74.0	-28.50	Peak	32.00	150	Vertical	Pass
1**	1181.000	33.71	-15.06	54.0	-20.29	AV	32.00	150	Vertical	Pass
2	2890.600	42.68	-8.10	74.0	-31.32	Peak	102.00	150	Vertical	Pass
2**	2890.600	33.76	-8.10	54.0	-20.24	AV	102.00	150	Vertical	Pass
3	3996.000	47.94	-4.51	74.0	-26.06	Peak	311.00	150	Vertical	Pass
3**	3996.000	35.75	-4.51	54.0	-18.25	AV	311.00	150	Vertical	Pass
4	5212.600	95.78	-0.50	--	-72.22	Peak	168.00	150	Vertical	N/A
4**	5212.600	86.25	-0.50	--	86.25	AV	168.00	150	Vertical	N/A
5	5995.000	58.90	1.92	68.2	-9.30	Peak	192.00	150	Vertical	Pass
5**	5995.000	41.13	1.92	--	41.13	AV	192.00	150	Vertical	N/A
6	15556.912	55.16	23.59	74.0	-18.84	Peak	282.00	150	Vertical	Pass
6**	15556.912	44.52	23.59	54.0	-9.48	AV	282.00	150	Vertical	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.800	43.44	-14.75	74.0	-30.56	Peak	142.00	150	Horizontal	Pass
1**	1229.800	34.50	-14.75	54.0	-19.50	AV	142.00	150	Horizontal	Pass
2	2827.200	42.04	-8.34	74.0	-31.96	Peak	0.00	150	Horizontal	Pass
2**	2827.200	32.45	-8.34	54.0	-21.55	AV	0.00	150	Horizontal	Pass
3	4880.600	49.30	-2.06	74.0	-24.70	Peak	319.00	150	Horizontal	Pass
3**	4880.600	37.41	-2.06	54.0	-16.59	AV	319.00	150	Horizontal	Pass
4	6642.800	52.82	3.69	68.2	-15.38	Peak	74.00	150	Horizontal	Pass
4**	6642.800	42.40	3.69	--	42.40	AV	74.00	150	Horizontal	N/A
5	12347.213	51.51	19.73	74.0	-22.49	Peak	257.00	150	Horizontal	Pass
5**	12347.213	39.93	19.73	54.0	-14.07	AV	257.00	150	Horizontal	Pass
6	15666.375	55.41	23.50	74.0	-18.59	Peak	232.00	150	Horizontal	Pass
6**	15666.375	43.07	23.50	54.0	-10.93	AV	232.00	150	Horizontal	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.100	45.38	-15.09	74.0	-28.62	Peak	63.00	150	Vertical	Pass
1**	1184.100	34.03	-15.09	54.0	-19.97	AV	63.00	150	Vertical	Pass
2	2817.700	42.05	-8.27	74.0	-31.95	Peak	138.00	150	Vertical	Pass
2**	2817.700	31.93	-8.27	54.0	-22.07	AV	138.00	150	Vertical	Pass
3	4165.200	46.26	-4.26	74.0	-27.74	Peak	177.00	150	Vertical	Pass
3**	4165.200	35.38	-4.26	54.0	-18.62	AV	177.00	150	Vertical	Pass
4	6652.600	54.15	3.55	68.2	-14.05	Peak	227.00	150	Vertical	Pass
4**	6652.600	42.33	3.55	--	42.33	AV	227.00	150	Vertical	N/A
5	11694.875	51.27	19.89	74.0	-22.73	Peak	327.00	150	Vertical	Pass
5**	11694.875	38.80	19.89	54.0	-15.20	AV	327.00	150	Vertical	Pass
6	15916.800	55.87	23.58	74.0	-18.13	Peak	-1.00	150	Vertical	Pass
6**	15916.800	44.35	23.58	54.0	-9.65	AV	-1.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1227.700	42.85	-14.74	74.0	-31.15	Peak	138.00	150	Horizontal	Pass
1**	1227.700	31.81	-14.74	54.0	-22.19	AV	138.00	150	Horizontal	Pass
2	2869.800	42.51	-8.20	74.0	-31.49	Peak	138.00	150	Horizontal	Pass
2**	2869.800	32.42	-8.20	54.0	-21.58	AV	138.00	150	Horizontal	Pass
3	4068.800	46.95	-3.84	74.0	-27.05	Peak	252.00	150	Horizontal	Pass
3**	4068.800	35.54	-3.84	54.0	-18.46	AV	252.00	150	Horizontal	Pass
4	5263.200	102.97	-0.91	--	-174.03	Peak	277.00	150	Horizontal	N/A
4**	5263.200	96.07	-0.91	--	96.07	AV	277.00	150	Horizontal	N/A
5	11677.912	50.71	20.09	74.0	-23.29	Peak	113.00	150	Horizontal	Pass
5**	11677.912	39.14	20.09	54.0	-14.86	AV	113.00	150	Horizontal	Pass
6	15383.400	55.35	22.76	74.0	-18.65	Peak	362.00	150	Horizontal	Pass
6**	15383.400	43.03	22.76	54.0	-10.97	AV	362.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.700	44.09	-15.10	74.0	-29.91	Peak	254.00	150	Vertical	Pass
1**	1142.700	35.55	-15.10	54.0	-18.45	AV	254.00	150	Vertical	Pass
2	2758.400	42.19	-8.95	74.0	-31.81	Peak	88.00	150	Vertical	Pass
2**	2758.400	32.01	-8.95	54.0	-21.99	AV	88.00	150	Vertical	Pass
3	4030.600	47.22	-3.94	74.0	-26.78	Peak	28.00	150	Vertical	Pass
3**	4030.600	35.12	-3.94	54.0	-18.88	AV	28.00	150	Vertical	Pass
4	5261.200	100.29	-1.05	--	-78.71	Peak	179.00	150	Vertical	N/A
4**	5261.200	92.84	-1.05	--	92.84	AV	179.00	150	Vertical	N/A
5	5990.600	58.22	2.07	68.2	-9.98	Peak	129.00	150	Vertical	Pass
5**	5990.600	40.31	2.07	--	40.31	AV	129.00	150	Vertical	N/A
6	15934.125	55.45	23.83	74.0	-18.55	Peak	271.00	150	Vertical	Pass
6**	15934.125	43.63	23.83	54.0	-10.37	AV	271.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.400	42.86	-15.26	74.0	-31.14	Peak	335.00	150	Horizontal	Pass
1**	1133.400	33.42	-15.26	54.0	-20.58	AV	335.00	150	Horizontal	Pass
2	2885.500	42.47	-8.22	74.0	-31.53	Peak	159.00	150	Horizontal	Pass
2**	2885.500	34.25	-8.22	54.0	-19.75	AV	159.00	150	Horizontal	Pass
3	3970.400	47.04	-4.19	74.0	-26.96	Peak	277.00	150	Horizontal	Pass
3**	3970.400	35.52	-4.19	54.0	-18.48	AV	277.00	150	Horizontal	Pass
4	5298.600	102.51	-0.51	--	-174.49	Peak	277.00	150	Horizontal	N/A
4**	5298.600	95.95	-0.51	--	95.95	AV	277.00	150	Horizontal	N/A
5	11186.000	50.82	18.24	74.0	-23.18	Peak	147.00	150	Horizontal	Pass
5**	11186.000	36.99	18.24	54.0	-17.01	AV	147.00	150	Horizontal	Pass
6	15572.400	55.27	23.58	74.0	-18.73	Peak	203.00	150	Horizontal	Pass
6**	15572.400	43.23	23.58	54.0	-10.77	AV	203.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.500	45.75	-14.95	74.0	-28.25	Peak	36.00	150	Vertical	Pass
1**	1158.500	34.01	-14.95	54.0	-19.99	AV	36.00	150	Vertical	Pass
2	2832.900	41.85	-8.47	74.0	-32.15	Peak	308.00	150	Vertical	Pass
2**	2832.900	32.52	-8.47	54.0	-21.48	AV	308.00	150	Vertical	Pass
3	4025.200	47.37	-3.89	74.0	-26.63	Peak	303.00	150	Vertical	Pass
3**	4025.200	35.17	-3.89	54.0	-18.83	AV	303.00	150	Vertical	Pass
4	5302.800	100.56	-0.29	--	-77.44	Peak	178.00	150	Vertical	N/A
4**	5302.800	93.86	-0.29	--	93.86	AV	178.00	150	Vertical	N/A
5	5978.400	58.43	1.98	68.2	-9.77	Peak	354.00	150	Vertical	Pass
5**	5978.400	40.29	1.98	--	40.29	AV	354.00	150	Vertical	N/A
6	15699.713	55.25	23.57	74.0	-18.75	Peak	33.00	150	Vertical	Pass
6**	15699.713	43.04	23.57	54.0	-10.96	AV	33.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.600	43.49	-14.75	74.0	-30.51	Peak	131.00	150	Horizontal	Pass
1**	1229.600	30.97	-14.75	54.0	-23.03	AV	131.00	150	Horizontal	Pass
2	2822.900	42.53	-8.35	74.0	-31.47	Peak	181.00	150	Horizontal	Pass
2**	2822.900	31.84	-8.35	54.0	-22.16	AV	181.00	150	Horizontal	Pass
3	4269.000	47.39	-3.49	74.0	-26.61	Peak	360.00	150	Horizontal	Pass
3**	4269.000	36.12	-3.49	54.0	-17.88	AV	360.00	150	Horizontal	Pass
4	5324.000	103.77	-0.07	--	-153.23	Peak	257.00	150	Horizontal	N/A
4**	5324.000	95.71	-0.07	--	95.71	AV	257.00	150	Horizontal	N/A
5	12285.975	51.25	20.15	74.0	-22.75	Peak	287.00	150	Horizontal	Pass
5**	12285.975	38.96	20.15	54.0	-15.04	AV	287.00	150	Horizontal	Pass
6	15503.887	56.06	23.93	74.0	-17.94	Peak	100.00	150	Horizontal	Pass
6**	15503.887	44.82	23.93	54.0	-9.18	AV	100.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.200	46.40	-15.04	74.0	-27.60	Peak	278.00	150	Vertical	Pass
1**	1173.200	36.77	-15.04	54.0	-17.23	AV	278.00	150	Vertical	Pass
2	2844.500	41.47	-8.48	74.0	-32.53	Peak	99.00	150	Vertical	Pass
2**	2844.500	32.06	-8.48	54.0	-21.94	AV	99.00	150	Vertical	Pass
3	3987.400	47.51	-4.34	74.0	-26.49	Peak	184.00	150	Vertical	Pass
3**	3987.400	36.21	-4.34	54.0	-17.79	AV	184.00	150	Vertical	Pass
4	5324.400	100.65	-0.12	--	-83.35	Peak	184.00	150	Vertical	N/A
4**	5324.400	94.26	-0.12	--	94.26	AV	184.00	150	Vertical	N/A
5	5993.200	61.98	2.04	68.2	-6.22	Peak	159.00	150	Vertical	Pass
5**	5993.200	50.78	2.04	--	50.78	AV	159.00	150	Vertical	N/A
6	15424.349	55.94	23.18	74.0	-18.06	Peak	172.00	150	Vertical	Pass
6**	15424.349	43.41	23.18	54.0	-10.59	AV	172.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.700	42.70	-15.06	74.0	-31.30	Peak	127.00	150	Horizontal	Pass
1**	1188.700	33.58	-15.06	54.0	-20.42	AV	127.00	150	Horizontal	Pass
2	2857.400	42.36	-8.06	74.0	-31.64	Peak	332.00	150	Horizontal	Pass
2**	2857.400	31.67	-8.06	54.0	-22.33	AV	332.00	150	Horizontal	Pass
3	4147.400	47.38	-3.61	74.0	-26.62	Peak	316.00	150	Horizontal	Pass
3**	4147.400	35.99	-3.61	54.0	-18.01	AV	316.00	150	Horizontal	Pass
4	5263.800	102.65	-0.86	--	-161.35	Peak	264.00	150	Horizontal	N/A
4**	5263.800	95.97	-0.86	--	95.97	AV	264.00	150	Horizontal	N/A
5	12323.925	51.61	19.90	74.0	-22.39	Peak	65.00	150	Horizontal	Pass
5**	12323.925	41.32	19.90	54.0	-12.68	AV	65.00	150	Horizontal	Pass
6	15940.688	55.34	23.91	74.0	-18.66	Peak	28.00	150	Horizontal	Pass
6**	15940.688	42.70	23.91	54.0	-11.30	AV	28.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.000	46.42	-15.05	74.0	-27.58	Peak	35.00	150	Vertical	Pass
1**	1189.000	36.34	-15.05	54.0	-17.66	AV	35.00	150	Vertical	Pass
2	2829.500	41.55	-8.26	74.0	-32.45	Peak	88.00	150	Vertical	Pass
2**	2829.500	31.46	-8.26	54.0	-22.54	AV	88.00	150	Vertical	Pass
3	3994.000	47.48	-4.52	74.0	-26.52	Peak	111.00	150	Vertical	Pass
3**	3994.000	37.21	-4.52	54.0	-16.79	AV	111.00	150	Vertical	Pass
4	5257.400	100.07	-1.04	--	-62.93	Peak	163.00	150	Vertical	N/A
4**	5257.400	91.95	-1.04	--	91.95	AV	163.00	150	Vertical	N/A
5	11650.888	50.17	20.38	74.0	-23.83	Peak	217.00	150	Vertical	Pass
5**	11650.888	39.50	20.38	54.0	-14.50	AV	217.00	150	Vertical	Pass
6	15745.651	55.56	23.41	74.0	-18.44	Peak	-1.00	150	Vertical	Pass
6**	15745.651	44.71	23.41	54.0	-9.29	AV	-1.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1135.200	41.78	-15.15	74.0	-32.22	Peak	0.00	150	Horizontal	Pass
1**	1135.200	33.32	-15.15	54.0	-20.68	AV	0.00	150	Horizontal	Pass
2	2861.800	41.70	-8.01	74.0	-32.30	Peak	152.00	150	Horizontal	Pass
2**	2861.800	32.08	-8.01	54.0	-21.92	AV	152.00	150	Horizontal	Pass
3	4234.200	47.79	-3.47	74.0	-26.21	Peak	184.00	150	Horizontal	Pass
3**	4234.200	35.89	-3.47	54.0	-18.11	AV	184.00	150	Horizontal	Pass
4	5303.600	102.37	-0.31	--	-160.63	Peak	263.00	150	Horizontal	N/A
4**	5303.600	96.19	-0.31	--	96.19	AV	263.00	150	Horizontal	N/A
5	11687.975	52.25	19.97	74.0	-21.75	Peak	106.00	150	Horizontal	Pass
5**	11687.975	39.39	19.97	54.0	-14.61	AV	106.00	150	Horizontal	Pass
6	15582.900	56.12	23.57	74.0	-17.88	Peak	137.00	150	Horizontal	Pass
6**	15582.900	42.96	23.57	54.0	-11.04	AV	137.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1170.900	44.68	-15.04	74.0	-29.32	Peak	275.00	150	Vertical	Pass
1**	1170.900	34.64	-15.04	54.0	-19.36	AV	275.00	150	Vertical	Pass
2	2877.500	42.56	-8.33	74.0	-31.44	Peak	39.00	150	Vertical	Pass
2**	2877.500	33.71	-8.33	54.0	-20.29	AV	39.00	150	Vertical	Pass
3	4168.600	47.13	-3.77	74.0	-26.87	Peak	325.00	150	Vertical	Pass
3**	4168.600	36.48	-3.77	54.0	-17.52	AV	325.00	150	Vertical	Pass
4	5305.000	100.91	-0.37	--	-62.09	Peak	163.00	150	Vertical	N/A
4**	5305.000	93.67	-0.37	--	93.67	AV	163.00	150	Vertical	N/A
5	5990.200	57.66	2.07	68.2	-10.54	Peak	325.00	150	Vertical	Pass
5**	5990.200	41.34	2.07	--	41.34	AV	325.00	150	Vertical	N/A
6	15665.849	55.56	23.50	74.0	-18.44	Peak	-1.00	150	Vertical	Pass
6**	15665.849	43.01	23.50	54.0	-10.99	AV	-1.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.800	42.37	-15.30	74.0	-31.63	Peak	328.00	150	Horizontal	Pass
1**	1118.800	32.57	-15.30	54.0	-21.43	AV	328.00	150	Horizontal	Pass
2	2824.600	41.44	-8.31	74.0	-32.56	Peak	355.00	150	Horizontal	Pass
2**	2824.600	32.24	-8.31	54.0	-21.76	AV	355.00	150	Horizontal	Pass
3	4158.400	47.74	-3.53	74.0	-26.26	Peak	138.00	150	Horizontal	Pass
3**	4158.400	35.67	-3.53	54.0	-18.33	AV	138.00	150	Horizontal	Pass
4	5317.000	102.80	-0.05	--	-169.20	Peak	272.00	150	Horizontal	N/A
4**	5317.000	95.56	-0.05	--	95.56	AV	272.00	150	Horizontal	N/A
5	12279.937	51.47	20.23	74.0	-22.53	Peak	28.00	150	Horizontal	Pass
5**	12279.937	39.15	20.23	54.0	-14.85	AV	28.00	150	Horizontal	Pass
6	15415.687	55.64	23.08	74.0	-18.36	Peak	-1.00	150	Horizontal	Pass
6**	15415.687	43.61	23.08	54.0	-10.39	AV	-1.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.400	43.76	-15.08	74.0	-30.24	Peak	278.00	150	Vertical	Pass
1**	1183.400	37.33	-15.08	54.0	-16.67	AV	278.00	150	Vertical	Pass
2	2780.300	42.00	-8.57	74.0	-32.00	Peak	36.00	150	Vertical	Pass
2**	2780.300	32.72	-8.57	54.0	-21.28	AV	36.00	150	Vertical	Pass
3	4305.200	48.07	-3.39	74.0	-25.93	Peak	360.00	150	Vertical	Pass
3**	4305.200	36.41	-3.39	54.0	-17.59	AV	360.00	150	Vertical	Pass
4	5318.400	100.10	0.09	--	-63.90	Peak	164.00	150	Vertical	N/A
4**	5318.400	92.47	0.09	--	92.47	AV	164.00	150	Vertical	N/A
5	5995.200	56.68	1.94	68.2	-11.52	Peak	245.00	150	Vertical	Pass
5**	5995.200	40.50	1.94	--	40.50	AV	245.00	150	Vertical	N/A
6	15425.662	55.53	23.18	74.0	-18.47	Peak	254.00	150	Vertical	Pass
6**	15425.662	44.51	23.18	54.0	-9.49	AV	254.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.400	43.18	-15.26	74.0	-30.82	Peak	163.00	150	Horizontal	Pass
1**	1675.400	34.15	-15.26	54.0	-19.85	AV	163.00	150	Horizontal	Pass
2	2888.800	41.96	-8.14	74.0	-32.04	Peak	360.00	150	Horizontal	Pass
2**	2888.800	32.10	-8.14	54.0	-21.90	AV	360.00	150	Horizontal	Pass
3	4107.800	46.12	-4.23	74.0	-27.88	Peak	164.00	150	Horizontal	Pass
3**	4107.800	33.91	-4.23	54.0	-20.09	AV	164.00	150	Horizontal	Pass
4	5274.400	99.22	-0.57	--	-47.78	Peak	147.00	150	Horizontal	N/A
4**	5274.400	91.41	-0.57	--	91.41	AV	147.00	150	Horizontal	N/A
5	12165.512	49.60	20.10	74.0	-24.40	Peak	195.00	150	Horizontal	Pass
5**	12165.512	38.29	20.10	54.0	-15.71	AV	195.00	150	Horizontal	Pass
6	15931.763	54.19	23.80	74.0	-19.81	Peak	124.00	150	Horizontal	Pass
6**	15931.763	43.45	23.80	54.0	-10.55	AV	124.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.200	42.37	-15.09	74.0	-31.63	Peak	283.00	150	Vertical	Pass
1**	1202.200	32.08	-15.09	54.0	-21.92	AV	283.00	150	Vertical	Pass
2	2874.900	41.82	-8.33	74.0	-32.18	Peak	171.00	150	Vertical	Pass
2**	2874.900	31.91	-8.33	54.0	-22.09	AV	171.00	150	Vertical	Pass
3	4051.400	46.18	-3.75	74.0	-27.82	Peak	20.00	150	Vertical	Pass
3**	4051.400	34.43	-3.75	54.0	-19.57	AV	20.00	150	Vertical	Pass
4	5280.800	97.47	-0.37	--	-57.53	Peak	155.00	150	Vertical	N/A
4**	5280.800	91.51	-0.37	--	91.51	AV	155.00	150	Vertical	N/A
5	5975.000	55.88	1.89	68.2	-12.32	Peak	199.00	150	Vertical	Pass
5**	5975.000	42.96	1.89	--	42.96	AV	199.00	150	Vertical	N/A
6	15474.487	55.16	23.62	74.0	-18.84	Peak	136.00	150	Vertical	Pass
6**	15474.487	43.37	23.62	54.0	-10.63	AV	136.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.700	39.03	-14.98	74.0	-34.97	Peak	339.00	150	Horizontal	Pass
1**	1549.700	30.24	-14.98	54.0	-23.76	AV	339.00	150	Horizontal	Pass
2	2858.100	41.59	-8.06	74.0	-32.41	Peak	275.00	150	Horizontal	Pass
2**	2858.100	32.67	-8.06	54.0	-21.33	AV	275.00	150	Horizontal	Pass
3	4031.000	46.39	-3.92	74.0	-27.61	Peak	22.00	150	Horizontal	Pass
3**	4031.000	35.23	-3.92	54.0	-18.77	AV	22.00	150	Horizontal	Pass
4	5300.000	99.34	0.27	--	-156.66	Peak	256.00	150	Horizontal	N/A
4**	5300.000	93.40	0.27	--	93.40	AV	256.00	150	Horizontal	N/A
5	12371.363	50.32	19.50	74.0	-23.68	Peak	297.00	150	Horizontal	Pass
5**	12371.363	37.98	19.50	54.0	-16.02	AV	297.00	150	Horizontal	Pass
6	15497.062	55.20	23.92	74.0	-18.80	Peak	360.00	150	Horizontal	Pass
6**	15497.062	43.69	23.92	54.0	-10.31	AV	360.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.300	44.27	-14.99	74.0	-29.73	Peak	296.00	150	Vertical	Pass
1**	1197.300	33.55	-14.99	54.0	-20.45	AV	296.00	150	Vertical	Pass
2	2746.700	42.50	-8.84	74.0	-31.50	Peak	129.00	150	Vertical	Pass
2**	2746.700	31.62	-8.84	54.0	-22.38	AV	129.00	150	Vertical	Pass
3	4226.600	46.83	-3.63	74.0	-27.17	Peak	183.00	150	Vertical	Pass
3**	4226.600	34.57	-3.63	54.0	-19.43	AV	183.00	150	Vertical	Pass
4	5313.400	96.98	0.13	--	-56.02	Peak	153.00	150	Vertical	N/A
4**	5313.400	89.68	0.13	--	89.68	AV	153.00	150	Vertical	N/A
5	5974.800	54.44	1.88	68.2	-13.76	Peak	191.00	150	Vertical	Pass
5**	5974.800	40.23	1.88	--	40.23	AV	191.00	150	Vertical	N/A
6	15452.963	54.71	23.43	74.0	-19.29	Peak	179.00	150	Vertical	Pass
6**	15452.963	43.24	23.43	54.0	-10.76	AV	179.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.900	42.84	-15.25	74.0	-31.16	Peak	161.00	150	Horizontal	Pass
1**	1682.900	31.58	-15.25	54.0	-22.42	AV	161.00	150	Horizontal	Pass
2	2720.100	41.52	-8.75	74.0	-32.48	Peak	91.00	150	Horizontal	Pass
2**	2720.100	31.04	-8.75	54.0	-22.96	AV	91.00	150	Horizontal	Pass
3	4247.400	48.39	-3.20	74.0	-25.61	Peak	266.00	150	Horizontal	Pass
3**	4247.400	37.14	-3.20	54.0	-16.86	AV	266.00	150	Horizontal	Pass
4	5263.600	101.96	-0.88	--	-147.04	Peak	249.00	150	Horizontal	N/A
4**	5263.600	94.44	-0.88	--	94.44	AV	249.00	150	Horizontal	N/A
5	11726.500	49.46	19.33	74.0	-24.54	Peak	185.00	150	Horizontal	Pass
5**	11726.500	38.37	19.33	54.0	-15.63	AV	185.00	150	Horizontal	Pass
6	15529.088	54.67	23.74	74.0	-19.33	Peak	231.00	150	Horizontal	Pass
6**	15529.088	43.08	23.74	54.0	-10.92	AV	231.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	42.68	-14.70	74.0	-31.32	Peak	245.00	150	Vertical	Pass
1**	1330.300	31.13	-14.70	54.0	-22.87	AV	245.00	150	Vertical	Pass
2	2880.800	42.25	-8.28	74.0	-31.75	Peak	199.00	150	Vertical	Pass
2**	2880.800	31.82	-8.28	54.0	-22.18	AV	199.00	150	Vertical	Pass
3	4038.200	46.69	-4.02	74.0	-27.31	Peak	206.00	150	Vertical	Pass
3**	4038.200	36.35	-4.02	54.0	-17.65	AV	206.00	150	Vertical	Pass
4	5258.200	100.23	-1.04	--	-61.77	Peak	162.00	150	Vertical	N/A
4**	5258.200	92.06	-1.04	--	92.06	AV	162.00	150	Vertical	N/A
5	11792.338	50.23	18.61	74.0	-23.77	Peak	321.00	150	Vertical	Pass
5**	11792.338	37.15	18.61	54.0	-16.85	AV	321.00	150	Vertical	Pass
6	15897.900	54.64	23.28	74.0	-19.36	Peak	265.00	150	Vertical	Pass
6**	15897.900	42.92	23.28	54.0	-11.08	AV	265.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1138.800	39.88	-15.15	74.0	-34.12	Peak	351.00	150	Horizontal	Pass
1**	1138.800	33.51	-15.15	54.0	-20.49	AV	351.00	150	Horizontal	Pass
2	2843.400	41.66	-8.54	74.0	-32.34	Peak	360.00	150	Horizontal	Pass
2**	2843.400	33.11	-8.54	54.0	-20.89	AV	360.00	150	Horizontal	Pass
3	4175.600	47.16	-4.04	74.0	-26.84	Peak	360.00	150	Horizontal	Pass
3**	4175.600	36.55	-4.04	54.0	-17.45	AV	360.00	150	Horizontal	Pass
4	5303.800	102.03	-0.32	--	-155.97	Peak	258.00	150	Horizontal	N/A
4**	5303.800	95.68	-0.32	--	95.68	AV	258.00	150	Horizontal	N/A
5	11817.349	49.51	18.41	74.0	-24.49	Peak	0.00	150	Horizontal	Pass
5**	11817.349	37.01	18.41	54.0	-16.99	AV	0.00	150	Horizontal	Pass
6	15665.063	54.40	23.49	74.0	-19.60	Peak	0.00	150	Horizontal	Pass
6**	15665.063	43.31	23.49	54.0	-10.69	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.100	45.69	-15.09	74.0	-28.31	Peak	292.00	150	Vertical	Pass
1**	1184.100	34.36	-15.09	54.0	-19.64	AV	292.00	150	Vertical	Pass
2	2858.000	41.52	-8.06	74.0	-32.48	Peak	9.00	150	Vertical	Pass
2**	2858.000	32.20	-8.06	54.0	-21.80	AV	9.00	150	Vertical	Pass
3	4016.200	46.36	-4.09	74.0	-27.64	Peak	186.00	150	Vertical	Pass
3**	4016.200	35.84	-4.09	54.0	-18.16	AV	186.00	150	Vertical	Pass
4	5298.400	100.89	-0.51	--	-58.11	Peak	159.00	150	Vertical	N/A
4**	5298.400	94.31	-0.51	--	94.31	AV	159.00	150	Vertical	N/A
5	11625.588	49.49	20.27	74.0	-24.51	Peak	318.00	150	Vertical	Pass
5**	11625.588	38.99	20.27	54.0	-15.01	AV	318.00	150	Vertical	Pass
6	15558.487	54.56	23.58	74.0	-19.44	Peak	132.00	150	Vertical	Pass
6**	15558.487	43.65	23.58	54.0	-10.35	AV	132.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1108.800	42.08	-15.21	74.0	-31.92	Peak	3.00	150	Horizontal	Pass
1**	1108.800	32.97	-15.21	54.0	-21.03	AV	3.00	150	Horizontal	Pass
2	2875.000	42.29	-8.34	74.0	-31.71	Peak	291.00	150	Horizontal	Pass
2**	2875.000	32.02	-8.34	54.0	-21.98	AV	291.00	150	Horizontal	Pass
3	4126.600	46.87	-3.95	74.0	-27.13	Peak	195.00	150	Horizontal	Pass
3**	4126.600	35.11	-3.95	54.0	-18.89	AV	195.00	150	Horizontal	Pass
4	5323.200	102.31	0.01	--	-161.69	Peak	264.00	150	Horizontal	N/A
4**	5323.200	96.15	0.01	--	96.15	AV	264.00	150	Horizontal	N/A
5	11626.738	49.75	20.28	74.0	-24.25	Peak	91.00	150	Horizontal	Pass
5**	11626.738	37.04	20.28	54.0	-16.96	AV	91.00	150	Horizontal	Pass
6	15525.151	54.87	23.76	74.0	-19.13	Peak	182.00	150	Horizontal	Pass
6**	15525.151	44.09	23.76	54.0	-9.91	AV	182.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.300	41.73	-15.21	74.0	-32.27	Peak	276.00	150	Vertical	Pass
1**	1610.300	32.20	-15.21	54.0	-21.80	AV	276.00	150	Vertical	Pass
2	2734.100	41.49	-8.71	74.0	-32.51	Peak	276.00	150	Vertical	Pass
2**	2734.100	31.74	-8.71	54.0	-22.26	AV	276.00	150	Vertical	Pass
3	4351.800	47.84	-3.17	74.0	-26.16	Peak	139.00	150	Vertical	Pass
3**	4351.800	35.55	-3.17	54.0	-18.45	AV	139.00	150	Vertical	Pass
4	5318.400	100.50	0.09	--	-64.50	Peak	165.00	150	Vertical	N/A
4**	5318.400	94.15	0.09	--	94.15	AV	165.00	150	Vertical	N/A
5	12243.138	49.80	20.44	74.0	-24.20	Peak	9.00	150	Vertical	Pass
5**	12243.138	38.43	20.44	54.0	-15.57	AV	9.00	150	Vertical	Pass
6	16006.313	54.48	24.00	74.0	-19.52	Peak	151.00	150	Vertical	Pass
6**	16006.313	42.39	24.00	54.0	-11.61	AV	151.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1141.000	42.04	-15.13	74.0	-31.96	Peak	352.00	150	Horizontal	Pass
1**	1141.000	31.04	-15.13	54.0	-22.96	AV	352.00	150	Horizontal	Pass
2	2884.200	41.97	-8.32	74.0	-32.03	Peak	2.00	150	Horizontal	Pass
2**	2884.200	32.20	-8.32	54.0	-21.80	AV	2.00	150	Horizontal	Pass
3	4244.800	47.37	-3.27	74.0	-26.63	Peak	269.00	150	Horizontal	Pass
3**	4244.800	34.64	-3.27	54.0	-19.36	AV	269.00	150	Horizontal	Pass
4	5264.600	98.77	-0.80	--	-161.23	Peak	260.00	150	Horizontal	N/A
4**	5264.600	91.24	-0.80	--	91.24	AV	260.00	150	Horizontal	N/A
5	12342.901	50.90	19.76	74.0	-23.10	Peak	119.00	150	Horizontal	Pass
5**	12342.901	38.07	19.76	54.0	-15.93	AV	119.00	150	Horizontal	Pass
6	16047.787	54.80	24.07	74.0	-19.20	Peak	113.00	150	Horizontal	Pass
6**	16047.787	42.33	24.07	54.0	-11.67	AV	113.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.400	45.58	-15.03	74.0	-28.42	Peak	284.00	150	Vertical	Pass
1**	1176.400	36.72	-15.03	54.0	-17.28	AV	284.00	150	Vertical	Pass
2	2716.100	41.74	-8.78	74.0	-32.26	Peak	1.00	150	Vertical	Pass
2**	2716.100	32.37	-8.78	54.0	-21.63	AV	1.00	150	Vertical	Pass
3	4148.800	47.46	-3.53	74.0	-26.54	Peak	52.00	150	Vertical	Pass
3**	4148.800	35.72	-3.53	54.0	-18.28	AV	52.00	150	Vertical	Pass
4	5282.200	96.89	-0.31	--	-68.11	Peak	165.00	150	Vertical	N/A
4**	5282.200	90.53	-0.31	--	90.53	AV	165.00	150	Vertical	N/A
5	11619.838	50.56	20.24	74.0	-23.44	Peak	352.00	150	Vertical	Pass
5**	11619.838	37.76	20.24	54.0	-16.24	AV	352.00	150	Vertical	Pass
6	15941.474	55.65	23.91	74.0	-18.35	Peak	292.00	150	Vertical	Pass
6**	15941.474	44.50	23.91	54.0	-9.50	AV	292.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.300	41.21	-15.22	74.0	-32.79	Peak	4.00	150	Horizontal	Pass
1**	1115.300	30.46	-15.22	54.0	-23.54	AV	4.00	150	Horizontal	Pass
2	2833.200	41.84	-8.47	74.0	-32.16	Peak	177.00	150	Horizontal	Pass
2**	2833.200	31.93	-8.47	54.0	-22.07	AV	177.00	150	Horizontal	Pass
3	4265.800	48.25	-3.23	74.0	-25.75	Peak	327.00	150	Horizontal	Pass
3**	4265.800	35.90	-3.23	54.0	-18.10	AV	327.00	150	Horizontal	Pass
4	5311.800	101.66	0.11	--	-164.34	Peak	266.00	150	Horizontal	N/A
4**	5311.800	92.59	0.11	--	92.59	AV	266.00	150	Horizontal	N/A
5	11610.350	50.51	20.19	74.0	-23.49	Peak	67.00	150	Horizontal	Pass
5**	11610.350	38.11	20.19	54.0	-15.89	AV	67.00	150	Horizontal	Pass
6	15694.987	55.70	23.58	74.0	-18.30	Peak	74.00	150	Horizontal	Pass
6**	15694.987	43.29	23.58	54.0	-10.71	AV	74.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1178.300	44.84	-15.03	74.0	-29.16	Peak	284.00	150	Vertical	Pass
1**	1178.300	34.57	-15.03	54.0	-19.43	AV	284.00	150	Vertical	Pass
2	2725.100	41.59	-8.71	74.0	-32.41	Peak	120.00	150	Vertical	Pass
2**	2725.100	32.58	-8.71	54.0	-21.42	AV	120.00	150	Vertical	Pass
3	4262.600	47.45	-3.27	74.0	-26.55	Peak	328.00	150	Vertical	Pass
3**	4262.600	36.29	-3.27	54.0	-17.71	AV	328.00	150	Vertical	Pass
4	5318.800	97.98	0.13	--	-68.02	Peak	166.00	150	Vertical	N/A
4**	5318.800	89.87	0.13	--	89.87	AV	166.00	150	Vertical	N/A
5	12349.799	50.51	19.71	74.0	-23.49	Peak	107.00	150	Vertical	Pass
5**	12349.799	38.79	19.71	54.0	-15.21	AV	107.00	150	Vertical	Pass
6	15402.037	55.17	22.83	74.0	-18.83	Peak	334.00	150	Vertical	Pass
6**	15402.037	43.16	22.83	54.0	-10.84	AV	334.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1128.700	40.67	-15.40	74.0	-33.33	Peak	9.00	150	Horizontal	Pass
1**	1128.700	30.43	-15.40	54.0	-23.57	AV	9.00	150	Horizontal	Pass
2	2880.900	42.42	-8.28	74.0	-31.58	Peak	268.00	150	Horizontal	Pass
2**	2880.900	32.76	-8.28	54.0	-21.24	AV	268.00	150	Horizontal	Pass
3	3960.400	46.54	-4.49	74.0	-27.46	Peak	355.00	150	Horizontal	Pass
3**	3960.400	35.11	-4.49	54.0	-18.89	AV	355.00	150	Horizontal	Pass
4	5299.400	96.53	0.27	--	-150.47	Peak	247.00	150	Horizontal	N/A
4**	5299.400	89.69	0.27	--	89.69	AV	247.00	150	Horizontal	N/A
5	11803.837	49.59	18.52	74.0	-24.41	Peak	106.00	150	Horizontal	Pass
5**	11803.837	38.44	18.52	54.0	-15.56	AV	106.00	150	Horizontal	Pass
6	15938.850	54.77	23.89	74.0	-19.23	Peak	159.00	150	Horizontal	Pass
6**	15938.850	43.47	23.89	54.0	-10.53	AV	159.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.100	45.20	-15.05	74.0	-28.80	Peak	299.00	150	Vertical	Pass
1**	1189.100	36.39	-15.05	54.0	-17.61	AV	299.00	150	Vertical	Pass
2	2761.400	41.23	-8.85	74.0	-32.77	Peak	281.00	150	Vertical	Pass
2**	2761.400	32.82	-8.85	54.0	-21.18	AV	281.00	150	Vertical	Pass
3	3996.600	46.70	-4.54	74.0	-27.30	Peak	293.00	150	Vertical	Pass
3**	3996.600	35.39	-4.54	54.0	-18.61	AV	293.00	150	Vertical	Pass
4	5277.400	96.35	-0.51	--	-63.65	Peak	160.00	150	Vertical	N/A
4**	5277.400	87.24	-0.51	--	87.24	AV	160.00	150	Vertical	N/A
5	5998.800	58.17	2.02	68.2	-10.03	Peak	187.00	150	Vertical	Pass
5**	5998.800	41.42	2.02	--	41.42	AV	187.00	150	Vertical	N/A
6	16084.275	56.05	24.08	74.0	-17.95	Peak	136.00	150	Vertical	Pass
6**	16084.275	42.57	24.08	54.0	-11.43	AV	136.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.400	40.44	-15.27	74.0	-33.56	Peak	360.00	150	Horizontal	Pass
1**	1123.400	29.55	-15.27	54.0	-24.45	AV	360.00	150	Horizontal	Pass
2	2738.600	41.36	-8.67	74.0	-32.64	Peak	343.00	150	Horizontal	Pass
2**	2738.600	33.69	-8.67	54.0	-20.31	AV	343.00	150	Horizontal	Pass
3	3694.200	46.78	-5.35	74.0	-27.22	Peak	199.00	150	Horizontal	Pass
3**	3694.200	33.05	-5.35	54.0	-20.95	AV	199.00	150	Horizontal	Pass
4	5263.200	102.89	-0.91	--	-157.11	Peak	260.00	150	Horizontal	N/A
4**	5263.200	94.57	-0.91	--	94.57	AV	260.00	150	Horizontal	N/A
5	11022.412	49.78	18.92	74.0	-24.22	Peak	272.00	150	Horizontal	Pass
5**	11022.412	36.77	18.92	54.0	-17.23	AV	272.00	150	Horizontal	Pass
6	15608.625	54.51	23.51	74.0	-19.49	Peak	2.00	150	Horizontal	Pass
6**	15608.625	43.20	23.51	54.0	-10.80	AV	2.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.600	43.60	-15.11	74.0	-30.40	Peak	311.00	150	Vertical	Pass
1**	1201.600	36.23	-15.11	54.0	-17.77	AV	311.00	150	Vertical	Pass
2	2827.700	41.74	-8.30	74.0	-32.26	Peak	81.00	150	Vertical	Pass
2**	2827.700	31.81	-8.30	54.0	-22.19	AV	81.00	150	Vertical	Pass
3	4160.200	47.12	-3.50	74.0	-26.88	Peak	335.00	150	Vertical	Pass
3**	4160.200	35.02	-3.50	54.0	-18.98	AV	335.00	150	Vertical	Pass
4	5262.400	101.69	-0.98	--	-44.31	Peak	146.00	150	Vertical	N/A
4**	5262.400	93.43	-0.98	--	93.43	AV	146.00	150	Vertical	N/A
5	12225.313	50.17	20.44	74.0	-23.83	Peak	148.00	150	Vertical	Pass
5**	12225.313	38.86	20.44	54.0	-15.14	AV	148.00	150	Vertical	Pass
6	15492.600	54.71	23.85	74.0	-19.29	Peak	11.00	150	Vertical	Pass
6**	15492.600	43.09	23.85	54.0	-10.91	AV	11.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.700	41.40	-15.28	74.0	-32.60	Peak	0.00	150	Horizontal	Pass
1**	1123.700	29.70	-15.28	54.0	-24.30	AV	0.00	150	Horizontal	Pass
2	2865.200	41.71	-8.05	74.0	-32.29	Peak	236.00	150	Horizontal	Pass
2**	2865.200	32.08	-8.05	54.0	-21.92	AV	236.00	150	Horizontal	Pass
3	4047.400	46.20	-3.86	74.0	-27.80	Peak	16.00	150	Horizontal	Pass
3**	4047.400	35.06	-3.86	54.0	-18.94	AV	16.00	150	Horizontal	Pass
4	5303.200	102.63	-0.30	--	-144.37	Peak	247.00	150	Horizontal	N/A
4**	5303.200	95.13	-0.30	--	95.13	AV	247.00	150	Horizontal	N/A
5	12097.375	49.97	19.38	74.0	-24.03	Peak	107.00	150	Horizontal	Pass
5**	12097.375	37.73	19.38	54.0	-16.27	AV	107.00	150	Horizontal	Pass
6	15588.412	55.35	23.56	74.0	-18.65	Peak	55.00	150	Horizontal	Pass
6**	15588.412	43.63	23.56	54.0	-10.37	AV	55.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.900	45.64	-14.99	74.0	-28.36	Peak	295.00	150	Vertical	Pass
1**	1196.900	35.47	-14.99	54.0	-18.53	AV	295.00	150	Vertical	Pass
2	2765.300	41.55	-8.65	74.0	-32.45	Peak	226.00	150	Vertical	Pass
2**	2765.300	31.24	-8.65	54.0	-22.76	AV	226.00	150	Vertical	Pass
3	3983.800	46.98	-4.28	74.0	-27.02	Peak	168.00	150	Vertical	Pass
3**	3983.800	34.30	-4.28	54.0	-19.70	AV	168.00	150	Vertical	Pass
4	5298.400	101.53	-0.51	--	-57.47	Peak	159.00	150	Vertical	N/A
4**	5298.400	93.10	-0.51	--	93.10	AV	159.00	150	Vertical	N/A
5	12071.213	49.68	19.14	74.0	-24.32	Peak	249.00	150	Vertical	Pass
5**	12071.213	39.20	19.14	54.0	-14.80	AV	249.00	150	Vertical	Pass
6	15818.625	54.89	23.27	74.0	-19.11	Peak	263.00	150	Vertical	Pass
6**	15818.625	42.31	23.27	54.0	-11.69	AV	263.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1152.900	40.29	-14.93	74.0	-33.71	Peak	0.00	150	Horizontal	Pass
1**	1152.900	31.11	-14.93	54.0	-22.89	AV	0.00	150	Horizontal	Pass
2	2845.300	41.50	-8.43	74.0	-32.50	Peak	173.00	150	Horizontal	Pass
2**	2845.300	31.31	-8.43	54.0	-22.69	AV	173.00	150	Horizontal	Pass
3	4264.600	46.93	-3.21	74.0	-27.07	Peak	82.00	150	Horizontal	Pass
3**	4264.600	36.44	-3.21	54.0	-17.56	AV	82.00	150	Horizontal	Pass
4	5316.400	102.80	-0.04	--	-157.20	Peak	260.00	150	Horizontal	N/A
4**	5316.400	95.12	-0.04	--	95.12	AV	260.00	150	Horizontal	N/A
5	11661.525	49.85	20.25	74.0	-24.15	Peak	12.00	150	Horizontal	Pass
5**	11661.525	37.80	20.25	54.0	-16.20	AV	12.00	150	Horizontal	Pass
6	15928.088	54.34	23.75	74.0	-19.66	Peak	-2.00	150	Horizontal	Pass
6**	15928.088	43.49	23.75	54.0	-10.51	AV	-2.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.100	44.58	-15.04	74.0	-29.42	Peak	294.00	150	Vertical	Pass
1**	1176.100	36.26	-15.04	54.0	-17.74	AV	294.00	150	Vertical	Pass
2	2746.200	41.53	-8.84	74.0	-32.47	Peak	180.00	150	Vertical	Pass
2**	2746.200	31.25	-8.84	54.0	-22.75	AV	180.00	150	Vertical	Pass
3	3977.400	46.80	-4.09	74.0	-27.20	Peak	142.00	150	Vertical	Pass
3**	3977.400	34.75	-4.09	54.0	-19.25	AV	142.00	150	Vertical	Pass
4	5322.000	101.87	-0.07	--	-58.13	Peak	160.00	150	Vertical	N/A
4**	5322.000	94.07	-0.07	--	94.07	AV	160.00	150	Vertical	N/A
5	10993.087	49.47	18.95	74.0	-24.53	Peak	301.00	150	Vertical	Pass
5**	10993.087	36.45	18.95	54.0	-17.55	AV	301.00	150	Vertical	Pass
6	15535.651	55.25	23.72	74.0	-18.75	Peak	298.00	150	Vertical	Pass
6**	15535.651	43.37	23.72	54.0	-10.63	AV	298.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.700	39.64	-15.20	74.0	-34.36	Peak	357.00	150	Horizontal	Pass
1**	1113.700	30.67	-15.20	54.0	-23.33	AV	357.00	150	Horizontal	Pass
2	2887.200	42.22	-8.17	74.0	-31.78	Peak	222.00	150	Horizontal	Pass
2**	2887.200	31.56	-8.17	54.0	-22.44	AV	222.00	150	Horizontal	Pass
3	4106.000	46.36	-4.32	74.0	-27.64	Peak	228.00	150	Horizontal	Pass
3**	4106.000	34.25	-4.32	54.0	-19.75	AV	228.00	150	Horizontal	Pass
4	5276.600	101.45	-0.51	--	-152.55	Peak	254.00	150	Horizontal	N/A
4**	5276.600	91.80	-0.51	--	91.80	AV	254.00	150	Horizontal	N/A
5	12194.550	50.38	20.39	74.0	-23.62	Peak	108.00	150	Horizontal	Pass
5**	12194.550	38.07	20.39	54.0	-15.93	AV	108.00	150	Horizontal	Pass
6	15572.400	55.59	23.58	74.0	-18.41	Peak	3.00	150	Horizontal	Pass
6**	15572.400	42.63	23.58	54.0	-11.37	AV	3.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.000	43.84	-15.12	74.0	-30.16	Peak	290.00	150	Vertical	Pass
1**	1201.000	33.76	-15.12	54.0	-20.24	AV	290.00	150	Vertical	Pass
2	2777.500	42.01	-8.53	74.0	-31.99	Peak	184.00	150	Vertical	Pass
2**	2777.500	32.16	-8.53	54.0	-21.84	AV	184.00	150	Vertical	Pass
3	4281.200	48.02	-3.68	74.0	-25.98	Peak	338.00	150	Vertical	Pass
3**	4281.200	34.69	-3.68	54.0	-19.31	AV	338.00	150	Vertical	Pass
4	5279.800	99.77	-0.43	--	-55.23	Peak	155.00	150	Vertical	N/A
4**	5279.800	90.58	-0.43	--	90.58	AV	155.00	150	Vertical	N/A
5	11673.026	50.11	20.14	74.0	-23.89	Peak	142.00	150	Vertical	Pass
5**	11673.026	38.26	20.14	54.0	-15.74	AV	142.00	150	Vertical	Pass
6	15809.438	54.96	23.21	74.0	-19.04	Peak	176.00	150	Vertical	Pass
6**	15809.438	42.79	23.21	54.0	-11.21	AV	176.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.800	38.94	-15.03	74.0	-35.06	Peak	347.00	150	Horizontal	Pass
1**	1555.800	28.72	-15.03	54.0	-25.28	AV	347.00	150	Horizontal	Pass
2	2718.100	41.57	-8.64	74.0	-32.43	Peak	288.00	150	Horizontal	Pass
2**	2718.100	31.44	-8.64	54.0	-22.56	AV	288.00	150	Horizontal	Pass
3	4188.000	46.72	-3.94	74.0	-27.28	Peak	309.00	150	Horizontal	Pass
3**	4188.000	35.20	-3.94	54.0	-18.80	AV	309.00	150	Horizontal	Pass
4	5318.800	102.89	0.13	--	-153.11	Peak	256.00	150	Horizontal	N/A
4**	5318.800	92.98	0.13	--	92.98	AV	256.00	150	Horizontal	N/A
5	11681.075	50.53	20.05	74.0	-23.47	Peak	154.00	150	Horizontal	Pass
5**	11681.075	38.30	20.05	54.0	-15.70	AV	154.00	150	Horizontal	Pass
6	15522.000	54.64	23.77	74.0	-19.36	Peak	172.00	150	Horizontal	Pass
6**	15522.000	44.39	23.77	54.0	-9.61	AV	172.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1210.200	43.36	-14.94	74.0	-30.64	Peak	324.00	150	Vertical	Pass
1**	1210.200	32.98	-14.94	54.0	-21.02	AV	324.00	150	Vertical	Pass
2	2745.300	42.09	-8.85	74.0	-31.91	Peak	174.00	150	Vertical	Pass
2**	2745.300	31.55	-8.85	54.0	-22.45	AV	174.00	150	Vertical	Pass
3	3987.400	47.47	-4.34	74.0	-26.53	Peak	171.00	150	Vertical	Pass
3**	3987.400	36.04	-4.34	54.0	-17.96	AV	171.00	150	Vertical	Pass
4	5319.200	100.15	0.12	--	-52.85	Peak	153.00	150	Vertical	N/A
4**	5319.200	90.83	0.12	--	90.83	AV	153.00	150	Vertical	N/A
5	11604.312	49.47	20.15	74.0	-24.53	Peak	321.00	150	Vertical	Pass
5**	11604.312	39.32	20.15	54.0	-14.68	AV	321.00	150	Vertical	Pass
6	15972.975	55.12	24.00	74.0	-18.88	Peak	360.00	150	Vertical	Pass
6**	15972.975	42.36	24.00	54.0	-11.64	AV	360.00	150	Vertical	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.600	39.34	-14.92	74.0	-34.66	Peak	203.00	150	Horizontal	Pass
1**	1213.600	30.26	-14.92	54.0	-23.74	AV	203.00	150	Horizontal	Pass
2	2756.700	41.39	-9.03	74.0	-32.61	Peak	49.00	150	Horizontal	Pass
2**	2756.700	31.62	-9.03	54.0	-22.38	AV	49.00	150	Horizontal	Pass
3	4020.000	46.36	-4.04	74.0	-27.64	Peak	283.00	150	Horizontal	Pass
3**	4020.000	34.80	-4.04	54.0	-19.20	AV	283.00	150	Horizontal	Pass
4	5303.000	99.37	0.32	--	-156.63	Peak	256.00	150	Horizontal	N/A
4**	5303.000	90.22	0.32	--	90.22	AV	256.00	150	Horizontal	N/A
5	12281.375	50.26	20.21	74.0	-23.74	Peak	44.00	150	Horizontal	Pass
5**	12281.375	38.88	20.21	54.0	-15.12	AV	44.00	150	Horizontal	Pass
6	15515.963	55.01	23.81	74.0	-18.99	Peak	237.00	150	Horizontal	Pass
6**	15515.963	43.57	23.81	54.0	-10.43	AV	237.00	150	Horizontal	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.100	44.32	-15.11	74.0	-29.68	Peak	303.00	150	Vertical	Pass
1**	1186.100	36.04	-15.11	54.0	-17.96	AV	303.00	150	Vertical	Pass
2	2853.800	41.57	-8.14	74.0	-32.43	Peak	143.00	150	Vertical	Pass
2**	2853.800	32.64	-8.14	54.0	-21.36	AV	143.00	150	Vertical	Pass
3	3987.600	48.85	-4.34	74.0	-25.15	Peak	178.00	150	Vertical	Pass
3**	3987.600	35.03	-4.34	54.0	-18.97	AV	178.00	150	Vertical	Pass
4	5292.400	97.04	-0.06	--	-62.96	Peak	160.00	150	Vertical	N/A
4**	5292.400	89.29	-0.06	--	89.29	AV	160.00	150	Vertical	N/A
5	12146.825	49.87	19.90	74.0	-24.13	Peak	158.00	150	Vertical	Pass
5**	12146.825	39.46	19.90	54.0	-14.54	AV	158.00	150	Vertical	Pass
6	15670.050	55.33	23.52	74.0	-18.67	Peak	360.00	150	Vertical	Pass
6**	15670.050	43.86	23.52	54.0	-10.14	AV	360.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.900	40.77	-14.68	74.0	-33.23	Peak	147.00	150	Horizontal	Pass
1**	1225.900	31.53	-14.68	54.0	-22.47	AV	147.00	150	Horizontal	Pass
2	2733.400	41.12	-8.77	74.0	-32.88	Peak	278.00	150	Horizontal	Pass
2**	2733.400	31.34	-8.77	54.0	-22.66	AV	278.00	150	Horizontal	Pass
3	4224.800	47.27	-3.56	74.0	-26.73	Peak	177.00	150	Horizontal	Pass
3**	4224.800	36.52	-3.56	54.0	-17.48	AV	177.00	150	Horizontal	Pass
4	5498.800	102.66	0.52	--	-156.34	Peak	259.00	150	Horizontal	N/A
4**	5498.800	95.87	0.52	--	95.87	AV	259.00	150	Horizontal	N/A
5	11668.712	49.83	20.18	74.0	-24.17	Peak	343.00	150	Horizontal	Pass
5**	11668.712	38.33	20.18	54.0	-15.67	AV	343.00	150	Horizontal	Pass
6	15898.424	55.33	23.27	74.0	-18.67	Peak	44.00	150	Horizontal	Pass
6**	15898.424	42.93	23.27	54.0	-11.07	AV	44.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.900	45.12	-14.99	74.0	-28.88	Peak	302.00	150	Vertical	Pass
1**	1211.900	33.30	-14.99	54.0	-20.70	AV	302.00	150	Vertical	Pass
2	2812.300	41.19	-8.40	74.0	-32.81	Peak	349.00	150	Vertical	Pass
2**	2812.300	32.09	-8.40	54.0	-21.91	AV	349.00	150	Vertical	Pass
3	3993.600	48.67	-4.54	74.0	-25.33	Peak	82.00	150	Vertical	Pass
3**	3993.600	38.42	-4.54	54.0	-15.58	AV	82.00	150	Vertical	Pass
4	5500.800	100.33	0.48	--	-48.67	Peak	149.00	150	Vertical	N/A
4**	5500.800	93.78	0.48	--	93.78	AV	149.00	150	Vertical	N/A
5	11677.050	50.25	20.10	74.0	-23.75	Peak	314.00	150	Vertical	Pass
5**	11677.050	39.84	20.10	54.0	-14.16	AV	314.00	150	Vertical	Pass
6	15482.625	55.04	23.69	74.0	-18.96	Peak	274.00	150	Vertical	Pass
6**	15482.625	43.38	23.69	54.0	-10.62	AV	274.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.100	38.37	-15.01	74.0	-35.63	Peak	233.00	150	Horizontal	Pass
1**	1540.100	28.38	-15.01	54.0	-25.62	AV	233.00	150	Horizontal	Pass
2	2884.600	42.37	-8.29	74.0	-31.63	Peak	338.00	150	Horizontal	Pass
2**	2884.600	33.04	-8.29	54.0	-20.96	AV	338.00	150	Horizontal	Pass
3	4138.800	47.05	-4.04	74.0	-26.95	Peak	356.00	150	Horizontal	Pass
3**	4138.800	34.53	-4.04	54.0	-19.47	AV	356.00	150	Horizontal	Pass
4	5576.400	103.80	0.69	--	-158.20	Peak	262.00	150	Horizontal	N/A
4**	5576.400	97.29	0.69	--	97.29	AV	262.00	150	Horizontal	N/A
5	11698.326	50.48	19.84	74.0	-23.52	Peak	283.00	150	Horizontal	Pass
5**	11698.326	38.47	19.84	54.0	-15.53	AV	283.00	150	Horizontal	Pass
6	15633.037	55.38	23.52	74.0	-18.62	Peak	177.00	150	Horizontal	Pass
6**	15633.037	44.66	23.52	54.0	-9.34	AV	177.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.400	44.06	-14.99	74.0	-29.94	Peak	277.00	150	Vertical	Pass
1**	1197.400	33.80	-14.99	54.0	-20.20	AV	277.00	150	Vertical	Pass
2	2828.700	42.12	-8.23	74.0	-31.88	Peak	277.00	150	Vertical	Pass
2**	2828.700	32.64	-8.23	54.0	-21.36	AV	277.00	150	Vertical	Pass
3	3989.000	46.96	-4.33	74.0	-27.04	Peak	161.00	150	Vertical	Pass
3**	3989.000	34.90	-4.33	54.0	-19.10	AV	161.00	150	Vertical	Pass
4	5582.000	98.80	0.84	--	-43.20	Peak	142.00	150	Vertical	N/A
4**	5582.000	92.08	0.84	--	92.08	AV	142.00	150	Vertical	N/A
5	11620.412	49.62	20.24	74.0	-24.38	Peak	171.00	150	Vertical	Pass
5**	11620.412	39.48	20.24	54.0	-14.52	AV	171.00	150	Vertical	Pass
6	16066.950	55.30	24.11	74.0	-18.70	Peak	265.00	150	Vertical	Pass
6**	16066.950	42.38	24.11	54.0	-11.62	AV	265.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.400	40.85	-14.81	74.0	-33.15	Peak	150.00	150	Horizontal	Pass
1**	1222.400	34.51	-14.81	54.0	-19.49	AV	150.00	150	Horizontal	Pass
2	2833.200	41.31	-8.47	74.0	-32.69	Peak	89.00	150	Horizontal	Pass
2**	2833.200	32.70	-8.47	54.0	-21.30	AV	89.00	150	Horizontal	Pass
3	4196.800	47.23	-3.98	74.0	-26.77	Peak	29.00	150	Horizontal	Pass
3**	4196.800	34.53	-3.98	54.0	-19.47	AV	29.00	150	Horizontal	Pass
4	5697.200	102.28	-0.70	--	-178.72	Peak	281.00	150	Horizontal	N/A
4**	5697.200	95.91	-0.70	--	95.91	AV	281.00	150	Horizontal	N/A
5	11624.150	49.51	20.26	74.0	-24.49	Peak	78.00	150	Horizontal	Pass
5**	11624.150	39.31	20.26	54.0	-14.69	AV	78.00	150	Horizontal	Pass
6	15554.025	54.53	23.60	74.0	-19.47	Peak	360.00	150	Horizontal	Pass
6**	15554.025	42.90	23.60	54.0	-11.10	AV	360.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.400	44.83	-14.99	74.0	-29.17	Peak	309.00	150	Vertical	Pass
1**	1197.400	33.87	-14.99	54.0	-20.13	AV	309.00	150	Vertical	Pass
2	2774.100	41.30	-8.50	74.0	-32.70	Peak	110.00	150	Vertical	Pass
2**	2774.100	32.00	-8.50	54.0	-22.00	AV	110.00	150	Vertical	Pass
3	3987.600	46.85	-4.34	74.0	-27.15	Peak	103.00	150	Vertical	Pass
3**	3987.600	36.21	-4.34	54.0	-17.79	AV	103.00	150	Vertical	Pass
4	5702.600	98.93	-0.73	--	-64.07	Peak	163.00	150	Vertical	N/A
4**	5702.600	92.10	-0.73	--	92.10	AV	163.00	150	Vertical	N/A
5	11915.388	49.92	18.11	74.0	-24.08	Peak	72.00	150	Vertical	Pass
5**	11915.388	37.35	18.11	54.0	-16.65	AV	72.00	150	Vertical	Pass
6	15464.250	54.54	23.56	74.0	-19.46	Peak	318.00	150	Vertical	Pass
6**	15464.250	44.23	23.56	54.0	-9.77	AV	318.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.000	38.80	-15.06	74.0	-35.20	Peak	241.00	150	Horizontal	Pass
1**	1491.000	27.89	-15.06	54.0	-26.11	AV	241.00	150	Horizontal	Pass
2	2719.700	41.62	-8.73	74.0	-32.38	Peak	0.00	150	Horizontal	Pass
2**	2719.700	31.48	-8.73	54.0	-22.52	AV	0.00	150	Horizontal	Pass
3	4211.600	47.40	-3.84	74.0	-26.60	Peak	0.00	150	Horizontal	Pass
3**	4211.600	35.72	-3.84	54.0	-18.28	AV	0.00	150	Horizontal	Pass
4	5718.600	102.60	-0.56	--	-176.40	Peak	279.00	150	Horizontal	N/A
4**	5718.600	96.46	-0.56	--	96.46	AV	279.00	150	Horizontal	N/A
5	11622.138	50.66	20.25	74.0	-23.34	Peak	217.00	150	Horizontal	Pass
5**	11622.138	38.63	20.25	54.0	-15.37	AV	217.00	150	Horizontal	Pass
6	15826.237	55.07	23.33	74.0	-18.93	Peak	250.00	150	Horizontal	Pass
6**	15826.237	43.90	23.33	54.0	-10.10	AV	250.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.800	42.63	-15.00	74.0	-31.37	Peak	322.00	150	Vertical	Pass
1**	1198.800	34.48	-15.00	54.0	-19.52	AV	322.00	150	Vertical	Pass
2	2837.100	42.57	-8.47	74.0	-31.43	Peak	137.00	150	Vertical	Pass
2**	2837.100	31.73	-8.47	54.0	-22.27	AV	137.00	150	Vertical	Pass
3	4057.800	46.87	-3.94	74.0	-27.13	Peak	63.00	150	Vertical	Pass
3**	4057.800	34.50	-3.94	54.0	-19.50	AV	63.00	150	Vertical	Pass
4	5715.600	99.32	-0.56	--	-61.68	Peak	161.00	150	Vertical	N/A
4**	5715.600	91.52	-0.56	--	91.52	AV	161.00	150	Vertical	N/A
5	12233.650	50.64	20.43	74.0	-23.36	Peak	229.00	150	Vertical	Pass
5**	12233.650	38.58	20.43	54.0	-15.42	AV	229.00	150	Vertical	Pass
6	15665.588	55.86	23.50	74.0	-18.14	Peak	345.00	150	Vertical	Pass
6**	15665.588	42.66	23.50	54.0	-11.34	AV	345.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	39.08	-15.20	74.0	-34.92	Peak	298.00	150	Horizontal	Pass
1**	1497.900	28.93	-15.20	54.0	-25.07	AV	298.00	150	Horizontal	Pass
2	2880.100	42.16	-8.27	74.0	-31.84	Peak	298.00	150	Horizontal	Pass
2**	2880.100	34.06	-8.27	54.0	-19.94	AV	298.00	150	Horizontal	Pass
3	3759.400	46.65	-4.43	74.0	-27.35	Peak	71.00	150	Horizontal	Pass
3**	3759.400	34.93	-4.43	54.0	-19.07	AV	71.00	150	Horizontal	Pass
4	5498.200	103.00	0.55	--	-158.00	Peak	261.00	150	Horizontal	N/A
4**	5498.200	96.02	0.55	--	96.02	AV	261.00	150	Horizontal	N/A
5	11630.474	50.16	20.30	74.0	-23.84	Peak	99.00	150	Horizontal	Pass
5**	11630.474	38.79	20.30	54.0	-15.21	AV	99.00	150	Horizontal	Pass
6	15704.700	55.02	23.55	74.0	-18.98	Peak	34.00	150	Horizontal	Pass
6**	15704.700	42.28	23.55	54.0	-11.72	AV	34.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.000	43.74	-15.04	74.0	-30.26	Peak	299.00	150	Vertical	Pass
1**	1190.000	35.31	-15.04	54.0	-18.69	AV	299.00	150	Vertical	Pass
2	2879.900	42.26	-8.27	74.0	-31.74	Peak	268.00	150	Vertical	Pass
2**	2879.900	33.45	-8.27	54.0	-20.55	AV	268.00	150	Vertical	Pass
3	4025.800	46.98	-3.87	74.0	-27.02	Peak	247.00	150	Vertical	Pass
3**	4025.800	34.90	-3.87	54.0	-19.10	AV	247.00	150	Vertical	Pass
4	5495.400	99.65	0.67	--	-48.35	Peak	148.00	150	Vertical	N/A
4**	5495.400	92.47	0.67	--	92.47	AV	148.00	150	Vertical	N/A
5	11738.000	50.39	19.13	74.0	-23.61	Peak	260.00	150	Vertical	Pass
5**	11738.000	37.24	19.13	54.0	-16.76	AV	260.00	150	Vertical	Pass
6	15658.762	54.97	23.47	74.0	-19.03	Peak	360.00	150	Vertical	Pass
6**	15658.762	42.52	23.47	54.0	-11.48	AV	360.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1130.900	39.63	-15.37	74.0	-34.37	Peak	7.00	150	Horizontal	Pass
1**	1130.900	28.95	-15.37	54.0	-25.05	AV	7.00	150	Horizontal	Pass
2	2877.800	42.15	-8.32	74.0	-31.85	Peak	317.00	150	Horizontal	Pass
2**	2877.800	31.67	-8.32	54.0	-22.33	AV	317.00	150	Horizontal	Pass
3	3992.200	47.29	-4.51	74.0	-26.71	Peak	298.00	150	Horizontal	Pass
3**	3992.200	33.97	-4.51	54.0	-20.03	AV	298.00	150	Horizontal	Pass
4	5578.800	103.01	0.80	--	-152.99	Peak	256.00	150	Horizontal	N/A
4**	5578.800	96.89	0.80	--	96.89	AV	256.00	150	Horizontal	N/A
5	12332.838	50.49	19.83	74.0	-23.51	Peak	273.00	150	Horizontal	Pass
5**	12332.838	38.80	19.83	54.0	-15.20	AV	273.00	150	Horizontal	Pass
6	15656.401	54.72	23.48	74.0	-19.28	Peak	275.00	150	Horizontal	Pass
6**	15656.401	43.05	23.48	54.0	-10.95	AV	275.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.000	44.33	-15.07	74.0	-29.67	Peak	297.00	150	Vertical	Pass
1**	1182.000	36.99	-15.07	54.0	-17.01	AV	297.00	150	Vertical	Pass
2	2772.100	41.55	-8.47	74.0	-32.45	Peak	246.00	150	Vertical	Pass
2**	2772.100	31.30	-8.47	54.0	-22.70	AV	246.00	150	Vertical	Pass
3	4224.200	47.70	-3.59	74.0	-26.30	Peak	313.00	150	Vertical	Pass
3**	4224.200	35.73	-3.59	54.0	-18.27	AV	313.00	150	Vertical	Pass
4	5581.800	98.85	0.85	--	-48.15	Peak	147.00	150	Vertical	N/A
4**	5581.800	91.95	0.85	--	91.95	AV	147.00	150	Vertical	N/A
5	11625.588	50.22	20.27	74.0	-23.78	Peak	88.00	150	Vertical	Pass
5**	11625.588	39.31	20.27	54.0	-14.69	AV	88.00	150	Vertical	Pass
6	15608.625	54.60	23.51	74.0	-19.40	Peak	310.00	150	Vertical	Pass
6**	15608.625	44.18	23.51	54.0	-9.82	AV	310.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1138.700	40.84	-15.15	74.0	-33.16	Peak	348.00	150	Horizontal	Pass
1**	1138.700	33.43	-15.15	54.0	-20.57	AV	348.00	150	Horizontal	Pass
2	2738.900	41.82	-8.68	74.0	-32.18	Peak	62.00	150	Horizontal	Pass
2**	2738.900	32.46	-8.68	54.0	-21.54	AV	62.00	150	Horizontal	Pass
3	4023.800	46.78	-3.98	74.0	-27.22	Peak	251.00	150	Horizontal	Pass
3**	4023.800	34.80	-3.98	54.0	-19.20	AV	251.00	150	Horizontal	Pass
4	5703.200	102.16	-0.70	--	-182.84	Peak	285.00	150	Horizontal	N/A
4**	5703.200	95.22	-0.70	--	95.22	AV	285.00	150	Horizontal	N/A
5	11635.363	50.16	20.33	74.0	-23.84	Peak	162.00	150	Horizontal	Pass
5**	11635.363	39.37	20.33	54.0	-14.63	AV	162.00	150	Horizontal	Pass
6	15656.138	55.01	23.48	74.0	-18.99	Peak	332.00	150	Horizontal	Pass
6**	15656.138	43.96	23.48	54.0	-10.04	AV	332.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.800	43.69	-15.06	74.0	-30.31	Peak	282.00	150	Vertical	Pass
1**	1181.800	34.19	-15.06	54.0	-19.81	AV	282.00	150	Vertical	Pass
2	2833.100	41.90	-8.47	74.0	-32.10	Peak	8.00	150	Vertical	Pass
2**	2833.100	31.44	-8.47	54.0	-22.56	AV	8.00	150	Vertical	Pass
3	3903.000	46.24	-5.08	74.0	-27.76	Peak	118.00	150	Vertical	Pass
3**	3903.000	34.50	-5.08	54.0	-19.50	AV	118.00	150	Vertical	Pass
4	5699.000	98.46	-0.83	--	-63.54	Peak	162.00	150	Vertical	N/A
4**	5699.000	91.56	-0.83	--	91.56	AV	162.00	150	Vertical	N/A
5	11597.412	50.03	20.10	74.0	-23.97	Peak	349.00	150	Vertical	Pass
5**	11597.412	38.40	20.10	54.0	-15.60	AV	349.00	150	Vertical	Pass
6	15883.725	55.10	23.34	74.0	-18.90	Peak	360.00	150	Vertical	Pass
6**	15883.725	42.94	23.34	54.0	-11.06	AV	360.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1129.500	41.62	-15.39	74.0	-32.38	Peak	0.00	150	Horizontal	Pass
1**	1129.500	34.85	-15.39	54.0	-19.15	AV	0.00	150	Horizontal	Pass
2	2811.200	42.03	-8.45	74.0	-31.97	Peak	31.00	150	Horizontal	Pass
2**	2811.200	31.48	-8.45	54.0	-22.52	AV	31.00	150	Horizontal	Pass
3	4240.000	47.03	-3.41	74.0	-26.97	Peak	55.00	150	Horizontal	Pass
3**	4240.000	35.00	-3.41	54.0	-19.00	AV	55.00	150	Horizontal	Pass
4	5724.600	101.83	-0.48	--	-148.17	Peak	250.00	150	Horizontal	N/A
4**	5724.600	95.26	-0.48	--	95.26	AV	250.00	150	Horizontal	N/A
5	11644.849	50.28	20.38	74.0	-23.72	Peak	216.00	150	Horizontal	Pass
5**	11644.849	39.86	20.38	54.0	-14.14	AV	216.00	150	Horizontal	Pass
6	15619.912	54.83	23.45	74.0	-19.17	Peak	36.00	150	Horizontal	Pass
6**	15619.912	43.31	23.45	54.0	-10.69	AV	36.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.800	44.70	-15.09	74.0	-29.30	Peak	305.00	150	Vertical	Pass
1**	1183.800	33.36	-15.09	54.0	-20.64	AV	305.00	150	Vertical	Pass
2	2880.600	42.96	-8.28	74.0	-31.04	Peak	96.00	150	Vertical	Pass
2**	2880.600	31.74	-8.28	54.0	-22.26	AV	96.00	150	Vertical	Pass
3	3995.600	47.53	-4.49	74.0	-26.47	Peak	171.00	150	Vertical	Pass
3**	3995.600	37.54	-4.49	54.0	-16.46	AV	171.00	150	Vertical	Pass
4	5717.000	100.24	-0.55	--	-59.76	Peak	160.00	150	Vertical	N/A
4**	5717.000	93.96	-0.55	--	93.96	AV	160.00	150	Vertical	N/A
5	11651.463	50.08	20.37	74.0	-23.92	Peak	78.00	150	Vertical	Pass
5**	11651.463	37.76	20.37	54.0	-16.24	AV	78.00	150	Vertical	Pass
6	15735.937	55.28	23.48	74.0	-18.72	Peak	63.00	150	Vertical	Pass
6**	15735.937	43.18	23.48	54.0	-10.82	AV	63.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.100	40.29	-15.37	74.0	-33.71	Peak	0.00	150	Horizontal	Pass
1**	1131.100	31.26	-15.37	54.0	-22.74	AV	0.00	150	Horizontal	Pass
2	2785.100	41.52	-8.71	74.0	-32.48	Peak	249.00	150	Horizontal	Pass
2**	2785.100	31.33	-8.71	54.0	-22.67	AV	249.00	150	Horizontal	Pass
3	4158.000	46.95	-3.52	74.0	-27.05	Peak	15.00	150	Horizontal	Pass
3**	4158.000	35.37	-3.52	54.0	-18.63	AV	15.00	150	Horizontal	Pass
4	5513.600	99.82	0.32	--	-179.18	Peak	279.00	150	Horizontal	N/A
4**	5513.600	92.61	0.32	--	92.61	AV	279.00	150	Horizontal	N/A
5	11678.200	49.63	20.08	74.0	-24.37	Peak	318.00	150	Horizontal	Pass
5**	11678.200	39.53	20.08	54.0	-14.47	AV	318.00	150	Horizontal	Pass
6	15618.338	54.93	23.46	74.0	-19.07	Peak	267.00	150	Horizontal	Pass
6**	15618.338	43.47	23.46	54.0	-10.53	AV	267.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.600	45.89	-15.04	74.0	-28.11	Peak	294.00	150	Vertical	Pass
1**	1175.600	35.48	-15.04	54.0	-18.52	AV	294.00	150	Vertical	Pass
2	2777.900	41.47	-8.53	74.0	-32.53	Peak	3.00	150	Vertical	Pass
2**	2777.900	31.73	-8.53	54.0	-22.27	AV	3.00	150	Vertical	Pass
3	4176.800	47.44	-4.01	74.0	-26.56	Peak	356.00	150	Vertical	Pass
3**	4176.800	35.23	-4.01	54.0	-18.77	AV	356.00	150	Vertical	Pass
4	5505.200	96.89	0.44	--	-46.11	Peak	143.00	150	Vertical	N/A
4**	5505.200	89.36	0.44	--	89.36	AV	143.00	150	Vertical	N/A
5	11745.762	49.86	19.01	74.0	-24.14	Peak	124.00	150	Vertical	Pass
5**	11745.762	38.27	19.01	54.0	-15.73	AV	124.00	150	Vertical	Pass
6	15675.300	55.34	23.56	74.0	-18.66	Peak	229.00	150	Vertical	Pass
6**	15675.300	42.80	23.56	54.0	-11.20	AV	229.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.900	43.44	-15.34	74.0	-30.56	Peak	351.00	150	Horizontal	Pass
1**	1119.900	35.03	-15.34	54.0	-18.97	AV	351.00	150	Horizontal	Pass
2	2828.100	41.63	-8.26	74.0	-32.37	Peak	219.00	150	Horizontal	Pass
2**	2828.100	32.54	-8.26	54.0	-21.46	AV	219.00	150	Horizontal	Pass
3	3974.200	46.79	-4.15	74.0	-27.21	Peak	4.00	150	Horizontal	Pass
3**	3974.200	34.42	-4.15	54.0	-19.58	AV	4.00	150	Horizontal	Pass
4	5599.200	100.62	0.31	--	-159.38	Peak	260.00	150	Horizontal	N/A
4**	5599.200	93.16	0.31	--	93.16	AV	260.00	150	Horizontal	N/A
5	11612.075	50.14	20.20	74.0	-23.86	Peak	349.00	150	Horizontal	Pass
5**	11612.075	39.83	20.20	54.0	-14.17	AV	349.00	150	Horizontal	Pass
6	15551.662	55.84	23.60	74.0	-18.16	Peak	0.00	150	Horizontal	Pass
6**	15551.662	43.71	23.60	54.0	-10.29	AV	0.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1170.800	44.43	-15.04	74.0	-29.57	Peak	280.00	150	Vertical	Pass
1**	1170.800	34.60	-15.04	54.0	-19.40	AV	280.00	150	Vertical	Pass
2	2894.300	42.48	-8.13	74.0	-31.52	Peak	45.00	150	Vertical	Pass
2**	2894.300	32.33	-8.13	54.0	-21.67	AV	45.00	150	Vertical	Pass
3	3984.600	49.27	-4.29	74.0	-24.73	Peak	241.00	150	Vertical	Pass
3**	3984.600	35.80	-4.29	54.0	-18.20	AV	241.00	150	Vertical	Pass
4	5578.200	95.00	0.76	--	-50.00	Peak	145.00	150	Vertical	N/A
4**	5578.200	88.84	0.76	--	88.84	AV	145.00	150	Vertical	N/A
5	11632.201	50.20	20.31	74.0	-23.80	Peak	360.00	150	Vertical	Pass
5**	11632.201	38.42	20.31	54.0	-15.58	AV	360.00	150	Vertical	Pass
6	15538.275	54.90	23.71	74.0	-19.10	Peak	360.00	150	Vertical	Pass
6**	15538.275	44.61	23.71	54.0	-9.39	AV	360.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.700	42.63	-15.24	74.0	-31.37	Peak	0.00	150	Horizontal	Pass
1**	1133.700	32.76	-15.24	54.0	-21.24	AV	0.00	150	Horizontal	Pass
2	2758.000	41.38	-8.97	74.0	-32.62	Peak	244.00	150	Horizontal	Pass
2**	2758.000	32.48	-8.97	54.0	-21.52	AV	244.00	150	Horizontal	Pass
3	4295.200	47.05	-3.81	74.0	-26.95	Peak	23.00	150	Horizontal	Pass
3**	4295.200	35.09	-3.81	54.0	-18.91	AV	23.00	150	Horizontal	Pass
4	5658.400	101.10	0.02	--	-171.90	Peak	273.00	150	Horizontal	N/A
4**	5658.400	94.18	0.02	--	94.18	AV	273.00	150	Horizontal	N/A
5	11623.000	50.34	20.26	74.0	-23.66	Peak	309.00	150	Horizontal	Pass
5**	11623.000	38.28	20.26	54.0	-15.72	AV	309.00	150	Horizontal	Pass
6	15481.838	54.79	23.68	74.0	-19.21	Peak	0.00	150	Horizontal	Pass
6**	15481.838	43.77	23.68	54.0	-10.23	AV	0.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.200	46.03	-15.10	74.0	-27.97	Peak	301.00	150	Vertical	Pass
1**	1185.200	36.84	-15.10	54.0	-17.16	AV	301.00	150	Vertical	Pass
2	2826.600	41.86	-8.39	74.0	-32.14	Peak	68.00	150	Vertical	Pass
2**	2826.600	32.46	-8.39	54.0	-21.54	AV	68.00	150	Vertical	Pass
3	3992.600	47.47	-4.53	74.0	-26.53	Peak	132.00	150	Vertical	Pass
3**	3992.600	35.83	-4.53	54.0	-18.17	AV	132.00	150	Vertical	Pass
4	5660.200	96.77	-0.03	--	-62.23	Peak	159.00	150	Vertical	N/A
4**	5660.200	88.37	-0.03	--	88.37	AV	159.00	150	Vertical	N/A
5	11605.175	49.61	20.16	74.0	-24.39	Peak	253.00	150	Vertical	Pass
5**	11605.175	39.04	20.16	54.0	-14.96	AV	253.00	150	Vertical	Pass
6	15533.025	54.95	23.73	74.0	-19.05	Peak	236.00	150	Vertical	Pass
6**	15533.025	43.68	23.73	54.0	-10.32	AV	236.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.100	42.13	-15.21	74.0	-31.87	Peak	360.00	150	Horizontal	Pass
1**	1114.100	32.98	-15.21	54.0	-21.02	AV	360.00	150	Horizontal	Pass
2	2770.700	41.03	-8.49	74.0	-32.97	Peak	234.00	150	Horizontal	Pass
2**	2770.700	30.56	-8.49	54.0	-23.44	AV	234.00	150	Horizontal	Pass
3	4027.800	46.44	-3.90	74.0	-27.56	Peak	360.00	150	Horizontal	Pass
3**	4027.800	35.15	-3.90	54.0	-18.85	AV	360.00	150	Horizontal	Pass
4	5708.200	99.58	-0.52	--	-175.42	Peak	275.00	150	Horizontal	N/A
4**	5708.200	92.43	-0.52	--	92.43	AV	275.00	150	Horizontal	N/A
5	11547.099	50.14	19.68	74.0	-23.86	Peak	159.00	150	Horizontal	Pass
5**	11547.099	39.09	19.68	54.0	-14.91	AV	159.00	150	Horizontal	Pass
6	15557.963	55.07	23.58	74.0	-18.93	Peak	176.00	150	Horizontal	Pass
6**	15557.963	43.74	23.58	54.0	-10.26	AV	176.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.000	44.03	-15.07	74.0	-29.97	Peak	288.00	150	Vertical	Pass
1**	1188.000	36.74	-15.07	54.0	-17.26	AV	288.00	150	Vertical	Pass
2	2831.100	41.81	-8.33	74.0	-32.19	Peak	205.00	150	Vertical	Pass
2**	2831.100	32.79	-8.33	54.0	-21.21	AV	205.00	150	Vertical	Pass
3	4031.400	46.70	-3.92	74.0	-27.30	Peak	68.00	150	Vertical	Pass
3**	4031.400	35.26	-3.92	54.0	-18.74	AV	68.00	150	Vertical	Pass
4	5721.200	96.54	-0.56	--	-65.46	Peak	162.00	150	Vertical	N/A
4**	5721.200	90.32	-0.56	--	90.32	AV	162.00	150	Vertical	N/A
5	11671.875	50.04	20.15	74.0	-23.96	Peak	353.00	150	Vertical	Pass
5**	11671.875	38.61	20.15	54.0	-15.39	AV	353.00	150	Vertical	Pass
6	15612.826	54.98	23.48	74.0	-19.02	Peak	159.00	150	Vertical	Pass
6**	15612.826	43.71	23.48	54.0	-10.29	AV	159.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.200	41.59	-15.17	74.0	-32.41	Peak	0.00	150	Horizontal	Pass
1**	1136.200	29.61	-15.17	54.0	-24.39	AV	0.00	150	Horizontal	Pass
2	2833.300	41.49	-8.47	74.0	-32.51	Peak	301.00	150	Horizontal	Pass
2**	2833.300	30.99	-8.47	54.0	-23.01	AV	301.00	150	Horizontal	Pass
3	4183.800	46.81	-3.92	74.0	-27.19	Peak	264.00	150	Horizontal	Pass
3**	4183.800	34.83	-3.92	54.0	-19.17	AV	264.00	150	Horizontal	Pass
4	5504.600	102.40	0.46	--	-153.60	Peak	256.00	150	Horizontal	N/A
4**	5504.600	96.21	0.46	--	96.21	AV	256.00	150	Horizontal	N/A
5	11810.162	49.75	18.47	74.0	-24.25	Peak	232.00	150	Horizontal	Pass
5**	11810.162	38.29	18.47	54.0	-15.71	AV	232.00	150	Horizontal	Pass
6	15900.526	55.30	23.28	74.0	-18.70	Peak	298.00	150	Horizontal	Pass
6**	15900.526	43.34	23.28	54.0	-10.66	AV	298.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.300	45.35	-15.10	74.0	-28.65	Peak	295.00	150	Vertical	Pass
1**	1185.300	35.71	-15.10	54.0	-18.29	AV	295.00	150	Vertical	Pass
2	2808.300	41.78	-8.62	74.0	-32.22	Peak	225.00	150	Vertical	Pass
2**	2808.300	31.76	-8.62	54.0	-22.24	AV	225.00	150	Vertical	Pass
3	3984.000	48.13	-4.28	74.0	-25.87	Peak	293.00	150	Vertical	Pass
3**	3984.000	36.07	-4.28	54.0	-17.93	AV	293.00	150	Vertical	Pass
4	5498.200	100.51	0.55	--	-43.49	Peak	144.00	150	Vertical	N/A
4**	5498.200	94.09	0.55	--	94.09	AV	144.00	150	Vertical	N/A
5	12212.950	50.78	20.44	74.0	-23.22	Peak	78.00	150	Vertical	Pass
5**	12212.950	39.22	20.44	54.0	-14.78	AV	78.00	150	Vertical	Pass
6	15951.450	55.21	23.95	74.0	-18.79	Peak	232.00	150	Vertical	Pass
6**	15951.450	44.04	23.95	54.0	-9.96	AV	232.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.500	40.95	-15.32	74.0	-33.05	Peak	0.00	150	Horizontal	Pass
1**	1119.500	31.88	-15.32	54.0	-22.12	AV	0.00	150	Horizontal	Pass
2	2890.100	41.98	-8.13	74.0	-32.02	Peak	163.00	150	Horizontal	Pass
2**	2890.100	32.71	-8.13	54.0	-21.29	AV	163.00	150	Horizontal	Pass
3	4069.600	47.39	-3.80	74.0	-26.61	Peak	159.00	150	Horizontal	Pass
3**	4069.600	35.00	-3.80	54.0	-19.00	AV	159.00	150	Horizontal	Pass
4	5583.400	102.85	0.70	--	-155.15	Peak	258.00	150	Horizontal	N/A
4**	5583.400	96.65	0.70	--	96.65	AV	258.00	150	Horizontal	N/A
5	11658.362	49.84	20.29	74.0	-24.16	Peak	8.00	150	Horizontal	Pass
5**	11658.362	38.13	20.29	54.0	-15.87	AV	8.00	150	Horizontal	Pass
6	15500.474	54.79	23.96	74.0	-19.21	Peak	172.00	150	Horizontal	Pass
6**	15500.474	42.72	23.96	54.0	-11.28	AV	172.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.300	43.82	-14.95	74.0	-30.18	Peak	48.00	150	Vertical	Pass
1**	1158.300	34.13	-14.95	54.0	-19.87	AV	48.00	150	Vertical	Pass
2	2878.200	41.96	-8.31	74.0	-32.04	Peak	10.00	150	Vertical	Pass
2**	2878.200	32.62	-8.31	54.0	-21.38	AV	10.00	150	Vertical	Pass
3	4278.800	47.61	-3.49	74.0	-26.39	Peak	97.00	150	Vertical	Pass
3**	4278.800	35.36	-3.49	54.0	-18.64	AV	97.00	150	Vertical	Pass
4	5578.400	97.88	0.77	--	-44.12	Peak	142.00	150	Vertical	N/A
4**	5578.400	90.63	0.77	--	90.63	AV	142.00	150	Vertical	N/A
5	11565.213	49.70	19.81	74.0	-24.30	Peak	283.00	150	Vertical	Pass
5**	11565.213	40.18	19.81	54.0	-13.82	AV	283.00	150	Vertical	Pass
6	15602.326	55.21	23.54	74.0	-18.79	Peak	147.00	150	Vertical	Pass
6**	15602.326	43.05	23.54	54.0	-10.95	AV	147.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.600	42.50	-15.24	74.0	-31.50	Peak	0.00	150	Horizontal	Pass
1**	1122.600	31.65	-15.24	54.0	-22.35	AV	0.00	150	Horizontal	Pass
2	2865.900	41.91	-8.06	74.0	-32.09	Peak	238.00	150	Horizontal	Pass
2**	2865.900	33.04	-8.06	54.0	-20.96	AV	238.00	150	Horizontal	Pass
3	4066.200	47.30	-3.90	74.0	-26.70	Peak	230.00	150	Horizontal	Pass
3**	4066.200	35.91	-3.90	54.0	-18.09	AV	230.00	150	Horizontal	Pass
4	5702.200	102.42	-0.75	--	-154.58	Peak	257.00	150	Horizontal	N/A
4**	5702.200	95.67	-0.75	--	95.67	AV	257.00	150	Horizontal	N/A
5	11632.201	50.52	20.31	74.0	-23.48	Peak	310.00	150	Horizontal	Pass
5**	11632.201	38.28	20.31	54.0	-15.72	AV	310.00	150	Horizontal	Pass
6	15924.412	54.67	23.70	74.0	-19.33	Peak	276.00	150	Horizontal	Pass
6**	15924.412	45.06	23.70	54.0	-8.94	AV	276.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.400	44.46	-14.86	74.0	-29.54	Peak	281.00	150	Vertical	Pass
1**	1163.400	33.74	-14.86	54.0	-20.26	AV	281.00	150	Vertical	Pass
2	2808.200	41.46	-8.63	74.0	-32.54	Peak	160.00	150	Vertical	Pass
2**	2808.200	31.77	-8.63	54.0	-22.23	AV	160.00	150	Vertical	Pass
3	3988.800	46.79	-4.32	74.0	-27.21	Peak	168.00	150	Vertical	Pass
3**	3988.800	35.39	-4.32	54.0	-18.61	AV	168.00	150	Vertical	Pass
4	5702.400	98.44	-0.74	--	-61.56	Peak	160.00	150	Vertical	N/A
4**	5702.400	92.24	-0.74	--	92.24	AV	160.00	150	Vertical	N/A
5	12287.700	50.91	20.13	74.0	-23.09	Peak	31.00	150	Vertical	Pass
5**	12287.700	37.80	20.13	54.0	-16.20	AV	31.00	150	Vertical	Pass
6	16056.713	55.64	24.13	74.0	-18.36	Peak	316.00	150	Vertical	Pass
6**	16056.713	43.03	24.13	54.0	-10.97	AV	316.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1129.000	44.05	-15.40	74.0	-29.95	Peak	3.00	150	Horizontal	Pass
1**	1129.000	33.57	-15.40	54.0	-20.43	AV	3.00	150	Horizontal	Pass
2	2885.600	42.06	-8.22	74.0	-31.94	Peak	30.00	150	Horizontal	Pass
2**	2885.600	33.10	-8.22	54.0	-20.90	AV	30.00	150	Horizontal	Pass
3	4026.000	46.64	-3.86	74.0	-27.36	Peak	45.00	150	Horizontal	Pass
3**	4026.000	35.44	-3.86	54.0	-18.56	AV	45.00	150	Horizontal	Pass
4	5721.600	102.87	-0.54	--	-162.13	Peak	265.00	150	Horizontal	N/A
4**	5721.600	96.40	-0.54	--	96.40	AV	265.00	150	Horizontal	N/A
5	11890.375	50.12	18.04	74.0	-23.88	Peak	311.00	150	Horizontal	Pass
5**	11890.375	37.61	18.04	54.0	-16.39	AV	311.00	150	Horizontal	Pass
6	15595.237	54.64	23.56	74.0	-19.36	Peak	17.00	150	Horizontal	Pass
6**	15595.237	43.68	23.56	54.0	-10.32	AV	17.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.800	46.07	-15.07	74.0	-27.93	Peak	291.00	150	Vertical	Pass
1**	1187.800	36.14	-15.07	54.0	-17.86	AV	291.00	150	Vertical	Pass
2	2860.200	41.98	-7.97	74.0	-32.02	Peak	152.00	150	Vertical	Pass
2**	2860.200	31.36	-7.97	54.0	-22.64	AV	152.00	150	Vertical	Pass
3	3937.800	46.75	-5.01	74.0	-27.25	Peak	94.00	150	Vertical	Pass
3**	3937.800	34.32	-5.01	54.0	-19.68	AV	94.00	150	Vertical	Pass
4	5723.200	99.95	-0.50	--	-66.05	Peak	166.00	150	Vertical	N/A
4**	5723.200	93.08	-0.50	--	93.08	AV	166.00	150	Vertical	N/A
5	11631.050	50.26	20.31	74.0	-23.74	Peak	0.00	150	Vertical	Pass
5**	11631.050	38.81	20.31	54.0	-15.19	AV	0.00	150	Vertical	Pass
6	15703.125	55.35	23.56	74.0	-18.65	Peak	332.00	150	Vertical	Pass
6**	15703.125	43.74	23.56	54.0	-10.26	AV	332.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.900	43.61	-15.09	74.0	-30.39	Peak	3.00	150	Horizontal	Pass
1**	1142.900	32.73	-15.09	54.0	-21.27	AV	3.00	150	Horizontal	Pass
2	2803.500	41.14	-8.73	74.0	-32.86	Peak	0.00	150	Horizontal	Pass
2**	2803.500	31.73	-8.73	54.0	-22.27	AV	0.00	150	Horizontal	Pass
3	4316.200	48.15	-3.16	74.0	-25.85	Peak	284.00	150	Horizontal	Pass
3**	4316.200	35.73	-3.16	54.0	-18.27	AV	284.00	150	Horizontal	Pass
4	5501.200	99.54	0.47	--	-157.46	Peak	257.00	150	Horizontal	N/A
4**	5501.200	93.53	0.47	--	93.53	AV	257.00	150	Horizontal	N/A
5	11925.737	50.00	18.14	74.0	-24.00	Peak	239.00	150	Horizontal	Pass
5**	11925.737	38.27	18.14	54.0	-15.73	AV	239.00	150	Horizontal	Pass
6	15499.950	55.34	23.97	74.0	-18.66	Peak	156.00	150	Horizontal	Pass
6**	15499.950	42.90	23.97	54.0	-11.10	AV	156.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1134.900	45.58	-15.16	74.0	-28.42	Peak	244.00	150	Vertical	Pass
1**	1134.900	36.37	-15.16	54.0	-17.63	AV	244.00	150	Vertical	Pass
2	2830.900	41.35	-8.32	74.0	-32.65	Peak	128.00	150	Vertical	Pass
2**	2830.900	31.82	-8.32	54.0	-22.18	AV	128.00	150	Vertical	Pass
3	3989.600	47.53	-4.36	74.0	-26.47	Peak	79.00	150	Vertical	Pass
3**	3989.600	35.54	-4.36	54.0	-18.46	AV	79.00	150	Vertical	Pass
4	5499.800	96.91	0.49	--	-45.09	Peak	142.00	150	Vertical	N/A
4**	5499.800	89.19	0.49	--	89.19	AV	142.00	150	Vertical	N/A
5	11676.474	50.68	20.10	74.0	-23.32	Peak	218.00	150	Vertical	Pass
5**	11676.474	37.87	20.10	54.0	-16.13	AV	218.00	150	Vertical	Pass
6	15934.387	56.21	23.83	74.0	-17.79	Peak	184.00	150	Vertical	Pass
6**	15934.387	42.33	23.83	54.0	-11.67	AV	184.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1127.900	45.19	-15.36	74.0	-28.81	Peak	3.00	150	Horizontal	Pass
1**	1127.900	34.78	-15.36	54.0	-19.22	AV	3.00	150	Horizontal	Pass
2	2865.900	42.15	-8.06	74.0	-31.85	Peak	217.00	150	Horizontal	Pass
2**	2865.900	31.29	-8.06	54.0	-22.71	AV	217.00	150	Horizontal	Pass
3	4748.000	49.29	-1.84	74.0	-24.71	Peak	324.00	150	Horizontal	Pass
3**	4748.000	37.55	-1.84	54.0	-16.45	AV	324.00	150	Horizontal	Pass
4	5593.800	99.64	0.38	--	-160.36	Peak	260.00	150	Horizontal	N/A
4**	5593.800	93.53	0.38	--	93.53	AV	260.00	150	Horizontal	N/A
5	11678.488	51.44	20.08	74.0	-22.56	Peak	93.00	150	Horizontal	Pass
5**	11678.488	39.85	20.08	54.0	-14.15	AV	93.00	150	Horizontal	Pass
6	15503.362	54.56	23.94	74.0	-19.44	Peak	273.00	150	Horizontal	Pass
6**	15503.362	43.39	23.94	54.0	-10.61	AV	273.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.200	47.01	-14.87	74.0	-26.99	Peak	289.00	150	Vertical	Pass
1**	1164.200	40.13	-14.87	54.0	-13.87	AV	289.00	150	Vertical	Pass
2	2884.700	42.12	-8.28	74.0	-31.88	Peak	44.00	150	Vertical	Pass
2**	2884.700	32.59	-8.28	54.0	-21.41	AV	44.00	150	Vertical	Pass
3	4319.400	47.43	-3.04	74.0	-26.57	Peak	281.00	150	Vertical	Pass
3**	4319.400	35.13	-3.04	54.0	-18.87	AV	281.00	150	Vertical	Pass
4	5585.800	95.32	0.70	--	-51.68	Peak	147.00	150	Vertical	N/A
4**	5585.800	88.09	0.70	--	88.09	AV	147.00	150	Vertical	N/A
5	12289.138	50.17	20.11	74.0	-23.83	Peak	83.00	150	Vertical	Pass
5**	12289.138	38.06	20.11	54.0	-15.94	AV	83.00	150	Vertical	Pass
6	15568.725	55.20	23.58	74.0	-18.80	Peak	53.00	150	Vertical	Pass
6**	15568.725	43.05	23.58	54.0	-10.95	AV	53.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1145.600	43.48	-14.97	74.0	-30.52	Peak	9.00	150	Horizontal	Pass
1**	1145.600	35.20	-14.97	54.0	-18.80	AV	9.00	150	Horizontal	Pass
2	2863.700	41.92	-8.04	74.0	-32.08	Peak	154.00	150	Horizontal	Pass
2**	2863.700	32.34	-8.04	54.0	-21.66	AV	154.00	150	Horizontal	Pass
3	4149.400	48.10	-3.49	74.0	-25.90	Peak	312.00	150	Horizontal	Pass
3**	4149.400	37.40	-3.49	54.0	-16.60	AV	312.00	150	Horizontal	Pass
4	5662.400	99.94	-0.03	--	-159.06	Peak	259.00	150	Horizontal	N/A
4**	5662.400	92.90	-0.03	--	92.90	AV	259.00	150	Horizontal	N/A
5	11667.849	50.57	20.19	74.0	-23.43	Peak	55.00	150	Horizontal	Pass
5**	11667.849	38.37	20.19	54.0	-15.63	AV	55.00	150	Horizontal	Pass
6	15562.951	55.16	23.58	74.0	-18.84	Peak	311.00	150	Horizontal	Pass
6**	15562.951	42.95	23.58	54.0	-11.05	AV	311.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.800	45.56	-15.04	74.0	-28.44	Peak	286.00	150	Vertical	Pass
1**	1189.800	36.65	-15.04	54.0	-17.35	AV	286.00	150	Vertical	Pass
2	2736.800	41.46	-8.63	74.0	-32.54	Peak	242.00	150	Vertical	Pass
2**	2736.800	32.07	-8.63	54.0	-21.93	AV	242.00	150	Vertical	Pass
3	4027.600	47.03	-3.88	74.0	-26.97	Peak	109.00	150	Vertical	Pass
3**	4027.600	35.29	-3.88	54.0	-18.71	AV	109.00	150	Vertical	Pass
4	5667.600	95.77	0.15	--	-65.23	Peak	161.00	150	Vertical	N/A
4**	5667.600	89.16	0.15	--	89.16	AV	161.00	150	Vertical	N/A
5	12214.100	50.41	20.44	74.0	-23.59	Peak	32.00	150	Vertical	Pass
5**	12214.100	39.44	20.44	54.0	-14.56	AV	32.00	150	Vertical	Pass
6	15533.813	55.05	23.72	74.0	-18.95	Peak	202.00	150	Vertical	Pass
6**	15533.813	43.21	23.72	54.0	-10.79	AV	202.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1135.200	42.59	-15.15	74.0	-31.41	Peak	360.00	150	Horizontal	Pass
1**	1135.200	31.21	-15.15	54.0	-22.79	AV	360.00	150	Horizontal	Pass
2	2777.400	41.76	-8.53	74.0	-32.24	Peak	154.00	150	Horizontal	Pass
2**	2777.400	31.44	-8.53	54.0	-22.56	AV	154.00	150	Horizontal	Pass
3	4338.800	47.70	-2.84	74.0	-26.30	Peak	77.00	150	Horizontal	Pass
3**	4338.800	34.28	-2.84	54.0	-19.72	AV	77.00	150	Horizontal	Pass
4	5707.000	99.43	-0.58	--	-165.57	Peak	265.00	150	Horizontal	N/A
4**	5707.000	92.16	-0.58	--	92.16	AV	265.00	150	Horizontal	N/A
5	11620.412	50.12	20.24	74.0	-23.88	Peak	159.00	150	Horizontal	Pass
5**	11620.412	39.27	20.24	54.0	-14.73	AV	159.00	150	Horizontal	Pass
6	15512.549	55.58	23.85	74.0	-18.42	Peak	301.00	150	Horizontal	Pass
6**	15512.549	43.79	23.85	54.0	-10.21	AV	301.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.700	47.44	-15.05	74.0	-26.56	Peak	291.00	150	Vertical	Pass
1**	1179.700	36.60	-15.05	54.0	-17.40	AV	291.00	150	Vertical	Pass
2	2871.900	41.52	-8.22	74.0	-32.48	Peak	245.00	150	Vertical	Pass
2**	2871.900	32.24	-8.22	54.0	-21.76	AV	245.00	150	Vertical	Pass
3	3993.800	46.69	-4.53	74.0	-27.31	Peak	91.00	150	Vertical	Pass
3**	3993.800	38.06	-4.53	54.0	-15.94	AV	91.00	150	Vertical	Pass
4	5707.600	96.57	-0.56	--	-64.43	Peak	161.00	150	Vertical	N/A
4**	5707.600	89.69	-0.56	--	89.69	AV	161.00	150	Vertical	N/A
5	11676.188	49.85	20.11	74.0	-24.15	Peak	268.00	150	Vertical	Pass
5**	11676.188	38.21	20.11	54.0	-15.79	AV	268.00	150	Vertical	Pass
6	15935.175	55.23	23.84	74.0	-18.77	Peak	290.00	150	Vertical	Pass
6**	15935.175	43.70	23.84	54.0	-10.30	AV	290.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.900	41.30	-15.12	74.0	-32.70	Peak	21.00	150	Horizontal	Pass
1**	1111.900	31.58	-15.12	54.0	-22.42	AV	21.00	150	Horizontal	Pass
2	2888.500	42.73	-8.15	74.0	-31.27	Peak	124.00	150	Horizontal	Pass
2**	2888.500	33.98	-8.15	54.0	-20.02	AV	124.00	150	Horizontal	Pass
3	4347.400	47.91	-3.19	74.0	-26.09	Peak	360.00	150	Horizontal	Pass
3**	4347.400	35.16	-3.19	54.0	-18.84	AV	360.00	150	Horizontal	Pass
4	5546.000	96.57	0.34	--	-159.43	Peak	256.00	150	Horizontal	N/A
4**	5546.000	89.44	0.34	--	89.44	AV	256.00	150	Horizontal	N/A
5	12283.099	49.96	20.19	74.0	-24.04	Peak	360.00	150	Horizontal	Pass
5**	12283.099	38.30	20.19	54.0	-15.70	AV	360.00	150	Horizontal	Pass
6	16144.912	55.03	24.10	74.0	-18.97	Peak	327.00	150	Horizontal	Pass
6**	16144.912	44.00	24.10	54.0	-10.00	AV	327.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.600	45.57	-15.10	74.0	-28.43	Peak	285.00	150	Vertical	Pass
1**	1186.600	34.36	-15.10	54.0	-19.64	AV	285.00	150	Vertical	Pass
2	2871.600	41.92	-8.21	74.0	-32.08	Peak	349.00	150	Vertical	Pass
2**	2871.600	31.94	-8.21	54.0	-22.06	AV	349.00	150	Vertical	Pass
3	3959.600	46.93	-4.47	74.0	-27.07	Peak	92.00	150	Vertical	Pass
3**	3959.600	34.71	-4.47	54.0	-19.29	AV	92.00	150	Vertical	Pass
4	5507.000	93.49	0.30	--	-53.51	Peak	147.00	150	Vertical	N/A
4**	5507.000	86.55	0.30	--	86.55	AV	147.00	150	Vertical	N/A
5	12096.224	50.12	19.37	74.0	-23.88	Peak	172.00	150	Vertical	Pass
5**	12096.224	37.69	19.37	54.0	-16.31	AV	172.00	150	Vertical	Pass
6	15889.237	54.77	23.31	74.0	-19.23	Peak	326.00	150	Vertical	Pass
6**	15889.237	43.95	23.31	54.0	-10.05	AV	326.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1126.300	42.01	-15.27	74.0	-31.99	Peak	3.00	150	Horizontal	Pass
1**	1126.300	32.67	-15.27	54.0	-21.33	AV	3.00	150	Horizontal	Pass
2	2881.900	42.61	-8.30	74.0	-31.39	Peak	351.00	150	Horizontal	Pass
2**	2881.900	32.24	-8.30	54.0	-21.76	AV	351.00	150	Horizontal	Pass
3	4005.200	47.01	-4.65	74.0	-26.99	Peak	25.00	150	Horizontal	Pass
3**	4005.200	34.43	-4.65	54.0	-19.57	AV	25.00	150	Horizontal	Pass
4	5628.200	97.06	0.05	--	-168.94	Peak	266.00	150	Horizontal	N/A
4**	5628.200	89.92	0.05	--	89.92	AV	266.00	150	Horizontal	N/A
5	11668.425	49.86	20.18	74.0	-24.14	Peak	91.00	150	Horizontal	Pass
5**	11668.425	38.51	20.18	54.0	-15.49	AV	91.00	150	Horizontal	Pass
6	15943.312	55.20	23.92	74.0	-18.80	Peak	275.00	150	Horizontal	Pass
6**	15943.312	43.23	23.92	54.0	-10.77	AV	275.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.800	44.89	-15.11	74.0	-29.11	Peak	299.00	150	Vertical	Pass
1**	1185.800	36.43	-15.11	54.0	-17.57	AV	299.00	150	Vertical	Pass
2	2748.000	41.73	-8.84	74.0	-32.27	Peak	22.00	150	Vertical	Pass
2**	2748.000	31.99	-8.84	54.0	-22.01	AV	22.00	150	Vertical	Pass
3	4163.400	47.65	-3.54	74.0	-26.35	Peak	209.00	150	Vertical	Pass
3**	4163.400	35.79	-3.54	54.0	-18.21	AV	209.00	150	Vertical	Pass
4	5584.800	91.95	0.57	--	-54.05	Peak	146.00	150	Vertical	N/A
4**	5584.800	83.46	0.57	--	83.46	AV	146.00	150	Vertical	N/A
5	12208.638	49.84	20.44	74.0	-24.16	Peak	56.00	150	Vertical	Pass
5**	12208.638	38.58	20.44	54.0	-15.42	AV	56.00	150	Vertical	Pass
6	15643.537	55.18	23.55	74.0	-18.82	Peak	314.00	150	Vertical	Pass
6**	15643.537	43.53	23.55	54.0	-10.47	AV	314.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1130.500	41.97	-15.38	74.0	-32.03	Peak	359.00	150	Horizontal	Pass
1**	1130.500	32.41	-15.38	54.0	-21.59	AV	359.00	150	Horizontal	Pass
2	2727.800	41.42	-8.75	74.0	-32.58	Peak	15.00	150	Horizontal	Pass
2**	2727.800	31.41	-8.75	54.0	-22.59	AV	15.00	150	Horizontal	Pass
3	4143.800	47.12	-3.92	74.0	-26.88	Peak	6.00	150	Horizontal	Pass
3**	4143.800	34.99	-3.92	54.0	-19.01	AV	6.00	150	Horizontal	Pass
4	5673.400	96.69	-0.08	--	-168.31	Peak	265.00	150	Horizontal	N/A
4**	5673.400	89.34	-0.08	--	89.34	AV	265.00	150	Horizontal	N/A
5	11018.963	50.17	18.94	74.0	-23.83	Peak	320.00	150	Horizontal	Pass
5**	11018.963	39.10	18.94	54.0	-14.90	AV	320.00	150	Horizontal	Pass
6	15517.275	55.62	23.80	74.0	-18.38	Peak	37.00	150	Horizontal	Pass
6**	15517.275	43.91	23.80	54.0	-10.09	AV	37.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.700	42.57	-14.95	74.0	-31.43	Peak	0.00	150	Vertical	Pass
1**	1151.700	32.00	-14.95	54.0	-22.00	AV	0.00	150	Vertical	Pass
2	2834.500	41.26	-8.47	74.0	-32.74	Peak	148.00	150	Vertical	Pass
2**	2834.500	31.54	-8.47	54.0	-22.46	AV	148.00	150	Vertical	Pass
3	4168.000	46.57	-3.80	74.0	-27.43	Peak	230.00	150	Vertical	Pass
3**	4168.000	35.71	-3.80	54.0	-18.29	AV	230.00	150	Vertical	Pass
4	5669.000	96.85	-0.01	--	-186.15	Peak	283.00	150	Vertical	N/A
4**	5669.000	90.35	-0.01	--	90.35	AV	283.00	150	Vertical	N/A
5	11772.787	50.15	18.76	74.0	-23.85	Peak	0.00	150	Vertical	Pass
5**	11772.787	38.28	18.76	54.0	-15.72	AV	0.00	150	Vertical	Pass
6	15665.588	54.88	23.50	74.0	-19.12	Peak	91.00	150	Vertical	Pass
6**	15665.588	43.24	23.50	54.0	-10.76	AV	91.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.400	41.61	-15.30	74.0	-32.39	Peak	356.00	150	Horizontal	Pass
1**	1124.400	31.02	-15.30	54.0	-22.98	AV	356.00	150	Horizontal	Pass
2	2759.500	41.83	-8.89	74.0	-32.17	Peak	216.00	150	Horizontal	Pass
2**	2759.500	31.61	-8.89	54.0	-22.39	AV	216.00	150	Horizontal	Pass
3	4042.800	46.44	-3.91	74.0	-27.56	Peak	293.00	150	Horizontal	Pass
3**	4042.800	34.82	-3.91	54.0	-19.18	AV	293.00	150	Horizontal	Pass
4	5619.600	94.65	-0.13	--	-172.35	Peak	267.00	150	Horizontal	N/A
4**	5619.600	86.54	-0.13	--	86.54	AV	267.00	150	Horizontal	N/A
5	12215.825	50.24	20.45	74.0	-23.76	Peak	337.00	150	Horizontal	Pass
5**	12215.825	38.28	20.45	54.0	-15.72	AV	337.00	150	Horizontal	Pass
6	15658.237	55.28	23.47	74.0	-18.72	Peak	20.00	150	Horizontal	Pass
6**	15658.237	43.28	23.47	54.0	-10.72	AV	20.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.500	43.53	-15.04	74.0	-30.47	Peak	112.00	150	Vertical	Pass
1**	1175.500	32.86	-15.04	54.0	-21.14	AV	112.00	150	Vertical	Pass
2	2830.800	42.40	-8.31	74.0	-31.60	Peak	59.00	150	Vertical	Pass
2**	2830.800	33.16	-8.31	54.0	-20.84	AV	59.00	150	Vertical	Pass
3	4133.600	47.38	-4.15	74.0	-26.62	Peak	32.00	150	Vertical	Pass
3**	4133.600	34.83	-4.15	54.0	-19.17	AV	32.00	150	Vertical	Pass
4	5528.200	90.18	0.26	--	-51.82	Peak	142.00	150	Vertical	N/A
4**	5528.200	82.17	0.26	--	82.17	AV	142.00	150	Vertical	N/A
5	11672.738	51.10	20.14	74.0	-22.90	Peak	321.00	150	Vertical	Pass
5**	11672.738	39.45	20.14	54.0	-14.55	AV	321.00	150	Vertical	Pass
6	15493.650	54.69	23.87	74.0	-19.31	Peak	143.00	150	Vertical	Pass
6**	15493.650	43.78	23.87	54.0	-10.22	AV	143.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1127.200	43.11	-15.31	74.0	-30.89	Peak	0.00	150	Horizontal	Pass
1**	1127.200	31.60	-15.31	54.0	-22.40	AV	0.00	150	Horizontal	Pass
2	2852.600	42.18	-8.17	74.0	-31.82	Peak	100.00	150	Horizontal	Pass
2**	2852.600	31.51	-8.17	54.0	-22.49	AV	100.00	150	Horizontal	Pass
3	4022.600	46.71	-4.05	74.0	-27.29	Peak	12.00	150	Horizontal	Pass
3**	4022.600	34.70	-4.05	54.0	-19.30	AV	12.00	150	Horizontal	Pass
4	5499.200	104.28	0.51	--	-151.72	Peak	256.00	150	Horizontal	N/A
4**	5499.200	95.13	0.51	--	95.13	AV	256.00	150	Horizontal	N/A
5	12403.276	50.03	19.15	74.0	-23.97	Peak	217.00	150	Horizontal	Pass
5**	12403.276	37.96	19.15	54.0	-16.04	AV	217.00	150	Horizontal	Pass
6	16152.263	55.70	24.00	74.0	-18.30	Peak	296.00	150	Horizontal	Pass
6**	16152.263	42.65	24.00	54.0	-11.35	AV	296.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.200	45.64	-15.10	74.0	-28.36	Peak	305.00	150	Vertical	Pass
1**	1185.200	36.18	-15.10	54.0	-17.82	AV	305.00	150	Vertical	Pass
2	2852.400	41.82	-8.17	74.0	-32.18	Peak	34.00	150	Vertical	Pass
2**	2852.400	33.21	-8.17	54.0	-20.79	AV	34.00	150	Vertical	Pass
3	4264.800	46.90	-3.21	74.0	-27.10	Peak	360.00	150	Vertical	Pass
3**	4264.800	35.09	-3.21	54.0	-18.91	AV	360.00	150	Vertical	Pass
4	5497.000	103.12	0.61	--	-40.88	Peak	144.00	150	Vertical	N/A
4**	5497.000	94.74	0.61	--	94.74	AV	144.00	150	Vertical	N/A
5	11606.325	50.16	20.16	74.0	-23.84	Peak	201.00	150	Vertical	Pass
5**	11606.325	38.30	20.16	54.0	-15.70	AV	201.00	150	Vertical	Pass
6	16089.787	55.06	24.14	74.0	-18.94	Peak	260.00	150	Vertical	Pass
6**	16089.787	42.76	24.14	54.0	-11.24	AV	260.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1132.000	41.81	-15.33	74.0	-32.19	Peak	0.00	150	Horizontal	Pass
1**	1132.000	34.49	-15.33	54.0	-19.51	AV	0.00	150	Horizontal	Pass
2	2878.000	42.16	-8.32	74.0	-31.84	Peak	112.00	150	Horizontal	Pass
2**	2878.000	32.58	-8.32	54.0	-21.42	AV	112.00	150	Horizontal	Pass
3	4132.600	46.89	-4.13	74.0	-27.11	Peak	360.00	150	Horizontal	Pass
3**	4132.600	35.39	-4.13	54.0	-18.61	AV	360.00	150	Horizontal	Pass
4	5582.200	104.33	0.83	--	-150.67	Peak	255.00	150	Horizontal	N/A
4**	5582.200	95.93	0.83	--	95.93	AV	255.00	150	Horizontal	N/A
5	11628.750	50.67	20.29	74.0	-23.33	Peak	21.00	150	Horizontal	Pass
5**	11628.750	38.67	20.29	54.0	-15.33	AV	21.00	150	Horizontal	Pass
6	16117.613	56.14	24.00	74.0	-17.86	Peak	176.00	150	Horizontal	Pass
6**	16117.613	42.96	24.00	54.0	-11.04	AV	176.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.100	44.99	-14.94	74.0	-29.01	Peak	275.00	150	Vertical	Pass
1**	1157.100	33.60	-14.94	54.0	-20.40	AV	275.00	150	Vertical	Pass
2	2859.900	41.82	-7.98	74.0	-32.18	Peak	39.00	150	Vertical	Pass
2**	2859.900	31.69	-7.98	54.0	-22.31	AV	39.00	150	Vertical	Pass
3	3988.400	46.92	-4.33	74.0	-27.08	Peak	88.00	150	Vertical	Pass
3**	3988.400	35.81	-4.33	54.0	-18.19	AV	88.00	150	Vertical	Pass
4	5583.600	98.24	0.67	--	-44.76	Peak	143.00	150	Vertical	N/A
4**	5583.600	91.75	0.67	--	91.75	AV	143.00	150	Vertical	N/A
5	12181.900	50.21	20.28	74.0	-23.79	Peak	66.00	150	Vertical	Pass
5**	12181.900	37.78	20.28	54.0	-16.22	AV	66.00	150	Vertical	Pass
6	15932.550	54.55	23.81	74.0	-19.45	Peak	152.00	150	Vertical	Pass
6**	15932.550	44.39	23.81	54.0	-9.61	AV	152.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.800	43.98	-15.21	74.0	-30.02	Peak	222.00	150	Horizontal	Pass
1**	1666.800	34.10	-15.21	54.0	-19.90	AV	222.00	150	Horizontal	Pass
2	2816.800	42.26	-8.30	74.0	-31.74	Peak	281.00	150	Horizontal	Pass
2**	2816.800	32.10	-8.30	54.0	-21.90	AV	281.00	150	Horizontal	Pass
3	4299.200	47.39	-3.61	74.0	-26.61	Peak	344.00	150	Horizontal	Pass
3**	4299.200	36.50	-3.61	54.0	-17.50	AV	344.00	150	Horizontal	Pass
4	5699.400	104.78	-0.86	--	-159.22	Peak	264.00	150	Horizontal	N/A
4**	5699.400	95.48	-0.86	--	95.48	AV	264.00	150	Horizontal	N/A
5	11689.125	49.79	19.96	74.0	-24.21	Peak	336.00	150	Horizontal	Pass
5**	11689.125	37.75	19.96	54.0	-16.25	AV	336.00	150	Horizontal	Pass
6	15533.287	54.50	23.73	74.0	-19.50	Peak	239.00	150	Horizontal	Pass
6**	15533.287	43.68	23.73	54.0	-10.32	AV	239.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.900	45.41	-15.04	74.0	-28.59	Peak	286.00	150	Vertical	Pass
1**	1189.900	34.11	-15.04	54.0	-19.89	AV	286.00	150	Vertical	Pass
2	2821.400	41.42	-8.39	74.0	-32.58	Peak	307.00	150	Vertical	Pass
2**	2821.400	32.49	-8.39	54.0	-21.51	AV	307.00	150	Vertical	Pass
3	4034.200	46.95	-3.99	74.0	-27.05	Peak	46.00	150	Vertical	Pass
3**	4034.200	37.13	-3.99	54.0	-16.87	AV	46.00	150	Vertical	Pass
4	5701.400	99.36	-0.80	--	-67.64	Peak	167.00	150	Vertical	N/A
4**	5701.400	93.13	-0.80	--	93.13	AV	167.00	150	Vertical	N/A
5	11704.937	49.96	19.73	74.0	-24.04	Peak	171.00	150	Vertical	Pass
5**	11704.937	38.46	19.73	54.0	-15.54	AV	171.00	150	Vertical	Pass
6	15934.387	54.96	23.83	74.0	-19.04	Peak	195.00	150	Vertical	Pass
6**	15934.387	43.29	23.83	54.0	-10.71	AV	195.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	43.17	-15.22	74.0	-30.83	Peak	219.00	150	Horizontal	Pass
1**	1668.900	34.44	-15.22	54.0	-19.56	AV	219.00	150	Horizontal	Pass
2	2886.000	42.12	-8.19	74.0	-31.88	Peak	166.00	150	Horizontal	Pass
2**	2886.000	32.31	-8.19	54.0	-21.69	AV	166.00	150	Horizontal	Pass
3	4249.200	47.43	-3.18	74.0	-26.57	Peak	236.00	150	Horizontal	Pass
3**	4249.200	36.21	-3.18	54.0	-17.79	AV	236.00	150	Horizontal	Pass
4	5717.800	104.48	-0.55	--	-149.52	Peak	254.00	150	Horizontal	N/A
4**	5717.800	96.37	-0.55	--	96.37	AV	254.00	150	Horizontal	N/A
5	11534.737	49.95	19.57	74.0	-24.05	Peak	0.00	150	Horizontal	Pass
5**	11534.737	38.91	19.57	54.0	-15.09	AV	0.00	150	Horizontal	Pass
6	15953.812	55.18	23.96	74.0	-18.82	Peak	360.00	150	Horizontal	Pass
6**	15953.812	43.63	23.96	54.0	-10.37	AV	360.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.700	45.04	-15.05	74.0	-28.96	Peak	285.00	150	Vertical	Pass
1**	1179.700	37.27	-15.05	54.0	-16.73	AV	285.00	150	Vertical	Pass
2	2847.800	42.22	-8.27	74.0	-31.78	Peak	329.00	150	Vertical	Pass
2**	2847.800	33.02	-8.27	54.0	-20.98	AV	329.00	150	Vertical	Pass
3	4084.400	47.59	-4.22	74.0	-26.41	Peak	96.00	150	Vertical	Pass
3**	4084.400	36.35	-4.22	54.0	-17.65	AV	96.00	150	Vertical	Pass
4	5718.200	99.35	-0.56	--	-61.65	Peak	161.00	150	Vertical	N/A
4**	5718.200	92.63	-0.56	--	92.63	AV	161.00	150	Vertical	N/A
5	11678.488	49.91	20.08	74.0	-24.09	Peak	235.00	150	Vertical	Pass
5**	11678.488	39.07	20.08	54.0	-14.93	AV	235.00	150	Vertical	Pass
6	15613.875	55.07	23.48	74.0	-18.93	Peak	350.00	150	Vertical	Pass
6**	15613.875	45.33	23.48	54.0	-8.67	AV	350.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.000	43.72	-15.19	74.0	-30.28	Peak	0.00	150	Horizontal	Pass
1**	1110.000	33.06	-15.19	54.0	-20.94	AV	0.00	150	Horizontal	Pass
2	2724.000	41.93	-8.66	74.0	-32.07	Peak	152.00	150	Horizontal	Pass
2**	2724.000	32.67	-8.66	54.0	-21.33	AV	152.00	150	Horizontal	Pass
3	4255.600	47.51	-3.10	74.0	-26.49	Peak	217.00	150	Horizontal	Pass
3**	4255.600	35.71	-3.10	54.0	-18.29	AV	217.00	150	Horizontal	Pass
4	5498.000	101.01	0.56	--	-162.99	Peak	264.00	150	Horizontal	N/A
4**	5498.000	92.70	0.56	--	92.70	AV	264.00	150	Horizontal	N/A
5	12153.437	49.92	19.96	74.0	-24.08	Peak	298.00	150	Horizontal	Pass
5**	12153.437	39.85	19.96	54.0	-14.15	AV	298.00	150	Horizontal	Pass
6	15627.000	55.12	23.49	74.0	-18.88	Peak	181.00	150	Horizontal	Pass
6**	15627.000	43.50	23.49	54.0	-10.50	AV	181.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.900	44.90	-15.03	74.0	-29.10	Peak	278.00	150	Vertical	Pass
1**	1177.900	35.42	-15.03	54.0	-18.58	AV	278.00	150	Vertical	Pass
2	2833.900	42.71	-8.47	74.0	-31.29	Peak	285.00	150	Vertical	Pass
2**	2833.900	31.54	-8.47	54.0	-22.46	AV	285.00	150	Vertical	Pass
3	4002.800	47.39	-4.66	74.0	-26.61	Peak	92.00	150	Vertical	Pass
3**	4002.800	34.70	-4.66	54.0	-19.30	AV	92.00	150	Vertical	Pass
4	5514.800	98.06	0.38	--	-57.94	Peak	156.00	150	Vertical	N/A
4**	5514.800	89.99	0.38	--	89.99	AV	156.00	150	Vertical	N/A
5	11724.775	49.95	19.36	74.0	-24.05	Peak	181.00	150	Vertical	Pass
5**	11724.775	38.38	19.36	54.0	-15.62	AV	181.00	150	Vertical	Pass
6	15975.599	55.43	24.00	74.0	-18.57	Peak	219.00	150	Vertical	Pass
6**	15975.599	43.71	24.00	54.0	-10.29	AV	219.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	44.50	-15.21	74.0	-29.50	Peak	222.00	150	Horizontal	Pass
1**	1665.900	32.41	-15.21	54.0	-21.59	AV	222.00	150	Horizontal	Pass
2	2775.900	41.68	-8.57	74.0	-32.32	Peak	299.00	150	Horizontal	Pass
2**	2775.900	31.51	-8.57	54.0	-22.49	AV	299.00	150	Horizontal	Pass
3	4238.800	47.02	-3.39	74.0	-26.98	Peak	253.00	150	Horizontal	Pass
3**	4238.800	35.79	-3.39	54.0	-18.21	AV	253.00	150	Horizontal	Pass
4	5601.800	101.14	0.06	--	-161.86	Peak	263.00	150	Horizontal	N/A
4**	5601.800	92.08	0.06	--	92.08	AV	263.00	150	Horizontal	N/A
5	11623.287	50.01	20.26	74.0	-23.99	Peak	335.00	150	Horizontal	Pass
5**	11623.287	38.15	20.26	54.0	-15.85	AV	335.00	150	Horizontal	Pass
6	16138.875	55.44	24.14	74.0	-18.56	Peak	335.00	150	Horizontal	Pass
6**	16138.875	42.76	24.14	54.0	-11.24	AV	335.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.500	46.43	-15.01	74.0	-27.57	Peak	303.00	150	Vertical	Pass
1**	1196.500	35.05	-15.01	54.0	-18.95	AV	303.00	150	Vertical	Pass
2	2881.100	42.65	-8.29	74.0	-31.35	Peak	278.00	150	Vertical	Pass
2**	2881.100	34.44	-8.29	54.0	-19.56	AV	278.00	150	Vertical	Pass
3	3984.400	46.80	-4.29	74.0	-27.20	Peak	178.00	150	Vertical	Pass
3**	3984.400	35.28	-4.29	54.0	-18.72	AV	178.00	150	Vertical	Pass
4	5595.800	96.61	0.37	--	-91.39	Peak	188.00	150	Vertical	N/A
4**	5595.800	86.77	0.37	--	86.77	AV	188.00	150	Vertical	N/A
5	12238.250	50.35	20.43	74.0	-23.65	Peak	201.00	150	Vertical	Pass
5**	12238.250	37.94	20.43	54.0	-16.06	AV	201.00	150	Vertical	Pass
6	15626.213	55.65	23.48	74.0	-18.35	Peak	38.00	150	Vertical	Pass
6**	15626.213	43.90	23.48	54.0	-10.10	AV	38.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	45.23	-15.20	74.0	-28.77	Peak	359.00	150	Horizontal	Pass
1**	1113.500	36.60	-15.20	54.0	-17.40	AV	359.00	150	Horizontal	Pass
2	2881.600	42.29	-8.30	74.0	-31.71	Peak	120.00	150	Horizontal	Pass
2**	2881.600	32.42	-8.30	54.0	-21.58	AV	120.00	150	Horizontal	Pass
3	4221.400	47.07	-3.69	74.0	-26.93	Peak	192.00	150	Horizontal	Pass
3**	4221.400	36.67	-3.69	54.0	-17.33	AV	192.00	150	Horizontal	Pass
4	5663.000	101.86	-0.03	--	-172.14	Peak	274.00	150	Horizontal	N/A
4**	5663.000	92.33	-0.03	--	92.33	AV	274.00	150	Horizontal	N/A
5	12400.113	50.75	19.20	74.0	-23.25	Peak	286.00	150	Horizontal	Pass
5**	12400.113	38.69	19.20	54.0	-15.31	AV	286.00	150	Horizontal	Pass
6	16074.037	55.98	24.07	74.0	-18.02	Peak	93.00	150	Horizontal	Pass
6**	16074.037	43.00	24.07	54.0	-11.00	AV	93.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.500	48.60	-15.06	74.0	-25.40	Peak	305.00	150	Vertical	Pass
1**	1181.500	38.24	-15.06	54.0	-15.76	AV	305.00	150	Vertical	Pass
2	2817.400	41.34	-8.28	74.0	-32.66	Peak	201.00	150	Vertical	Pass
2**	2817.400	31.78	-8.28	54.0	-22.22	AV	201.00	150	Vertical	Pass
3	4138.600	47.24	-4.04	74.0	-26.76	Peak	251.00	150	Vertical	Pass
3**	4138.600	35.03	-4.04	54.0	-18.97	AV	251.00	150	Vertical	Pass
4	5676.400	96.95	-0.17	--	-63.05	Peak	160.00	150	Vertical	N/A
4**	5676.400	87.95	-0.17	--	87.95	AV	160.00	150	Vertical	N/A
5	12229.625	50.45	20.44	74.0	-23.55	Peak	311.00	150	Vertical	Pass
5**	12229.625	37.66	20.44	54.0	-16.34	AV	311.00	150	Vertical	Pass
6	15655.875	55.42	23.48	74.0	-18.58	Peak	0.00	150	Vertical	Pass
6**	15655.875	42.95	23.48	54.0	-11.05	AV	0.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	43.73	-15.28	74.0	-30.27	Peak	168.00	150	Horizontal	Pass
1**	1670.900	35.23	-15.28	54.0	-18.77	AV	168.00	150	Horizontal	Pass
2	2875.900	42.40	-8.35	74.0	-31.60	Peak	199.00	150	Horizontal	Pass
2**	2875.900	32.68	-8.35	54.0	-21.32	AV	199.00	150	Horizontal	Pass
3	4029.600	46.29	-3.99	74.0	-27.71	Peak	186.00	150	Horizontal	Pass
3**	4029.600	34.99	-3.99	54.0	-19.01	AV	186.00	150	Horizontal	Pass
4	5720.600	100.98	-0.58	--	-179.02	Peak	280.00	150	Horizontal	N/A
4**	5720.600	92.99	-0.58	--	92.99	AV	280.00	150	Horizontal	N/A
5	12166.662	49.97	20.12	74.0	-24.03	Peak	304.00	150	Horizontal	Pass
5**	12166.662	37.67	20.12	54.0	-16.33	AV	304.00	150	Horizontal	Pass
6	15483.150	54.94	23.70	74.0	-19.06	Peak	0.00	150	Horizontal	Pass
6**	15483.150	43.62	23.70	54.0	-10.38	AV	0.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.000	46.52	-15.08	74.0	-27.48	Peak	286.00	150	Vertical	Pass
1**	1183.000	39.23	-15.08	54.0	-14.77	AV	286.00	150	Vertical	Pass
2	2759.600	41.96	-8.88	74.0	-32.04	Peak	0.00	150	Vertical	Pass
2**	2759.600	30.77	-8.88	54.0	-23.23	AV	0.00	150	Vertical	Pass
3	4144.200	47.01	-3.89	74.0	-26.99	Peak	121.00	150	Vertical	Pass
3**	4144.200	34.93	-3.89	54.0	-19.07	AV	121.00	150	Vertical	Pass
4	5718.200	98.10	-0.56	--	-70.90	Peak	169.00	150	Vertical	N/A
4**	5718.200	87.31	-0.56	--	87.31	AV	169.00	150	Vertical	N/A
5	11650.312	50.40	20.39	74.0	-23.60	Peak	143.00	150	Vertical	Pass
5**	11650.312	37.78	20.39	54.0	-16.22	AV	143.00	150	Vertical	Pass
6	15463.463	55.40	23.55	74.0	-18.60	Peak	202.00	150	Vertical	Pass
6**	15463.463	44.16	23.55	54.0	-9.84	AV	202.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.600	44.12	-15.24	74.0	-29.88	Peak	171.00	150	Horizontal	Pass
1**	1681.600	33.08	-15.24	54.0	-20.92	AV	171.00	150	Horizontal	Pass
2	2895.000	42.00	-8.11	74.0	-32.00	Peak	142.00	150	Horizontal	Pass
2**	2895.000	32.85	-8.11	54.0	-21.15	AV	142.00	150	Horizontal	Pass
3	4236.600	46.97	-3.36	74.0	-27.03	Peak	253.00	150	Horizontal	Pass
3**	4236.600	35.39	-3.36	54.0	-18.61	AV	253.00	150	Horizontal	Pass
4	5540.600	98.57	0.25	--	-154.43	Peak	253.00	150	Horizontal	N/A
4**	5540.600	89.05	0.25	--	89.05	AV	253.00	150	Horizontal	N/A
5	10996.250	50.11	18.98	74.0	-23.89	Peak	273.00	150	Horizontal	Pass
5**	10996.250	36.72	18.98	54.0	-17.28	AV	273.00	150	Horizontal	Pass
6	16070.362	55.50	24.09	74.0	-18.50	Peak	280.00	150	Horizontal	Pass
6**	16070.362	43.52	24.09	54.0	-10.48	AV	280.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1172.500	46.64	-15.04	74.0	-27.36	Peak	298.00	150	Vertical	Pass
1**	1172.500	37.11	-15.04	54.0	-16.89	AV	298.00	150	Vertical	Pass
2	2746.200	42.20	-8.84	74.0	-31.80	Peak	17.00	150	Vertical	Pass
2**	2746.200	33.25	-8.84	54.0	-20.75	AV	17.00	150	Vertical	Pass
3	4172.600	47.16	-3.85	74.0	-26.84	Peak	118.00	150	Vertical	Pass
3**	4172.600	35.65	-3.85	54.0	-18.35	AV	118.00	150	Vertical	Pass
4	5509.800	94.58	0.17	--	-100.42	Peak	195.00	150	Vertical	N/A
4**	5509.800	86.44	0.17	--	86.44	AV	195.00	150	Vertical	N/A
5	12228.187	50.27	20.44	74.0	-23.73	Peak	248.00	150	Vertical	Pass
5**	12228.187	38.43	20.44	54.0	-15.57	AV	248.00	150	Vertical	Pass
6	15544.838	55.08	23.66	74.0	-18.92	Peak	173.00	150	Vertical	Pass
6**	15544.838	43.14	23.66	54.0	-10.86	AV	173.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.300	42.60	-15.26	74.0	-31.40	Peak	360.00	150	Horizontal	Pass
1**	1133.300	32.94	-15.26	54.0	-21.06	AV	360.00	150	Horizontal	Pass
2	2895.000	42.01	-8.11	74.0	-31.99	Peak	0.00	150	Horizontal	Pass
2**	2895.000	33.06	-8.11	54.0	-20.94	AV	0.00	150	Horizontal	Pass
3	4185.000	47.46	-3.98	74.0	-26.54	Peak	184.00	150	Horizontal	Pass
3**	4185.000	36.07	-3.98	54.0	-17.93	AV	184.00	150	Horizontal	Pass
4	5584.000	100.04	0.62	--	-177.96	Peak	278.00	150	Horizontal	N/A
4**	5584.000	88.59	0.62	--	88.59	AV	278.00	150	Horizontal	N/A
5	11749.787	50.02	18.95	74.0	-23.98	Peak	338.00	150	Horizontal	Pass
5**	11749.787	38.49	18.95	54.0	-15.51	AV	338.00	150	Horizontal	Pass
6	15547.463	56.74	23.63	74.0	-17.26	Peak	323.00	150	Horizontal	Pass
6**	15547.463	44.01	23.63	54.0	-9.99	AV	323.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.500	46.36	-15.06	74.0	-27.64	Peak	301.00	150	Vertical	Pass
1**	1181.500	37.90	-15.06	54.0	-16.10	AV	301.00	150	Vertical	Pass
2	2869.300	41.86	-8.20	74.0	-32.14	Peak	259.00	150	Vertical	Pass
2**	2869.300	33.66	-8.20	54.0	-20.34	AV	259.00	150	Vertical	Pass
3	3977.000	47.79	-4.10	74.0	-26.21	Peak	100.00	150	Vertical	Pass
3**	3977.000	35.41	-4.10	54.0	-18.59	AV	100.00	150	Vertical	Pass
4	5601.400	94.05	0.11	--	-99.95	Peak	194.00	150	Vertical	N/A
4**	5601.400	84.64	0.11	--	84.64	AV	194.00	150	Vertical	N/A
5	11673.888	50.63	20.13	74.0	-23.37	Peak	231.00	150	Vertical	Pass
5**	11673.888	38.67	20.13	54.0	-15.33	AV	231.00	150	Vertical	Pass
6	15890.813	55.69	23.31	74.0	-18.31	Peak	317.00	150	Vertical	Pass
6**	15890.813	44.02	23.31	54.0	-9.98	AV	317.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.500	43.81	-15.45	74.0	-30.19	Peak	224.00	150	Horizontal	Pass
1**	1672.500	35.00	-15.45	54.0	-19.00	AV	224.00	150	Horizontal	Pass
2	2829.400	41.72	-8.25	74.0	-32.28	Peak	257.00	150	Horizontal	Pass
2**	2829.400	33.20	-8.25	54.0	-20.80	AV	257.00	150	Horizontal	Pass
3	4234.600	47.21	-3.47	74.0	-26.79	Peak	275.00	150	Horizontal	Pass
3**	4234.600	37.29	-3.47	54.0	-16.71	AV	275.00	150	Horizontal	Pass
4	5669.200	99.04	-0.03	--	-175.96	Peak	275.00	150	Horizontal	N/A
4**	5669.200	89.43	-0.03	--	89.43	AV	275.00	150	Horizontal	N/A
5	11654.050	50.43	20.34	74.0	-23.57	Peak	80.00	150	Horizontal	Pass
5**	11654.050	39.51	20.34	54.0	-14.49	AV	80.00	150	Horizontal	Pass
6	15520.950	55.03	23.77	74.0	-18.97	Peak	283.00	150	Horizontal	Pass
6**	15520.950	43.08	23.77	54.0	-10.92	AV	283.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.800	44.54	-15.04	74.0	-29.46	Peak	285.00	150	Vertical	Pass
1**	1175.800	35.00	-15.04	54.0	-19.00	AV	285.00	150	Vertical	Pass
2	2722.900	41.90	-8.66	74.0	-32.10	Peak	328.00	150	Vertical	Pass
2**	2722.900	31.60	-8.66	54.0	-22.40	AV	328.00	150	Vertical	Pass
3	3981.600	48.35	-4.17	74.0	-25.65	Peak	82.00	150	Vertical	Pass
3**	3981.600	35.67	-4.17	54.0	-18.33	AV	82.00	150	Vertical	Pass
4	5679.200	94.55	-0.23	--	-74.45	Peak	169.00	150	Vertical	N/A
4**	5679.200	85.55	-0.23	--	85.55	AV	169.00	150	Vertical	N/A
5	12384.012	51.13	19.36	74.0	-22.87	Peak	141.00	150	Vertical	Pass
5**	12384.012	37.45	19.36	54.0	-16.55	AV	141.00	150	Vertical	Pass
6	15602.062	55.56	23.54	74.0	-18.44	Peak	35.00	150	Vertical	Pass
6**	15602.062	43.81	23.54	54.0	-10.19	AV	35.00	150	Vertical	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1134.200	42.80	-15.20	74.0	-31.20	Peak	8.00	150	Horizontal	Pass
1**	1134.200	34.37	-15.20	54.0	-19.63	AV	8.00	150	Horizontal	Pass
2	2715.900	41.80	-8.79	74.0	-32.20	Peak	339.00	150	Horizontal	Pass
2**	2715.900	31.94	-8.79	54.0	-22.06	AV	339.00	150	Horizontal	Pass
3	4145.400	46.86	-3.75	74.0	-27.14	Peak	316.00	150	Horizontal	Pass
3**	4145.400	35.84	-3.75	54.0	-18.16	AV	316.00	150	Horizontal	Pass
4	5619.200	97.60	-0.12	--	-172.40	Peak	270.00	150	Horizontal	N/A
4**	5619.200	87.17	-0.12	--	87.17	AV	270.00	150	Horizontal	N/A
5	11670.150	51.21	20.17	74.0	-22.79	Peak	218.00	150	Horizontal	Pass
5**	11670.150	41.19	20.17	54.0	-12.81	AV	218.00	150	Horizontal	Pass
6	15816.263	55.31	23.25	74.0	-18.69	Peak	321.00	150	Horizontal	Pass
6**	15816.263	44.34	23.25	54.0	-9.66	AV	321.00	150	Horizontal	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.800	45.14	-14.87	74.0	-28.86	Peak	294.00	150	Vertical	Pass
1**	1164.800	33.75	-14.87	54.0	-20.25	AV	294.00	150	Vertical	Pass
2	2870.300	41.78	-8.19	74.0	-32.22	Peak	8.00	150	Vertical	Pass
2**	2870.300	33.18	-8.19	54.0	-20.82	AV	8.00	150	Vertical	Pass
3	4186.200	47.81	-4.07	74.0	-26.19	Peak	233.00	150	Vertical	Pass
3**	4186.200	35.09	-4.07	54.0	-18.91	AV	233.00	150	Vertical	Pass
4	5526.600	92.38	0.16	--	-92.62	Peak	185.00	150	Vertical	N/A
4**	5526.600	82.24	0.16	--	82.24	AV	185.00	150	Vertical	N/A
5	11552.562	50.50	19.72	74.0	-23.50	Peak	258.00	150	Vertical	Pass
5**	11552.562	39.32	19.72	54.0	-14.68	AV	258.00	150	Vertical	Pass
6	15935.700	54.88	23.85	74.0	-19.12	Peak	5.00	150	Vertical	Pass
6**	15935.700	44.12	23.85	54.0	-9.88	AV	5.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.300	43.10	-15.23	74.0	-30.90	Peak	166.00	150	Horizontal	Pass
1**	1680.300	34.19	-15.23	54.0	-19.81	AV	166.00	150	Horizontal	Pass
2	2812.200	41.64	-8.40	74.0	-32.36	Peak	143.00	150	Horizontal	Pass
2**	2812.200	31.55	-8.40	54.0	-22.45	AV	143.00	150	Horizontal	Pass
3	4006.600	46.71	-4.56	74.0	-27.29	Peak	60.00	150	Horizontal	Pass
3**	4006.600	34.53	-4.56	54.0	-19.47	AV	60.00	150	Horizontal	Pass
4	5746.800	103.04	0.37	--	-156.96	Peak	260.00	150	Horizontal	N/A
4**	5746.800	95.93	0.37	--	95.93	AV	260.00	150	Horizontal	N/A
5	11565.500	49.83	19.81	74.0	-24.17	Peak	360.00	150	Horizontal	Pass
5**	11565.500	38.92	19.81	54.0	-15.08	AV	360.00	150	Horizontal	Pass
6	15536.963	55.23	23.71	74.0	-18.77	Peak	143.00	150	Horizontal	Pass
6**	15536.963	43.98	23.71	54.0	-10.02	AV	143.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.200	45.91	-14.95	74.0	-28.09	Peak	303.00	150	Vertical	Pass
1**	1167.200	34.74	-14.95	54.0	-19.26	AV	303.00	150	Vertical	Pass
2	2742.900	41.37	-8.85	74.0	-32.63	Peak	178.00	150	Vertical	Pass
2**	2742.900	31.53	-8.85	54.0	-22.47	AV	178.00	150	Vertical	Pass
3	4907.600	49.36	-0.74	74.0	-24.64	Peak	211.00	150	Vertical	Pass
3**	4907.600	37.71	-0.74	54.0	-16.29	AV	211.00	150	Vertical	Pass
4	5748.600	100.48	0.28	--	-64.52	Peak	165.00	150	Vertical	N/A
4**	5748.600	93.42	0.28	--	93.42	AV	165.00	150	Vertical	N/A
5	11619.550	49.56	20.24	74.0	-24.44	Peak	190.00	150	Vertical	Pass
5**	11619.550	38.72	20.24	54.0	-15.28	AV	190.00	150	Vertical	Pass
6	16071.675	55.70	24.08	74.0	-18.30	Peak	8.00	150	Vertical	Pass
6**	16071.675	43.88	24.08	54.0	-10.12	AV	8.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

Z

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1134.600	43.39	-15.18	74.0	-30.61	Peak	355.00	150	Horizontal	Pass
1**	1134.600	33.63	-15.18	54.0	-20.37	AV	355.00	150	Horizontal	Pass
2	2876.300	41.82	-8.34	74.0	-32.18	Peak	306.00	150	Horizontal	Pass
2**	2876.300	32.97	-8.34	54.0	-21.03	AV	306.00	150	Horizontal	Pass
3	4229.000	46.76	-3.41	74.0	-27.24	Peak	98.00	150	Horizontal	Pass
3**	4229.000	35.43	-3.41	54.0	-18.57	AV	98.00	150	Horizontal	Pass
4	5788.400	103.20	0.99	--	-160.80	Peak	264.00	150	Horizontal	N/A
4**	5788.400	96.10	0.99	--	96.10	AV	264.00	150	Horizontal	N/A
5	11788.888	49.91	18.64	74.0	-24.09	Peak	34.00	150	Horizontal	Pass
5**	11788.888	39.25	18.64	54.0	-14.75	AV	34.00	150	Horizontal	Pass
6	15603.375	54.97	23.53	74.0	-19.03	Peak	338.00	150	Horizontal	Pass
6**	15603.375	43.04	23.53	54.0	-10.96	AV	338.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.100	44.69	-15.04	74.0	-29.31	Peak	293.00	150	Vertical	Pass
1**	1190.100	37.72	-15.04	54.0	-16.28	AV	293.00	150	Vertical	Pass
2	2876.200	41.75	-8.34	74.0	-32.25	Peak	134.00	150	Vertical	Pass
2**	2876.200	33.07	-8.34	54.0	-20.93	AV	134.00	150	Vertical	Pass
3	4252.400	47.61	-3.19	74.0	-26.39	Peak	213.00	150	Vertical	Pass
3**	4252.400	35.38	-3.19	54.0	-18.62	AV	213.00	150	Vertical	Pass
4	5787.200	100.34	0.86	--	-63.66	Peak	164.00	150	Vertical	N/A
4**	5787.200	93.69	0.86	--	93.69	AV	164.00	150	Vertical	N/A
5	11788.599	50.50	18.64	74.0	-23.50	Peak	257.00	150	Vertical	Pass
5**	11788.599	38.11	18.64	54.0	-15.89	AV	257.00	150	Vertical	Pass
6	15704.963	55.88	23.54	74.0	-18.12	Peak	184.00	150	Vertical	Pass
6**	15704.963	43.02	23.54	54.0	-10.98	AV	184.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.700	44.25	-15.10	74.0	-29.75	Peak	3.00	150	Horizontal	Pass
1**	1142.700	32.77	-15.10	54.0	-21.23	AV	3.00	150	Horizontal	Pass
2	2867.400	42.36	-8.10	74.0	-31.64	Peak	100.00	150	Horizontal	Pass
2**	2867.400	32.69	-8.10	54.0	-21.31	AV	100.00	150	Horizontal	Pass
3	4816.600	49.29	-1.38	74.0	-24.71	Peak	177.00	150	Horizontal	Pass
3**	4816.600	38.18	-1.38	54.0	-15.82	AV	177.00	150	Horizontal	Pass
4	5822.000	102.16	0.89	--	-152.84	Peak	255.00	150	Horizontal	N/A
4**	5822.000	95.45	0.89	--	95.45	AV	255.00	150	Horizontal	N/A
5	11678.488	50.03	20.08	74.0	-23.97	Peak	188.00	150	Horizontal	Pass
5**	11678.488	38.58	20.08	54.0	-15.42	AV	188.00	150	Horizontal	Pass
6	15547.725	55.92	23.63	74.0	-18.08	Peak	173.00	150	Horizontal	Pass
6**	15547.725	44.47	23.63	54.0	-9.53	AV	173.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1129.000	44.54	-15.40	74.0	-29.46	Peak	232.00	150	Vertical	Pass
1**	1129.000	37.71	-15.40	54.0	-16.29	AV	232.00	150	Vertical	Pass
2	2797.000	41.39	-8.83	74.0	-32.61	Peak	212.00	150	Vertical	Pass
2**	2797.000	30.21	-8.83	54.0	-23.79	AV	212.00	150	Vertical	Pass
3	4065.000	47.67	-3.88	74.0	-26.33	Peak	39.00	150	Vertical	Pass
3**	4065.000	34.70	-3.88	54.0	-19.30	AV	39.00	150	Vertical	Pass
4	5827.400	98.93	0.84	--	-62.07	Peak	161.00	150	Vertical	N/A
4**	5827.400	92.50	0.84	--	92.50	AV	161.00	150	Vertical	N/A
5	11936.088	49.90	18.16	74.0	-24.10	Peak	148.00	150	Vertical	Pass
5**	11936.088	37.40	18.16	54.0	-16.60	AV	148.00	150	Vertical	Pass
6	15669.526	55.50	23.52	74.0	-18.50	Peak	52.00	150	Vertical	Pass
6**	15669.526	42.67	23.52	54.0	-11.33	AV	52.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	41.95	-15.23	74.0	-32.05	Peak	211.00	150	Horizontal	Pass
1**	1669.300	32.28	-15.23	54.0	-21.72	AV	211.00	150	Horizontal	Pass
2	2722.700	41.52	-8.66	74.0	-32.48	Peak	90.00	150	Horizontal	Pass
2**	2722.700	31.31	-8.66	54.0	-22.69	AV	90.00	150	Horizontal	Pass
3	4962.600	49.58	-1.55	74.0	-24.42	Peak	275.00	150	Horizontal	Pass
3**	4962.600	36.80	-1.55	54.0	-17.20	AV	275.00	150	Horizontal	Pass
4	5740.800	101.32	-0.01	--	-154.68	Peak	256.00	150	Horizontal	N/A
4**	5740.800	95.09	-0.01	--	95.09	AV	256.00	150	Horizontal	N/A
5	11625.300	48.95	20.27	74.0	-25.05	Peak	358.00	150	Horizontal	Pass
5**	11625.300	36.97	20.27	54.0	-17.03	AV	358.00	150	Horizontal	Pass
6	15485.513	54.44	23.74	74.0	-19.56	Peak	321.00	150	Horizontal	Pass
6**	15485.513	42.19	23.74	54.0	-11.81	AV	321.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.300	43.49	-14.76	74.0	-30.51	Peak	274.00	150	Vertical	Pass
1**	1229.300	30.50	-14.76	54.0	-23.50	AV	274.00	150	Vertical	Pass
2	2829.400	41.09	-8.25	74.0	-32.91	Peak	178.00	150	Vertical	Pass
2**	2829.400	32.51	-8.25	54.0	-21.49	AV	178.00	150	Vertical	Pass
3	4945.400	49.83	-1.64	74.0	-24.17	Peak	316.00	150	Vertical	Pass
3**	4945.400	37.93	-1.64	54.0	-16.07	AV	316.00	150	Vertical	Pass
4	5744.000	97.67	0.16	--	-72.33	Peak	170.00	150	Vertical	Pass
4**	5744.000	90.16	0.16	--	90.16	AV	170.00	150	Vertical	N/A
5	11662.387	49.17	20.25	74.0	-24.83	Peak	203.00	150	Vertical	Pass
5**	11662.387	36.61	20.25	54.0	-17.39	AV	203.00	150	Vertical	Pass
6	15546.150	53.51	23.65	74.0	-20.49	Peak	0.00	150	Vertical	Pass
6**	15546.150	42.38	23.65	54.0	-11.62	AV	0.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	41.69	-15.24	74.0	-32.31	Peak	156.00	150	Horizontal	Pass
1**	1670.400	32.13	-15.24	54.0	-21.87	AV	156.00	150	Horizontal	Pass
2	2724.600	41.32	-8.67	74.0	-32.68	Peak	297.00	150	Horizontal	Pass
2**	2724.600	31.72	-8.67	54.0	-22.28	AV	297.00	150	Horizontal	Pass
3	4894.200	48.77	-1.27	74.0	-25.23	Peak	230.00	150	Horizontal	Pass
3**	4894.200	37.03	-1.27	54.0	-16.97	AV	230.00	150	Horizontal	Pass
4	5788.800	102.72	1.01	--	-179.28	Peak	282.00	150	Horizontal	Pass
4**	5788.800	97.15	1.01	--	97.15	AV	282.00	150	Horizontal	N/A
5	12210.650	49.03	20.44	74.0	-24.97	Peak	46.00	150	Horizontal	Pass
5**	12210.650	38.20	20.44	54.0	-15.80	AV	46.00	150	Horizontal	Pass
6	15424.612	54.17	23.18	74.0	-19.83	Peak	360.00	150	Horizontal	Pass
6**	15424.612	42.71	23.18	54.0	-11.29	AV	360.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.300	42.07	-15.04	74.0	-31.93	Peak	280.00	150	Vertical	Pass
1**	1174.300	32.78	-15.04	54.0	-21.22	AV	280.00	150	Vertical	Pass
2	2830.200	41.50	-8.28	74.0	-32.50	Peak	137.00	150	Vertical	Pass
2**	2830.200	31.25	-8.28	54.0	-22.75	AV	137.00	150	Vertical	Pass
3	4178.000	46.04	-3.96	74.0	-27.96	Peak	30.00	150	Vertical	Pass
3**	4178.000	34.28	-3.96	54.0	-19.72	AV	30.00	150	Vertical	Pass
4	5788.200	97.94	0.97	--	-72.06	Peak	170.00	150	Vertical	N/A
4**	5788.200	90.85	0.97	--	90.85	AV	170.00	150	Vertical	N/A
5	11143.162	48.95	18.67	74.0	-25.05	Peak	341.00	150	Vertical	Pass
5**	11143.162	36.99	18.67	54.0	-17.01	AV	341.00	150	Vertical	Pass
6	15942.525	54.20	23.91	74.0	-19.80	Peak	72.00	150	Vertical	Pass
6**	15942.525	42.52	23.91	54.0	-11.48	AV	72.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.000	40.62	-15.23	74.0	-33.38	Peak	209.00	150	Horizontal	Pass
1**	1670.000	29.91	-15.23	54.0	-24.09	AV	209.00	150	Horizontal	Pass
2	4051.000	46.01	-3.78	74.0	-27.99	Peak	136.00	150	Horizontal	Pass
2**	4051.000	35.10	-3.78	54.0	-18.90	AV	136.00	150	Horizontal	Pass
3	5033.400	49.94	-0.74	74.0	-24.06	Peak	223.00	150	Horizontal	Pass
3**	5033.400	38.02	-0.74	54.0	-15.98	AV	223.00	150	Horizontal	Pass
4	5823.000	101.96	0.86	--	-164.04	Peak	266.00	150	Horizontal	N/A
4**	5823.000	94.44	0.86	--	94.44	AV	266.00	150	Horizontal	N/A
5	12388.612	49.90	19.31	74.0	-24.10	Peak	360.00	150	Horizontal	Pass
5**	12388.612	37.19	19.31	54.0	-16.81	AV	360.00	150	Horizontal	Pass
6	15553.762	54.38	23.60	74.0	-19.62	Peak	107.00	150	Horizontal	Pass
6**	15553.762	43.61	23.60	54.0	-10.39	AV	107.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.000	42.44	-14.94	74.0	-31.56	Peak	284.00	150	Vertical	Pass
1**	1167.000	33.82	-14.94	54.0	-20.18	AV	284.00	150	Vertical	Pass
2	2866.000	42.06	-8.06	74.0	-31.94	Peak	200.00	150	Vertical	Pass
2**	2866.000	33.04	-8.06	54.0	-20.96	AV	200.00	150	Vertical	Pass
3	4811.000	49.51	-1.41	74.0	-24.49	Peak	309.00	150	Vertical	Pass
3**	4811.000	37.14	-1.41	54.0	-16.86	AV	309.00	150	Vertical	Pass
4	5824.200	96.85	0.81	--	-74.15	Peak	171.00	150	Vertical	N/A
4**	5824.200	90.09	0.81	--	90.09	AV	171.00	150	Vertical	N/A
5	11620.987	49.11	20.24	74.0	-24.89	Peak	134.00	150	Vertical	Pass
5**	11620.987	36.63	20.24	54.0	-17.37	AV	134.00	150	Vertical	Pass
6	15572.924	53.71	23.58	74.0	-20.29	Peak	283.00	150	Vertical	Pass
6**	15572.924	41.94	23.58	54.0	-12.06	AV	283.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	41.68	-15.28	74.0	-32.32	Peak	153.00	150	Horizontal	Pass
1**	1670.900	31.66	-15.28	54.0	-22.34	AV	153.00	150	Horizontal	Pass
2	3731.600	45.99	-5.65	74.0	-28.01	Peak	0.00	150	Horizontal	Pass
2**	3731.600	36.35	-5.65	54.0	-17.65	AV	0.00	150	Horizontal	Pass
3	4819.000	48.72	-1.33	74.0	-25.28	Peak	292.00	150	Horizontal	Pass
3**	4819.000	36.99	-1.33	54.0	-17.01	AV	292.00	150	Horizontal	Pass
4	5748.800	98.64	0.28	--	-176.36	Peak	275.00	150	Horizontal	N/A
4**	5748.800	91.09	0.28	--	91.09	AV	275.00	150	Horizontal	N/A
5	11597.700	49.30	20.10	74.0	-24.70	Peak	81.00	150	Horizontal	Pass
5**	11597.700	37.54	20.10	54.0	-16.46	AV	81.00	150	Horizontal	Pass
6	15919.162	54.59	23.63	74.0	-19.41	Peak	289.00	150	Horizontal	Pass
6**	15919.162	42.77	23.63	54.0	-11.23	AV	289.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.400	42.90	-15.06	74.0	-31.10	Peak	273.00	150	Vertical	Pass
1**	1181.400	35.34	-15.06	54.0	-18.66	AV	273.00	150	Vertical	Pass
2	3993.400	45.97	-4.55	74.0	-28.03	Peak	92.00	150	Vertical	Pass
2**	3993.400	35.82	-4.55	54.0	-18.18	AV	92.00	150	Vertical	Pass
3	4973.800	49.19	-1.53	74.0	-24.81	Peak	152.00	150	Vertical	Pass
3**	4973.800	37.42	-1.53	54.0	-16.58	AV	152.00	150	Vertical	Pass
4	5750.000	93.97	0.31	--	-76.03	Peak	170.00	150	Vertical	N/A
4**	5750.000	86.67	0.31	--	86.67	AV	170.00	150	Vertical	N/A
5	11617.537	48.77	20.22	74.0	-25.23	Peak	225.00	150	Vertical	Pass
5**	11617.537	37.36	20.22	54.0	-16.64	AV	225.00	150	Vertical	Pass
6	16013.662	53.86	23.98	74.0	-20.14	Peak	325.00	150	Vertical	Pass
6**	16013.662	41.52	23.98	54.0	-12.48	AV	325.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.200	41.91	-14.73	74.0	-32.09	Peak	331.00	150	Horizontal	Pass
1**	1326.200	31.88	-14.73	54.0	-22.12	AV	331.00	150	Horizontal	Pass
2	3955.800	45.87	-4.52	74.0	-28.13	Peak	39.00	150	Horizontal	Pass
2**	3955.800	34.62	-4.52	54.0	-19.38	AV	39.00	150	Horizontal	Pass
3	5056.600	49.67	-0.82	74.0	-24.33	Peak	82.00	150	Horizontal	Pass
3**	5056.600	38.15	-0.82	54.0	-15.85	AV	82.00	150	Horizontal	Pass
4	5804.400	98.90	0.83	--	-163.10	Peak	262.00	150	Horizontal	N/A
4**	5804.400	91.50	0.83	--	91.50	AV	262.00	150	Horizontal	N/A
5	11666.987	49.07	20.20	74.0	-24.93	Peak	71.00	150	Horizontal	Pass
5**	11666.987	37.32	20.20	54.0	-16.68	AV	71.00	150	Horizontal	Pass
6	15550.349	54.06	23.61	74.0	-19.94	Peak	174.00	150	Horizontal	Pass
6**	15550.349	42.11	23.61	54.0	-11.89	AV	174.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1219.200	43.00	-14.76	74.0	-31.00	Peak	308.00	150	Vertical	Pass
1**	1219.200	31.37	-14.76	54.0	-22.63	AV	308.00	150	Vertical	Pass
2	2768.200	42.01	-8.52	74.0	-31.99	Peak	233.00	150	Vertical	Pass
2**	2768.200	30.63	-8.52	54.0	-23.37	AV	233.00	150	Vertical	Pass
3	3984.800	46.81	-4.30	74.0	-27.19	Peak	178.00	150	Vertical	Pass
3**	3984.800	34.72	-4.30	54.0	-19.28	AV	178.00	150	Vertical	Pass
4	5803.800	93.81	0.83	--	-66.19	Peak	160.00	150	Vertical	N/A
4**	5803.800	87.00	0.83	--	87.00	AV	160.00	150	Vertical	N/A
5	12020.037	49.13	18.75	74.0	-24.87	Peak	145.00	150	Vertical	Pass
5**	12020.037	36.20	18.75	54.0	-17.80	AV	145.00	150	Vertical	Pass
6	15552.187	54.07	23.60	74.0	-19.93	Peak	187.00	150	Vertical	Pass
6**	15552.187	42.05	23.60	54.0	-11.95	AV	187.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.800	41.67	-15.22	74.0	-32.33	Peak	213.00	150	Horizontal	Pass
1**	1664.800	29.81	-15.22	54.0	-24.19	AV	213.00	150	Horizontal	Pass
2	2860.500	41.59	-7.96	74.0	-32.41	Peak	213.00	150	Horizontal	Pass
2**	2860.500	31.86	-7.96	54.0	-22.14	AV	213.00	150	Horizontal	Pass
3	3953.800	46.22	-4.69	74.0	-27.78	Peak	234.00	150	Horizontal	Pass
3**	3953.800	35.84	-4.69	54.0	-18.16	AV	234.00	150	Horizontal	Pass
4	5745.600	101.61	0.35	--	-158.39	Peak	260.00	150	Horizontal	N/A
4**	5745.600	93.85	0.35	--	93.85	AV	260.00	150	Horizontal	N/A
5	11811.313	48.30	18.46	74.0	-25.70	Peak	0.00	150	Horizontal	Pass
5**	11811.313	36.50	18.46	54.0	-17.50	AV	0.00	150	Horizontal	Pass
6	15621.224	54.54	23.45	74.0	-19.46	Peak	148.00	150	Horizontal	Pass
6**	15621.224	44.71	23.45	54.0	-9.29	AV	148.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.500	41.69	-14.89	74.0	-32.31	Peak	276.00	150	Vertical	Pass
1**	1165.500	32.27	-14.89	54.0	-21.73	AV	276.00	150	Vertical	Pass
2	2826.200	41.64	-8.39	74.0	-32.36	Peak	0.00	150	Vertical	Pass
2**	2826.200	31.98	-8.39	54.0	-22.02	AV	0.00	150	Vertical	Pass
3	4170.200	46.56	-3.75	74.0	-27.44	Peak	111.00	150	Vertical	Pass
3**	4170.200	34.86	-3.75	54.0	-19.14	AV	111.00	150	Vertical	Pass
4	5742.000	97.27	0.04	--	-66.73	Peak	164.00	150	Vertical	N/A
4**	5742.000	89.46	0.04	--	89.46	AV	164.00	150	Vertical	N/A
5	11756.687	48.76	18.88	74.0	-25.24	Peak	360.00	150	Vertical	Pass
5**	11756.687	37.70	18.88	54.0	-16.30	AV	360.00	150	Vertical	Pass
6	15654.563	54.03	23.49	74.0	-19.97	Peak	259.00	150	Vertical	Pass
6**	15654.563	41.98	23.49	54.0	-12.02	AV	259.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.000	41.39	-15.31	74.0	-32.61	Peak	216.00	150	Horizontal	Pass
1**	1674.000	32.06	-15.31	54.0	-21.94	AV	216.00	150	Horizontal	Pass
2	2850.000	41.99	-8.21	74.0	-32.01	Peak	127.00	150	Horizontal	Pass
2**	2850.000	32.70	-8.21	54.0	-21.30	AV	127.00	150	Horizontal	Pass
3	4145.400	45.87	-3.75	74.0	-28.13	Peak	310.00	150	Horizontal	Pass
3**	4145.400	34.75	-3.75	54.0	-19.25	AV	310.00	150	Horizontal	Pass
4	5783.800	101.88	0.83	--	-172.12	Peak	274.00	150	Horizontal	N/A
4**	5783.800	95.64	0.83	--	95.64	AV	274.00	150	Horizontal	N/A
5	11836.325	48.70	18.24	74.0	-25.30	Peak	207.00	150	Horizontal	Pass
5**	11836.325	36.46	18.24	54.0	-17.54	AV	207.00	150	Horizontal	Pass
6	15882.937	54.76	23.34	74.0	-19.24	Peak	213.00	150	Horizontal	Pass
6**	15882.937	41.98	23.34	54.0	-12.02	AV	213.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.900	42.03	-15.11	74.0	-31.97	Peak	299.00	150	Vertical	Pass
1**	1185.900	34.74	-15.11	54.0	-19.26	AV	299.00	150	Vertical	Pass
2	2880.200	42.08	-8.27	74.0	-31.92	Peak	0.00	150	Vertical	Pass
2**	2880.200	31.44	-8.27	54.0	-22.56	AV	0.00	150	Vertical	Pass
3	3988.000	46.61	-4.33	74.0	-27.39	Peak	168.00	150	Vertical	Pass
3**	3988.000	35.43	-4.33	54.0	-18.57	AV	168.00	150	Vertical	Pass
4	5788.400	98.56	0.99	--	-59.44	Peak	158.00	150	Vertical	N/A
4**	5788.400	90.43	0.99	--	90.43	AV	158.00	150	Vertical	N/A
5	11621.276	49.32	20.25	74.0	-24.68	Peak	219.00	150	Vertical	Pass
5**	11621.276	37.14	20.25	54.0	-16.86	AV	219.00	150	Vertical	Pass
6	15747.750	54.12	23.38	74.0	-19.88	Peak	97.00	150	Vertical	Pass
6**	15747.750	42.76	23.38	54.0	-11.24	AV	97.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	41.36	-15.22	74.0	-32.64	Peak	209.00	150	Horizontal	Pass
1**	1668.200	34.02	-15.22	54.0	-19.98	AV	209.00	150	Horizontal	Pass
2	2894.400	41.71	-8.14	74.0	-32.29	Peak	298.00	150	Horizontal	Pass
2**	2894.400	31.62	-8.14	54.0	-22.38	AV	298.00	150	Horizontal	Pass
3	4315.600	46.71	-3.18	74.0	-27.29	Peak	313.00	150	Horizontal	Pass
3**	4315.600	35.74	-3.18	54.0	-18.26	AV	313.00	150	Horizontal	Pass
4	5820.600	101.14	0.92	--	-154.86	Peak	256.00	150	Horizontal	N/A
4**	5820.600	94.24	0.92	--	94.24	AV	256.00	150	Horizontal	N/A
5	11689.125	48.76	19.96	74.0	-25.24	Peak	0.00	150	Horizontal	Pass
5**	11689.125	37.38	19.96	54.0	-16.62	AV	0.00	150	Horizontal	Pass
6	15668.737	54.83	23.52	74.0	-19.17	Peak	360.00	150	Horizontal	Pass
6**	15668.737	42.15	23.52	54.0	-11.85	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.500	42.91	-15.06	74.0	-31.09	Peak	286.00	150	Vertical	Pass
1**	1181.500	34.35	-15.06	54.0	-19.65	AV	286.00	150	Vertical	Pass
2	2876.200	41.95	-8.34	74.0	-32.05	Peak	188.00	150	Vertical	Pass
2**	2876.200	33.15	-8.34	54.0	-20.85	AV	188.00	150	Vertical	Pass
3	3980.800	46.53	-4.08	74.0	-27.47	Peak	240.00	150	Vertical	Pass
3**	3980.800	36.30	-4.08	54.0	-17.70	AV	240.00	150	Vertical	Pass
4	5822.000	95.99	0.89	--	-68.01	Peak	164.00	150	Vertical	N/A
4**	5822.000	89.88	0.89	--	89.88	AV	164.00	150	Vertical	N/A
5	12354.688	49.45	19.68	74.0	-24.55	Peak	0.00	150	Vertical	Pass
5**	12354.688	37.76	19.68	54.0	-16.24	AV	0.00	150	Vertical	Pass
6	15697.613	53.33	23.58	74.0	-20.67	Peak	96.00	150	Vertical	Pass
6**	15697.613	43.67	23.58	54.0	-10.33	AV	96.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.400	40.93	-15.30	74.0	-33.07	Peak	169.00	150	Horizontal	Pass
1**	1676.400	31.18	-15.30	54.0	-22.82	AV	169.00	150	Horizontal	Pass
2	2760.800	41.35	-8.84	74.0	-32.65	Peak	135.00	150	Horizontal	Pass
2**	2760.800	30.79	-8.84	54.0	-23.21	AV	135.00	150	Horizontal	Pass
3	4159.200	46.95	-3.53	74.0	-27.05	Peak	164.00	150	Horizontal	Pass
3**	4159.200	34.99	-3.53	54.0	-19.01	AV	164.00	150	Horizontal	Pass
4	5766.800	99.32	0.85	--	-160.68	Peak	260.00	150	Horizontal	N/A
4**	5766.800	92.29	0.85	--	92.29	AV	260.00	150	Horizontal	N/A
5	12414.488	50.56	19.01	74.0	-23.44	Peak	229.00	150	Horizontal	Pass
5**	12414.488	38.05	19.01	54.0	-15.95	AV	229.00	150	Horizontal	Pass
6	15633.825	54.28	23.53	74.0	-19.72	Peak	241.00	150	Horizontal	Pass
6**	15633.825	42.39	23.53	54.0	-11.61	AV	241.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.200	42.09	-15.00	74.0	-31.91	Peak	310.00	150	Vertical	Pass
1**	1198.200	33.80	-15.00	54.0	-20.20	AV	310.00	150	Vertical	Pass
2	2837.800	41.76	-8.47	74.0	-32.24	Peak	226.00	150	Vertical	Pass
2**	2837.800	31.28	-8.47	54.0	-22.72	AV	226.00	150	Vertical	Pass
3	3988.800	47.30	-4.32	74.0	-26.70	Peak	110.00	150	Vertical	Pass
3**	3988.800	34.89	-4.32	54.0	-19.11	AV	110.00	150	Vertical	Pass
4	5744.800	94.55	0.26	--	-68.45	Peak	163.00	150	Vertical	N/A
4**	5744.800	87.70	0.26	--	87.70	AV	163.00	150	Vertical	N/A
5	11655.487	48.94	20.33	74.0	-25.06	Peak	0.00	150	Vertical	Pass
5**	11655.487	37.13	20.33	54.0	-16.87	AV	0.00	150	Vertical	Pass
6	15451.125	54.40	23.40	74.0	-19.60	Peak	57.00	150	Vertical	Pass
6**	15451.125	42.82	23.40	54.0	-11.18	AV	57.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.400	41.40	-15.33	74.0	-32.60	Peak	221.00	150	Horizontal	Pass
1**	1671.400	31.41	-15.33	54.0	-22.59	AV	221.00	150	Horizontal	Pass
2	2822.300	41.59	-8.38	74.0	-32.41	Peak	240.00	150	Horizontal	Pass
2**	2822.300	31.20	-8.38	54.0	-22.80	AV	240.00	150	Horizontal	Pass
3	4178.200	46.30	-3.96	74.0	-27.70	Peak	0.00	150	Horizontal	Pass
3**	4178.200	35.09	-3.96	54.0	-18.91	AV	0.00	150	Horizontal	Pass
4	5800.000	98.22	0.88	--	-163.78	Peak	262.00	150	Horizontal	N/A
4**	5800.000	91.61	0.88	--	91.61	AV	262.00	150	Horizontal	N/A
5	11617.825	48.79	20.23	74.0	-25.21	Peak	279.00	150	Horizontal	Pass
5**	11617.825	37.73	20.23	54.0	-16.27	AV	279.00	150	Horizontal	Pass
6	15642.488	53.92	23.55	74.0	-20.08	Peak	101.00	150	Horizontal	Pass
6**	15642.488	42.07	23.55	54.0	-11.93	AV	101.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	41.67	-14.82	74.0	-32.33	Peak	236.00	150	Vertical	Pass
1**	1328.400	33.37	-14.82	54.0	-20.63	AV	236.00	150	Vertical	Pass
2	2843.400	42.09	-8.54	74.0	-31.91	Peak	229.00	150	Vertical	Pass
2**	2843.400	32.11	-8.54	54.0	-21.89	AV	229.00	150	Vertical	Pass
3	3985.000	47.14	-4.30	74.0	-26.86	Peak	172.00	150	Vertical	Pass
3**	3985.000	37.35	-4.30	54.0	-16.65	AV	172.00	150	Vertical	Pass
4	5792.400	94.27	1.04	--	-68.73	Peak	163.00	150	Vertical	N/A
4**	5792.400	87.00	1.04	--	87.00	AV	163.00	150	Vertical	N/A
5	11741.737	49.01	19.07	74.0	-24.99	Peak	79.00	150	Vertical	Pass
5**	11741.737	36.90	19.07	54.0	-17.10	AV	79.00	150	Vertical	Pass
6	15525.675	54.58	23.75	74.0	-19.42	Peak	113.00	150	Vertical	Pass
6**	15525.675	42.87	23.75	54.0	-11.13	AV	113.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	41.40	-15.22	74.0	-32.60	Peak	220.00	150	Horizontal	Pass
1**	1668.800	32.11	-15.22	54.0	-21.89	AV	220.00	150	Horizontal	Pass
2	2813.500	41.24	-8.35	74.0	-32.76	Peak	213.00	150	Horizontal	Pass
2**	2813.500	31.42	-8.35	54.0	-22.58	AV	213.00	150	Horizontal	Pass
3	4030.600	46.91	-3.94	74.0	-27.09	Peak	284.00	150	Horizontal	Pass
3**	4030.600	34.53	-3.94	54.0	-19.47	AV	284.00	150	Horizontal	Pass
4	5790.400	96.26	0.93	--	-161.74	Peak	258.00	150	Horizontal	N/A
4**	5790.400	88.98	0.93	--	88.98	AV	258.00	150	Horizontal	N/A
5	11916.250	48.79	18.11	74.0	-25.21	Peak	0.00	150	Horizontal	Pass
5**	11916.250	38.19	18.11	54.0	-15.81	AV	0.00	150	Horizontal	Pass
6	15545.362	55.84	23.65	74.0	-18.16	Peak	74.00	150	Horizontal	Pass
6**	15545.362	43.27	23.65	54.0	-10.73	AV	74.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.700	42.49	-15.03	74.0	-31.51	Peak	292.00	150	Vertical	Pass
1**	1176.700	32.92	-15.03	54.0	-21.08	AV	292.00	150	Vertical	Pass
2	2807.000	41.24	-8.69	74.0	-32.76	Peak	357.00	150	Vertical	Pass
2**	2807.000	32.19	-8.69	54.0	-21.81	AV	357.00	150	Vertical	Pass
3	3995.000	46.25	-4.48	74.0	-27.75	Peak	301.00	150	Vertical	Pass
3**	3995.000	35.66	-4.48	54.0	-18.34	AV	301.00	150	Vertical	Pass
4	5788.600	91.98	1.02	--	-73.02	Peak	165.00	150	Vertical	N/A
4**	5788.600	86.62	1.02	--	86.62	AV	165.00	150	Vertical	N/A
5	12272.750	49.63	20.29	74.0	-24.37	Peak	8.00	150	Vertical	Pass
5**	12272.750	37.68	20.29	54.0	-16.32	AV	8.00	150	Vertical	Pass
6	15499.162	54.11	23.96	74.0	-19.89	Peak	360.00	150	Vertical	Pass
6**	15499.162	42.74	23.96	54.0	-11.26	AV	360.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	41.66	-15.29	74.0	-32.34	Peak	221.00	150	Horizontal	Pass
1**	1671.000	33.35	-15.29	54.0	-20.65	AV	221.00	150	Horizontal	Pass
2	2896.600	42.01	-8.02	74.0	-31.99	Peak	73.00	150	Horizontal	Pass
2**	2896.600	31.80	-8.02	54.0	-22.20	AV	73.00	150	Horizontal	Pass
3	4056.800	46.07	-3.90	74.0	-27.93	Peak	131.00	150	Horizontal	Pass
3**	4056.800	34.12	-3.90	54.0	-19.88	AV	131.00	150	Horizontal	Pass
4	5744.000	102.86	0.16	--	-157.14	Peak	260.00	150	Horizontal	N/A
4**	5744.000	94.68	0.16	--	94.68	AV	260.00	150	Horizontal	N/A
5	12386.312	49.11	19.33	74.0	-24.89	Peak	182.00	150	Horizontal	Pass
5**	12386.312	37.62	19.33	54.0	-16.38	AV	182.00	150	Horizontal	Pass
6	16133.363	54.48	24.09	74.0	-19.52	Peak	302.00	150	Horizontal	Pass
6**	16133.363	42.47	24.09	54.0	-11.53	AV	302.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.700	42.61	-14.96	74.0	-31.39	Peak	311.00	150	Vertical	Pass
1**	1207.700	32.42	-14.96	54.0	-21.58	AV	311.00	150	Vertical	Pass
2	2888.500	41.96	-8.15	74.0	-32.04	Peak	305.00	150	Vertical	Pass
2**	2888.500	32.02	-8.15	54.0	-21.98	AV	305.00	150	Vertical	Pass
3	3983.200	46.86	-4.27	74.0	-27.14	Peak	168.00	150	Vertical	Pass
3**	3983.200	36.10	-4.27	54.0	-17.90	AV	168.00	150	Vertical	Pass
4	5744.400	98.03	0.21	--	-60.97	Peak	159.00	150	Vertical	N/A
4**	5744.400	91.09	0.21	--	91.09	AV	159.00	150	Vertical	N/A
5	11769.912	49.24	18.78	74.0	-24.76	Peak	100.00	150	Vertical	Pass
5**	11769.912	36.80	18.78	54.0	-17.20	AV	100.00	150	Vertical	Pass
6	15450.599	54.95	23.40	74.0	-19.05	Peak	339.00	150	Vertical	Pass
6**	15450.599	42.65	23.40	54.0	-11.35	AV	339.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.400	41.64	-15.28	74.0	-32.36	Peak	262.00	150	Horizontal	Pass
1**	1684.400	29.39	-15.28	54.0	-24.61	AV	262.00	150	Horizontal	Pass
2	2866.200	41.97	-8.06	74.0	-32.03	Peak	0.00	150	Horizontal	Pass
2**	2866.200	31.99	-8.06	54.0	-22.01	AV	0.00	150	Horizontal	Pass
3	4205.200	47.50	-4.06	74.0	-26.50	Peak	338.00	150	Horizontal	Pass
3**	4205.200	34.45	-4.06	54.0	-19.55	AV	338.00	150	Horizontal	Pass
4	5783.000	103.92	0.93	--	-155.08	Peak	259.00	150	Horizontal	N/A
4**	5783.000	94.63	0.93	--	94.63	AV	259.00	150	Horizontal	N/A
5	12212.375	48.41	20.44	74.0	-25.59	Peak	360.00	150	Horizontal	Pass
5**	12212.375	37.67	20.44	54.0	-16.33	AV	360.00	150	Horizontal	Pass
6	15910.762	54.42	23.47	74.0	-19.58	Peak	340.00	150	Horizontal	Pass
6**	15910.762	43.49	23.47	54.0	-10.51	AV	340.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.900	42.54	-15.11	74.0	-31.46	Peak	290.00	150	Vertical	Pass
1**	1190.900	33.40	-15.11	54.0	-20.60	AV	290.00	150	Vertical	Pass
2	2878.700	42.43	-8.29	74.0	-31.57	Peak	251.00	150	Vertical	Pass
2**	2878.700	32.63	-8.29	54.0	-21.37	AV	251.00	150	Vertical	Pass
3	3994.800	46.85	-4.49	74.0	-27.15	Peak	257.00	150	Vertical	Pass
3**	3994.800	35.35	-4.49	54.0	-18.65	AV	257.00	150	Vertical	Pass
4	5785.800	98.34	0.77	--	-59.66	Peak	158.00	150	Vertical	N/A
4**	5785.800	89.66	0.77	--	89.66	AV	158.00	150	Vertical	N/A
5	11749.213	49.60	18.96	74.0	-24.40	Peak	112.00	150	Vertical	Pass
5**	11749.213	37.05	18.96	54.0	-16.95	AV	112.00	150	Vertical	Pass
6	15886.875	53.83	23.32	74.0	-20.17	Peak	277.00	150	Vertical	Pass
6**	15886.875	43.00	23.32	54.0	-11.00	AV	277.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.000	42.84	-15.22	74.0	-31.16	Peak	152.00	150	Horizontal	Pass
1**	1668.000	32.16	-15.22	54.0	-21.84	AV	152.00	150	Horizontal	Pass
2	2828.400	41.43	-8.24	74.0	-32.57	Peak	152.00	150	Horizontal	Pass
2**	2828.400	32.81	-8.24	54.0	-21.19	AV	152.00	150	Horizontal	Pass
3	4248.800	47.47	-3.17	74.0	-26.53	Peak	36.00	150	Horizontal	Pass
3**	4248.800	36.13	-3.17	54.0	-17.87	AV	36.00	150	Horizontal	Pass
4	5821.600	107.34	0.90	--	-127.66	Peak	235.00	150	Horizontal	N/A
4**	5821.600	98.90	0.90	--	98.90	AV	235.00	150	Horizontal	N/A
5	11692.575	49.71	19.91	74.0	-24.29	Peak	203.00	150	Horizontal	Pass
5**	11692.575	38.27	19.91	54.0	-15.73	AV	203.00	150	Horizontal	Pass
6	15981.638	54.81	24.01	74.0	-19.19	Peak	204.00	150	Horizontal	Pass
6**	15981.638	43.31	24.01	54.0	-10.69	AV	204.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	41.14	-15.12	74.0	-32.86	Peak	296.00	150	Vertical	Pass
1**	1195.500	31.69	-15.12	54.0	-22.31	AV	296.00	150	Vertical	Pass
2	2867.900	42.15	-8.13	74.0	-31.85	Peak	183.00	150	Vertical	Pass
2**	2867.900	31.91	-8.13	54.0	-22.09	AV	183.00	150	Vertical	Pass
3	3982.200	47.84	-4.23	74.0	-26.16	Peak	98.00	150	Vertical	Pass
3**	3982.200	36.72	-4.23	54.0	-17.28	AV	98.00	150	Vertical	Pass
4	5822.400	101.32	0.89	--	-14.68	Peak	116.00	150	Vertical	N/A
4**	5822.400	92.05	0.89	--	92.05	AV	116.00	150	Vertical	N/A
5	11554.000	49.62	19.73	74.0	-24.38	Peak	42.00	150	Vertical	Pass
5**	11554.000	38.13	19.73	54.0	-15.87	AV	42.00	150	Vertical	Pass
6	15977.437	55.25	24.00	74.0	-18.75	Peak	287.00	150	Vertical	Pass
6**	15977.437	43.12	24.00	54.0	-10.88	AV	287.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.600	43.34	-15.21	74.0	-30.66	Peak	155.00	150	Horizontal	Pass
1**	1667.600	34.38	-15.21	54.0	-19.62	AV	155.00	150	Horizontal	Pass
2	2860.800	41.60	-7.97	74.0	-32.40	Peak	181.00	150	Horizontal	Pass
2**	2860.800	31.28	-7.97	54.0	-22.72	AV	181.00	150	Horizontal	Pass
3	4318.800	47.83	-3.11	74.0	-26.17	Peak	0.00	150	Horizontal	Pass
3**	4318.800	35.41	-3.11	54.0	-18.59	AV	0.00	150	Horizontal	Pass
4	5759.000	104.76	0.64	--	-128.24	Peak	233.00	150	Horizontal	N/A
4**	5759.000	95.55	0.64	--	95.55	AV	233.00	150	Horizontal	N/A
5	11637.950	49.81	20.35	74.0	-24.19	Peak	44.00	150	Horizontal	Pass
5**	11637.950	38.73	20.35	54.0	-15.27	AV	44.00	150	Horizontal	Pass
6	15814.425	54.91	23.24	74.0	-19.09	Peak	360.00	150	Horizontal	Pass
6**	15814.425	43.85	23.24	54.0	-10.15	AV	360.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1210.500	42.92	-14.95	74.0	-31.08	Peak	338.00	150	Vertical	Pass
1**	1210.500	30.19	-14.95	54.0	-23.81	AV	338.00	150	Vertical	Pass
2	2810.300	41.32	-8.50	74.0	-32.68	Peak	34.00	150	Vertical	Pass
2**	2810.300	30.86	-8.50	54.0	-23.14	AV	34.00	150	Vertical	Pass
3	3964.600	46.98	-4.41	74.0	-27.02	Peak	183.00	150	Vertical	Pass
3**	3964.600	35.60	-4.41	54.0	-18.40	AV	183.00	150	Vertical	Pass
4	5762.200	97.12	0.71	--	-23.88	Peak	121.00	150	Vertical	N/A
4**	5762.200	89.81	0.71	--	89.81	AV	121.00	150	Vertical	N/A
5	11915.675	49.95	18.11	74.0	-24.05	Peak	54.00	150	Vertical	Pass
5**	11915.675	38.32	18.11	54.0	-15.68	AV	54.00	150	Vertical	Pass
6	15950.401	54.96	23.95	74.0	-19.04	Peak	61.00	150	Vertical	Pass
6**	15950.401	42.93	23.95	54.0	-11.07	AV	61.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.100	41.92	-15.29	74.0	-32.08	Peak	150.00	150	Horizontal	Pass
1**	1676.100	30.99	-15.29	54.0	-23.01	AV	150.00	150	Horizontal	Pass
2	2828.300	42.19	-8.25	74.0	-31.81	Peak	280.00	150	Horizontal	Pass
2**	2828.300	31.85	-8.25	54.0	-22.15	AV	280.00	150	Horizontal	Pass
3	4237.000	47.08	-3.34	74.0	-26.92	Peak	360.00	150	Horizontal	Pass
3**	4237.000	35.57	-3.34	54.0	-18.43	AV	360.00	150	Horizontal	Pass
4	5801.400	103.36	0.88	--	-129.64	Peak	233.00	150	Horizontal	N/A
4**	5801.400	95.46	0.88	--	95.46	AV	233.00	150	Horizontal	N/A
5	11751.513	50.25	18.93	74.0	-23.75	Peak	206.00	150	Horizontal	Pass
5**	11751.513	37.85	18.93	54.0	-16.15	AV	206.00	150	Horizontal	Pass
6	15930.974	54.53	23.79	74.0	-19.47	Peak	146.00	150	Horizontal	Pass
6**	15930.974	44.34	23.79	54.0	-9.66	AV	146.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.800	41.87	-15.00	74.0	-32.13	Peak	296.00	150	Vertical	Pass
1**	1198.800	30.45	-15.00	54.0	-23.55	AV	296.00	150	Vertical	Pass
2	2862.200	42.40	-8.02	74.0	-31.60	Peak	61.00	150	Vertical	Pass
2**	2862.200	32.49	-8.02	54.0	-21.51	AV	61.00	150	Vertical	Pass
3	3988.000	47.12	-4.33	74.0	-26.88	Peak	90.00	150	Vertical	Pass
3**	3988.000	35.66	-4.33	54.0	-18.34	AV	90.00	150	Vertical	Pass
4	5789.800	97.65	0.96	--	-17.35	Peak	115.00	150	Vertical	N/A
4**	5789.800	90.22	0.96	--	90.22	AV	115.00	150	Vertical	N/A
5	11626.738	50.35	20.28	74.0	-23.65	Peak	317.00	150	Vertical	Pass
5**	11626.738	38.58	20.28	54.0	-15.42	AV	317.00	150	Vertical	Pass
6	15608.625	55.73	23.51	74.0	-18.27	Peak	248.00	150	Vertical	Pass
6**	15608.625	43.97	23.51	54.0	-10.03	AV	248.00	150	Vertical	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	42.61	-15.35	74.0	-31.39	Peak	152.00	150	Horizontal	Pass
1**	1673.600	31.82	-15.35	54.0	-22.18	AV	152.00	150	Horizontal	Pass
2	2877.800	41.80	-8.32	74.0	-32.20	Peak	57.00	150	Horizontal	Pass
2**	2877.800	32.42	-8.32	54.0	-21.58	AV	57.00	150	Horizontal	Pass
3	4284.200	47.03	-3.79	74.0	-26.97	Peak	346.00	150	Horizontal	Pass
3**	4284.200	35.83	-3.79	54.0	-18.17	AV	346.00	150	Horizontal	Pass
4	5788.000	104.16	0.95	--	-121.84	Peak	226.00	150	Horizontal	N/A
4**	5788.000	93.62	0.95	--	93.62	AV	226.00	150	Horizontal	N/A
5	12207.487	50.66	20.44	74.0	-23.34	Peak	309.00	150	Horizontal	Pass
5**	12207.487	39.38	20.44	54.0	-14.62	AV	309.00	150	Horizontal	Pass
6	15492.600	55.08	23.85	74.0	-18.92	Peak	296.00	150	Horizontal	Pass
6**	15492.600	43.19	23.85	54.0	-10.81	AV	296.00	150	Horizontal	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.400	42.21	-15.05	74.0	-31.79	Peak	268.00	150	Vertical	Pass
1**	1190.400	34.76	-15.05	54.0	-19.24	AV	268.00	150	Vertical	Pass
2	2820.200	42.08	-8.41	74.0	-31.92	Peak	352.00	150	Vertical	Pass
2**	2820.200	33.32	-8.41	54.0	-20.68	AV	352.00	150	Vertical	Pass
3	4121.400	46.79	-4.18	74.0	-27.21	Peak	169.00	150	Vertical	Pass
3**	4121.400	35.52	-4.18	54.0	-18.48	AV	169.00	150	Vertical	Pass
4	5767.000	96.97	0.84	--	-19.03	Peak	116.00	150	Vertical	N/A
4**	5767.000	88.67	0.84	--	88.67	AV	116.00	150	Vertical	N/A
5	11659.225	49.90	20.28	74.0	-24.10	Peak	122.00	150	Vertical	Pass
5**	11659.225	38.85	20.28	54.0	-15.15	AV	122.00	150	Vertical	Pass
6	15947.775	54.98	23.94	74.0	-19.02	Peak	111.00	150	Vertical	Pass
6**	15947.775	43.00	23.94	54.0	-11.00	AV	111.00	150	Vertical	Pass

MIMO

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	42.49	-15.21	74.0	-31.51	Peak	203.00	150	Horizontal	Pass
1**	1665.900	32.98	-15.21	54.0	-21.02	AV	203.00	150	Horizontal	Pass
2	2871.600	42.01	-8.21	74.0	-31.99	Peak	253.00	150	Horizontal	Pass
2**	2871.600	32.86	-8.21	54.0	-21.14	AV	253.00	150	Horizontal	Pass
3	4262.600	47.33	-3.27	74.0	-26.67	Peak	197.00	150	Horizontal	Pass
3**	4262.600	36.45	-3.27	54.0	-17.55	AV	197.00	150	Horizontal	Pass
4	5181.000	105.18	-0.58	--	-140.82	Peak	246.00	150	Horizontal	N/A
4**	5181.000	97.63	-0.58	--	97.63	AV	246.00	150	Horizontal	N/A
5	11649.162	50.26	20.39	74.0	-23.74	Peak	29.00	150	Horizontal	Pass
5**	11649.162	38.62	20.39	54.0	-15.38	AV	29.00	150	Horizontal	Pass
6	15528.300	55.69	23.74	74.0	-18.31	Peak	219.00	150	Horizontal	Pass
6**	15528.300	42.50	23.74	54.0	-11.50	AV	219.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.300	41.68	-15.14	74.0	-32.32	Peak	288.00	150	Vertical	Pass
1**	1195.300	32.69	-15.14	54.0	-21.31	AV	288.00	150	Vertical	Pass
2	2883.900	42.35	-8.34	74.0	-31.65	Peak	0.00	150	Vertical	Pass
2**	2883.900	32.21	-8.34	54.0	-21.79	AV	0.00	150	Vertical	Pass
3	4185.200	47.24	-3.99	74.0	-26.76	Peak	343.00	150	Vertical	Pass
3**	4185.200	35.50	-3.99	54.0	-18.50	AV	343.00	150	Vertical	Pass
4	5176.400	101.32	-0.53	--	-62.68	Peak	164.00	150	Vertical	N/A
4**	5176.400	93.93	-0.53	--	93.93	AV	164.00	150	Vertical	N/A
5	12327.663	50.45	19.87	74.0	-23.55	Peak	221.00	150	Vertical	Pass
5**	12327.663	38.91	19.87	54.0	-15.09	AV	221.00	150	Vertical	Pass
6	15612.300	56.00	23.49	74.0	-18.00	Peak	351.00	150	Vertical	Pass
6**	15612.300	44.32	23.49	54.0	-9.68	AV	351.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.200	43.21	-15.29	74.0	-30.79	Peak	210.00	150	Horizontal	Pass
1**	1676.200	33.01	-15.29	54.0	-20.99	AV	210.00	150	Horizontal	Pass
2	2855.700	42.13	-8.08	74.0	-31.87	Peak	0.00	150	Horizontal	Pass
2**	2855.700	32.44	-8.08	54.0	-21.56	AV	0.00	150	Horizontal	Pass
3	4270.600	47.49	-3.59	74.0	-26.51	Peak	276.00	150	Horizontal	Pass
3**	4270.600	35.22	-3.59	54.0	-18.78	AV	276.00	150	Horizontal	Pass
4	5218.000	106.90	-0.25	--	-147.10	Peak	254.00	150	Horizontal	N/A
4**	5218.000	100.55	-0.25	--	100.55	AV	254.00	150	Horizontal	N/A
5	11708.675	51.06	19.66	74.0	-22.94	Peak	294.00	150	Horizontal	Pass
5**	11708.675	39.36	19.66	54.0	-14.64	AV	294.00	150	Horizontal	Pass
6	15523.575	54.96	23.76	74.0	-19.04	Peak	362.00	150	Horizontal	Pass
6**	15523.575	43.90	23.76	54.0	-10.10	AV	362.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.700	45.62	-15.28	74.0	-28.38	Peak	275.00	150	Vertical	Pass
1**	1192.700	37.90	-15.28	54.0	-16.10	AV	275.00	150	Vertical	Pass
2	2790.200	41.48	-8.88	74.0	-32.52	Peak	0.00	150	Vertical	Pass
2**	2790.200	32.30	-8.88	54.0	-21.70	AV	0.00	150	Vertical	Pass
3	3979.400	47.05	-4.05	74.0	-26.95	Peak	160.00	150	Vertical	Pass
3**	3979.400	37.12	-4.05	54.0	-16.88	AV	160.00	150	Vertical	Pass
4	5222.000	101.73	-0.38	--	-58.27	Peak	160.00	150	Vertical	N/A
4**	5222.000	94.92	-0.38	--	94.92	AV	160.00	150	Vertical	N/A
5	12215.537	50.66	20.45	74.0	-23.34	Peak	233.00	150	Vertical	Pass
5**	12215.537	39.48	20.45	54.0	-14.52	AV	233.00	150	Vertical	Pass
6	15563.213	55.04	23.58	74.0	-18.96	Peak	141.00	150	Vertical	Pass
6**	15563.213	43.05	23.58	54.0	-10.95	AV	141.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	42.79	-15.21	74.0	-31.21	Peak	154.00	150	Horizontal	Pass
1**	1667.100	32.69	-15.21	54.0	-21.31	AV	154.00	150	Horizontal	Pass
2	2878.000	42.65	-8.32	74.0	-31.35	Peak	315.00	150	Horizontal	Pass
2**	2878.000	31.99	-8.32	54.0	-22.01	AV	315.00	150	Horizontal	Pass
3	4180.000	47.65	-3.98	74.0	-26.35	Peak	34.00	150	Horizontal	Pass
3**	4180.000	35.49	-3.98	54.0	-18.51	AV	34.00	150	Horizontal	Pass
4	5238.600	106.75	-0.94	--	-150.25	Peak	257.00	150	Horizontal	N/A
4**	5238.600	100.58	-0.94	--	100.58	AV	257.00	150	Horizontal	N/A
5	11777.675	50.46	18.73	74.0	-23.54	Peak	151.00	150	Horizontal	Pass
5**	11777.675	37.80	18.73	54.0	-16.20	AV	151.00	150	Horizontal	Pass
6	15540.375	55.44	23.70	74.0	-18.56	Peak	-1.00	150	Horizontal	Pass
6**	15540.375	43.43	23.70	54.0	-10.57	AV	-1.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.700	42.00	-14.99	74.0	-32.00	Peak	291.00	150	Vertical	Pass
1**	1196.700	31.94	-14.99	54.0	-22.06	AV	291.00	150	Vertical	Pass
2	2889.400	42.38	-8.14	74.0	-31.62	Peak	198.00	150	Vertical	Pass
2**	2889.400	33.03	-8.14	54.0	-20.97	AV	198.00	150	Vertical	Pass
3	4165.400	47.91	-3.78	74.0	-26.09	Peak	272.00	150	Vertical	Pass
3**	4165.400	35.62	-3.78	54.0	-18.38	AV	272.00	150	Vertical	Pass
4	5235.000	99.99	-0.76	--	-52.01	Peak	152.00	150	Vertical	N/A
4**	5235.000	91.12	-0.76	--	91.12	AV	152.00	150	Vertical	N/A
5	12141.938	50.58	19.86	74.0	-23.42	Peak	-2.00	150	Vertical	Pass
5**	12141.938	39.08	19.86	54.0	-14.92	AV	-2.00	150	Vertical	Pass
6	15963.787	55.11	23.99	74.0	-18.89	Peak	259.00	150	Vertical	Pass
6**	15963.787	43.85	23.99	54.0	-10.15	AV	259.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.900	43.34	-15.43	74.0	-30.66	Peak	210.00	150	Horizontal	Pass
1**	1672.900	32.88	-15.43	54.0	-21.12	AV	210.00	150	Horizontal	Pass
2	2822.500	41.58	-8.37	74.0	-32.42	Peak	163.00	150	Horizontal	Pass
2**	2822.500	32.37	-8.37	54.0	-21.63	AV	163.00	150	Horizontal	Pass
3	4141.600	47.31	-4.00	74.0	-26.69	Peak	360.00	150	Horizontal	Pass
3**	4141.600	35.81	-4.00	54.0	-18.19	AV	360.00	150	Horizontal	Pass
4	5186.000	102.94	-0.68	--	-146.06	Peak	249.00	150	Horizontal	N/A
4**	5186.000	95.66	-0.68	--	95.66	AV	249.00	150	Horizontal	N/A
5	12343.763	50.54	19.76	74.0	-23.46	Peak	332.00	150	Horizontal	Pass
5**	12343.763	38.96	19.76	54.0	-15.04	AV	332.00	150	Horizontal	Pass
6	15624.112	55.17	23.47	74.0	-18.83	Peak	56.00	150	Horizontal	Pass
6**	15624.112	43.55	23.47	54.0	-10.45	AV	56.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.300	45.05	-15.04	74.0	-28.95	Peak	279.00	150	Vertical	Pass
1**	1190.300	34.06	-15.04	54.0	-19.94	AV	279.00	150	Vertical	Pass
2	2808.900	41.70	-8.58	74.0	-32.30	Peak	242.00	150	Vertical	Pass
2**	2808.900	31.46	-8.58	54.0	-22.54	AV	242.00	150	Vertical	Pass
3	4047.600	47.45	-3.83	74.0	-26.55	Peak	197.00	150	Vertical	Pass
3**	4047.600	35.11	-3.83	54.0	-18.89	AV	197.00	150	Vertical	Pass
4	5183.400	94.61	-0.59	--	-44.39	Peak	139.00	150	Vertical	N/A
4**	5183.400	86.98	-0.59	--	86.98	AV	139.00	150	Vertical	N/A
5	11600.862	49.80	20.14	74.0	-24.20	Peak	288.00	150	Vertical	Pass
5**	11600.862	38.45	20.14	54.0	-15.55	AV	288.00	150	Vertical	Pass
6	15490.763	55.54	23.82	74.0	-18.46	Peak	225.00	150	Vertical	Pass
6**	15490.763	43.78	23.82	54.0	-10.22	AV	225.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.600	40.56	-14.76	74.0	-33.44	Peak	196.00	150	Horizontal	Pass
1**	1218.600	29.83	-14.76	54.0	-24.17	AV	196.00	150	Horizontal	Pass
2	2838.200	42.29	-8.47	74.0	-31.71	Peak	284.00	150	Horizontal	Pass
2**	2838.200	31.77	-8.47	54.0	-22.23	AV	284.00	150	Horizontal	Pass
3	4219.800	47.41	-3.68	74.0	-26.59	Peak	71.00	150	Horizontal	Pass
3**	4219.800	34.80	-3.68	54.0	-19.20	AV	71.00	150	Horizontal	Pass
4	5224.600	103.04	-0.44	--	-150.96	Peak	254.00	150	Horizontal	N/A
4**	5224.600	96.97	-0.44	--	96.97	AV	254.00	150	Horizontal	N/A
5	12303.513	51.08	19.97	74.0	-22.92	Peak	302.00	150	Horizontal	Pass
5**	12303.513	38.51	19.97	54.0	-15.49	AV	302.00	150	Horizontal	Pass
6	15652.987	56.02	23.50	74.0	-17.98	Peak	248.00	150	Horizontal	Pass
6**	15652.987	43.30	23.50	54.0	-10.70	AV	248.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.500	43.04	-15.07	74.0	-30.96	Peak	262.00	150	Vertical	Pass
1**	1182.500	36.06	-15.07	54.0	-17.94	AV	262.00	150	Vertical	Pass
2	2824.400	41.83	-8.30	74.0	-32.17	Peak	208.00	150	Vertical	Pass
2**	2824.400	31.93	-8.30	54.0	-22.07	AV	208.00	150	Vertical	Pass
3	4169.000	47.36	-3.74	74.0	-26.64	Peak	102.00	150	Vertical	Pass
3**	4169.000	36.38	-3.74	54.0	-17.62	AV	102.00	150	Vertical	Pass
4	5225.200	97.44	-0.46	--	-31.56	Peak	129.00	150	Vertical	N/A
4**	5225.200	90.00	-0.46	--	90.00	AV	129.00	150	Vertical	N/A
5	11658.362	50.42	20.29	74.0	-23.58	Peak	16.00	150	Vertical	Pass
5**	11658.362	37.73	20.29	54.0	-16.27	AV	16.00	150	Vertical	Pass
6	15933.600	55.51	23.82	74.0	-18.49	Peak	-1.00	150	Vertical	Pass
6**	15933.600	43.59	23.82	54.0	-10.41	AV	-1.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.100	40.47	-15.29	74.0	-33.53	Peak	339.00	150	Horizontal	Pass
1**	1121.100	31.81	-15.29	54.0	-22.19	AV	339.00	150	Horizontal	Pass
2	2829.800	42.38	-8.27	74.0	-31.62	Peak	212.00	150	Horizontal	Pass
2**	2829.800	32.45	-8.27	54.0	-21.55	AV	212.00	150	Horizontal	Pass
3	4226.000	47.33	-3.61	74.0	-26.67	Peak	86.00	150	Horizontal	Pass
3**	4226.000	35.91	-3.61	54.0	-18.09	AV	86.00	150	Horizontal	Pass
4	5176.600	106.16	-0.52	--	-143.84	Peak	250.00	150	Horizontal	N/A
4**	5176.600	99.05	-0.52	--	99.05	AV	250.00	150	Horizontal	N/A
5	11681.651	51.23	20.05	74.0	-22.77	Peak	32.00	150	Horizontal	Pass
5**	11681.651	38.72	20.05	54.0	-15.28	AV	32.00	150	Horizontal	Pass
6	15701.550	55.44	23.56	74.0	-18.56	Peak	86.00	150	Horizontal	Pass
6**	15701.550	43.36	23.56	54.0	-10.64	AV	86.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.200	44.92	-15.27	74.0	-29.08	Peak	286.00	150	Vertical	Pass
1**	1192.200	35.54	-15.27	54.0	-18.46	AV	286.00	150	Vertical	Pass
2	2868.300	42.17	-8.16	74.0	-31.83	Peak	17.00	150	Vertical	Pass
2**	2868.300	33.51	-8.16	54.0	-20.49	AV	17.00	150	Vertical	Pass
3	4196.400	47.28	-4.02	74.0	-26.72	Peak	10.00	150	Vertical	Pass
3**	4196.400	35.66	-4.02	54.0	-18.34	AV	10.00	150	Vertical	Pass
4	5177.200	101.21	-0.56	--	-62.79	Peak	164.00	150	Vertical	N/A
4**	5177.200	94.37	-0.56	--	94.37	AV	164.00	150	Vertical	N/A
5	12360.724	50.72	19.63	74.0	-23.28	Peak	245.00	150	Vertical	Pass
5**	12360.724	38.84	19.63	54.0	-15.16	AV	245.00	150	Vertical	Pass
6	15640.125	55.70	23.56	74.0	-18.30	Peak	149.00	150	Vertical	Pass
6**	15640.125	43.08	23.56	54.0	-10.92	AV	149.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	40.72	-14.81	74.0	-33.28	Peak	304.00	150	Horizontal	Pass
1**	1328.200	31.02	-14.81	54.0	-22.98	AV	304.00	150	Horizontal	Pass
2	2747.500	41.45	-8.83	74.0	-32.55	Peak	116.00	150	Horizontal	Pass
2**	2747.500	31.88	-8.83	54.0	-22.12	AV	116.00	150	Horizontal	Pass
3	4223.800	47.08	-3.62	74.0	-26.92	Peak	0.00	150	Horizontal	Pass
3**	4223.800	36.98	-3.62	54.0	-17.02	AV	0.00	150	Horizontal	Pass
4	5222.800	104.92	-0.39	--	-138.08	Peak	243.00	150	Horizontal	N/A
4**	5222.800	97.83	-0.39	--	97.83	AV	243.00	150	Horizontal	N/A
5	12212.088	51.41	20.44	74.0	-22.59	Peak	269.00	150	Horizontal	Pass
5**	12212.088	38.21	20.44	54.0	-15.79	AV	269.00	150	Horizontal	Pass
6	15949.612	55.24	23.95	74.0	-18.76	Peak	154.00	150	Horizontal	Pass
6**	15949.612	43.94	23.95	54.0	-10.06	AV	154.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.000	43.62	-15.05	74.0	-30.38	Peak	268.00	150	Vertical	Pass
1**	1175.000	34.90	-15.05	54.0	-19.10	AV	268.00	150	Vertical	Pass
2	2877.000	42.56	-8.34	74.0	-31.44	Peak	338.00	150	Vertical	Pass
2**	2877.000	33.03	-8.34	54.0	-20.97	AV	338.00	150	Vertical	Pass
3	3990.800	47.21	-4.42	74.0	-26.79	Peak	107.00	150	Vertical	Pass
3**	3990.800	35.92	-4.42	54.0	-18.08	AV	107.00	150	Vertical	Pass
4	5223.800	102.75	-0.41	--	-59.25	Peak	162.00	150	Vertical	N/A
4**	5223.800	95.64	-0.41	--	95.64	AV	162.00	150	Vertical	N/A
5	11673.312	50.26	20.13	74.0	-23.74	Peak	213.00	150	Vertical	Pass
5**	11673.312	38.26	20.13	54.0	-15.74	AV	213.00	150	Vertical	Pass
6	15671.625	55.44	23.54	74.0	-18.56	Peak	175.00	150	Vertical	Pass
6**	15671.625	43.81	23.54	54.0	-10.19	AV	175.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1102.900	41.10	-15.12	74.0	-32.90	Peak	0.00	150	Horizontal	Pass
1**	1102.900	31.83	-15.12	54.0	-22.17	AV	0.00	150	Horizontal	Pass
2	2818.100	42.38	-8.28	74.0	-31.62	Peak	64.00	150	Horizontal	Pass
2**	2818.100	32.66	-8.28	54.0	-21.34	AV	64.00	150	Horizontal	Pass
3	4263.200	47.31	-3.25	74.0	-26.69	Peak	91.00	150	Horizontal	Pass
3**	4263.200	35.22	-3.25	54.0	-18.78	AV	91.00	150	Horizontal	Pass
4	5243.800	106.42	-0.83	--	-149.58	Peak	256.00	150	Horizontal	N/A
4**	5243.800	100.39	-0.83	--	100.39	AV	256.00	150	Horizontal	N/A
5	12333.125	51.01	19.83	74.0	-22.99	Peak	256.00	150	Horizontal	Pass
5**	12333.125	39.33	19.83	54.0	-14.67	AV	256.00	150	Horizontal	Pass
6	15616.238	54.65	23.47	74.0	-19.35	Peak	180.00	150	Horizontal	Pass
6**	15616.238	43.25	23.47	54.0	-10.75	AV	180.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.400	44.66	-15.10	74.0	-29.34	Peak	257.00	150	Vertical	Pass
1**	1142.400	35.18	-15.10	54.0	-18.82	AV	257.00	150	Vertical	Pass
2	2878.400	42.34	-8.30	74.0	-31.66	Peak	171.00	150	Vertical	Pass
2**	2878.400	33.08	-8.30	54.0	-20.92	AV	171.00	150	Vertical	Pass
3	3988.600	47.91	-4.32	74.0	-26.09	Peak	356.00	150	Vertical	Pass
3**	3988.600	35.18	-4.32	54.0	-18.82	AV	356.00	150	Vertical	Pass
4	5237.600	100.16	-0.89	--	-39.84	Peak	140.00	150	Vertical	N/A
4**	5237.600	92.55	-0.89	--	92.55	AV	140.00	150	Vertical	N/A
5	12325.937	51.75	19.88	74.0	-22.25	Peak	360.00	150	Vertical	Pass
5**	12325.937	39.47	19.88	54.0	-14.53	AV	360.00	150	Vertical	Pass
6	16152.787	55.92	23.99	74.0	-18.08	Peak	361.00	150	Vertical	Pass
6**	16152.787	43.88	23.99	54.0	-10.12	AV	361.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.700	41.13	-15.27	74.0	-32.87	Peak	334.00	150	Horizontal	Pass
1**	1117.700	30.84	-15.27	54.0	-23.16	AV	334.00	150	Horizontal	Pass
2	2865.600	42.20	-8.05	74.0	-31.80	Peak	0.00	150	Horizontal	Pass
2**	2865.600	33.44	-8.05	54.0	-20.56	AV	0.00	150	Horizontal	Pass
3	3955.400	47.02	-4.57	74.0	-26.98	Peak	258.00	150	Horizontal	Pass
3**	3955.400	34.36	-4.57	54.0	-19.64	AV	258.00	150	Horizontal	Pass
4	5198.600	102.46	-0.75	--	-155.54	Peak	258.00	150	Horizontal	N/A
4**	5198.600	94.54	-0.75	--	94.54	AV	258.00	150	Horizontal	N/A
5	11667.276	50.28	20.20	74.0	-23.72	Peak	54.00	150	Horizontal	Pass
5**	11667.276	38.74	20.20	54.0	-15.26	AV	54.00	150	Horizontal	Pass
6	15470.287	55.41	23.59	74.0	-18.59	Peak	147.00	150	Horizontal	Pass
6**	15470.287	43.53	23.59	54.0	-10.47	AV	147.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.400	43.66	-15.08	74.0	-30.34	Peak	280.00	150	Vertical	Pass
1**	1183.400	33.26	-15.08	54.0	-20.74	AV	280.00	150	Vertical	Pass
2	2873.100	42.27	-8.27	74.0	-31.73	Peak	321.00	150	Vertical	Pass
2**	2873.100	32.35	-8.27	54.0	-21.65	AV	321.00	150	Vertical	Pass
3	4034.800	46.70	-3.94	74.0	-27.30	Peak	0.00	150	Vertical	Pass
3**	4034.800	35.41	-3.94	54.0	-18.59	AV	0.00	150	Vertical	Pass
4	5201.800	97.52	-0.46	--	-77.48	Peak	175.00	150	Vertical	N/A
4**	5201.800	91.08	-0.46	--	91.08	AV	175.00	150	Vertical	N/A
5	12287.126	50.42	20.14	74.0	-23.58	Peak	-2.00	150	Vertical	Pass
5**	12287.126	38.00	20.14	54.0	-16.00	AV	-2.00	150	Vertical	Pass
6	15838.312	55.76	23.43	74.0	-18.24	Peak	362.00	150	Vertical	Pass
6**	15838.312	42.83	23.43	54.0	-11.17	AV	362.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.400	42.21	-15.35	74.0	-31.79	Peak	361.00	150	Horizontal	Pass
1**	1131.400	31.01	-15.35	54.0	-22.99	AV	361.00	150	Horizontal	Pass
2	2737.100	42.02	-8.63	74.0	-31.98	Peak	153.00	150	Horizontal	Pass
2**	2737.100	31.71	-8.63	54.0	-22.29	AV	153.00	150	Horizontal	Pass
3	4032.800	46.90	-4.01	74.0	-27.10	Peak	110.00	150	Horizontal	Pass
3**	4032.800	35.32	-4.01	54.0	-18.68	AV	110.00	150	Horizontal	Pass
4	5232.200	102.28	-0.54	--	-140.72	Peak	243.00	150	Horizontal	N/A
4**	5232.200	95.33	-0.54	--	95.33	AV	243.00	150	Horizontal	N/A
5	12275.049	50.50	20.27	74.0	-23.50	Peak	324.00	150	Horizontal	Pass
5**	12275.049	39.43	20.27	54.0	-14.57	AV	324.00	150	Horizontal	Pass
6	15889.762	55.85	23.31	74.0	-18.15	Peak	215.00	150	Horizontal	Pass
6**	15889.762	43.09	23.31	54.0	-10.91	AV	215.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.200	44.21	-15.08	74.0	-29.79	Peak	268.00	150	Vertical	Pass
1**	1183.200	35.19	-15.08	54.0	-18.81	AV	268.00	150	Vertical	Pass
2	2786.800	41.71	-8.80	74.0	-32.29	Peak	350.00	150	Vertical	Pass
2**	2786.800	30.99	-8.80	54.0	-23.01	AV	350.00	150	Vertical	Pass
3	4253.600	47.51	-3.11	74.0	-26.49	Peak	204.00	150	Vertical	Pass
3**	4253.600	37.71	-3.11	54.0	-16.29	AV	204.00	150	Vertical	Pass
4	5240.800	96.26	-0.95	--	-49.74	Peak	146.00	150	Vertical	N/A
4**	5240.800	88.67	-0.95	--	88.67	AV	146.00	150	Vertical	N/A
5	12353.537	51.09	19.68	74.0	-22.91	Peak	-2.00	150	Vertical	Pass
5**	12353.537	39.22	19.68	54.0	-14.78	AV	-2.00	150	Vertical	Pass
6	15685.537	55.61	23.59	74.0	-18.39	Peak	172.00	150	Vertical	Pass
6**	15685.537	43.42	23.59	54.0	-10.58	AV	172.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.700	43.01	-15.24	74.0	-30.99	Peak	0.00	150	Horizontal	Pass
1**	1116.700	32.96	-15.24	54.0	-21.04	AV	0.00	150	Horizontal	Pass
2	2840.900	41.57	-8.57	74.0	-32.43	Peak	90.00	150	Horizontal	Pass
2**	2840.900	32.49	-8.57	54.0	-21.51	AV	90.00	150	Horizontal	Pass
3	4027.800	46.82	-3.90	74.0	-27.18	Peak	40.00	150	Horizontal	Pass
3**	4027.800	35.82	-3.90	54.0	-18.18	AV	40.00	150	Horizontal	Pass
4	5220.800	101.02	-0.34	--	-159.98	Peak	261.00	150	Horizontal	N/A
4**	5220.800	93.54	-0.34	--	93.54	AV	261.00	150	Horizontal	N/A
5	12231.063	52.07	20.44	74.0	-21.93	Peak	158.00	150	Horizontal	Pass
5**	12231.063	41.27	20.44	54.0	-12.73	AV	158.00	150	Horizontal	Pass
6	15511.238	55.57	23.86	74.0	-18.43	Peak	342.00	150	Horizontal	Pass
6**	15511.238	43.68	23.86	54.0	-10.32	AV	342.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.600	45.62	-15.24	74.0	-28.38	Peak	236.00	150	Vertical	Pass
1**	1133.600	36.52	-15.24	54.0	-17.48	AV	236.00	150	Vertical	Pass
2	2775.100	41.47	-8.56	74.0	-32.53	Peak	273.00	150	Vertical	Pass
2**	2775.100	32.04	-8.56	54.0	-21.96	AV	273.00	150	Vertical	Pass
3	4151.800	47.41	-3.49	74.0	-26.59	Peak	350.00	150	Vertical	Pass
3**	4151.800	36.87	-3.49	54.0	-17.13	AV	350.00	150	Vertical	Pass
4	5220.400	95.55	-0.31	--	-61.45	Peak	157.00	150	Vertical	N/A
4**	5220.400	87.31	-0.31	--	87.31	AV	157.00	150	Vertical	N/A
5	11640.537	50.08	20.37	74.0	-23.92	Peak	85.00	150	Vertical	Pass
5**	11640.537	39.09	20.37	54.0	-14.91	AV	85.00	150	Vertical	Pass
6	16124.438	55.74	24.01	74.0	-18.26	Peak	118.00	150	Vertical	Pass
6**	16124.438	43.31	24.01	54.0	-10.69	AV	118.00	150	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1125.100	41.70	-15.29	74.0	-32.30	Peak	0.00	150	Horizontal	Pass
1**	1125.100	32.39	-15.29	54.0	-21.61	AV	0.00	150	Horizontal	Pass
2	2748.000	41.86	-8.84	74.0	-32.14	Peak	0.00	150	Horizontal	Pass
2**	2748.000	31.30	-8.84	54.0	-22.70	AV	0.00	150	Horizontal	Pass
3	4008.600	47.05	-4.95	74.0	-26.95	Peak	269.00	150	Horizontal	Pass
3**	4008.600	35.22	-4.95	54.0	-18.78	AV	269.00	150	Horizontal	Pass
4	8130.737	48.75	17.77	74.0	-25.25	Peak	213.00	150	Horizontal	Pass
4**	8130.737	37.00	17.77	54.0	-17.00	AV	213.00	150	Horizontal	Pass
5	11639.963	49.70	20.36	74.0	-24.30	Peak	336.00	150	Horizontal	Pass
5**	11639.963	38.98	20.36	54.0	-15.02	AV	336.00	150	Horizontal	Pass
6	15509.137	55.73	23.88	74.0	-18.27	Peak	264.00	150	Horizontal	Pass
6**	15509.137	44.33	23.88	54.0	-9.67	AV	264.00	150	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.100	44.46	-15.04	74.0	-29.54	Peak	281.00	150	Vertical	Pass
1**	1174.100	36.06	-15.04	54.0	-17.94	AV	281.00	150	Vertical	Pass
2	2816.700	41.59	-8.30	74.0	-32.41	Peak	185.00	150	Vertical	Pass
2**	2816.700	31.92	-8.30	54.0	-22.08	AV	185.00	150	Vertical	Pass
3	4291.400	46.75	-4.29	74.0	-27.25	Peak	218.00	150	Vertical	Pass
3**	4291.400	35.92	-4.29	54.0	-18.08	AV	218.00	150	Vertical	Pass
4	7585.925	48.12	17.31	74.0	-25.88	Peak	321.00	150	Vertical	Pass
4**	7585.925	37.60	17.31	54.0	-16.40	AV	321.00	150	Vertical	Pass
5	12339.162	50.54	19.79	74.0	-23.46	Peak	235.00	150	Vertical	Pass
5**	12339.162	38.50	19.79	54.0	-15.50	AV	235.00	150	Vertical	Pass
6	15941.213	55.53	23.91	74.0	-18.47	Peak	362.00	150	Vertical	Pass
6**	15941.213	45.07	23.91	54.0	-8.93	AV	362.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1107.900	40.82	-15.19	74.0	-33.18	Peak	-1.00	150	Horizontal	Pass
1**	1107.900	31.66	-15.19	54.0	-22.34	AV	-1.00	150	Horizontal	Pass
2	2795.500	41.69	-8.88	74.0	-32.31	Peak	150.00	150	Horizontal	Pass
2**	2795.500	31.60	-8.88	54.0	-22.40	AV	150.00	150	Horizontal	Pass
3	4034.200	46.76	-3.99	74.0	-27.24	Peak	360.00	150	Horizontal	Pass
3**	4034.200	34.87	-3.99	54.0	-19.13	AV	360.00	150	Horizontal	Pass
4	5177.600	105.41	-0.58	--	-122.59	Peak	228.00	150	Horizontal	N/A
4**	5177.600	95.97	-0.58	--	95.97	AV	228.00	150	Horizontal	N/A
5	11625.875	50.93	20.27	74.0	-23.07	Peak	362.00	150	Horizontal	Pass
5**	11625.875	39.11	20.27	54.0	-14.89	AV	362.00	150	Horizontal	Pass
6	15923.363	55.11	23.69	74.0	-18.89	Peak	96.00	150	Horizontal	Pass
6**	15923.363	44.86	23.69	54.0	-9.14	AV	96.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1144.600	44.66	-15.02	74.0	-29.34	Peak	285.00	150	Vertical	Pass
1**	1144.600	37.12	-15.02	54.0	-16.88	AV	285.00	150	Vertical	Pass
2	2881.400	42.71	-8.29	74.0	-31.29	Peak	75.00	150	Vertical	Pass
2**	2881.400	32.59	-8.29	54.0	-21.41	AV	75.00	150	Vertical	Pass
3	3981.200	46.80	-4.13	74.0	-27.20	Peak	132.00	150	Vertical	Pass
3**	3981.200	35.26	-4.13	54.0	-18.74	AV	132.00	150	Vertical	Pass
4	5178.600	102.07	-0.65	--	-45.93	Peak	148.00	150	Vertical	N/A
4**	5178.600	94.86	-0.65	--	94.86	AV	148.00	150	Vertical	N/A
5	11915.675	49.82	18.11	74.0	-24.18	Peak	350.00	150	Vertical	Pass
5**	11915.675	37.57	18.11	54.0	-16.43	AV	350.00	150	Vertical	Pass
6	15935.438	55.72	23.84	74.0	-18.28	Peak	153.00	150	Vertical	Pass
6**	15935.438	44.38	23.84	54.0	-9.62	AV	153.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1085.600	40.48	-15.00	74.0	-33.52	Peak	59.00	150	Horizontal	Pass
1**	1085.600	29.33	-15.00	54.0	-24.67	AV	59.00	150	Horizontal	Pass
2	2825.000	42.87	-8.33	74.0	-31.13	Peak	343.00	150	Horizontal	Pass
2**	2825.000	34.01	-8.33	54.0	-19.99	AV	343.00	150	Horizontal	Pass
3	4069.000	47.28	-3.83	74.0	-26.72	Peak	184.00	150	Horizontal	Pass
3**	4069.000	35.41	-3.83	54.0	-18.59	AV	184.00	150	Horizontal	Pass
4	5216.600	104.96	-0.30	--	-130.04	Peak	235.00	150	Horizontal	N/A
4**	5216.600	96.69	-0.30	--	96.69	AV	235.00	150	Horizontal	N/A
5	12269.013	50.77	20.32	74.0	-23.23	Peak	267.00	150	Horizontal	Pass
5**	12269.013	38.01	20.32	54.0	-15.99	AV	267.00	150	Horizontal	Pass
6	15550.875	55.19	23.61	74.0	-18.81	Peak	-2.00	150	Horizontal	Pass
6**	15550.875	44.39	23.61	54.0	-9.61	AV	-2.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.700	44.36	-15.05	74.0	-29.64	Peak	302.00	150	Vertical	Pass
1**	1179.700	36.44	-15.05	54.0	-17.56	AV	302.00	150	Vertical	Pass
2	2893.300	42.38	-8.05	74.0	-31.62	Peak	338.00	150	Vertical	Pass
2**	2893.300	32.69	-8.05	54.0	-21.31	AV	338.00	150	Vertical	Pass
3	4309.800	48.44	-3.46	74.0	-25.56	Peak	223.00	150	Vertical	Pass
3**	4309.800	35.52	-3.46	54.0	-18.48	AV	223.00	150	Vertical	Pass
4	5222.800	101.45	-0.39	--	-29.55	Peak	131.00	150	Vertical	N/A
4**	5222.800	94.35	-0.39	--	94.35	AV	131.00	150	Vertical	N/A
5	11648.300	50.25	20.39	74.0	-23.75	Peak	238.00	150	Vertical	Pass
5**	11648.300	39.51	20.39	54.0	-14.49	AV	238.00	150	Vertical	Pass
6	15646.950	55.17	23.53	74.0	-18.83	Peak	201.00	150	Vertical	Pass
6**	15646.950	43.98	23.53	54.0	-10.02	AV	201.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1135.600	43.48	-15.16	74.0	-30.52	Peak	360.00	150	Horizontal	Pass
1**	1135.600	32.69	-15.16	54.0	-21.31	AV	360.00	150	Horizontal	Pass
2	2812.800	41.96	-8.38	74.0	-32.04	Peak	0.00	150	Horizontal	Pass
2**	2812.800	30.99	-8.38	54.0	-23.01	AV	0.00	150	Horizontal	Pass
3	4034.600	47.16	-3.95	74.0	-26.84	Peak	360.00	150	Horizontal	Pass
3**	4034.600	35.01	-3.95	54.0	-18.99	AV	360.00	150	Horizontal	Pass
4	5237.600	106.55	-0.89	--	-137.45	Peak	244.00	150	Horizontal	N/A
4**	5237.600	99.22	-0.89	--	99.22	AV	244.00	150	Horizontal	N/A
5	12281.950	50.45	20.21	74.0	-23.55	Peak	179.00	150	Horizontal	Pass
5**	12281.950	39.53	20.21	54.0	-14.47	AV	179.00	150	Horizontal	Pass
6	15449.550	55.37	23.38	74.0	-18.63	Peak	166.00	150	Horizontal	Pass
6**	15449.550	43.87	23.38	54.0	-10.13	AV	166.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1147.500	45.38	-14.96	74.0	-28.62	Peak	254.00	150	Vertical	Pass
1**	1147.500	33.97	-14.96	54.0	-20.03	AV	254.00	150	Vertical	Pass
2	2778.500	42.33	-8.52	74.0	-31.67	Peak	356.00	150	Vertical	Pass
2**	2778.500	32.52	-8.52	54.0	-21.48	AV	356.00	150	Vertical	Pass
3	4149.800	46.62	-3.47	74.0	-27.38	Peak	0.00	150	Vertical	Pass
3**	4149.800	35.72	-3.47	54.0	-18.28	AV	0.00	150	Vertical	Pass
4	5237.000	99.99	-0.84	--	-30.01	Peak	130.00	150	Vertical	N/A
4**	5237.000	92.35	-0.84	--	92.35	AV	130.00	150	Vertical	N/A
5	11616.388	49.97	20.22	74.0	-24.03	Peak	351.00	150	Vertical	Pass
5**	11616.388	39.08	20.22	54.0	-14.92	AV	351.00	150	Vertical	Pass
6	15675.300	55.44	23.56	74.0	-18.56	Peak	258.00	150	Vertical	Pass
6**	15675.300	44.56	23.56	54.0	-9.44	AV	258.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1098.900	43.31	-15.04	74.0	-30.69	Peak	348.00	150	Horizontal	Pass
1**	1098.900	33.14	-15.04	54.0	-20.86	AV	348.00	150	Horizontal	Pass
2	2710.300	41.55	-8.81	74.0	-32.45	Peak	360.00	150	Horizontal	Pass
2**	2710.300	30.85	-8.81	54.0	-23.15	AV	360.00	150	Horizontal	Pass
3	4120.600	46.91	-4.22	74.0	-27.09	Peak	183.00	150	Horizontal	Pass
3**	4120.600	35.21	-4.22	54.0	-18.79	AV	183.00	150	Horizontal	Pass
4	5196.200	105.54	-0.75	--	-126.46	Peak	232.00	150	Horizontal	N/A
4**	5196.200	94.67	-0.75	--	94.67	AV	232.00	150	Horizontal	N/A
5	11555.151	50.92	19.74	74.0	-23.08	Peak	42.00	150	Horizontal	Pass
5**	11555.151	38.46	19.74	54.0	-15.54	AV	42.00	150	Horizontal	Pass
6	16064.850	55.65	24.12	74.0	-18.35	Peak	361.00	150	Horizontal	Pass
6**	16064.850	44.23	24.12	54.0	-9.77	AV	361.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.200	45.84	-15.10	74.0	-28.16	Peak	306.00	150	Vertical	Pass
1**	1185.200	37.03	-15.10	54.0	-16.97	AV	306.00	150	Vertical	Pass
2	2724.500	41.91	-8.67	74.0	-32.09	Peak	289.00	150	Vertical	Pass
2**	2724.500	32.53	-8.67	54.0	-21.47	AV	289.00	150	Vertical	Pass
3	4102.600	46.89	-4.31	74.0	-27.11	Peak	164.00	150	Vertical	Pass
3**	4102.600	35.61	-4.31	54.0	-18.39	AV	164.00	150	Vertical	Pass
4	5193.200	99.35	-0.62	--	-48.65	Peak	148.00	150	Vertical	N/A
4**	5193.200	89.88	-0.62	--	89.88	AV	148.00	150	Vertical	N/A
5	11658.651	51.06	20.29	74.0	-22.94	Peak	307.00	150	Vertical	Pass
5**	11658.651	39.12	20.29	54.0	-14.88	AV	307.00	150	Vertical	Pass
6	15540.901	55.90	23.69	74.0	-18.10	Peak	41.00	150	Vertical	Pass
6**	15540.901	44.17	23.69	54.0	-9.83	AV	41.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.600	42.69	-15.25	74.0	-31.31	Peak	154.00	150	Horizontal	Pass
1**	1670.600	32.11	-15.25	54.0	-21.89	AV	154.00	150	Horizontal	Pass
2	2841.500	41.51	-8.59	74.0	-32.49	Peak	360.00	150	Horizontal	Pass
2**	2841.500	31.29	-8.59	54.0	-22.71	AV	360.00	150	Horizontal	Pass
3	3985.200	46.66	-4.31	74.0	-27.34	Peak	14.00	150	Horizontal	Pass
3**	3985.200	34.73	-4.31	54.0	-19.27	AV	14.00	150	Horizontal	Pass
4	5224.000	102.20	-0.42	--	-150.80	Peak	253.00	150	Horizontal	N/A
4**	5224.000	94.05	-0.42	--	94.05	AV	253.00	150	Horizontal	N/A
5	12171.550	49.18	20.17	74.0	-24.82	Peak	149.00	150	Horizontal	Pass
5**	12171.550	37.26	20.17	54.0	-16.74	AV	149.00	150	Horizontal	Pass
6	15526.725	54.83	23.75	74.0	-19.17	Peak	62.00	150	Horizontal	Pass
6**	15526.725	41.96	23.75	54.0	-12.04	AV	62.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1234.100	41.44	-14.69	74.0	-32.56	Peak	280.00	150	Vertical	Pass
1**	1234.100	31.68	-14.69	54.0	-22.32	AV	280.00	150	Vertical	Pass
2	2811.700	42.13	-8.42	74.0	-31.87	Peak	123.00	150	Vertical	Pass
2**	2811.700	32.58	-8.42	54.0	-21.42	AV	123.00	150	Vertical	Pass
3	3988.400	47.09	-4.33	74.0	-26.91	Peak	93.00	150	Vertical	Pass
3**	3988.400	35.63	-4.33	54.0	-18.37	AV	93.00	150	Vertical	Pass
4	5234.200	95.96	-0.75	--	-67.04	Peak	163.00	150	Vertical	N/A
4**	5234.200	87.04	-0.75	--	87.04	AV	163.00	150	Vertical	N/A
5	11594.537	48.75	20.06	74.0	-25.25	Peak	295.00	150	Vertical	Pass
5**	11594.537	37.01	20.06	54.0	-16.99	AV	295.00	150	Vertical	Pass
6	15932.812	54.91	23.81	74.0	-19.09	Peak	330.00	150	Vertical	Pass
6**	15932.812	42.51	23.81	54.0	-11.49	AV	330.00	150	Vertical	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.900	42.39	-15.38	74.0	-31.61	Peak	155.00	150	Horizontal	Pass
1**	1671.900	31.71	-15.38	54.0	-22.29	AV	155.00	150	Horizontal	Pass
2	2843.000	41.30	-8.55	74.0	-32.70	Peak	243.00	150	Horizontal	Pass
2**	2843.000	32.14	-8.55	54.0	-21.86	AV	243.00	150	Horizontal	Pass
3	4103.200	46.04	-4.35	74.0	-27.96	Peak	335.00	150	Horizontal	Pass
3**	4103.200	34.59	-4.35	54.0	-19.41	AV	335.00	150	Horizontal	Pass
4	5191.000	100.86	-0.74	--	-148.14	Peak	249.00	150	Horizontal	N/A
4**	5191.000	90.28	-0.74	--	90.28	AV	249.00	150	Horizontal	N/A
5	11691.138	49.12	19.93	74.0	-24.88	Peak	0.00	150	Horizontal	Pass
5**	11691.138	37.23	19.93	54.0	-16.77	AV	0.00	150	Horizontal	Pass
6	15937.800	54.91	23.88	74.0	-19.09	Peak	203.00	150	Horizontal	Pass
6**	15937.800	43.52	23.88	54.0	-10.48	AV	203.00	150	Horizontal	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.000	42.15	-15.04	74.0	-31.85	Peak	276.00	150	Vertical	Pass
1**	1190.000	33.38	-15.04	54.0	-20.62	AV	276.00	150	Vertical	Pass
2	2832.900	41.96	-8.47	74.0	-32.04	Peak	150.00	150	Vertical	Pass
2**	2832.900	32.09	-8.47	54.0	-21.91	AV	150.00	150	Vertical	Pass
3	3989.800	47.70	-4.37	74.0	-26.30	Peak	133.00	150	Vertical	Pass
3**	3989.800	35.94	-4.37	54.0	-18.06	AV	133.00	150	Vertical	Pass
4	5210.800	93.78	-0.49	--	-74.22	Peak	168.00	150	Vertical	N/A
4**	5210.800	85.59	-0.49	--	85.59	AV	168.00	150	Vertical	N/A
5	12202.599	49.47	20.44	74.0	-24.53	Peak	187.00	150	Vertical	Pass
5**	12202.599	38.69	20.44	54.0	-15.31	AV	187.00	150	Vertical	Pass
6	15501.525	55.02	23.95	74.0	-18.98	Peak	85.00	150	Vertical	Pass
6**	15501.525	43.72	23.95	54.0	-10.28	AV	85.00	150	Vertical	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.800	41.39	-15.21	74.0	-32.61	Peak	152.00	150	Horizontal	Pass
1**	1666.800	30.47	-15.21	54.0	-23.53	AV	152.00	150	Horizontal	Pass
2	2883.500	42.05	-8.34	74.0	-31.95	Peak	210.00	150	Horizontal	Pass
2**	2883.500	32.18	-8.34	54.0	-21.82	AV	210.00	150	Horizontal	Pass
3	4316.000	47.53	-3.16	74.0	-26.47	Peak	188.00	150	Horizontal	Pass
3**	4316.000	36.26	-3.16	54.0	-17.74	AV	188.00	150	Horizontal	Pass
4	5271.200	98.29	-0.62	--	-161.71	Peak	260.00	150	Horizontal	N/A
4**	5271.200	89.04	-0.62	--	89.04	AV	260.00	150	Horizontal	N/A
5	11776.812	49.57	18.73	74.0	-24.43	Peak	270.00	150	Horizontal	Pass
5**	11776.812	37.36	18.73	54.0	-16.64	AV	270.00	150	Horizontal	Pass
6	15468.975	54.67	23.59	74.0	-19.33	Peak	343.00	150	Horizontal	Pass
6**	15468.975	43.58	23.59	54.0	-10.42	AV	343.00	150	Horizontal	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.300	40.49	-14.85	74.0	-33.51	Peak	294.00	150	Vertical	Pass
1**	1215.300	30.63	-14.85	54.0	-23.37	AV	294.00	150	Vertical	Pass
2	2872.300	41.79	-8.24	74.0	-32.21	Peak	120.00	150	Vertical	Pass
2**	2872.300	33.07	-8.24	54.0	-20.93	AV	120.00	150	Vertical	Pass
3	4166.000	46.98	-3.80	74.0	-27.02	Peak	335.00	150	Vertical	Pass
3**	4166.000	34.77	-3.80	54.0	-19.23	AV	335.00	150	Vertical	Pass
4	5279.200	91.37	-0.47	--	-72.63	Peak	164.00	150	Vertical	N/A
4**	5279.200	81.09	-0.47	--	81.09	AV	164.00	150	Vertical	N/A
5	12402.987	49.48	19.16	74.0	-24.52	Peak	1.00	150	Vertical	Pass
5**	12402.987	37.84	19.16	54.0	-16.16	AV	1.00	150	Vertical	Pass
6	15445.875	55.38	23.33	74.0	-18.62	Peak	298.00	150	Vertical	Pass
6**	15445.875	44.60	23.33	54.0	-9.40	AV	298.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.200	41.67	-15.24	74.0	-32.33	Peak	158.00	150	Horizontal	Pass
1**	1670.200	31.90	-15.24	54.0	-22.10	AV	158.00	150	Horizontal	Pass
2	2806.600	41.19	-8.71	74.0	-32.81	Peak	356.00	150	Horizontal	Pass
2**	2806.600	31.29	-8.71	54.0	-22.71	AV	356.00	150	Horizontal	Pass
3	4045.800	46.41	-3.98	74.0	-27.59	Peak	63.00	150	Horizontal	Pass
3**	4045.800	34.78	-3.98	54.0	-19.22	AV	63.00	150	Horizontal	Pass
4	5263.400	104.26	-0.90	--	-140.74	Peak	245.00	150	Horizontal	N/A
4**	5263.400	99.10	-0.90	--	99.10	AV	245.00	150	Horizontal	N/A
5	12087.312	49.95	19.29	74.0	-24.05	Peak	169.00	150	Horizontal	Pass
5**	12087.312	37.49	19.29	54.0	-16.51	AV	169.00	150	Horizontal	Pass
6	15513.600	55.03	23.84	74.0	-18.97	Peak	271.00	150	Horizontal	Pass
6**	15513.600	43.17	23.84	54.0	-10.83	AV	271.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.100	40.01	-15.04	74.0	-33.99	Peak	294.00	150	Vertical	Pass
1**	1190.100	31.68	-15.04	54.0	-22.32	AV	294.00	150	Vertical	Pass
2	2825.200	41.88	-8.34	74.0	-32.12	Peak	136.00	150	Vertical	Pass
2**	2825.200	31.70	-8.34	54.0	-22.30	AV	136.00	150	Vertical	Pass
3	3993.800	46.90	-4.53	74.0	-27.10	Peak	140.00	150	Vertical	Pass
3**	3993.800	36.68	-4.53	54.0	-17.32	AV	140.00	150	Vertical	Pass
4	5262.600	97.75	-0.96	--	-60.25	Peak	158.00	150	Vertical	N/A
4**	5262.600	91.14	-0.96	--	91.14	AV	158.00	150	Vertical	N/A
5	11620.412	49.56	20.24	74.0	-24.44	Peak	258.00	150	Vertical	Pass
5**	11620.412	37.91	20.24	54.0	-16.09	AV	258.00	150	Vertical	Pass
6	16167.487	54.61	23.79	74.0	-19.39	Peak	360.00	150	Vertical	Pass
6**	16167.487	42.93	23.79	54.0	-11.07	AV	360.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.700	42.78	-15.24	74.0	-31.22	Peak	156.00	150	Horizontal	Pass
1**	1681.700	32.35	-15.24	54.0	-21.65	AV	156.00	150	Horizontal	Pass
2	2867.100	42.09	-8.08	74.0	-31.91	Peak	175.00	150	Horizontal	Pass
2**	2867.100	32.41	-8.08	54.0	-21.59	AV	175.00	150	Horizontal	Pass
3	4307.000	47.08	-3.45	74.0	-26.92	Peak	332.00	150	Horizontal	Pass
3**	4307.000	35.53	-3.45	54.0	-18.47	AV	332.00	150	Horizontal	Pass
4	5302.200	105.57	-0.31	--	-151.43	Peak	257.00	150	Horizontal	N/A
4**	5302.200	98.04	-0.31	--	98.04	AV	257.00	150	Horizontal	N/A
5	11936.950	49.95	18.17	74.0	-24.05	Peak	360.00	150	Horizontal	Pass
5**	11936.950	37.31	18.17	54.0	-16.69	AV	360.00	150	Horizontal	Pass
6	15946.724	54.85	23.93	74.0	-19.15	Peak	27.00	150	Horizontal	Pass
6**	15946.724	43.25	23.93	54.0	-10.75	AV	27.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.400	42.90	-14.81	74.0	-31.10	Peak	300.00	150	Vertical	Pass
1**	1222.400	33.32	-14.81	54.0	-20.68	AV	300.00	150	Vertical	Pass
2	2791.000	42.14	-8.86	74.0	-31.86	Peak	0.00	150	Vertical	Pass
2**	2791.000	32.50	-8.86	54.0	-21.50	AV	0.00	150	Vertical	Pass
3	4248.200	47.44	-3.17	74.0	-26.56	Peak	105.00	150	Vertical	Pass
3**	4248.200	35.20	-3.17	54.0	-18.80	AV	105.00	150	Vertical	Pass
4	5296.800	98.72	-0.51	--	-62.28	Peak	161.00	150	Vertical	N/A
4**	5296.800	90.46	-0.51	--	90.46	AV	161.00	150	Vertical	N/A
5	11680.500	49.50	20.06	74.0	-24.50	Peak	178.00	150	Vertical	Pass
5**	11680.500	37.85	20.06	54.0	-16.15	AV	178.00	150	Vertical	Pass
6	15427.763	54.91	23.19	74.0	-19.09	Peak	47.00	150	Vertical	Pass
6**	15427.763	44.11	23.19	54.0	-9.89	AV	47.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.900	41.61	-15.23	74.0	-32.39	Peak	153.00	150	Horizontal	Pass
1**	1674.900	33.49	-15.23	54.0	-20.51	AV	153.00	150	Horizontal	Pass
2	2891.700	43.03	-8.02	74.0	-30.97	Peak	64.00	150	Horizontal	Pass
2**	2891.700	33.87	-8.02	54.0	-20.13	AV	64.00	150	Horizontal	Pass
3	4215.600	47.00	-3.96	74.0	-27.00	Peak	305.00	150	Horizontal	Pass
3**	4215.600	35.16	-3.96	54.0	-18.84	AV	305.00	150	Horizontal	Pass
4	5321.200	105.06	-0.12	--	-148.94	Peak	254.00	150	Horizontal	N/A
4**	5321.200	97.91	-0.12	--	97.91	AV	254.00	150	Horizontal	N/A
5	11744.326	49.79	19.03	74.0	-24.21	Peak	0.00	150	Horizontal	Pass
5**	11744.326	37.13	19.03	54.0	-16.87	AV	0.00	150	Horizontal	Pass
6	15637.238	54.86	23.55	74.0	-19.14	Peak	84.00	150	Horizontal	Pass
6**	15637.238	43.16	23.55	54.0	-10.84	AV	84.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.800	41.58	-15.19	74.0	-32.42	Peak	282.00	150	Vertical	Pass
1**	1194.800	30.21	-15.19	54.0	-23.79	AV	282.00	150	Vertical	Pass
2	2827.300	42.63	-8.33	74.0	-31.37	Peak	52.00	150	Vertical	Pass
2**	2827.300	32.14	-8.33	54.0	-21.86	AV	52.00	150	Vertical	Pass
3	3982.600	47.55	-4.26	74.0	-26.45	Peak	94.00	150	Vertical	Pass
3**	3982.600	35.11	-4.26	54.0	-18.89	AV	94.00	150	Vertical	Pass
4	5319.200	98.35	0.12	--	-65.65	Peak	164.00	150	Vertical	N/A
4**	5319.200	90.78	0.12	--	90.78	AV	164.00	150	Vertical	N/A
5	11683.375	50.26	20.03	74.0	-23.74	Peak	84.00	150	Vertical	Pass
5**	11683.375	38.09	20.03	54.0	-15.91	AV	84.00	150	Vertical	Pass
6	15576.863	54.80	23.58	74.0	-19.20	Peak	318.00	150	Vertical	Pass
6**	15576.863	43.82	23.58	54.0	-10.18	AV	318.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.300	42.08	-15.22	74.0	-31.92	Peak	153.00	150	Horizontal	Pass
1**	1668.300	32.52	-15.22	54.0	-21.48	AV	153.00	150	Horizontal	Pass
2	2873.500	41.73	-8.28	74.0	-32.27	Peak	199.00	150	Horizontal	Pass
2**	2873.500	32.35	-8.28	54.0	-21.65	AV	199.00	150	Horizontal	Pass
3	4025.000	46.18	-3.89	74.0	-27.82	Peak	220.00	150	Horizontal	Pass
3**	4025.000	36.41	-3.89	54.0	-17.59	AV	220.00	150	Horizontal	Pass
4	5280.600	102.41	-0.38	--	-144.59	Peak	247.00	150	Horizontal	N/A
4**	5280.600	94.99	-0.38	--	94.99	AV	247.00	150	Horizontal	N/A
5	11619.550	51.14	20.24	74.0	-22.86	Peak	302.00	150	Horizontal	Pass
5**	11619.550	37.17	20.24	54.0	-16.83	AV	302.00	150	Horizontal	Pass
6	15631.988	54.83	23.52	74.0	-19.17	Peak	96.00	150	Horizontal	Pass
6**	15631.988	43.07	23.52	54.0	-10.93	AV	96.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.800	41.58	-14.74	74.0	-32.42	Peak	281.00	150	Vertical	Pass
1**	1223.800	31.21	-14.74	54.0	-22.79	AV	281.00	150	Vertical	Pass
2	2877.100	42.64	-8.34	74.0	-31.36	Peak	328.00	150	Vertical	Pass
2**	2877.100	33.18	-8.34	54.0	-20.82	AV	328.00	150	Vertical	Pass
3	4007.000	47.49	-4.54	74.0	-26.51	Peak	69.00	150	Vertical	Pass
3**	4007.000	34.71	-4.54	54.0	-19.29	AV	69.00	150	Vertical	Pass
4	5280.400	95.41	-0.39	--	-55.59	Peak	151.00	150	Vertical	N/A
4**	5280.400	87.37	-0.39	--	87.37	AV	151.00	150	Vertical	N/A
5	11746.625	49.38	19.00	74.0	-24.62	Peak	270.00	150	Vertical	Pass
5**	11746.625	37.92	19.00	54.0	-16.08	AV	270.00	150	Vertical	Pass
6	15489.188	55.51	23.80	74.0	-18.49	Peak	133.00	150	Vertical	Pass
6**	15489.188	43.33	23.80	54.0	-10.67	AV	133.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.800	41.57	-15.23	74.0	-32.43	Peak	158.00	150	Horizontal	Pass
1**	1669.800	33.19	-15.23	54.0	-20.81	AV	158.00	150	Horizontal	Pass
2	2762.900	42.23	-8.85	74.0	-31.77	Peak	333.00	150	Horizontal	Pass
2**	2762.900	31.30	-8.85	54.0	-22.70	AV	333.00	150	Horizontal	Pass
3	3991.600	46.41	-4.47	74.0	-27.59	Peak	34.00	150	Horizontal	Pass
3**	3991.600	34.51	-4.47	54.0	-19.49	AV	34.00	150	Horizontal	Pass
4	5301.400	102.80	0.28	--	-152.20	Peak	255.00	150	Horizontal	N/A
4**	5301.400	95.82	0.28	--	95.82	AV	255.00	150	Horizontal	N/A
5	11795.213	49.89	18.58	74.0	-24.11	Peak	125.00	150	Horizontal	Pass
5**	11795.213	38.45	18.58	54.0	-15.55	AV	125.00	150	Horizontal	Pass
6	15962.738	55.01	23.99	74.0	-18.99	Peak	240.00	150	Horizontal	Pass
6**	15962.738	42.75	23.99	54.0	-11.25	AV	240.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.500	42.51	-14.78	74.0	-31.49	Peak	282.00	150	Vertical	Pass
1**	1217.500	33.76	-14.78	54.0	-20.24	AV	282.00	150	Vertical	Pass
2	2883.700	42.63	-8.34	74.0	-31.37	Peak	320.00	150	Vertical	Pass
2**	2883.700	33.04	-8.34	54.0	-20.96	AV	320.00	150	Vertical	Pass
3	4316.400	47.35	-3.16	74.0	-26.65	Peak	13.00	150	Vertical	Pass
3**	4316.400	35.69	-3.16	54.0	-18.31	AV	13.00	150	Vertical	Pass
4	5317.400	95.28	-0.01	--	-67.72	Peak	163.00	150	Vertical	N/A
4**	5317.400	88.97	-0.01	--	88.97	AV	163.00	150	Vertical	N/A
5	11545.950	50.52	19.67	74.0	-23.48	Peak	52.00	150	Vertical	Pass
5**	11545.950	38.86	19.67	54.0	-15.14	AV	52.00	150	Vertical	Pass
6	15428.025	55.52	23.19	74.0	-18.48	Peak	267.00	150	Vertical	Pass
6**	15428.025	42.80	23.19	54.0	-11.20	AV	267.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	42.38	-15.22	74.0	-31.62	Peak	206.00	150	Horizontal	Pass
1**	1667.900	32.88	-15.22	54.0	-21.12	AV	206.00	150	Horizontal	Pass
2	2881.800	42.09	-8.30	74.0	-31.91	Peak	225.00	150	Horizontal	Pass
2**	2881.800	33.05	-8.30	54.0	-20.95	AV	225.00	150	Horizontal	Pass
3	4223.600	47.54	-3.64	74.0	-26.46	Peak	320.00	150	Horizontal	Pass
3**	4223.600	35.05	-3.64	54.0	-18.95	AV	320.00	150	Horizontal	Pass
4	5255.800	104.90	-1.12	--	-144.10	Peak	249.00	150	Horizontal	N/A
4**	5255.800	98.06	-1.12	--	98.06	AV	249.00	150	Horizontal	N/A
5	11601.438	50.03	20.14	74.0	-23.97	Peak	328.00	150	Horizontal	Pass
5**	11601.438	38.12	20.14	54.0	-15.88	AV	328.00	150	Horizontal	Pass
6	15458.737	54.69	23.51	74.0	-19.31	Peak	146.00	150	Horizontal	Pass
6**	15458.737	43.40	23.51	54.0	-10.60	AV	146.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.800	42.30	-15.25	74.0	-31.70	Peak	270.00	150	Vertical	Pass
1**	1193.800	32.62	-15.25	54.0	-21.38	AV	270.00	150	Vertical	Pass
2	2879.300	44.22	-8.27	74.0	-29.78	Peak	200.00	150	Vertical	Pass
2**	2879.300	32.80	-8.27	54.0	-21.20	AV	200.00	150	Vertical	Pass
3	4159.600	47.17	-3.52	74.0	-26.83	Peak	164.00	150	Vertical	Pass
3**	4159.600	36.10	-3.52	54.0	-17.90	AV	164.00	150	Vertical	Pass
4	5256.200	98.19	-1.10	--	-65.81	Peak	164.00	150	Vertical	N/A
4**	5256.200	92.75	-1.10	--	92.75	AV	164.00	150	Vertical	N/A
5	12250.037	50.21	20.46	74.0	-23.79	Peak	109.00	150	Vertical	Pass
5**	12250.037	38.41	20.46	54.0	-15.59	AV	109.00	150	Vertical	Pass
6	15615.450	55.10	23.47	74.0	-18.90	Peak	207.00	150	Vertical	Pass
6**	15615.450	43.97	23.47	54.0	-10.03	AV	207.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	41.76	-15.24	74.0	-32.24	Peak	152.00	150	Horizontal	Pass
1**	1670.400	33.54	-15.24	54.0	-20.46	AV	152.00	150	Horizontal	Pass
2	2798.700	41.95	-8.82	74.0	-32.05	Peak	55.00	150	Horizontal	Pass
2**	2798.700	32.11	-8.82	54.0	-21.89	AV	55.00	150	Horizontal	Pass
3	4144.600	46.49	-3.84	74.0	-27.51	Peak	50.00	150	Horizontal	Pass
3**	4144.600	35.22	-3.84	54.0	-18.78	AV	50.00	150	Horizontal	Pass
4	5296.800	105.42	-0.51	--	-139.58	Peak	245.00	150	Horizontal	N/A
4**	5296.800	98.07	-0.51	--	98.07	AV	245.00	150	Horizontal	N/A
5	12164.938	50.16	20.10	74.0	-23.84	Peak	103.00	150	Horizontal	Pass
5**	12164.938	38.64	20.10	54.0	-15.36	AV	103.00	150	Horizontal	Pass
6	15980.325	55.83	24.00	74.0	-18.17	Peak	274.00	150	Horizontal	Pass
6**	15980.325	42.71	24.00	54.0	-11.29	AV	274.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.800	42.54	-15.06	74.0	-31.46	Peak	306.00	150	Vertical	Pass
1**	1188.800	31.93	-15.06	54.0	-22.07	AV	306.00	150	Vertical	Pass
2	2825.300	41.79	-8.34	74.0	-32.21	Peak	21.00	150	Vertical	Pass
2**	2825.300	31.78	-8.34	54.0	-22.22	AV	21.00	150	Vertical	Pass
3	3991.200	47.65	-4.44	74.0	-26.35	Peak	102.00	150	Vertical	Pass
3**	3991.200	36.89	-4.44	54.0	-17.11	AV	102.00	150	Vertical	Pass
4	5301.200	99.46	-0.35	--	-63.54	Peak	163.00	150	Vertical	N/A
4**	5301.200	91.49	-0.35	--	91.49	AV	163.00	150	Vertical	N/A
5	11606.325	49.36	20.16	74.0	-24.64	Peak	53.00	150	Vertical	Pass
5**	11606.325	37.85	20.16	54.0	-16.15	AV	53.00	150	Vertical	Pass
6	15665.849	54.94	23.50	74.0	-19.06	Peak	73.00	150	Vertical	Pass
6**	15665.849	42.97	23.50	54.0	-11.03	AV	73.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.400	41.25	-15.21	74.0	-32.75	Peak	163.00	150	Horizontal	Pass
1**	1666.400	33.01	-15.21	54.0	-20.99	AV	163.00	150	Horizontal	Pass
2	2892.500	42.69	-7.99	74.0	-31.31	Peak	131.00	150	Horizontal	Pass
2**	2892.500	32.91	-7.99	54.0	-21.09	AV	131.00	150	Horizontal	Pass
3	4150.200	46.75	-3.44	74.0	-27.25	Peak	207.00	150	Horizontal	Pass
3**	4150.200	35.61	-3.44	54.0	-18.39	AV	207.00	150	Horizontal	Pass
4	5319.000	105.59	0.15	--	-146.41	Peak	252.00	150	Horizontal	N/A
4**	5319.000	99.55	0.15	--	99.55	AV	252.00	150	Horizontal	N/A
5	11535.600	50.12	19.58	74.0	-23.88	Peak	303.00	150	Horizontal	Pass
5**	11535.600	38.00	19.58	54.0	-16.00	AV	303.00	150	Horizontal	Pass
6	15966.675	55.52	24.00	74.0	-18.48	Peak	251.00	150	Horizontal	Pass
6**	15966.675	43.43	24.00	54.0	-10.57	AV	251.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.500	42.93	-14.92	74.0	-31.07	Peak	274.00	150	Vertical	Pass
1**	1213.500	32.00	-14.92	54.0	-22.00	AV	274.00	150	Vertical	Pass
2	2868.000	42.06	-8.14	74.0	-31.94	Peak	28.00	150	Vertical	Pass
2**	2868.000	33.35	-8.14	54.0	-20.65	AV	28.00	150	Vertical	Pass
3	4179.000	46.93	-3.97	74.0	-27.07	Peak	84.00	150	Vertical	Pass
3**	4179.000	34.86	-3.97	54.0	-19.14	AV	84.00	150	Vertical	Pass
4	5323.400	99.74	-0.01	--	-58.26	Peak	158.00	150	Vertical	N/A
4**	5323.400	91.87	-0.01	--	91.87	AV	158.00	150	Vertical	N/A
5	11610.637	49.98	20.19	74.0	-24.02	Peak	78.00	150	Vertical	Pass
5**	11610.637	38.86	20.19	54.0	-15.14	AV	78.00	150	Vertical	Pass
6	15646.425	54.82	23.54	74.0	-19.18	Peak	0.00	150	Vertical	Pass
6**	15646.425	42.72	23.54	54.0	-11.28	AV	0.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.000	42.76	-15.26	74.0	-31.24	Peak	151.00	150	Horizontal	Pass
1**	1678.000	33.52	-15.26	54.0	-20.48	AV	151.00	150	Horizontal	Pass
2	2869.700	42.39	-8.20	74.0	-31.61	Peak	0.00	150	Horizontal	Pass
2**	2869.700	33.47	-8.20	54.0	-20.53	AV	0.00	150	Horizontal	Pass
3	4151.200	47.13	-3.47	74.0	-26.87	Peak	360.00	150	Horizontal	Pass
3**	4151.200	35.66	-3.47	54.0	-18.34	AV	360.00	150	Horizontal	Pass
4	5279.400	102.01	-0.46	--	-148.99	Peak	251.00	150	Horizontal	N/A
4**	5279.400	95.53	-0.46	--	95.53	AV	251.00	150	Horizontal	N/A
5	11953.050	49.86	18.20	74.0	-24.14	Peak	219.00	150	Horizontal	Pass
5**	11953.050	37.45	18.20	54.0	-16.55	AV	219.00	150	Horizontal	Pass
6	15545.099	55.25	23.65	74.0	-18.75	Peak	216.00	150	Horizontal	Pass
6**	15545.099	44.28	23.65	54.0	-9.72	AV	216.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.200	41.62	-15.05	74.0	-32.38	Peak	269.00	150	Vertical	Pass
1**	1189.200	31.63	-15.05	54.0	-22.37	AV	269.00	150	Vertical	Pass
2	2824.200	42.53	-8.30	74.0	-31.47	Peak	149.00	150	Vertical	Pass
2**	2824.200	33.08	-8.30	54.0	-20.92	AV	149.00	150	Vertical	Pass
3	3991.600	48.24	-4.47	74.0	-25.76	Peak	98.00	150	Vertical	Pass
3**	3991.600	35.85	-4.47	54.0	-18.15	AV	98.00	150	Vertical	Pass
4	5282.800	96.09	-0.29	--	-64.91	Peak	161.00	150	Vertical	N/A
4**	5282.800	90.51	-0.29	--	90.51	AV	161.00	150	Vertical	N/A
5	12143.662	50.40	19.87	74.0	-23.60	Peak	252.00	150	Vertical	Pass
5**	12143.662	37.60	19.87	54.0	-16.40	AV	252.00	150	Vertical	Pass
6	15486.037	55.06	23.75	74.0	-18.94	Peak	253.00	150	Vertical	Pass
6**	15486.037	42.29	23.75	54.0	-11.71	AV	253.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.200	41.35	-15.25	74.0	-32.65	Peak	151.00	150	Horizontal	Pass
1**	1675.200	31.01	-15.25	54.0	-22.99	AV	151.00	150	Horizontal	Pass
2	2884.700	42.67	-8.28	74.0	-31.33	Peak	273.00	150	Horizontal	Pass
2**	2884.700	33.05	-8.28	54.0	-20.95	AV	273.00	150	Horizontal	Pass
3	4236.600	47.61	-3.36	74.0	-26.39	Peak	70.00	150	Horizontal	Pass
3**	4236.600	35.89	-3.36	54.0	-18.11	AV	70.00	150	Horizontal	Pass
4	5321.800	103.43	-0.08	--	-142.57	Peak	246.00	150	Horizontal	N/A
4**	5321.800	96.18	-0.08	--	96.18	AV	246.00	150	Horizontal	N/A
5	11572.975	49.65	19.85	74.0	-24.35	Peak	135.00	150	Horizontal	Pass
5**	11572.975	37.91	19.85	54.0	-16.09	AV	135.00	150	Horizontal	Pass
6	15933.862	54.75	23.82	74.0	-19.25	Peak	189.00	150	Horizontal	Pass
6**	15933.862	43.47	23.82	54.0	-10.53	AV	189.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.500	42.09	-14.99	74.0	-31.91	Peak	285.00	150	Vertical	Pass
1**	1197.500	33.48	-14.99	54.0	-20.52	AV	285.00	150	Vertical	Pass
2	2831.400	41.48	-8.36	74.0	-32.52	Peak	65.00	150	Vertical	Pass
2**	2831.400	31.81	-8.36	54.0	-22.19	AV	65.00	150	Vertical	Pass
3	4137.000	47.52	-4.08	74.0	-26.48	Peak	38.00	150	Vertical	Pass
3**	4137.000	36.27	-4.08	54.0	-17.73	AV	38.00	150	Vertical	Pass
4	5306.600	96.04	0.17	--	-67.96	Peak	164.00	150	Vertical	N/A
4**	5306.600	88.47	0.17	--	88.47	AV	164.00	150	Vertical	N/A
5	11608.912	50.43	20.18	74.0	-23.57	Peak	111.00	150	Vertical	Pass
5**	11608.912	39.06	20.18	54.0	-14.94	AV	111.00	150	Vertical	Pass
6	15473.963	55.08	23.61	74.0	-18.92	Peak	78.00	150	Vertical	Pass
6**	15473.963	42.79	23.61	54.0	-11.21	AV	78.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	41.07	-15.23	74.0	-32.93	Peak	152.00	150	Horizontal	Pass
1**	1669.400	34.03	-15.23	54.0	-19.97	AV	152.00	150	Horizontal	Pass
2	2828.900	42.16	-8.24	74.0	-31.84	Peak	213.00	150	Horizontal	Pass
2**	2828.900	32.52	-8.24	54.0	-21.48	AV	213.00	150	Horizontal	Pass
3	4066.800	47.00	-3.91	74.0	-27.00	Peak	360.00	150	Horizontal	Pass
3**	4066.800	35.19	-3.91	54.0	-18.81	AV	360.00	150	Horizontal	Pass
4	5306.000	100.04	0.23	--	-151.96	Peak	252.00	150	Horizontal	N/A
4**	5306.000	91.88	0.23	--	91.88	AV	252.00	150	Horizontal	N/A
5	11613.225	50.40	20.20	74.0	-23.60	Peak	3.00	150	Horizontal	Pass
5**	11613.225	38.84	20.20	54.0	-15.16	AV	3.00	150	Horizontal	Pass
6	15645.901	54.92	23.54	74.0	-19.08	Peak	229.00	150	Horizontal	Pass
6**	15645.901	43.95	23.54	54.0	-10.05	AV	229.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.100	40.86	-15.05	74.0	-33.14	Peak	278.00	150	Vertical	Pass
1**	1189.100	31.80	-15.05	54.0	-22.20	AV	278.00	150	Vertical	Pass
2	2827.000	41.73	-8.36	74.0	-32.27	Peak	64.00	150	Vertical	Pass
2**	2827.000	32.59	-8.36	54.0	-21.41	AV	64.00	150	Vertical	Pass
3	3982.800	46.92	-4.26	74.0	-27.08	Peak	213.00	150	Vertical	Pass
3**	3982.800	36.76	-4.26	54.0	-17.24	AV	213.00	150	Vertical	Pass
4	5298.800	94.85	0.26	--	-50.15	Peak	145.00	150	Vertical	Pass
4**	5298.800	86.99	0.26	--	86.99	AV	145.00	150	Vertical	N/A
5	12149.412	50.28	19.91	74.0	-23.72	Peak	56.00	150	Vertical	Pass
5**	12149.412	39.55	19.91	54.0	-14.45	AV	56.00	150	Vertical	Pass
6	16065.112	55.02	24.12	74.0	-18.98	Peak	83.00	150	Vertical	Pass
6**	16065.112	44.71	24.12	54.0	-9.29	AV	83.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	42.26	-15.29	74.0	-31.74	Peak	208.00	150	Horizontal	Pass
1**	1671.000	31.49	-15.29	54.0	-22.51	AV	208.00	150	Horizontal	Pass
2	2836.000	42.09	-8.47	74.0	-31.91	Peak	66.00	150	Horizontal	Pass
2**	2836.000	32.80	-8.47	54.0	-21.20	AV	66.00	150	Horizontal	Pass
3	4103.000	46.73	-4.34	74.0	-27.27	Peak	208.00	150	Horizontal	Pass
3**	4103.000	34.19	-4.34	54.0	-19.81	AV	208.00	150	Horizontal	Pass
4	5257.200	106.27	-1.05	--	-137.73	Peak	244.00	150	Horizontal	N/A
4**	5257.200	97.13	-1.05	--	97.13	AV	244.00	150	Horizontal	N/A
5	12165.512	50.26	20.10	74.0	-23.74	Peak	327.00	150	Horizontal	Pass
5**	12165.512	38.53	20.10	54.0	-15.47	AV	327.00	150	Horizontal	Pass
6	15610.200	54.67	23.50	74.0	-19.33	Peak	146.00	150	Horizontal	Pass
6**	15610.200	43.52	23.50	54.0	-10.48	AV	146.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.200	40.18	-14.99	74.0	-33.82	Peak	268.00	150	Vertical	Pass
1**	1197.200	32.16	-14.99	54.0	-21.84	AV	268.00	150	Vertical	Pass
2	2889.000	42.96	-8.14	74.0	-31.04	Peak	274.00	150	Vertical	Pass
2**	2889.000	34.19	-8.14	54.0	-19.81	AV	274.00	150	Vertical	Pass
3	3984.200	48.18	-4.28	74.0	-25.82	Peak	99.00	150	Vertical	Pass
3**	3984.200	37.80	-4.28	54.0	-16.20	AV	99.00	150	Vertical	Pass
4	5264.800	99.90	-0.79	--	-64.10	Peak	164.00	150	Vertical	N/A
4**	5264.800	92.52	-0.79	--	92.52	AV	164.00	150	Vertical	N/A
5	11497.938	50.10	19.15	74.0	-23.90	Peak	143.00	150	Vertical	Pass
5**	11497.938	37.27	19.15	54.0	-16.73	AV	143.00	150	Vertical	Pass
6	15528.037	54.58	23.75	74.0	-19.42	Peak	331.00	150	Vertical	Pass
6**	15528.037	43.73	23.75	54.0	-10.27	AV	331.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.500	41.80	-15.22	74.0	-32.20	Peak	155.00	150	Horizontal	Pass
1**	1668.500	31.93	-15.22	54.0	-22.07	AV	155.00	150	Horizontal	Pass
2	2843.500	41.83	-8.54	74.0	-32.17	Peak	134.00	150	Horizontal	Pass
2**	2843.500	32.29	-8.54	54.0	-21.71	AV	134.00	150	Horizontal	Pass
3	3989.400	46.55	-4.35	74.0	-27.45	Peak	263.00	150	Horizontal	Pass
3**	3989.400	34.62	-4.35	54.0	-19.38	AV	263.00	150	Horizontal	Pass
4	5296.000	105.98	-0.53	--	-139.02	Peak	245.00	150	Horizontal	N/A
4**	5296.000	98.40	-0.53	--	98.40	AV	245.00	150	Horizontal	N/A
5	11614.950	49.87	20.21	74.0	-24.13	Peak	288.00	150	Horizontal	Pass
5**	11614.950	38.34	20.21	54.0	-15.66	AV	288.00	150	Horizontal	Pass
6	15596.550	54.98	23.56	74.0	-19.02	Peak	137.00	150	Horizontal	Pass
6**	15596.550	43.90	23.56	54.0	-10.10	AV	137.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.400	43.42	-15.05	74.0	-30.58	Peak	270.00	150	Vertical	Pass
1**	1190.400	32.13	-15.05	54.0	-21.87	AV	270.00	150	Vertical	Pass
2	2823.800	42.38	-8.32	74.0	-31.62	Peak	0.00	150	Vertical	Pass
2**	2823.800	32.55	-8.32	54.0	-21.45	AV	0.00	150	Vertical	Pass
3	3982.000	47.37	-4.21	74.0	-26.63	Peak	327.00	150	Vertical	Pass
3**	3982.000	35.28	-4.21	54.0	-18.72	AV	327.00	150	Vertical	Pass
4	5299.000	100.90	-0.48	--	-60.10	Peak	161.00	150	Vertical	N/A
4**	5299.000	90.24	-0.48	--	90.24	AV	161.00	150	Vertical	N/A
5	12202.025	50.15	20.43	74.0	-23.85	Peak	339.00	150	Vertical	Pass
5**	12202.025	38.26	20.43	54.0	-15.74	AV	339.00	150	Vertical	Pass
6	15930.450	54.88	23.78	74.0	-19.12	Peak	145.00	150	Vertical	Pass
6**	15930.450	43.25	23.78	54.0	-10.75	AV	145.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.400	42.29	-15.44	74.0	-31.71	Peak	159.00	150	Horizontal	Pass
1**	1672.400	32.44	-15.44	54.0	-21.56	AV	159.00	150	Horizontal	Pass
2	2890.600	42.88	-8.10	74.0	-31.12	Peak	134.00	150	Horizontal	Pass
2**	2890.600	33.19	-8.10	54.0	-20.81	AV	134.00	150	Horizontal	Pass
3	4205.400	47.04	-4.05	74.0	-26.96	Peak	102.00	150	Horizontal	Pass
3**	4205.400	35.63	-4.05	54.0	-18.37	AV	102.00	150	Horizontal	Pass
4	5318.600	106.65	0.11	--	-144.35	Peak	251.00	150	Horizontal	N/A
4**	5318.600	97.92	0.11	--	97.92	AV	251.00	150	Horizontal	N/A
5	10972.387	50.55	18.79	74.0	-23.45	Peak	154.00	150	Horizontal	Pass
5**	10972.387	37.03	18.79	54.0	-16.97	AV	154.00	150	Horizontal	Pass
6	15623.063	55.34	23.47	74.0	-18.66	Peak	261.00	150	Horizontal	Pass
6**	15623.063	43.43	23.47	54.0	-10.57	AV	261.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1221.700	41.03	-14.81	74.0	-32.97	Peak	299.00	150	Vertical	Pass
1**	1221.700	33.12	-14.81	54.0	-20.88	AV	299.00	150	Vertical	Pass
2	2877.200	43.07	-8.34	74.0	-30.93	Peak	27.00	150	Vertical	Pass
2**	2877.200	33.15	-8.34	54.0	-20.85	AV	27.00	150	Vertical	Pass
3	3984.200	48.30	-4.28	74.0	-25.70	Peak	100.00	150	Vertical	Pass
3**	3984.200	38.35	-4.28	54.0	-15.65	AV	100.00	150	Vertical	Pass
4	5316.600	101.33	-0.05	--	-64.67	Peak	166.00	150	Vertical	N/A
4**	5316.600	91.51	-0.05	--	91.51	AV	166.00	150	Vertical	N/A
5	11748.638	50.03	18.96	74.0	-23.97	Peak	224.00	150	Vertical	Pass
5**	11748.638	38.56	18.96	54.0	-15.44	AV	224.00	150	Vertical	Pass
6	15904.725	54.80	23.36	74.0	-19.20	Peak	12.00	150	Vertical	Pass
6**	15904.725	43.45	23.36	54.0	-10.55	AV	12.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.600	42.81	-15.24	74.0	-31.19	Peak	155.00	150	Horizontal	Pass
1**	1674.600	32.54	-15.24	54.0	-21.46	AV	155.00	150	Horizontal	Pass
2	2847.100	42.05	-8.31	74.0	-31.95	Peak	203.00	150	Horizontal	Pass
2**	2847.100	32.29	-8.31	54.0	-21.71	AV	203.00	150	Horizontal	Pass
3	4033.800	46.23	-4.02	74.0	-27.77	Peak	0.00	150	Horizontal	Pass
3**	4033.800	34.37	-4.02	54.0	-19.63	AV	0.00	150	Horizontal	Pass
4	5262.000	104.27	-1.01	--	-135.73	Peak	240.00	150	Horizontal	N/A
4**	5262.000	96.39	-1.01	--	96.39	AV	240.00	150	Horizontal	N/A
5	11620.987	50.08	20.24	74.0	-23.92	Peak	241.00	150	Horizontal	Pass
5**	11620.987	38.19	20.24	54.0	-15.81	AV	241.00	150	Horizontal	Pass
6	15698.925	55.68	23.57	74.0	-18.32	Peak	0.00	150	Horizontal	Pass
6**	15698.925	42.38	23.57	54.0	-11.62	AV	0.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1346.500	40.39	-14.75	74.0	-33.61	Peak	217.00	150	Vertical	Pass
1**	1346.500	30.34	-14.75	54.0	-23.66	AV	217.00	150	Vertical	Pass
2	2864.400	41.63	-8.05	74.0	-32.37	Peak	308.00	150	Vertical	Pass
2**	2864.400	32.90	-8.05	54.0	-21.10	AV	308.00	150	Vertical	Pass
3	3999.200	47.03	-4.51	74.0	-26.97	Peak	292.00	150	Vertical	Pass
3**	3999.200	35.12	-4.51	54.0	-18.88	AV	292.00	150	Vertical	Pass
4	5280.400	97.34	-0.39	--	-61.66	Peak	159.00	150	Vertical	N/A
4**	5280.400	88.35	-0.39	--	88.35	AV	159.00	150	Vertical	N/A
5	11607.474	50.15	20.17	74.0	-23.85	Peak	299.00	150	Vertical	Pass
5**	11607.474	38.81	20.17	54.0	-15.19	AV	299.00	150	Vertical	Pass
6	15728.850	54.36	23.47	74.0	-19.64	Peak	228.00	150	Vertical	Pass
6**	15728.850	44.21	23.47	54.0	-9.79	AV	228.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1362.300	39.72	-14.88	74.0	-34.28	Peak	334.00	150	Horizontal	Pass
1**	1362.300	29.71	-14.88	54.0	-24.29	AV	334.00	150	Horizontal	Pass
2	2853.200	42.20	-8.15	74.0	-31.80	Peak	0.00	150	Horizontal	Pass
2**	2853.200	32.43	-8.15	54.0	-21.57	AV	0.00	150	Horizontal	Pass
3	4211.400	47.33	-3.86	74.0	-26.67	Peak	184.00	150	Horizontal	Pass
3**	4211.400	36.00	-3.86	54.0	-18.00	AV	184.00	150	Horizontal	Pass
4	5319.200	104.70	0.12	--	-133.30	Peak	238.00	150	Horizontal	N/A
4**	5319.200	96.15	0.12	--	96.15	AV	238.00	150	Horizontal	N/A
5	11685.675	49.84	20.00	74.0	-24.16	Peak	8.00	150	Horizontal	Pass
5**	11685.675	38.69	20.00	54.0	-15.31	AV	8.00	150	Horizontal	Pass
6	15511.238	55.23	23.86	74.0	-18.77	Peak	21.00	150	Horizontal	Pass
6**	15511.238	42.82	23.86	54.0	-11.18	AV	21.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.300	39.46	-14.95	74.0	-34.54	Peak	267.00	150	Vertical	Pass
1**	1167.300	30.61	-14.95	54.0	-23.39	AV	267.00	150	Vertical	Pass
2	2804.100	41.77	-8.74	74.0	-32.23	Peak	358.00	150	Vertical	Pass
2**	2804.100	31.22	-8.74	54.0	-22.78	AV	358.00	150	Vertical	Pass
3	3996.600	47.24	-4.54	74.0	-26.76	Peak	95.00	150	Vertical	Pass
3**	3996.600	35.84	-4.54	54.0	-18.16	AV	95.00	150	Vertical	Pass
4	5316.800	97.64	-0.06	--	-50.36	Peak	148.00	150	Vertical	N/A
4**	5316.800	88.67	-0.06	--	88.67	AV	148.00	150	Vertical	N/A
5	11620.412	50.54	20.24	74.0	-23.46	Peak	240.00	150	Vertical	Pass
5**	11620.412	38.78	20.24	54.0	-15.22	AV	240.00	150	Vertical	Pass
6	15676.875	55.42	23.57	74.0	-18.58	Peak	23.00	150	Vertical	Pass
6**	15676.875	42.62	23.57	54.0	-11.38	AV	23.00	150	Vertical	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.200	41.31	-15.31	74.0	-32.69	Peak	172.00	150	Horizontal	Pass
1**	1671.200	31.35	-15.31	54.0	-22.65	AV	172.00	150	Horizontal	Pass
2	2855.400	41.77	-8.09	74.0	-32.23	Peak	22.00	150	Horizontal	Pass
2**	2855.400	33.23	-8.09	54.0	-20.77	AV	22.00	150	Horizontal	Pass
3	4018.000	46.57	-4.08	74.0	-27.43	Peak	354.00	150	Horizontal	Pass
3**	4018.000	36.08	-4.08	54.0	-17.92	AV	354.00	150	Horizontal	Pass
4	5300.200	101.47	0.27	--	-144.53	Peak	246.00	150	Horizontal	N/A
4**	5300.200	93.22	0.27	--	93.22	AV	246.00	150	Horizontal	N/A
5	12167.525	50.24	20.12	74.0	-23.76	Peak	319.00	150	Horizontal	Pass
5**	12167.525	37.92	20.12	54.0	-16.08	AV	319.00	150	Horizontal	Pass
6	15637.500	54.81	23.55	74.0	-19.19	Peak	293.00	150	Horizontal	Pass
6**	15637.500	43.58	23.55	54.0	-10.42	AV	293.00	150	Horizontal	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.900	40.12	-15.08	74.0	-33.88	Peak	290.00	150	Vertical	Pass
1**	1202.900	30.81	-15.08	54.0	-23.19	AV	290.00	150	Vertical	Pass
2	2866.600	42.21	-8.06	74.0	-31.79	Peak	98.00	150	Vertical	Pass
2**	2866.600	32.72	-8.06	54.0	-21.28	AV	98.00	150	Vertical	Pass
3	3998.200	47.50	-4.54	74.0	-26.50	Peak	299.00	150	Vertical	Pass
3**	3998.200	38.43	-4.54	54.0	-15.57	AV	299.00	150	Vertical	Pass
4	5312.800	93.92	0.15	--	-39.08	Peak	133.00	150	Vertical	N/A
4**	5312.800	83.93	0.15	--	83.93	AV	133.00	150	Vertical	N/A
5	12156.888	50.55	20.00	74.0	-23.45	Peak	23.00	150	Vertical	Pass
5**	12156.888	39.67	20.00	54.0	-14.33	AV	23.00	150	Vertical	Pass
6	15907.088	54.91	23.40	74.0	-19.09	Peak	14.00	150	Vertical	Pass
6**	15907.088	42.87	23.40	54.0	-11.13	AV	14.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.200	42.79	-15.40	74.0	-31.21	Peak	164.00	150	Horizontal	Pass
1**	1673.200	32.49	-15.40	54.0	-21.51	AV	164.00	150	Horizontal	Pass
2	2859.200	41.64	-8.02	74.0	-32.36	Peak	324.00	150	Horizontal	Pass
2**	2859.200	31.60	-8.02	54.0	-22.40	AV	324.00	150	Horizontal	Pass
3	4249.400	47.16	-3.18	74.0	-26.84	Peak	355.00	150	Horizontal	Pass
3**	4249.400	34.91	-3.18	54.0	-19.09	AV	355.00	150	Horizontal	Pass
4	5501.600	104.67	0.47	--	-135.33	Peak	240.00	150	Horizontal	N/A
4**	5501.600	98.21	0.47	--	98.21	AV	240.00	150	Horizontal	N/A
5	11657.213	50.52	20.30	74.0	-23.48	Peak	91.00	150	Horizontal	Pass
5**	11657.213	38.97	20.30	54.0	-15.03	AV	91.00	150	Horizontal	Pass
6	15954.076	54.48	23.97	74.0	-19.52	Peak	255.00	150	Horizontal	Pass
6**	15954.076	42.56	23.97	54.0	-11.44	AV	255.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.400	43.07	-15.06	74.0	-30.93	Peak	294.00	150	Vertical	Pass
1**	1203.400	32.62	-15.06	54.0	-21.38	AV	294.00	150	Vertical	Pass
2	2857.300	42.52	-8.06	74.0	-31.48	Peak	354.00	150	Vertical	Pass
2**	2857.300	32.57	-8.06	54.0	-21.43	AV	354.00	150	Vertical	Pass
3	3989.000	47.54	-4.33	74.0	-26.46	Peak	0.00	150	Vertical	Pass
3**	3989.000	37.91	-4.33	54.0	-16.09	AV	0.00	150	Vertical	Pass
4	5504.000	98.60	0.49	--	-18.40	Peak	117.00	150	Vertical	N/A
4**	5504.000	91.81	0.49	--	91.81	AV	117.00	150	Vertical	N/A
5	12157.750	50.03	20.02	74.0	-23.97	Peak	33.00	150	Vertical	Pass
5**	12157.750	38.23	20.02	54.0	-15.77	AV	33.00	150	Vertical	Pass
6	15521.475	54.68	23.77	74.0	-19.32	Peak	22.00	150	Vertical	Pass
6**	15521.475	43.18	23.77	54.0	-10.82	AV	22.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.400	41.89	-15.21	74.0	-32.11	Peak	204.00	150	Horizontal	Pass
1**	1666.400	33.32	-15.21	54.0	-20.68	AV	204.00	150	Horizontal	Pass
2	2870.900	42.16	-8.19	74.0	-31.84	Peak	282.00	150	Horizontal	Pass
2**	2870.900	33.82	-8.19	54.0	-20.18	AV	282.00	150	Horizontal	Pass
3	4096.800	46.12	-4.51	74.0	-27.88	Peak	326.00	150	Horizontal	Pass
3**	4096.800	37.00	-4.51	54.0	-17.00	AV	326.00	150	Horizontal	Pass
4	5582.000	104.78	0.84	--	-136.22	Peak	241.00	150	Horizontal	N/A
4**	5582.000	98.17	0.84	--	98.17	AV	241.00	150	Horizontal	N/A
5	11608.050	50.21	20.17	74.0	-23.79	Peak	108.00	150	Horizontal	Pass
5**	11608.050	38.50	20.17	54.0	-15.50	AV	108.00	150	Horizontal	Pass
6	15376.838	54.85	22.71	74.0	-19.15	Peak	349.00	150	Horizontal	Pass
6**	15376.838	42.04	22.71	54.0	-11.96	AV	349.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1130.300	41.64	-15.39	74.0	-32.36	Peak	238.00	150	Vertical	Pass
1**	1130.300	28.09	-15.39	54.0	-25.91	AV	238.00	150	Vertical	Pass
2	2875.700	42.91	-8.35	74.0	-31.09	Peak	121.00	150	Vertical	Pass
2**	2875.700	33.60	-8.35	54.0	-20.40	AV	121.00	150	Vertical	Pass
3	4137.000	47.30	-4.08	74.0	-26.70	Peak	300.00	150	Vertical	Pass
3**	4137.000	36.11	-4.08	54.0	-17.89	AV	300.00	150	Vertical	Pass
4	5577.800	99.19	0.74	--	-18.81	Peak	118.00	150	Vertical	N/A
4**	5577.800	90.82	0.74	--	90.82	AV	118.00	150	Vertical	N/A
5	11613.799	49.93	20.20	74.0	-24.07	Peak	96.00	150	Vertical	Pass
5**	11613.799	38.69	20.20	54.0	-15.31	AV	96.00	150	Vertical	Pass
6	15883.725	55.39	23.34	74.0	-18.61	Peak	349.00	150	Vertical	Pass
6**	15883.725	43.66	23.34	54.0	-10.34	AV	349.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.200	41.92	-15.24	74.0	-32.08	Peak	162.00	150	Horizontal	Pass
1**	1670.200	31.90	-15.24	54.0	-22.10	AV	162.00	150	Horizontal	Pass
2	2784.900	41.68	-8.71	74.0	-32.32	Peak	112.00	150	Horizontal	Pass
2**	2784.900	32.07	-8.71	54.0	-21.93	AV	112.00	150	Horizontal	Pass
3	4047.600	46.94	-3.83	74.0	-27.06	Peak	52.00	150	Horizontal	Pass
3**	4047.600	35.32	-3.83	54.0	-18.68	AV	52.00	150	Horizontal	Pass
4	5703.600	103.57	-0.67	--	-123.43	Peak	227.00	150	Horizontal	N/A
4**	5703.600	97.02	-0.67	--	97.02	AV	227.00	150	Horizontal	N/A
5	11639.963	49.99	20.36	74.0	-24.01	Peak	257.00	150	Horizontal	Pass
5**	11639.963	38.56	20.36	54.0	-15.44	AV	257.00	150	Horizontal	Pass
6	16077.712	54.97	24.05	74.0	-19.03	Peak	40.00	150	Horizontal	Pass
6**	16077.712	44.04	24.05	54.0	-9.96	AV	40.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.900	42.47	-15.00	74.0	-31.53	Peak	281.00	150	Vertical	Pass
1**	1197.900	34.06	-15.00	54.0	-19.94	AV	281.00	150	Vertical	Pass
2	2758.400	42.00	-8.95	74.0	-32.00	Peak	346.00	150	Vertical	Pass
2**	2758.400	32.36	-8.95	54.0	-21.64	AV	346.00	150	Vertical	Pass
3	4229.600	47.21	-3.42	74.0	-26.79	Peak	142.00	150	Vertical	Pass
3**	4229.600	35.29	-3.42	54.0	-18.71	AV	142.00	150	Vertical	Pass
4	5698.400	97.26	-0.79	--	-16.74	Peak	114.00	150	Vertical	N/A
4**	5698.400	88.80	-0.79	--	88.80	AV	114.00	150	Vertical	N/A
5	12206.050	50.81	20.44	74.0	-23.19	Peak	148.00	150	Vertical	Pass
5**	12206.050	38.07	20.44	54.0	-15.93	AV	148.00	150	Vertical	Pass
6	15985.313	54.94	24.01	74.0	-19.06	Peak	293.00	150	Vertical	Pass
6**	15985.313	41.71	24.01	54.0	-12.29	AV	293.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	41.69	-15.22	74.0	-32.31	Peak	212.00	150	Horizontal	Pass
1**	1668.900	31.43	-15.22	54.0	-22.57	AV	212.00	150	Horizontal	Pass
2	2833.700	41.69	-8.47	74.0	-32.31	Peak	139.00	150	Horizontal	Pass
2**	2833.700	33.15	-8.47	54.0	-20.85	AV	139.00	150	Horizontal	Pass
3	4121.800	46.51	-4.16	74.0	-27.49	Peak	64.00	150	Horizontal	Pass
3**	4121.800	34.47	-4.16	54.0	-19.53	AV	64.00	150	Horizontal	Pass
4	5718.600	102.52	-0.56	--	-128.48	Peak	231.00	150	Horizontal	N/A
4**	5718.600	95.64	-0.56	--	95.64	AV	231.00	150	Horizontal	N/A
5	11623.287	49.76	20.26	74.0	-24.24	Peak	360.00	150	Horizontal	Pass
5**	11623.287	38.50	20.26	54.0	-15.50	AV	360.00	150	Horizontal	Pass
6	15554.025	54.72	23.60	74.0	-19.28	Peak	215.00	150	Horizontal	Pass
6**	15554.025	43.22	23.60	54.0	-10.78	AV	215.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.300	40.62	-15.09	74.0	-33.38	Peak	295.00	150	Vertical	Pass
1**	1200.300	33.25	-15.09	54.0	-20.75	AV	295.00	150	Vertical	Pass
2	2820.500	42.13	-8.41	74.0	-31.87	Peak	269.00	150	Vertical	Pass
2**	2820.500	31.63	-8.41	54.0	-22.37	AV	269.00	150	Vertical	Pass
3	3997.600	47.84	-4.56	74.0	-26.16	Peak	84.00	150	Vertical	Pass
3**	3997.600	37.45	-4.56	54.0	-16.55	AV	84.00	150	Vertical	Pass
4	5717.800	96.84	-0.55	--	-62.16	Peak	159.00	150	Vertical	N/A
4**	5717.800	89.30	-0.55	--	89.30	AV	159.00	150	Vertical	N/A
5	12155.162	50.15	19.98	74.0	-23.85	Peak	215.00	150	Vertical	Pass
5**	12155.162	38.30	19.98	54.0	-15.70	AV	215.00	150	Vertical	Pass
6	15851.700	55.34	23.47	74.0	-18.66	Peak	331.00	150	Vertical	Pass
6**	15851.700	41.90	23.47	54.0	-12.10	AV	331.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	42.57	-15.21	74.0	-31.43	Peak	214.00	150	Horizontal	Pass
1**	1667.100	30.46	-15.21	54.0	-23.54	AV	214.00	150	Horizontal	Pass
2	2893.800	43.00	-8.09	74.0	-31.00	Peak	221.00	150	Horizontal	Pass
2**	2893.800	32.89	-8.09	54.0	-21.11	AV	221.00	150	Horizontal	Pass
3	3955.800	46.79	-4.52	74.0	-27.21	Peak	207.00	150	Horizontal	Pass
3**	3955.800	34.91	-4.52	54.0	-19.09	AV	207.00	150	Horizontal	Pass
4	5501.400	102.55	0.47	--	-133.45	Peak	236.00	150	Horizontal	N/A
4**	5501.400	94.31	0.47	--	94.31	AV	236.00	150	Horizontal	N/A
5	11680.787	49.84	20.06	74.0	-24.16	Peak	35.00	150	Horizontal	Pass
5**	11680.787	40.03	20.06	54.0	-13.97	AV	35.00	150	Horizontal	Pass
6	15891.338	55.23	23.30	74.0	-18.77	Peak	103.00	150	Horizontal	Pass
6**	15891.338	42.84	23.30	54.0	-11.16	AV	103.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.300	42.03	-15.00	74.0	-31.97	Peak	293.00	150	Vertical	Pass
1**	1211.300	31.98	-15.00	54.0	-22.02	AV	293.00	150	Vertical	Pass
2	2838.500	42.54	-8.47	74.0	-31.46	Peak	101.00	150	Vertical	Pass
2**	2838.500	32.52	-8.47	54.0	-21.48	AV	101.00	150	Vertical	Pass
3	4021.800	47.13	-4.04	74.0	-26.87	Peak	233.00	150	Vertical	Pass
3**	4021.800	37.82	-4.04	54.0	-16.18	AV	233.00	150	Vertical	Pass
4	5516.600	96.53	0.32	--	-19.47	Peak	116.00	150	Vertical	N/A
4**	5516.600	87.77	0.32	--	87.77	AV	116.00	150	Vertical	N/A
5	12204.325	50.49	20.44	74.0	-23.51	Peak	114.00	150	Vertical	Pass
5**	12204.325	38.69	20.44	54.0	-15.31	AV	114.00	150	Vertical	Pass
6	15526.200	56.55	23.75	74.0	-17.45	Peak	347.00	150	Vertical	Pass
6**	15526.200	43.17	23.75	54.0	-10.83	AV	347.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.200	41.94	-15.21	74.0	-32.06	Peak	155.00	150	Horizontal	Pass
1**	1666.200	32.87	-15.21	54.0	-21.13	AV	155.00	150	Horizontal	Pass
2	2849.000	42.79	-8.23	74.0	-31.21	Peak	276.00	150	Horizontal	Pass
2**	2849.000	32.28	-8.23	54.0	-21.72	AV	276.00	150	Horizontal	Pass
3	4143.800	47.20	-3.92	74.0	-26.80	Peak	127.00	150	Horizontal	Pass
3**	4143.800	34.13	-3.92	54.0	-19.87	AV	127.00	150	Horizontal	Pass
4	5586.800	102.10	0.83	--	-178.90	Peak	281.00	150	Horizontal	N/A
4**	5586.800	94.50	0.83	--	94.50	AV	281.00	150	Horizontal	N/A
5	12198.000	50.09	20.42	74.0	-23.91	Peak	208.00	150	Horizontal	Pass
5**	12198.000	38.75	20.42	54.0	-15.25	AV	208.00	150	Horizontal	Pass
6	15574.237	55.14	23.58	74.0	-18.86	Peak	111.00	150	Horizontal	Pass
6**	15574.237	42.46	23.58	54.0	-11.54	AV	111.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.000	40.55	-15.24	74.0	-33.45	Peak	282.00	150	Vertical	Pass
1**	1194.000	29.06	-15.24	54.0	-24.94	AV	282.00	150	Vertical	Pass
2	2856.900	42.26	-8.06	74.0	-31.74	Peak	170.00	150	Vertical	Pass
2**	2856.900	32.64	-8.06	54.0	-21.36	AV	170.00	150	Vertical	Pass
3	3942.600	46.80	-4.96	74.0	-27.20	Peak	107.00	150	Vertical	Pass
3**	3942.600	35.61	-4.96	54.0	-18.39	AV	107.00	150	Vertical	Pass
4	5581.600	95.78	0.86	--	-21.22	Peak	117.00	150	Vertical	N/A
4**	5581.600	87.78	0.86	--	87.78	AV	117.00	150	Vertical	N/A
5	11797.224	49.84	18.57	74.0	-24.16	Peak	0.00	150	Vertical	Pass
5**	11797.224	38.40	18.57	54.0	-15.60	AV	0.00	150	Vertical	Pass
6	15971.138	55.65	24.00	74.0	-18.35	Peak	273.00	150	Vertical	Pass
6**	15971.138	43.13	24.00	54.0	-10.87	AV	273.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.400	41.99	-15.21	74.0	-32.01	Peak	222.00	150	Horizontal	Pass
1**	1667.400	32.85	-15.21	54.0	-21.15	AV	222.00	150	Horizontal	Pass
2	2861.800	42.13	-8.01	74.0	-31.87	Peak	134.00	150	Horizontal	Pass
2**	2861.800	32.68	-8.01	54.0	-21.32	AV	134.00	150	Horizontal	Pass
3	4343.600	47.80	-3.20	74.0	-26.20	Peak	147.00	150	Horizontal	Pass
3**	4343.600	34.63	-3.20	54.0	-19.37	AV	147.00	150	Horizontal	Pass
4	5661.400	101.15	-0.04	--	-128.85	Peak	230.00	150	Horizontal	N/A
4**	5661.400	95.36	-0.04	--	95.36	AV	230.00	150	Horizontal	N/A
5	12166.662	50.18	20.12	74.0	-23.82	Peak	8.00	150	Horizontal	Pass
5**	12166.662	38.91	20.12	54.0	-15.09	AV	8.00	150	Horizontal	Pass
6	15548.775	54.84	23.62	74.0	-19.16	Peak	9.00	150	Horizontal	Pass
6**	15548.775	44.54	23.62	54.0	-9.46	AV	9.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.700	40.50	-15.05	74.0	-33.50	Peak	277.00	150	Vertical	Pass
1**	1179.700	30.86	-15.05	54.0	-23.14	AV	277.00	150	Vertical	Pass
2	2776.000	41.50	-8.57	74.0	-32.50	Peak	71.00	150	Vertical	Pass
2**	2776.000	32.91	-8.57	54.0	-21.09	AV	71.00	150	Vertical	Pass
3	3983.800	48.67	-4.28	74.0	-25.33	Peak	307.00	150	Vertical	Pass
3**	3983.800	39.54	-4.28	54.0	-14.46	AV	307.00	150	Vertical	Pass
4	5658.000	94.66	0.05	--	-22.34	Peak	117.00	150	Vertical	N/A
4**	5658.000	87.54	0.05	--	87.54	AV	117.00	150	Vertical	N/A
5	11756.975	50.00	18.88	74.0	-24.00	Peak	360.00	150	Vertical	Pass
5**	11756.975	37.68	18.88	54.0	-16.32	AV	360.00	150	Vertical	Pass
6	15954.076	55.83	23.97	74.0	-18.17	Peak	187.00	150	Vertical	Pass
6**	15954.076	43.69	23.97	54.0	-10.31	AV	187.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.900	42.31	-15.23	74.0	-31.69	Peak	217.00	150	Horizontal	Pass
1**	1663.900	29.45	-15.23	54.0	-24.55	AV	217.00	150	Horizontal	Pass
2	2884.800	43.21	-8.27	74.0	-30.79	Peak	311.00	150	Horizontal	Pass
2**	2884.800	33.60	-8.27	54.0	-20.40	AV	311.00	150	Horizontal	Pass
3	4147.200	47.34	-3.62	74.0	-26.66	Peak	153.00	150	Horizontal	Pass
3**	4147.200	35.81	-3.62	54.0	-18.19	AV	153.00	150	Horizontal	Pass
4	5712.800	102.41	-0.45	--	-181.59	Peak	284.00	150	Horizontal	N/A
4**	5712.800	93.19	-0.45	--	93.19	AV	284.00	150	Horizontal	N/A
5	11650.312	50.76	20.39	74.0	-23.24	Peak	258.00	150	Horizontal	Pass
5**	11650.312	38.63	20.39	54.0	-15.37	AV	258.00	150	Horizontal	Pass
6	16061.438	54.66	24.13	74.0	-19.34	Peak	360.00	150	Horizontal	Pass
6**	16061.438	43.15	24.13	54.0	-10.85	AV	360.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.700	40.96	-15.04	74.0	-33.04	Peak	288.00	150	Vertical	Pass
1**	1171.700	30.33	-15.04	54.0	-23.67	AV	288.00	150	Vertical	Pass
2	2736.000	42.29	-8.63	74.0	-31.71	Peak	280.00	150	Vertical	Pass
2**	2736.000	31.85	-8.63	54.0	-22.15	AV	280.00	150	Vertical	Pass
3	3983.400	47.14	-4.27	74.0	-26.86	Peak	99.00	150	Vertical	Pass
3**	3983.400	35.82	-4.27	54.0	-18.18	AV	99.00	150	Vertical	Pass
4	5718.000	94.54	-0.56	--	-23.46	Peak	118.00	150	Vertical	N/A
4**	5718.000	87.86	-0.56	--	87.86	AV	118.00	150	Vertical	N/A
5	11591.663	50.25	20.03	74.0	-23.75	Peak	360.00	150	Vertical	Pass
5**	11591.663	37.95	20.03	54.0	-16.05	AV	360.00	150	Vertical	Pass
6	15895.276	55.17	23.29	74.0	-18.83	Peak	151.00	150	Vertical	Pass
6**	15895.276	43.33	23.29	54.0	-10.67	AV	151.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.500	41.45	-15.21	74.0	-32.55	Peak	164.00	150	Horizontal	Pass
1**	1667.500	34.00	-15.21	54.0	-20.00	AV	164.00	150	Horizontal	Pass
2	2876.100	42.73	-8.34	74.0	-31.27	Peak	22.00	150	Horizontal	Pass
2**	2876.100	32.06	-8.34	54.0	-21.94	AV	22.00	150	Horizontal	Pass
3	4152.000	46.59	-3.50	74.0	-27.41	Peak	354.00	150	Horizontal	Pass
3**	4152.000	35.13	-3.50	54.0	-18.87	AV	354.00	150	Horizontal	Pass
4	5503.800	105.14	0.49	--	-128.86	Peak	234.00	150	Horizontal	N/A
4**	5503.800	97.88	0.49	--	97.88	AV	234.00	150	Horizontal	N/A
5	11583.612	50.24	19.93	74.0	-23.76	Peak	277.00	150	Horizontal	Pass
5**	11583.612	37.64	19.93	54.0	-16.36	AV	277.00	150	Horizontal	Pass
6	15646.950	55.11	23.53	74.0	-18.89	Peak	31.00	150	Horizontal	Pass
6**	15646.950	44.29	23.53	54.0	-9.71	AV	31.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.400	40.43	-14.81	74.0	-33.57	Peak	319.00	150	Vertical	Pass
1**	1222.400	32.97	-14.81	54.0	-21.03	AV	319.00	150	Vertical	Pass
2	2860.800	42.34	-7.97	74.0	-31.66	Peak	206.00	150	Vertical	Pass
2**	2860.800	33.59	-7.97	54.0	-20.41	AV	206.00	150	Vertical	Pass
3	3996.000	47.54	-4.51	74.0	-26.46	Peak	109.00	150	Vertical	Pass
3**	3996.000	35.85	-4.51	54.0	-18.15	AV	109.00	150	Vertical	Pass
4	5496.400	98.92	0.63	--	-20.08	Peak	119.00	150	Vertical	N/A
4**	5496.400	90.47	0.63	--	90.47	AV	119.00	150	Vertical	N/A
5	11755.537	50.08	18.89	74.0	-23.92	Peak	360.00	150	Vertical	Pass
5**	11755.537	41.41	18.89	54.0	-12.59	AV	360.00	150	Vertical	Pass
6	16083.225	55.96	24.07	74.0	-18.04	Peak	123.00	150	Vertical	Pass
6**	16083.225	43.14	24.07	54.0	-10.86	AV	123.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.400	42.20	-15.21	74.0	-31.80	Peak	163.00	150	Horizontal	Pass
1**	1667.400	32.46	-15.21	54.0	-21.54	AV	163.00	150	Horizontal	Pass
2	2749.300	41.92	-8.97	74.0	-32.08	Peak	360.00	150	Horizontal	Pass
2**	2749.300	32.12	-8.97	54.0	-21.88	AV	360.00	150	Horizontal	Pass
3	4259.800	47.93	-3.40	74.0	-26.07	Peak	110.00	150	Horizontal	Pass
3**	4259.800	35.20	-3.40	54.0	-18.80	AV	110.00	150	Horizontal	Pass
4	5583.600	104.94	0.67	--	-132.06	Peak	237.00	150	Horizontal	N/A
4**	5583.600	98.40	0.67	--	98.40	AV	237.00	150	Horizontal	N/A
5	12154.299	50.46	19.97	74.0	-23.54	Peak	300.00	150	Horizontal	Pass
5**	12154.299	38.56	19.97	54.0	-15.44	AV	300.00	150	Horizontal	Pass
6	15503.625	55.16	23.93	74.0	-18.84	Peak	137.00	150	Horizontal	Pass
6**	15503.625	44.22	23.93	54.0	-9.78	AV	137.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1210.500	40.51	-14.95	74.0	-33.49	Peak	277.00	150	Vertical	Pass
1**	1210.500	28.36	-14.95	54.0	-25.64	AV	277.00	150	Vertical	Pass
2	2848.500	42.15	-8.25	74.0	-31.85	Peak	231.00	150	Vertical	Pass
2**	2848.500	33.11	-8.25	54.0	-20.89	AV	231.00	150	Vertical	Pass
3	3986.400	46.98	-4.34	74.0	-27.02	Peak	97.00	150	Vertical	Pass
3**	3986.400	36.68	-4.34	54.0	-17.32	AV	97.00	150	Vertical	Pass
4	5578.400	99.43	0.77	--	-16.57	Peak	116.00	150	Vertical	N/A
4**	5578.400	93.54	0.77	--	93.54	AV	116.00	150	Vertical	N/A
5	11600.862	50.46	20.14	74.0	-23.54	Peak	0.00	150	Vertical	Pass
5**	11600.862	38.73	20.14	54.0	-15.27	AV	0.00	150	Vertical	Pass
6	15702.862	54.67	23.56	74.0	-19.33	Peak	3.00	150	Vertical	Pass
6**	15702.862	44.66	23.56	54.0	-9.34	AV	3.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.700	41.89	-15.26	74.0	-32.11	Peak	211.00	150	Horizontal	Pass
1**	1670.700	33.65	-15.26	54.0	-20.35	AV	211.00	150	Horizontal	Pass
2	2822.400	42.03	-8.37	74.0	-31.97	Peak	136.00	150	Horizontal	Pass
2**	2822.400	33.34	-8.37	54.0	-20.66	AV	136.00	150	Horizontal	Pass
3	4025.000	46.74	-3.89	74.0	-27.26	Peak	360.00	150	Horizontal	Pass
3**	4025.000	35.79	-3.89	54.0	-18.21	AV	360.00	150	Horizontal	Pass
4	5703.200	103.30	-0.70	--	-153.70	Peak	257.00	150	Horizontal	N/A
4**	5703.200	96.99	-0.70	--	96.99	AV	257.00	150	Horizontal	N/A
5	11679.638	50.07	20.07	74.0	-23.93	Peak	138.00	150	Horizontal	Pass
5**	11679.638	39.07	20.07	54.0	-14.93	AV	138.00	150	Horizontal	Pass
6	16143.075	54.75	24.12	74.0	-19.25	Peak	95.00	150	Horizontal	Pass
6**	16143.075	42.87	24.12	54.0	-11.13	AV	95.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.400	42.28	-15.05	74.0	-31.72	Peak	286.00	150	Vertical	Pass
1**	1189.400	30.64	-15.05	54.0	-23.36	AV	286.00	150	Vertical	Pass
2	2775.300	41.70	-8.58	74.0	-32.30	Peak	149.00	150	Vertical	Pass
2**	2775.300	32.18	-8.58	54.0	-21.82	AV	149.00	150	Vertical	Pass
3	3948.200	46.82	-4.74	74.0	-27.18	Peak	239.00	150	Vertical	Pass
3**	3948.200	34.85	-4.74	54.0	-19.15	AV	239.00	150	Vertical	Pass
4	5703.200	96.46	-0.70	--	-24.54	Peak	121.00	150	Vertical	N/A
4**	5703.200	88.90	-0.70	--	88.90	AV	121.00	150	Vertical	N/A
5	11624.150	49.81	20.26	74.0	-24.19	Peak	133.00	150	Vertical	Pass
5**	11624.150	39.00	20.26	54.0	-15.00	AV	133.00	150	Vertical	Pass
6	16044.900	55.69	24.06	74.0	-18.31	Peak	83.00	150	Vertical	Pass
6**	16044.900	43.17	24.06	54.0	-10.83	AV	83.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.500	41.73	-15.23	74.0	-32.27	Peak	211.00	150	Horizontal	Pass
1**	1669.500	31.53	-15.23	54.0	-22.47	AV	211.00	150	Horizontal	Pass
2	2887.900	42.16	-8.16	74.0	-31.84	Peak	139.00	150	Horizontal	Pass
2**	2887.900	33.03	-8.16	54.0	-20.97	AV	139.00	150	Horizontal	Pass
3	4163.000	46.88	-3.49	74.0	-27.12	Peak	360.00	150	Horizontal	Pass
3**	4163.000	37.07	-3.49	54.0	-16.93	AV	360.00	150	Horizontal	Pass
4	5724.200	103.71	-0.48	--	-119.29	Peak	223.00	150	Horizontal	N/A
4**	5724.200	96.57	-0.48	--	96.57	AV	223.00	150	Horizontal	N/A
5	11615.237	50.15	20.21	74.0	-23.85	Peak	193.00	150	Horizontal	Pass
5**	11615.237	38.82	20.21	54.0	-15.18	AV	193.00	150	Horizontal	Pass
6	15534.599	55.38	23.72	74.0	-18.62	Peak	293.00	150	Horizontal	Pass
6**	15534.599	44.42	23.72	54.0	-9.58	AV	293.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.800	42.14	-14.93	74.0	-31.86	Peak	252.00	150	Vertical	Pass
1**	1166.800	31.00	-14.93	54.0	-23.00	AV	252.00	150	Vertical	Pass
2	2772.800	41.56	-8.46	74.0	-32.44	Peak	199.00	150	Vertical	Pass
2**	2772.800	32.02	-8.46	54.0	-21.98	AV	199.00	150	Vertical	Pass
3	3986.400	47.34	-4.34	74.0	-26.66	Peak	57.00	150	Vertical	Pass
3**	3986.400	36.08	-4.34	54.0	-17.92	AV	57.00	150	Vertical	Pass
4	5723.000	97.99	-0.50	--	-20.01	Peak	118.00	150	Vertical	N/A
4**	5723.000	91.99	-0.50	--	91.99	AV	118.00	150	Vertical	N/A
5	11537.325	49.99	19.59	74.0	-24.01	Peak	223.00	150	Vertical	Pass
5**	11537.325	38.17	19.59	54.0	-15.83	AV	223.00	150	Vertical	Pass
6	15582.638	55.35	23.57	74.0	-18.65	Peak	10.00	150	Vertical	Pass
6**	15582.638	43.49	23.57	54.0	-10.51	AV	10.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.900	41.34	-15.23	74.0	-32.66	Peak	217.00	150	Horizontal	Pass
1**	1674.900	32.50	-15.23	54.0	-21.50	AV	217.00	150	Horizontal	Pass
2	2878.200	42.90	-8.31	74.0	-31.10	Peak	270.00	150	Horizontal	Pass
2**	2878.200	33.02	-8.31	54.0	-20.98	AV	270.00	150	Horizontal	Pass
3	4163.400	47.37	-3.54	74.0	-26.63	Peak	255.00	150	Horizontal	Pass
3**	4163.400	35.99	-3.54	54.0	-18.01	AV	255.00	150	Horizontal	Pass
4	5520.000	101.67	0.17	--	-131.33	Peak	233.00	150	Horizontal	N/A
4**	5520.000	94.35	0.17	--	94.35	AV	233.00	150	Horizontal	N/A
5	12160.912	50.36	20.05	74.0	-23.64	Peak	346.00	150	Horizontal	Pass
5**	12160.912	38.27	20.05	54.0	-15.73	AV	346.00	150	Horizontal	Pass
6	15514.651	55.50	23.83	74.0	-18.50	Peak	233.00	150	Horizontal	Pass
6**	15514.651	43.32	23.83	54.0	-10.68	AV	233.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.100	42.19	-15.02	74.0	-31.81	Peak	307.00	150	Vertical	Pass
1**	1199.100	30.59	-15.02	54.0	-23.41	AV	307.00	150	Vertical	Pass
2	2880.600	42.90	-8.28	74.0	-31.10	Peak	191.00	150	Vertical	Pass
2**	2880.600	33.32	-8.28	54.0	-20.68	AV	191.00	150	Vertical	Pass
3	3990.000	47.33	-4.38	74.0	-26.67	Peak	91.00	150	Vertical	Pass
3**	3990.000	35.60	-4.38	54.0	-18.40	AV	91.00	150	Vertical	Pass
4	5516.200	95.99	0.34	--	-18.01	Peak	114.00	150	Vertical	N/A
4**	5516.200	88.30	0.34	--	88.30	AV	114.00	150	Vertical	N/A
5	11809.013	49.74	18.48	74.0	-24.26	Peak	199.00	150	Vertical	Pass
5**	11809.013	37.74	18.48	54.0	-16.26	AV	199.00	150	Vertical	Pass
6	15533.025	55.68	23.73	74.0	-18.32	Peak	4.00	150	Vertical	Pass
6**	15533.025	44.78	23.73	54.0	-9.22	AV	4.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.800	41.45	-15.27	74.0	-32.55	Peak	167.00	150	Horizontal	Pass
1**	1670.800	33.40	-15.27	54.0	-20.60	AV	167.00	150	Horizontal	Pass
2	2888.300	42.64	-8.15	74.0	-31.36	Peak	122.00	150	Horizontal	Pass
2**	2888.300	32.21	-8.15	54.0	-21.79	AV	122.00	150	Horizontal	Pass
3	4099.400	46.72	-4.32	74.0	-27.28	Peak	129.00	150	Horizontal	Pass
3**	4099.400	35.51	-4.32	54.0	-18.49	AV	129.00	150	Horizontal	Pass
4	5582.000	101.63	0.84	--	-133.37	Peak	235.00	150	Horizontal	N/A
4**	5582.000	94.74	0.84	--	94.74	AV	235.00	150	Horizontal	N/A
5	11688.838	51.24	19.96	74.0	-22.76	Peak	306.00	150	Horizontal	Pass
5**	11688.838	38.92	19.96	54.0	-15.08	AV	306.00	150	Horizontal	Pass
6	16160.925	54.69	23.84	74.0	-19.31	Peak	329.00	150	Horizontal	Pass
6**	16160.925	42.58	23.84	54.0	-11.42	AV	329.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1216.400	40.71	-14.81	74.0	-33.29	Peak	307.00	150	Vertical	Pass
1**	1216.400	32.56	-14.81	54.0	-21.44	AV	307.00	150	Vertical	Pass
2	2890.600	42.46	-8.10	74.0	-31.54	Peak	307.00	150	Vertical	Pass
2**	2890.600	34.32	-8.10	54.0	-19.68	AV	307.00	150	Vertical	Pass
3	3988.400	47.35	-4.33	74.0	-26.65	Peak	281.00	150	Vertical	Pass
3**	3988.400	41.20	-4.33	54.0	-12.80	AV	281.00	150	Vertical	Pass
4	5578.600	96.04	0.79	--	-17.96	Peak	114.00	150	Vertical	N/A
4**	5578.600	88.86	0.79	--	88.86	AV	114.00	150	Vertical	N/A
5	11661.237	50.27	20.26	74.0	-23.73	Peak	360.00	150	Vertical	Pass
5**	11661.237	38.23	20.26	54.0	-15.77	AV	360.00	150	Vertical	Pass
6	15990.038	55.50	24.01	74.0	-18.50	Peak	26.00	150	Vertical	Pass
6**	15990.038	42.96	24.01	54.0	-11.04	AV	26.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	42.04	-15.23	74.0	-31.96	Peak	224.00	150	Horizontal	Pass
1**	1669.300	32.46	-15.23	54.0	-21.54	AV	224.00	150	Horizontal	Pass
2	2832.100	41.89	-8.41	74.0	-32.11	Peak	67.00	150	Horizontal	Pass
2**	2832.100	32.96	-8.41	54.0	-21.04	AV	67.00	150	Horizontal	Pass
3	4168.000	47.11	-3.80	74.0	-26.89	Peak	48.00	150	Horizontal	Pass
3**	4168.000	35.97	-3.80	54.0	-18.03	AV	48.00	150	Horizontal	Pass
4	5660.400	100.87	-0.03	--	-140.13	Peak	241.00	150	Horizontal	N/A
4**	5660.400	93.56	-0.03	--	93.56	AV	241.00	150	Horizontal	N/A
5	11542.500	49.76	19.64	74.0	-24.24	Peak	0.00	150	Horizontal	Pass
5**	11542.500	37.11	19.64	54.0	-16.89	AV	0.00	150	Horizontal	Pass
6	15849.338	54.59	23.49	74.0	-19.41	Peak	-2.00	150	Horizontal	Pass
6**	15849.338	42.30	23.49	54.0	-11.70	AV	-2.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.300	40.78	-14.78	74.0	-33.22	Peak	304.00	150	Vertical	Pass
1**	1217.300	32.44	-14.78	54.0	-21.56	AV	304.00	150	Vertical	Pass
2	2853.500	41.62	-8.15	74.0	-32.38	Peak	360.00	150	Vertical	Pass
2**	2853.500	33.27	-8.15	54.0	-20.73	AV	360.00	150	Vertical	Pass
3	4027.200	48.38	-3.84	74.0	-25.62	Peak	21.00	150	Vertical	Pass
3**	4027.200	38.30	-3.84	54.0	-15.70	AV	21.00	150	Vertical	Pass
4	5658.400	95.08	0.02	--	-22.92	Peak	118.00	150	Vertical	N/A
4**	5658.400	87.15	0.02	--	87.15	AV	118.00	150	Vertical	N/A
5	12244.287	50.21	20.44	74.0	-23.79	Peak	319.00	150	Vertical	Pass
5**	12244.287	38.83	20.44	54.0	-15.17	AV	319.00	150	Vertical	Pass
6	15648.263	55.38	23.53	74.0	-18.62	Peak	97.00	150	Vertical	Pass
6**	15648.263	43.42	23.53	54.0	-10.58	AV	97.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.600	42.01	-15.23	74.0	-31.99	Peak	215.00	150	Horizontal	Pass
1**	1669.600	35.03	-15.23	54.0	-18.97	AV	215.00	150	Horizontal	Pass
2	2862.300	41.82	-8.03	74.0	-32.18	Peak	81.00	150	Horizontal	Pass
2**	2862.300	32.73	-8.03	54.0	-21.27	AV	81.00	150	Horizontal	Pass
3	4184.000	48.14	-3.92	74.0	-25.86	Peak	205.00	150	Horizontal	Pass
3**	4184.000	35.55	-3.92	54.0	-18.45	AV	205.00	150	Horizontal	Pass
4	5705.800	99.91	-0.61	--	-132.09	Peak	232.00	150	Horizontal	N/A
4**	5705.800	93.28	-0.61	--	93.28	AV	232.00	150	Horizontal	N/A
5	11632.775	50.11	20.32	74.0	-23.89	Peak	0.00	150	Horizontal	Pass
5**	11632.775	39.24	20.32	54.0	-14.76	AV	0.00	150	Horizontal	Pass
6	15498.112	55.04	23.94	74.0	-18.96	Peak	327.00	150	Horizontal	Pass
6**	15498.112	44.06	23.94	54.0	-9.94	AV	327.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.300	40.78	-15.04	74.0	-33.22	Peak	305.00	150	Vertical	Pass
1**	1190.300	29.52	-15.04	54.0	-24.48	AV	305.00	150	Vertical	Pass
2	2875.300	42.13	-8.35	74.0	-31.87	Peak	67.00	150	Vertical	Pass
2**	2875.300	34.58	-8.35	54.0	-19.42	AV	67.00	150	Vertical	Pass
3	4236.800	47.22	-3.35	74.0	-26.78	Peak	94.00	150	Vertical	Pass
3**	4236.800	35.15	-3.35	54.0	-18.85	AV	94.00	150	Vertical	Pass
4	5719.600	94.10	-0.57	--	-23.90	Peak	118.00	150	Vertical	N/A
4**	5719.600	86.83	-0.57	--	86.83	AV	118.00	150	Vertical	N/A
5	12172.125	50.60	20.17	74.0	-23.40	Peak	81.00	150	Vertical	Pass
5**	12172.125	38.40	20.17	54.0	-15.60	AV	81.00	150	Vertical	Pass
6	15552.187	55.23	23.60	74.0	-18.77	Peak	175.00	150	Vertical	Pass
6**	15552.187	43.53	23.60	54.0	-10.47	AV	175.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.200	41.90	-15.21	74.0	-32.10	Peak	168.00	150	Horizontal	Pass
1**	1667.200	33.32	-15.21	54.0	-20.68	AV	168.00	150	Horizontal	Pass
2	2865.200	42.27	-8.05	74.0	-31.73	Peak	330.00	150	Horizontal	Pass
2**	2865.200	32.21	-8.05	54.0	-21.79	AV	330.00	150	Horizontal	Pass
3	4231.400	47.45	-3.45	74.0	-26.55	Peak	338.00	150	Horizontal	Pass
3**	4231.400	35.53	-3.45	54.0	-18.47	AV	338.00	150	Horizontal	Pass
4	5548.200	98.87	0.31	--	-128.13	Peak	227.00	150	Horizontal	N/A
4**	5548.200	90.78	0.31	--	90.78	AV	227.00	150	Horizontal	N/A
5	11660.662	50.39	20.26	74.0	-23.61	Peak	187.00	150	Horizontal	Pass
5**	11660.662	37.98	20.26	54.0	-16.02	AV	187.00	150	Horizontal	Pass
6	16152.001	55.23	24.00	74.0	-18.77	Peak	178.00	150	Horizontal	Pass
6**	16152.001	43.39	24.00	54.0	-10.61	AV	178.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.900	42.84	-15.03	74.0	-31.16	Peak	270.00	150	Vertical	Pass
1**	1177.900	32.36	-15.03	54.0	-21.64	AV	270.00	150	Vertical	Pass
2	2895.600	42.54	-8.07	74.0	-31.46	Peak	307.00	150	Vertical	Pass
2**	2895.600	32.78	-8.07	54.0	-21.22	AV	307.00	150	Vertical	Pass
3	3999.400	46.94	-4.51	74.0	-27.06	Peak	78.00	150	Vertical	Pass
3**	3999.400	36.25	-4.51	54.0	-17.75	AV	78.00	150	Vertical	Pass
4	5523.200	93.28	0.19	--	-22.72	Peak	116.00	150	Vertical	N/A
4**	5523.200	84.74	0.19	--	84.74	AV	116.00	150	Vertical	N/A
5	11633.925	50.38	20.33	74.0	-23.62	Peak	26.00	150	Vertical	Pass
5**	11633.925	38.65	20.33	54.0	-15.35	AV	26.00	150	Vertical	Pass
6	15538.800	55.71	23.71	74.0	-18.29	Peak	162.00	150	Vertical	Pass
6**	15538.800	45.73	23.71	54.0	-8.27	AV	162.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.200	41.89	-15.40	74.0	-32.11	Peak	177.00	150	Horizontal	Pass
1**	1673.200	31.77	-15.40	54.0	-22.23	AV	177.00	150	Horizontal	Pass
2	2886.800	42.68	-8.18	74.0	-31.32	Peak	265.00	150	Horizontal	Pass
2**	2886.800	32.94	-8.18	54.0	-21.06	AV	265.00	150	Horizontal	Pass
3	4261.400	47.19	-3.35	74.0	-26.81	Peak	336.00	150	Horizontal	Pass
3**	4261.400	36.33	-3.35	54.0	-17.67	AV	336.00	150	Horizontal	Pass
4	5588.000	99.25	0.74	--	-136.75	Peak	236.00	150	Horizontal	N/A
4**	5588.000	91.81	0.74	--	91.81	AV	236.00	150	Horizontal	N/A
5	12329.099	50.64	19.86	74.0	-23.36	Peak	251.00	150	Horizontal	Pass
5**	12329.099	38.39	19.86	54.0	-15.61	AV	251.00	150	Horizontal	Pass
6	15531.187	54.86	23.73	74.0	-19.14	Peak	347.00	150	Horizontal	Pass
6**	15531.187	43.48	23.73	54.0	-10.52	AV	347.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.500	41.06	-15.10	74.0	-32.94	Peak	293.00	150	Vertical	Pass
1**	1200.500	30.14	-15.10	54.0	-23.86	AV	293.00	150	Vertical	Pass
2	2814.700	41.90	-8.34	74.0	-32.10	Peak	107.00	150	Vertical	Pass
2**	2814.700	32.85	-8.34	54.0	-21.15	AV	107.00	150	Vertical	Pass
3	4232.600	47.59	-3.48	74.0	-26.41	Peak	295.00	150	Vertical	Pass
3**	4232.600	36.93	-3.48	54.0	-17.07	AV	295.00	150	Vertical	Pass
4	5585.200	92.74	0.62	--	-23.26	Peak	116.00	150	Vertical	N/A
4**	5585.200	84.14	0.62	--	84.14	AV	116.00	150	Vertical	N/A
5	12211.512	50.94	20.44	74.0	-23.06	Peak	235.00	150	Vertical	Pass
5**	12211.512	38.66	20.44	54.0	-15.34	AV	235.00	150	Vertical	Pass
6	15504.938	55.93	23.92	74.0	-18.07	Peak	171.00	150	Vertical	Pass
6**	15504.938	43.60	23.92	54.0	-10.40	AV	171.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.100	41.79	-15.41	74.0	-32.21	Peak	219.00	150	Horizontal	Pass
1**	1673.100	32.00	-15.41	54.0	-22.00	AV	219.00	150	Horizontal	Pass
2	2885.100	42.96	-8.25	74.0	-31.04	Peak	65.00	150	Horizontal	Pass
2**	2885.100	33.27	-8.25	54.0	-20.73	AV	65.00	150	Horizontal	Pass
3	4250.200	47.56	-3.18	74.0	-26.44	Peak	166.00	150	Horizontal	Pass
3**	4250.200	36.78	-3.18	54.0	-17.22	AV	166.00	150	Horizontal	Pass
4	5712.200	97.64	-0.40	--	-121.36	Peak	219.00	150	Horizontal	N/A
4**	5712.200	90.26	-0.40	--	90.26	AV	219.00	150	Horizontal	N/A
5	11664.400	50.84	20.23	74.0	-23.16	Peak	25.00	150	Horizontal	Pass
5**	11664.400	38.61	20.23	54.0	-15.39	AV	25.00	150	Horizontal	Pass
6	15606.263	55.69	23.52	74.0	-18.31	Peak	192.00	150	Horizontal	Pass
6**	15606.263	43.25	23.52	54.0	-10.75	AV	192.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.600	42.65	-15.21	74.0	-31.35	Peak	287.00	150	Vertical	Pass
1**	1194.600	29.35	-15.21	54.0	-24.65	AV	287.00	150	Vertical	Pass
2	2879.000	41.83	-8.28	74.0	-32.17	Peak	360.00	150	Vertical	Pass
2**	2879.000	33.89	-8.28	54.0	-20.11	AV	360.00	150	Vertical	Pass
3	3990.200	47.55	-4.39	74.0	-26.45	Peak	87.00	150	Vertical	Pass
3**	3990.200	37.11	-4.39	54.0	-16.89	AV	87.00	150	Vertical	Pass
4	5672.800	91.60	-0.10	--	-9.40	Peak	101.00	150	Vertical	N/A
4**	5672.800	86.97	-0.10	--	86.97	AV	101.00	150	Vertical	N/A
5	11617.825	50.57	20.23	74.0	-23.43	Peak	174.00	150	Vertical	Pass
5**	11617.825	39.47	20.23	54.0	-14.53	AV	174.00	150	Vertical	Pass
6	15662.437	55.01	23.47	74.0	-18.99	Peak	70.00	150	Vertical	Pass
6**	15662.437	42.97	23.47	54.0	-11.03	AV	70.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.500	41.96	-15.21	74.0	-32.04	Peak	214.00	150	Horizontal	Pass
1**	1666.500	32.45	-15.21	54.0	-21.55	AV	214.00	150	Horizontal	Pass
2	2874.900	41.66	-8.33	74.0	-32.34	Peak	119.00	150	Horizontal	Pass
2**	2874.900	32.86	-8.33	54.0	-21.14	AV	119.00	150	Horizontal	Pass
3	4023.200	47.03	-4.02	74.0	-26.97	Peak	193.00	150	Horizontal	Pass
3**	4023.200	34.41	-4.02	54.0	-19.59	AV	193.00	150	Horizontal	Pass
4	5586.200	96.56	0.76	--	-181.44	Peak	278.00	150	Horizontal	Pass
4**	5586.200	88.62	0.76	--	88.62	AV	278.00	150	Horizontal	N/A
5	12348.937	50.12	19.72	74.0	-23.88	Peak	240.00	150	Horizontal	Pass
5**	12348.937	39.51	19.72	54.0	-14.49	AV	240.00	150	Horizontal	Pass
6	15548.512	54.92	23.62	74.0	-19.08	Peak	-2.00	150	Horizontal	Pass
6**	15548.512	43.98	23.62	54.0	-10.02	AV	-2.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.400	41.39	-14.96	74.0	-32.61	Peak	256.00	150	Vertical	Pass
1**	1167.400	31.08	-14.96	54.0	-22.92	AV	256.00	150	Vertical	Pass
2	2873.700	42.99	-8.29	74.0	-31.01	Peak	147.00	150	Vertical	Pass
2**	2873.700	33.77	-8.29	54.0	-20.23	AV	147.00	150	Vertical	Pass
3	4116.200	47.07	-4.01	74.0	-26.93	Peak	43.00	150	Vertical	Pass
3**	4116.200	35.91	-4.01	54.0	-18.09	AV	43.00	150	Vertical	Pass
4	5557.000	90.83	0.50	--	-21.17	Peak	112.00	150	Vertical	N/A
4**	5557.000	83.03	0.50	--	83.03	AV	112.00	150	Vertical	N/A
5	11600.000	50.23	20.13	74.0	-23.77	Peak	71.00	150	Vertical	Pass
5**	11600.000	38.96	20.13	54.0	-15.04	AV	71.00	150	Vertical	Pass
6	15540.638	54.65	23.70	74.0	-19.35	Peak	328.00	150	Vertical	Pass
6**	15540.638	44.63	23.70	54.0	-9.37	AV	328.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1683.900	41.63	-15.26	74.0	-32.37	Peak	162.00	150	Horizontal	Pass
1**	1683.900	30.57	-15.26	54.0	-23.43	AV	162.00	150	Horizontal	Pass
2	2875.800	41.85	-8.35	74.0	-32.15	Peak	162.00	150	Horizontal	Pass
2**	2875.800	33.03	-8.35	54.0	-20.97	AV	162.00	150	Horizontal	Pass
3	3966.200	47.49	-4.28	74.0	-26.51	Peak	80.00	150	Horizontal	Pass
3**	3966.200	35.06	-4.28	54.0	-18.94	AV	80.00	150	Horizontal	Pass
4	5504.400	105.73	0.47	--	-127.27	Peak	233.00	150	Horizontal	N/A
4**	5504.400	97.44	0.47	--	97.44	AV	233.00	150	Horizontal	N/A
5	11783.137	50.70	18.68	74.0	-23.30	Peak	163.00	150	Horizontal	Pass
5**	11783.137	38.24	18.68	54.0	-15.76	AV	163.00	150	Horizontal	Pass
6	15915.225	55.62	23.56	74.0	-18.38	Peak	201.00	150	Horizontal	Pass
6**	15915.225	43.65	23.56	54.0	-10.35	AV	201.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.400	41.09	-15.04	74.0	-32.91	Peak	275.00	150	Vertical	Pass
1**	1174.400	32.44	-15.04	54.0	-21.56	AV	275.00	150	Vertical	Pass
2	2871.700	41.98	-8.22	74.0	-32.02	Peak	138.00	150	Vertical	Pass
2**	2871.700	33.34	-8.22	54.0	-20.66	AV	138.00	150	Vertical	Pass
3	3989.000	47.47	-4.33	74.0	-26.53	Peak	49.00	150	Vertical	Pass
3**	3989.000	36.43	-4.33	54.0	-17.57	AV	49.00	150	Vertical	Pass
4	5500.400	98.92	0.48	--	-12.08	Peak	111.00	150	Vertical	N/A
4**	5500.400	90.78	0.48	--	90.78	AV	111.00	150	Vertical	N/A
5	12336.575	50.11	19.81	74.0	-23.89	Peak	11.00	150	Vertical	Pass
5**	12336.575	39.14	19.81	54.0	-14.86	AV	11.00	150	Vertical	Pass
6	15605.474	55.62	23.52	74.0	-18.38	Peak	-2.00	150	Vertical	Pass
6**	15605.474	42.36	23.52	54.0	-11.64	AV	-2.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.000	42.00	-15.21	74.0	-32.00	Peak	168.00	150	Horizontal	Pass
1**	1666.000	31.55	-15.21	54.0	-22.45	AV	168.00	150	Horizontal	Pass
2	2808.900	42.08	-8.58	74.0	-31.92	Peak	265.00	150	Horizontal	Pass
2**	2808.900	31.56	-8.58	54.0	-22.44	AV	265.00	150	Horizontal	Pass
3	4070.400	46.67	-3.88	74.0	-27.33	Peak	0.00	150	Horizontal	Pass
3**	4070.400	34.75	-3.88	54.0	-19.25	AV	0.00	150	Horizontal	Pass
4	5577.200	105.42	0.72	--	-121.58	Peak	227.00	150	Horizontal	N/A
4**	5577.200	97.21	0.72	--	97.21	AV	227.00	150	Horizontal	N/A
5	12267.862	50.78	20.33	74.0	-23.22	Peak	113.00	150	Horizontal	Pass
5**	12267.862	38.54	20.33	54.0	-15.46	AV	113.00	150	Horizontal	Pass
6	15528.825	55.26	23.74	74.0	-18.74	Peak	179.00	150	Horizontal	Pass
6**	15528.825	43.51	23.74	54.0	-10.49	AV	179.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.000	40.92	-15.00	74.0	-33.08	Peak	299.00	150	Vertical	Pass
1**	1198.000	31.16	-15.00	54.0	-22.84	AV	299.00	150	Vertical	Pass
2	2774.800	42.35	-8.55	74.0	-31.65	Peak	26.00	150	Vertical	Pass
2**	2774.800	31.27	-8.55	54.0	-22.73	AV	26.00	150	Vertical	Pass
3	3982.000	47.83	-4.21	74.0	-26.17	Peak	79.00	150	Vertical	Pass
3**	3982.000	35.11	-4.21	54.0	-18.89	AV	79.00	150	Vertical	Pass
4	5583.600	98.85	0.67	--	-9.15	Peak	108.00	150	Vertical	N/A
4**	5583.600	92.64	0.67	--	92.64	AV	108.00	150	Vertical	N/A
5	12341.463	50.13	19.77	74.0	-23.87	Peak	296.00	150	Vertical	Pass
5**	12341.463	39.33	19.77	54.0	-14.67	AV	296.00	150	Vertical	Pass
6	15623.326	55.07	23.47	74.0	-18.93	Peak	206.00	150	Vertical	Pass
6**	15623.326	45.09	23.47	54.0	-8.91	AV	206.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.200	40.93	-15.40	74.0	-33.07	Peak	220.00	150	Horizontal	Pass
1**	1673.200	32.22	-15.40	54.0	-21.78	AV	220.00	150	Horizontal	Pass
2	2813.500	41.91	-8.35	74.0	-32.09	Peak	76.00	150	Horizontal	Pass
2**	2813.500	32.27	-8.35	54.0	-21.73	AV	76.00	150	Horizontal	Pass
3	4024.800	46.28	-3.90	74.0	-27.72	Peak	115.00	150	Horizontal	Pass
3**	4024.800	36.30	-3.90	54.0	-17.70	AV	115.00	150	Horizontal	Pass
4	5695.600	103.75	-0.62	--	-168.25	Peak	272.00	150	Horizontal	N/A
4**	5695.600	95.11	-0.62	--	95.11	AV	272.00	150	Horizontal	N/A
5	12218.988	49.34	20.45	74.0	-24.66	Peak	360.00	150	Horizontal	Pass
5**	12218.988	38.08	20.45	54.0	-15.92	AV	360.00	150	Horizontal	Pass
6	15471.075	54.64	23.60	74.0	-19.36	Peak	190.00	150	Horizontal	Pass
6**	15471.075	42.92	23.60	54.0	-11.08	AV	190.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.700	40.76	-14.91	74.0	-33.24	Peak	283.00	150	Vertical	Pass
1**	1213.700	32.91	-14.91	54.0	-21.09	AV	283.00	150	Vertical	Pass
2	2834.800	41.92	-8.47	74.0	-32.08	Peak	0.00	150	Vertical	Pass
2**	2834.800	32.30	-8.47	54.0	-21.70	AV	0.00	150	Vertical	Pass
3	3991.000	46.79	-4.43	74.0	-27.21	Peak	102.00	150	Vertical	Pass
3**	3991.000	35.67	-4.43	54.0	-18.33	AV	102.00	150	Vertical	Pass
4	5703.200	96.68	-0.70	--	9.68	Peak	87.00	150	Vertical	N/A
4**	5703.200	89.74	-0.70	--	89.74	AV	87.00	150	Vertical	N/A
5	11802.687	49.62	18.52	74.0	-24.38	Peak	11.00	150	Vertical	Pass
5**	11802.687	38.61	18.52	54.0	-15.39	AV	11.00	150	Vertical	Pass
6	15551.400	55.21	23.61	74.0	-18.79	Peak	168.00	150	Vertical	Pass
6**	15551.400	44.02	23.61	54.0	-9.98	AV	168.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.800	42.49	-15.23	74.0	-31.51	Peak	210.00	150	Horizontal	Pass
1**	1669.800	31.26	-15.23	54.0	-22.74	AV	210.00	150	Horizontal	Pass
2	2895.700	42.46	-8.07	74.0	-31.54	Peak	285.00	150	Horizontal	Pass
2**	2895.700	32.81	-8.07	54.0	-21.19	AV	285.00	150	Horizontal	Pass
3	4268.000	47.42	-3.37	74.0	-26.58	Peak	49.00	150	Horizontal	Pass
3**	4268.000	35.53	-3.37	54.0	-18.47	AV	49.00	150	Horizontal	Pass
4	5721.000	104.86	-0.56	--	-118.14	Peak	223.00	150	Horizontal	N/A
4**	5721.000	96.52	-0.56	--	96.52	AV	223.00	150	Horizontal	N/A
5	11620.125	50.08	20.24	74.0	-23.92	Peak	217.00	150	Horizontal	Pass
5**	11620.125	37.40	20.24	54.0	-16.60	AV	217.00	150	Horizontal	Pass
6	15566.888	54.97	23.58	74.0	-19.03	Peak	-2.00	150	Horizontal	Pass
6**	15566.888	43.47	23.58	54.0	-10.53	AV	-2.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1147.800	39.63	-14.96	74.0	-34.37	Peak	261.00	150	Vertical	Pass
1**	1147.800	30.76	-14.96	54.0	-23.24	AV	261.00	150	Vertical	Pass
2	2884.300	43.14	-8.31	74.0	-30.86	Peak	351.00	150	Vertical	Pass
2**	2884.300	33.19	-8.31	54.0	-20.81	AV	351.00	150	Vertical	Pass
3	3984.400	47.45	-4.29	74.0	-26.55	Peak	74.00	150	Vertical	Pass
3**	3984.400	35.84	-4.29	54.0	-18.16	AV	74.00	150	Vertical	Pass
4	5717.600	97.05	-0.55	--	8.05	Peak	89.00	150	Vertical	N/A
4**	5717.600	88.79	-0.55	--	88.79	AV	89.00	150	Vertical	N/A
5	12293.450	50.09	20.06	74.0	-23.91	Peak	360.00	150	Vertical	Pass
5**	12293.450	37.77	20.06	54.0	-16.23	AV	360.00	150	Vertical	Pass
6	15473.438	54.87	23.61	74.0	-19.13	Peak	286.00	150	Vertical	Pass
6**	15473.438	42.53	23.61	54.0	-11.47	AV	286.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.100	41.23	-15.22	74.0	-32.77	Peak	174.00	150	Horizontal	Pass
1**	1669.100	35.13	-15.22	54.0	-18.87	AV	174.00	150	Horizontal	Pass
2	2843.000	42.17	-8.55	74.0	-31.83	Peak	298.00	150	Horizontal	Pass
2**	2843.000	31.84	-8.55	54.0	-22.16	AV	298.00	150	Horizontal	Pass
3	4174.600	46.82	-3.96	74.0	-27.18	Peak	266.00	150	Horizontal	Pass
3**	4174.600	34.73	-3.96	54.0	-19.27	AV	266.00	150	Horizontal	Pass
4	5510.800	103.66	0.18	--	-131.34	Peak	235.00	150	Horizontal	N/A
4**	5510.800	95.02	0.18	--	95.02	AV	235.00	150	Horizontal	N/A
5	11945.862	50.59	18.18	74.0	-23.41	Peak	286.00	150	Horizontal	Pass
5**	11945.862	38.17	18.18	54.0	-15.83	AV	286.00	150	Horizontal	Pass
6	15535.912	55.16	23.72	74.0	-18.84	Peak	243.00	150	Horizontal	Pass
6**	15535.912	43.34	23.72	54.0	-10.66	AV	243.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1191.600	40.79	-15.20	74.0	-33.21	Peak	305.00	150	Vertical	Pass
1**	1191.600	29.12	-15.20	54.0	-24.88	AV	305.00	150	Vertical	Pass
2	2872.900	42.83	-8.26	74.0	-31.17	Peak	159.00	150	Vertical	Pass
2**	2872.900	32.13	-8.26	54.0	-21.87	AV	159.00	150	Vertical	Pass
3	4296.200	47.46	-3.67	74.0	-26.54	Peak	118.00	150	Vertical	Pass
3**	4296.200	37.09	-3.67	54.0	-16.91	AV	118.00	150	Vertical	Pass
4	5518.800	95.62	0.34	--	-22.38	Peak	118.00	150	Vertical	N/A
4**	5518.800	88.52	0.34	--	88.52	AV	118.00	150	Vertical	N/A
5	12341.463	49.54	19.77	74.0	-24.46	Peak	138.00	150	Vertical	Pass
5**	12341.463	37.59	19.77	54.0	-16.41	AV	138.00	150	Vertical	Pass
6	15525.412	55.51	23.76	74.0	-18.49	Peak	202.00	150	Vertical	Pass
6**	15525.412	42.79	23.76	54.0	-11.21	AV	202.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.000	42.22	-15.21	74.0	-31.78	Peak	151.00	150	Horizontal	Pass
1**	1679.000	30.90	-15.21	54.0	-23.10	AV	151.00	150	Horizontal	Pass
2	2846.200	42.53	-8.37	74.0	-31.47	Peak	151.00	150	Horizontal	Pass
2**	2846.200	32.21	-8.37	54.0	-21.79	AV	151.00	150	Horizontal	Pass
3	4040.400	47.18	-3.98	74.0	-26.82	Peak	288.00	150	Horizontal	Pass
3**	4040.400	34.95	-3.98	54.0	-19.05	AV	288.00	150	Horizontal	Pass
4	5587.400	103.30	0.78	--	-137.70	Peak	241.00	150	Horizontal	N/A
4**	5587.400	93.00	0.78	--	93.00	AV	241.00	150	Horizontal	N/A
5	12382.000	49.98	19.38	74.0	-24.02	Peak	65.00	150	Horizontal	Pass
5**	12382.000	37.72	19.38	54.0	-16.28	AV	65.00	150	Horizontal	Pass
6	15798.412	55.70	23.15	74.0	-18.30	Peak	212.00	150	Horizontal	Pass
6**	15798.412	43.36	23.15	54.0	-10.64	AV	212.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.600	40.10	-15.34	74.0	-33.90	Peak	235.00	150	Vertical	Pass
1**	1131.600	31.72	-15.34	54.0	-22.28	AV	235.00	150	Vertical	Pass
2	2802.700	41.67	-8.73	74.0	-32.33	Peak	331.00	150	Vertical	Pass
2**	2802.700	32.08	-8.73	54.0	-21.92	AV	331.00	150	Vertical	Pass
3	3984.200	47.56	-4.28	74.0	-26.44	Peak	315.00	150	Vertical	Pass
3**	3984.200	37.85	-4.28	54.0	-16.15	AV	315.00	150	Vertical	Pass
4	5582.200	95.88	0.83	--	-28.12	Peak	124.00	150	Vertical	N/A
4**	5582.200	87.19	0.83	--	87.19	AV	124.00	150	Vertical	N/A
5	12271.600	51.31	20.30	74.0	-22.69	Peak	233.00	150	Vertical	Pass
5**	12271.600	38.13	20.30	54.0	-15.87	AV	233.00	150	Vertical	Pass
6	15657.713	54.51	23.47	74.0	-19.49	Peak	202.00	150	Vertical	Pass
6**	15657.713	43.70	23.47	54.0	-10.30	AV	202.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.600	41.22	-15.27	74.0	-32.78	Peak	215.00	150	Horizontal	Pass
1**	1675.600	31.17	-15.27	54.0	-22.83	AV	215.00	150	Horizontal	Pass
2	2755.300	41.74	-9.07	74.0	-32.26	Peak	334.00	150	Horizontal	Pass
2**	2755.300	32.21	-9.07	54.0	-21.79	AV	334.00	150	Horizontal	Pass
3	4095.200	46.20	-4.43	74.0	-27.80	Peak	240.00	150	Horizontal	Pass
3**	4095.200	34.93	-4.43	54.0	-19.07	AV	240.00	150	Horizontal	Pass
4	5666.200	100.29	0.09	--	-139.71	Peak	240.00	150	Horizontal	N/A
4**	5666.200	92.61	0.09	--	92.61	AV	240.00	150	Horizontal	N/A
5	12293.162	49.35	20.06	74.0	-24.65	Peak	218.00	150	Horizontal	Pass
5**	12293.162	38.57	20.06	54.0	-15.43	AV	218.00	150	Horizontal	Pass
6	15557.437	54.26	23.59	74.0	-19.74	Peak	242.00	150	Horizontal	Pass
6**	15557.437	45.44	23.59	54.0	-8.56	AV	242.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1214.300	43.16	-14.89	74.0	-30.84	Peak	292.00	150	Vertical	Pass
1**	1214.300	34.36	-14.89	54.0	-19.64	AV	292.00	150	Vertical	Pass
2	2892.300	42.01	-7.98	74.0	-31.99	Peak	266.00	150	Vertical	Pass
2**	2892.300	31.94	-7.98	54.0	-22.06	AV	266.00	150	Vertical	Pass
3	4028.400	46.80	-3.95	74.0	-27.20	Peak	312.00	150	Vertical	Pass
3**	4028.400	35.78	-3.95	54.0	-18.22	AV	312.00	150	Vertical	Pass
4	5665.800	94.76	0.06	--	-25.24	Peak	120.00	150	Vertical	N/A
4**	5665.800	85.40	0.06	--	85.40	AV	120.00	150	Vertical	N/A
5	12342.612	49.55	19.76	74.0	-24.45	Peak	194.00	150	Vertical	Pass
5**	12342.612	38.98	19.76	54.0	-15.02	AV	194.00	150	Vertical	Pass
6	15973.763	54.44	24.00	74.0	-19.56	Peak	360.00	150	Vertical	Pass
6**	15973.763	43.22	24.00	54.0	-10.78	AV	360.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.100	41.71	-15.31	74.0	-32.29	Peak	159.00	150	Horizontal	Pass
1**	1677.100	32.42	-15.31	54.0	-21.58	AV	159.00	150	Horizontal	Pass
2	2820.700	42.11	-8.40	74.0	-31.89	Peak	99.00	150	Horizontal	Pass
2**	2820.700	32.05	-8.40	54.0	-21.95	AV	99.00	150	Horizontal	Pass
3	4043.000	46.63	-3.90	74.0	-27.37	Peak	111.00	150	Horizontal	Pass
3**	4043.000	34.19	-3.90	54.0	-19.81	AV	111.00	150	Horizontal	Pass
4	5714.600	101.81	-0.57	--	-130.19	Peak	232.00	150	Horizontal	N/A
4**	5714.600	91.89	-0.57	--	91.89	AV	232.00	150	Horizontal	N/A
5	11616.963	49.40	20.22	74.0	-24.60	Peak	8.00	150	Horizontal	Pass
5**	11616.963	38.32	20.22	54.0	-15.68	AV	8.00	150	Horizontal	Pass
6	15791.588	54.96	23.16	74.0	-19.04	Peak	13.00	150	Horizontal	Pass
6**	15791.588	43.09	23.16	54.0	-10.91	AV	13.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.600	44.33	-14.78	74.0	-29.67	Peak	298.00	150	Vertical	Pass
1**	1220.600	31.03	-14.78	54.0	-22.97	AV	298.00	150	Vertical	Pass
2	2862.000	41.98	-8.02	74.0	-32.02	Peak	9.00	150	Vertical	Pass
2**	2862.000	32.17	-8.02	54.0	-21.83	AV	9.00	150	Vertical	Pass
3	3991.400	47.20	-4.45	74.0	-26.80	Peak	135.00	150	Vertical	Pass
3**	3991.400	37.19	-4.45	54.0	-16.81	AV	135.00	150	Vertical	Pass
4	5697.800	94.19	-0.74	--	-6.81	Peak	101.00	150	Vertical	N/A
4**	5697.800	85.39	-0.74	--	85.39	AV	101.00	150	Vertical	N/A
5	11622.425	50.11	20.25	74.0	-23.89	Peak	275.00	150	Vertical	Pass
5**	11622.425	39.68	20.25	54.0	-14.32	AV	275.00	150	Vertical	Pass
6	16067.213	55.36	24.10	74.0	-18.64	Peak	28.00	150	Vertical	Pass
6**	16067.213	42.93	24.10	54.0	-11.07	AV	28.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.100	41.88	-15.41	74.0	-32.12	Peak	217.00	150	Horizontal	Pass
1**	1672.100	33.32	-15.41	54.0	-20.68	AV	217.00	150	Horizontal	Pass
2	2775.000	41.96	-8.56	74.0	-32.04	Peak	280.00	150	Horizontal	Pass
2**	2775.000	32.93	-8.56	54.0	-21.07	AV	280.00	150	Horizontal	Pass
3	4012.000	46.85	-4.59	74.0	-27.15	Peak	187.00	150	Horizontal	Pass
3**	4012.000	34.01	-4.59	54.0	-19.99	AV	187.00	150	Horizontal	Pass
4	5528.400	101.08	0.27	--	-139.92	Peak	241.00	150	Horizontal	N/A
4**	5528.400	91.00	0.27	--	91.00	AV	241.00	150	Horizontal	N/A
5	12279.937	50.40	20.23	74.0	-23.60	Peak	113.00	150	Horizontal	Pass
5**	12279.937	38.16	20.23	54.0	-15.84	AV	113.00	150	Horizontal	Pass
6	15870.862	54.68	23.35	74.0	-19.32	Peak	155.00	150	Horizontal	Pass
6**	15870.862	43.31	23.35	54.0	-10.69	AV	155.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.900	44.92	-14.77	74.0	-29.08	Peak	291.00	150	Vertical	Pass
1**	1217.900	35.19	-14.77	54.0	-18.81	AV	291.00	150	Vertical	Pass
2	2886.500	41.87	-8.18	74.0	-32.13	Peak	92.00	150	Vertical	Pass
2**	2886.500	32.78	-8.18	54.0	-21.22	AV	92.00	150	Vertical	Pass
3	3982.600	47.70	-4.26	74.0	-26.30	Peak	183.00	150	Vertical	Pass
3**	3982.600	35.36	-4.26	54.0	-18.64	AV	183.00	150	Vertical	Pass
4	5517.600	93.18	0.34	--	-29.82	Peak	123.00	150	Vertical	N/A
4**	5517.600	85.15	0.34	--	85.15	AV	123.00	150	Vertical	N/A
5	12135.326	49.88	19.80	74.0	-24.12	Peak	203.00	150	Vertical	Pass
5**	12135.326	38.13	19.80	54.0	-15.87	AV	203.00	150	Vertical	Pass
6	16144.650	55.56	24.10	74.0	-18.44	Peak	351.00	150	Vertical	Pass
6**	16144.650	42.06	24.10	54.0	-11.94	AV	351.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.700	42.60	-15.21	74.0	-31.40	Peak	167.00	150	Horizontal	Pass
1**	1667.700	34.70	-15.21	54.0	-19.30	AV	167.00	150	Horizontal	Pass
2	2837.400	42.13	-8.47	74.0	-31.87	Peak	301.00	150	Horizontal	Pass
2**	2837.400	32.04	-8.47	54.0	-21.96	AV	301.00	150	Horizontal	Pass
3	4000.000	47.01	-4.52	74.0	-26.99	Peak	292.00	150	Horizontal	Pass
3**	4000.000	34.16	-4.52	54.0	-19.84	AV	292.00	150	Horizontal	Pass
4	5631.400	100.06	0.10	--	-182.94	Peak	283.00	150	Horizontal	N/A
4**	5631.400	90.33	0.10	--	90.33	AV	283.00	150	Horizontal	N/A
5	12214.100	49.59	20.44	74.0	-24.41	Peak	7.00	150	Horizontal	Pass
5**	12214.100	37.79	20.44	54.0	-16.21	AV	7.00	150	Horizontal	Pass
6	15598.650	54.60	23.55	74.0	-19.40	Peak	360.00	150	Horizontal	Pass
6**	15598.650	42.83	23.55	54.0	-11.17	AV	360.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.400	44.44	-14.99	74.0	-29.56	Peak	287.00	150	Vertical	Pass
1**	1197.400	30.12	-14.99	54.0	-23.88	AV	287.00	150	Vertical	Pass
2	2770.500	41.44	-8.50	74.0	-32.56	Peak	242.00	150	Vertical	Pass
2**	2770.500	31.41	-8.50	54.0	-22.59	AV	242.00	150	Vertical	Pass
3	3983.400	46.56	-4.27	74.0	-27.44	Peak	72.00	150	Vertical	Pass
3**	3983.400	34.96	-4.27	54.0	-19.04	AV	72.00	150	Vertical	Pass
4	5588.400	94.15	0.71	--	-20.85	Peak	115.00	150	Vertical	N/A
4**	5588.400	83.03	0.71	--	83.03	AV	115.00	150	Vertical	N/A
5	11625.875	49.14	20.27	74.0	-24.86	Peak	44.00	150	Vertical	Pass
5**	11625.875	37.35	20.27	54.0	-16.65	AV	44.00	150	Vertical	Pass
6	15615.974	55.72	23.47	74.0	-18.28	Peak	225.00	150	Vertical	Pass
6**	15615.974	44.16	23.47	54.0	-9.84	AV	225.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.200	42.39	-15.31	74.0	-31.61	Peak	214.00	150	Horizontal	Pass
1**	1671.200	33.71	-15.31	54.0	-20.29	AV	214.00	150	Horizontal	Pass
2	2868.300	42.63	-8.16	74.0	-31.37	Peak	303.00	150	Horizontal	Pass
2**	2868.300	32.45	-8.16	54.0	-21.55	AV	303.00	150	Horizontal	Pass
3	4032.400	46.54	-3.98	74.0	-27.46	Peak	161.00	150	Horizontal	Pass
3**	4032.400	36.72	-3.98	54.0	-17.28	AV	161.00	150	Horizontal	Pass
4	5668.400	99.79	0.06	--	-141.21	Peak	241.00	150	Horizontal	N/A
4**	5668.400	90.84	0.06	--	90.84	AV	241.00	150	Horizontal	N/A
5	11679.638	49.47	20.07	74.0	-24.53	Peak	76.00	150	Horizontal	Pass
5**	11679.638	38.29	20.07	54.0	-15.71	AV	76.00	150	Horizontal	Pass
6	15530.401	55.06	23.74	74.0	-18.94	Peak	0.00	150	Horizontal	Pass
6**	15530.401	43.17	23.74	54.0	-10.83	AV	0.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.100	44.40	-15.11	74.0	-29.60	Peak	303.00	150	Vertical	Pass
1**	1186.100	35.58	-15.11	54.0	-18.42	AV	303.00	150	Vertical	Pass
2	2820.800	41.86	-8.40	74.0	-32.14	Peak	334.00	150	Vertical	Pass
2**	2820.800	31.69	-8.40	54.0	-22.31	AV	334.00	150	Vertical	Pass
3	3998.000	47.97	-4.55	74.0	-26.03	Peak	127.00	150	Vertical	Pass
3**	3998.000	36.39	-4.55	54.0	-17.61	AV	127.00	150	Vertical	Pass
4	5712.400	93.60	-0.41	--	-7.40	Peak	101.00	150	Vertical	N/A
4**	5712.400	83.47	-0.41	--	83.47	AV	101.00	150	Vertical	N/A
5	11653.474	49.61	20.35	74.0	-24.39	Peak	31.00	150	Vertical	Pass
5**	11653.474	37.63	20.35	54.0	-16.37	AV	31.00	150	Vertical	Pass
6	15524.362	54.69	23.76	74.0	-19.31	Peak	56.00	150	Vertical	Pass
6**	15524.362	43.92	23.76	54.0	-10.08	AV	56.00	150	Vertical	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.700	41.86	-15.22	74.0	-32.14	Peak	150.00	150	Horizontal	Pass
1**	1668.700	35.18	-15.22	54.0	-18.82	AV	150.00	150	Horizontal	Pass
2	2876.300	42.21	-8.34	74.0	-31.79	Peak	67.00	150	Horizontal	Pass
2**	2876.300	32.59	-8.34	54.0	-21.41	AV	67.00	150	Horizontal	Pass
3	4026.400	47.02	-3.85	74.0	-26.98	Peak	212.00	150	Horizontal	Pass
3**	4026.400	33.94	-3.85	54.0	-20.06	AV	212.00	150	Horizontal	Pass
4	5526.200	97.94	0.13	--	-141.06	Peak	239.00	150	Horizontal	N/A
4**	5526.200	88.44	0.13	--	88.44	AV	239.00	150	Horizontal	N/A
5	11665.263	50.38	20.22	74.0	-23.62	Peak	268.00	150	Horizontal	Pass
5**	11665.263	37.61	20.22	54.0	-16.39	AV	268.00	150	Horizontal	Pass
6	15621.488	54.63	23.46	74.0	-19.37	Peak	314.00	150	Horizontal	Pass
6**	15621.488	43.14	23.46	54.0	-10.86	AV	314.00	150	Horizontal	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.900	43.33	-14.74	74.0	-30.67	Peak	323.00	150	Vertical	Pass
1**	1223.900	33.68	-14.74	54.0	-20.32	AV	323.00	150	Vertical	Pass
2	2853.800	42.04	-8.14	74.0	-31.96	Peak	173.00	150	Vertical	Pass
2**	2853.800	31.95	-8.14	54.0	-22.05	AV	173.00	150	Vertical	Pass
3	3994.200	48.28	-4.51	74.0	-25.72	Peak	166.00	150	Vertical	Pass
3**	3994.200	36.18	-4.51	54.0	-17.82	AV	166.00	150	Vertical	Pass
4	5528.400	91.34	0.27	--	-28.66	Peak	120.00	150	Vertical	N/A
4**	5528.400	81.26	0.27	--	81.26	AV	120.00	150	Vertical	N/A
5	12321.625	49.84	19.91	74.0	-24.16	Peak	269.00	150	Vertical	Pass
5**	12321.625	38.08	19.91	54.0	-15.92	AV	269.00	150	Vertical	Pass
6	15602.062	54.73	23.54	74.0	-19.27	Peak	166.00	150	Vertical	Pass
6**	15602.062	43.00	23.54	54.0	-11.00	AV	166.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	43.20	-15.23	74.0	-30.80	Peak	151.00	150	Horizontal	Pass
1**	1669.700	33.62	-15.23	54.0	-20.38	AV	151.00	150	Horizontal	Pass
2	2850.500	41.67	-8.20	74.0	-32.33	Peak	226.00	150	Horizontal	Pass
2**	2850.500	32.38	-8.20	54.0	-21.62	AV	226.00	150	Horizontal	Pass
3	4166.600	46.64	-3.82	74.0	-27.36	Peak	140.00	150	Horizontal	Pass
3**	4166.600	35.90	-3.82	54.0	-18.10	AV	140.00	150	Horizontal	Pass
4	5746.600	103.10	0.38	--	-136.90	Peak	240.00	150	Horizontal	N/A
4**	5746.600	96.98	0.38	--	96.98	AV	240.00	150	Horizontal	N/A
5	11060.938	49.46	18.81	74.0	-24.54	Peak	270.00	150	Horizontal	Pass
5**	11060.938	37.14	18.81	54.0	-16.86	AV	270.00	150	Horizontal	Pass
6	15893.175	55.15	23.30	74.0	-18.85	Peak	187.00	150	Horizontal	Pass
6**	15893.175	43.68	23.30	54.0	-10.32	AV	187.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1233.500	43.73	-14.71	74.0	-30.27	Peak	296.00	150	Vertical	Pass
1**	1233.500	33.80	-14.71	54.0	-20.20	AV	296.00	150	Vertical	Pass
2	2844.700	41.86	-8.47	74.0	-32.14	Peak	303.00	150	Vertical	Pass
2**	2844.700	32.09	-8.47	54.0	-21.91	AV	303.00	150	Vertical	Pass
3	3993.000	49.27	-4.56	74.0	-24.73	Peak	180.00	150	Vertical	Pass
3**	3993.000	36.27	-4.56	54.0	-17.73	AV	180.00	150	Vertical	Pass
4	5749.400	96.35	0.30	--	-12.65	Peak	109.00	150	Vertical	N/A
4**	5749.400	88.61	0.30	--	88.61	AV	109.00	150	Vertical	N/A
5	11656.925	50.01	20.31	74.0	-23.99	Peak	327.00	150	Vertical	Pass
5**	11656.925	38.18	20.31	54.0	-15.82	AV	327.00	150	Vertical	Pass
6	15630.412	54.72	23.51	74.0	-19.28	Peak	256.00	150	Vertical	Pass
6**	15630.412	42.99	23.51	54.0	-11.01	AV	256.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.000	42.37	-15.40	74.0	-31.63	Peak	205.00	150	Horizontal	Pass
1**	1672.000	32.14	-15.40	54.0	-21.86	AV	205.00	150	Horizontal	Pass
2	2823.100	41.62	-8.35	74.0	-32.38	Peak	153.00	150	Horizontal	Pass
2**	2823.100	32.27	-8.35	54.0	-21.73	AV	153.00	150	Horizontal	Pass
3	3984.000	46.92	-4.28	74.0	-27.08	Peak	163.00	150	Horizontal	Pass
3**	3984.000	35.13	-4.28	54.0	-18.87	AV	163.00	150	Horizontal	Pass
4	5783.200	103.78	0.91	--	-147.22	Peak	251.00	150	Horizontal	N/A
4**	5783.200	97.04	0.91	--	97.04	AV	251.00	150	Horizontal	N/A
5	11696.600	50.60	19.86	74.0	-23.40	Peak	57.00	150	Horizontal	Pass
5**	11696.600	37.88	19.86	54.0	-16.12	AV	57.00	150	Horizontal	Pass
6	15561.113	54.68	23.58	74.0	-19.32	Peak	307.00	150	Horizontal	Pass
6**	15561.113	42.71	23.58	54.0	-11.29	AV	307.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.400	42.28	-14.98	74.0	-31.72	Peak	293.00	150	Vertical	Pass
1**	1207.400	34.25	-14.98	54.0	-19.75	AV	293.00	150	Vertical	Pass
2	2885.200	42.15	-8.25	74.0	-31.85	Peak	317.00	150	Vertical	Pass
2**	2885.200	33.70	-8.25	54.0	-20.30	AV	317.00	150	Vertical	Pass
3	3997.600	49.37	-4.56	74.0	-24.63	Peak	190.00	150	Vertical	Pass
3**	3997.600	35.31	-4.56	54.0	-18.69	AV	190.00	150	Vertical	Pass
4	5787.400	97.27	0.88	--	-74.73	Peak	172.00	150	Vertical	N/A
4**	5787.400	89.48	0.88	--	89.48	AV	172.00	150	Vertical	N/A
5	11555.438	50.06	19.74	74.0	-23.94	Peak	311.00	150	Vertical	Pass
5**	11555.438	37.32	19.74	54.0	-16.68	AV	311.00	150	Vertical	Pass
6	15550.612	56.14	23.61	74.0	-17.86	Peak	137.00	150	Vertical	Pass
6**	15550.612	43.11	23.61	54.0	-10.89	AV	137.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.100	42.00	-15.23	74.0	-32.00	Peak	214.00	150	Horizontal	Pass
1**	1670.100	33.30	-15.23	54.0	-20.70	AV	214.00	150	Horizontal	Pass
2	2743.900	41.73	-8.83	74.0	-32.27	Peak	330.00	150	Horizontal	Pass
2**	2743.900	32.76	-8.83	54.0	-21.24	AV	330.00	150	Horizontal	Pass
3	3982.200	46.60	-4.23	74.0	-27.40	Peak	324.00	150	Horizontal	Pass
3**	3982.200	34.83	-4.23	54.0	-19.17	AV	324.00	150	Horizontal	Pass
4	5825.800	103.43	0.79	--	-140.57	Peak	244.00	150	Horizontal	N/A
4**	5825.800	97.29	0.79	--	97.29	AV	244.00	150	Horizontal	N/A
5	11620.412	49.54	20.24	74.0	-24.46	Peak	223.00	150	Horizontal	Pass
5**	11620.412	38.52	20.24	54.0	-15.48	AV	223.00	150	Horizontal	Pass
6	15601.013	55.37	23.55	74.0	-18.63	Peak	309.00	150	Horizontal	Pass
6**	15601.013	42.97	23.55	54.0	-11.03	AV	309.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.800	43.43	-15.00	74.0	-30.57	Peak	258.00	150	Vertical	Pass
1**	1197.800	32.55	-15.00	54.0	-21.45	AV	258.00	150	Vertical	Pass
2	2770.700	42.06	-8.49	74.0	-31.94	Peak	97.00	150	Vertical	Pass
2**	2770.700	33.29	-8.49	54.0	-20.71	AV	97.00	150	Vertical	Pass
3	3993.000	46.74	-4.56	74.0	-27.26	Peak	245.00	150	Vertical	Pass
3**	3993.000	38.57	-4.56	54.0	-15.43	AV	245.00	150	Vertical	Pass
4	5821.600	96.81	0.90	--	-3.19	Peak	100.00	150	Vertical	N/A
4**	5821.600	89.64	0.90	--	89.64	AV	100.00	150	Vertical	N/A
5	12181.037	49.33	20.27	74.0	-24.67	Peak	206.00	150	Vertical	Pass
5**	12181.037	39.22	20.27	54.0	-14.78	AV	206.00	150	Vertical	Pass
6	15540.112	55.05	23.70	74.0	-18.95	Peak	104.00	150	Vertical	Pass
6**	15540.112	44.11	23.70	54.0	-9.89	AV	104.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	43.27	-15.35	74.0	-30.73	Peak	161.00	100	Horizontal	Pass
1**	1673.600	36.93	-15.35	54.0	-17.07	AV	161.00	100	Horizontal	Pass
2	2849.500	41.67	-8.22	74.0	-32.33	Peak	161.00	100	Horizontal	Pass
2**	2849.500	33.57	-8.22	54.0	-20.43	AV	161.00	100	Horizontal	Pass
3	4000.800	46.28	-4.55	74.0	-27.72	Peak	301.00	100	Horizontal	Pass
3**	4000.800	34.58	-4.55	54.0	-19.42	AV	301.00	100	Horizontal	Pass
4	5767.400	99.66	0.82	--	-129.34	Peak	229.00	100	Horizontal	N/A
4**	5767.400	92.97	0.82	--	92.97	AV	229.00	100	Horizontal	N/A
5	12224.451	51.67	20.44	74.0	-22.33	Peak	57.00	100	Horizontal	Pass
5**	12224.451	38.35	20.44	54.0	-15.65	AV	57.00	100	Horizontal	Pass
6	15618.338	54.70	23.46	74.0	-19.30	Peak	228.00	100	Horizontal	Pass
6**	15618.338	42.98	23.46	54.0	-11.02	AV	228.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.700	43.60	-15.10	74.0	-30.40	Peak	279.00	100	Vertical	Pass
1**	1186.700	35.52	-15.10	54.0	-18.48	AV	279.00	100	Vertical	Pass
2	2867.600	42.15	-8.11	74.0	-31.85	Peak	286.00	100	Vertical	Pass
2**	2867.600	33.59	-8.11	54.0	-20.41	AV	286.00	100	Vertical	Pass
3	3985.800	47.62	-4.33	74.0	-26.38	Peak	192.00	100	Vertical	Pass
3**	3985.800	36.59	-4.33	54.0	-17.41	AV	192.00	100	Vertical	Pass
4	5746.000	93.48	0.40	--	-10.52	Peak	104.00	100	Vertical	N/A
4**	5746.000	86.18	0.40	--	86.18	AV	104.00	100	Vertical	N/A
5	11646.000	50.02	20.38	74.0	-23.98	Peak	147.00	100	Vertical	Pass
5**	11646.000	38.16	20.38	54.0	-15.84	AV	147.00	100	Vertical	Pass
6	15980.588	55.72	24.01	74.0	-18.28	Peak	288.00	100	Vertical	Pass
6**	15980.588	43.78	24.01	54.0	-10.22	AV	288.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.400	43.16	-15.44	74.0	-30.84	Peak	164.00	100	Horizontal	Pass
1**	1672.400	32.44	-15.44	54.0	-21.56	AV	164.00	100	Horizontal	Pass
2	2875.900	43.07	-8.35	74.0	-30.93	Peak	72.00	100	Horizontal	Pass
2**	2875.900	32.40	-8.35	54.0	-21.60	AV	72.00	100	Horizontal	Pass
3	4029.200	46.43	-4.01	74.0	-27.57	Peak	41.00	100	Horizontal	Pass
3**	4029.200	34.91	-4.01	54.0	-19.09	AV	41.00	100	Horizontal	Pass
4	5787.600	100.68	0.90	--	-128.32	Peak	229.00	100	Horizontal	N/A
4**	5787.600	93.23	0.90	--	93.23	AV	229.00	100	Horizontal	N/A
5	11641.113	49.66	20.37	74.0	-24.34	Peak	225.00	100	Horizontal	Pass
5**	11641.113	38.76	20.37	54.0	-15.24	AV	225.00	100	Horizontal	Pass
6	15502.838	55.53	23.94	74.0	-18.47	Peak	325.00	100	Horizontal	Pass
6**	15502.838	43.72	23.94	54.0	-10.28	AV	325.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.400	41.43	-15.26	74.0	-32.57	Peak	293.00	100	Vertical	Pass
1**	1193.400	30.09	-15.26	54.0	-23.91	AV	293.00	100	Vertical	Pass
2	2831.000	42.84	-8.32	74.0	-31.16	Peak	159.00	100	Vertical	Pass
2**	2831.000	32.29	-8.32	54.0	-21.71	AV	159.00	100	Vertical	Pass
3	4232.000	47.28	-3.46	74.0	-26.72	Peak	360.00	100	Vertical	Pass
3**	4232.000	35.42	-3.46	54.0	-18.58	AV	360.00	100	Vertical	Pass
4	5805.400	93.78	0.82	--	-36.22	Peak	130.00	100	Vertical	N/A
4**	5805.400	85.77	0.82	--	85.77	AV	130.00	100	Vertical	N/A
5	11624.724	49.47	20.27	74.0	-24.53	Peak	20.00	100	Vertical	Pass
5**	11624.724	38.84	20.27	54.0	-15.16	AV	20.00	100	Vertical	Pass
6	15622.799	54.50	23.46	74.0	-19.50	Peak	71.00	100	Vertical	Pass
6**	15622.799	44.07	23.46	54.0	-9.93	AV	71.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	43.42	-15.23	74.0	-30.58	Peak	155.00	100	Horizontal	Pass
1**	1669.300	33.05	-15.23	54.0	-20.95	AV	155.00	100	Horizontal	Pass
2	2828.200	41.65	-8.26	74.0	-32.35	Peak	208.00	100	Horizontal	Pass
2**	2828.200	32.02	-8.26	54.0	-21.98	AV	208.00	100	Horizontal	Pass
3	4081.000	46.72	-4.27	74.0	-27.28	Peak	110.00	100	Horizontal	Pass
3**	4081.000	35.27	-4.27	54.0	-18.73	AV	110.00	100	Horizontal	Pass
4	5748.600	102.90	0.28	--	-124.10	Peak	227.00	100	Horizontal	N/A
4**	5748.600	96.36	0.28	--	96.36	AV	227.00	100	Horizontal	N/A
5	11664.975	50.50	20.22	74.0	-23.50	Peak	352.00	100	Horizontal	Pass
5**	11664.975	37.84	20.22	54.0	-16.16	AV	352.00	100	Horizontal	Pass
6	15544.838	55.13	23.66	74.0	-18.87	Peak	340.00	100	Horizontal	Pass
6**	15544.838	44.24	23.66	54.0	-9.76	AV	340.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.600	42.80	-15.04	74.0	-31.20	Peak	273.00	100	Vertical	Pass
1**	1175.600	34.92	-15.04	54.0	-19.08	AV	273.00	100	Vertical	Pass
2	2796.900	41.77	-8.83	74.0	-32.23	Peak	50.00	100	Vertical	Pass
2**	2796.900	30.99	-8.83	54.0	-23.01	AV	50.00	100	Vertical	Pass
3	3984.800	46.62	-4.30	74.0	-27.38	Peak	87.00	100	Vertical	Pass
3**	3984.800	37.80	-4.30	54.0	-16.20	AV	87.00	100	Vertical	Pass
4	5742.400	96.12	0.06	--	-7.88	Peak	104.00	100	Vertical	N/A
4**	5742.400	88.80	0.06	--	88.80	AV	104.00	100	Vertical	N/A
5	11636.799	50.17	20.34	74.0	-23.83	Peak	270.00	100	Vertical	Pass
5**	11636.799	39.50	20.34	54.0	-14.50	AV	270.00	100	Vertical	Pass
6	15614.137	54.88	23.48	74.0	-19.12	Peak	103.00	100	Vertical	Pass
6**	15614.137	43.97	23.48	54.0	-10.03	AV	103.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.000	43.24	-15.42	74.0	-30.76	Peak	217.00	150	Horizontal	Pass
1**	1673.000	32.92	-15.42	54.0	-21.08	AV	217.00	150	Horizontal	Pass
2	2875.400	42.58	-8.35	74.0	-31.42	Peak	242.00	150	Horizontal	Pass
2**	2875.400	32.77	-8.35	54.0	-21.23	AV	242.00	150	Horizontal	Pass
3	4040.800	47.19	-3.96	74.0	-26.81	Peak	299.00	150	Horizontal	Pass
3**	4040.800	35.30	-3.96	54.0	-18.70	AV	299.00	150	Horizontal	Pass
4	5787.800	104.43	0.93	--	-125.57	Peak	230.00	150	Horizontal	N/A
4**	5787.800	96.91	0.93	--	96.91	AV	230.00	150	Horizontal	N/A
5	12146.825	50.86	19.90	74.0	-23.14	Peak	299.00	150	Horizontal	Pass
5**	12146.825	38.19	19.90	54.0	-15.81	AV	299.00	150	Horizontal	Pass
6	15625.950	54.87	23.48	74.0	-19.13	Peak	184.00	150	Horizontal	Pass
6**	15625.950	43.45	23.48	54.0	-10.55	AV	184.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1180.700	44.07	-15.06	74.0	-29.93	Peak	278.00	150	Vertical	Pass
1**	1180.700	31.47	-15.06	54.0	-22.53	AV	278.00	150	Vertical	Pass
2	2893.700	42.84	-8.08	74.0	-31.16	Peak	349.00	150	Vertical	Pass
2**	2893.700	34.38	-8.08	54.0	-19.62	AV	349.00	150	Vertical	Pass
3	4236.600	47.47	-3.36	74.0	-26.53	Peak	133.00	150	Vertical	Pass
3**	4236.600	34.96	-3.36	54.0	-19.04	AV	133.00	150	Vertical	Pass
4	5783.200	96.10	0.91	--	-1.90	Peak	98.00	150	Vertical	N/A
4**	5783.200	89.43	0.91	--	89.43	AV	98.00	150	Vertical	N/A
5	12121.238	49.53	19.65	74.0	-24.47	Peak	360.00	150	Vertical	Pass
5**	12121.238	38.34	19.65	54.0	-15.66	AV	360.00	150	Vertical	Pass
6	15520.950	55.50	23.77	74.0	-18.50	Peak	227.00	150	Vertical	Pass
6**	15520.950	43.47	23.77	54.0	-10.53	AV	227.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.100	43.72	-15.23	74.0	-30.28	Peak	158.00	150	Horizontal	Pass
1**	1670.100	36.21	-15.23	54.0	-17.79	AV	158.00	150	Horizontal	Pass
2	2877.300	42.28	-8.34	74.0	-31.72	Peak	100.00	150	Horizontal	Pass
2**	2877.300	32.74	-8.34	54.0	-21.26	AV	100.00	150	Horizontal	Pass
3	4356.000	48.50	-3.40	74.0	-25.50	Peak	267.00	150	Horizontal	Pass
3**	4356.000	35.56	-3.40	54.0	-18.44	AV	267.00	150	Horizontal	Pass
4	5821.600	103.56	0.90	--	-128.44	Peak	232.00	150	Horizontal	N/A
4**	5821.600	96.96	0.90	--	96.96	AV	232.00	150	Horizontal	N/A
5	12220.713	50.30	20.45	74.0	-23.70	Peak	20.00	150	Horizontal	Pass
5**	12220.713	38.26	20.45	54.0	-15.74	AV	20.00	150	Horizontal	Pass
6	15864.037	55.27	23.35	74.0	-18.73	Peak	121.00	150	Horizontal	Pass
6**	15864.037	43.00	23.35	54.0	-11.00	AV	121.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1143.100	43.04	-15.09	74.0	-30.96	Peak	266.00	150	Vertical	Pass
1**	1143.100	33.43	-15.09	54.0	-20.57	AV	266.00	150	Vertical	Pass
2	2778.200	42.05	-8.52	74.0	-31.95	Peak	201.00	150	Vertical	Pass
2**	2778.200	32.27	-8.52	54.0	-21.73	AV	201.00	150	Vertical	Pass
3	3991.600	47.52	-4.47	74.0	-26.48	Peak	78.00	150	Vertical	Pass
3**	3991.600	34.54	-4.47	54.0	-19.46	AV	78.00	150	Vertical	Pass
4	5829.000	96.43	0.95	--	-35.57	Peak	132.00	150	Vertical	N/A
4**	5829.000	89.01	0.95	--	89.01	AV	132.00	150	Vertical	N/A
5	11620.700	49.51	20.24	74.0	-24.49	Peak	230.00	150	Vertical	Pass
5**	11620.700	38.02	20.24	54.0	-15.98	AV	230.00	150	Vertical	Pass
6	15490.500	55.60	23.82	74.0	-18.40	Peak	96.00	150	Vertical	Pass
6**	15490.500	43.51	23.82	54.0	-10.49	AV	96.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.300	42.63	-15.21	74.0	-31.37	Peak	158.00	150	Horizontal	Pass
1**	1666.300	34.86	-15.21	54.0	-19.14	AV	158.00	150	Horizontal	Pass
2	2825.200	42.09	-8.34	74.0	-31.91	Peak	31.00	150	Horizontal	Pass
2**	2825.200	32.71	-8.34	54.0	-21.29	AV	31.00	150	Horizontal	Pass
3	4091.800	46.92	-4.45	74.0	-27.08	Peak	206.00	150	Horizontal	Pass
3**	4091.800	34.81	-4.45	54.0	-19.19	AV	206.00	150	Horizontal	Pass
4	5751.200	99.65	0.39	--	-128.35	Peak	228.00	150	Horizontal	Pass
4**	5751.200	92.49	0.39	--	92.49	AV	228.00	150	Horizontal	N/A
5	12281.375	50.20	20.21	74.0	-23.80	Peak	125.00	150	Horizontal	Pass
5**	12281.375	37.63	20.21	54.0	-16.37	AV	125.00	150	Horizontal	Pass
6	15994.762	54.71	24.02	74.0	-19.29	Peak	131.00	150	Horizontal	Pass
6**	15994.762	43.65	24.02	54.0	-10.35	AV	131.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.000	43.53	-14.82	74.0	-30.47	Peak	294.00	150	Vertical	Pass
1**	1222.000	34.41	-14.82	54.0	-19.59	AV	294.00	150	Vertical	Pass
2	2863.800	42.40	-8.04	74.0	-31.60	Peak	352.00	150	Vertical	Pass
2**	2863.800	32.87	-8.04	54.0	-21.13	AV	352.00	150	Vertical	Pass
3	3988.800	47.53	-4.32	74.0	-26.47	Peak	175.00	150	Vertical	Pass
3**	3988.800	35.86	-4.32	54.0	-18.14	AV	175.00	150	Vertical	Pass
4	5742.400	93.48	0.06	--	-3.52	Peak	97.00	150	Vertical	N/A
4**	5742.400	85.51	0.06	--	85.51	AV	97.00	150	Vertical	N/A
5	11952.187	49.99	18.19	74.0	-24.01	Peak	166.00	150	Vertical	Pass
5**	11952.187	37.96	18.19	54.0	-16.04	AV	166.00	150	Vertical	Pass
6	15488.137	54.91	23.78	74.0	-19.09	Peak	291.00	150	Vertical	Pass
6**	15488.137	43.99	23.78	54.0	-10.01	AV	291.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.100	42.14	-15.41	74.0	-31.86	Peak	210.00	150	Horizontal	Pass
1**	1672.100	34.18	-15.41	54.0	-19.82	AV	210.00	150	Horizontal	Pass
2	2860.700	42.34	-7.97	74.0	-31.66	Peak	159.00	150	Horizontal	Pass
2**	2860.700	32.02	-7.97	54.0	-21.98	AV	159.00	150	Horizontal	Pass
3	4223.600	47.21	-3.64	74.0	-26.79	Peak	225.00	150	Horizontal	Pass
3**	4223.600	34.77	-3.64	54.0	-19.23	AV	225.00	150	Horizontal	Pass
4	5788.600	100.79	1.02	--	-183.21	Peak	284.00	150	Horizontal	N/A
4**	5788.600	93.41	1.02	--	93.41	AV	284.00	150	Horizontal	N/A
5	11666.987	49.97	20.20	74.0	-24.03	Peak	341.00	150	Horizontal	Pass
5**	11666.987	39.13	20.20	54.0	-14.87	AV	341.00	150	Horizontal	Pass
6	15480.001	54.64	23.65	74.0	-19.36	Peak	344.00	150	Horizontal	Pass
6**	15480.001	43.15	23.65	54.0	-10.85	AV	344.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1231.200	44.09	-14.73	74.0	-29.91	Peak	299.00	150	Vertical	Pass
1**	1231.200	32.39	-14.73	54.0	-21.61	AV	299.00	150	Vertical	Pass
2	2777.900	41.90	-8.53	74.0	-32.10	Peak	255.00	150	Vertical	Pass
2**	2777.900	32.73	-8.53	54.0	-21.27	AV	255.00	150	Vertical	Pass
3	4002.400	47.29	-4.63	74.0	-26.71	Peak	129.00	150	Vertical	Pass
3**	4002.400	36.07	-4.63	54.0	-17.93	AV	129.00	150	Vertical	Pass
4	5758.800	92.60	0.63	--	-19.40	Peak	112.00	150	Vertical	N/A
4**	5758.800	86.05	0.63	--	86.05	AV	112.00	150	Vertical	N/A
5	11760.425	50.33	18.84	74.0	-23.67	Peak	0.00	150	Vertical	Pass
5**	11760.425	38.71	18.84	54.0	-15.29	AV	0.00	150	Vertical	Pass
6	16149.375	55.48	24.05	74.0	-18.52	Peak	21.00	150	Vertical	Pass
6**	16149.375	42.43	24.05	54.0	-11.57	AV	21.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.300	42.75	-15.21	74.0	-31.25	Peak	159.00	150	Horizontal	Pass
1**	1667.300	32.62	-15.21	54.0	-21.38	AV	159.00	150	Horizontal	Pass
2	2886.700	42.42	-8.18	74.0	-31.58	Peak	192.00	150	Horizontal	Pass
2**	2886.700	33.46	-8.18	54.0	-20.54	AV	192.00	150	Horizontal	Pass
3	4292.800	47.54	-3.82	74.0	-26.46	Peak	246.00	150	Horizontal	Pass
3**	4292.800	34.98	-3.82	54.0	-19.02	AV	246.00	150	Horizontal	Pass
4	5788.000	98.12	0.95	--	-128.88	Peak	227.00	150	Horizontal	N/A
4**	5788.000	90.54	0.95	--	90.54	AV	227.00	150	Horizontal	N/A
5	11650.888	49.38	20.38	74.0	-24.62	Peak	250.00	150	Horizontal	Pass
5**	11650.888	38.28	20.38	54.0	-15.72	AV	250.00	150	Horizontal	Pass
6	15826.237	54.76	23.33	74.0	-19.24	Peak	14.00	150	Horizontal	Pass
6**	15826.237	43.28	23.33	54.0	-10.72	AV	14.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.900	42.57	-14.98	74.0	-31.43	Peak	285.00	150	Vertical	Pass
1**	1167.900	32.26	-14.98	54.0	-21.74	AV	285.00	150	Vertical	Pass
2	2747.800	41.88	-8.82	74.0	-32.12	Peak	336.00	150	Vertical	Pass
2**	2747.800	31.85	-8.82	54.0	-22.15	AV	336.00	150	Vertical	Pass
3	4052.200	46.85	-3.69	74.0	-27.15	Peak	43.00	150	Vertical	Pass
3**	4052.200	34.89	-3.69	54.0	-19.11	AV	43.00	150	Vertical	Pass
4	5793.600	90.41	0.99	--	-7.59	Peak	98.00	150	Vertical	N/A
4**	5793.600	82.73	0.99	--	82.73	AV	98.00	150	Vertical	N/A
5	11597.412	49.58	20.10	74.0	-24.42	Peak	150.00	150	Vertical	Pass
5**	11597.412	37.59	20.10	54.0	-16.41	AV	150.00	150	Vertical	Pass
6	15610.200	55.68	23.50	74.0	-18.32	Peak	94.00	150	Vertical	Pass
6**	15610.200	43.31	23.50	54.0	-10.69	AV	94.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.100	42.73	-15.23	74.0	-31.27	Peak	161.00	150	Horizontal	Pass
1**	1670.100	34.92	-15.23	54.0	-19.08	AV	161.00	150	Horizontal	Pass
2	2812.500	42.05	-8.39	74.0	-31.95	Peak	51.00	150	Horizontal	Pass
2**	2812.500	32.09	-8.39	54.0	-21.91	AV	51.00	150	Horizontal	Pass
3	3994.400	46.10	-4.50	74.0	-27.90	Peak	241.00	150	Horizontal	Pass
3**	3994.400	35.44	-4.50	54.0	-18.56	AV	241.00	150	Horizontal	Pass
4	5741.800	103.08	0.03	--	-137.92	Peak	241.00	150	Horizontal	N/A
4**	5741.800	96.03	0.03	--	96.03	AV	241.00	150	Horizontal	N/A
5	11723.912	49.18	19.38	74.0	-24.82	Peak	105.00	150	Horizontal	Pass
5**	11723.912	36.55	19.38	54.0	-17.45	AV	105.00	150	Horizontal	Pass
6	16024.688	54.51	23.98	74.0	-19.49	Peak	271.00	150	Horizontal	Pass
6**	16024.688	42.40	23.98	54.0	-11.60	AV	271.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1205.600	44.25	-14.98	74.0	-29.75	Peak	280.00	150	Vertical	Pass
1**	1205.600	34.72	-14.98	54.0	-19.28	AV	280.00	150	Vertical	Pass
2	2785.100	41.95	-8.71	74.0	-32.05	Peak	354.00	150	Vertical	Pass
2**	2785.100	30.98	-8.71	54.0	-23.02	AV	354.00	150	Vertical	Pass
3	3997.200	46.69	-4.56	74.0	-27.31	Peak	176.00	150	Vertical	Pass
3**	3997.200	35.01	-4.56	54.0	-18.99	AV	176.00	150	Vertical	Pass
4	5746.400	96.42	0.39	--	-16.58	Peak	113.00	150	Vertical	N/A
4**	5746.400	89.16	0.39	--	89.16	AV	113.00	150	Vertical	N/A
5	11638.525	51.02	20.35	74.0	-22.98	Peak	303.00	150	Vertical	Pass
5**	11638.525	38.16	20.35	54.0	-15.84	AV	303.00	150	Vertical	Pass
6	15817.838	54.96	23.26	74.0	-19.04	Peak	143.00	150	Vertical	Pass
6**	15817.838	43.79	23.26	54.0	-10.21	AV	143.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.800	42.58	-15.44	74.0	-31.42	Peak	159.00	150	Horizontal	Pass
1**	1672.800	34.20	-15.44	54.0	-19.80	AV	159.00	150	Horizontal	Pass
2	2868.400	42.76	-8.16	74.0	-31.24	Peak	321.00	150	Horizontal	Pass
2**	2868.400	32.91	-8.16	54.0	-21.09	AV	321.00	150	Horizontal	Pass
3	4217.200	46.93	-3.85	74.0	-27.07	Peak	336.00	150	Horizontal	Pass
3**	4217.200	35.14	-3.85	54.0	-18.86	AV	336.00	150	Horizontal	Pass
4	5786.000	104.82	0.77	--	-125.18	Peak	230.00	150	Horizontal	N/A
4**	5786.000	97.42	0.77	--	97.42	AV	230.00	150	Horizontal	N/A
5	12176.437	49.19	20.22	74.0	-24.81	Peak	109.00	150	Horizontal	Pass
5**	12176.437	38.38	20.22	54.0	-15.62	AV	109.00	150	Horizontal	Pass
6	15625.687	55.01	23.48	74.0	-18.99	Peak	186.00	150	Horizontal	Pass
6**	15625.687	43.95	23.48	54.0	-10.05	AV	186.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.600	42.17	-15.11	74.0	-31.83	Peak	298.00	150	Vertical	Pass
1**	1200.600	34.37	-15.11	54.0	-19.63	AV	298.00	150	Vertical	Pass
2	2790.100	41.46	-8.88	74.0	-32.54	Peak	0.00	150	Vertical	Pass
2**	2790.100	30.89	-8.88	54.0	-23.11	AV	0.00	150	Vertical	Pass
3	4027.000	46.66	-3.83	74.0	-27.34	Peak	42.00	150	Vertical	Pass
3**	4027.000	37.26	-3.83	54.0	-16.74	AV	42.00	150	Vertical	Pass
4	5787.200	97.32	0.86	--	-60.68	Peak	158.00	150	Vertical	N/A
4**	5787.200	89.42	0.86	--	89.42	AV	158.00	150	Vertical	N/A
5	11590.799	48.52	20.02	74.0	-25.48	Peak	197.00	150	Vertical	Pass
5**	11590.799	36.88	20.02	54.0	-17.12	AV	197.00	150	Vertical	Pass
6	15993.713	56.04	24.01	74.0	-17.96	Peak	200.00	150	Vertical	Pass
6**	15993.713	43.17	24.01	54.0	-10.83	AV	200.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1227.500	41.31	-14.73	74.0	-32.69	Peak	166.00	150	Horizontal	Pass
1**	1227.500	30.56	-14.73	54.0	-23.44	AV	166.00	150	Horizontal	Pass
2	2830.800	42.07	-8.31	74.0	-31.93	Peak	342.00	150	Horizontal	Pass
2**	2830.800	32.11	-8.31	54.0	-21.89	AV	342.00	150	Horizontal	Pass
3	4247.600	47.06	-3.19	74.0	-26.94	Peak	285.00	150	Horizontal	Pass
3**	4247.600	35.08	-3.19	54.0	-18.92	AV	285.00	150	Horizontal	Pass
4	5822.200	104.35	0.89	--	-131.65	Peak	236.00	150	Horizontal	Pass
4**	5822.200	96.76	0.89	--	96.76	AV	236.00	150	Horizontal	N/A
5	12214.674	49.83	20.45	74.0	-24.17	Peak	152.00	150	Horizontal	Pass
5**	12214.674	37.93	20.45	54.0	-16.07	AV	152.00	150	Horizontal	Pass
6	15555.599	54.95	23.59	74.0	-19.05	Peak	156.00	150	Horizontal	Pass
6**	15555.599	43.55	23.59	54.0	-10.45	AV	156.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.700	43.64	-15.25	74.0	-30.36	Peak	318.00	150	Vertical	Pass
1**	1193.700	31.76	-15.25	54.0	-22.24	AV	318.00	150	Vertical	Pass
2	2874.800	42.48	-8.33	74.0	-31.52	Peak	108.00	150	Vertical	Pass
2**	2874.800	32.40	-8.33	54.0	-21.60	AV	108.00	150	Vertical	Pass
3	3983.200	47.51	-4.27	74.0	-26.49	Peak	167.00	150	Vertical	Pass
3**	3983.200	36.90	-4.27	54.0	-17.10	AV	167.00	150	Vertical	Pass
4	5828.800	97.34	0.94	--	-59.66	Peak	157.00	150	Vertical	Pass
4**	5828.800	88.94	0.94	--	88.94	AV	157.00	150	Vertical	N/A
5	11681.362	48.99	20.05	74.0	-25.01	Peak	299.00	150	Vertical	Pass
5**	11681.362	36.88	20.05	54.0	-17.12	AV	299.00	150	Vertical	Pass
6	15476.062	54.65	23.63	74.0	-19.35	Peak	63.00	150	Vertical	Pass
6**	15476.062	42.94	23.63	54.0	-11.06	AV	63.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.900	41.49	-15.32	74.0	-32.51	Peak	257.00	150	Horizontal	Pass
1**	1676.900	31.20	-15.32	54.0	-22.80	AV	257.00	150	Horizontal	Pass
2	2871.000	42.10	-8.19	74.0	-31.90	Peak	180.00	150	Horizontal	Pass
2**	2871.000	32.31	-8.19	54.0	-21.69	AV	180.00	150	Horizontal	Pass
3	4019.200	47.48	-4.06	74.0	-26.52	Peak	317.00	150	Horizontal	Pass
3**	4019.200	35.00	-4.06	54.0	-19.00	AV	317.00	150	Horizontal	Pass
4	5764.800	100.91	0.92	--	-146.09	Peak	247.00	150	Horizontal	N/A
4**	5764.800	92.39	0.92	--	92.39	AV	247.00	150	Horizontal	N/A
5	11633.637	50.88	20.32	74.0	-23.12	Peak	130.00	150	Horizontal	Pass
5**	11633.637	39.70	20.32	54.0	-14.30	AV	130.00	150	Horizontal	Pass
6	15915.487	55.47	23.56	74.0	-18.53	Peak	142.00	150	Horizontal	Pass
6**	15915.487	43.36	23.56	54.0	-10.64	AV	142.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.000	45.64	-15.27	74.0	-28.36	Peak	305.00	150	Vertical	Pass
1**	1193.000	34.13	-15.27	54.0	-19.87	AV	305.00	150	Vertical	Pass
2	2774.300	41.88	-8.52	74.0	-32.12	Peak	266.00	150	Vertical	Pass
2**	2774.300	31.84	-8.52	54.0	-22.16	AV	266.00	150	Vertical	Pass
3	3987.400	48.22	-4.34	74.0	-25.78	Peak	191.00	150	Vertical	Pass
3**	3987.400	35.91	-4.34	54.0	-18.09	AV	191.00	150	Vertical	Pass
4	5746.200	97.46	0.40	--	-75.54	Peak	173.00	150	Vertical	N/A
4**	5746.200	88.58	0.40	--	88.58	AV	173.00	150	Vertical	N/A
5	11652.612	51.02	20.36	74.0	-22.98	Peak	335.00	150	Vertical	Pass
5**	11652.612	39.05	20.36	54.0	-14.95	AV	335.00	150	Vertical	Pass
6	15453.750	55.47	23.44	74.0	-18.53	Peak	362.00	150	Vertical	Pass
6**	15453.750	43.69	23.44	54.0	-10.31	AV	362.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.100	39.41	-15.01	74.0	-34.59	Peak	280.00	150	Horizontal	Pass
1**	1540.100	29.36	-15.01	54.0	-24.64	AV	280.00	150	Horizontal	Pass
2	2867.000	42.28	-8.08	74.0	-31.72	Peak	294.00	150	Horizontal	Pass
2**	2867.000	32.74	-8.08	54.0	-21.26	AV	294.00	150	Horizontal	Pass
3	3986.800	46.73	-4.35	74.0	-27.27	Peak	136.00	150	Horizontal	Pass
3**	3986.800	35.37	-4.35	54.0	-18.63	AV	136.00	150	Horizontal	Pass
4	5785.600	101.36	0.77	--	-147.64	Peak	249.00	150	Horizontal	N/A
4**	5785.600	92.72	0.77	--	92.72	AV	249.00	150	Horizontal	N/A
5	11646.576	50.75	20.38	74.0	-23.25	Peak	99.00	150	Horizontal	Pass
5**	11646.576	38.55	20.38	54.0	-15.45	AV	99.00	150	Horizontal	Pass
6	15942.263	55.12	23.91	74.0	-18.88	Peak	93.00	150	Horizontal	Pass
6**	15942.263	43.94	23.91	54.0	-10.06	AV	93.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.600	43.18	-15.04	74.0	-30.82	Peak	287.00	150	Vertical	Pass
1**	1173.600	33.68	-15.04	54.0	-20.32	AV	287.00	150	Vertical	Pass
2	2827.800	41.51	-8.29	74.0	-32.49	Peak	172.00	150	Vertical	Pass
2**	2827.800	31.66	-8.29	54.0	-22.34	AV	172.00	150	Vertical	Pass
3	3983.800	47.66	-4.28	74.0	-26.34	Peak	125.00	150	Vertical	Pass
3**	3983.800	35.91	-4.28	54.0	-18.09	AV	125.00	150	Vertical	Pass
4	5786.600	96.67	0.79	--	-116.33	Peak	213.00	150	Vertical	N/A
4**	5786.600	89.20	0.79	--	89.20	AV	213.00	150	Vertical	N/A
5	12419.662	50.68	18.94	74.0	-23.32	Peak	193.00	150	Vertical	Pass
5**	12419.662	38.47	18.94	54.0	-15.53	AV	193.00	150	Vertical	Pass
6	15538.537	55.92	23.71	74.0	-18.08	Peak	362.00	150	Vertical	Pass
6**	15538.537	44.05	23.71	54.0	-9.95	AV	362.00	150	Vertical	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	39.20	-14.79	74.0	-34.80	Peak	0.00	150	Horizontal	Pass
1**	1327.700	29.53	-14.79	54.0	-24.47	AV	0.00	150	Horizontal	Pass
2	2777.400	42.21	-8.53	74.0	-31.79	Peak	144.00	150	Horizontal	Pass
2**	2777.400	31.80	-8.53	54.0	-22.20	AV	144.00	150	Horizontal	Pass
3	4331.200	47.89	-2.79	74.0	-26.11	Peak	212.00	150	Horizontal	Pass
3**	4331.200	39.94	-2.79	54.0	-14.06	AV	212.00	150	Horizontal	Pass
4	5789.200	99.40	0.99	--	-147.60	Peak	247.00	150	Horizontal	N/A
4**	5789.200	89.16	0.99	--	89.16	AV	247.00	150	Horizontal	N/A
5	11617.825	50.43	20.23	74.0	-23.57	Peak	334.00	150	Horizontal	Pass
5**	11617.825	39.38	20.23	54.0	-14.62	AV	334.00	150	Horizontal	Pass
6	15419.888	55.55	23.15	74.0	-18.45	Peak	362.00	150	Horizontal	Pass
6**	15419.888	44.12	23.15	54.0	-9.88	AV	362.00	150	Horizontal	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.700	45.33	-15.00	74.0	-28.67	Peak	297.00	150	Vertical	Pass
1**	1198.700	35.90	-15.00	54.0	-18.10	AV	297.00	150	Vertical	Pass
2	2889.800	43.00	-8.13	74.0	-31.00	Peak	262.00	150	Vertical	Pass
2**	2889.800	32.61	-8.13	54.0	-21.39	AV	262.00	150	Vertical	Pass
3	4065.200	47.25	-3.89	74.0	-26.75	Peak	67.00	150	Vertical	Pass
3**	4065.200	36.13	-3.89	54.0	-17.87	AV	67.00	150	Vertical	Pass
4	5791.200	94.13	0.95	--	-80.87	Peak	175.00	150	Vertical	N/A
4**	5791.200	86.07	0.95	--	86.07	AV	175.00	150	Vertical	N/A
5	5995.200	61.65	1.94	68.2	-6.55	Peak	192.00	150	Vertical	Pass
5**	5995.200	40.75	1.94	--	40.75	AV	192.00	150	Vertical	N/A
6	15890.288	55.46	23.31	74.0	-18.54	Peak	231.00	150	Vertical	Pass
6**	15890.288	43.31	23.31	54.0	-10.69	AV	231.00	150	Vertical	Pass

South Star

Main Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.500	42.34	-15.45	74.0	-31.66	Peak	254.00	150	Horizontal	Pass
1**	1672.500	32.57	-15.45	54.0	-21.43	AV	254.00	150	Horizontal	Pass
2	2845.300	41.79	-8.43	74.0	-32.21	Peak	270.00	150	Horizontal	Pass
2**	2845.300	31.98	-8.43	54.0	-22.02	AV	270.00	150	Horizontal	Pass
3	4136.600	46.93	-4.11	74.0	-27.07	Peak	69.00	150	Horizontal	Pass
3**	4136.600	36.08	-4.11	54.0	-17.92	AV	69.00	150	Horizontal	Pass
4	5184.000	106.29	-0.62	--	-189.71	Peak	296.00	150	Horizontal	N/A
4**	5184.000	100.02	-0.62	--	100.02	AV	296.00	150	Horizontal	N/A
5	11646.576	50.30	20.38	74.0	-23.70	Peak	360.00	150	Horizontal	Pass
5**	11646.576	38.46	20.38	54.0	-15.54	AV	360.00	150	Horizontal	Pass
6	15637.763	54.99	23.55	74.0	-19.01	Peak	139.00	150	Horizontal	Pass
6**	15637.763	45.50	23.55	54.0	-8.50	AV	139.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.500	40.68	-14.85	74.0	-33.32	Peak	266.00	150	Vertical	Pass
1**	1441.500	30.26	-14.85	54.0	-23.74	AV	266.00	150	Vertical	Pass
2	2786.300	42.21	-8.77	74.0	-31.79	Peak	284.00	150	Vertical	Pass
2**	2786.300	31.88	-8.77	54.0	-22.12	AV	284.00	150	Vertical	Pass
3	4167.400	47.51	-3.84	74.0	-26.49	Peak	17.00	150	Vertical	Pass
3**	4167.400	36.08	-3.84	54.0	-17.92	AV	17.00	150	Vertical	Pass
4	5183.200	98.92	-0.58	--	-11.08	Peak	110.00	150	Vertical	N/A
4**	5183.200	92.27	-0.58	--	92.27	AV	110.00	150	Vertical	N/A
5	12218.125	50.38	20.45	74.0	-23.62	Peak	309.00	150	Vertical	Pass
5**	12218.125	38.49	20.45	54.0	-15.51	AV	309.00	150	Vertical	Pass
6	15939.637	55.89	23.90	74.0	-18.11	Peak	0.00	150	Vertical	Pass
6**	15939.637	43.74	23.90	54.0	-10.26	AV	0.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1662.800	44.50	-15.26	74.0	-29.50	Peak	248.00	150	Horizontal	Pass
1**	1662.800	28.58	-15.26	54.0	-25.42	AV	248.00	150	Horizontal	Pass
2	2761.300	41.48	-8.84	74.0	-32.52	Peak	92.00	150	Horizontal	Pass
2**	2761.300	31.91	-8.84	54.0	-22.09	AV	92.00	150	Horizontal	Pass
3	4794.000	50.88	-1.54	74.0	-23.12	Peak	323.00	150	Horizontal	Pass
3**	4794.000	40.91	-1.54	54.0	-13.09	AV	323.00	150	Horizontal	Pass
4	5223.200	106.58	-0.40	--	-192.42	Peak	299.00	150	Horizontal	N/A
4**	5223.200	99.36	-0.40	--	99.36	AV	299.00	150	Horizontal	N/A
5	12083.000	50.43	19.25	74.0	-23.57	Peak	167.00	150	Horizontal	Pass
5**	12083.000	37.06	19.25	54.0	-16.94	AV	167.00	150	Horizontal	Pass
6	15605.737	55.60	23.52	74.0	-18.40	Peak	361.00	150	Horizontal	Pass
6**	15605.737	44.26	23.52	54.0	-9.74	AV	361.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	40.45	-15.14	74.0	-33.55	Peak	261.00	150	Vertical	Pass
1**	1496.100	29.14	-15.14	54.0	-24.86	AV	261.00	150	Vertical	Pass
2	2769.500	41.60	-8.53	74.0	-32.40	Peak	217.00	150	Vertical	Pass
2**	2769.500	32.63	-8.53	54.0	-21.37	AV	217.00	150	Vertical	Pass
3	4170.800	47.50	-3.78	74.0	-26.50	Peak	0.00	150	Vertical	Pass
3**	4170.800	37.57	-3.78	54.0	-16.43	AV	0.00	150	Vertical	Pass
4	5224.200	99.63	-0.43	--	-2.37	Peak	102.00	150	Vertical	N/A
4**	5224.200	92.87	-0.43	--	92.87	AV	102.00	150	Vertical	N/A
5	11654.338	50.13	20.34	74.0	-23.87	Peak	67.00	150	Vertical	Pass
5**	11654.338	38.42	20.34	54.0	-15.58	AV	67.00	150	Vertical	Pass
6	15662.175	55.41	23.47	74.0	-18.59	Peak	176.00	150	Vertical	Pass
6**	15662.175	43.53	23.47	54.0	-10.47	AV	176.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.400	43.28	-15.22	74.0	-30.72	Peak	251.00	150	Horizontal	Pass
1**	1668.400	32.58	-15.22	54.0	-21.42	AV	251.00	150	Horizontal	Pass
2	2839.700	42.29	-8.50	74.0	-31.71	Peak	317.00	150	Horizontal	Pass
2**	2839.700	32.77	-8.50	54.0	-21.23	AV	317.00	150	Horizontal	Pass
3	4047.400	47.00	-3.86	74.0	-27.00	Peak	352.00	150	Horizontal	Pass
3**	4047.400	35.88	-3.86	54.0	-18.12	AV	352.00	150	Horizontal	Pass
4	5237.000	106.27	-0.84	--	-191.73	Peak	298.00	150	Horizontal	N/A
4**	5237.000	99.80	-0.84	--	99.80	AV	298.00	150	Horizontal	N/A
5	12367.912	50.83	19.54	74.0	-23.17	Peak	349.00	150	Horizontal	Pass
5**	12367.912	38.20	19.54	54.0	-15.80	AV	349.00	150	Horizontal	Pass
6	15624.901	54.84	23.48	74.0	-19.16	Peak	0.00	150	Horizontal	Pass
6**	15624.901	43.47	23.48	54.0	-10.53	AV	0.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.400	40.42	-14.71	74.0	-33.58	Peak	290.00	150	Vertical	Pass
1**	1460.400	34.18	-14.71	54.0	-19.82	AV	290.00	150	Vertical	Pass
2	2831.800	42.74	-8.39	74.0	-31.26	Peak	237.00	150	Vertical	Pass
2**	2831.800	31.99	-8.39	54.0	-22.01	AV	237.00	150	Vertical	Pass
3	4169.200	47.67	-3.73	74.0	-26.33	Peak	44.00	150	Vertical	Pass
3**	4169.200	36.80	-3.73	54.0	-17.20	AV	44.00	150	Vertical	Pass
4	5244.600	98.83	-0.79	--	-10.17	Peak	109.00	150	Vertical	N/A
4**	5244.600	93.11	-0.79	--	93.11	AV	109.00	150	Vertical	N/A
5	11613.513	49.93	20.20	74.0	-24.07	Peak	342.00	150	Vertical	Pass
5**	11613.513	37.59	20.20	54.0	-16.41	AV	342.00	150	Vertical	Pass
6	15863.250	55.03	23.35	74.0	-18.97	Peak	196.00	150	Vertical	Pass
6**	15863.250	42.08	23.35	54.0	-11.92	AV	196.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.900	44.18	-15.38	74.0	-29.82	Peak	250.00	150	Horizontal	Pass
1**	1671.900	34.73	-15.38	54.0	-19.27	AV	250.00	150	Horizontal	Pass
2	2779.300	41.85	-8.51	74.0	-32.15	Peak	311.00	150	Horizontal	Pass
2**	2779.300	32.08	-8.51	54.0	-21.92	AV	311.00	150	Horizontal	Pass
3	4219.800	46.87	-3.68	74.0	-27.13	Peak	279.00	150	Horizontal	Pass
3**	4219.800	35.34	-3.68	54.0	-18.66	AV	279.00	150	Horizontal	Pass
4	5182.800	106.15	-0.57	--	-182.85	Peak	289.00	150	Horizontal	N/A
4**	5182.800	100.36	-0.57	--	100.36	AV	289.00	150	Horizontal	N/A
5	11639.963	51.02	20.36	74.0	-22.98	Peak	2.00	150	Horizontal	Pass
5**	11639.963	39.74	20.36	54.0	-14.26	AV	2.00	150	Horizontal	Pass
6	15508.875	55.64	23.88	74.0	-18.36	Peak	330.00	150	Horizontal	Pass
6**	15508.875	43.56	23.88	54.0	-10.44	AV	330.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.300	40.97	-14.70	74.0	-33.03	Peak	261.00	150	Vertical	Pass
1**	1459.300	30.02	-14.70	54.0	-23.98	AV	261.00	150	Vertical	Pass
2	2736.100	41.51	-8.63	74.0	-32.49	Peak	161.00	150	Vertical	Pass
2**	2736.100	32.98	-8.63	54.0	-21.02	AV	161.00	150	Vertical	Pass
3	4806.200	49.52	-1.28	74.0	-24.48	Peak	343.00	150	Vertical	Pass
3**	4806.200	38.31	-1.28	54.0	-15.69	AV	343.00	150	Vertical	Pass
4	5183.200	98.79	-0.58	--	-4.21	Peak	103.00	150	Vertical	N/A
4**	5183.200	92.66	-0.58	--	92.66	AV	103.00	150	Vertical	N/A
5	11647.725	49.88	20.39	74.0	-24.12	Peak	104.00	150	Vertical	Pass
5**	11647.725	38.52	20.39	54.0	-15.48	AV	104.00	150	Vertical	Pass
6	15596.026	55.57	23.56	74.0	-18.43	Peak	362.00	150	Vertical	Pass
6**	15596.026	42.79	23.56	54.0	-11.21	AV	362.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	44.24	-15.23	74.0	-29.76	Peak	251.00	150	Horizontal	Pass
1**	1669.400	35.23	-15.23	54.0	-18.77	AV	251.00	150	Horizontal	Pass
2	2818.300	41.93	-8.29	74.0	-32.07	Peak	38.00	150	Horizontal	Pass
2**	2818.300	32.10	-8.29	54.0	-21.90	AV	38.00	150	Horizontal	Pass
3	4031.000	46.89	-3.92	74.0	-27.11	Peak	100.00	150	Horizontal	Pass
3**	4031.000	37.57	-3.92	54.0	-16.43	AV	100.00	150	Horizontal	Pass
4	5218.400	106.12	-0.23	--	-184.88	Peak	291.00	150	Horizontal	N/A
4**	5218.400	99.83	-0.23	--	99.83	AV	291.00	150	Horizontal	N/A
5	11633.063	50.00	20.32	74.0	-24.00	Peak	118.00	150	Horizontal	Pass
5**	11633.063	39.09	20.32	54.0	-14.91	AV	118.00	150	Horizontal	Pass
6	15686.062	55.27	23.59	74.0	-18.73	Peak	165.00	150	Horizontal	Pass
6**	15686.062	42.73	23.59	54.0	-11.27	AV	165.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1107.100	39.54	-15.18	74.0	-34.46	Peak	226.00	150	Vertical	Pass
1**	1107.100	30.80	-15.18	54.0	-23.20	AV	226.00	150	Vertical	Pass
2	1456.700	42.01	-14.66	74.0	-31.99	Peak	294.00	150	Vertical	Pass
2**	1456.700	32.51	-14.66	54.0	-21.49	AV	294.00	150	Vertical	Pass
3	3973.600	47.03	-4.17	74.0	-26.97	Peak	34.00	150	Vertical	Pass
3**	3973.600	35.13	-4.17	54.0	-18.87	AV	34.00	150	Vertical	Pass
4	5222.200	98.96	-0.39	--	-3.04	Peak	102.00	150	Vertical	N/A
4**	5222.200	91.54	-0.39	--	91.54	AV	102.00	150	Vertical	N/A
5	11640.825	49.87	20.37	74.0	-24.13	Peak	96.00	150	Vertical	Pass
5**	11640.825	38.50	20.37	54.0	-15.50	AV	96.00	150	Vertical	Pass
6	15941.474	55.60	23.91	74.0	-18.40	Peak	255.00	150	Vertical	Pass
6**	15941.474	43.94	23.91	54.0	-10.06	AV	255.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.400	44.51	-15.26	74.0	-29.49	Peak	208.00	150	Horizontal	Pass
1**	1675.400	35.87	-15.26	54.0	-18.13	AV	208.00	150	Horizontal	Pass
2	2828.200	41.61	-8.26	74.0	-32.39	Peak	84.00	150	Horizontal	Pass
2**	2828.200	32.34	-8.26	54.0	-21.66	AV	84.00	150	Horizontal	Pass
3	4326.600	48.36	-2.99	74.0	-25.64	Peak	52.00	150	Horizontal	Pass
3**	4326.600	36.65	-2.99	54.0	-17.35	AV	52.00	150	Horizontal	Pass
4	5243.400	105.65	-0.86	--	-187.35	Peak	293.00	150	Horizontal	N/A
4**	5243.400	99.52	-0.86	--	99.52	AV	293.00	150	Horizontal	N/A
5	11654.050	49.88	20.34	74.0	-24.12	Peak	221.00	150	Horizontal	Pass
5**	11654.050	39.08	20.34	54.0	-14.92	AV	221.00	150	Horizontal	Pass
6	15474.750	55.08	23.62	74.0	-18.92	Peak	151.00	150	Horizontal	Pass
6**	15474.750	44.34	23.62	54.0	-9.66	AV	151.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.200	39.52	-15.11	74.0	-34.48	Peak	240.00	150	Vertical	Pass
1**	1142.200	31.09	-15.11	54.0	-22.91	AV	240.00	150	Vertical	Pass
2	1489.200	40.05	-15.17	74.0	-33.95	Peak	272.00	150	Vertical	Pass
2**	1489.200	30.47	-15.17	54.0	-23.53	AV	272.00	150	Vertical	Pass
3	4138.000	48.88	-4.05	74.0	-25.12	Peak	186.00	150	Vertical	Pass
3**	4138.000	39.29	-4.05	54.0	-14.71	AV	186.00	150	Vertical	Pass
4	5242.400	98.94	-0.91	--	-4.06	Peak	103.00	150	Vertical	N/A
4**	5242.400	92.93	-0.91	--	92.93	AV	103.00	150	Vertical	N/A
5	11647.725	50.21	20.39	74.0	-23.79	Peak	192.00	150	Vertical	Pass
5**	11647.725	38.63	20.39	54.0	-15.37	AV	192.00	150	Vertical	Pass
6	15949.350	55.40	23.95	74.0	-18.60	Peak	0.00	150	Vertical	Pass
6**	15949.350	43.19	23.95	54.0	-10.81	AV	0.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.500	44.24	-15.31	74.0	-29.76	Peak	253.00	150	Horizontal	Pass
1**	1676.500	36.60	-15.31	54.0	-17.40	AV	253.00	150	Horizontal	Pass
2	2813.900	42.06	-8.34	74.0	-31.94	Peak	204.00	150	Horizontal	Pass
2**	2813.900	32.83	-8.34	54.0	-21.17	AV	204.00	150	Horizontal	Pass
3	4041.000	47.00	-3.96	74.0	-27.00	Peak	146.00	150	Horizontal	Pass
3**	4041.000	34.63	-3.96	54.0	-19.37	AV	146.00	150	Horizontal	Pass
4	5201.000	102.98	-0.56	--	-199.02	Peak	302.00	150	Horizontal	N/A
4**	5201.000	97.19	-0.56	--	97.19	AV	302.00	150	Horizontal	N/A
5	11651.750	50.45	20.37	74.0	-23.55	Peak	-1.00	150	Horizontal	Pass
5**	11651.750	39.20	20.37	54.0	-14.80	AV	-1.00	150	Horizontal	Pass
6	15544.050	55.42	23.66	74.0	-18.58	Peak	209.00	150	Horizontal	Pass
6**	15544.050	43.67	23.66	54.0	-10.33	AV	209.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.100	39.70	-15.19	74.0	-34.30	Peak	223.00	150	Vertical	Pass
1**	1110.100	30.08	-15.19	54.0	-23.92	AV	223.00	150	Vertical	Pass
2	1668.000	40.04	-15.22	74.0	-33.96	Peak	193.00	150	Vertical	Pass
2**	1668.000	30.65	-15.22	54.0	-23.35	AV	193.00	150	Vertical	Pass
3	4049.800	47.79	-3.80	74.0	-26.21	Peak	111.00	150	Vertical	Pass
3**	4049.800	35.55	-3.80	54.0	-18.45	AV	111.00	150	Vertical	Pass
4	5199.200	95.79	-0.72	--	-15.21	Peak	111.00	150	Vertical	N/A
4**	5199.200	89.25	-0.72	--	89.25	AV	111.00	150	Vertical	N/A
5	11745.188	50.05	19.02	74.0	-23.95	Peak	203.00	150	Vertical	Pass
5**	11745.188	38.15	19.02	54.0	-15.85	AV	203.00	150	Vertical	Pass
6	15619.651	55.35	23.45	74.0	-18.65	Peak	323.00	150	Vertical	Pass
6**	15619.651	43.30	23.45	54.0	-10.70	AV	323.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.500	44.02	-15.21	74.0	-29.98	Peak	251.00	150	Horizontal	Pass
1**	1667.500	34.94	-15.21	54.0	-19.06	AV	251.00	150	Horizontal	Pass
2	2818.600	42.41	-8.31	74.0	-31.59	Peak	226.00	150	Horizontal	Pass
2**	2818.600	32.30	-8.31	54.0	-21.70	AV	226.00	150	Horizontal	Pass
3	4321.200	47.72	-3.06	74.0	-26.28	Peak	250.00	150	Horizontal	Pass
3**	4321.200	35.78	-3.06	54.0	-18.22	AV	250.00	150	Horizontal	Pass
4	5219.200	103.18	-0.21	--	-193.82	Peak	297.00	150	Horizontal	N/A
4**	5219.200	96.95	-0.21	--	96.95	AV	297.00	150	Horizontal	N/A
5	11809.299	50.24	18.47	74.0	-23.76	Peak	237.00	150	Horizontal	Pass
5**	11809.299	37.89	18.47	54.0	-16.11	AV	237.00	150	Horizontal	Pass
6	15584.737	54.56	23.57	74.0	-19.44	Peak	188.00	150	Horizontal	Pass
6**	15584.737	43.38	23.57	54.0	-10.62	AV	188.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.900	41.38	-14.79	74.0	-32.62	Peak	288.00	150	Vertical	Pass
1**	1464.900	30.37	-14.79	54.0	-23.63	AV	288.00	150	Vertical	Pass
2	2784.100	41.73	-8.67	74.0	-32.27	Peak	343.00	150	Vertical	Pass
2**	2784.100	32.66	-8.67	54.0	-21.34	AV	343.00	150	Vertical	Pass
3	3985.800	46.95	-4.33	74.0	-27.05	Peak	264.00	150	Vertical	Pass
3**	3985.800	35.30	-4.33	54.0	-18.70	AV	264.00	150	Vertical	Pass
4	5234.600	96.29	-0.75	--	-12.71	Peak	109.00	150	Vertical	N/A
4**	5234.600	89.64	-0.75	--	89.64	AV	109.00	150	Vertical	N/A
5	11670.725	50.42	20.16	74.0	-23.58	Peak	112.00	150	Vertical	Pass
5**	11670.725	39.40	20.16	54.0	-14.60	AV	112.00	150	Vertical	Pass
6	15601.537	54.94	23.54	74.0	-19.06	Peak	0.00	150	Vertical	Pass
6**	15601.537	43.82	23.54	54.0	-10.18	AV	0.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.800	44.16	-15.27	74.0	-29.84	Peak	255.00	150	Horizontal	Pass
1**	1670.800	35.35	-15.27	54.0	-18.65	AV	255.00	150	Horizontal	Pass
2	2826.900	42.51	-8.36	74.0	-31.49	Peak	239.00	150	Horizontal	Pass
2**	2826.900	32.31	-8.36	54.0	-21.69	AV	239.00	150	Horizontal	Pass
3	4244.200	47.79	-3.27	74.0	-26.21	Peak	122.00	150	Horizontal	Pass
3**	4244.200	37.54	-3.27	54.0	-16.46	AV	122.00	150	Horizontal	Pass
4	5181.800	105.90	-0.58	--	-194.10	Peak	300.00	150	Horizontal	N/A
4**	5181.800	98.95	-0.58	--	98.95	AV	300.00	150	Horizontal	N/A
5	11668.138	50.25	20.19	74.0	-23.75	Peak	291.00	150	Horizontal	Pass
5**	11668.138	39.91	20.19	54.0	-14.09	AV	291.00	150	Horizontal	Pass
6	15536.963	54.86	23.71	74.0	-19.14	Peak	16.00	150	Horizontal	Pass
6**	15536.963	42.84	23.71	54.0	-11.16	AV	16.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.400	39.73	-14.94	74.0	-34.27	Peak	217.00	150	Vertical	Pass
1**	1156.400	31.14	-14.94	54.0	-22.86	AV	217.00	150	Vertical	Pass
2	2772.600	41.60	-8.46	74.0	-32.40	Peak	3.00	150	Vertical	Pass
2**	2772.600	32.61	-8.46	54.0	-21.39	AV	3.00	150	Vertical	Pass
3	4147.000	47.54	-3.63	74.0	-26.46	Peak	132.00	150	Vertical	Pass
3**	4147.000	36.39	-3.63	54.0	-17.61	AV	132.00	150	Vertical	Pass
4	5183.800	98.98	-0.61	--	-8.02	Peak	107.00	150	Vertical	Pass
4**	5183.800	92.41	-0.61	--	92.41	AV	107.00	150	Vertical	N/A
5	11634.787	50.64	20.33	74.0	-23.36	Peak	204.00	150	Vertical	Pass
5**	11634.787	38.62	20.33	54.0	-15.38	AV	204.00	150	Vertical	Pass
6	15647.213	55.78	23.53	74.0	-18.22	Peak	247.00	150	Vertical	Pass
6**	15647.213	43.39	23.53	54.0	-10.61	AV	247.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.800	44.21	-15.21	74.0	-29.79	Peak	252.00	150	Horizontal	Pass
1**	1666.800	36.03	-15.21	54.0	-17.97	AV	252.00	150	Horizontal	Pass
2	2844.600	42.63	-8.47	74.0	-31.37	Peak	222.00	150	Horizontal	Pass
2**	2844.600	32.48	-8.47	54.0	-21.52	AV	222.00	150	Horizontal	Pass
3	4125.000	47.62	-3.98	74.0	-26.38	Peak	183.00	150	Horizontal	Pass
3**	4125.000	36.04	-3.98	54.0	-17.96	AV	183.00	150	Horizontal	Pass
4	5218.200	106.17	-0.24	--	-192.83	Peak	299.00	150	Horizontal	N/A
4**	5218.200	99.68	-0.24	--	99.68	AV	299.00	150	Horizontal	N/A
5	11633.925	49.77	20.33	74.0	-24.23	Peak	104.00	150	Horizontal	Pass
5**	11633.925	39.39	20.33	54.0	-14.61	AV	104.00	150	Horizontal	Pass
6	15635.138	54.94	23.54	74.0	-19.06	Peak	205.00	150	Horizontal	Pass
6**	15635.138	43.27	23.54	54.0	-10.73	AV	205.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.100	41.09	-14.70	74.0	-32.91	Peak	287.00	150	Vertical	Pass
1**	1460.100	29.97	-14.70	54.0	-24.03	AV	287.00	150	Vertical	Pass
2	2854.300	42.79	-8.13	74.0	-31.21	Peak	304.00	150	Vertical	Pass
2**	2854.300	32.47	-8.13	54.0	-21.53	AV	304.00	150	Vertical	Pass
3	4841.600	50.89	-1.30	74.0	-23.11	Peak	50.00	150	Vertical	Pass
3**	4841.600	38.61	-1.30	54.0	-15.39	AV	50.00	150	Vertical	Pass
4	5224.600	98.58	-0.44	--	-7.42	Peak	106.00	150	Vertical	N/A
4**	5224.600	92.72	-0.44	--	92.72	AV	106.00	150	Vertical	N/A
5	11639.675	50.06	20.36	74.0	-23.94	Peak	99.00	150	Vertical	Pass
5**	11639.675	39.45	20.36	54.0	-14.55	AV	99.00	150	Vertical	Pass
6	15638.025	55.02	23.55	74.0	-18.98	Peak	337.00	150	Vertical	Pass
6**	15638.025	43.58	23.55	54.0	-10.42	AV	337.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.300	44.02	-15.24	74.0	-29.98	Peak	141.00	150	Horizontal	Pass
1**	1682.300	36.00	-15.24	54.0	-18.00	AV	141.00	150	Horizontal	Pass
2	2884.200	42.36	-8.32	74.0	-31.64	Peak	3.00	150	Horizontal	Pass
2**	2884.200	33.05	-8.32	54.0	-20.95	AV	3.00	150	Horizontal	Pass
3	4018.800	46.79	-4.07	74.0	-27.21	Peak	336.00	150	Horizontal	Pass
3**	4018.800	35.04	-4.07	54.0	-18.96	AV	336.00	150	Horizontal	Pass
4	5242.400	105.59	-0.91	--	-186.41	Peak	292.00	150	Horizontal	N/A
4**	5242.400	98.67	-0.91	--	98.67	AV	292.00	150	Horizontal	N/A
5	11667.276	50.49	20.20	74.0	-23.51	Peak	56.00	150	Horizontal	Pass
5**	11667.276	39.06	20.20	54.0	-14.94	AV	56.00	150	Horizontal	Pass
6	15531.975	55.13	23.73	74.0	-18.87	Peak	159.00	150	Horizontal	Pass
6**	15531.975	42.85	23.73	54.0	-11.15	AV	159.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.400	39.58	-15.20	74.0	-34.42	Peak	246.00	150	Vertical	Pass
1**	1488.400	31.87	-15.20	54.0	-22.13	AV	246.00	150	Vertical	Pass
2	2812.400	42.19	-8.39	74.0	-31.81	Peak	181.00	150	Vertical	Pass
2**	2812.400	32.38	-8.39	54.0	-21.62	AV	181.00	150	Vertical	Pass
3	4238.600	48.02	-3.38	74.0	-25.98	Peak	218.00	150	Vertical	Pass
3**	4238.600	37.07	-3.38	54.0	-16.93	AV	218.00	150	Vertical	Pass
4	5242.400	99.41	-0.91	--	-4.59	Peak	104.00	150	Vertical	N/A
4**	5242.400	92.41	-0.91	--	92.41	AV	104.00	150	Vertical	N/A
5	11625.012	50.06	20.27	74.0	-23.94	Peak	8.00	150	Vertical	Pass
5**	11625.012	38.41	20.27	54.0	-15.59	AV	8.00	150	Vertical	Pass
6	15667.951	55.34	23.51	74.0	-18.66	Peak	19.00	150	Vertical	Pass
6**	15667.951	43.33	23.51	54.0	-10.67	AV	19.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.000	45.07	-15.22	74.0	-28.93	Peak	253.00	150	Horizontal	Pass
1**	1669.000	34.84	-15.22	54.0	-19.16	AV	253.00	150	Horizontal	Pass
2	2873.600	42.45	-8.29	74.0	-31.55	Peak	191.00	150	Horizontal	Pass
2**	2873.600	32.68	-8.29	54.0	-21.32	AV	191.00	150	Horizontal	Pass
3	4252.000	47.64	-3.20	74.0	-26.36	Peak	88.00	150	Horizontal	Pass
3**	4252.000	35.56	-3.20	54.0	-18.44	AV	88.00	150	Horizontal	Pass
4	5193.200	102.94	-0.62	--	-194.06	Peak	297.00	150	Horizontal	N/A
4**	5193.200	95.70	-0.62	--	95.70	AV	297.00	150	Horizontal	N/A
5	12346.637	50.24	19.73	74.0	-23.76	Peak	344.00	150	Horizontal	Pass
5**	12346.637	39.10	19.73	54.0	-14.90	AV	344.00	150	Horizontal	Pass
6	15564.000	55.93	23.58	74.0	-18.07	Peak	363.00	150	Horizontal	Pass
6**	15564.000	43.16	23.58	54.0	-10.84	AV	363.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.200	41.46	-14.77	74.0	-32.54	Peak	286.00	150	Vertical	Pass
1**	1463.200	30.08	-14.77	54.0	-23.92	AV	286.00	150	Vertical	Pass
2	2869.400	43.27	-8.20	74.0	-30.73	Peak	341.00	150	Vertical	Pass
2**	2869.400	32.93	-8.20	54.0	-21.07	AV	341.00	150	Vertical	Pass
3	3996.800	47.00	-4.54	74.0	-27.00	Peak	77.00	150	Vertical	Pass
3**	3996.800	34.69	-4.54	54.0	-19.31	AV	77.00	150	Vertical	Pass
4	5195.600	95.37	-0.73	--	-13.63	Peak	109.00	150	Vertical	N/A
4**	5195.600	88.79	-0.73	--	88.79	AV	109.00	150	Vertical	N/A
5	11623.000	49.65	20.26	74.0	-24.35	Peak	124.00	150	Vertical	Pass
5**	11623.000	38.52	20.26	54.0	-15.48	AV	124.00	150	Vertical	Pass
6	15491.025	55.30	23.83	74.0	-18.70	Peak	118.00	150	Vertical	Pass
6**	15491.025	44.39	23.83	54.0	-9.61	AV	118.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.900	44.57	-15.23	74.0	-29.43	Peak	249.00	150	Horizontal	Pass
1**	1674.900	35.79	-15.23	54.0	-18.21	AV	249.00	150	Horizontal	Pass
2	2750.200	41.91	-9.02	74.0	-32.09	Peak	-1.00	150	Horizontal	Pass
2**	2750.200	32.09	-9.02	54.0	-21.91	AV	-1.00	150	Horizontal	Pass
3	4236.600	47.53	-3.36	74.0	-26.47	Peak	287.00	150	Horizontal	Pass
3**	4236.600	36.04	-3.36	54.0	-17.96	AV	287.00	150	Horizontal	Pass
4	5235.200	103.47	-0.76	--	-183.53	Peak	287.00	150	Horizontal	N/A
4**	5235.200	95.60	-0.76	--	95.60	AV	287.00	150	Horizontal	N/A
5	11602.588	50.46	20.14	74.0	-23.54	Peak	44.00	150	Horizontal	Pass
5**	11602.588	40.09	20.14	54.0	-13.91	AV	44.00	150	Horizontal	Pass
6	15492.338	54.84	23.85	74.0	-19.16	Peak	258.00	150	Horizontal	Pass
6**	15492.338	44.03	23.85	54.0	-9.97	AV	258.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.800	39.58	-15.09	74.0	-34.42	Peak	219.00	150	Vertical	Pass
1**	1142.800	31.71	-15.09	54.0	-22.29	AV	219.00	150	Vertical	Pass
2	2872.200	42.14	-8.24	74.0	-31.86	Peak	328.00	150	Vertical	Pass
2**	2872.200	33.45	-8.24	54.0	-20.55	AV	328.00	150	Vertical	Pass
3	4212.800	47.12	-3.87	74.0	-26.88	Peak	178.00	150	Vertical	Pass
3**	4212.800	36.75	-3.87	54.0	-17.25	AV	178.00	150	Vertical	Pass
4	5232.400	96.63	-0.57	--	-9.37	Peak	106.00	150	Vertical	N/A
4**	5232.400	89.45	-0.57	--	89.45	AV	106.00	150	Vertical	N/A
5	12095.938	50.44	19.37	74.0	-23.56	Peak	126.00	150	Vertical	Pass
5**	12095.938	37.96	19.37	54.0	-16.04	AV	126.00	150	Vertical	Pass
6	15942.263	55.15	23.91	74.0	-18.85	Peak	199.00	150	Vertical	Pass
6**	15942.263	43.93	23.91	54.0	-10.07	AV	199.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	44.19	-15.22	74.0	-29.81	Peak	249.00	150	Horizontal	Pass
1**	1668.100	34.28	-15.22	54.0	-19.72	AV	249.00	150	Horizontal	Pass
2	2878.200	42.66	-8.31	74.0	-31.34	Peak	130.00	150	Horizontal	Pass
2**	2878.200	34.01	-8.31	54.0	-19.99	AV	130.00	150	Horizontal	Pass
3	3745.800	46.27	-4.85	74.0	-27.73	Peak	7.00	150	Horizontal	Pass
3**	3745.800	35.14	-4.85	54.0	-18.86	AV	7.00	150	Horizontal	Pass
4	5218.200	101.15	-0.24	--	-192.85	Peak	294.00	150	Horizontal	N/A
4**	5218.200	92.72	-0.24	--	92.72	AV	294.00	150	Horizontal	N/A
5	12235.375	51.06	20.43	74.0	-22.94	Peak	180.00	150	Horizontal	Pass
5**	12235.375	38.22	20.43	54.0	-15.78	AV	180.00	150	Horizontal	Pass
6	15676.613	54.83	23.57	74.0	-19.17	Peak	263.00	150	Horizontal	Pass
6**	15676.613	43.81	23.57	54.0	-10.19	AV	263.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.600	41.19	-14.78	74.0	-32.81	Peak	293.00	150	Vertical	Pass
1**	1464.600	30.35	-14.78	54.0	-23.65	AV	293.00	150	Vertical	Pass
2	2814.600	41.98	-8.34	74.0	-32.02	Peak	106.00	150	Vertical	Pass
2**	2814.600	32.17	-8.34	54.0	-21.83	AV	106.00	150	Vertical	Pass
3	4646.400	49.69	-1.70	74.0	-24.31	Peak	64.00	150	Vertical	Pass
3**	4646.400	39.09	-1.70	54.0	-14.91	AV	64.00	150	Vertical	Pass
4	5227.200	94.07	-0.48	--	-13.93	Peak	108.00	150	Vertical	N/A
4**	5227.200	87.06	-0.48	--	87.06	AV	108.00	150	Vertical	N/A
5	11611.213	50.43	20.19	74.0	-23.57	Peak	32.00	150	Vertical	Pass
5**	11611.213	38.14	20.19	54.0	-15.86	AV	32.00	150	Vertical	Pass
6	15930.450	55.17	23.78	74.0	-18.83	Peak	23.00	150	Vertical	Pass
6**	15930.450	43.54	23.78	54.0	-10.46	AV	23.00	150	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.000	44.43	-14.94	74.0	-29.57	Peak	217.00	150	Horizontal	Pass
1**	1160.000	36.40	-14.94	54.0	-17.60	AV	217.00	150	Horizontal	Pass
2	2871.400	42.44	-8.21	74.0	-31.56	Peak	7.00	150	Horizontal	Pass
2**	2871.400	33.13	-8.21	54.0	-20.87	AV	7.00	150	Horizontal	Pass
3	4168.000	52.72	2.51	74.0	-21.28	Peak	45.00	150	Horizontal	Pass
3**	4168.000	43.20	2.51	54.0	-10.80	AV	45.00	150	Horizontal	Pass
4	5409.200	54.42	5.01	74.0	-19.58	Peak	229.00	150	Horizontal	Pass
4**	5409.200	49.71	5.01	54.0	-4.29	AV	229.00	150	Horizontal	Pass
5	6828.600	60.53	12.19	68.2	-7.67	Peak	211.00	150	Horizontal	Pass
5**	6828.600	49.71	12.19	--	49.71	AV	211.00	150	Horizontal	N/A
6	15919.950	55.29	23.64	74.0	-18.71	Peak	-1.00	150	Horizontal	Pass
6**	15919.950	44.70	23.64	54.0	-9.30	AV	-1.00	150	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1172.500	40.07	-15.04	74.0	-33.93	Peak	163.00	150	Vertical	Pass
1**	1172.500	32.67	-15.04	54.0	-21.33	AV	163.00	150	Vertical	Pass
2	2768.300	41.59	-8.53	74.0	-32.41	Peak	151.00	150	Vertical	Pass
2**	2768.300	31.36	-8.53	54.0	-22.64	AV	151.00	150	Vertical	Pass
3	4148.400	52.26	2.93	74.0	-21.74	Peak	0.00	150	Vertical	Pass
3**	4148.400	42.58	2.93	54.0	-11.42	AV	0.00	150	Vertical	Pass
4	6839.200	60.52	12.34	68.2	-7.68	Peak	157.00	150	Vertical	Pass
4**	6839.200	50.90	12.34	--	50.90	AV	157.00	150	Vertical	N/A
5	12473.425	50.20	18.60	74.0	-23.80	Peak	-2.00	150	Vertical	Pass
5**	12473.425	37.11	18.60	54.0	-16.89	AV	-2.00	150	Vertical	Pass
6	15494.175	54.92	23.88	74.0	-19.08	Peak	148.00	150	Vertical	Pass
6**	15494.175	43.41	23.88	54.0	-10.59	AV	148.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	44.59	-15.22	74.0	-29.41	Peak	251.00	150	Horizontal	Pass
1**	1668.900	31.41	-15.22	54.0	-22.59	AV	251.00	150	Horizontal	Pass
2	2782.500	42.99	-8.70	74.0	-31.01	Peak	150.00	150	Horizontal	Pass
2**	2782.500	31.02	-8.70	54.0	-22.98	AV	150.00	150	Horizontal	Pass
3	4055.400	46.98	-3.86	74.0	-27.02	Peak	192.00	150	Horizontal	Pass
3**	4055.400	35.27	-3.86	54.0	-18.73	AV	192.00	150	Horizontal	Pass
4	5181.800	106.94	-0.58	--	-186.06	Peak	293.00	150	Horizontal	N/A
4**	5181.800	98.60	-0.58	--	98.60	AV	293.00	150	Horizontal	N/A
5	11745.475	51.31	19.01	74.0	-22.69	Peak	329.00	150	Horizontal	Pass
5**	11745.475	38.73	19.01	54.0	-15.27	AV	329.00	150	Horizontal	Pass
6	15940.425	55.38	23.91	74.0	-18.62	Peak	180.00	150	Horizontal	Pass
6**	15940.425	44.27	23.91	54.0	-9.73	AV	180.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.800	40.73	-15.03	74.0	-33.27	Peak	280.00	150	Vertical	Pass
1**	1504.800	30.55	-15.03	54.0	-23.45	AV	280.00	150	Vertical	Pass
2	2818.100	42.62	-8.28	74.0	-31.38	Peak	57.00	150	Vertical	Pass
2**	2818.100	32.98	-8.28	54.0	-21.02	AV	57.00	150	Vertical	Pass
3	4100.400	46.71	-4.27	74.0	-27.29	Peak	80.00	150	Vertical	Pass
3**	4100.400	36.60	-4.27	54.0	-17.40	AV	80.00	150	Vertical	Pass
4	5178.200	99.38	-0.62	--	-8.62	Peak	108.00	150	Vertical	N/A
4**	5178.200	89.82	-0.62	--	89.82	AV	108.00	150	Vertical	N/A
5	11667.276	50.21	20.20	74.0	-23.79	Peak	46.00	150	Vertical	Pass
5**	11667.276	39.48	20.20	54.0	-14.52	AV	46.00	150	Vertical	Pass
6	15975.338	55.17	24.00	74.0	-18.83	Peak	52.00	150	Vertical	Pass
6**	15975.338	44.69	24.00	54.0	-9.31	AV	52.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.700	43.77	-15.27	74.0	-30.23	Peak	249.00	150	Horizontal	Pass
1**	1675.700	33.59	-15.27	54.0	-20.41	AV	249.00	150	Horizontal	Pass
2	2868.200	42.07	-8.15	74.0	-31.93	Peak	1.00	150	Horizontal	Pass
2**	2868.200	33.38	-8.15	54.0	-20.62	AV	1.00	150	Horizontal	Pass
3	4034.600	46.53	-3.95	74.0	-27.47	Peak	105.00	150	Horizontal	Pass
3**	4034.600	35.48	-3.95	54.0	-18.52	AV	105.00	150	Horizontal	Pass
4	5223.400	107.67	-0.40	--	-178.33	Peak	286.00	150	Horizontal	N/A
4**	5223.400	99.24	-0.40	--	99.24	AV	286.00	150	Horizontal	N/A
5	11642.550	50.23	20.37	74.0	-23.77	Peak	149.00	150	Horizontal	Pass
5**	11642.550	38.30	20.37	54.0	-15.70	AV	149.00	150	Horizontal	Pass
6	15634.612	55.78	23.53	74.0	-18.22	Peak	361.00	150	Horizontal	Pass
6**	15634.612	44.22	23.53	54.0	-9.78	AV	361.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.300	40.58	-14.67	74.0	-33.42	Peak	282.00	150	Vertical	Pass
1**	1457.300	31.24	-14.67	54.0	-22.76	AV	282.00	150	Vertical	Pass
2	2788.700	41.50	-8.88	74.0	-32.50	Peak	134.00	150	Vertical	Pass
2**	2788.700	32.77	-8.88	54.0	-21.23	AV	134.00	150	Vertical	Pass
3	4063.600	46.49	-3.86	74.0	-27.51	Peak	208.00	150	Vertical	Pass
3**	4063.600	35.59	-3.86	54.0	-18.41	AV	208.00	150	Vertical	Pass
4	5223.000	99.79	-0.40	--	-42.21	Peak	142.00	150	Vertical	N/A
4**	5223.000	92.56	-0.40	--	92.56	AV	142.00	150	Vertical	N/A
5	11638.813	50.55	20.36	74.0	-23.45	Peak	360.00	150	Vertical	Pass
5**	11638.813	38.99	20.36	54.0	-15.01	AV	360.00	150	Vertical	Pass
6	15656.138	54.60	23.48	74.0	-19.40	Peak	338.00	150	Vertical	Pass
6**	15656.138	42.79	23.48	54.0	-11.21	AV	338.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	43.30	-15.22	74.0	-30.70	Peak	250.00	150	Horizontal	Pass
1**	1668.900	34.47	-15.22	54.0	-19.53	AV	250.00	150	Horizontal	Pass
2	2775.800	41.87	-8.58	74.0	-32.13	Peak	337.00	150	Horizontal	Pass
2**	2775.800	33.53	-8.58	54.0	-20.47	AV	337.00	150	Horizontal	Pass
3	4179.000	46.83	-3.97	74.0	-27.17	Peak	0.00	150	Horizontal	Pass
3**	4179.000	34.77	-3.97	54.0	-19.23	AV	0.00	150	Horizontal	Pass
4	5241.200	107.62	-0.94	--	-185.38	Peak	293.00	150	Horizontal	N/A
4**	5241.200	98.83	-0.94	--	98.83	AV	293.00	150	Horizontal	N/A
5	11817.349	50.16	18.41	74.0	-23.84	Peak	29.00	150	Horizontal	Pass
5**	11817.349	38.14	18.41	54.0	-15.86	AV	29.00	150	Horizontal	Pass
6	15488.400	55.61	23.78	74.0	-18.39	Peak	0.00	150	Horizontal	Pass
6**	15488.400	44.21	23.78	54.0	-9.79	AV	0.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.600	41.08	-15.11	74.0	-32.92	Peak	211.00	150	Vertical	Pass
1**	1111.600	28.48	-15.11	54.0	-25.52	AV	211.00	150	Vertical	Pass
2	2729.700	41.56	-8.66	74.0	-32.44	Peak	119.00	150	Vertical	Pass
2**	2729.700	32.18	-8.66	54.0	-21.82	AV	119.00	150	Vertical	Pass
3	3973.200	46.43	-4.18	74.0	-27.57	Peak	202.00	150	Vertical	Pass
3**	3973.200	33.96	-4.18	54.0	-20.04	AV	202.00	150	Vertical	Pass
4	5243.800	98.65	-0.83	--	-14.35	Peak	113.00	150	Vertical	N/A
4**	5243.800	91.88	-0.83	--	91.88	AV	113.00	150	Vertical	N/A
5	11764.450	50.47	18.82	74.0	-23.53	Peak	293.00	150	Vertical	Pass
5**	11764.450	39.10	18.82	54.0	-14.90	AV	293.00	150	Vertical	Pass
6	15945.938	54.71	23.93	74.0	-19.29	Peak	274.00	150	Vertical	Pass
6**	15945.938	43.02	23.93	54.0	-10.98	AV	274.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.700	44.25	-15.23	74.0	-29.75	Peak	243.00	150	Horizontal	Pass
1**	1674.700	34.01	-15.23	54.0	-19.99	AV	243.00	150	Horizontal	Pass
2	2864.800	42.56	-8.05	74.0	-31.44	Peak	84.00	150	Horizontal	Pass
2**	2864.800	32.16	-8.05	54.0	-21.84	AV	84.00	150	Horizontal	Pass
3	4205.000	47.76	-4.07	74.0	-26.24	Peak	14.00	150	Horizontal	Pass
3**	4205.000	35.94	-4.07	54.0	-18.06	AV	14.00	150	Horizontal	Pass
4	5202.000	104.49	-0.44	--	-195.51	Peak	300.00	150	Horizontal	N/A
4**	5202.000	95.43	-0.44	--	95.43	AV	300.00	150	Horizontal	N/A
5	11125.049	50.23	18.76	74.0	-23.77	Peak	2.00	150	Horizontal	Pass
5**	11125.049	37.20	18.76	54.0	-16.80	AV	2.00	150	Horizontal	Pass
6	15440.362	55.10	23.26	74.0	-18.90	Peak	32.00	150	Horizontal	Pass
6**	15440.362	42.50	23.26	54.0	-11.50	AV	32.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.300	39.98	-15.23	74.0	-34.02	Peak	223.00	150	Vertical	Pass
1**	1122.300	29.39	-15.23	54.0	-24.61	AV	223.00	150	Vertical	Pass
2	1478.200	40.11	-14.99	74.0	-33.89	Peak	253.00	150	Vertical	Pass
2**	1478.200	32.37	-14.99	54.0	-21.63	AV	253.00	150	Vertical	Pass
3	4160.800	47.24	-3.49	74.0	-26.76	Peak	359.00	150	Vertical	Pass
3**	4160.800	36.24	-3.49	54.0	-17.76	AV	359.00	150	Vertical	Pass
4	5186.200	95.82	-0.68	--	-11.18	Peak	107.00	150	Vertical	N/A
4**	5186.200	88.26	-0.68	--	88.26	AV	107.00	150	Vertical	N/A
5	11642.263	50.57	20.37	74.0	-23.43	Peak	90.00	150	Vertical	Pass
5**	11642.263	39.70	20.37	54.0	-14.30	AV	90.00	150	Vertical	Pass
6	15798.674	55.57	23.15	74.0	-18.43	Peak	345.00	150	Vertical	Pass
6**	15798.674	42.31	23.15	54.0	-11.69	AV	345.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.300	43.14	-15.21	74.0	-30.86	Peak	252.00	150	Horizontal	Pass
1**	1667.300	33.97	-15.21	54.0	-20.03	AV	252.00	150	Horizontal	Pass
2	2828.200	42.66	-8.26	74.0	-31.34	Peak	97.00	150	Horizontal	Pass
2**	2828.200	34.34	-8.26	54.0	-19.66	AV	97.00	150	Horizontal	Pass
3	3979.800	47.20	-4.04	74.0	-26.80	Peak	190.00	150	Horizontal	Pass
3**	3979.800	35.29	-4.04	54.0	-18.71	AV	190.00	150	Horizontal	Pass
4	5231.800	104.84	-0.51	--	-196.16	Peak	301.00	150	Horizontal	N/A
4**	5231.800	96.08	-0.51	--	96.08	AV	301.00	150	Horizontal	N/A
5	11780.263	49.54	18.71	74.0	-24.46	Peak	124.00	150	Horizontal	Pass
5**	11780.263	37.52	18.71	54.0	-16.48	AV	124.00	150	Horizontal	Pass
6	15480.526	55.56	23.66	74.0	-18.44	Peak	71.00	150	Horizontal	Pass
6**	15480.526	43.85	23.66	54.0	-10.15	AV	71.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.900	40.80	-15.12	74.0	-33.20	Peak	286.00	150	Vertical	Pass
1**	1494.900	31.62	-15.12	54.0	-22.38	AV	286.00	150	Vertical	Pass
2	2777.700	41.60	-8.53	74.0	-32.40	Peak	-1.00	150	Vertical	Pass
2**	2777.700	32.62	-8.53	54.0	-21.38	AV	-1.00	150	Vertical	Pass
3	4254.600	47.35	-3.07	74.0	-26.65	Peak	312.00	150	Vertical	Pass
3**	4254.600	36.65	-3.07	54.0	-17.35	AV	312.00	150	Vertical	Pass
4	5217.800	97.67	-0.26	--	-99.33	Peak	197.00	150	Vertical	N/A
4**	5217.800	87.51	-0.26	--	87.51	AV	197.00	150	Vertical	N/A
5	11643.412	49.75	20.37	74.0	-24.25	Peak	224.00	150	Vertical	Pass
5**	11643.412	38.02	20.37	54.0	-15.98	AV	224.00	150	Vertical	Pass
6	15925.987	55.57	23.72	74.0	-18.43	Peak	84.00	150	Vertical	Pass
6**	15925.987	44.44	23.72	54.0	-9.56	AV	84.00	150	Vertical	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	43.65	-15.23	74.0	-30.35	Peak	142.00	150	Horizontal	Pass
1**	1669.400	32.63	-15.23	54.0	-21.37	AV	142.00	150	Horizontal	Pass
2	2873.800	42.60	-8.30	74.0	-31.40	Peak	126.00	150	Horizontal	Pass
2**	2873.800	33.13	-8.30	54.0	-20.87	AV	126.00	150	Horizontal	Pass
3	4226.800	46.67	-3.64	74.0	-27.33	Peak	126.00	150	Horizontal	Pass
3**	4226.800	35.67	-3.64	54.0	-18.33	AV	126.00	150	Horizontal	Pass
4	5232.000	101.36	-0.52	--	-196.64	Peak	298.00	150	Horizontal	N/A
4**	5232.000	92.63	-0.52	--	92.63	AV	298.00	150	Horizontal	N/A
5	11681.362	50.53	20.05	74.0	-23.47	Peak	128.00	150	Horizontal	Pass
5**	11681.362	38.87	20.05	54.0	-15.13	AV	128.00	150	Horizontal	Pass
6	15602.062	54.68	23.54	74.0	-19.32	Peak	125.00	150	Horizontal	Pass
6**	15602.062	43.53	23.54	54.0	-10.47	AV	125.00	150	Horizontal	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.800	41.43	-14.82	74.0	-32.57	Peak	292.00	150	Vertical	Pass
1**	1467.800	31.89	-14.82	54.0	-22.11	AV	292.00	150	Vertical	Pass
2	2788.700	41.56	-8.88	74.0	-32.44	Peak	360.00	150	Vertical	Pass
2**	2788.700	32.37	-8.88	54.0	-21.63	AV	360.00	150	Vertical	Pass
3	4159.600	46.98	-3.52	74.0	-27.02	Peak	267.00	150	Vertical	Pass
3**	4159.600	37.07	-3.52	54.0	-16.93	AV	267.00	150	Vertical	Pass
4	5203.600	95.34	-0.51	--	-13.66	Peak	109.00	150	Vertical	N/A
4**	5203.600	84.76	-0.51	--	84.76	AV	109.00	150	Vertical	N/A
5	11647.150	50.55	20.38	74.0	-23.45	Peak	-1.00	150	Vertical	Pass
5**	11647.150	38.16	20.38	54.0	-15.84	AV	-1.00	150	Vertical	Pass
6	15447.451	55.24	23.35	74.0	-18.76	Peak	72.00	150	Vertical	Pass
6**	15447.451	43.30	23.35	54.0	-10.70	AV	72.00	150	Vertical	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.900	43.52	-15.25	74.0	-30.48	Peak	268.00	150	Horizontal	Pass
1**	1682.900	35.57	-15.25	54.0	-18.43	AV	268.00	150	Horizontal	Pass
2	2873.500	41.47	-8.28	74.0	-32.53	Peak	260.00	150	Horizontal	Pass
2**	2873.500	31.58	-8.28	54.0	-22.42	AV	260.00	150	Horizontal	Pass
3	4146.000	52.77	3.05	74.0	-21.23	Peak	297.00	150	Horizontal	Pass
3**	4146.000	41.85	3.05	54.0	-12.15	AV	297.00	150	Horizontal	Pass
4	5380.600	54.09	5.68	74.0	-19.91	Peak	189.00	150	Horizontal	Pass
4**	5380.600	49.12	5.68	54.0	-4.88	AV	189.00	150	Horizontal	Pass
5	6832.000	60.62	12.41	68.2	-7.58	Peak	361.00	150	Horizontal	Pass
5**	6832.000	50.78	12.41	--	50.78	AV	361.00	150	Horizontal	N/A
6	15636.975	55.11	23.55	74.0	-18.89	Peak	109.00	150	Horizontal	Pass
6**	15636.975	43.23	23.55	54.0	-10.77	AV	109.00	150	Horizontal	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.100	41.65	-15.22	74.0	-32.35	Peak	362.00	150	Vertical	Pass
1**	1669.100	32.58	-15.22	54.0	-21.42	AV	362.00	150	Vertical	Pass
2	2861.800	41.99	-8.01	74.0	-32.01	Peak	353.00	150	Vertical	Pass
2**	2861.800	31.91	-8.01	54.0	-22.09	AV	353.00	150	Vertical	Pass
3	4146.600	53.00	3.02	74.0	-21.00	Peak	17.00	150	Vertical	Pass
3**	4146.600	42.17	3.02	54.0	-11.83	AV	17.00	150	Vertical	Pass
4	6828.200	61.53	12.19	68.2	-6.67	Peak	353.00	150	Vertical	Pass
4**	6828.200	51.03	12.19	--	51.03	AV	353.00	150	Vertical	N/A
5	12344.337	49.47	19.75	74.0	-24.53	Peak	353.00	150	Vertical	Pass
5**	12344.337	37.67	19.75	54.0	-16.33	AV	353.00	150	Vertical	Pass
6	15534.338	55.00	23.72	74.0	-19.00	Peak	185.00	150	Vertical	Pass
6**	15534.338	43.59	23.72	54.0	-10.41	AV	185.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.100	44.09	-15.41	74.0	-29.91	Peak	258.00	150	Horizontal	Pass
1**	1672.100	33.86	-15.41	54.0	-20.14	AV	258.00	150	Horizontal	Pass
2	2868.100	42.74	-8.14	74.0	-31.26	Peak	86.00	150	Horizontal	Pass
2**	2868.100	33.09	-8.14	54.0	-20.91	AV	86.00	150	Horizontal	Pass
3	4585.000	49.08	-2.35	74.0	-24.92	Peak	333.00	150	Horizontal	Pass
3**	4585.000	37.18	-2.35	54.0	-16.82	AV	333.00	150	Horizontal	Pass
4	5263.800	106.06	-0.86	--	-188.94	Peak	295.00	150	Horizontal	N/A
4**	5263.800	101.32	-0.86	--	101.32	AV	295.00	150	Horizontal	N/A
5	11629.038	50.48	20.29	74.0	-23.52	Peak	279.00	150	Horizontal	Pass
5**	11629.038	39.15	20.29	54.0	-14.85	AV	279.00	150	Horizontal	Pass
6	15531.187	55.01	23.73	74.0	-18.99	Peak	31.00	150	Horizontal	Pass
6**	15531.187	43.38	23.73	54.0	-10.62	AV	31.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.000	41.31	-14.69	74.0	-32.69	Peak	263.00	150	Vertical	Pass
1**	1458.000	31.18	-14.69	54.0	-22.82	AV	263.00	150	Vertical	Pass
2	2817.000	41.76	-8.30	74.0	-32.24	Peak	116.00	150	Vertical	Pass
2**	2817.000	32.19	-8.30	54.0	-21.81	AV	116.00	150	Vertical	Pass
3	4159.600	48.01	-3.52	74.0	-25.99	Peak	55.00	150	Vertical	Pass
3**	4159.600	36.30	-3.52	54.0	-17.70	AV	55.00	150	Vertical	Pass
4	5262.400	99.53	-0.98	--	-3.47	Peak	103.00	150	Vertical	N/A
4**	5262.400	93.56	-0.98	--	93.56	AV	103.00	150	Vertical	N/A
5	11645.138	50.08	20.38	74.0	-23.92	Peak	238.00	150	Vertical	Pass
5**	11645.138	38.89	20.38	54.0	-15.11	AV	238.00	150	Vertical	Pass
6	15435.112	54.88	23.23	74.0	-19.12	Peak	342.00	150	Vertical	Pass
6**	15435.112	43.19	23.23	54.0	-10.81	AV	342.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.300	43.14	-15.25	74.0	-30.86	Peak	132.00	150	Horizontal	Pass
1**	1678.300	33.75	-15.25	54.0	-20.25	AV	132.00	150	Horizontal	Pass
2	2717.900	41.33	-8.65	74.0	-32.67	Peak	159.00	150	Horizontal	Pass
2**	2717.900	32.43	-8.65	54.0	-21.57	AV	159.00	150	Horizontal	Pass
3	4239.200	47.79	-3.41	74.0	-26.21	Peak	259.00	150	Horizontal	Pass
3**	4239.200	36.26	-3.41	54.0	-17.74	AV	259.00	150	Horizontal	Pass
4	5304.000	107.59	-0.33	--	-190.41	Peak	298.00	150	Horizontal	N/A
4**	5304.000	100.23	-0.33	--	100.23	AV	298.00	150	Horizontal	N/A
5	12334.562	51.44	19.82	74.0	-22.56	Peak	306.00	150	Horizontal	Pass
5**	12334.562	38.54	19.82	54.0	-15.46	AV	306.00	150	Horizontal	Pass
6	15918.900	55.51	23.62	74.0	-18.49	Peak	255.00	150	Horizontal	Pass
6**	15918.900	43.47	23.62	54.0	-10.53	AV	255.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1126.600	41.37	-15.28	74.0	-32.63	Peak	224.00	150	Vertical	Pass
1**	1126.600	30.12	-15.28	54.0	-23.88	AV	224.00	150	Vertical	Pass
2	2775.900	41.19	-8.57	74.0	-32.81	Peak	198.00	150	Vertical	Pass
2**	2775.900	32.50	-8.57	54.0	-21.50	AV	198.00	150	Vertical	Pass
3	3992.200	47.04	-4.51	74.0	-26.96	Peak	66.00	150	Vertical	Pass
3**	3992.200	37.38	-4.51	54.0	-16.62	AV	66.00	150	Vertical	Pass
4	5301.000	100.10	-0.36	--	-11.90	Peak	112.00	150	Vertical	N/A
4**	5301.000	93.49	-0.36	--	93.49	AV	112.00	150	Vertical	N/A
5	11693.725	50.18	19.90	74.0	-23.82	Peak	180.00	150	Vertical	Pass
5**	11693.725	39.71	19.90	54.0	-14.29	AV	180.00	150	Vertical	Pass
6	15495.750	55.15	23.90	74.0	-18.85	Peak	148.00	150	Vertical	Pass
6**	15495.750	43.62	23.90	54.0	-10.38	AV	148.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.500	43.80	-15.22	74.0	-30.20	Peak	245.00	150	Horizontal	Pass
1**	1668.500	34.36	-15.22	54.0	-19.64	AV	245.00	150	Horizontal	Pass
2	2867.900	42.11	-8.13	74.0	-31.89	Peak	159.00	150	Horizontal	Pass
2**	2867.900	32.46	-8.13	54.0	-21.54	AV	159.00	150	Horizontal	Pass
3	4250.800	47.36	-3.18	74.0	-26.64	Peak	105.00	150	Horizontal	Pass
3**	4250.800	36.14	-3.18	54.0	-17.86	AV	105.00	150	Horizontal	Pass
4	5319.000	107.64	0.15	--	-184.36	Peak	292.00	150	Horizontal	N/A
4**	5319.000	100.12	0.15	--	100.12	AV	292.00	150	Horizontal	N/A
5	11667.276	50.78	20.20	74.0	-23.22	Peak	113.00	150	Horizontal	Pass
5**	11667.276	38.82	20.20	54.0	-15.18	AV	113.00	150	Horizontal	Pass
6	15644.325	55.05	23.55	74.0	-18.95	Peak	0.00	150	Horizontal	Pass
6**	15644.325	43.14	23.55	54.0	-10.86	AV	0.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.800	40.56	-15.09	74.0	-33.44	Peak	259.00	150	Vertical	Pass
1**	1493.800	28.91	-15.09	54.0	-25.09	AV	259.00	150	Vertical	Pass
2	2835.400	42.36	-8.47	74.0	-31.64	Peak	360.00	150	Vertical	Pass
2**	2835.400	32.61	-8.47	54.0	-21.39	AV	360.00	150	Vertical	Pass
3	3992.400	46.53	-4.52	74.0	-27.47	Peak	20.00	150	Vertical	Pass
3**	3992.400	35.76	-4.52	54.0	-18.24	AV	20.00	150	Vertical	Pass
4	5319.200	100.19	0.12	--	-10.81	Peak	111.00	150	Vertical	N/A
4**	5319.200	93.94	0.12	--	93.94	AV	111.00	150	Vertical	N/A
5	11617.825	50.33	20.23	74.0	-23.67	Peak	-1.00	150	Vertical	Pass
5**	11617.825	37.89	20.23	54.0	-16.11	AV	-1.00	150	Vertical	Pass
6	15424.874	55.22	23.18	74.0	-18.78	Peak	161.00	150	Vertical	Pass
6**	15424.874	42.77	23.18	54.0	-11.23	AV	161.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.200	44.22	-15.30	74.0	-29.78	Peak	137.00	150	Horizontal	Pass
1**	1677.200	33.91	-15.30	54.0	-20.09	AV	137.00	150	Horizontal	Pass
2	2842.300	41.94	-8.57	74.0	-32.06	Peak	137.00	150	Horizontal	Pass
2**	2842.300	32.11	-8.57	54.0	-21.89	AV	137.00	150	Horizontal	Pass
3	4257.400	48.05	-3.25	74.0	-25.95	Peak	0.00	150	Horizontal	Pass
3**	4257.400	36.32	-3.25	54.0	-17.68	AV	0.00	150	Horizontal	Pass
4	5258.600	105.61	-1.05	--	-181.39	Peak	287.00	150	Horizontal	N/A
4**	5258.600	100.50	-1.05	--	100.50	AV	287.00	150	Horizontal	N/A
5	12204.037	50.47	20.44	74.0	-23.53	Peak	108.00	150	Horizontal	Pass
5**	12204.037	39.06	20.44	54.0	-14.94	AV	108.00	150	Horizontal	Pass
6	15638.813	55.38	23.56	74.0	-18.62	Peak	187.00	150	Horizontal	Pass
6**	15638.813	44.74	23.56	54.0	-9.26	AV	187.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.400	39.88	-14.81	74.0	-34.12	Peak	293.00	150	Vertical	Pass
1**	1465.400	30.10	-14.81	54.0	-23.90	AV	293.00	150	Vertical	Pass
2	2816.200	41.85	-8.32	74.0	-32.15	Peak	329.00	150	Vertical	Pass
2**	2816.200	31.85	-8.32	54.0	-22.15	AV	329.00	150	Vertical	Pass
3	3996.000	46.75	-4.51	74.0	-27.25	Peak	264.00	150	Vertical	Pass
3**	3996.000	35.14	-4.51	54.0	-18.86	AV	264.00	150	Vertical	Pass
4	5257.800	99.10	-1.04	--	-8.90	Peak	108.00	150	Vertical	N/A
4**	5257.800	91.38	-1.04	--	91.38	AV	108.00	150	Vertical	N/A
5	10915.750	50.09	18.46	74.0	-23.91	Peak	97.00	150	Vertical	Pass
5**	10915.750	37.99	18.46	54.0	-16.01	AV	97.00	150	Vertical	Pass
6	15401.513	54.98	22.82	74.0	-19.02	Peak	37.00	150	Vertical	Pass
6**	15401.513	43.19	22.82	54.0	-10.81	AV	37.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.500	43.76	-15.24	74.0	-30.24	Peak	250.00	150	Horizontal	Pass
1**	1670.500	34.25	-15.24	54.0	-19.75	AV	250.00	150	Horizontal	Pass
2	2776.700	41.63	-8.55	74.0	-32.37	Peak	-1.00	150	Horizontal	Pass
2**	2776.700	32.07	-8.55	54.0	-21.93	AV	-1.00	150	Horizontal	Pass
3	4074.400	46.81	-4.07	74.0	-27.19	Peak	0.00	150	Horizontal	Pass
3**	4074.400	34.75	-4.07	54.0	-19.25	AV	0.00	150	Horizontal	Pass
4	5301.800	107.21	-0.33	--	-182.79	Peak	290.00	150	Horizontal	N/A
4**	5301.800	100.18	-0.33	--	100.18	AV	290.00	150	Horizontal	N/A
5	12253.776	50.80	20.43	74.0	-23.20	Peak	277.00	150	Horizontal	Pass
5**	12253.776	37.74	20.43	54.0	-16.26	AV	277.00	150	Horizontal	Pass
6	16123.125	55.56	24.00	74.0	-18.44	Peak	217.00	150	Horizontal	Pass
6**	16123.125	42.25	24.00	54.0	-11.75	AV	217.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.100	39.77	-15.17	74.0	-34.23	Peak	224.00	150	Vertical	Pass
1**	1136.100	29.87	-15.17	54.0	-24.13	AV	224.00	150	Vertical	Pass
2	2750.600	41.34	-9.00	74.0	-32.66	Peak	-1.00	150	Vertical	Pass
2**	2750.600	32.32	-9.00	54.0	-21.68	AV	-1.00	150	Vertical	Pass
3	3909.600	46.46	-4.87	74.0	-27.54	Peak	54.00	150	Vertical	Pass
3**	3909.600	34.31	-4.87	54.0	-19.69	AV	54.00	150	Vertical	Pass
4	5298.400	99.94	-0.51	--	-13.06	Peak	113.00	150	Vertical	N/A
4**	5298.400	92.55	-0.51	--	92.55	AV	113.00	150	Vertical	N/A
5	11653.763	49.81	20.35	74.0	-24.19	Peak	56.00	150	Vertical	Pass
5**	11653.763	38.80	20.35	54.0	-15.20	AV	56.00	150	Vertical	Pass
6	15445.875	56.72	23.33	74.0	-17.28	Peak	35.00	150	Vertical	Pass
6**	15445.875	42.89	23.33	54.0	-11.11	AV	35.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.100	43.38	-15.24	74.0	-30.62	Peak	238.00	150	Horizontal	Pass
1**	1675.100	33.71	-15.24	54.0	-20.29	AV	238.00	150	Horizontal	Pass
2	2812.700	42.14	-8.38	74.0	-31.86	Peak	167.00	150	Horizontal	Pass
2**	2812.700	32.54	-8.38	54.0	-21.46	AV	167.00	150	Horizontal	Pass
3	4176.600	47.40	-4.02	74.0	-26.60	Peak	80.00	150	Horizontal	Pass
3**	4176.600	35.57	-4.02	54.0	-18.43	AV	80.00	150	Horizontal	Pass
4	5322.200	106.65	-0.05	--	-193.35	Peak	300.00	150	Horizontal	N/A
4**	5322.200	99.60	-0.05	--	99.60	AV	300.00	150	Horizontal	N/A
5	11644.849	49.88	20.38	74.0	-24.12	Peak	346.00	150	Horizontal	Pass
5**	11644.849	38.12	20.38	54.0	-15.88	AV	346.00	150	Horizontal	Pass
6	15530.662	55.35	23.74	74.0	-18.65	Peak	287.00	150	Horizontal	Pass
6**	15530.662	43.30	23.74	54.0	-10.70	AV	287.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.600	40.68	-15.01	74.0	-33.32	Peak	247.00	150	Vertical	Pass
1**	1474.600	29.35	-15.01	54.0	-24.65	AV	247.00	150	Vertical	Pass
2	2822.300	41.91	-8.38	74.0	-32.09	Peak	161.00	150	Vertical	Pass
2**	2822.300	32.13	-8.38	54.0	-21.87	AV	161.00	150	Vertical	Pass
3	4024.800	46.88	-3.90	74.0	-27.12	Peak	157.00	150	Vertical	Pass
3**	4024.800	37.40	-3.90	54.0	-16.60	AV	157.00	150	Vertical	Pass
4	5318.800	99.88	0.13	--	-13.12	Peak	113.00	150	Vertical	N/A
4**	5318.800	93.63	0.13	--	93.63	AV	113.00	150	Vertical	N/A
5	12388.901	51.22	19.31	74.0	-22.78	Peak	58.00	150	Vertical	Pass
5**	12388.901	37.89	19.31	54.0	-16.11	AV	58.00	150	Vertical	Pass
6	15940.950	55.42	23.91	74.0	-18.58	Peak	256.00	150	Vertical	Pass
6**	15940.950	43.57	23.91	54.0	-10.43	AV	256.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	42.91	-15.23	74.0	-31.09	Peak	250.00	150	Horizontal	Pass
1**	1669.300	34.90	-15.23	54.0	-19.10	AV	250.00	150	Horizontal	Pass
2	2816.600	42.11	-8.31	74.0	-31.89	Peak	29.00	150	Horizontal	Pass
2**	2816.600	31.73	-8.31	54.0	-22.27	AV	29.00	150	Horizontal	Pass
3	4224.000	47.11	-3.61	74.0	-26.89	Peak	14.00	150	Horizontal	Pass
3**	4224.000	36.92	-3.61	54.0	-17.08	AV	14.00	150	Horizontal	Pass
4	5277.400	102.98	-0.51	--	-194.02	Peak	297.00	150	Horizontal	N/A
4**	5277.400	96.63	-0.51	--	96.63	AV	297.00	150	Horizontal	N/A
5	11777.100	49.17	18.73	74.0	-24.83	Peak	45.00	150	Horizontal	Pass
5**	11777.100	37.24	18.73	54.0	-16.76	AV	45.00	150	Horizontal	Pass
6	15664.800	55.10	23.49	74.0	-18.90	Peak	235.00	150	Horizontal	Pass
6**	15664.800	43.91	23.49	54.0	-10.09	AV	235.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.600	41.53	-14.84	74.0	-32.47	Peak	280.00	150	Vertical	Pass
1**	1469.600	30.42	-14.84	54.0	-23.58	AV	280.00	150	Vertical	Pass
2	2839.600	41.64	-8.50	74.0	-32.36	Peak	150.00	150	Vertical	Pass
2**	2839.600	32.64	-8.50	54.0	-21.36	AV	150.00	150	Vertical	Pass
3	4253.600	47.23	-3.11	74.0	-26.77	Peak	208.00	150	Vertical	Pass
3**	4253.600	35.35	-3.11	54.0	-18.65	AV	208.00	150	Vertical	Pass
4	5280.800	96.02	-0.37	--	-12.98	Peak	109.00	150	Vertical	N/A
4**	5280.800	89.39	-0.37	--	89.39	AV	109.00	150	Vertical	N/A
5	11756.975	50.42	18.88	74.0	-23.58	Peak	18.00	150	Vertical	Pass
5**	11756.975	37.57	18.88	54.0	-16.43	AV	18.00	150	Vertical	Pass
6	16184.549	55.03	23.63	74.0	-18.97	Peak	89.00	150	Vertical	Pass
6**	16184.549	41.92	23.63	54.0	-12.08	AV	89.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	43.33	-15.22	74.0	-30.67	Peak	260.00	150	Horizontal	Pass
1**	1667.900	31.65	-15.22	54.0	-22.35	AV	260.00	150	Horizontal	Pass
2	2841.700	41.52	-8.59	74.0	-32.48	Peak	265.00	150	Horizontal	Pass
2**	2841.700	32.64	-8.59	54.0	-21.36	AV	265.00	150	Horizontal	Pass
3	4161.400	46.60	-3.48	74.0	-27.40	Peak	22.00	150	Horizontal	Pass
3**	4161.400	35.80	-3.48	54.0	-18.20	AV	22.00	150	Horizontal	Pass
4	5315.200	103.68	0.05	--	-194.32	Peak	298.00	150	Horizontal	N/A
4**	5315.200	96.58	0.05	--	96.58	AV	298.00	150	Horizontal	N/A
5	12340.312	50.45	19.78	74.0	-23.55	Peak	0.00	150	Horizontal	Pass
5**	12340.312	39.21	19.78	54.0	-14.79	AV	0.00	150	Horizontal	Pass
6	15633.825	54.77	23.53	74.0	-19.23	Peak	164.00	150	Horizontal	Pass
6**	15633.825	43.49	23.53	54.0	-10.51	AV	164.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.300	42.37	-14.74	74.0	-31.63	Peak	277.00	150	Vertical	Pass
1**	1461.300	31.86	-14.74	54.0	-22.14	AV	277.00	150	Vertical	Pass
2	2832.300	41.97	-8.43	74.0	-32.03	Peak	339.00	150	Vertical	Pass
2**	2832.300	31.72	-8.43	54.0	-22.28	AV	339.00	150	Vertical	Pass
3	4228.600	46.70	-3.44	74.0	-27.30	Peak	296.00	150	Vertical	Pass
3**	4228.600	35.68	-3.44	54.0	-18.32	AV	296.00	150	Vertical	Pass
4	5301.400	97.23	0.28	--	-4.77	Peak	102.00	150	Vertical	N/A
4**	5301.400	90.43	0.28	--	90.43	AV	102.00	150	Vertical	N/A
5	12166.088	50.16	20.11	74.0	-23.84	Peak	316.00	150	Vertical	Pass
5**	12166.088	37.84	20.11	54.0	-16.16	AV	316.00	150	Vertical	Pass
6	15548.775	55.22	23.62	74.0	-18.78	Peak	362.00	150	Vertical	Pass
6**	15548.775	43.50	23.62	54.0	-10.50	AV	362.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.400	44.05	-15.37	74.0	-29.95	Peak	254.00	150	Horizontal	Pass
1**	1673.400	33.58	-15.37	54.0	-20.42	AV	254.00	150	Horizontal	Pass
2	2827.000	41.50	-8.36	74.0	-32.50	Peak	171.00	150	Horizontal	Pass
2**	2827.000	32.35	-8.36	54.0	-21.65	AV	171.00	150	Horizontal	Pass
3	4316.600	47.64	-3.16	74.0	-26.36	Peak	360.00	150	Horizontal	Pass
3**	4316.600	35.72	-3.16	54.0	-18.28	AV	360.00	150	Horizontal	Pass
4	5264.000	106.28	-0.85	--	-185.72	Peak	292.00	150	Horizontal	N/A
4**	5264.000	100.12	-0.85	--	100.12	AV	292.00	150	Horizontal	N/A
5	11601.724	49.81	20.14	74.0	-24.19	Peak	176.00	150	Horizontal	Pass
5**	11601.724	38.99	20.14	54.0	-15.01	AV	176.00	150	Horizontal	Pass
6	15984.787	54.94	24.01	74.0	-19.06	Peak	28.00	150	Horizontal	Pass
6**	15984.787	42.88	24.01	54.0	-11.12	AV	28.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.800	42.08	-14.64	74.0	-31.92	Peak	280.00	150	Vertical	Pass
1**	1455.800	31.38	-14.64	54.0	-22.62	AV	280.00	150	Vertical	Pass
2	2868.800	41.77	-8.19	74.0	-32.23	Peak	169.00	150	Vertical	Pass
2**	2868.800	32.71	-8.19	54.0	-21.29	AV	169.00	150	Vertical	Pass
3	4259.200	46.97	-3.40	74.0	-27.03	Peak	117.00	150	Vertical	Pass
3**	4259.200	35.91	-3.40	54.0	-18.09	AV	117.00	150	Vertical	Pass
4	5262.000	99.70	-1.01	--	0.70	Peak	99.00	150	Vertical	N/A
4**	5262.000	93.49	-1.01	--	93.49	AV	99.00	150	Vertical	N/A
5	11620.700	49.95	20.24	74.0	-24.05	Peak	360.00	150	Vertical	Pass
5**	11620.700	38.11	20.24	54.0	-15.89	AV	360.00	150	Vertical	Pass
6	15895.800	54.99	23.28	74.0	-19.01	Peak	85.00	150	Vertical	Pass
6**	15895.800	44.17	23.28	54.0	-9.83	AV	85.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.000	43.79	-15.22	74.0	-30.21	Peak	254.00	150	Horizontal	Pass
1**	1668.000	34.38	-15.22	54.0	-19.62	AV	254.00	150	Horizontal	Pass
2	2867.000	41.64	-8.08	74.0	-32.36	Peak	177.00	150	Horizontal	Pass
2**	2867.000	33.39	-8.08	54.0	-20.61	AV	177.00	150	Horizontal	Pass
3	4219.600	46.98	-3.69	74.0	-27.02	Peak	288.00	150	Horizontal	Pass
3**	4219.600	35.25	-3.69	54.0	-18.75	AV	288.00	150	Horizontal	Pass
4	5303.000	106.93	-0.29	--	-181.07	Peak	288.00	150	Horizontal	N/A
4**	5303.000	98.94	-0.29	--	98.94	AV	288.00	150	Horizontal	N/A
5	11620.125	50.02	20.24	74.0	-23.98	Peak	135.00	150	Horizontal	Pass
5**	11620.125	39.23	20.24	54.0	-14.77	AV	135.00	150	Horizontal	Pass
6	15623.063	54.66	23.47	74.0	-19.34	Peak	162.00	150	Horizontal	Pass
6**	15623.063	44.43	23.47	54.0	-9.57	AV	162.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.900	42.98	-14.70	74.0	-31.02	Peak	292.00	150	Vertical	Pass
1**	1458.900	35.19	-14.70	54.0	-18.81	AV	292.00	150	Vertical	Pass
2	2770.300	41.38	-8.50	74.0	-32.62	Peak	233.00	150	Vertical	Pass
2**	2770.300	32.00	-8.50	54.0	-22.00	AV	233.00	150	Vertical	Pass
3	4186.400	47.10	-4.09	74.0	-26.90	Peak	261.00	150	Vertical	Pass
3**	4186.400	37.76	-4.09	54.0	-16.24	AV	261.00	150	Vertical	Pass
4	5302.200	99.71	-0.31	--	-10.29	Peak	110.00	150	Vertical	N/A
4**	5302.200	92.58	-0.31	--	92.58	AV	110.00	150	Vertical	N/A
5	11652.612	49.70	20.36	74.0	-24.30	Peak	183.00	150	Vertical	Pass
5**	11652.612	38.57	20.36	54.0	-15.43	AV	183.00	150	Vertical	Pass
6	15669.787	55.50	23.52	74.0	-18.50	Peak	112.00	150	Vertical	Pass
6**	15669.787	43.92	23.52	54.0	-10.08	AV	112.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	44.27	-15.21	74.0	-29.73	Peak	256.00	150	Horizontal	Pass
1**	1667.800	33.38	-15.21	54.0	-20.62	AV	256.00	150	Horizontal	Pass
2	2783.900	41.69	-8.67	74.0	-32.31	Peak	223.00	150	Horizontal	Pass
2**	2783.900	31.39	-8.67	54.0	-22.61	AV	223.00	150	Horizontal	Pass
3	4307.400	47.56	-3.48	74.0	-26.44	Peak	282.00	150	Horizontal	Pass
3**	4307.400	35.22	-3.48	54.0	-18.78	AV	282.00	150	Horizontal	Pass
4	5322.800	106.25	-0.01	--	-185.75	Peak	292.00	150	Horizontal	N/A
4**	5322.800	100.57	-0.01	--	100.57	AV	292.00	150	Horizontal	N/A
5	11648.300	49.66	20.39	74.0	-24.34	Peak	229.00	150	Horizontal	Pass
5**	11648.300	38.53	20.39	54.0	-15.47	AV	229.00	150	Horizontal	Pass
6	15523.049	54.65	23.76	74.0	-19.35	Peak	342.00	150	Horizontal	Pass
6**	15523.049	45.22	23.76	54.0	-8.78	AV	342.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.100	42.23	-14.70	74.0	-31.77	Peak	280.00	150	Vertical	Pass
1**	1460.100	33.63	-14.70	54.0	-20.37	AV	280.00	150	Vertical	Pass
2	2870.800	41.98	-8.19	74.0	-32.02	Peak	170.00	150	Vertical	Pass
2**	2870.800	32.71	-8.19	54.0	-21.29	AV	170.00	150	Vertical	Pass
3	4239.000	47.53	-3.40	74.0	-26.47	Peak	205.00	150	Vertical	Pass
3**	4239.000	35.40	-3.40	54.0	-18.60	AV	205.00	150	Vertical	Pass
4	5321.000	98.81	-0.11	--	-6.19	Peak	105.00	150	Vertical	N/A
4**	5321.000	92.49	-0.11	--	92.49	AV	105.00	150	Vertical	N/A
5	12211.512	49.95	20.44	74.0	-24.05	Peak	114.00	150	Vertical	Pass
5**	12211.512	38.07	20.44	54.0	-15.93	AV	114.00	150	Vertical	Pass
6	15981.375	55.39	24.01	74.0	-18.61	Peak	329.00	150	Vertical	Pass
6**	15981.375	43.23	24.01	54.0	-10.77	AV	329.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	44.46	-15.29	74.0	-29.54	Peak	252.00	150	Horizontal	Pass
1**	1671.000	34.00	-15.29	54.0	-20.00	AV	252.00	150	Horizontal	Pass
2	2840.900	41.21	-8.57	74.0	-32.79	Peak	175.00	150	Horizontal	Pass
2**	2840.900	32.83	-8.57	54.0	-21.17	AV	175.00	150	Horizontal	Pass
3	4014.200	46.68	-4.10	74.0	-27.32	Peak	142.00	150	Horizontal	Pass
3**	4014.200	34.47	-4.10	54.0	-19.53	AV	142.00	150	Horizontal	Pass
4	5282.200	103.35	-0.31	--	-189.65	Peak	293.00	150	Horizontal	N/A
4**	5282.200	96.99	-0.31	--	96.99	AV	293.00	150	Horizontal	N/A
5	11660.088	50.45	20.27	74.0	-23.55	Peak	40.00	150	Horizontal	Pass
5**	11660.088	38.90	20.27	54.0	-15.10	AV	40.00	150	Horizontal	Pass
6	15530.925	54.86	23.74	74.0	-19.14	Peak	136.00	150	Horizontal	Pass
6**	15530.925	42.85	23.74	54.0	-11.15	AV	136.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.100	42.30	-14.73	74.0	-31.70	Peak	284.00	150	Vertical	Pass
1**	1461.100	33.18	-14.73	54.0	-20.82	AV	284.00	150	Vertical	Pass
2	2841.000	41.94	-8.58	74.0	-32.06	Peak	160.00	150	Vertical	Pass
2**	2841.000	32.17	-8.58	54.0	-21.83	AV	160.00	150	Vertical	Pass
3	4031.200	47.56	-3.91	74.0	-26.44	Peak	113.00	150	Vertical	Pass
3**	4031.200	35.77	-3.91	54.0	-18.23	AV	113.00	150	Vertical	Pass
4	5280.800	96.11	-0.37	--	-8.89	Peak	105.00	150	Vertical	N/A
4**	5280.800	88.78	-0.37	--	88.78	AV	105.00	150	Vertical	N/A
5	11776.238	49.61	18.74	74.0	-24.39	Peak	73.00	150	Vertical	Pass
5**	11776.238	37.50	18.74	54.0	-16.50	AV	73.00	150	Vertical	Pass
6	15738.037	54.89	23.48	74.0	-19.11	Peak	265.00	150	Vertical	Pass
6**	15738.037	43.67	23.48	54.0	-10.33	AV	265.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.000	43.70	-15.23	74.0	-30.30	Peak	250.00	150	Horizontal	Pass
1**	1681.000	33.33	-15.23	54.0	-20.67	AV	250.00	150	Horizontal	Pass
2	2834.900	41.56	-8.47	74.0	-32.44	Peak	185.00	150	Horizontal	Pass
2**	2834.900	32.98	-8.47	54.0	-21.02	AV	185.00	150	Horizontal	Pass
3	3978.400	46.10	-4.07	74.0	-27.90	Peak	0.00	150	Horizontal	Pass
3**	3978.400	36.47	-4.07	54.0	-17.53	AV	0.00	150	Horizontal	Pass
4	5314.200	103.71	0.10	--	-193.29	Peak	297.00	150	Horizontal	N/A
4**	5314.200	97.25	0.10	--	97.25	AV	297.00	150	Horizontal	N/A
5	11755.825	49.77	18.89	74.0	-24.23	Peak	352.00	150	Horizontal	Pass
5**	11755.825	39.09	18.89	54.0	-14.91	AV	352.00	150	Horizontal	Pass
6	15763.500	55.44	23.27	74.0	-18.56	Peak	362.00	150	Horizontal	Pass
6**	15763.500	42.19	23.27	54.0	-11.81	AV	362.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.600	43.35	-14.72	74.0	-30.65	Peak	275.00	150	Vertical	Pass
1**	1443.600	30.46	-14.72	54.0	-23.54	AV	275.00	150	Vertical	Pass
2	2806.600	41.49	-8.71	74.0	-32.51	Peak	132.00	150	Vertical	Pass
2**	2806.600	31.13	-8.71	54.0	-22.87	AV	132.00	150	Vertical	Pass
3	4157.800	47.94	-3.51	74.0	-26.06	Peak	258.00	150	Vertical	Pass
3**	4157.800	38.38	-3.51	54.0	-15.62	AV	258.00	150	Vertical	Pass
4	5299.400	96.23	0.27	--	-6.77	Peak	103.00	150	Vertical	N/A
4**	5299.400	89.37	0.27	--	89.37	AV	103.00	150	Vertical	N/A
5	11657.213	49.49	20.30	74.0	-24.51	Peak	46.00	150	Vertical	Pass
5**	11657.213	38.86	20.30	54.0	-15.14	AV	46.00	150	Vertical	Pass
6	15661.912	54.49	23.47	74.0	-19.51	Peak	82.00	150	Vertical	Pass
6**	15661.912	43.88	23.47	54.0	-10.12	AV	82.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.700	45.07	-15.31	74.0	-28.93	Peak	254.00	150	Horizontal	Pass
1**	1676.700	33.59	-15.31	54.0	-20.41	AV	254.00	150	Horizontal	Pass
2	2729.300	41.58	-8.68	74.0	-32.42	Peak	192.00	150	Horizontal	Pass
2**	2729.300	32.75	-8.68	54.0	-21.25	AV	192.00	150	Horizontal	Pass
3	4163.000	46.87	-3.49	74.0	-27.13	Peak	342.00	150	Horizontal	Pass
3**	4163.000	35.05	-3.49	54.0	-18.95	AV	342.00	150	Horizontal	Pass
4	5283.600	100.60	-0.31	--	-196.40	Peak	297.00	150	Horizontal	N/A
4**	5283.600	92.79	-0.31	--	92.79	AV	297.00	150	Horizontal	N/A
5	11073.588	49.88	18.86	74.0	-24.12	Peak	28.00	150	Horizontal	Pass
5**	11073.588	37.53	18.86	54.0	-16.47	AV	28.00	150	Horizontal	Pass
6	15648.000	56.73	23.53	74.0	-17.27	Peak	82.00	150	Horizontal	Pass
6**	15648.000	43.88	23.53	54.0	-10.12	AV	82.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.100	41.64	-14.88	74.0	-32.36	Peak	277.00	150	Vertical	Pass
1**	1471.100	31.87	-14.88	54.0	-22.13	AV	277.00	150	Vertical	Pass
2	2840.500	42.08	-8.55	74.0	-31.92	Peak	298.00	150	Vertical	Pass
2**	2840.500	31.32	-8.55	54.0	-22.68	AV	298.00	150	Vertical	Pass
3	3994.000	47.81	-4.52	74.0	-26.19	Peak	187.00	150	Vertical	Pass
3**	3994.000	38.38	-4.52	54.0	-15.62	AV	187.00	150	Vertical	Pass
4	5300.000	93.60	0.27	--	-11.40	Peak	105.00	150	Vertical	N/A
4**	5300.000	86.22	0.27	--	86.22	AV	105.00	150	Vertical	N/A
5	11666.700	50.80	20.20	74.0	-23.20	Peak	21.00	150	Vertical	Pass
5**	11666.700	39.31	20.20	54.0	-14.69	AV	21.00	150	Vertical	Pass
6	15817.312	54.72	23.26	74.0	-19.28	Peak	0.00	150	Vertical	Pass
6**	15817.312	43.86	23.26	54.0	-10.14	AV	0.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.600	43.19	-15.28	74.0	-30.81	Peak	262.00	150	Horizontal	Pass
1**	1677.600	33.86	-15.28	54.0	-20.14	AV	262.00	150	Horizontal	Pass
2	2788.400	41.31	-8.87	74.0	-32.69	Peak	112.00	150	Horizontal	Pass
2**	2788.400	31.25	-8.87	54.0	-22.75	AV	112.00	150	Horizontal	Pass
3	3959.200	46.33	-4.46	74.0	-27.67	Peak	154.00	150	Horizontal	Pass
3**	3959.200	34.26	-4.46	54.0	-19.74	AV	154.00	150	Horizontal	Pass
4	5263.800	107.52	-0.86	--	-189.48	Peak	297.00	150	Horizontal	N/A
4**	5263.800	99.19	-0.86	--	99.19	AV	297.00	150	Horizontal	N/A
5	12212.950	50.26	20.44	74.0	-23.74	Peak	281.00	150	Horizontal	Pass
5**	12212.950	39.12	20.44	54.0	-14.88	AV	281.00	150	Horizontal	Pass
6	15499.425	55.89	23.96	74.0	-18.11	Peak	202.00	150	Horizontal	Pass
6**	15499.425	43.88	23.96	54.0	-10.12	AV	202.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.100	42.07	-14.71	74.0	-31.93	Peak	267.00	150	Vertical	Pass
1**	1452.100	33.53	-14.71	54.0	-20.47	AV	267.00	150	Vertical	Pass
2	2838.700	41.85	-8.47	74.0	-32.15	Peak	0.00	150	Vertical	Pass
2**	2838.700	32.47	-8.47	54.0	-21.53	AV	0.00	150	Vertical	Pass
3	3988.200	46.68	-4.33	74.0	-27.32	Peak	241.00	150	Vertical	Pass
3**	3988.200	35.32	-4.33	54.0	-18.68	AV	241.00	150	Vertical	Pass
4	5264.800	99.42	-0.79	--	-14.58	Peak	114.00	150	Vertical	N/A
4**	5264.800	91.19	-0.79	--	91.19	AV	114.00	150	Vertical	N/A
5	11674.174	49.89	20.13	74.0	-24.11	Peak	214.00	150	Vertical	Pass
5**	11674.174	38.57	20.13	54.0	-15.43	AV	214.00	150	Vertical	Pass
6	15956.963	54.68	23.98	74.0	-19.32	Peak	257.00	150	Vertical	Pass
6**	15956.963	43.53	23.98	54.0	-10.47	AV	257.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.600	44.14	-15.23	74.0	-29.86	Peak	262.00	150	Horizontal	Pass
1**	1669.600	32.36	-15.23	54.0	-21.64	AV	262.00	150	Horizontal	Pass
2	2831.900	42.54	-8.40	74.0	-31.46	Peak	322.00	150	Horizontal	Pass
2**	2831.900	31.80	-8.40	54.0	-22.20	AV	322.00	150	Horizontal	Pass
3	3960.200	46.60	-4.49	74.0	-27.40	Peak	207.00	150	Horizontal	Pass
3**	3960.200	34.56	-4.49	54.0	-19.44	AV	207.00	150	Horizontal	Pass
4	5301.400	107.67	-0.34	--	-182.33	Peak	290.00	150	Horizontal	N/A
4**	5301.400	98.68	-0.34	--	98.68	AV	290.00	150	Horizontal	N/A
5	11610.063	49.43	20.18	74.0	-24.57	Peak	108.00	150	Horizontal	Pass
5**	11610.063	38.89	20.18	54.0	-15.11	AV	108.00	150	Horizontal	Pass
6	16063.275	55.54	24.12	74.0	-18.46	Peak	337.00	150	Horizontal	Pass
6**	16063.275	42.81	24.12	54.0	-11.19	AV	337.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.600	42.14	-14.66	74.0	-31.86	Peak	282.00	150	Vertical	Pass
1**	1456.600	34.32	-14.66	54.0	-19.68	AV	282.00	150	Vertical	Pass
2	2723.100	41.80	-8.66	74.0	-32.20	Peak	268.00	150	Vertical	Pass
2**	2723.100	31.76	-8.66	54.0	-22.24	AV	268.00	150	Vertical	Pass
3	4029.000	47.05	-4.00	74.0	-26.95	Peak	263.00	150	Vertical	Pass
3**	4029.000	35.74	-4.00	54.0	-18.26	AV	263.00	150	Vertical	Pass
4	5298.200	100.63	-0.51	--	-5.37	Peak	106.00	150	Vertical	N/A
4**	5298.200	92.92	-0.51	--	92.92	AV	106.00	150	Vertical	N/A
5	12214.963	50.92	20.45	74.0	-23.08	Peak	93.00	150	Vertical	Pass
5**	12214.963	38.58	20.45	54.0	-15.42	AV	93.00	150	Vertical	Pass
6	15985.313	55.87	24.01	74.0	-18.13	Peak	169.00	150	Vertical	Pass
6**	15985.313	43.97	24.01	54.0	-10.03	AV	169.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.900	44.33	-15.22	74.0	-29.67	Peak	255.00	150	Horizontal	Pass
1**	1664.900	32.04	-15.22	54.0	-21.96	AV	255.00	150	Horizontal	Pass
2	2864.900	41.84	-8.05	74.0	-32.16	Peak	349.00	150	Horizontal	Pass
2**	2864.900	32.98	-8.05	54.0	-21.02	AV	349.00	150	Horizontal	Pass
3	4316.200	47.29	-3.16	74.0	-26.71	Peak	209.00	150	Horizontal	Pass
3**	4316.200	36.57	-3.16	54.0	-17.43	AV	209.00	150	Horizontal	Pass
4	5316.200	108.73	-0.02	--	-184.27	Peak	293.00	150	Horizontal	N/A
4**	5316.200	99.56	-0.02	--	99.56	AV	293.00	150	Horizontal	N/A
5	11618.975	50.38	20.23	74.0	-23.62	Peak	29.00	150	Horizontal	Pass
5**	11618.975	38.15	20.23	54.0	-15.85	AV	29.00	150	Horizontal	Pass
6	15962.474	54.77	23.99	74.0	-19.23	Peak	126.00	150	Horizontal	Pass
6**	15962.474	44.20	23.99	54.0	-9.80	AV	126.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.100	43.28	-14.80	74.0	-30.72	Peak	259.00	150	Vertical	Pass
1**	1442.100	32.48	-14.80	54.0	-21.52	AV	259.00	150	Vertical	Pass
2	2834.200	41.77	-8.47	74.0	-32.23	Peak	68.00	150	Vertical	Pass
2**	2834.200	32.78	-8.47	54.0	-21.22	AV	68.00	150	Vertical	Pass
3	3999.400	47.08	-4.51	74.0	-26.92	Peak	99.00	150	Vertical	Pass
3**	3999.400	34.74	-4.51	54.0	-19.26	AV	99.00	150	Vertical	Pass
4	5322.800	99.98	-0.01	--	-8.02	Peak	108.00	150	Vertical	N/A
4**	5322.800	92.07	-0.01	--	92.07	AV	108.00	150	Vertical	N/A
5	11720.175	49.54	19.45	74.0	-24.46	Peak	107.00	150	Vertical	Pass
5**	11720.175	36.88	19.45	54.0	-17.12	AV	107.00	150	Vertical	Pass
6	15622.013	54.75	23.46	74.0	-19.25	Peak	298.00	150	Vertical	Pass
6**	15622.013	43.57	23.46	54.0	-10.43	AV	298.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.000	44.24	-15.23	74.0	-29.76	Peak	253.00	150	Horizontal	Pass
1**	1670.000	36.09	-15.23	54.0	-17.91	AV	253.00	150	Horizontal	Pass
2	2892.200	42.83	-7.99	74.0	-31.17	Peak	193.00	150	Horizontal	Pass
2**	2892.200	32.64	-7.99	54.0	-21.36	AV	193.00	150	Horizontal	Pass
3	4024.600	46.32	-3.92	74.0	-27.68	Peak	130.00	150	Horizontal	Pass
3**	4024.600	34.85	-3.92	54.0	-19.15	AV	130.00	150	Horizontal	Pass
4	5263.600	104.48	-0.88	--	-194.52	Peak	299.00	150	Horizontal	Pass
4**	5263.600	94.74	-0.88	--	94.74	AV	299.00	150	Horizontal	N/A
5	11921.713	49.75	18.13	74.0	-24.25	Peak	167.00	150	Horizontal	Pass
5**	11921.713	37.90	18.13	54.0	-16.10	AV	167.00	150	Horizontal	Pass
6	15650.625	55.58	23.52	74.0	-18.42	Peak	250.00	150	Horizontal	Pass
6**	15650.625	43.17	23.52	54.0	-10.83	AV	250.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.600	41.91	-14.69	74.0	-32.09	Peak	270.00	150	Vertical	Pass
1**	1458.600	32.55	-14.69	54.0	-21.45	AV	270.00	150	Vertical	Pass
2	2782.000	42.05	-8.72	74.0	-31.95	Peak	72.00	150	Vertical	Pass
2**	2782.000	31.44	-8.72	54.0	-22.56	AV	72.00	150	Vertical	Pass
3	3992.000	47.46	-4.49	74.0	-26.54	Peak	246.00	150	Vertical	Pass
3**	3992.000	35.73	-4.49	54.0	-18.27	AV	246.00	150	Vertical	Pass
4	5262.600	96.68	-0.96	--	-4.32	Peak	101.00	150	Vertical	N/A
4**	5262.600	88.99	-0.96	--	88.99	AV	101.00	150	Vertical	N/A
5	11758.701	49.67	18.86	74.0	-24.33	Peak	214.00	150	Vertical	Pass
5**	11758.701	37.91	18.86	54.0	-16.09	AV	214.00	150	Vertical	Pass
6	15649.313	54.93	23.52	74.0	-19.07	Peak	48.00	150	Vertical	Pass
6**	15649.313	44.87	23.52	54.0	-9.13	AV	48.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.300	44.25	-15.38	74.0	-29.75	Peak	256.00	150	Horizontal	Pass
1**	1673.300	35.48	-15.38	54.0	-18.52	AV	256.00	150	Horizontal	Pass
2	2884.600	42.05	-8.29	74.0	-31.95	Peak	0.00	150	Horizontal	Pass
2**	2884.600	32.91	-8.29	54.0	-21.09	AV	0.00	150	Horizontal	Pass
3	4305.000	48.18	-3.42	74.0	-25.82	Peak	140.00	150	Horizontal	Pass
3**	4305.000	34.71	-3.42	54.0	-19.29	AV	140.00	150	Horizontal	Pass
4	5318.600	105.51	0.11	--	-192.49	Peak	298.00	150	Horizontal	N/A
4**	5318.600	96.90	0.11	--	96.90	AV	298.00	150	Horizontal	N/A
5	11644.562	50.37	20.38	74.0	-23.63	Peak	76.00	150	Horizontal	Pass
5**	11644.562	38.17	20.38	54.0	-15.83	AV	76.00	150	Horizontal	Pass
6	15445.875	55.43	23.33	74.0	-18.57	Peak	100.00	150	Horizontal	Pass
6**	15445.875	43.36	23.33	54.0	-10.64	AV	100.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.000	42.35	-14.82	74.0	-31.65	Peak	295.00	150	Vertical	Pass
1**	1468.000	32.40	-14.82	54.0	-21.60	AV	295.00	150	Vertical	Pass
2	2857.900	42.18	-8.06	74.0	-31.82	Peak	311.00	150	Vertical	Pass
2**	2857.900	32.23	-8.06	54.0	-21.77	AV	311.00	150	Vertical	Pass
3	4238.600	46.85	-3.38	74.0	-27.15	Peak	209.00	150	Vertical	Pass
3**	4238.600	36.48	-3.38	54.0	-17.52	AV	209.00	150	Vertical	Pass
4	5304.400	98.20	0.33	--	-7.80	Peak	106.00	150	Vertical	N/A
4**	5304.400	89.62	0.33	--	89.62	AV	106.00	150	Vertical	N/A
5	12168.674	50.19	20.14	74.0	-23.81	Peak	274.00	150	Vertical	Pass
5**	12168.674	38.10	20.14	54.0	-15.90	AV	274.00	150	Vertical	Pass
6	15669.262	56.01	23.52	74.0	-17.99	Peak	11.00	150	Vertical	Pass
6**	15669.262	45.24	23.52	54.0	-8.76	AV	11.00	150	Vertical	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	43.67	-15.24	74.0	-30.33	Peak	244.00	150	Horizontal	Pass
1**	1670.400	34.73	-15.24	54.0	-19.27	AV	244.00	150	Horizontal	Pass
2	2824.700	41.81	-8.31	74.0	-32.19	Peak	280.00	150	Horizontal	Pass
2**	2824.700	31.55	-8.31	54.0	-22.45	AV	280.00	150	Horizontal	Pass
3	4246.400	47.56	-3.25	74.0	-26.44	Peak	5.00	150	Horizontal	Pass
3**	4246.400	36.44	-3.25	54.0	-17.56	AV	5.00	150	Horizontal	Pass
4	5315.400	102.00	0.03	--	-198.00	Peak	300.00	150	Horizontal	N/A
4**	5315.400	93.37	0.03	--	93.37	AV	300.00	150	Horizontal	N/A
5	12156.026	50.63	19.99	74.0	-23.37	Peak	56.00	150	Horizontal	Pass
5**	12156.026	38.72	19.99	54.0	-15.28	AV	56.00	150	Horizontal	Pass
6	15936.487	55.27	23.86	74.0	-18.73	Peak	31.00	150	Horizontal	Pass
6**	15936.487	44.05	23.86	54.0	-9.95	AV	31.00	150	Horizontal	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.900	43.48	-14.68	74.0	-30.52	Peak	283.00	150	Vertical	Pass
1**	1450.900	32.50	-14.68	54.0	-21.50	AV	283.00	150	Vertical	Pass
2	2722.800	42.02	-8.66	74.0	-31.98	Peak	53.00	150	Vertical	Pass
2**	2722.800	32.32	-8.66	54.0	-21.68	AV	53.00	150	Vertical	Pass
3	3990.000	47.09	-4.38	74.0	-26.91	Peak	254.00	150	Vertical	Pass
3**	3990.000	36.96	-4.38	54.0	-17.04	AV	254.00	150	Vertical	Pass
4	5302.200	97.11	0.30	--	-9.89	Peak	107.00	150	Vertical	N/A
4**	5302.200	86.50	0.30	--	86.50	AV	107.00	150	Vertical	N/A
5	11675.900	49.88	20.11	74.0	-24.12	Peak	328.00	150	Vertical	Pass
5**	11675.900	38.82	20.11	54.0	-15.18	AV	328.00	150	Vertical	Pass
6	15567.412	55.72	23.58	74.0	-18.28	Peak	312.00	150	Vertical	Pass
6**	15567.412	42.66	23.58	54.0	-11.34	AV	312.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	44.11	-15.29	74.0	-29.89	Peak	251.00	150	Horizontal	Pass
1**	1677.500	34.87	-15.29	54.0	-19.13	AV	251.00	150	Horizontal	Pass
2	2857.000	42.62	-8.06	74.0	-31.38	Peak	79.00	150	Horizontal	Pass
2**	2857.000	32.49	-8.06	54.0	-21.51	AV	79.00	150	Horizontal	Pass
3	4183.200	47.30	-3.92	74.0	-26.70	Peak	209.00	150	Horizontal	Pass
3**	4183.200	36.37	-3.92	54.0	-17.63	AV	209.00	150	Horizontal	Pass
4	5501.400	106.96	0.47	--	-179.04	Peak	286.00	150	Horizontal	N/A
4**	5501.400	100.52	0.47	--	100.52	AV	286.00	150	Horizontal	N/A
5	11662.099	50.33	20.25	74.0	-23.67	Peak	91.00	150	Horizontal	Pass
5**	11662.099	38.85	20.25	54.0	-15.15	AV	91.00	150	Horizontal	Pass
6	15986.888	55.15	24.01	74.0	-18.85	Peak	107.00	150	Horizontal	Pass
6**	15986.888	43.07	24.01	54.0	-10.93	AV	107.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.800	42.27	-14.69	74.0	-31.73	Peak	283.00	150	Vertical	Pass
1**	1458.800	34.39	-14.69	54.0	-19.61	AV	283.00	150	Vertical	Pass
2	2866.900	42.14	-8.07	74.0	-31.86	Peak	199.00	150	Vertical	Pass
2**	2866.900	32.56	-8.07	54.0	-21.44	AV	199.00	150	Vertical	Pass
3	3978.000	46.54	-4.08	74.0	-27.46	Peak	247.00	150	Vertical	Pass
3**	3978.000	34.98	-4.08	54.0	-19.02	AV	247.00	150	Vertical	Pass
4	5501.200	100.39	0.47	--	-0.61	Peak	101.00	150	Vertical	N/A
4**	5501.200	93.92	0.47	--	93.92	AV	101.00	150	Vertical	N/A
5	11605.463	50.37	20.16	74.0	-23.63	Peak	234.00	150	Vertical	Pass
5**	11605.463	37.68	20.16	54.0	-16.32	AV	234.00	150	Vertical	Pass
6	15994.500	54.58	24.02	74.0	-19.42	Peak	362.00	150	Vertical	Pass
6**	15994.500	44.38	24.02	54.0	-9.62	AV	362.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.900	42.38	-15.23	74.0	-31.62	Peak	260.00	150	Horizontal	Pass
1**	1674.900	33.25	-15.23	54.0	-20.75	AV	260.00	150	Horizontal	Pass
2	2868.700	42.33	-8.18	74.0	-31.67	Peak	31.00	150	Horizontal	Pass
2**	2868.700	32.34	-8.18	54.0	-21.66	AV	31.00	150	Horizontal	Pass
3	4078.400	46.58	-4.03	74.0	-27.42	Peak	73.00	150	Horizontal	Pass
3**	4078.400	34.37	-4.03	54.0	-19.63	AV	73.00	150	Horizontal	Pass
4	5583.000	107.74	0.75	--	-176.26	Peak	284.00	150	Horizontal	N/A
4**	5583.000	100.97	0.75	--	100.97	AV	284.00	150	Horizontal	N/A
5	12237.674	49.95	20.43	74.0	-24.05	Peak	74.00	150	Horizontal	Pass
5**	12237.674	38.83	20.43	54.0	-15.17	AV	74.00	150	Horizontal	Pass
6	15489.974	55.11	23.81	74.0	-18.89	Peak	13.00	150	Horizontal	Pass
6**	15489.974	43.53	23.81	54.0	-10.47	AV	13.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.400	41.50	-14.87	74.0	-32.50	Peak	275.00	150	Vertical	Pass
1**	1470.400	31.43	-14.87	54.0	-22.57	AV	275.00	150	Vertical	Pass
2	2840.200	42.05	-8.53	74.0	-31.95	Peak	1.00	150	Vertical	Pass
2**	2840.200	33.23	-8.53	54.0	-20.77	AV	1.00	150	Vertical	Pass
3	3990.200	47.31	-4.39	74.0	-26.69	Peak	88.00	150	Vertical	Pass
3**	3990.200	37.19	-4.39	54.0	-16.81	AV	88.00	150	Vertical	Pass
4	5577.400	100.78	0.73	--	2.78	Peak	98.00	150	Vertical	N/A
4**	5577.400	94.00	0.73	--	94.00	AV	98.00	150	Vertical	N/A
5	11684.813	49.89	20.01	74.0	-24.11	Peak	236.00	150	Vertical	Pass
5**	11684.813	38.51	20.01	54.0	-15.49	AV	236.00	150	Vertical	Pass
6	15690.787	54.95	23.58	74.0	-19.05	Peak	54.00	150	Vertical	Pass
6**	15690.787	43.94	23.58	54.0	-10.06	AV	54.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.800	43.84	-15.22	74.0	-30.16	Peak	262.00	150	Horizontal	Pass
1**	1678.800	34.50	-15.22	54.0	-19.50	AV	262.00	150	Horizontal	Pass
2	2863.400	42.42	-8.04	74.0	-31.58	Peak	170.00	150	Horizontal	Pass
2**	2863.400	33.87	-8.04	54.0	-20.13	AV	170.00	150	Horizontal	Pass
3	4153.800	46.56	-3.57	74.0	-27.44	Peak	173.00	150	Horizontal	Pass
3**	4153.800	35.89	-3.57	54.0	-18.11	AV	173.00	150	Horizontal	Pass
4	5697.200	107.25	-0.70	--	-180.75	Peak	288.00	150	Horizontal	N/A
4**	5697.200	100.94	-0.70	--	100.94	AV	288.00	150	Horizontal	N/A
5	11671.588	49.70	20.15	74.0	-24.30	Peak	106.00	150	Horizontal	Pass
5**	11671.588	38.23	20.15	54.0	-15.77	AV	106.00	150	Horizontal	Pass
6	15561.375	55.13	23.58	74.0	-18.87	Peak	35.00	150	Horizontal	Pass
6**	15561.375	44.02	23.58	54.0	-9.98	AV	35.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.600	41.51	-14.80	74.0	-32.49	Peak	308.00	150	Vertical	Pass
1**	1468.600	32.35	-14.80	54.0	-21.65	AV	308.00	150	Vertical	Pass
2	2878.700	42.66	-8.29	74.0	-31.34	Peak	287.00	150	Vertical	Pass
2**	2878.700	33.61	-8.29	54.0	-20.39	AV	287.00	150	Vertical	Pass
3	3967.000	47.00	-4.18	74.0	-27.00	Peak	251.00	150	Vertical	Pass
3**	3967.000	34.56	-4.18	54.0	-19.44	AV	251.00	150	Vertical	Pass
4	5703.400	99.44	-0.68	--	-29.56	Peak	129.00	150	Vertical	N/A
4**	5703.400	92.98	-0.68	--	92.98	AV	129.00	150	Vertical	N/A
5	11767.037	49.80	18.80	74.0	-24.20	Peak	338.00	150	Vertical	Pass
5**	11767.037	37.25	18.80	54.0	-16.75	AV	338.00	150	Vertical	Pass
6	15943.312	55.21	23.92	74.0	-18.79	Peak	87.00	150	Vertical	Pass
6**	15943.312	43.49	23.92	54.0	-10.51	AV	87.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.000	42.89	-15.31	74.0	-31.11	Peak	251.00	150	Horizontal	Pass
1**	1677.000	34.18	-15.31	54.0	-19.82	AV	251.00	150	Horizontal	Pass
2	2865.300	42.12	-8.05	74.0	-31.88	Peak	352.00	150	Horizontal	Pass
2**	2865.300	31.99	-8.05	54.0	-22.01	AV	352.00	150	Horizontal	Pass
3	4137.000	46.59	-4.08	74.0	-27.41	Peak	177.00	150	Horizontal	Pass
3**	4137.000	34.88	-4.08	54.0	-19.12	AV	177.00	150	Horizontal	Pass
4	5715.800	108.67	-0.56	--	-177.33	Peak	286.00	150	Horizontal	N/A
4**	5715.800	100.93	-0.56	--	100.93	AV	286.00	150	Horizontal	N/A
5	12137.625	49.86	19.82	74.0	-24.14	Peak	152.00	150	Horizontal	Pass
5**	12137.625	39.17	19.82	54.0	-14.83	AV	152.00	150	Horizontal	Pass
6	15996.862	55.03	24.02	74.0	-18.97	Peak	230.00	150	Horizontal	Pass
6**	15996.862	43.13	24.02	54.0	-10.87	AV	230.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.600	42.42	-14.68	74.0	-31.58	Peak	263.00	150	Vertical	Pass
1**	1453.600	30.82	-14.68	54.0	-23.18	AV	263.00	150	Vertical	Pass
2	2833.700	41.90	-8.47	74.0	-32.10	Peak	143.00	150	Vertical	Pass
2**	2833.700	31.83	-8.47	54.0	-22.17	AV	143.00	150	Vertical	Pass
3	4007.000	47.13	-4.54	74.0	-26.87	Peak	19.00	150	Vertical	Pass
3**	4007.000	35.13	-4.54	54.0	-18.87	AV	19.00	150	Vertical	Pass
4	5721.800	100.02	-0.54	--	-30.98	Peak	131.00	150	Vertical	N/A
4**	5721.800	93.00	-0.54	--	93.00	AV	131.00	150	Vertical	N/A
5	11619.838	49.99	20.24	74.0	-24.01	Peak	311.00	150	Vertical	Pass
5**	11619.838	40.52	20.24	54.0	-13.48	AV	311.00	150	Vertical	Pass
6	15577.125	55.44	23.58	74.0	-18.56	Peak	313.00	150	Vertical	Pass
6**	15577.125	42.64	23.58	54.0	-11.36	AV	313.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.500	45.06	-15.26	74.0	-28.94	Peak	251.00	150	Horizontal	Pass
1**	1675.500	34.10	-15.26	54.0	-19.90	AV	251.00	150	Horizontal	Pass
2	2781.200	41.72	-8.66	74.0	-32.28	Peak	202.00	150	Horizontal	Pass
2**	2781.200	31.74	-8.66	54.0	-22.26	AV	202.00	150	Horizontal	Pass
3	4237.200	47.30	-3.32	74.0	-26.70	Peak	275.00	150	Horizontal	Pass
3**	4237.200	34.78	-3.32	54.0	-19.22	AV	275.00	150	Horizontal	Pass
4	5498.600	106.73	0.53	--	-180.27	Peak	287.00	150	Horizontal	N/A
4**	5498.600	100.17	0.53	--	100.17	AV	287.00	150	Horizontal	N/A
5	11791.188	50.45	18.62	74.0	-23.55	Peak	94.00	150	Horizontal	Pass
5**	11791.188	38.32	18.62	54.0	-15.68	AV	94.00	150	Horizontal	Pass
6	15967.200	55.07	24.00	74.0	-18.93	Peak	172.00	150	Horizontal	Pass
6**	15967.200	42.69	24.00	54.0	-11.31	AV	172.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.000	42.64	-14.77	74.0	-31.36	Peak	276.00	150	Vertical	Pass
1**	1463.000	34.47	-14.77	54.0	-19.53	AV	276.00	150	Vertical	Pass
2	2826.800	42.95	-8.37	74.0	-31.05	Peak	11.00	150	Vertical	Pass
2**	2826.800	32.30	-8.37	54.0	-21.70	AV	11.00	150	Vertical	Pass
3	4014.800	47.73	-4.08	74.0	-26.27	Peak	44.00	150	Vertical	Pass
3**	4014.800	38.02	-4.08	54.0	-15.98	AV	44.00	150	Vertical	Pass
4	5500.800	100.29	0.48	--	-2.71	Peak	103.00	150	Vertical	N/A
4**	5500.800	93.19	0.48	--	93.19	AV	103.00	150	Vertical	N/A
5	11618.975	50.10	20.23	74.0	-23.90	Peak	360.00	150	Vertical	Pass
5**	11618.975	38.24	20.23	54.0	-15.76	AV	360.00	150	Vertical	Pass
6	15969.825	55.07	24.00	74.0	-18.93	Peak	85.00	150	Vertical	Pass
6**	15969.825	42.87	24.00	54.0	-11.13	AV	85.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.000	43.06	-15.21	74.0	-30.94	Peak	252.00	150	Horizontal	Pass
1**	1679.000	35.54	-15.21	54.0	-18.46	AV	252.00	150	Horizontal	Pass
2	2824.100	41.55	-8.30	74.0	-32.45	Peak	0.00	150	Horizontal	Pass
2**	2824.100	32.44	-8.30	54.0	-21.56	AV	0.00	150	Horizontal	Pass
3	3995.200	47.02	-4.47	74.0	-26.98	Peak	67.00	150	Horizontal	Pass
3**	3995.200	34.29	-4.47	54.0	-19.71	AV	67.00	150	Horizontal	Pass
4	5583.000	107.31	0.75	--	-174.69	Peak	282.00	150	Horizontal	N/A
4**	5583.000	101.00	0.75	--	101.00	AV	282.00	150	Horizontal	N/A
5	12471.412	50.25	18.60	74.0	-23.75	Peak	277.00	150	Horizontal	Pass
5**	12471.412	39.00	18.60	54.0	-15.00	AV	277.00	150	Horizontal	Pass
6	15654.300	55.46	23.49	74.0	-18.54	Peak	193.00	150	Horizontal	Pass
6**	15654.300	44.02	23.49	54.0	-9.98	AV	193.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.700	42.79	-14.77	74.0	-31.21	Peak	275.00	150	Vertical	Pass
1**	1463.700	33.36	-14.77	54.0	-20.64	AV	275.00	150	Vertical	Pass
2	2859.900	41.76	-7.98	74.0	-32.24	Peak	300.00	150	Vertical	Pass
2**	2859.900	32.88	-7.98	54.0	-21.12	AV	300.00	150	Vertical	Pass
3	3978.000	47.04	-4.08	74.0	-26.96	Peak	216.00	150	Vertical	Pass
3**	3978.000	35.17	-4.08	54.0	-18.83	AV	216.00	150	Vertical	Pass
4	5583.400	100.45	0.70	--	-5.55	Peak	106.00	150	Vertical	N/A
4**	5583.400	93.79	0.70	--	93.79	AV	106.00	150	Vertical	N/A
5	11759.275	49.67	18.85	74.0	-24.33	Peak	194.00	150	Vertical	Pass
5**	11759.275	37.92	18.85	54.0	-16.08	AV	194.00	150	Vertical	Pass
6	15932.287	55.12	23.80	74.0	-18.88	Peak	320.00	150	Vertical	Pass
6**	15932.287	43.60	23.80	54.0	-10.40	AV	320.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	44.62	-15.22	74.0	-29.38	Peak	251.00	150	Horizontal	Pass
1**	1667.900	33.75	-15.22	54.0	-20.25	AV	251.00	150	Horizontal	Pass
2	2829.300	42.20	-8.25	74.0	-31.80	Peak	337.00	150	Horizontal	Pass
2**	2829.300	33.35	-8.25	54.0	-20.65	AV	337.00	150	Horizontal	Pass
3	4298.400	47.72	-3.61	74.0	-26.28	Peak	21.00	150	Horizontal	Pass
3**	4298.400	35.94	-3.61	54.0	-18.06	AV	21.00	150	Horizontal	Pass
4	5703.000	107.25	-0.71	--	-177.75	Peak	285.00	150	Horizontal	N/A
4**	5703.000	101.04	-0.71	--	101.04	AV	285.00	150	Horizontal	N/A
5	12222.151	50.49	20.45	74.0	-23.51	Peak	338.00	150	Horizontal	Pass
5**	12222.151	38.66	20.45	54.0	-15.34	AV	338.00	150	Horizontal	Pass
6	15622.275	55.23	23.46	74.0	-18.77	Peak	311.00	150	Horizontal	Pass
6**	15622.275	43.38	23.46	54.0	-10.62	AV	311.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.600	44.26	-14.70	74.0	-29.74	Peak	287.00	150	Vertical	Pass
1**	1459.600	33.52	-14.70	54.0	-20.48	AV	287.00	150	Vertical	Pass
2	2831.700	41.80	-8.38	74.0	-32.20	Peak	287.00	150	Vertical	Pass
2**	2831.700	32.11	-8.38	54.0	-21.89	AV	287.00	150	Vertical	Pass
3	4283.200	47.18	-3.77	74.0	-26.82	Peak	360.00	150	Vertical	Pass
3**	4283.200	34.96	-3.77	54.0	-19.04	AV	360.00	150	Vertical	Pass
4	5696.600	99.14	-0.67	--	-24.86	Peak	124.00	150	Vertical	N/A
4**	5696.600	92.45	-0.67	--	92.45	AV	124.00	150	Vertical	N/A
5	11633.637	50.27	20.32	74.0	-23.73	Peak	70.00	150	Vertical	Pass
5**	11633.637	37.69	20.32	54.0	-16.31	AV	70.00	150	Vertical	Pass
6	15630.675	55.25	23.51	74.0	-18.75	Peak	104.00	150	Vertical	Pass
6**	15630.675	43.76	23.51	54.0	-10.24	AV	104.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.100	43.55	-15.21	74.0	-30.45	Peak	258.00	150	Horizontal	Pass
1**	1679.100	32.69	-15.21	54.0	-21.31	AV	258.00	150	Horizontal	Pass
2	2861.200	42.30	-7.99	74.0	-31.70	Peak	245.00	150	Horizontal	Pass
2**	2861.200	33.41	-7.99	54.0	-20.59	AV	245.00	150	Horizontal	Pass
3	4261.000	47.49	-3.37	74.0	-26.51	Peak	276.00	150	Horizontal	Pass
3**	4261.000	34.83	-3.37	54.0	-19.17	AV	276.00	150	Horizontal	Pass
4	5722.400	107.34	-0.52	--	-182.66	Peak	290.00	150	Horizontal	N/A
4**	5722.400	101.67	-0.52	--	101.67	AV	290.00	150	Horizontal	N/A
5	12157.463	50.19	20.01	74.0	-23.81	Peak	258.00	150	Horizontal	Pass
5**	12157.463	39.01	20.01	54.0	-14.99	AV	258.00	150	Horizontal	Pass
6	15577.125	55.33	23.58	74.0	-18.67	Peak	223.00	150	Horizontal	Pass
6**	15577.125	43.28	23.58	54.0	-10.72	AV	223.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.100	42.39	-14.86	74.0	-31.61	Peak	310.00	150	Vertical	Pass
1**	1470.100	31.49	-14.86	54.0	-22.51	AV	310.00	150	Vertical	Pass
2	2822.200	41.97	-8.38	74.0	-32.03	Peak	67.00	150	Vertical	Pass
2**	2822.200	32.18	-8.38	54.0	-21.82	AV	67.00	150	Vertical	Pass
3	3961.000	46.47	-4.51	74.0	-27.53	Peak	101.00	150	Vertical	Pass
3**	3961.000	35.12	-4.51	54.0	-18.88	AV	101.00	150	Vertical	Pass
4	5722.400	99.98	-0.52	--	-26.02	Peak	126.00	150	Vertical	N/A
4**	5722.400	92.73	-0.52	--	92.73	AV	126.00	150	Vertical	N/A
5	11668.138	49.86	20.19	74.0	-24.14	Peak	175.00	150	Vertical	Pass
5**	11668.138	38.61	20.19	54.0	-15.39	AV	175.00	150	Vertical	Pass
6	15804.713	54.79	23.18	74.0	-19.21	Peak	311.00	150	Vertical	Pass
6**	15804.713	41.86	23.18	54.0	-12.14	AV	311.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.400	44.38	-15.33	74.0	-29.62	Peak	245.00	150	Horizontal	Pass
1**	1671.400	35.19	-15.33	54.0	-18.81	AV	245.00	150	Horizontal	Pass
2	2872.500	42.67	-8.25	74.0	-31.33	Peak	135.00	150	Horizontal	Pass
2**	2872.500	33.19	-8.25	54.0	-20.81	AV	135.00	150	Horizontal	Pass
3	3952.800	46.80	-4.74	74.0	-27.20	Peak	168.00	150	Horizontal	Pass
3**	3952.800	34.28	-4.74	54.0	-19.72	AV	168.00	150	Horizontal	Pass
4	5502.200	103.44	0.47	--	-184.56	Peak	288.00	150	Horizontal	N/A
4**	5502.200	97.21	0.47	--	97.21	AV	288.00	150	Horizontal	N/A
5	11646.287	50.14	20.38	74.0	-23.86	Peak	360.00	150	Horizontal	Pass
5**	11646.287	38.36	20.38	54.0	-15.64	AV	360.00	150	Horizontal	Pass
6	15979.537	54.94	24.00	74.0	-19.06	Peak	362.00	150	Horizontal	Pass
6**	15979.537	43.99	24.00	54.0	-10.01	AV	362.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.900	42.08	-14.64	74.0	-31.92	Peak	297.00	150	Vertical	Pass
1**	1455.900	33.32	-14.64	54.0	-20.68	AV	297.00	150	Vertical	Pass
2	2877.800	42.30	-8.32	74.0	-31.70	Peak	190.00	150	Vertical	Pass
2**	2877.800	32.59	-8.32	54.0	-21.41	AV	190.00	150	Vertical	Pass
3	4181.000	47.16	-3.95	74.0	-26.84	Peak	360.00	150	Vertical	Pass
3**	4181.000	34.85	-3.95	54.0	-19.15	AV	360.00	150	Vertical	Pass
4	5517.000	97.34	0.33	--	-14.66	Peak	112.00	150	Vertical	N/A
4**	5517.000	90.13	0.33	--	90.13	AV	112.00	150	Vertical	N/A
5	11630.474	50.65	20.30	74.0	-23.35	Peak	291.00	150	Vertical	Pass
5**	11630.474	38.30	20.30	54.0	-15.70	AV	291.00	150	Vertical	Pass
6	15532.237	54.90	23.73	74.0	-19.10	Peak	238.00	150	Vertical	Pass
6**	15532.237	43.97	23.73	54.0	-10.03	AV	238.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	44.21	-15.22	74.0	-29.79	Peak	255.00	150	Horizontal	Pass
1**	1668.200	35.38	-15.22	54.0	-18.62	AV	255.00	150	Horizontal	Pass
2	2870.800	42.57	-8.19	74.0	-31.43	Peak	8.00	150	Horizontal	Pass
2**	2870.800	32.08	-8.19	54.0	-21.92	AV	8.00	150	Horizontal	Pass
3	4273.800	47.25	-3.62	74.0	-26.75	Peak	161.00	150	Horizontal	Pass
3**	4273.800	34.92	-3.62	54.0	-19.08	AV	161.00	150	Horizontal	Pass
4	5584.000	104.32	0.62	--	-178.68	Peak	283.00	150	Horizontal	N/A
4**	5584.000	98.05	0.62	--	98.05	AV	283.00	150	Horizontal	N/A
5	12155.737	50.64	19.99	74.0	-23.36	Peak	265.00	150	Horizontal	Pass
5**	12155.737	37.61	19.99	54.0	-16.39	AV	265.00	150	Horizontal	Pass
6	15633.825	55.05	23.53	74.0	-18.95	Peak	222.00	150	Horizontal	Pass
6**	15633.825	43.25	23.53	54.0	-10.75	AV	222.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.400	41.90	-14.87	74.0	-32.10	Peak	268.00	150	Vertical	Pass
1**	1470.400	33.19	-14.87	54.0	-20.81	AV	268.00	150	Vertical	Pass
2	2806.200	41.62	-8.72	74.0	-32.38	Peak	295.00	150	Vertical	Pass
2**	2806.200	32.08	-8.72	54.0	-21.92	AV	295.00	150	Vertical	Pass
3	3987.800	47.07	-4.34	74.0	-26.93	Peak	104.00	150	Vertical	Pass
3**	3987.800	35.39	-4.34	54.0	-18.61	AV	104.00	150	Vertical	Pass
4	5592.000	97.61	0.51	--	-6.39	Peak	104.00	150	Vertical	N/A
4**	5592.000	90.94	0.51	--	90.94	AV	104.00	150	Vertical	N/A
5	11767.900	50.17	18.79	74.0	-23.83	Peak	231.00	150	Vertical	Pass
5**	11767.900	37.96	18.79	54.0	-16.04	AV	231.00	150	Vertical	Pass
6	15663.487	55.98	23.48	74.0	-18.02	Peak	52.00	150	Vertical	Pass
6**	15663.487	43.48	23.48	54.0	-10.52	AV	52.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.700	43.87	-15.22	74.0	-30.13	Peak	251.00	150	Horizontal	Pass
1**	1668.700	33.48	-15.22	54.0	-20.52	AV	251.00	150	Horizontal	Pass
2	2793.300	41.88	-8.86	74.0	-32.12	Peak	125.00	150	Horizontal	Pass
2**	2793.300	32.00	-8.86	54.0	-22.00	AV	125.00	150	Horizontal	Pass
3	4183.800	47.15	-3.92	74.0	-26.85	Peak	123.00	150	Horizontal	Pass
3**	4183.800	35.02	-3.92	54.0	-18.98	AV	123.00	150	Horizontal	Pass
4	5666.400	104.13	0.10	--	-179.87	Peak	284.00	150	Horizontal	N/A
4**	5666.400	97.42	0.10	--	97.42	AV	284.00	150	Horizontal	N/A
5	12407.300	50.41	19.10	74.0	-23.59	Peak	83.00	150	Horizontal	Pass
5**	12407.300	37.71	19.10	54.0	-16.29	AV	83.00	150	Horizontal	Pass
6	15702.075	54.68	23.56	74.0	-19.32	Peak	340.00	150	Horizontal	Pass
6**	15702.075	43.55	23.56	54.0	-10.45	AV	340.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.200	42.94	-14.70	74.0	-31.06	Peak	274.00	150	Vertical	Pass
1**	1448.200	33.50	-14.70	54.0	-20.50	AV	274.00	150	Vertical	Pass
2	2873.100	42.67	-8.27	74.0	-31.33	Peak	203.00	150	Vertical	Pass
2**	2873.100	33.09	-8.27	54.0	-20.91	AV	203.00	150	Vertical	Pass
3	3991.800	47.12	-4.48	74.0	-26.88	Peak	264.00	150	Vertical	Pass
3**	3991.800	34.91	-4.48	54.0	-19.09	AV	264.00	150	Vertical	Pass
4	5661.600	96.14	-0.04	--	-11.86	Peak	108.00	150	Vertical	N/A
4**	5661.600	91.00	-0.04	--	91.00	AV	108.00	150	Vertical	N/A
5	11557.450	51.02	19.76	74.0	-22.98	Peak	43.00	150	Vertical	Pass
5**	11557.450	38.26	19.76	54.0	-15.74	AV	43.00	150	Vertical	Pass
6	15497.850	54.63	23.93	74.0	-19.37	Peak	290.00	150	Vertical	Pass
6**	15497.850	44.12	23.93	54.0	-9.88	AV	290.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	43.61	-15.29	74.0	-30.39	Peak	249.00	150	Horizontal	Pass
1**	1671.000	35.53	-15.29	54.0	-18.47	AV	249.00	150	Horizontal	Pass
2	2839.900	41.82	-8.52	74.0	-32.18	Peak	60.00	150	Horizontal	Pass
2**	2839.900	31.41	-8.52	54.0	-22.59	AV	60.00	150	Horizontal	Pass
3	4833.800	50.26	-1.33	74.0	-23.74	Peak	210.00	150	Horizontal	Pass
3**	4833.800	37.86	-1.33	54.0	-16.14	AV	210.00	150	Horizontal	Pass
4	5715.000	104.34	-0.57	--	-187.66	Peak	292.00	150	Horizontal	N/A
4**	5715.000	97.58	-0.57	--	97.58	AV	292.00	150	Horizontal	N/A
5	11347.000	49.75	18.21	74.0	-24.25	Peak	360.00	150	Horizontal	Pass
5**	11347.000	37.46	18.21	54.0	-16.54	AV	360.00	150	Horizontal	Pass
6	15904.725	55.20	23.36	74.0	-18.80	Peak	331.00	150	Horizontal	Pass
6**	15904.725	43.00	23.36	54.0	-11.00	AV	331.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.300	41.06	-14.65	74.0	-32.94	Peak	277.00	150	Vertical	Pass
1**	1456.300	32.77	-14.65	54.0	-21.23	AV	277.00	150	Vertical	Pass
2	2843.700	41.85	-8.53	74.0	-32.15	Peak	0.00	150	Vertical	Pass
2**	2843.700	32.25	-8.53	54.0	-21.75	AV	0.00	150	Vertical	Pass
3	3982.800	47.23	-4.26	74.0	-26.77	Peak	81.00	150	Vertical	Pass
3**	3982.800	35.03	-4.26	54.0	-18.97	AV	81.00	150	Vertical	Pass
4	5702.200	96.43	-0.75	--	-41.57	Peak	138.00	150	Vertical	N/A
4**	5702.200	89.37	-0.75	--	89.37	AV	138.00	150	Vertical	N/A
5	11596.262	50.47	20.09	74.0	-23.53	Peak	129.00	150	Vertical	Pass
5**	11596.262	38.23	20.09	54.0	-15.77	AV	129.00	150	Vertical	Pass
6	15624.112	55.12	23.47	74.0	-18.88	Peak	330.00	150	Vertical	Pass
6**	15624.112	43.54	23.47	54.0	-10.46	AV	330.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.800	43.07	-15.23	74.0	-30.93	Peak	259.00	150	Horizontal	Pass
1**	1669.800	33.32	-15.23	54.0	-20.68	AV	259.00	150	Horizontal	Pass
2	2885.300	42.24	-8.24	74.0	-31.76	Peak	360.00	150	Horizontal	Pass
2**	2885.300	33.10	-8.24	54.0	-20.90	AV	360.00	150	Horizontal	Pass
3	3972.600	47.07	-4.19	74.0	-26.93	Peak	74.00	150	Horizontal	Pass
3**	3972.600	34.98	-4.19	54.0	-19.02	AV	74.00	150	Horizontal	Pass
4	5496.200	107.19	0.64	--	-181.81	Peak	289.00	150	Horizontal	N/A
4**	5496.200	99.98	0.64	--	99.98	AV	289.00	150	Horizontal	N/A
5	11623.576	50.64	20.26	74.0	-23.36	Peak	96.00	150	Horizontal	Pass
5**	11623.576	41.12	20.26	54.0	-12.88	AV	96.00	150	Horizontal	Pass
6	15657.713	55.13	23.47	74.0	-18.87	Peak	123.00	150	Horizontal	Pass
6**	15657.713	42.94	23.47	54.0	-11.06	AV	123.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.200	41.54	-14.70	74.0	-32.46	Peak	279.00	150	Vertical	Pass
1**	1459.200	32.89	-14.70	54.0	-21.11	AV	279.00	150	Vertical	Pass
2	2837.500	41.92	-8.47	74.0	-32.08	Peak	118.00	150	Vertical	Pass
2**	2837.500	32.34	-8.47	54.0	-21.66	AV	118.00	150	Vertical	Pass
3	4133.600	46.97	-4.15	74.0	-27.03	Peak	158.00	150	Vertical	Pass
3**	4133.600	35.29	-4.15	54.0	-18.71	AV	158.00	150	Vertical	Pass
4	5501.400	100.29	0.47	--	-14.71	Peak	115.00	150	Vertical	N/A
4**	5501.400	92.82	0.47	--	92.82	AV	115.00	150	Vertical	N/A
5	12403.276	51.03	19.15	74.0	-22.97	Peak	0.00	150	Vertical	Pass
5**	12403.276	39.15	19.15	54.0	-14.85	AV	0.00	150	Vertical	Pass
6	15985.575	55.01	24.01	74.0	-18.99	Peak	239.00	150	Vertical	Pass
6**	15985.575	43.70	24.01	54.0	-10.30	AV	239.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.400	42.95	-15.24	74.0	-31.05	Peak	244.00	150	Horizontal	Pass
1**	1681.400	32.89	-15.24	54.0	-21.11	AV	244.00	150	Horizontal	Pass
2	2860.200	41.80	-7.97	74.0	-32.20	Peak	289.00	150	Horizontal	Pass
2**	2860.200	32.70	-7.97	54.0	-21.30	AV	289.00	150	Horizontal	Pass
3	4119.200	47.10	-4.22	74.0	-26.90	Peak	0.00	150	Horizontal	Pass
3**	4119.200	37.07	-4.22	54.0	-16.93	AV	0.00	150	Horizontal	Pass
4	5582.000	107.40	0.84	--	-187.60	Peak	295.00	150	Horizontal	Pass
4**	5582.000	100.95	0.84	--	100.95	AV	295.00	150	Horizontal	N/A
5	11694.300	50.09	19.89	74.0	-23.91	Peak	18.00	150	Horizontal	Pass
5**	11694.300	39.72	19.89	54.0	-14.28	AV	18.00	150	Horizontal	Pass
6	15701.026	56.07	23.57	74.0	-17.93	Peak	97.00	150	Horizontal	Pass
6**	15701.026	42.22	23.57	54.0	-11.78	AV	97.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.500	41.66	-14.70	74.0	-32.34	Peak	256.00	150	Vertical	Pass
1**	1459.500	32.49	-14.70	54.0	-21.51	AV	256.00	150	Vertical	Pass
2	2872.400	42.92	-8.24	74.0	-31.08	Peak	226.00	150	Vertical	Pass
2**	2872.400	33.09	-8.24	54.0	-20.91	AV	226.00	150	Vertical	Pass
3	3983.000	47.69	-4.26	74.0	-26.31	Peak	197.00	150	Vertical	Pass
3**	3983.000	35.90	-4.26	54.0	-18.10	AV	197.00	150	Vertical	Pass
4	5575.800	100.38	0.68	--	-3.62	Peak	104.00	150	Vertical	N/A
4**	5575.800	93.66	0.68	--	93.66	AV	104.00	150	Vertical	N/A
5	12206.913	50.80	20.44	74.0	-23.20	Peak	61.00	150	Vertical	Pass
5**	12206.913	39.04	20.44	54.0	-14.96	AV	61.00	150	Vertical	Pass
6	16083.225	55.14	24.07	74.0	-18.86	Peak	304.00	150	Vertical	Pass
6**	16083.225	42.37	24.07	54.0	-11.63	AV	304.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	43.56	-15.23	74.0	-30.44	Peak	246.00	150	Horizontal	Pass
1**	1669.400	33.96	-15.23	54.0	-20.04	AV	246.00	150	Horizontal	Pass
2	2737.300	41.54	-8.64	74.0	-32.46	Peak	360.00	150	Horizontal	Pass
2**	2737.300	32.02	-8.64	54.0	-21.98	AV	360.00	150	Horizontal	Pass
3	4116.600	47.13	-4.04	74.0	-26.87	Peak	110.00	150	Horizontal	Pass
3**	4116.600	35.58	-4.04	54.0	-18.42	AV	110.00	150	Horizontal	Pass
4	5698.000	107.65	-0.76	--	-176.35	Peak	284.00	150	Horizontal	N/A
4**	5698.000	100.59	-0.76	--	100.59	AV	284.00	150	Horizontal	N/A
5	11621.562	51.01	20.25	74.0	-22.99	Peak	0.00	150	Horizontal	Pass
5**	11621.562	38.71	20.25	54.0	-15.29	AV	0.00	150	Horizontal	Pass
6	16068.000	55.23	24.10	74.0	-18.77	Peak	196.00	150	Horizontal	Pass
6**	16068.000	43.03	24.10	54.0	-10.97	AV	196.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.800	42.48	-14.73	74.0	-31.52	Peak	275.00	150	Vertical	Pass
1**	1445.800	32.49	-14.73	54.0	-21.51	AV	275.00	150	Vertical	Pass
2	2811.000	41.89	-8.46	74.0	-32.11	Peak	32.00	150	Vertical	Pass
2**	2811.000	31.80	-8.46	54.0	-22.20	AV	32.00	150	Vertical	Pass
3	4022.000	47.09	-4.04	74.0	-26.91	Peak	62.00	150	Vertical	Pass
3**	4022.000	35.00	-4.04	54.0	-19.00	AV	62.00	150	Vertical	Pass
4	5704.400	99.76	-0.65	--	-40.24	Peak	140.00	150	Vertical	N/A
4**	5704.400	92.68	-0.65	--	92.68	AV	140.00	150	Vertical	N/A
5	11605.463	51.80	20.16	74.0	-22.20	Peak	248.00	150	Vertical	Pass
5**	11605.463	40.63	20.16	54.0	-13.37	AV	248.00	150	Vertical	Pass
6	15460.312	54.83	23.53	74.0	-19.17	Peak	61.00	150	Vertical	Pass
6**	15460.312	44.04	23.53	54.0	-9.96	AV	61.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.700	43.85	-15.27	74.0	-30.15	Peak	261.00	150	Horizontal	Pass
1**	1675.700	36.25	-15.27	54.0	-17.75	AV	261.00	150	Horizontal	Pass
2	2812.700	41.83	-8.38	74.0	-32.17	Peak	358.00	150	Horizontal	Pass
2**	2812.700	32.37	-8.38	54.0	-21.63	AV	358.00	150	Horizontal	Pass
3	4018.200	46.39	-4.08	74.0	-27.61	Peak	127.00	150	Horizontal	Pass
3**	4018.200	35.20	-4.08	54.0	-18.80	AV	127.00	150	Horizontal	Pass
4	5715.600	107.64	-0.56	--	-177.36	Peak	285.00	150	Horizontal	N/A
4**	5715.600	101.55	-0.56	--	101.55	AV	285.00	150	Horizontal	N/A
5	12212.662	50.29	20.44	74.0	-23.71	Peak	0.00	150	Horizontal	Pass
5**	12212.662	38.70	20.44	54.0	-15.30	AV	0.00	150	Horizontal	Pass
6	16053.562	55.31	24.11	74.0	-18.69	Peak	160.00	150	Horizontal	Pass
6**	16053.562	42.69	24.11	54.0	-11.31	AV	160.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.500	44.18	-14.66	74.0	-29.82	Peak	290.00	150	Vertical	Pass
1**	1454.500	32.21	-14.66	54.0	-21.79	AV	290.00	150	Vertical	Pass
2	2731.100	41.74	-8.64	74.0	-32.26	Peak	198.00	150	Vertical	Pass
2**	2731.100	33.02	-8.64	54.0	-20.98	AV	198.00	150	Vertical	Pass
3	4151.600	47.99	-3.49	74.0	-26.01	Peak	189.00	150	Vertical	Pass
3**	4151.600	35.95	-3.49	54.0	-18.05	AV	189.00	150	Vertical	Pass
4	5724.200	99.37	-0.48	--	-27.63	Peak	127.00	150	Vertical	N/A
4**	5724.200	92.57	-0.48	--	92.57	AV	127.00	150	Vertical	N/A
5	11769.625	50.68	18.78	74.0	-23.32	Peak	177.00	150	Vertical	Pass
5**	11769.625	39.96	18.78	54.0	-14.04	AV	177.00	150	Vertical	Pass
6	15805.763	54.84	23.18	74.0	-19.16	Peak	49.00	150	Vertical	Pass
6**	15805.763	43.47	23.18	54.0	-10.53	AV	49.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.500	43.58	-15.34	74.0	-30.42	Peak	258.00	150	Horizontal	Pass
1**	1671.500	32.27	-15.34	54.0	-21.73	AV	258.00	150	Horizontal	Pass
2	2843.900	42.06	-8.51	74.0	-31.94	Peak	44.00	150	Horizontal	Pass
2**	2843.900	32.23	-8.51	54.0	-21.77	AV	44.00	150	Horizontal	Pass
3	4042.000	46.72	-3.93	74.0	-27.28	Peak	31.00	150	Horizontal	Pass
3**	4042.000	35.47	-3.93	54.0	-18.53	AV	31.00	150	Horizontal	Pass
4	5499.600	103.70	0.49	--	-182.30	Peak	286.00	150	Horizontal	N/A
4**	5499.600	95.92	0.49	--	95.92	AV	286.00	150	Horizontal	N/A
5	11588.787	50.10	20.00	74.0	-23.90	Peak	342.00	150	Horizontal	Pass
5**	11588.787	39.52	20.00	54.0	-14.48	AV	342.00	150	Horizontal	Pass
6	15552.975	55.47	23.60	74.0	-18.53	Peak	97.00	150	Horizontal	Pass
6**	15552.975	43.62	23.60	54.0	-10.38	AV	97.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.600	43.26	-14.69	74.0	-30.74	Peak	286.00	150	Vertical	Pass
1**	1458.600	35.71	-14.69	54.0	-18.29	AV	286.00	150	Vertical	Pass
2	2741.500	42.39	-8.90	74.0	-31.61	Peak	332.00	150	Vertical	Pass
2**	2741.500	32.09	-8.90	54.0	-21.91	AV	332.00	150	Vertical	Pass
3	3894.600	46.76	-5.08	74.0	-27.24	Peak	250.00	150	Vertical	Pass
3**	3894.600	35.87	-5.08	54.0	-18.13	AV	250.00	150	Vertical	Pass
4	5503.400	97.68	0.49	--	-4.32	Peak	102.00	150	Vertical	N/A
4**	5503.400	90.13	0.49	--	90.13	AV	102.00	150	Vertical	N/A
5	11639.099	50.46	20.36	74.0	-23.54	Peak	208.00	150	Vertical	Pass
5**	11639.099	38.87	20.36	54.0	-15.13	AV	208.00	150	Vertical	Pass
6	15999.750	54.85	24.02	74.0	-19.15	Peak	360.00	150	Vertical	Pass
6**	15999.750	43.22	24.02	54.0	-10.78	AV	360.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.400	44.44	-15.29	74.0	-29.56	Peak	252.00	150	Horizontal	Pass
1**	1677.400	34.44	-15.29	54.0	-19.56	AV	252.00	150	Horizontal	Pass
2	2734.400	41.38	-8.69	74.0	-32.62	Peak	293.00	150	Horizontal	Pass
2**	2734.400	31.30	-8.69	54.0	-22.70	AV	293.00	150	Horizontal	Pass
3	4170.800	47.07	-3.78	74.0	-26.93	Peak	118.00	150	Horizontal	Pass
3**	4170.800	35.91	-3.78	54.0	-18.09	AV	118.00	150	Horizontal	Pass
4	5586.400	104.85	0.79	--	-182.15	Peak	287.00	150	Horizontal	N/A
4**	5586.400	98.54	0.79	--	98.54	AV	287.00	150	Horizontal	N/A
5	12557.088	50.80	18.55	74.0	-23.20	Peak	340.00	150	Horizontal	Pass
5**	12557.088	39.61	18.55	54.0	-14.39	AV	340.00	150	Horizontal	Pass
6	15615.974	55.58	23.47	74.0	-18.42	Peak	8.00	150	Horizontal	Pass
6**	15615.974	44.49	23.47	54.0	-9.51	AV	8.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.100	42.29	-14.64	74.0	-31.71	Peak	264.00	150	Vertical	Pass
1**	1450.100	34.47	-14.64	54.0	-19.53	AV	264.00	150	Vertical	Pass
2	2877.900	42.18	-8.32	74.0	-31.82	Peak	193.00	150	Vertical	Pass
2**	2877.900	32.64	-8.32	54.0	-21.36	AV	193.00	150	Vertical	Pass
3	4221.600	47.14	-3.70	74.0	-26.86	Peak	335.00	150	Vertical	Pass
3**	4221.600	35.71	-3.70	54.0	-18.29	AV	335.00	150	Vertical	Pass
4	5583.400	98.15	0.70	--	-4.85	Peak	103.00	150	Vertical	N/A
4**	5583.400	91.21	0.70	--	91.21	AV	103.00	150	Vertical	N/A
5	11616.675	50.28	20.22	74.0	-23.72	Peak	294.00	150	Vertical	Pass
5**	11616.675	38.19	20.22	54.0	-15.81	AV	294.00	150	Vertical	Pass
6	15948.826	55.46	23.94	74.0	-18.54	Peak	128.00	150	Vertical	Pass
6**	15948.826	43.76	23.94	54.0	-10.24	AV	128.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.500	44.03	-15.23	74.0	-29.97	Peak	250.00	150	Horizontal	Pass
1**	1669.500	33.39	-15.23	54.0	-20.61	AV	250.00	150	Horizontal	Pass
2	2730.100	41.65	-8.65	74.0	-32.35	Peak	62.00	150	Horizontal	Pass
2**	2730.100	32.07	-8.65	54.0	-21.93	AV	62.00	150	Horizontal	Pass
3	4208.400	47.04	-4.00	74.0	-26.96	Peak	143.00	150	Horizontal	Pass
3**	4208.400	34.62	-4.00	54.0	-19.38	AV	143.00	150	Horizontal	Pass
4	5663.200	104.36	-0.03	--	-179.64	Peak	284.00	150	Horizontal	N/A
4**	5663.200	97.84	-0.03	--	97.84	AV	284.00	150	Horizontal	N/A
5	11631.050	50.07	20.31	74.0	-23.93	Peak	130.00	150	Horizontal	Pass
5**	11631.050	38.34	20.31	54.0	-15.66	AV	130.00	150	Horizontal	Pass
6	15680.812	55.99	23.59	74.0	-18.01	Peak	148.00	150	Horizontal	Pass
6**	15680.812	43.18	23.59	54.0	-10.82	AV	148.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.200	42.43	-14.69	74.0	-31.57	Peak	290.00	150	Vertical	Pass
1**	1458.200	33.94	-14.69	54.0	-20.06	AV	290.00	150	Vertical	Pass
2	2829.400	41.82	-8.25	74.0	-32.18	Peak	252.00	150	Vertical	Pass
2**	2829.400	32.36	-8.25	54.0	-21.64	AV	252.00	150	Vertical	Pass
3	4024.000	47.36	-3.96	74.0	-26.64	Peak	360.00	150	Vertical	Pass
3**	4024.000	35.57	-3.96	54.0	-18.43	AV	360.00	150	Vertical	Pass
4	5673.000	96.43	-0.09	--	-24.57	Peak	121.00	150	Vertical	N/A
4**	5673.000	89.46	-0.09	--	89.46	AV	121.00	150	Vertical	N/A
5	11617.825	49.76	20.23	74.0	-24.24	Peak	226.00	150	Vertical	Pass
5**	11617.825	38.77	20.23	54.0	-15.23	AV	226.00	150	Vertical	Pass
6	15604.163	54.88	23.53	74.0	-19.12	Peak	36.00	150	Vertical	Pass
6**	15604.163	43.13	23.53	54.0	-10.87	AV	36.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	44.34	-15.22	74.0	-29.66	Peak	257.00	150	Horizontal	Pass
1**	1668.800	34.35	-15.22	54.0	-19.65	AV	257.00	150	Horizontal	Pass
2	2863.600	41.80	-8.04	74.0	-32.20	Peak	242.00	150	Horizontal	Pass
2**	2863.600	32.70	-8.04	54.0	-21.30	AV	242.00	150	Horizontal	Pass
3	4254.200	47.85	-3.07	74.0	-26.15	Peak	93.00	150	Horizontal	Pass
3**	4254.200	36.13	-3.07	54.0	-17.87	AV	93.00	150	Horizontal	Pass
4	5719.000	105.89	-0.56	--	-183.11	Peak	289.00	150	Horizontal	N/A
4**	5719.000	97.38	-0.56	--	97.38	AV	289.00	150	Horizontal	N/A
5	11663.250	50.32	20.24	74.0	-23.68	Peak	30.00	150	Horizontal	Pass
5**	11663.250	39.63	20.24	54.0	-14.37	AV	30.00	150	Horizontal	Pass
6	15919.162	54.93	23.63	74.0	-19.07	Peak	272.00	150	Horizontal	Pass
6**	15919.162	44.96	23.63	54.0	-9.04	AV	272.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.900	42.34	-14.72	74.0	-31.66	Peak	278.00	150	Vertical	Pass
1**	1447.900	34.60	-14.72	54.0	-19.40	AV	278.00	150	Vertical	Pass
2	2869.200	42.96	-8.20	74.0	-31.04	Peak	306.00	150	Vertical	Pass
2**	2869.200	32.55	-8.20	54.0	-21.45	AV	306.00	150	Vertical	Pass
3	4266.400	47.06	-3.25	74.0	-26.94	Peak	220.00	150	Vertical	Pass
3**	4266.400	35.82	-3.25	54.0	-18.18	AV	220.00	150	Vertical	Pass
4	5705.200	97.22	-0.62	--	-26.78	Peak	124.00	150	Vertical	N/A
4**	5705.200	90.32	-0.62	--	90.32	AV	124.00	150	Vertical	N/A
5	11689.700	50.28	19.95	74.0	-23.72	Peak	24.00	150	Vertical	Pass
5**	11689.700	38.46	19.95	54.0	-15.54	AV	24.00	150	Vertical	Pass
6	15872.175	54.80	23.35	74.0	-19.20	Peak	175.00	150	Vertical	Pass
6**	15872.175	44.02	23.35	54.0	-9.98	AV	175.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	43.55	-15.23	74.0	-30.45	Peak	258.00	150	Horizontal	Pass
1**	1669.700	35.90	-15.23	54.0	-18.10	AV	258.00	150	Horizontal	Pass
2	2822.300	41.27	-8.38	74.0	-32.73	Peak	13.00	150	Horizontal	Pass
2**	2822.300	31.91	-8.38	54.0	-22.09	AV	13.00	150	Horizontal	Pass
3	4001.200	46.38	-4.56	74.0	-27.62	Peak	290.00	150	Horizontal	Pass
3**	4001.200	35.03	-4.56	54.0	-18.97	AV	290.00	150	Horizontal	Pass
4	5553.200	100.83	0.66	--	-189.17	Peak	290.00	150	Horizontal	N/A
4**	5553.200	93.10	0.66	--	93.10	AV	290.00	150	Horizontal	N/A
5	11656.925	50.23	20.31	74.0	-23.77	Peak	1.00	150	Horizontal	Pass
5**	11656.925	38.81	20.31	54.0	-15.19	AV	1.00	150	Horizontal	Pass
6	15929.138	55.67	23.76	74.0	-18.33	Peak	209.00	150	Horizontal	Pass
6**	15929.138	43.52	23.76	54.0	-10.48	AV	209.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.700	43.04	-14.68	74.0	-30.96	Peak	279.00	150	Vertical	Pass
1**	1457.700	34.37	-14.68	54.0	-19.63	AV	279.00	150	Vertical	Pass
2	2822.700	42.05	-8.36	74.0	-31.95	Peak	338.00	150	Vertical	Pass
2**	2822.700	32.07	-8.36	54.0	-21.93	AV	338.00	150	Vertical	Pass
3	4017.400	47.69	-4.08	74.0	-26.31	Peak	215.00	150	Vertical	Pass
3**	4017.400	36.92	-4.08	54.0	-17.08	AV	215.00	150	Vertical	Pass
4	5514.600	94.80	0.39	--	-7.20	Peak	102.00	150	Vertical	N/A
4**	5514.600	88.45	0.39	--	88.45	AV	102.00	150	Vertical	N/A
5	11660.951	50.38	20.26	74.0	-23.62	Peak	128.00	150	Vertical	Pass
5**	11660.951	38.70	20.26	54.0	-15.30	AV	128.00	150	Vertical	Pass
6	16036.500	55.88	24.01	74.0	-18.12	Peak	323.00	150	Vertical	Pass
6**	16036.500	42.96	24.01	54.0	-11.04	AV	323.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.000	43.60	-15.22	74.0	-30.40	Peak	259.00	150	Horizontal	Pass
1**	1669.000	33.36	-15.22	54.0	-20.64	AV	259.00	150	Horizontal	Pass
2	2817.300	42.34	-8.29	74.0	-31.66	Peak	90.00	150	Horizontal	Pass
2**	2817.300	31.72	-8.29	54.0	-22.28	AV	90.00	150	Horizontal	Pass
3	4222.600	47.38	-3.72	74.0	-26.62	Peak	295.00	150	Horizontal	Pass
3**	4222.600	35.87	-3.72	54.0	-18.13	AV	295.00	150	Horizontal	Pass
4	5633.800	102.34	0.24	--	-192.66	Peak	295.00	150	Horizontal	N/A
4**	5633.800	95.27	0.24	--	95.27	AV	295.00	150	Horizontal	N/A
5	11687.687	49.83	19.97	74.0	-24.17	Peak	202.00	150	Horizontal	Pass
5**	11687.687	38.24	19.97	54.0	-15.76	AV	202.00	150	Horizontal	Pass
6	15617.549	56.30	23.46	74.0	-17.70	Peak	109.00	150	Horizontal	Pass
6**	15617.549	43.52	23.46	54.0	-10.48	AV	109.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.100	41.17	-14.82	74.0	-32.83	Peak	302.00	150	Vertical	Pass
1**	1469.100	33.89	-14.82	54.0	-20.11	AV	302.00	150	Vertical	Pass
2	2870.400	42.64	-8.19	74.0	-31.36	Peak	191.00	150	Vertical	Pass
2**	2870.400	33.58	-8.19	54.0	-20.42	AV	191.00	150	Vertical	Pass
3	4063.400	47.01	-3.86	74.0	-26.99	Peak	336.00	150	Vertical	Pass
3**	4063.400	34.84	-3.86	54.0	-19.16	AV	336.00	150	Vertical	Pass
4	5606.000	96.18	-0.01	--	-9.82	Peak	106.00	150	Vertical	N/A
4**	5606.000	86.32	-0.01	--	86.32	AV	106.00	150	Vertical	N/A
5	11570.388	49.68	19.83	74.0	-24.32	Peak	340.00	150	Vertical	Pass
5**	11570.388	38.46	19.83	54.0	-15.54	AV	340.00	150	Vertical	Pass
6	15618.338	55.47	23.46	74.0	-18.53	Peak	287.00	150	Vertical	Pass
6**	15618.338	43.65	23.46	54.0	-10.35	AV	287.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.300	43.91	-15.24	74.0	-30.09	Peak	262.00	150	Horizontal	Pass
1**	1670.300	35.98	-15.24	54.0	-18.02	AV	262.00	150	Horizontal	Pass
2	2874.200	41.80	-8.31	74.0	-32.20	Peak	289.00	150	Horizontal	Pass
2**	2874.200	33.13	-8.31	54.0	-20.87	AV	289.00	150	Horizontal	Pass
3	4076.600	46.96	-3.97	74.0	-27.04	Peak	98.00	150	Horizontal	Pass
3**	4076.600	34.98	-3.97	54.0	-19.02	AV	98.00	150	Horizontal	Pass
4	5683.800	102.08	-0.45	--	-187.92	Peak	290.00	150	Horizontal	N/A
4**	5683.800	95.26	-0.45	--	95.26	AV	290.00	150	Horizontal	N/A
5	11705.513	50.45	19.72	74.0	-23.55	Peak	62.00	150	Horizontal	Pass
5**	11705.513	38.39	19.72	54.0	-15.61	AV	62.00	150	Horizontal	Pass
6	15619.387	55.62	23.45	74.0	-18.38	Peak	160.00	150	Horizontal	Pass
6**	15619.387	43.32	23.45	54.0	-10.68	AV	160.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.800	42.10	-14.77	74.0	-31.90	Peak	289.00	150	Vertical	Pass
1**	1463.800	32.30	-14.77	54.0	-21.70	AV	289.00	150	Vertical	Pass
2	2819.500	41.92	-8.37	74.0	-32.08	Peak	159.00	150	Vertical	Pass
2**	2819.500	32.54	-8.37	54.0	-21.46	AV	159.00	150	Vertical	Pass
3	4124.800	46.86	-3.98	74.0	-27.14	Peak	132.00	150	Vertical	Pass
3**	4124.800	35.84	-3.98	54.0	-18.16	AV	132.00	150	Vertical	Pass
4	5667.800	93.56	0.13	--	-47.44	Peak	141.00	150	Vertical	N/A
4**	5667.800	86.07	0.13	--	86.07	AV	141.00	150	Vertical	N/A
5	11681.075	50.46	20.05	74.0	-23.54	Peak	70.00	150	Vertical	Pass
5**	11681.075	38.64	20.05	54.0	-15.36	AV	70.00	150	Vertical	Pass
6	15510.187	56.49	23.87	74.0	-17.51	Peak	0.00	150	Vertical	Pass
6**	15510.187	42.56	23.87	54.0	-11.44	AV	0.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	42.74	-15.22	74.0	-31.26	Peak	254.00	150	Horizontal	Pass
1**	1668.100	33.03	-15.22	54.0	-20.97	AV	254.00	150	Horizontal	Pass
2	2816.800	41.43	-8.30	74.0	-32.57	Peak	28.00	150	Horizontal	Pass
2**	2816.800	32.24	-8.30	54.0	-21.76	AV	28.00	150	Horizontal	Pass
3	4179.200	46.67	-3.97	74.0	-27.33	Peak	275.00	150	Horizontal	Pass
3**	4179.200	35.40	-3.97	54.0	-18.60	AV	275.00	150	Horizontal	Pass
4	5550.600	98.95	0.43	--	-185.05	Peak	284.00	150	Horizontal	N/A
4**	5550.600	90.39	0.43	--	90.39	AV	284.00	150	Horizontal	N/A
5	11650.600	49.99	20.38	74.0	-24.01	Peak	106.00	150	Horizontal	Pass
5**	11650.600	39.46	20.38	54.0	-14.54	AV	106.00	150	Horizontal	Pass
6	16009.987	54.92	23.99	74.0	-19.08	Peak	0.00	150	Horizontal	Pass
6**	16009.987	42.84	23.99	54.0	-11.16	AV	0.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.900	42.52	-14.65	74.0	-31.48	Peak	260.00	150	Vertical	Pass
1**	1448.900	31.12	-14.65	54.0	-22.88	AV	260.00	150	Vertical	Pass
2	2832.700	41.58	-8.46	74.0	-32.42	Peak	336.00	150	Vertical	Pass
2**	2832.700	32.56	-8.46	54.0	-21.44	AV	336.00	150	Vertical	Pass
3	3952.800	46.54	-4.74	74.0	-27.46	Peak	196.00	150	Vertical	Pass
3**	3952.800	34.52	-4.74	54.0	-19.48	AV	196.00	150	Vertical	Pass
4	5592.200	92.99	0.49	--	-14.01	Peak	107.00	150	Vertical	N/A
4**	5592.200	85.44	0.49	--	85.44	AV	107.00	150	Vertical	N/A
5	12276.200	50.69	20.26	74.0	-23.31	Peak	122.00	150	Vertical	Pass
5**	12276.200	39.38	20.26	54.0	-14.62	AV	122.00	150	Vertical	Pass
6	15993.975	55.13	24.01	74.0	-18.87	Peak	139.00	150	Vertical	Pass
6**	15993.975	43.66	24.01	54.0	-10.34	AV	139.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.000	43.38	-15.26	74.0	-30.62	Peak	260.00	150	Horizontal	Pass
1**	1678.000	34.84	-15.26	54.0	-19.16	AV	260.00	150	Horizontal	Pass
2	2867.300	41.66	-8.10	74.0	-32.34	Peak	0.00	150	Horizontal	Pass
2**	2867.300	32.32	-8.10	54.0	-21.68	AV	0.00	150	Horizontal	Pass
3	4019.600	46.58	-4.05	74.0	-27.42	Peak	139.00	150	Horizontal	Pass
3**	4019.600	35.12	-4.05	54.0	-18.88	AV	139.00	150	Horizontal	Pass
4	5503.800	107.25	0.49	--	-179.75	Peak	287.00	150	Horizontal	N/A
4**	5503.800	100.00	0.49	--	100.00	AV	287.00	150	Horizontal	N/A
5	12288.850	50.24	20.12	74.0	-23.76	Peak	262.00	150	Horizontal	Pass
5**	12288.850	38.23	20.12	54.0	-15.77	AV	262.00	150	Horizontal	Pass
6	15537.487	55.21	23.71	74.0	-18.79	Peak	66.00	150	Horizontal	Pass
6**	15537.487	44.93	23.71	54.0	-9.07	AV	66.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.600	43.73	-14.72	74.0	-30.27	Peak	283.00	150	Vertical	Pass
1**	1451.600	33.78	-14.72	54.0	-20.22	AV	283.00	150	Vertical	Pass
2	2824.400	41.76	-8.30	74.0	-32.24	Peak	38.00	150	Vertical	Pass
2**	2824.400	34.34	-8.30	54.0	-19.66	AV	38.00	150	Vertical	Pass
3	4194.800	47.79	-4.15	74.0	-26.21	Peak	261.00	150	Vertical	Pass
3**	4194.800	35.09	-4.15	54.0	-18.91	AV	261.00	150	Vertical	Pass
4	5497.200	100.97	0.60	--	8.97	Peak	92.00	150	Vertical	N/A
4**	5497.200	92.57	0.60	--	92.57	AV	92.00	150	Vertical	N/A
5	11640.537	50.54	20.37	74.0	-23.46	Peak	0.00	150	Vertical	Pass
5**	11640.537	38.18	20.37	54.0	-15.82	AV	0.00	150	Vertical	Pass
6	15939.637	55.19	23.90	74.0	-18.81	Peak	133.00	150	Vertical	Pass
6**	15939.637	43.44	23.90	54.0	-10.56	AV	133.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.000	44.49	-15.23	74.0	-29.51	Peak	254.00	150	Horizontal	Pass
1**	1670.000	34.99	-15.23	54.0	-19.01	AV	254.00	150	Horizontal	Pass
2	2819.500	41.68	-8.37	74.0	-32.32	Peak	151.00	150	Horizontal	Pass
2**	2819.500	31.63	-8.37	54.0	-22.37	AV	151.00	150	Horizontal	Pass
3	4308.000	47.40	-3.48	74.0	-26.60	Peak	358.00	150	Horizontal	Pass
3**	4308.000	37.03	-3.48	54.0	-16.97	AV	358.00	150	Horizontal	Pass
4	5575.200	108.67	0.69	--	-175.33	Peak	284.00	150	Horizontal	N/A
4**	5575.200	99.85	0.69	--	99.85	AV	284.00	150	Horizontal	N/A
5	11667.276	49.95	20.20	74.0	-24.05	Peak	221.00	150	Horizontal	Pass
5**	11667.276	39.33	20.20	54.0	-14.67	AV	221.00	150	Horizontal	Pass
6	15597.075	54.58	23.55	74.0	-19.42	Peak	139.00	150	Horizontal	Pass
6**	15597.075	42.82	23.55	54.0	-11.18	AV	139.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.600	42.34	-14.61	74.0	-31.66	Peak	286.00	150	Vertical	Pass
1**	1449.600	33.74	-14.61	54.0	-20.26	AV	286.00	150	Vertical	Pass
2	2884.800	42.68	-8.27	74.0	-31.32	Peak	339.00	150	Vertical	Pass
2**	2884.800	32.74	-8.27	54.0	-21.26	AV	339.00	150	Vertical	Pass
3	4150.000	47.25	-3.46	74.0	-26.75	Peak	152.00	150	Vertical	Pass
3**	4150.000	35.58	-3.46	54.0	-18.42	AV	152.00	150	Vertical	Pass
4	5581.200	101.44	0.88	--	-0.56	Peak	102.00	150	Vertical	N/A
4**	5581.200	93.78	0.88	--	93.78	AV	102.00	150	Vertical	N/A
5	11636.799	49.92	20.34	74.0	-24.08	Peak	0.00	150	Vertical	Pass
5**	11636.799	39.04	20.34	54.0	-14.96	AV	0.00	150	Vertical	Pass
6	15641.700	54.86	23.56	74.0	-19.14	Peak	352.00	150	Vertical	Pass
6**	15641.700	44.09	23.56	54.0	-9.91	AV	352.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	43.48	-15.22	74.0	-30.52	Peak	255.00	150	Horizontal	Pass
1**	1668.100	34.10	-15.22	54.0	-19.90	AV	255.00	150	Horizontal	Pass
2	2768.800	41.67	-8.54	74.0	-32.33	Peak	40.00	150	Horizontal	Pass
2**	2768.800	32.15	-8.54	54.0	-21.85	AV	40.00	150	Horizontal	Pass
3	4151.600	46.47	-3.49	74.0	-27.53	Peak	41.00	150	Horizontal	Pass
3**	4151.600	35.07	-3.49	54.0	-18.93	AV	41.00	150	Horizontal	Pass
4	5696.200	109.56	-0.65	--	-179.44	Peak	289.00	150	Horizontal	Pass
4**	5696.200	100.15	-0.65	--	100.15	AV	289.00	150	Horizontal	N/A
5	11667.849	49.74	20.19	74.0	-24.26	Peak	130.00	150	Horizontal	Pass
5**	11667.849	39.32	20.19	54.0	-14.68	AV	130.00	150	Horizontal	Pass
6	15503.625	55.30	23.93	74.0	-18.70	Peak	362.00	150	Horizontal	Pass
6**	15503.625	44.09	23.93	54.0	-9.91	AV	362.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.000	43.26	-14.69	74.0	-30.74	Peak	274.00	150	Vertical	Pass
1**	1458.000	34.47	-14.69	54.0	-19.53	AV	274.00	150	Vertical	Pass
2	2868.300	41.99	-8.16	74.0	-32.01	Peak	360.00	150	Vertical	Pass
2**	2868.300	32.69	-8.16	54.0	-21.31	AV	360.00	150	Vertical	Pass
3	4275.600	48.10	-3.44	74.0	-25.90	Peak	194.00	150	Vertical	Pass
3**	4275.600	35.10	-3.44	54.0	-18.90	AV	194.00	150	Vertical	Pass
4	5702.800	100.92	-0.72	--	-22.08	Peak	123.00	150	Vertical	N/A
4**	5702.800	93.18	-0.72	--	93.18	AV	123.00	150	Vertical	N/A
5	11631.625	50.78	20.31	74.0	-23.22	Peak	9.00	150	Vertical	Pass
5**	11631.625	38.42	20.31	54.0	-15.58	AV	9.00	150	Vertical	Pass
6	15953.025	55.39	23.96	74.0	-18.61	Peak	279.00	150	Vertical	Pass
6**	15953.025	44.01	23.96	54.0	-9.99	AV	279.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.600	42.82	-15.23	74.0	-31.18	Peak	253.00	150	Horizontal	Pass
1**	1678.600	33.41	-15.23	54.0	-20.59	AV	253.00	150	Horizontal	Pass
2	2839.400	42.01	-8.49	74.0	-31.99	Peak	360.00	150	Horizontal	Pass
2**	2839.400	32.56	-8.49	54.0	-21.44	AV	360.00	150	Horizontal	Pass
3	4244.000	47.20	-3.27	74.0	-26.80	Peak	78.00	150	Horizontal	Pass
3**	4244.000	35.97	-3.27	54.0	-18.03	AV	78.00	150	Horizontal	Pass
4	5717.400	108.28	-0.55	--	-177.72	Peak	286.00	150	Horizontal	N/A
4**	5717.400	100.51	-0.55	--	100.51	AV	286.00	150	Horizontal	N/A
5	12152.863	50.24	19.95	74.0	-23.76	Peak	292.00	150	Horizontal	Pass
5**	12152.863	38.56	19.95	54.0	-15.44	AV	292.00	150	Horizontal	Pass
6	15913.650	54.81	23.53	74.0	-19.19	Peak	172.00	150	Horizontal	Pass
6**	15913.650	43.45	23.53	54.0	-10.55	AV	172.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.600	42.27	-14.96	74.0	-31.73	Peak	297.00	150	Vertical	Pass
1**	1477.600	30.51	-14.96	54.0	-23.49	AV	297.00	150	Vertical	Pass
2	2832.700	42.19	-8.46	74.0	-31.81	Peak	306.00	150	Vertical	Pass
2**	2832.700	32.32	-8.46	54.0	-21.68	AV	306.00	150	Vertical	Pass
3	4113.800	46.66	-4.19	74.0	-27.34	Peak	278.00	150	Vertical	Pass
3**	4113.800	35.69	-4.19	54.0	-18.31	AV	278.00	150	Vertical	Pass
4	5720.800	102.14	-0.57	--	-22.86	Peak	125.00	150	Vertical	N/A
4**	5720.800	92.73	-0.57	--	92.73	AV	125.00	150	Vertical	N/A
5	11679.925	50.34	20.07	74.0	-23.66	Peak	37.00	150	Vertical	Pass
5**	11679.925	37.56	20.07	54.0	-16.44	AV	37.00	150	Vertical	Pass
6	15569.512	55.87	23.58	74.0	-18.13	Peak	330.00	150	Vertical	Pass
6**	15569.512	43.37	23.58	54.0	-10.63	AV	330.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.500	44.57	-15.26	74.0	-29.43	Peak	261.00	150	Horizontal	Pass
1**	1675.500	33.33	-15.26	54.0	-20.67	AV	261.00	150	Horizontal	Pass
2	2863.100	42.34	-8.04	74.0	-31.66	Peak	309.00	150	Horizontal	Pass
2**	2863.100	33.86	-8.04	54.0	-20.14	AV	309.00	150	Horizontal	Pass
3	4155.800	46.66	-3.53	74.0	-27.34	Peak	34.00	150	Horizontal	Pass
3**	4155.800	35.52	-3.53	54.0	-18.48	AV	34.00	150	Horizontal	Pass
4	5507.000	105.18	0.30	--	-182.82	Peak	288.00	150	Horizontal	N/A
4**	5507.000	96.34	0.30	--	96.34	AV	288.00	150	Horizontal	N/A
5	11657.500	50.58	20.30	74.0	-23.42	Peak	156.00	150	Horizontal	Pass
5**	11657.500	40.66	20.30	54.0	-13.34	AV	156.00	150	Horizontal	Pass
6	15565.575	54.75	23.58	74.0	-19.25	Peak	279.00	150	Horizontal	Pass
6**	15565.575	43.29	23.58	54.0	-10.71	AV	279.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.200	43.01	-14.69	74.0	-30.99	Peak	276.00	150	Vertical	Pass
1**	1453.200	32.70	-14.69	54.0	-21.30	AV	276.00	150	Vertical	Pass
2	2833.400	42.07	-8.47	74.0	-31.93	Peak	95.00	150	Vertical	Pass
2**	2833.400	33.52	-8.47	54.0	-20.48	AV	95.00	150	Vertical	Pass
3	3992.200	46.75	-4.51	74.0	-27.25	Peak	0.00	150	Vertical	Pass
3**	3992.200	33.25	-4.51	54.0	-20.75	AV	0.00	150	Vertical	Pass
4	5519.400	101.22	0.26	--	-4.78	Peak	106.00	150	Vertical	N/A
4**	5519.400	89.38	0.26	--	89.38	AV	106.00	150	Vertical	N/A
5	11822.812	50.03	18.37	74.0	-23.97	Peak	161.00	150	Vertical	Pass
5**	11822.812	38.16	18.37	54.0	-15.84	AV	161.00	150	Vertical	Pass
6	15671.099	55.69	23.53	74.0	-18.31	Peak	300.00	150	Vertical	Pass
6**	15671.099	43.42	23.53	54.0	-10.58	AV	300.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.800	44.04	-15.27	74.0	-29.96	Peak	254.00	150	Horizontal	Pass
1**	1677.800	34.60	-15.27	54.0	-19.40	AV	254.00	150	Horizontal	Pass
2	2810.400	41.44	-8.49	74.0	-32.56	Peak	130.00	150	Horizontal	Pass
2**	2810.400	31.97	-8.49	54.0	-22.03	AV	130.00	150	Horizontal	Pass
3	4108.600	46.79	-4.23	74.0	-27.21	Peak	360.00	150	Horizontal	Pass
3**	4108.600	35.43	-4.23	54.0	-18.57	AV	360.00	150	Horizontal	Pass
4	5593.200	107.41	0.38	--	-181.59	Peak	289.00	150	Horizontal	N/A
4**	5593.200	97.52	0.38	--	97.52	AV	289.00	150	Horizontal	N/A
5	12204.325	50.42	20.44	74.0	-23.58	Peak	277.00	150	Horizontal	Pass
5**	12204.325	39.15	20.44	54.0	-14.85	AV	277.00	150	Horizontal	Pass
6	15596.026	55.31	23.56	74.0	-18.69	Peak	290.00	150	Horizontal	Pass
6**	15596.026	43.33	23.56	54.0	-10.67	AV	290.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.200	43.70	-14.86	74.0	-30.30	Peak	279.00	150	Vertical	Pass
1**	1470.200	35.88	-14.86	54.0	-18.12	AV	279.00	150	Vertical	Pass
2	2873.500	42.50	-8.28	74.0	-31.50	Peak	151.00	150	Vertical	Pass
2**	2873.500	32.45	-8.28	54.0	-21.55	AV	151.00	150	Vertical	Pass
3	4256.600	47.93	-3.14	74.0	-26.07	Peak	230.00	150	Vertical	Pass
3**	4256.600	36.26	-3.14	54.0	-17.74	AV	230.00	150	Vertical	Pass
4	5601.800	99.49	0.06	--	-6.51	Peak	106.00	150	Vertical	N/A
4**	5601.800	90.35	0.06	--	90.35	AV	106.00	150	Vertical	N/A
5	11425.200	49.61	18.62	74.0	-24.39	Peak	360.00	150	Vertical	Pass
5**	11425.200	36.64	18.62	54.0	-17.36	AV	360.00	150	Vertical	Pass
6	15357.674	55.03	22.51	74.0	-18.97	Peak	67.00	150	Vertical	Pass
6**	15357.674	42.45	22.51	54.0	-11.55	AV	67.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.900	42.65	-15.23	74.0	-31.35	Peak	249.00	150	Horizontal	Pass
1**	1674.900	33.67	-15.23	54.0	-20.33	AV	249.00	150	Horizontal	Pass
2	2829.500	41.84	-8.26	74.0	-32.16	Peak	56.00	150	Horizontal	Pass
2**	2829.500	32.43	-8.26	54.0	-21.57	AV	56.00	150	Horizontal	Pass
3	4222.200	47.24	-3.72	74.0	-26.76	Peak	206.00	150	Horizontal	Pass
3**	4222.200	35.66	-3.72	54.0	-18.34	AV	206.00	150	Horizontal	Pass
4	5665.000	106.31	0.02	--	-182.69	Peak	289.00	150	Horizontal	N/A
4**	5665.000	97.92	0.02	--	97.92	AV	289.00	150	Horizontal	N/A
5	11828.563	50.52	18.31	74.0	-23.48	Peak	340.00	150	Horizontal	Pass
5**	11828.563	38.10	18.31	54.0	-15.90	AV	340.00	150	Horizontal	Pass
6	15945.413	55.16	23.93	74.0	-18.84	Peak	0.00	150	Horizontal	Pass
6**	15945.413	44.40	23.93	54.0	-9.60	AV	0.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.800	42.32	-14.69	74.0	-31.68	Peak	265.00	150	Vertical	Pass
1**	1457.800	32.67	-14.69	54.0	-21.33	AV	265.00	150	Vertical	Pass
2	2817.800	41.83	-8.27	74.0	-32.17	Peak	297.00	150	Vertical	Pass
2**	2817.800	32.31	-8.27	54.0	-21.69	AV	297.00	150	Vertical	Pass
3	3960.200	46.70	-4.49	74.0	-27.30	Peak	74.00	150	Vertical	Pass
3**	3960.200	35.59	-4.49	54.0	-18.41	AV	74.00	150	Vertical	Pass
4	5662.400	98.87	-0.03	--	-44.13	Peak	143.00	150	Vertical	N/A
4**	5662.400	89.43	-0.03	--	89.43	AV	143.00	150	Vertical	N/A
5	11632.487	49.84	20.32	74.0	-24.16	Peak	63.00	150	Vertical	Pass
5**	11632.487	38.31	20.32	54.0	-15.69	AV	63.00	150	Vertical	Pass
6	15821.250	54.77	23.29	74.0	-19.23	Peak	121.00	150	Vertical	Pass
6**	15821.250	43.25	23.29	54.0	-10.75	AV	121.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	44.04	-15.29	74.0	-29.96	Peak	253.00	150	Horizontal	Pass
1**	1677.500	33.75	-15.29	54.0	-20.25	AV	253.00	150	Horizontal	Pass
2	2886.900	42.54	-8.18	74.0	-31.46	Peak	181.00	150	Horizontal	Pass
2**	2886.900	33.14	-8.18	54.0	-20.86	AV	181.00	150	Horizontal	Pass
3	4352.400	47.67	-3.11	74.0	-26.33	Peak	131.00	150	Horizontal	Pass
3**	4352.400	34.98	-3.11	54.0	-19.02	AV	131.00	150	Horizontal	Pass
4	5718.600	105.69	-0.56	--	-180.31	Peak	286.00	150	Horizontal	N/A
4**	5718.600	98.26	-0.56	--	98.26	AV	286.00	150	Horizontal	N/A
5	12233.362	50.58	20.43	74.0	-23.42	Peak	180.00	150	Horizontal	Pass
5**	12233.362	38.76	20.43	54.0	-15.24	AV	180.00	150	Horizontal	Pass
6	15701.550	54.88	23.56	74.0	-19.12	Peak	136.00	150	Horizontal	Pass
6**	15701.550	42.84	23.56	54.0	-11.16	AV	136.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.000	41.81	-14.77	74.0	-32.19	Peak	260.00	150	Vertical	Pass
1**	1464.000	30.38	-14.77	54.0	-23.62	AV	260.00	150	Vertical	Pass
2	2828.000	42.11	-8.27	74.0	-31.89	Peak	249.00	150	Vertical	Pass
2**	2828.000	32.55	-8.27	54.0	-21.45	AV	249.00	150	Vertical	Pass
3	4161.800	46.78	-3.49	74.0	-27.22	Peak	106.00	150	Vertical	Pass
3**	4161.800	35.83	-3.49	54.0	-18.17	AV	106.00	150	Vertical	Pass
4	5720.800	99.14	-0.57	--	-28.86	Peak	128.00	150	Vertical	N/A
4**	5720.800	89.54	-0.57	--	89.54	AV	128.00	150	Vertical	N/A
5	11635.363	50.16	20.33	74.0	-23.84	Peak	287.00	150	Vertical	Pass
5**	11635.363	38.44	20.33	54.0	-15.56	AV	287.00	150	Vertical	Pass
6	15598.913	54.92	23.55	74.0	-19.08	Peak	361.00	150	Vertical	Pass
6**	15598.913	43.13	23.55	54.0	-10.87	AV	361.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.000	42.57	-15.23	74.0	-31.43	Peak	250.00	150	Horizontal	Pass
1**	1664.000	28.74	-15.23	54.0	-25.26	AV	250.00	150	Horizontal	Pass
2	2790.600	41.62	-8.87	74.0	-32.38	Peak	105.00	150	Horizontal	Pass
2**	2790.600	31.93	-8.87	54.0	-22.07	AV	105.00	150	Horizontal	Pass
3	4235.200	46.70	-3.46	74.0	-27.30	Peak	19.00	150	Horizontal	Pass
3**	4235.200	35.48	-3.46	54.0	-18.52	AV	19.00	150	Horizontal	Pass
4	5517.000	102.36	0.33	--	-182.64	Peak	285.00	150	Horizontal	N/A
4**	5517.000	93.95	0.33	--	93.95	AV	285.00	150	Horizontal	N/A
5	11629.038	50.32	20.29	74.0	-23.68	Peak	329.00	150	Horizontal	Pass
5**	11629.038	38.47	20.29	54.0	-15.53	AV	329.00	150	Horizontal	Pass
6	15366.338	55.19	22.60	74.0	-18.81	Peak	362.00	150	Horizontal	Pass
6**	15366.338	43.05	22.60	54.0	-10.95	AV	362.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.900	41.71	-14.88	74.0	-32.29	Peak	278.00	150	Vertical	Pass
1**	1470.900	32.37	-14.88	54.0	-21.63	AV	278.00	150	Vertical	Pass
2	2803.900	42.71	-8.73	74.0	-31.29	Peak	211.00	150	Vertical	Pass
2**	2803.900	31.84	-8.73	54.0	-22.16	AV	211.00	150	Vertical	Pass
3	4067.000	46.98	-3.91	74.0	-27.02	Peak	346.00	150	Vertical	Pass
3**	4067.000	35.10	-3.91	54.0	-18.90	AV	346.00	150	Vertical	Pass
4	5537.200	96.71	0.23	--	1.71	Peak	95.00	150	Vertical	N/A
4**	5537.200	86.03	0.23	--	86.03	AV	95.00	150	Vertical	N/A
5	11686.250	49.95	19.99	74.0	-24.05	Peak	40.00	150	Vertical	Pass
5**	11686.250	38.43	19.99	54.0	-15.57	AV	40.00	150	Vertical	Pass
6	15358.200	55.67	22.52	74.0	-18.33	Peak	237.00	150	Vertical	Pass
6**	15358.200	43.53	22.52	54.0	-10.47	AV	237.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.500	44.14	-15.21	74.0	-29.86	Peak	249.00	150	Horizontal	Pass
1**	1666.500	34.61	-15.21	54.0	-19.39	AV	249.00	150	Horizontal	Pass
2	2874.300	41.95	-8.31	74.0	-32.05	Peak	360.00	150	Horizontal	Pass
2**	2874.300	31.76	-8.31	54.0	-22.24	AV	360.00	150	Horizontal	Pass
3	4144.200	46.82	-3.89	74.0	-27.18	Peak	54.00	150	Horizontal	Pass
3**	4144.200	35.82	-3.89	54.0	-18.18	AV	54.00	150	Horizontal	Pass
4	5615.800	103.18	-0.27	--	-199.82	Peak	303.00	150	Horizontal	N/A
4**	5615.800	93.97	-0.27	--	93.97	AV	303.00	150	Horizontal	N/A
5	12205.475	50.44	20.44	74.0	-23.56	Peak	212.00	150	Horizontal	Pass
5**	12205.475	39.47	20.44	54.0	-14.53	AV	212.00	150	Horizontal	Pass
6	16012.613	54.69	23.99	74.0	-19.31	Peak	274.00	150	Horizontal	Pass
6**	16012.613	43.63	23.99	54.0	-10.37	AV	274.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.000	41.89	-14.88	74.0	-32.11	Peak	284.00	150	Vertical	Pass
1**	1471.000	31.48	-14.88	54.0	-22.52	AV	284.00	150	Vertical	Pass
2	2851.000	42.04	-8.19	74.0	-31.96	Peak	327.00	150	Vertical	Pass
2**	2851.000	31.88	-8.19	54.0	-22.12	AV	327.00	150	Vertical	Pass
3	4243.200	47.90	-3.29	74.0	-26.10	Peak	167.00	150	Vertical	Pass
3**	4243.200	35.80	-3.29	54.0	-18.20	AV	167.00	150	Vertical	Pass
4	5585.200	95.89	0.62	--	-9.11	Peak	105.00	150	Vertical	N/A
4**	5585.200	87.18	0.62	--	87.18	AV	105.00	150	Vertical	N/A
5	11816.776	50.63	18.42	74.0	-23.37	Peak	87.00	150	Vertical	Pass
5**	11816.776	37.90	18.42	54.0	-16.10	AV	87.00	150	Vertical	Pass
6	15501.787	55.57	23.95	74.0	-18.43	Peak	222.00	150	Vertical	Pass
6**	15501.787	43.56	23.95	54.0	-10.44	AV	222.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.300	42.97	-15.43	74.0	-31.03	Peak	247.00	150	Horizontal	Pass
1**	1672.300	31.88	-15.43	54.0	-22.12	AV	247.00	150	Horizontal	Pass
2	2866.100	41.68	-8.06	74.0	-32.32	Peak	275.00	150	Horizontal	Pass
2**	2866.100	33.27	-8.06	54.0	-20.73	AV	275.00	150	Horizontal	Pass
3	4124.800	47.33	-3.98	74.0	-26.67	Peak	337.00	150	Horizontal	Pass
3**	4124.800	37.90	-3.98	54.0	-16.10	AV	337.00	150	Horizontal	Pass
4	5669.200	103.54	-0.03	--	-179.46	Peak	283.00	150	Horizontal	N/A
4**	5669.200	95.36	-0.03	--	95.36	AV	283.00	150	Horizontal	N/A
5	11682.513	50.56	20.04	74.0	-23.44	Peak	338.00	150	Horizontal	Pass
5**	11682.513	38.39	20.04	54.0	-15.61	AV	338.00	150	Horizontal	Pass
6	15885.038	55.33	23.33	74.0	-18.67	Peak	13.00	150	Horizontal	Pass
6**	15885.038	43.28	23.33	54.0	-10.72	AV	13.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.500	42.20	-14.71	74.0	-31.80	Peak	282.00	150	Vertical	Pass
1**	1451.500	31.10	-14.71	54.0	-22.90	AV	282.00	150	Vertical	Pass
2	2895.200	42.53	-8.10	74.0	-31.47	Peak	112.00	150	Vertical	Pass
2**	2895.200	34.25	-8.10	54.0	-19.75	AV	112.00	150	Vertical	Pass
3	4184.400	47.09	-3.93	74.0	-26.91	Peak	182.00	150	Vertical	Pass
3**	4184.400	36.42	-3.93	54.0	-17.58	AV	182.00	150	Vertical	Pass
4	5686.000	96.10	-0.49	--	-9.90	Peak	106.00	150	Vertical	N/A
4**	5686.000	88.37	-0.49	--	88.37	AV	106.00	150	Vertical	N/A
5	11909.638	50.62	18.08	74.0	-23.38	Peak	251.00	150	Vertical	Pass
5**	11909.638	37.07	18.08	54.0	-16.93	AV	251.00	150	Vertical	Pass
6	15879.000	54.86	23.35	74.0	-19.14	Peak	214.00	150	Vertical	Pass
6**	15879.000	43.19	23.35	54.0	-10.81	AV	214.00	150	Vertical	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.400	43.70	-15.26	74.0	-30.30	Peak	254.00	150	Horizontal	Pass
1**	1674.400	34.21	-15.26	54.0	-19.79	AV	254.00	150	Horizontal	Pass
2	2846.600	42.50	-8.35	74.0	-31.50	Peak	50.00	150	Horizontal	Pass
2**	2846.600	32.31	-8.35	54.0	-21.69	AV	50.00	150	Horizontal	Pass
3	4064.000	46.80	-3.87	74.0	-27.20	Peak	97.00	150	Horizontal	Pass
3**	4064.000	34.46	-3.87	54.0	-19.54	AV	97.00	150	Horizontal	Pass
4	5615.600	100.96	-0.27	--	-197.04	Peak	298.00	150	Horizontal	N/A
4**	5615.600	91.19	-0.27	--	91.19	AV	298.00	150	Horizontal	N/A
5	11667.562	49.86	20.19	74.0	-24.14	Peak	23.00	150	Horizontal	Pass
5**	11667.562	38.79	20.19	54.0	-15.21	AV	23.00	150	Horizontal	Pass
6	15365.812	55.48	22.59	74.0	-18.52	Peak	72.00	150	Horizontal	Pass
6**	15365.812	42.68	22.59	54.0	-11.32	AV	72.00	150	Horizontal	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.900	42.62	-14.81	74.0	-31.38	Peak	297.00	150	Vertical	Pass
1**	1468.900	32.89	-14.81	54.0	-21.11	AV	297.00	150	Vertical	Pass
2	2783.900	41.33	-8.67	74.0	-32.67	Peak	273.00	150	Vertical	Pass
2**	2783.900	32.58	-8.67	54.0	-21.42	AV	273.00	150	Vertical	Pass
3	4186.800	47.46	-4.05	74.0	-26.54	Peak	224.00	150	Vertical	Pass
3**	4186.800	35.01	-4.05	54.0	-18.99	AV	224.00	150	Vertical	Pass
4	5581.200	94.03	0.88	--	-5.97	Peak	100.00	150	Vertical	N/A
4**	5581.200	85.31	0.88	--	85.31	AV	100.00	150	Vertical	N/A
5	11420.026	50.45	18.61	74.0	-23.55	Peak	100.00	150	Vertical	Pass
5**	11420.026	36.95	18.61	54.0	-17.05	AV	100.00	150	Vertical	Pass
6	15931.763	55.48	23.80	74.0	-18.52	Peak	146.00	150	Vertical	Pass
6**	15931.763	44.45	23.80	54.0	-9.55	AV	146.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	43.74	-15.28	74.0	-30.26	Peak	251.00	150	Horizontal	Pass
1**	1670.900	33.30	-15.28	54.0	-20.70	AV	251.00	150	Horizontal	Pass
2	2785.400	41.49	-8.73	74.0	-32.51	Peak	224.00	150	Horizontal	Pass
2**	2785.400	31.91	-8.73	54.0	-22.09	AV	224.00	150	Horizontal	Pass
3	4318.400	47.00	-3.15	74.0	-27.00	Peak	360.00	150	Horizontal	Pass
3**	4318.400	34.84	-3.15	54.0	-19.16	AV	360.00	150	Horizontal	Pass
4	5740.800	106.58	-0.01	--	-189.42	Peak	296.00	150	Horizontal	N/A
4**	5740.800	100.28	-0.01	--	100.28	AV	296.00	150	Horizontal	N/A
5	11357.062	49.36	18.25	74.0	-24.64	Peak	214.00	150	Horizontal	Pass
5**	11357.062	37.38	18.25	54.0	-16.62	AV	214.00	150	Horizontal	Pass
6	15950.925	55.64	23.95	74.0	-18.36	Peak	236.00	150	Horizontal	Pass
6**	15950.925	43.98	23.95	54.0	-10.02	AV	236.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.200	43.53	-14.70	74.0	-30.47	Peak	291.00	150	Vertical	Pass
1**	1460.200	32.40	-14.70	54.0	-21.60	AV	291.00	150	Vertical	Pass
2	2786.800	41.36	-8.80	74.0	-32.64	Peak	316.00	150	Vertical	Pass
2**	2786.800	31.02	-8.80	54.0	-22.98	AV	316.00	150	Vertical	Pass
3	4306.800	47.48	-3.44	74.0	-26.52	Peak	321.00	150	Vertical	Pass
3**	4306.800	35.78	-3.44	54.0	-18.22	AV	321.00	150	Vertical	Pass
4	5746.800	98.60	0.37	--	-32.40	Peak	131.00	150	Vertical	N/A
4**	5746.800	91.23	0.37	--	91.23	AV	131.00	150	Vertical	N/A
5	11612.650	50.08	20.20	74.0	-23.92	Peak	113.00	150	Vertical	Pass
5**	11612.650	38.79	20.20	54.0	-15.21	AV	113.00	150	Vertical	Pass
6	15895.800	54.78	23.28	74.0	-19.22	Peak	36.00	150	Vertical	Pass
6**	15895.800	43.22	23.28	54.0	-10.78	AV	36.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.600	45.22	-15.21	74.0	-28.78	Peak	257.00	150	Horizontal	Pass
1**	1666.600	34.34	-15.21	54.0	-19.66	AV	257.00	150	Horizontal	Pass
2	2828.500	42.42	-8.23	74.0	-31.58	Peak	228.00	150	Horizontal	Pass
2**	2828.500	32.32	-8.23	54.0	-21.68	AV	228.00	150	Horizontal	Pass
3	4278.400	47.66	-3.47	74.0	-26.34	Peak	236.00	150	Horizontal	Pass
3**	4278.400	35.90	-3.47	54.0	-18.10	AV	236.00	150	Horizontal	Pass
4	5789.200	108.07	0.99	--	-168.93	Peak	277.00	150	Horizontal	N/A
4**	5789.200	101.12	0.99	--	101.12	AV	277.00	150	Horizontal	N/A
5	11682.224	50.17	20.04	74.0	-23.83	Peak	240.00	150	Horizontal	Pass
5**	11682.224	38.32	20.04	54.0	-15.68	AV	240.00	150	Horizontal	Pass
6	16013.138	55.02	23.98	74.0	-18.98	Peak	293.00	150	Horizontal	Pass
6**	16013.138	44.36	23.98	54.0	-9.64	AV	293.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.200	42.39	-14.63	74.0	-31.61	Peak	273.00	150	Vertical	Pass
1**	1449.200	35.68	-14.63	54.0	-18.32	AV	273.00	150	Vertical	Pass
2	2819.900	41.87	-8.40	74.0	-32.13	Peak	209.00	150	Vertical	Pass
2**	2819.900	31.94	-8.40	54.0	-22.06	AV	209.00	150	Vertical	Pass
3	4235.200	47.13	-3.46	74.0	-26.87	Peak	244.00	150	Vertical	Pass
3**	4235.200	36.25	-3.46	54.0	-17.75	AV	244.00	150	Vertical	Pass
4	5789.200	99.36	0.99	--	-35.64	Peak	135.00	150	Vertical	N/A
4**	5789.200	93.13	0.99	--	93.13	AV	135.00	150	Vertical	N/A
5	11616.675	50.33	20.22	74.0	-23.67	Peak	277.00	150	Vertical	Pass
5**	11616.675	38.98	20.22	54.0	-15.02	AV	277.00	150	Vertical	Pass
6	15937.537	55.32	23.87	74.0	-18.68	Peak	315.00	150	Vertical	Pass
6**	15937.537	43.69	23.87	54.0	-10.31	AV	315.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	45.18	-15.22	74.0	-28.82	Peak	251.00	150	Horizontal	Pass
1**	1668.800	34.50	-15.22	54.0	-19.50	AV	251.00	150	Horizontal	Pass
2	2788.500	41.11	-8.87	74.0	-32.89	Peak	101.00	150	Horizontal	Pass
2**	2788.500	31.11	-8.87	54.0	-22.89	AV	101.00	150	Horizontal	Pass
3	4263.600	46.85	-3.24	74.0	-27.15	Peak	195.00	150	Horizontal	Pass
3**	4263.600	34.92	-3.24	54.0	-19.08	AV	195.00	150	Horizontal	Pass
4	5823.600	107.53	0.84	--	-174.47	Peak	282.00	150	Horizontal	N/A
4**	5823.600	100.89	0.84	--	100.89	AV	282.00	150	Horizontal	N/A
5	11675.037	50.46	20.12	74.0	-23.54	Peak	137.00	150	Horizontal	Pass
5**	11675.037	38.54	20.12	54.0	-15.46	AV	137.00	150	Horizontal	Pass
6	15473.963	55.93	23.61	74.0	-18.07	Peak	290.00	150	Horizontal	Pass
6**	15473.963	43.26	23.61	54.0	-10.74	AV	290.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.300	42.48	-14.71	74.0	-31.52	Peak	280.00	150	Vertical	Pass
1**	1460.300	32.54	-14.71	54.0	-21.46	AV	280.00	150	Vertical	Pass
2	2872.300	43.05	-8.24	74.0	-30.95	Peak	0.00	150	Vertical	Pass
2**	2872.300	32.92	-8.24	54.0	-21.08	AV	0.00	150	Vertical	Pass
3	4012.400	46.64	-4.53	74.0	-27.36	Peak	83.00	150	Vertical	Pass
3**	4012.400	37.04	-4.53	54.0	-16.96	AV	83.00	150	Vertical	Pass
4	5822.800	99.42	0.87	--	-25.58	Peak	125.00	150	Vertical	N/A
4**	5822.800	93.91	0.87	--	93.91	AV	125.00	150	Vertical	N/A
5	11827.987	49.59	18.32	74.0	-24.41	Peak	320.00	150	Vertical	Pass
5**	11827.987	37.74	18.32	54.0	-16.26	AV	320.00	150	Vertical	Pass
6	15486.037	54.78	23.75	74.0	-19.22	Peak	241.00	150	Vertical	Pass
6**	15486.037	45.02	23.75	54.0	-8.98	AV	241.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.200	43.40	-15.22	74.0	-30.60	Peak	252.00	150	Horizontal	Pass
1**	1680.200	33.75	-15.22	54.0	-20.25	AV	252.00	150	Horizontal	Pass
2	2832.700	42.08	-8.46	74.0	-31.92	Peak	72.00	150	Horizontal	Pass
2**	2832.700	32.01	-8.46	54.0	-21.99	AV	72.00	150	Horizontal	Pass
3	4190.600	47.51	-4.11	74.0	-26.49	Peak	169.00	150	Horizontal	Pass
3**	4190.600	34.09	-4.11	54.0	-19.91	AV	169.00	150	Horizontal	Pass
4	5742.200	106.74	0.05	--	-177.26	Peak	284.00	150	Horizontal	N/A
4**	5742.200	99.34	0.05	--	99.34	AV	284.00	150	Horizontal	N/A
5	11650.025	49.88	20.39	74.0	-24.12	Peak	255.00	150	Horizontal	Pass
5**	11650.025	38.32	20.39	54.0	-15.68	AV	255.00	150	Horizontal	Pass
6	15407.813	55.11	22.94	74.0	-18.89	Peak	362.00	150	Horizontal	Pass
6**	15407.813	43.02	22.94	54.0	-10.98	AV	362.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.300	42.05	-14.69	74.0	-31.95	Peak	282.00	150	Vertical	Pass
1**	1458.300	34.57	-14.69	54.0	-19.43	AV	282.00	150	Vertical	Pass
2	2880.100	42.49	-8.27	74.0	-31.51	Peak	132.00	150	Vertical	Pass
2**	2880.100	32.93	-8.27	54.0	-21.07	AV	132.00	150	Vertical	Pass
3	4261.400	47.21	-3.35	74.0	-26.79	Peak	25.00	150	Vertical	Pass
3**	4261.400	37.19	-3.35	54.0	-16.81	AV	25.00	150	Vertical	Pass
4	5743.600	97.63	0.14	--	-24.37	Peak	122.00	150	Vertical	N/A
4**	5743.600	90.85	0.14	--	90.85	AV	122.00	150	Vertical	N/A
5	11698.900	51.14	19.84	74.0	-22.86	Peak	39.00	150	Vertical	Pass
5**	11698.900	37.88	19.84	54.0	-16.12	AV	39.00	150	Vertical	Pass
6	16054.875	54.81	24.12	74.0	-19.19	Peak	129.00	150	Vertical	Pass
6**	16054.875	42.68	24.12	54.0	-11.32	AV	129.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.400	42.75	-15.30	74.0	-31.25	Peak	249.00	150	Horizontal	Pass
1**	1676.400	32.90	-15.30	54.0	-21.10	AV	249.00	150	Horizontal	Pass
2	2815.900	41.66	-8.33	74.0	-32.34	Peak	335.00	150	Horizontal	Pass
2**	2815.900	31.04	-8.33	54.0	-22.96	AV	335.00	150	Horizontal	Pass
3	4116.600	46.68	-4.04	74.0	-27.32	Peak	161.00	150	Horizontal	Pass
3**	4116.600	36.08	-4.04	54.0	-17.92	AV	161.00	150	Horizontal	Pass
4	5780.800	107.54	1.04	--	-185.46	Peak	293.00	150	Horizontal	N/A
4**	5780.800	101.75	1.04	--	101.75	AV	293.00	150	Horizontal	N/A
5	12157.175	50.29	20.01	74.0	-23.71	Peak	106.00	150	Horizontal	Pass
5**	12157.175	38.82	20.01	54.0	-15.18	AV	106.00	150	Horizontal	Pass
6	15810.750	54.74	23.22	74.0	-19.26	Peak	208.00	150	Horizontal	Pass
6**	15810.750	43.29	23.22	54.0	-10.71	AV	208.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.600	43.50	-14.68	74.0	-30.50	Peak	272.00	150	Vertical	Pass
1**	1457.600	36.90	-14.68	54.0	-17.10	AV	272.00	150	Vertical	Pass
2	2889.000	42.68	-8.14	74.0	-31.32	Peak	172.00	150	Vertical	Pass
2**	2889.000	32.81	-8.14	54.0	-21.19	AV	172.00	150	Vertical	Pass
3	4400.000	44.57	-3.56	74.0	-29.43	Peak	355.00	150	Vertical	Pass
3**	4400.000	36.27	-3.56	54.0	-17.73	AV	355.00	150	Vertical	Pass
4	5789.200	98.46	0.99	--	-28.54	Peak	127.00	150	Vertical	N/A
4**	5789.200	92.77	0.99	--	92.77	AV	127.00	150	Vertical	N/A
5	11570.388	50.08	19.83	74.0	-23.92	Peak	90.00	150	Vertical	Pass
5**	11570.388	39.57	19.83	54.0	-14.43	AV	90.00	150	Vertical	Pass
6	15604.950	54.45	23.53	74.0	-19.55	Peak	14.00	150	Vertical	Pass
6**	15604.950	43.61	23.53	54.0	-10.39	AV	14.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.600	44.67	-15.25	74.0	-29.33	Peak	242.00	150	Horizontal	Pass
1**	1670.600	34.78	-15.25	54.0	-19.22	AV	242.00	150	Horizontal	Pass
2	2861.400	42.45	-7.99	74.0	-31.55	Peak	334.00	150	Horizontal	Pass
2**	2861.400	32.24	-7.99	54.0	-21.76	AV	334.00	150	Horizontal	Pass
3	4047.800	46.48	-3.81	74.0	-27.52	Peak	353.00	150	Horizontal	Pass
3**	4047.800	34.88	-3.81	54.0	-19.12	AV	353.00	150	Horizontal	Pass
4	5826.000	106.97	0.80	--	-186.03	Peak	293.00	150	Horizontal	N/A
4**	5826.000	100.24	0.80	--	100.24	AV	293.00	150	Horizontal	N/A
5	11620.987	50.30	20.24	74.0	-23.70	Peak	191.00	150	Horizontal	Pass
5**	11620.987	39.41	20.24	54.0	-14.59	AV	191.00	150	Horizontal	Pass
6	15522.000	54.91	23.77	74.0	-19.09	Peak	362.00	150	Horizontal	Pass
6**	15522.000	43.40	23.77	54.0	-10.60	AV	362.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.800	42.36	-14.77	74.0	-31.64	Peak	300.00	150	Vertical	Pass
1**	1462.800	30.34	-14.77	54.0	-23.66	AV	300.00	150	Vertical	Pass
2	2879.600	42.60	-8.26	74.0	-31.40	Peak	93.00	150	Vertical	Pass
2**	2879.600	33.03	-8.26	54.0	-20.97	AV	93.00	150	Vertical	Pass
3	4170.000	47.98	-3.75	74.0	-26.02	Peak	60.00	150	Vertical	Pass
3**	4170.000	36.63	-3.75	54.0	-17.37	AV	60.00	150	Vertical	Pass
4	5820.400	98.89	0.92	--	-50.11	Peak	149.00	150	Vertical	N/A
4**	5820.400	90.89	0.92	--	90.89	AV	149.00	150	Vertical	N/A
5	11615.526	50.29	20.21	74.0	-23.71	Peak	318.00	150	Vertical	Pass
5**	11615.526	38.12	20.21	54.0	-15.88	AV	318.00	150	Vertical	Pass
6	15510.450	55.23	23.87	74.0	-18.77	Peak	14.00	150	Vertical	Pass
6**	15510.450	43.39	23.87	54.0	-10.61	AV	14.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.300	44.81	-15.25	74.0	-29.19	Peak	252.00	150	Horizontal	Pass
1**	1675.300	35.61	-15.25	54.0	-18.39	AV	252.00	150	Horizontal	Pass
2	2781.400	41.71	-8.68	74.0	-32.29	Peak	252.00	150	Horizontal	Pass
2**	2781.400	32.39	-8.68	54.0	-21.61	AV	252.00	150	Horizontal	Pass
3	4286.000	46.96	-3.83	74.0	-27.04	Peak	325.00	150	Horizontal	Pass
3**	4286.000	35.27	-3.83	54.0	-18.73	AV	325.00	150	Horizontal	Pass
4	5759.400	103.80	0.64	--	-189.20	Peak	293.00	150	Horizontal	N/A
4**	5759.400	97.69	0.64	--	97.69	AV	293.00	150	Horizontal	N/A
5	12276.200	51.22	20.26	74.0	-22.78	Peak	0.00	150	Horizontal	Pass
5**	12276.200	38.15	20.26	54.0	-15.85	AV	0.00	150	Horizontal	Pass
6	16127.849	55.32	24.04	74.0	-18.68	Peak	212.00	150	Horizontal	Pass
6**	16127.849	41.86	24.04	54.0	-12.14	AV	212.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.300	41.71	-14.88	74.0	-32.29	Peak	287.00	150	Vertical	Pass
1**	1472.300	32.74	-14.88	54.0	-21.26	AV	287.00	150	Vertical	Pass
2	2874.100	42.17	-8.31	74.0	-31.83	Peak	27.00	150	Vertical	Pass
2**	2874.100	32.86	-8.31	54.0	-21.14	AV	27.00	150	Vertical	Pass
3	3972.400	46.45	-4.20	74.0	-27.55	Peak	11.00	150	Vertical	Pass
3**	3972.400	35.77	-4.20	54.0	-18.23	AV	11.00	150	Vertical	Pass
4	5764.800	95.04	0.92	--	-38.96	Peak	134.00	150	Vertical	N/A
4**	5764.800	88.60	0.92	--	88.60	AV	134.00	150	Vertical	N/A
5	11613.799	50.31	20.20	74.0	-23.69	Peak	266.00	150	Vertical	Pass
5**	11613.799	38.24	20.20	54.0	-15.76	AV	266.00	150	Vertical	Pass
6	15446.662	55.34	23.34	74.0	-18.66	Peak	342.00	150	Vertical	Pass
6**	15446.662	44.12	23.34	54.0	-9.88	AV	342.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.500	44.04	-15.21	74.0	-29.96	Peak	250.00	150	Horizontal	Pass
1**	1665.500	32.40	-15.21	54.0	-21.60	AV	250.00	150	Horizontal	Pass
2	2813.800	42.22	-8.34	74.0	-31.78	Peak	264.00	150	Horizontal	Pass
2**	2813.800	32.21	-8.34	54.0	-21.79	AV	264.00	150	Horizontal	Pass
3	4273.600	47.54	-3.64	74.0	-26.46	Peak	316.00	150	Horizontal	Pass
3**	4273.600	35.02	-3.64	54.0	-18.98	AV	316.00	150	Horizontal	Pass
4	5784.600	105.37	0.76	--	-177.63	Peak	283.00	150	Horizontal	N/A
4**	5784.600	97.59	0.76	--	97.59	AV	283.00	150	Horizontal	N/A
5	12170.687	50.38	20.16	74.0	-23.62	Peak	97.00	150	Horizontal	Pass
5**	12170.687	38.78	20.16	54.0	-15.22	AV	97.00	150	Horizontal	Pass
6	15592.875	55.34	23.56	74.0	-18.66	Peak	213.00	150	Horizontal	Pass
6**	15592.875	45.06	23.56	54.0	-8.94	AV	213.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.600	42.49	-14.69	74.0	-31.51	Peak	286.00	150	Vertical	Pass
1**	1458.600	33.51	-14.69	54.0	-20.49	AV	286.00	150	Vertical	Pass
2	2872.500	42.61	-8.25	74.0	-31.39	Peak	348.00	150	Vertical	Pass
2**	2872.500	32.90	-8.25	54.0	-21.10	AV	348.00	150	Vertical	Pass
3	4330.400	47.84	-2.82	74.0	-26.16	Peak	121.00	150	Vertical	Pass
3**	4330.400	34.59	-2.82	54.0	-19.41	AV	121.00	150	Vertical	Pass
4	5785.800	95.52	0.77	--	5.52	Peak	90.00	150	Vertical	N/A
4**	5785.800	88.75	0.77	--	88.75	AV	90.00	150	Vertical	N/A
5	11601.150	50.64	20.14	74.0	-23.36	Peak	360.00	150	Vertical	Pass
5**	11601.150	38.13	20.14	54.0	-15.87	AV	360.00	150	Vertical	Pass
6	15634.875	54.86	23.53	74.0	-19.14	Peak	82.00	150	Vertical	Pass
6**	15634.875	43.35	23.53	54.0	-10.65	AV	82.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.800	45.30	-15.21	74.0	-28.70	Peak	201.00	150	Horizontal	Pass
1**	1666.800	33.52	-15.21	54.0	-20.48	AV	201.00	150	Horizontal	Pass
2	2861.100	42.51	-7.98	74.0	-31.49	Peak	267.00	150	Horizontal	Pass
2**	2861.100	32.32	-7.98	54.0	-21.68	AV	267.00	150	Horizontal	Pass
3	4130.600	47.69	-4.10	74.0	-26.31	Peak	92.00	150	Horizontal	Pass
3**	4130.600	34.86	-4.10	54.0	-19.14	AV	92.00	150	Horizontal	Pass
4	5741.800	107.12	0.03	--	-179.88	Peak	287.00	150	Horizontal	N/A
4**	5741.800	100.96	0.03	--	100.96	AV	287.00	150	Horizontal	N/A
5	11533.587	50.19	19.56	74.0	-23.81	Peak	53.00	150	Horizontal	Pass
5**	11533.587	38.15	19.56	54.0	-15.85	AV	53.00	150	Horizontal	Pass
6	15881.625	55.67	23.34	74.0	-18.33	Peak	155.00	150	Horizontal	Pass
6**	15881.625	42.52	23.34	54.0	-11.48	AV	155.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.200	42.08	-14.63	74.0	-31.92	Peak	284.00	150	Vertical	Pass
1**	1449.200	31.99	-14.63	54.0	-22.01	AV	284.00	150	Vertical	Pass
2	2878.200	42.93	-8.31	74.0	-31.07	Peak	125.00	150	Vertical	Pass
2**	2878.200	33.47	-8.31	54.0	-20.53	AV	125.00	150	Vertical	Pass
3	3981.000	46.65	-4.10	74.0	-27.35	Peak	123.00	150	Vertical	Pass
3**	3981.000	35.36	-4.10	54.0	-18.64	AV	123.00	150	Vertical	Pass
4	5747.200	98.19	0.34	--	-24.81	Peak	123.00	150	Vertical	N/A
4**	5747.200	91.61	0.34	--	91.61	AV	123.00	150	Vertical	N/A
5	12281.950	50.97	20.21	74.0	-23.03	Peak	148.00	150	Vertical	Pass
5**	12281.950	38.17	20.21	54.0	-15.83	AV	148.00	150	Vertical	Pass
6	15955.912	55.42	23.97	74.0	-18.58	Peak	362.00	150	Vertical	Pass
6**	15955.912	43.48	23.97	54.0	-10.52	AV	362.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.500	44.67	-15.21	74.0	-29.33	Peak	248.00	150	Horizontal	Pass
1**	1665.500	35.09	-15.21	54.0	-18.91	AV	248.00	150	Horizontal	Pass
2	2872.600	43.19	-8.25	74.0	-30.81	Peak	51.00	150	Horizontal	Pass
2**	2872.600	33.63	-8.25	54.0	-20.37	AV	51.00	150	Horizontal	Pass
3	3982.000	46.53	-4.21	74.0	-27.47	Peak	196.00	150	Horizontal	Pass
3**	3982.000	34.96	-4.21	54.0	-19.04	AV	196.00	150	Horizontal	Pass
4	5786.800	107.98	0.81	--	-185.02	Peak	293.00	150	Horizontal	N/A
4**	5786.800	102.20	0.81	--	102.20	AV	293.00	150	Horizontal	N/A
5	11617.825	50.33	20.23	74.0	-23.67	Peak	297.00	150	Horizontal	Pass
5**	11617.825	38.66	20.23	54.0	-15.34	AV	297.00	150	Horizontal	Pass
6	15499.688	55.15	23.96	74.0	-18.85	Peak	351.00	150	Horizontal	Pass
6**	15499.688	43.58	23.96	54.0	-10.42	AV	351.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.100	43.18	-14.77	74.0	-30.82	Peak	282.00	150	Vertical	Pass
1**	1463.100	33.36	-14.77	54.0	-20.64	AV	282.00	150	Vertical	Pass
2	2857.000	42.16	-8.06	74.0	-31.84	Peak	249.00	150	Vertical	Pass
2**	2857.000	32.87	-8.06	54.0	-21.13	AV	249.00	150	Vertical	Pass
3	4203.000	47.05	-4.14	74.0	-26.95	Peak	31.00	150	Vertical	Pass
3**	4203.000	36.01	-4.14	54.0	-17.99	AV	31.00	150	Vertical	Pass
4	5783.200	99.24	0.91	--	-47.76	Peak	147.00	150	Vertical	N/A
4**	5783.200	92.79	0.91	--	92.79	AV	147.00	150	Vertical	N/A
5	11579.013	50.81	19.88	74.0	-23.19	Peak	160.00	150	Vertical	Pass
5**	11579.013	38.01	19.88	54.0	-15.99	AV	160.00	150	Vertical	Pass
6	16021.800	55.31	23.97	74.0	-18.69	Peak	159.00	150	Vertical	Pass
6**	16021.800	42.68	23.97	54.0	-11.32	AV	159.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.600	44.92	-15.21	74.0	-29.08	Peak	247.00	150	Horizontal	Pass
1**	1666.600	34.16	-15.21	54.0	-19.84	AV	247.00	150	Horizontal	Pass
2	2867.700	42.12	-8.12	74.0	-31.88	Peak	25.00	150	Horizontal	Pass
2**	2867.700	32.26	-8.12	54.0	-21.74	AV	25.00	150	Horizontal	Pass
3	4201.000	46.65	-4.02	74.0	-27.35	Peak	289.00	150	Horizontal	Pass
3**	4201.000	35.43	-4.02	54.0	-18.57	AV	289.00	150	Horizontal	Pass
4	5822.200	107.34	0.89	--	-181.66	Peak	289.00	150	Horizontal	N/A
4**	5822.200	100.53	0.89	--	100.53	AV	289.00	150	Horizontal	N/A
5	12303.799	50.30	19.97	74.0	-23.70	Peak	315.00	150	Horizontal	Pass
5**	12303.799	38.12	19.97	54.0	-15.88	AV	315.00	150	Horizontal	Pass
6	15541.950	55.30	23.68	74.0	-18.70	Peak	361.00	150	Horizontal	Pass
6**	15541.950	43.68	23.68	54.0	-10.32	AV	361.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.500	41.97	-14.68	74.0	-32.03	Peak	252.00	150	Vertical	Pass
1**	1448.500	31.92	-14.68	54.0	-22.08	AV	252.00	150	Vertical	Pass
2	2816.000	41.98	-8.33	74.0	-32.02	Peak	78.00	150	Vertical	Pass
2**	2816.000	33.53	-8.33	54.0	-20.47	AV	78.00	150	Vertical	Pass
3	4326.000	47.36	-3.05	74.0	-26.64	Peak	249.00	150	Vertical	Pass
3**	4326.000	34.99	-3.05	54.0	-19.01	AV	249.00	150	Vertical	Pass
4	5828.200	98.75	0.90	--	-45.25	Peak	144.00	150	Vertical	N/A
4**	5828.200	93.76	0.90	--	93.76	AV	144.00	150	Vertical	N/A
5	12286.262	50.43	20.15	74.0	-23.57	Peak	237.00	150	Vertical	Pass
5**	12286.262	39.33	20.15	54.0	-14.67	AV	237.00	150	Vertical	Pass
6	15926.513	54.69	23.73	74.0	-19.31	Peak	301.00	150	Vertical	Pass
6**	15926.513	42.87	23.73	54.0	-11.13	AV	301.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.500	43.77	-15.24	74.0	-30.23	Peak	261.00	150	Horizontal	Pass
1**	1670.500	34.59	-15.24	54.0	-19.41	AV	261.00	150	Horizontal	Pass
2	2758.500	42.04	-8.94	74.0	-31.96	Peak	34.00	150	Horizontal	Pass
2**	2758.500	30.93	-8.94	54.0	-23.07	AV	34.00	150	Horizontal	Pass
3	4151.200	46.76	-3.47	74.0	-27.24	Peak	171.00	150	Horizontal	Pass
3**	4151.200	36.33	-3.47	54.0	-17.67	AV	171.00	150	Horizontal	Pass
4	5759.200	103.53	0.64	--	-182.47	Peak	286.00	150	Horizontal	N/A
4**	5759.200	95.94	0.64	--	95.94	AV	286.00	150	Horizontal	N/A
5	11634.213	49.75	20.33	74.0	-24.25	Peak	247.00	150	Horizontal	Pass
5**	11634.213	38.06	20.33	54.0	-15.94	AV	247.00	150	Horizontal	Pass
6	15554.550	54.97	23.60	74.0	-19.03	Peak	202.00	150	Horizontal	Pass
6**	15554.550	43.17	23.60	54.0	-10.83	AV	202.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.400	40.05	-15.07	74.0	-33.95	Peak	125.00	150	Vertical	Pass
1**	1512.400	30.71	-15.07	54.0	-23.29	AV	125.00	150	Vertical	Pass
2	2828.300	41.56	-8.25	74.0	-32.44	Peak	325.00	150	Vertical	Pass
2**	2828.300	32.33	-8.25	54.0	-21.67	AV	325.00	150	Vertical	Pass
3	4330.200	47.55	-2.84	74.0	-26.45	Peak	91.00	150	Vertical	Pass
3**	4330.200	36.70	-2.84	54.0	-17.30	AV	91.00	150	Vertical	Pass
4	5744.200	94.83	0.19	--	-31.17	Peak	126.00	150	Vertical	N/A
4**	5744.200	88.74	0.19	--	88.74	AV	126.00	150	Vertical	N/A
5	11910.500	50.03	18.08	74.0	-23.97	Peak	212.00	150	Vertical	Pass
5**	11910.500	38.83	18.08	54.0	-15.17	AV	212.00	150	Vertical	Pass
6	15549.038	55.55	23.62	74.0	-18.45	Peak	27.00	150	Vertical	Pass
6**	15549.038	43.95	23.62	54.0	-10.05	AV	27.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.300	42.97	-15.25	74.0	-31.03	Peak	142.00	150	Horizontal	Pass
1**	1675.300	33.52	-15.25	54.0	-20.48	AV	142.00	150	Horizontal	Pass
2	2747.600	42.01	-8.83	74.0	-31.99	Peak	260.00	150	Horizontal	Pass
2**	2747.600	31.50	-8.83	54.0	-22.50	AV	260.00	150	Horizontal	Pass
3	4249.200	47.51	-3.18	74.0	-26.49	Peak	187.00	150	Horizontal	Pass
3**	4249.200	35.13	-3.18	54.0	-18.87	AV	187.00	150	Horizontal	Pass
4	5788.000	104.77	0.95	--	-173.23	Peak	278.00	150	Horizontal	N/A
4**	5788.000	97.36	0.95	--	97.36	AV	278.00	150	Horizontal	N/A
5	12161.776	50.43	20.06	74.0	-23.57	Peak	85.00	150	Horizontal	Pass
5**	12161.776	38.49	20.06	54.0	-15.51	AV	85.00	150	Horizontal	Pass
6	16087.425	54.91	24.11	74.0	-19.09	Peak	362.00	150	Horizontal	Pass
6**	16087.425	43.66	24.11	54.0	-10.34	AV	362.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.900	41.38	-15.22	74.0	-32.62	Peak	9.00	150	Vertical	Pass
1**	1678.900	30.43	-15.22	54.0	-23.57	AV	9.00	150	Vertical	Pass
2	2847.600	41.66	-8.28	74.0	-32.34	Peak	73.00	150	Vertical	Pass
2**	2847.600	31.91	-8.28	54.0	-22.09	AV	73.00	150	Vertical	Pass
3	4057.000	47.04	-3.91	74.0	-26.96	Peak	234.00	150	Vertical	Pass
3**	4057.000	34.38	-3.91	54.0	-19.62	AV	234.00	150	Vertical	Pass
4	5798.600	95.92	0.85	--	-24.08	Peak	120.00	150	Vertical	N/A
4**	5798.600	88.68	0.85	--	88.68	AV	120.00	150	Vertical	N/A
5	11625.012	49.84	20.27	74.0	-24.16	Peak	96.00	150	Vertical	Pass
5**	11625.012	38.06	20.27	54.0	-15.94	AV	96.00	150	Vertical	Pass
6	15998.701	55.51	24.02	74.0	-18.49	Peak	259.00	150	Vertical	Pass
6**	15998.701	43.33	24.02	54.0	-10.67	AV	259.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.500	43.66	-15.21	74.0	-30.34	Peak	259.00	150	Horizontal	Pass
1**	1666.500	34.48	-15.21	54.0	-19.52	AV	259.00	150	Horizontal	Pass
2	2815.900	41.46	-8.33	74.0	-32.54	Peak	209.00	150	Horizontal	Pass
2**	2815.900	32.77	-8.33	54.0	-21.23	AV	209.00	150	Horizontal	Pass
3	4016.000	46.71	-4.09	74.0	-27.29	Peak	96.00	150	Horizontal	Pass
3**	4016.000	35.09	-4.09	54.0	-18.91	AV	96.00	150	Horizontal	Pass
4	5767.800	101.82	0.85	--	-182.18	Peak	284.00	150	Horizontal	N/A
4**	5767.800	93.88	0.85	--	93.88	AV	284.00	150	Horizontal	N/A
5	11619.550	50.27	20.24	74.0	-23.73	Peak	220.00	150	Horizontal	Pass
5**	11619.550	38.24	20.24	54.0	-15.76	AV	220.00	150	Horizontal	Pass
6	15467.662	55.20	23.58	74.0	-18.80	Peak	314.00	150	Horizontal	Pass
6**	15467.662	43.35	23.58	54.0	-10.65	AV	314.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.300	39.80	-15.43	74.0	-34.20	Peak	15.00	150	Vertical	Pass
1**	1672.300	31.64	-15.43	54.0	-22.36	AV	15.00	150	Vertical	Pass
2	2812.900	41.46	-8.37	74.0	-32.54	Peak	332.00	150	Vertical	Pass
2**	2812.900	32.09	-8.37	54.0	-21.91	AV	332.00	150	Vertical	Pass
3	4030.600	47.67	-3.94	74.0	-26.33	Peak	60.00	150	Vertical	Pass
3**	4030.600	35.63	-3.94	54.0	-18.37	AV	60.00	150	Vertical	Pass
4	5786.800	93.13	0.81	--	-2.87	Peak	96.00	150	Vertical	N/A
4**	5786.800	85.28	0.81	--	85.28	AV	96.00	150	Vertical	N/A
5	12287.412	50.10	20.14	74.0	-23.90	Peak	360.00	150	Vertical	Pass
5**	12287.412	38.98	20.14	54.0	-15.02	AV	360.00	150	Vertical	Pass
6	15936.224	54.89	23.86	74.0	-19.11	Peak	89.00	150	Vertical	Pass
6**	15936.224	44.05	23.86	54.0	-9.95	AV	89.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	44.48	-15.22	74.0	-29.52	Peak	252.00	150	Horizontal	Pass
1**	1668.800	35.54	-15.22	54.0	-18.46	AV	252.00	150	Horizontal	Pass
2	2865.700	41.75	-8.06	74.0	-32.25	Peak	252.00	150	Horizontal	Pass
2**	2865.700	32.12	-8.06	54.0	-21.88	AV	252.00	150	Horizontal	Pass
3	4327.400	47.52	-2.99	74.0	-26.48	Peak	44.00	150	Horizontal	Pass
3**	4327.400	34.60	-2.99	54.0	-19.40	AV	44.00	150	Horizontal	Pass
4	5747.400	106.93	0.33	--	-176.07	Peak	283.00	150	Horizontal	N/A
4**	5747.400	100.15	0.33	--	100.15	AV	283.00	150	Horizontal	N/A
5	12222.151	50.86	20.45	74.0	-23.14	Peak	340.00	150	Horizontal	Pass
5**	12222.151	37.77	20.45	54.0	-16.23	AV	340.00	150	Horizontal	Pass
6	15401.775	55.26	22.83	74.0	-18.74	Peak	169.00	150	Horizontal	Pass
6**	15401.775	43.35	22.83	54.0	-10.65	AV	169.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.000	39.69	-15.03	74.0	-34.31	Peak	121.00	150	Vertical	Pass
1**	1505.000	28.87	-15.03	54.0	-25.13	AV	121.00	150	Vertical	Pass
2	2829.900	41.31	-8.27	74.0	-32.69	Peak	346.00	150	Vertical	Pass
2**	2829.900	32.33	-8.27	54.0	-21.67	AV	346.00	150	Vertical	Pass
3	4123.600	47.20	-4.05	74.0	-26.80	Peak	227.00	150	Vertical	Pass
3**	4123.600	36.11	-4.05	54.0	-17.89	AV	227.00	150	Vertical	Pass
4	5743.200	98.45	0.11	--	-19.55	Peak	118.00	150	Vertical	N/A
4**	5743.200	91.07	0.11	--	91.07	AV	118.00	150	Vertical	N/A
5	11748.062	50.09	18.97	74.0	-23.91	Peak	173.00	150	Vertical	Pass
5**	11748.062	37.82	18.97	54.0	-16.18	AV	173.00	150	Vertical	Pass
6	15495.750	54.99	23.90	74.0	-19.01	Peak	362.00	150	Vertical	Pass
6**	15495.750	43.02	23.90	54.0	-10.98	AV	362.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.500	44.10	-15.21	74.0	-29.90	Peak	255.00	150	Horizontal	Pass
1**	1666.500	34.93	-15.21	54.0	-19.07	AV	255.00	150	Horizontal	Pass
2	2887.200	41.73	-8.17	74.0	-32.27	Peak	121.00	150	Horizontal	Pass
2**	2887.200	32.74	-8.17	54.0	-21.26	AV	121.00	150	Horizontal	Pass
3	4266.000	47.25	-3.23	74.0	-26.75	Peak	157.00	150	Horizontal	Pass
3**	4266.000	35.44	-3.23	54.0	-18.56	AV	157.00	150	Horizontal	Pass
4	5787.600	108.86	0.90	--	-174.14	Peak	283.00	150	Horizontal	N/A
4**	5787.600	100.88	0.90	--	100.88	AV	283.00	150	Horizontal	N/A
5	11635.075	50.34	20.33	74.0	-23.66	Peak	49.00	150	Horizontal	Pass
5**	11635.075	38.60	20.33	54.0	-15.40	AV	49.00	150	Horizontal	Pass
6	15944.362	54.73	23.92	74.0	-19.27	Peak	116.00	150	Horizontal	Pass
6**	15944.362	43.99	23.92	54.0	-10.01	AV	116.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.500	39.83	-15.24	74.0	-34.17	Peak	0.00	150	Vertical	Pass
1**	1678.500	30.39	-15.24	54.0	-23.61	AV	0.00	150	Vertical	Pass
2	2872.700	41.76	-8.26	74.0	-32.24	Peak	206.00	150	Vertical	Pass
2**	2872.700	32.77	-8.26	54.0	-21.23	AV	206.00	150	Vertical	Pass
3	4005.000	46.53	-4.66	74.0	-27.47	Peak	311.00	150	Vertical	Pass
3**	4005.000	35.45	-4.66	54.0	-18.55	AV	311.00	150	Vertical	Pass
4	5782.000	99.62	1.04	--	-22.38	Peak	122.00	150	Vertical	N/A
4**	5782.000	93.51	1.04	--	93.51	AV	122.00	150	Vertical	N/A
5	11698.900	51.29	19.84	74.0	-22.71	Peak	239.00	150	Vertical	Pass
5**	11698.900	40.98	19.84	54.0	-13.02	AV	239.00	150	Vertical	Pass
6	15629.887	55.50	23.50	74.0	-18.50	Peak	62.00	150	Vertical	Pass
6**	15629.887	44.16	23.50	54.0	-9.84	AV	62.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.800	43.55	-15.27	74.0	-30.45	Peak	260.00	150	Horizontal	Pass
1**	1675.800	32.08	-15.27	54.0	-21.92	AV	260.00	150	Horizontal	Pass
2	2873.900	41.69	-8.30	74.0	-32.31	Peak	17.00	150	Horizontal	Pass
2**	2873.900	33.17	-8.30	54.0	-20.83	AV	17.00	150	Horizontal	Pass
3	4109.400	48.03	-4.22	74.0	-25.97	Peak	168.00	150	Horizontal	Pass
3**	4109.400	34.79	-4.22	54.0	-19.21	AV	168.00	150	Horizontal	Pass
4	5821.000	109.31	0.91	--	-175.69	Peak	285.00	150	Horizontal	N/A
4**	5821.000	101.13	0.91	--	101.13	AV	285.00	150	Horizontal	N/A
5	11749.500	49.98	18.95	74.0	-24.02	Peak	228.00	150	Horizontal	Pass
5**	11749.500	37.61	18.95	54.0	-16.39	AV	228.00	150	Horizontal	Pass
6	15492.076	56.13	23.84	74.0	-17.87	Peak	362.00	150	Horizontal	Pass
6**	15492.076	43.14	23.84	54.0	-10.86	AV	362.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	40.18	-15.23	74.0	-33.82	Peak	0.00	150	Vertical	Pass
1**	1669.700	30.86	-15.23	54.0	-23.14	AV	0.00	150	Vertical	Pass
2	2882.500	41.54	-8.31	74.0	-32.46	Peak	253.00	150	Vertical	Pass
2**	2882.500	32.33	-8.31	54.0	-21.67	AV	253.00	150	Vertical	Pass
3	4244.200	47.21	-3.27	74.0	-26.79	Peak	344.00	150	Vertical	Pass
3**	4244.200	36.26	-3.27	54.0	-17.74	AV	344.00	150	Vertical	Pass
4	5827.200	99.66	0.83	--	-38.34	Peak	138.00	150	Vertical	N/A
4**	5827.200	92.66	0.83	--	92.66	AV	138.00	150	Vertical	N/A
5	11658.651	50.26	20.29	74.0	-23.74	Peak	39.00	150	Vertical	Pass
5**	11658.651	39.24	20.29	54.0	-14.76	AV	39.00	150	Vertical	Pass
6	15941.213	55.61	23.91	74.0	-18.39	Peak	0.00	150	Vertical	Pass
6**	15941.213	44.38	23.91	54.0	-9.62	AV	0.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.000	43.12	-15.21	74.0	-30.88	Peak	252.00	150	Horizontal	Pass
1**	1666.000	34.43	-15.21	54.0	-19.57	AV	252.00	150	Horizontal	Pass
2	2836.100	41.30	-8.47	74.0	-32.70	Peak	306.00	150	Horizontal	Pass
2**	2836.100	32.21	-8.47	54.0	-21.79	AV	306.00	150	Horizontal	Pass
3	4186.800	46.89	-4.05	74.0	-27.11	Peak	271.00	150	Horizontal	Pass
3**	4186.800	35.56	-4.05	54.0	-18.44	AV	271.00	150	Horizontal	Pass
4	5761.800	105.27	0.70	--	-174.73	Peak	280.00	150	Horizontal	N/A
4**	5761.800	97.73	0.70	--	97.73	AV	280.00	150	Horizontal	N/A
5	12340.312	50.90	19.78	74.0	-23.10	Peak	90.00	150	Horizontal	Pass
5**	12340.312	39.11	19.78	54.0	-14.89	AV	90.00	150	Horizontal	Pass
6	15932.026	55.39	23.80	74.0	-18.61	Peak	203.00	150	Horizontal	Pass
6**	15932.026	44.54	23.80	54.0	-9.46	AV	203.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.600	40.15	-15.27	74.0	-33.85	Peak	7.00	150	Vertical	Pass
1**	1675.600	30.47	-15.27	54.0	-23.53	AV	7.00	150	Vertical	Pass
2	2853.000	41.73	-8.16	74.0	-32.27	Peak	232.00	150	Vertical	Pass
2**	2853.000	31.50	-8.16	54.0	-22.50	AV	232.00	150	Vertical	Pass
3	3999.000	46.93	-4.52	74.0	-27.07	Peak	97.00	150	Vertical	Pass
3**	3999.000	35.92	-4.52	54.0	-18.08	AV	97.00	150	Vertical	Pass
4	5751.800	96.14	0.45	--	-39.86	Peak	136.00	150	Vertical	N/A
4**	5751.800	87.67	0.45	--	87.67	AV	136.00	150	Vertical	N/A
5	12302.363	50.58	19.97	74.0	-23.42	Peak	49.00	150	Vertical	Pass
5**	12302.363	38.97	19.97	54.0	-15.03	AV	49.00	150	Vertical	Pass
6	16048.838	55.83	24.08	74.0	-18.17	Peak	65.00	150	Vertical	Pass
6**	16048.838	42.34	24.08	54.0	-11.66	AV	65.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.800	43.35	-15.27	74.0	-30.65	Peak	249.00	150	Horizontal	Pass
1**	1670.800	33.69	-15.27	54.0	-20.31	AV	249.00	150	Horizontal	Pass
2	2816.900	41.96	-8.30	74.0	-32.04	Peak	0.00	150	Horizontal	Pass
2**	2816.900	31.93	-8.30	54.0	-22.07	AV	0.00	150	Horizontal	Pass
3	4161.000	47.19	-3.48	74.0	-26.81	Peak	4.00	150	Horizontal	Pass
3**	4161.000	35.20	-3.48	54.0	-18.80	AV	4.00	150	Horizontal	Pass
4	5797.600	107.86	0.81	--	-181.14	Peak	289.00	150	Horizontal	N/A
4**	5797.600	97.26	0.81	--	97.26	AV	289.00	150	Horizontal	N/A
5	12253.776	50.53	20.43	74.0	-23.47	Peak	315.00	150	Horizontal	Pass
5**	12253.776	39.40	20.43	54.0	-14.60	AV	315.00	150	Horizontal	Pass
6	15971.138	55.08	24.00	74.0	-18.92	Peak	10.00	150	Horizontal	Pass
6**	15971.138	42.55	24.00	54.0	-11.45	AV	10.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	40.97	-15.22	74.0	-33.03	Peak	17.00	150	Vertical	Pass
1**	1668.800	33.17	-15.22	54.0	-20.83	AV	17.00	150	Vertical	Pass
2	2868.900	42.07	-8.19	74.0	-31.93	Peak	37.00	150	Vertical	Pass
2**	2868.900	32.49	-8.19	54.0	-21.51	AV	37.00	150	Vertical	Pass
3	4228.800	47.91	-3.42	74.0	-26.09	Peak	16.00	150	Vertical	Pass
3**	4228.800	35.10	-3.42	54.0	-18.90	AV	16.00	150	Vertical	Pass
4	5803.400	97.26	0.84	--	5.26	Peak	92.00	150	Vertical	N/A
4**	5803.400	87.98	0.84	--	87.98	AV	92.00	150	Vertical	N/A
5	11706.951	50.48	19.69	74.0	-23.52	Peak	193.00	150	Vertical	Pass
5**	11706.951	38.52	19.69	54.0	-15.48	AV	193.00	150	Vertical	Pass
6	16143.337	55.35	24.11	74.0	-18.65	Peak	151.00	150	Vertical	Pass
6**	16143.337	43.41	24.11	54.0	-10.59	AV	151.00	150	Vertical	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.600	43.86	-15.24	74.0	-30.14	Peak	252.00	150	Horizontal	Pass
1**	1674.600	33.46	-15.24	54.0	-20.54	AV	252.00	150	Horizontal	Pass
2	2879.500	43.12	-8.27	74.0	-30.88	Peak	165.00	150	Horizontal	Pass
2**	2879.500	32.71	-8.27	54.0	-21.29	AV	165.00	150	Horizontal	Pass
3	4021.600	46.91	-4.04	74.0	-27.09	Peak	353.00	150	Horizontal	Pass
3**	4021.600	35.21	-4.04	54.0	-18.79	AV	353.00	150	Horizontal	Pass
4	5790.000	104.09	0.95	--	-176.91	Peak	281.00	150	Horizontal	N/A
4**	5790.000	95.30	0.95	--	95.30	AV	281.00	150	Horizontal	N/A
5	11676.188	49.97	20.11	74.0	-24.03	Peak	52.00	150	Horizontal	Pass
5**	11676.188	38.88	20.11	54.0	-15.12	AV	52.00	150	Horizontal	Pass
6	15511.238	55.13	23.86	74.0	-18.87	Peak	12.00	150	Horizontal	Pass
6**	15511.238	42.77	23.86	54.0	-11.23	AV	12.00	150	Horizontal	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.400	41.36	-14.88	74.0	-32.64	Peak	291.00	150	Vertical	Pass
1**	1471.400	33.93	-14.88	54.0	-20.07	AV	291.00	150	Vertical	Pass
2	2889.400	41.86	-8.14	74.0	-32.14	Peak	89.00	150	Vertical	Pass
2**	2889.400	32.68	-8.14	54.0	-21.32	AV	89.00	150	Vertical	Pass
3	3991.800	47.09	-4.48	74.0	-26.91	Peak	266.00	150	Vertical	Pass
3**	3991.800	35.93	-4.48	54.0	-18.07	AV	266.00	150	Vertical	Pass
4	5766.600	95.17	0.87	--	-29.83	Peak	125.00	150	Vertical	N/A
4**	5766.600	86.10	0.87	--	86.10	AV	125.00	150	Vertical	N/A
5	11639.963	50.44	20.36	74.0	-23.56	Peak	0.00	150	Vertical	Pass
5**	11639.963	39.12	20.36	54.0	-14.88	AV	0.00	150	Vertical	Pass
6	15602.062	55.10	23.54	74.0	-18.90	Peak	70.00	150	Vertical	Pass
6**	15602.062	44.43	23.54	54.0	-9.57	AV	70.00	150	Vertical	Pass

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.600	44.26	-15.22	74.0	-29.74	Peak	256.00	150	Horizontal	Pass
1**	1668.600	34.54	-15.22	54.0	-19.46	AV	256.00	150	Horizontal	Pass
2	2801.900	41.11	-8.74	74.0	-32.89	Peak	35.00	150	Horizontal	Pass
2**	2801.900	31.25	-8.74	54.0	-22.75	AV	35.00	150	Horizontal	Pass
3	3766.200	46.68	-4.43	74.0	-27.32	Peak	237.00	150	Horizontal	Pass
3**	3766.200	33.83	-4.43	54.0	-20.17	AV	237.00	150	Horizontal	Pass
4	5184.400	102.95	-0.64	--	-184.05	Peak	287.00	150	Horizontal	N/A
4**	5184.400	95.83	-0.64	--	95.83	AV	287.00	150	Horizontal	N/A
5	11890.375	51.20	18.04	74.0	-22.80	Peak	213.00	150	Horizontal	Pass
5**	11890.375	37.97	18.04	54.0	-16.03	AV	213.00	150	Horizontal	Pass
6	15487.088	56.13	23.76	74.0	-17.87	Peak	103.00	150	Horizontal	Pass
6**	15487.088	44.08	23.76	54.0	-9.92	AV	103.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.800	40.19	-15.08	74.0	-33.81	Peak	123.00	150	Vertical	Pass
1**	1510.800	31.08	-15.08	54.0	-22.92	AV	123.00	150	Vertical	Pass
2	2863.900	42.22	-8.04	74.0	-31.78	Peak	230.00	150	Vertical	Pass
2**	2863.900	31.18	-8.04	54.0	-22.82	AV	230.00	150	Vertical	Pass
3	4159.600	47.24	-3.52	74.0	-26.76	Peak	344.00	150	Vertical	Pass
3**	4159.600	35.82	-3.52	54.0	-18.18	AV	344.00	150	Vertical	Pass
4	5183.000	99.01	-0.57	--	-63.99	Peak	163.00	150	Vertical	N/A
4**	5183.000	91.30	-0.57	--	91.30	AV	163.00	150	Vertical	N/A
5	12205.475	50.39	20.44	74.0	-23.61	Peak	15.00	150	Vertical	Pass
5**	12205.475	39.78	20.44	54.0	-14.22	AV	15.00	150	Vertical	Pass
6	15547.987	55.18	23.63	74.0	-18.82	Peak	158.00	150	Vertical	Pass
6**	15547.987	45.29	23.63	54.0	-8.71	AV	158.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.300	43.28	-15.23	74.0	-30.72	Peak	253.00	150	Horizontal	Pass
1**	1681.300	33.41	-15.23	54.0	-20.59	AV	253.00	150	Horizontal	Pass
2	2779.300	41.37	-8.51	74.0	-32.63	Peak	333.00	150	Horizontal	Pass
2**	2779.300	31.84	-8.51	54.0	-22.16	AV	333.00	150	Horizontal	Pass
3	4024.200	47.33	-3.95	74.0	-26.67	Peak	27.00	150	Horizontal	Pass
3**	4024.200	35.30	-3.95	54.0	-18.70	AV	27.00	150	Horizontal	Pass
4	5223.200	103.61	-0.40	--	-190.39	Peak	294.00	150	Horizontal	N/A
4**	5223.200	96.68	-0.40	--	96.68	AV	294.00	150	Horizontal	N/A
5	11636.799	51.30	20.34	74.0	-22.70	Peak	254.00	150	Horizontal	Pass
5**	11636.799	39.19	20.34	54.0	-14.81	AV	254.00	150	Horizontal	Pass
6	15882.937	55.55	23.34	74.0	-18.45	Peak	234.00	150	Horizontal	Pass
6**	15882.937	44.20	23.34	54.0	-9.80	AV	234.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.200	40.13	-14.98	74.0	-33.87	Peak	287.00	150	Vertical	Pass
1**	1476.200	29.83	-14.98	54.0	-24.17	AV	287.00	150	Vertical	Pass
2	2812.900	41.81	-8.37	74.0	-32.19	Peak	146.00	150	Vertical	Pass
2**	2812.900	32.32	-8.37	54.0	-21.68	AV	146.00	150	Vertical	Pass
3	3969.200	47.55	-4.16	74.0	-26.45	Peak	299.00	150	Vertical	Pass
3**	3969.200	34.79	-4.16	54.0	-19.21	AV	299.00	150	Vertical	Pass
4	5217.400	98.60	-0.28	--	-69.40	Peak	168.00	150	Vertical	N/A
4**	5217.400	92.17	-0.28	--	92.17	AV	168.00	150	Vertical	N/A
5	12372.799	50.97	19.48	74.0	-23.03	Peak	124.00	150	Vertical	Pass
5**	12372.799	38.10	19.48	54.0	-15.90	AV	124.00	150	Vertical	Pass
6	15934.387	56.26	23.83	74.0	-17.74	Peak	40.00	150	Vertical	Pass
6**	15934.387	43.51	23.83	54.0	-10.49	AV	40.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	44.16	-15.29	74.0	-29.84	Peak	243.00	150	Horizontal	Pass
1**	1671.000	33.41	-15.29	54.0	-20.59	AV	243.00	150	Horizontal	Pass
2	2746.500	42.30	-8.84	74.0	-31.70	Peak	12.00	150	Horizontal	Pass
2**	2746.500	31.54	-8.84	54.0	-22.46	AV	12.00	150	Horizontal	Pass
3	4252.800	47.62	-3.16	74.0	-26.38	Peak	352.00	150	Horizontal	Pass
3**	4252.800	36.97	-3.16	54.0	-17.03	AV	352.00	150	Horizontal	Pass
4	5242.200	103.01	-0.91	--	-148.99	Peak	252.00	150	Horizontal	N/A
4**	5242.200	96.73	-0.91	--	96.73	AV	252.00	150	Horizontal	N/A
5	12382.000	51.47	19.38	74.0	-22.53	Peak	349.00	150	Horizontal	Pass
5**	12382.000	38.68	19.38	54.0	-15.32	AV	349.00	150	Horizontal	Pass
6	15934.650	55.88	23.83	74.0	-18.12	Peak	190.00	150	Horizontal	Pass
6**	15934.650	43.32	23.83	54.0	-10.68	AV	190.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.400	37.96	-14.74	74.0	-36.04	Peak	277.00	150	Vertical	Pass
1**	1461.400	31.05	-14.74	54.0	-22.95	AV	277.00	150	Vertical	Pass
2	2765.500	41.68	-8.63	74.0	-32.32	Peak	297.00	150	Vertical	Pass
2**	2765.500	31.76	-8.63	54.0	-22.24	AV	297.00	150	Vertical	Pass
3	4314.400	47.61	-3.25	74.0	-26.39	Peak	360.00	150	Vertical	Pass
3**	4314.400	35.40	-3.25	54.0	-18.60	AV	360.00	150	Vertical	Pass
4	5238.800	98.44	-0.94	--	-74.56	Peak	173.00	150	Vertical	N/A
4**	5238.800	92.19	-0.94	--	92.19	AV	173.00	150	Vertical	N/A
5	11660.375	50.57	20.27	74.0	-23.43	Peak	124.00	150	Vertical	Pass
5**	11660.375	39.31	20.27	54.0	-14.69	AV	124.00	150	Vertical	Pass
6	15531.713	55.29	23.73	74.0	-18.71	Peak	361.00	150	Vertical	Pass
6**	15531.713	43.24	23.73	54.0	-10.76	AV	361.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	43.01	-15.23	74.0	-30.99	Peak	260.00	150	Horizontal	Pass
1**	1669.700	32.23	-15.23	54.0	-21.77	AV	260.00	150	Horizontal	Pass
2	2770.700	41.27	-8.49	74.0	-32.73	Peak	360.00	150	Horizontal	Pass
2**	2770.700	30.74	-8.49	54.0	-23.26	AV	360.00	150	Horizontal	Pass
3	4130.200	46.87	-4.09	74.0	-27.13	Peak	21.00	150	Horizontal	Pass
3**	4130.200	34.36	-4.09	54.0	-19.64	AV	21.00	150	Horizontal	Pass
4	5182.800	102.13	-0.57	--	-172.87	Peak	275.00	150	Horizontal	N/A
4**	5182.800	95.37	-0.57	--	95.37	AV	275.00	150	Horizontal	N/A
5	11595.688	48.38	20.08	74.0	-25.62	Peak	189.00	150	Horizontal	Pass
5**	11595.688	36.56	20.08	54.0	-17.44	AV	189.00	150	Horizontal	Pass
6	15524.625	54.66	23.76	74.0	-19.34	Peak	360.00	150	Horizontal	Pass
6**	15524.625	43.07	23.76	54.0	-10.93	AV	360.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.200	40.94	-15.25	74.0	-33.06	Peak	360.00	150	Vertical	Pass
1**	1675.200	31.81	-15.25	54.0	-22.19	AV	360.00	150	Vertical	Pass
2	2825.700	40.87	-8.36	74.0	-33.13	Peak	216.00	150	Vertical	Pass
2**	2825.700	30.84	-8.36	54.0	-23.16	AV	216.00	150	Vertical	Pass
3	4020.400	46.28	-4.04	74.0	-27.72	Peak	50.00	150	Vertical	Pass
3**	4020.400	34.58	-4.04	54.0	-19.42	AV	50.00	150	Vertical	Pass
4	5183.400	97.23	-0.59	--	-58.77	Peak	156.00	150	Vertical	N/A
4**	5183.400	91.11	-0.59	--	91.11	AV	156.00	150	Vertical	N/A
5	11589.650	48.73	20.01	74.0	-25.27	Peak	184.00	150	Vertical	Pass
5**	11589.650	37.03	20.01	54.0	-16.97	AV	184.00	150	Vertical	Pass
6	15481.312	54.50	23.67	74.0	-19.50	Peak	122.00	150	Vertical	Pass
6**	15481.312	42.16	23.67	54.0	-11.84	AV	122.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	43.20	-15.23	74.0	-30.80	Peak	262.00	150	Horizontal	Pass
1**	1669.300	34.07	-15.23	54.0	-19.93	AV	262.00	150	Horizontal	Pass
2	2862.000	41.61	-8.02	74.0	-32.39	Peak	54.00	150	Horizontal	Pass
2**	2862.000	32.52	-8.02	54.0	-21.48	AV	54.00	150	Horizontal	Pass
3	4172.800	46.25	-3.86	74.0	-27.75	Peak	346.00	150	Horizontal	Pass
3**	4172.800	34.36	-3.86	54.0	-19.64	AV	346.00	150	Horizontal	Pass
4	5223.400	102.47	-0.40	--	-162.53	Peak	265.00	150	Horizontal	N/A
4**	5223.400	95.84	-0.40	--	95.84	AV	265.00	150	Horizontal	N/A
5	11634.213	48.62	20.33	74.0	-25.38	Peak	259.00	150	Horizontal	Pass
5**	11634.213	37.05	20.33	54.0	-16.95	AV	259.00	150	Horizontal	Pass
6	15510.450	54.92	23.87	74.0	-19.08	Peak	11.00	150	Horizontal	Pass
6**	15510.450	42.05	23.87	54.0	-11.95	AV	11.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.100	40.60	-15.22	74.0	-33.40	Peak	360.00	150	Vertical	Pass
1**	1680.100	32.00	-15.22	54.0	-22.00	AV	360.00	150	Vertical	Pass
2	2874.200	41.52	-8.31	74.0	-32.48	Peak	22.00	150	Vertical	Pass
2**	2874.200	33.11	-8.31	54.0	-20.89	AV	22.00	150	Vertical	Pass
3	4321.000	47.43	-3.04	74.0	-26.57	Peak	40.00	150	Vertical	Pass
3**	4321.000	35.38	-3.04	54.0	-18.62	AV	40.00	150	Vertical	Pass
4	5219.000	98.42	-0.20	--	-63.58	Peak	162.00	150	Vertical	N/A
4**	5219.000	90.82	-0.20	--	90.82	AV	162.00	150	Vertical	N/A
5	11015.513	48.28	18.95	74.0	-25.72	Peak	93.00	150	Vertical	Pass
5**	11015.513	36.78	18.95	54.0	-17.22	AV	93.00	150	Vertical	Pass
6	15537.225	54.26	23.71	74.0	-19.74	Peak	273.00	150	Vertical	Pass
6**	15537.225	43.49	23.71	54.0	-10.51	AV	273.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.200	42.12	-15.29	74.0	-31.88	Peak	259.00	150	Horizontal	Pass
1**	1676.200	33.87	-15.29	54.0	-20.13	AV	259.00	150	Horizontal	Pass
2	2767.800	41.86	-8.51	74.0	-32.14	Peak	98.00	150	Horizontal	Pass
2**	2767.800	31.50	-8.51	54.0	-22.50	AV	98.00	150	Horizontal	Pass
3	3976.800	46.03	-4.10	74.0	-27.97	Peak	154.00	150	Horizontal	Pass
3**	3976.800	34.83	-4.10	54.0	-19.17	AV	154.00	150	Horizontal	Pass
4	5236.400	102.04	-0.80	--	-142.96	Peak	245.00	150	Horizontal	N/A
4**	5236.400	94.98	-0.80	--	94.98	AV	245.00	150	Horizontal	N/A
5	11632.487	49.12	20.32	74.0	-24.88	Peak	360.00	150	Horizontal	Pass
5**	11632.487	37.08	20.32	54.0	-16.92	AV	360.00	150	Horizontal	Pass
6	15586.050	54.04	23.57	74.0	-19.96	Peak	63.00	150	Horizontal	Pass
6**	15586.050	43.20	23.57	54.0	-10.80	AV	63.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.300	40.49	-15.22	74.0	-33.51	Peak	15.00	150	Vertical	Pass
1**	1668.300	30.73	-15.22	54.0	-23.27	AV	15.00	150	Vertical	Pass
2	2835.600	41.61	-8.47	74.0	-32.39	Peak	28.00	150	Vertical	Pass
2**	2835.600	31.25	-8.47	54.0	-22.75	AV	28.00	150	Vertical	Pass
3	3984.200	46.50	-4.28	74.0	-27.50	Peak	165.00	150	Vertical	Pass
3**	3984.200	34.62	-4.28	54.0	-19.38	AV	165.00	150	Vertical	Pass
4	5242.400	97.68	-0.91	--	-58.32	Peak	156.00	150	Vertical	N/A
4**	5242.400	91.13	-0.91	--	91.13	AV	156.00	150	Vertical	N/A
5	11600.287	49.15	20.13	74.0	-24.85	Peak	153.00	150	Vertical	Pass
5**	11600.287	37.00	20.13	54.0	-17.00	AV	153.00	150	Vertical	Pass
6	16058.025	54.20	24.13	74.0	-19.80	Peak	246.00	150	Vertical	Pass
6**	16058.025	42.34	24.13	54.0	-11.66	AV	246.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.000	43.88	-15.22	74.0	-30.12	Peak	264.00	150	Horizontal	Pass
1**	1665.000	31.14	-15.22	54.0	-22.86	AV	264.00	150	Horizontal	Pass
2	2825.400	41.54	-8.35	74.0	-32.46	Peak	356.00	150	Horizontal	Pass
2**	2825.400	32.16	-8.35	54.0	-21.84	AV	356.00	150	Horizontal	Pass
3	4148.600	46.34	-3.54	74.0	-27.66	Peak	197.00	150	Horizontal	Pass
3**	4148.600	34.89	-3.54	54.0	-19.11	AV	197.00	150	Horizontal	Pass
4	5200.400	98.96	-0.63	--	-172.04	Peak	271.00	150	Horizontal	N/A
4**	5200.400	92.79	-0.63	--	92.79	AV	271.00	150	Horizontal	N/A
5	12362.450	49.32	19.61	74.0	-24.68	Peak	330.00	150	Horizontal	Pass
5**	12362.450	37.14	19.61	54.0	-16.86	AV	330.00	150	Horizontal	Pass
6	15733.313	54.50	23.48	74.0	-19.50	Peak	309.00	150	Horizontal	Pass
6**	15733.313	42.53	23.48	54.0	-11.47	AV	309.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.700	40.30	-15.36	74.0	-33.70	Peak	16.00	150	Vertical	Pass
1**	1671.700	31.74	-15.36	54.0	-22.26	AV	16.00	150	Vertical	Pass
2	2747.600	42.05	-8.83	74.0	-31.95	Peak	121.00	150	Vertical	Pass
2**	2747.600	32.01	-8.83	54.0	-21.99	AV	121.00	150	Vertical	Pass
3	3979.600	46.99	-4.04	74.0	-27.01	Peak	171.00	150	Vertical	Pass
3**	3979.600	37.15	-4.04	54.0	-16.85	AV	171.00	150	Vertical	Pass
4	5181.800	94.18	-0.58	--	-59.82	Peak	154.00	150	Vertical	N/A
4**	5181.800	86.40	-0.58	--	86.40	AV	154.00	150	Vertical	N/A
5	11603.162	48.71	20.15	74.0	-25.29	Peak	140.00	150	Vertical	Pass
5**	11603.162	37.23	20.15	54.0	-16.77	AV	140.00	150	Vertical	Pass
6	15674.250	54.00	23.55	74.0	-20.00	Peak	171.00	150	Vertical	Pass
6**	15674.250	42.63	23.55	54.0	-11.37	AV	171.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.500	44.24	-15.21	74.0	-29.76	Peak	262.00	150	Horizontal	Pass
1**	1666.500	35.18	-15.21	54.0	-18.82	AV	262.00	150	Horizontal	Pass
2	2772.400	41.13	-8.46	74.0	-32.87	Peak	360.00	150	Horizontal	Pass
2**	2772.400	32.29	-8.46	54.0	-21.71	AV	360.00	150	Horizontal	Pass
3	4312.200	47.34	-3.48	74.0	-26.66	Peak	184.00	150	Horizontal	Pass
3**	4312.200	35.64	-3.48	54.0	-18.36	AV	184.00	150	Horizontal	Pass
4	5218.200	99.42	-0.24	--	-165.58	Peak	265.00	150	Horizontal	N/A
4**	5218.200	93.15	-0.24	--	93.15	AV	265.00	150	Horizontal	N/A
5	11608.912	49.14	20.18	74.0	-24.86	Peak	214.00	150	Horizontal	Pass
5**	11608.912	38.11	20.18	54.0	-15.89	AV	214.00	150	Horizontal	Pass
6	15611.513	54.68	23.49	74.0	-19.32	Peak	145.00	150	Horizontal	Pass
6**	15611.513	42.76	23.49	54.0	-11.24	AV	145.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.800	39.83	-15.44	74.0	-34.17	Peak	11.00	150	Vertical	Pass
1**	1672.800	30.86	-15.44	54.0	-23.14	AV	11.00	150	Vertical	Pass
2	2885.000	41.88	-8.26	74.0	-32.12	Peak	83.00	150	Vertical	Pass
2**	2885.000	31.83	-8.26	54.0	-22.17	AV	83.00	150	Vertical	Pass
3	4366.800	47.51	-3.66	74.0	-26.49	Peak	212.00	150	Vertical	Pass
3**	4366.800	34.21	-3.66	54.0	-19.79	AV	212.00	150	Vertical	Pass
4	5224.600	95.37	-0.44	--	-63.63	Peak	159.00	150	Vertical	N/A
4**	5224.600	88.02	-0.44	--	88.02	AV	159.00	150	Vertical	N/A
5	11776.812	49.02	18.73	74.0	-24.98	Peak	360.00	150	Vertical	Pass
5**	11776.812	37.18	18.73	54.0	-16.82	AV	360.00	150	Vertical	Pass
6	15807.075	54.76	23.19	74.0	-19.24	Peak	58.00	150	Vertical	Pass
6**	15807.075	42.38	23.19	54.0	-11.62	AV	58.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.200	43.41	-15.29	74.0	-30.59	Peak	266.00	150	Horizontal	Pass
1**	1676.200	34.17	-15.29	54.0	-19.83	AV	266.00	150	Horizontal	Pass
2	2814.900	41.28	-8.34	74.0	-32.72	Peak	18.00	150	Horizontal	Pass
2**	2814.900	30.93	-8.34	54.0	-23.07	AV	18.00	150	Horizontal	Pass
3	4198.800	47.19	-4.05	74.0	-26.81	Peak	252.00	150	Horizontal	Pass
3**	4198.800	36.75	-4.05	54.0	-17.25	AV	252.00	150	Horizontal	Pass
4	5182.000	102.30	-0.57	--	-166.70	Peak	269.00	150	Horizontal	N/A
4**	5182.000	95.69	-0.57	--	95.69	AV	269.00	150	Horizontal	N/A
5	11831.725	49.20	18.28	74.0	-24.80	Peak	313.00	150	Horizontal	Pass
5**	11831.725	37.95	18.28	54.0	-16.05	AV	313.00	150	Horizontal	Pass
6	15979.275	54.97	24.00	74.0	-19.03	Peak	233.00	150	Horizontal	Pass
6**	15979.275	42.66	24.00	54.0	-11.34	AV	233.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.600	40.09	-15.28	74.0	-33.91	Peak	360.00	150	Vertical	Pass
1**	1677.600	31.55	-15.28	54.0	-22.45	AV	360.00	150	Vertical	Pass
2	2760.000	41.62	-8.86	74.0	-32.38	Peak	336.00	150	Vertical	Pass
2**	2760.000	32.48	-8.86	54.0	-21.52	AV	336.00	150	Vertical	Pass
3	4271.400	46.94	-3.62	74.0	-27.06	Peak	185.00	150	Vertical	Pass
3**	4271.400	35.77	-3.62	54.0	-18.23	AV	185.00	150	Vertical	Pass
4	5183.000	97.88	-0.57	--	-54.12	Peak	152.00	150	Vertical	N/A
4**	5183.000	89.81	-0.57	--	89.81	AV	152.00	150	Vertical	N/A
5	12327.950	50.09	19.87	74.0	-23.91	Peak	201.00	150	Vertical	Pass
5**	12327.950	38.01	19.87	54.0	-15.99	AV	201.00	150	Vertical	Pass
6	15827.550	55.19	23.34	74.0	-18.81	Peak	179.00	150	Vertical	Pass
6**	15827.550	42.37	23.34	54.0	-11.63	AV	179.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.600	43.44	-15.24	74.0	-30.56	Peak	268.00	150	Horizontal	Pass
1**	1681.600	32.89	-15.24	54.0	-21.11	AV	268.00	150	Horizontal	Pass
2	2739.000	41.41	-8.68	74.0	-32.59	Peak	317.00	150	Horizontal	Pass
2**	2739.000	31.95	-8.68	54.0	-22.05	AV	317.00	150	Horizontal	Pass
3	4325.400	47.18	-3.10	74.0	-26.82	Peak	47.00	150	Horizontal	Pass
3**	4325.400	35.37	-3.10	54.0	-18.63	AV	47.00	150	Horizontal	Pass
4	5219.600	102.25	-0.24	--	-138.75	Peak	241.00	150	Horizontal	N/A
4**	5219.600	95.41	-0.24	--	95.41	AV	241.00	150	Horizontal	N/A
5	12347.787	50.68	19.73	74.0	-23.32	Peak	188.00	150	Horizontal	Pass
5**	12347.787	38.22	19.73	54.0	-15.78	AV	188.00	150	Horizontal	Pass
6	15542.213	54.33	23.68	74.0	-19.67	Peak	106.00	150	Horizontal	Pass
6**	15542.213	43.46	23.68	54.0	-10.54	AV	106.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.700	40.01	-15.36	74.0	-33.99	Peak	25.00	150	Vertical	Pass
1**	1671.700	31.00	-15.36	54.0	-23.00	AV	25.00	150	Vertical	Pass
2	2716.900	42.14	-8.72	74.0	-31.86	Peak	241.00	150	Vertical	Pass
2**	2716.900	31.96	-8.72	54.0	-22.04	AV	241.00	150	Vertical	Pass
3	3972.000	46.66	-4.21	74.0	-27.34	Peak	360.00	150	Vertical	Pass
3**	3972.000	34.87	-4.21	54.0	-19.13	AV	360.00	150	Vertical	Pass
4	5218.200	98.80	-0.24	--	-57.20	Peak	156.00	150	Vertical	N/A
4**	5218.200	91.39	-0.24	--	91.39	AV	156.00	150	Vertical	N/A
5	11869.963	49.47	18.07	74.0	-24.53	Peak	360.00	150	Vertical	Pass
5**	11869.963	37.20	18.07	54.0	-16.80	AV	360.00	150	Vertical	Pass
6	15923.625	54.90	23.69	74.0	-19.10	Peak	80.00	150	Vertical	Pass
6**	15923.625	43.09	23.69	54.0	-10.91	AV	80.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	43.09	-15.22	74.0	-30.91	Peak	259.00	150	Horizontal	Pass
1**	1668.800	35.75	-15.22	54.0	-18.25	AV	259.00	150	Horizontal	Pass
2	2771.000	41.50	-8.48	74.0	-32.50	Peak	34.00	150	Horizontal	Pass
2**	2771.000	30.88	-8.48	54.0	-23.12	AV	34.00	150	Horizontal	Pass
3	4021.600	46.94	-4.04	74.0	-27.06	Peak	250.00	150	Horizontal	Pass
3**	4021.600	34.93	-4.04	54.0	-19.07	AV	250.00	150	Horizontal	Pass
4	5241.400	102.58	-0.94	--	-156.42	Peak	259.00	150	Horizontal	N/A
4**	5241.400	95.98	-0.94	--	95.98	AV	259.00	150	Horizontal	N/A
5	12395.513	50.30	19.24	74.0	-23.70	Peak	193.00	150	Horizontal	Pass
5**	12395.513	38.17	19.24	54.0	-15.83	AV	193.00	150	Horizontal	Pass
6	15870.862	54.62	23.35	74.0	-19.38	Peak	220.00	150	Horizontal	Pass
6**	15870.862	43.19	23.35	54.0	-10.81	AV	220.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.400	40.95	-15.24	74.0	-33.05	Peak	17.00	150	Vertical	Pass
1**	1681.400	32.15	-15.24	54.0	-21.85	AV	17.00	150	Vertical	Pass
2	2795.100	41.01	-8.90	74.0	-32.99	Peak	360.00	150	Vertical	Pass
2**	2795.100	31.16	-8.90	54.0	-22.84	AV	360.00	150	Vertical	Pass
3	4110.000	46.43	-4.22	74.0	-27.57	Peak	120.00	150	Vertical	Pass
3**	4110.000	36.06	-4.22	54.0	-17.94	AV	120.00	150	Vertical	Pass
4	5237.600	98.39	-0.89	--	-56.61	Peak	155.00	150	Vertical	N/A
4**	5237.600	91.85	-0.89	--	91.85	AV	155.00	150	Vertical	N/A
5	11789.463	49.31	18.63	74.0	-24.69	Peak	140.00	150	Vertical	Pass
5**	11789.463	36.89	18.63	54.0	-17.11	AV	140.00	150	Vertical	Pass
6	15520.425	54.88	23.77	74.0	-19.12	Peak	30.00	150	Vertical	Pass
6**	15520.425	43.49	23.77	54.0	-10.51	AV	30.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.300	43.66	-15.23	74.0	-30.34	Peak	262.00	150	Horizontal	Pass
1**	1680.300	34.21	-15.23	54.0	-19.79	AV	262.00	150	Horizontal	Pass
2	2889.500	41.50	-8.13	74.0	-32.50	Peak	173.00	150	Horizontal	Pass
2**	2889.500	32.26	-8.13	54.0	-21.74	AV	173.00	150	Horizontal	Pass
3	4071.800	47.21	-4.02	74.0	-26.79	Peak	163.00	150	Horizontal	Pass
3**	4071.800	35.20	-4.02	54.0	-18.80	AV	163.00	150	Horizontal	Pass
4	5182.200	99.82	-0.57	--	-169.18	Peak	269.00	150	Horizontal	N/A
4**	5182.200	92.78	-0.57	--	92.78	AV	269.00	150	Horizontal	N/A
5	12372.799	49.85	19.48	74.0	-24.15	Peak	173.00	150	Horizontal	Pass
5**	12372.799	38.05	19.48	54.0	-15.95	AV	173.00	150	Horizontal	Pass
6	15605.213	54.95	23.52	74.0	-19.05	Peak	190.00	150	Horizontal	Pass
6**	15605.213	43.93	23.52	54.0	-10.07	AV	190.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.400	40.09	-15.22	74.0	-33.91	Peak	22.00	150	Vertical	Pass
1**	1668.400	33.18	-15.22	54.0	-20.82	AV	22.00	150	Vertical	Pass
2	2875.100	41.33	-8.34	74.0	-32.67	Peak	122.00	150	Vertical	Pass
2**	2875.100	32.79	-8.34	54.0	-21.21	AV	122.00	150	Vertical	Pass
3	4206.600	46.36	-4.02	74.0	-27.64	Peak	206.00	150	Vertical	Pass
3**	4206.600	34.34	-4.02	54.0	-19.66	AV	206.00	150	Vertical	Pass
4	5194.600	94.77	-0.67	--	-64.23	Peak	159.00	150	Vertical	N/A
4**	5194.600	87.93	-0.67	--	87.93	AV	159.00	150	Vertical	N/A
5	11644.849	49.71	20.38	74.0	-24.29	Peak	77.00	150	Vertical	Pass
5**	11644.849	38.02	20.38	54.0	-15.98	AV	77.00	150	Vertical	Pass
6	15471.337	55.37	23.60	74.0	-18.63	Peak	239.00	150	Vertical	Pass
6**	15471.337	42.74	23.60	54.0	-11.26	AV	239.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.800	43.66	-15.37	74.0	-30.34	Peak	269.00	150	Horizontal	Pass
1**	1671.800	36.29	-15.37	54.0	-17.71	AV	269.00	150	Horizontal	Pass
2	2718.700	41.31	-8.68	74.0	-32.69	Peak	237.00	150	Horizontal	Pass
2**	2718.700	31.71	-8.68	54.0	-22.29	AV	237.00	150	Horizontal	Pass
3	4035.000	47.52	-3.92	74.0	-26.48	Peak	145.00	150	Horizontal	Pass
3**	4035.000	36.03	-3.92	54.0	-17.97	AV	145.00	150	Horizontal	Pass
4	5236.800	99.56	-0.83	--	-141.44	Peak	241.00	150	Horizontal	N/A
4**	5236.800	92.56	-0.83	--	92.56	AV	241.00	150	Horizontal	N/A
5	11911.650	49.82	18.09	74.0	-24.18	Peak	32.00	150	Horizontal	Pass
5**	11911.650	36.70	18.09	54.0	-17.30	AV	32.00	150	Horizontal	Pass
6	15907.350	55.04	23.41	74.0	-18.96	Peak	160.00	150	Horizontal	Pass
6**	15907.350	42.90	23.41	54.0	-11.10	AV	160.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.900	40.13	-15.32	74.0	-33.87	Peak	360.00	150	Vertical	Pass
1**	1673.900	30.37	-15.32	54.0	-23.63	AV	360.00	150	Vertical	Pass
2	2878.200	41.11	-8.31	74.0	-32.89	Peak	104.00	150	Vertical	Pass
2**	2878.200	32.69	-8.31	54.0	-21.31	AV	104.00	150	Vertical	Pass
3	4017.600	46.14	-4.08	74.0	-27.86	Peak	56.00	150	Vertical	Pass
3**	4017.600	35.72	-4.08	54.0	-18.28	AV	56.00	150	Vertical	Pass
4	5221.800	96.08	-0.38	--	-65.92	Peak	162.00	150	Vertical	N/A
4**	5221.800	90.10	-0.38	--	90.10	AV	162.00	150	Vertical	N/A
5	10749.287	49.67	18.16	74.0	-24.33	Peak	20.00	150	Vertical	Pass
5**	10749.287	38.60	18.16	54.0	-15.40	AV	20.00	150	Vertical	Pass
6	15635.138	54.79	23.54	74.0	-19.21	Peak	127.00	150	Vertical	Pass
6**	15635.138	42.62	23.54	54.0	-11.38	AV	127.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.400	44.05	-15.21	74.0	-29.95	Peak	266.00	150	Horizontal	Pass
1**	1666.400	32.69	-15.21	54.0	-21.31	AV	266.00	150	Horizontal	Pass
2	2881.000	42.02	-8.29	74.0	-31.98	Peak	170.00	150	Horizontal	Pass
2**	2881.000	32.20	-8.29	54.0	-21.80	AV	170.00	150	Horizontal	Pass
3	4159.800	46.60	-3.51	74.0	-27.40	Peak	314.00	150	Horizontal	Pass
3**	4159.800	34.25	-3.51	54.0	-19.75	AV	314.00	150	Horizontal	Pass
4	5192.400	96.71	-0.66	--	-172.29	Peak	269.00	150	Horizontal	N/A
4**	5192.400	89.17	-0.66	--	89.17	AV	269.00	150	Horizontal	N/A
5	11089.974	49.43	18.91	74.0	-24.57	Peak	325.00	150	Horizontal	Pass
5**	11089.974	37.70	18.91	54.0	-16.30	AV	325.00	150	Horizontal	Pass
6	15882.150	55.41	23.34	74.0	-18.59	Peak	350.00	150	Horizontal	Pass
6**	15882.150	43.32	23.34	54.0	-10.68	AV	350.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	40.64	-15.21	74.0	-33.36	Peak	18.00	150	Vertical	Pass
1**	1665.900	29.84	-15.21	54.0	-24.16	AV	18.00	150	Vertical	Pass
2	2783.900	41.23	-8.67	74.0	-32.77	Peak	360.00	150	Vertical	Pass
2**	2783.900	31.98	-8.67	54.0	-22.02	AV	360.00	150	Vertical	Pass
3	4126.600	46.40	-3.95	74.0	-27.60	Peak	172.00	150	Vertical	Pass
3**	4126.600	37.38	-3.95	54.0	-16.62	AV	172.00	150	Vertical	Pass
4	5224.600	93.21	-0.44	--	-68.79	Peak	162.00	150	Vertical	N/A
4**	5224.600	85.72	-0.44	--	85.72	AV	162.00	150	Vertical	N/A
5	11667.276	50.44	20.20	74.0	-23.56	Peak	319.00	150	Vertical	Pass
5**	11667.276	37.94	20.20	54.0	-16.06	AV	319.00	150	Vertical	Pass
6	15465.562	55.20	23.57	74.0	-18.80	Peak	126.00	150	Vertical	Pass
6**	15465.562	42.87	23.57	54.0	-11.13	AV	126.00	150	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.900	40.70	-15.23	74.0	-33.30	Peak	254.00	150	Horizontal	Pass
1**	1680.900	29.38	-15.23	54.0	-24.62	AV	254.00	150	Horizontal	Pass
2	4289.000	47.61	-3.85	74.0	-26.39	Peak	244.00	150	Horizontal	Pass
2**	4289.000	34.72	-3.85	54.0	-19.28	AV	244.00	150	Horizontal	Pass
3	5296.600	93.74	0.22	--	-159.26	Peak	253.00	150	Horizontal	N/A
3**	5296.600	88.42	0.22	--	88.42	AV	253.00	150	Horizontal	N/A
4	5444.200	53.71	-0.24	74.0	-20.29	Peak	253.00	150	Horizontal	Pass
4**	5444.200	47.58	-0.24	54.0	-6.42	AV	253.00	150	Horizontal	Pass
5	12258.375	49.61	20.40	74.0	-24.39	Peak	91.00	150	Horizontal	Pass
5**	12258.375	37.15	20.40	54.0	-16.85	AV	91.00	150	Horizontal	Pass
6	16150.688	54.95	24.03	74.0	-19.05	Peak	21.00	150	Horizontal	Pass
6**	16150.688	42.56	24.03	54.0	-11.44	AV	21.00	150	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.600	40.78	-15.27	74.0	-33.22	Peak	0.00	150	Vertical	Pass
1**	1675.600	30.42	-15.27	54.0	-23.58	AV	0.00	150	Vertical	Pass
2	2863.300	40.99	-8.04	74.0	-33.01	Peak	16.00	150	Vertical	Pass
2**	2863.300	32.01	-8.04	54.0	-21.99	AV	16.00	150	Vertical	Pass
3	4245.600	47.62	-3.28	74.0	-26.38	Peak	294.00	150	Vertical	Pass
3**	4245.600	35.82	-3.28	54.0	-18.18	AV	294.00	150	Vertical	Pass
4	5267.800	90.21	-0.43	--	-70.79	Peak	161.00	150	Vertical	N/A
4**	5267.800	82.14	-0.43	--	82.14	AV	161.00	150	Vertical	N/A
5	11746.338	49.74	19.00	74.0	-24.26	Peak	267.00	150	Vertical	Pass
5**	11746.338	37.35	19.00	54.0	-16.65	AV	267.00	150	Vertical	Pass
6	15641.700	54.94	23.56	74.0	-19.06	Peak	40.00	150	Vertical	Pass
6**	15641.700	43.14	23.56	54.0	-10.86	AV	40.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.500	39.96	-15.24	74.0	-34.04	Peak	255.00	150	Horizontal	Pass
1**	1678.500	30.81	-15.24	54.0	-23.19	AV	255.00	150	Horizontal	Pass
2	2710.100	41.47	-8.80	74.0	-32.53	Peak	236.00	150	Horizontal	Pass
2**	2710.100	32.75	-8.80	54.0	-21.25	AV	236.00	150	Horizontal	Pass
3	4261.800	47.38	-3.32	74.0	-26.62	Peak	283.00	150	Horizontal	Pass
3**	4261.800	35.20	-3.32	54.0	-18.80	AV	283.00	150	Horizontal	Pass
4	5176.200	103.20	-0.53	--	-179.80	Peak	283.00	150	Horizontal	N/A
4**	5176.200	95.83	-0.53	--	95.83	AV	283.00	150	Horizontal	N/A
5	11542.787	49.51	19.64	74.0	-24.49	Peak	190.00	150	Horizontal	Pass
5**	11542.787	37.94	19.64	54.0	-16.06	AV	190.00	150	Horizontal	Pass
6	15501.263	55.03	23.96	74.0	-18.97	Peak	272.00	150	Horizontal	Pass
6**	15501.263	44.53	23.96	54.0	-9.47	AV	272.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.500	39.46	-15.35	74.0	-34.54	Peak	185.00	150	Vertical	Pass
1**	1131.500	29.57	-15.35	54.0	-24.43	AV	185.00	150	Vertical	Pass
2	2825.500	40.96	-8.35	74.0	-33.04	Peak	360.00	150	Vertical	Pass
2**	2825.500	31.04	-8.35	54.0	-22.96	AV	360.00	150	Vertical	Pass
3	3990.800	47.22	-4.42	74.0	-26.78	Peak	266.00	150	Vertical	Pass
3**	3990.800	35.70	-4.42	54.0	-18.30	AV	266.00	150	Vertical	Pass
4	5183.600	97.66	-0.60	--	7.66	Peak	90.00	150	Vertical	N/A
4**	5183.600	89.52	-0.60	--	89.52	AV	90.00	150	Vertical	N/A
5	11612.363	50.99	20.20	74.0	-23.01	Peak	0.00	150	Vertical	Pass
5**	11612.363	38.32	20.20	54.0	-15.68	AV	0.00	150	Vertical	Pass
6	15474.750	55.20	23.62	74.0	-18.80	Peak	210.00	150	Vertical	Pass
6**	15474.750	44.22	23.62	54.0	-9.78	AV	210.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.600	40.16	-15.23	74.0	-33.84	Peak	255.00	150	Horizontal	Pass
1**	1678.600	29.42	-15.23	54.0	-24.58	AV	255.00	150	Horizontal	Pass
2	2854.700	42.00	-8.11	74.0	-32.00	Peak	16.00	150	Horizontal	Pass
2**	2854.700	31.24	-8.11	54.0	-22.76	AV	16.00	150	Horizontal	Pass
3	4048.200	46.80	-3.77	74.0	-27.20	Peak	184.00	150	Horizontal	Pass
3**	4048.200	35.07	-3.77	54.0	-18.93	AV	184.00	150	Horizontal	Pass
4	5216.800	103.86	-0.30	--	-149.14	Peak	253.00	150	Horizontal	N/A
4**	5216.800	96.14	-0.30	--	96.14	AV	253.00	150	Horizontal	N/A
5	12182.475	49.37	20.28	74.0	-24.63	Peak	34.00	150	Horizontal	Pass
5**	12182.475	37.28	20.28	54.0	-16.72	AV	34.00	150	Horizontal	Pass
6	15918.375	55.57	23.61	74.0	-18.43	Peak	218.00	150	Horizontal	Pass
6**	15918.375	43.86	23.61	54.0	-10.14	AV	218.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1148.900	40.18	-14.95	74.0	-33.82	Peak	50.00	150	Vertical	Pass
1**	1148.900	28.61	-14.95	54.0	-25.39	AV	50.00	150	Vertical	Pass
2	2725.500	41.94	-8.73	74.0	-32.06	Peak	204.00	150	Vertical	Pass
2**	2725.500	31.86	-8.73	54.0	-22.14	AV	204.00	150	Vertical	Pass
3	3763.400	46.62	-4.48	74.0	-27.38	Peak	18.00	150	Vertical	Pass
3**	3763.400	35.07	-4.48	54.0	-18.93	AV	18.00	150	Vertical	Pass
4	5221.000	99.40	-0.36	--	-65.60	Peak	165.00	150	Vertical	N/A
4**	5221.000	89.37	-0.36	--	89.37	AV	165.00	150	Vertical	N/A
5	12145.675	49.78	19.89	74.0	-24.22	Peak	105.00	150	Vertical	Pass
5**	12145.675	38.72	19.89	54.0	-15.28	AV	105.00	150	Vertical	Pass
6	15914.174	56.28	23.54	74.0	-17.72	Peak	182.00	150	Vertical	Pass
6**	15914.174	44.70	23.54	54.0	-9.30	AV	182.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.500	40.28	-15.24	74.0	-33.72	Peak	262.00	150	Horizontal	Pass
1**	1681.500	29.47	-15.24	54.0	-24.53	AV	262.00	150	Horizontal	Pass
2	2868.200	41.90	-8.15	74.0	-32.10	Peak	98.00	150	Horizontal	Pass
2**	2868.200	33.38	-8.15	54.0	-20.62	AV	98.00	150	Horizontal	Pass
3	4101.200	46.40	-4.23	74.0	-27.60	Peak	60.00	150	Horizontal	Pass
3**	4101.200	35.17	-4.23	54.0	-18.83	AV	60.00	150	Horizontal	Pass
4	5236.800	103.61	-0.83	--	-144.39	Peak	248.00	150	Horizontal	N/A
4**	5236.800	94.83	-0.83	--	94.83	AV	248.00	150	Horizontal	N/A
5	11578.150	49.14	19.88	74.0	-24.86	Peak	268.00	150	Horizontal	Pass
5**	11578.150	37.42	19.88	54.0	-16.58	AV	268.00	150	Horizontal	Pass
6	15533.287	56.44	23.73	74.0	-17.56	Peak	81.00	150	Horizontal	Pass
6**	15533.287	43.93	23.73	54.0	-10.07	AV	81.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.300	39.09	-14.87	74.0	-34.91	Peak	23.00	150	Vertical	Pass
1**	1162.300	29.01	-14.87	54.0	-24.99	AV	23.00	150	Vertical	Pass
2	2759.700	40.98	-8.88	74.0	-33.02	Peak	321.00	150	Vertical	Pass
2**	2759.700	31.02	-8.88	54.0	-22.98	AV	321.00	150	Vertical	Pass
3	3742.400	48.73	-5.16	74.0	-25.27	Peak	199.00	150	Vertical	Pass
3**	3742.400	34.96	-5.16	54.0	-19.04	AV	199.00	150	Vertical	Pass
4	5243.800	97.09	-0.83	--	-22.91	Peak	120.00	150	Vertical	N/A
4**	5243.800	90.27	-0.83	--	90.27	AV	120.00	150	Vertical	N/A
5	11883.187	49.88	18.06	74.0	-24.12	Peak	49.00	150	Vertical	Pass
5**	11883.187	37.28	18.06	54.0	-16.72	AV	49.00	150	Vertical	Pass
6	15418.050	55.45	23.12	74.0	-18.55	Peak	101.00	150	Vertical	Pass
6**	15418.050	43.71	23.12	54.0	-10.29	AV	101.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.200	39.65	-15.23	74.0	-34.35	Peak	260.00	150	Horizontal	Pass
1**	1669.200	30.34	-15.23	54.0	-23.66	AV	260.00	150	Horizontal	Pass
2	2829.900	41.14	-8.27	74.0	-32.86	Peak	3.00	150	Horizontal	Pass
2**	2829.900	31.18	-8.27	54.0	-22.82	AV	3.00	150	Horizontal	Pass
3	4151.400	46.88	-3.48	74.0	-27.12	Peak	112.00	150	Horizontal	Pass
3**	4151.400	35.28	-3.48	54.0	-18.72	AV	112.00	150	Horizontal	Pass
4	5186.200	102.15	-0.68	--	-175.85	Peak	278.00	150	Horizontal	N/A
4**	5186.200	92.10	-0.68	--	92.10	AV	278.00	150	Horizontal	N/A
5	11594.250	49.59	20.06	74.0	-24.41	Peak	301.00	150	Horizontal	Pass
5**	11594.250	37.77	20.06	54.0	-16.23	AV	301.00	150	Horizontal	Pass
6	15944.362	54.82	23.92	74.0	-19.18	Peak	87.00	150	Horizontal	Pass
6**	15944.362	44.48	23.92	54.0	-9.52	AV	87.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.300	39.06	-14.92	74.0	-34.94	Peak	57.00	150	Vertical	Pass
1**	1154.300	30.58	-14.92	54.0	-23.42	AV	57.00	150	Vertical	Pass
2	2889.300	42.43	-8.14	74.0	-31.57	Peak	191.00	150	Vertical	Pass
2**	2889.300	32.25	-8.14	54.0	-21.75	AV	191.00	150	Vertical	Pass
3	4151.000	47.73	-3.46	74.0	-26.27	Peak	290.00	150	Vertical	Pass
3**	4151.000	36.32	-3.46	54.0	-17.68	AV	290.00	150	Vertical	Pass
4	5196.800	95.13	-0.77	--	10.13	Peak	85.00	150	Vertical	N/A
4**	5196.800	86.44	-0.77	--	86.44	AV	85.00	150	Vertical	N/A
5	11634.500	49.62	20.33	74.0	-24.38	Peak	327.00	150	Vertical	Pass
5**	11634.500	38.30	20.33	54.0	-15.70	AV	327.00	150	Vertical	Pass
6	15635.138	55.10	23.54	74.0	-18.90	Peak	92.00	150	Vertical	Pass
6**	15635.138	42.70	23.54	54.0	-11.30	AV	92.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.000	40.60	-15.21	74.0	-33.40	Peak	248.00	150	Horizontal	Pass
1**	1667.000	29.09	-15.21	54.0	-24.91	AV	248.00	150	Horizontal	Pass
2	2769.800	41.72	-8.52	74.0	-32.28	Peak	161.00	150	Horizontal	Pass
2**	2769.800	31.61	-8.52	54.0	-22.39	AV	161.00	150	Horizontal	Pass
3	4015.800	46.56	-4.08	74.0	-27.44	Peak	278.00	150	Horizontal	Pass
3**	4015.800	35.16	-4.08	54.0	-18.84	AV	278.00	150	Horizontal	Pass
4	5232.600	101.89	-0.59	--	-176.11	Peak	278.00	150	Horizontal	N/A
4**	5232.600	93.26	-0.59	--	93.26	AV	278.00	150	Horizontal	N/A
5	11813.613	50.33	18.44	74.0	-23.67	Peak	275.00	150	Horizontal	Pass
5**	11813.613	38.71	18.44	54.0	-15.29	AV	275.00	150	Horizontal	Pass
6	15882.937	55.95	23.34	74.0	-18.05	Peak	73.00	150	Horizontal	Pass
6**	15882.937	43.23	23.34	54.0	-10.77	AV	73.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.300	39.05	-14.87	74.0	-34.95	Peak	206.00	150	Vertical	Pass
1**	1162.300	31.01	-14.87	54.0	-22.99	AV	206.00	150	Vertical	Pass
2	2870.000	41.33	-8.20	74.0	-32.67	Peak	90.00	150	Vertical	Pass
2**	2870.000	31.83	-8.20	54.0	-22.17	AV	90.00	150	Vertical	Pass
3	3738.000	48.09	-5.36	74.0	-25.91	Peak	31.00	150	Vertical	Pass
3**	3738.000	33.71	-5.36	54.0	-20.29	AV	31.00	150	Vertical	Pass
4	5227.800	95.68	-0.48	--	-69.32	Peak	165.00	150	Vertical	N/A
4**	5227.800	86.60	-0.48	--	86.60	AV	165.00	150	Vertical	N/A
5	12199.725	50.51	20.43	74.0	-23.49	Peak	327.00	150	Vertical	Pass
5**	12199.725	39.68	20.43	54.0	-14.32	AV	327.00	150	Vertical	Pass
6	15908.924	56.15	23.44	74.0	-17.85	Peak	156.00	150	Vertical	Pass
6**	15908.924	45.02	23.44	54.0	-8.98	AV	156.00	150	Vertical	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.900	40.33	-15.23	74.0	-33.67	Peak	255.00	150	Horizontal	Pass
1**	1680.900	30.47	-15.23	54.0	-23.53	AV	255.00	150	Horizontal	Pass
2	2804.800	41.13	-8.75	74.0	-32.87	Peak	255.00	150	Horizontal	Pass
2**	2804.800	31.28	-8.75	54.0	-22.72	AV	255.00	150	Horizontal	Pass
3	4127.000	48.04	-3.95	74.0	-25.96	Peak	32.00	150	Horizontal	Pass
3**	4127.000	35.51	-3.95	54.0	-18.49	AV	32.00	150	Horizontal	Pass
4	5220.600	99.16	-0.32	--	-158.84	Peak	258.00	150	Horizontal	N/A
4**	5220.600	89.70	-0.32	--	89.70	AV	258.00	150	Horizontal	N/A
5	11612.075	50.93	20.20	74.0	-23.07	Peak	110.00	150	Horizontal	Pass
5**	11612.075	38.28	20.20	54.0	-15.72	AV	110.00	150	Horizontal	Pass
6	15916.800	55.31	23.58	74.0	-18.69	Peak	192.00	150	Horizontal	Pass
6**	15916.800	43.98	23.58	54.0	-10.02	AV	192.00	150	Horizontal	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1172.800	39.28	-15.04	74.0	-34.72	Peak	37.00	150	Vertical	Pass
1**	1172.800	29.01	-15.04	54.0	-24.99	AV	37.00	150	Vertical	Pass
2	2860.700	41.76	-7.97	74.0	-32.24	Peak	231.00	150	Vertical	Pass
2**	2860.700	32.17	-7.97	54.0	-21.83	AV	231.00	150	Vertical	Pass
3	4119.200	47.73	-4.22	74.0	-26.27	Peak	338.00	150	Vertical	Pass
3**	4119.200	35.70	-4.22	54.0	-18.30	AV	338.00	150	Vertical	Pass
4	5211.400	94.44	-0.49	--	1.44	Peak	93.00	150	Vertical	N/A
4**	5211.400	83.93	-0.49	--	83.93	AV	93.00	150	Vertical	N/A
5	11625.588	49.87	20.27	74.0	-24.13	Peak	360.00	150	Vertical	Pass
5**	11625.588	39.44	20.27	54.0	-14.56	AV	360.00	150	Vertical	Pass
6	15542.213	55.03	23.68	74.0	-18.97	Peak	187.00	150	Vertical	Pass
6**	15542.213	45.25	23.68	54.0	-8.75	AV	187.00	150	Vertical	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.900	44.08	-15.23	74.0	-29.92	Peak	219.00	150	Horizontal	Pass
1**	1663.900	32.66	-15.23	54.0	-21.34	AV	219.00	150	Horizontal	Pass
2	2883.000	42.07	-8.33	74.0	-31.93	Peak	125.00	150	Horizontal	Pass
2**	2883.000	31.87	-8.33	54.0	-22.13	AV	125.00	150	Horizontal	Pass
3	4143.400	52.95	2.89	74.0	-21.05	Peak	8.00	150	Horizontal	Pass
3**	4143.400	42.01	2.89	54.0	-11.99	AV	8.00	150	Horizontal	Pass
4	6831.000	60.95	12.31	68.2	-7.25	Peak	40.00	150	Horizontal	Pass
4**	6831.000	50.63	12.31	--	50.63	AV	40.00	150	Horizontal	N/A
5	11740.588	50.38	19.09	74.0	-23.62	Peak	45.00	150	Horizontal	Pass
5**	11740.588	37.42	19.09	54.0	-16.58	AV	45.00	150	Horizontal	Pass
6	15594.974	55.79	23.56	74.0	-18.21	Peak	360.00	150	Horizontal	Pass
6**	15594.974	43.44	23.56	54.0	-10.56	AV	360.00	150	Horizontal	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.400	40.90	-15.23	74.0	-33.10	Peak	360.00	150	Vertical	Pass
1**	1680.400	30.18	-15.23	54.0	-23.82	AV	360.00	150	Vertical	Pass
2	2835.400	42.20	-8.47	74.0	-31.80	Peak	149.00	150	Vertical	Pass
2**	2835.400	32.28	-8.47	54.0	-21.72	AV	149.00	150	Vertical	Pass
3	4166.600	53.69	2.46	74.0	-20.31	Peak	27.00	150	Vertical	Pass
3**	4166.600	41.10	2.46	54.0	-12.90	AV	27.00	150	Vertical	Pass
4	6647.600	60.86	10.91	68.2	-7.34	Peak	319.00	150	Vertical	Pass
4**	6647.600	49.13	10.91	--	49.13	AV	319.00	150	Vertical	N/A
5	11592.813	50.63	20.04	74.0	-23.37	Peak	108.00	150	Vertical	Pass
5**	11592.813	38.80	20.04	54.0	-15.20	AV	108.00	150	Vertical	Pass
6	15875.063	55.94	23.35	74.0	-18.06	Peak	183.00	150	Vertical	Pass
6**	15875.063	43.82	23.35	54.0	-10.18	AV	183.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.500	43.78	-15.21	74.0	-30.22	Peak	213.00	150	Horizontal	Pass
1**	1667.500	32.76	-15.21	54.0	-21.24	AV	213.00	150	Horizontal	Pass
2	2765.900	41.65	-8.59	74.0	-32.35	Peak	117.00	150	Horizontal	Pass
2**	2765.900	31.11	-8.59	54.0	-22.89	AV	117.00	150	Horizontal	Pass
3	3980.800	46.34	-4.08	74.0	-27.66	Peak	106.00	150	Horizontal	Pass
3**	3980.800	35.78	-4.08	54.0	-18.22	AV	106.00	150	Horizontal	Pass
4	5263.000	103.30	-0.93	--	-139.70	Peak	243.00	150	Horizontal	N/A
4**	5263.000	97.10	-0.93	--	97.10	AV	243.00	150	Horizontal	N/A
5	12363.025	50.53	19.60	74.0	-23.47	Peak	8.00	150	Horizontal	Pass
5**	12363.025	38.24	19.60	54.0	-15.76	AV	8.00	150	Horizontal	Pass
6	15704.438	54.89	23.55	74.0	-19.11	Peak	16.00	150	Horizontal	Pass
6**	15704.438	42.36	23.55	54.0	-11.64	AV	16.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.400	38.61	-14.78	74.0	-35.39	Peak	151.00	150	Vertical	Pass
1**	1333.400	28.62	-14.78	54.0	-25.38	AV	151.00	150	Vertical	Pass
2	2833.500	41.73	-8.47	74.0	-32.27	Peak	161.00	150	Vertical	Pass
2**	2833.500	32.48	-8.47	54.0	-21.52	AV	161.00	150	Vertical	Pass
3	4032.200	47.20	-3.97	74.0	-26.80	Peak	324.00	150	Vertical	Pass
3**	4032.200	35.24	-3.97	54.0	-18.76	AV	324.00	150	Vertical	Pass
4	5256.000	102.01	-1.11	--	-58.99	Peak	161.00	150	Vertical	N/A
4**	5256.000	94.53	-1.11	--	94.53	AV	161.00	150	Vertical	N/A
5	11070.137	50.15	18.84	74.0	-23.85	Peak	360.00	150	Vertical	Pass
5**	11070.137	38.48	18.84	54.0	-15.52	AV	360.00	150	Vertical	Pass
6	15648.000	54.85	23.53	74.0	-19.15	Peak	86.00	150	Vertical	Pass
6**	15648.000	43.17	23.53	54.0	-10.83	AV	86.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1683.400	43.44	-15.25	74.0	-30.56	Peak	149.00	150	Horizontal	Pass
1**	1683.400	31.46	-15.25	54.0	-22.54	AV	149.00	150	Horizontal	Pass
2	2868.800	41.83	-8.19	74.0	-32.17	Peak	123.00	150	Horizontal	Pass
2**	2868.800	32.26	-8.19	54.0	-21.74	AV	123.00	150	Horizontal	Pass
3	4254.400	47.25	-3.06	74.0	-26.75	Peak	75.00	150	Horizontal	Pass
3**	4254.400	35.78	-3.06	54.0	-18.22	AV	75.00	150	Horizontal	Pass
4	5301.600	104.22	-0.33	--	-141.78	Peak	246.00	150	Horizontal	N/A
4**	5301.600	97.45	-0.33	--	97.45	AV	246.00	150	Horizontal	N/A
5	12198.862	50.26	20.42	74.0	-23.74	Peak	20.00	150	Horizontal	Pass
5**	12198.862	39.40	20.42	54.0	-14.60	AV	20.00	150	Horizontal	Pass
6	15870.599	54.70	23.35	74.0	-19.30	Peak	51.00	150	Horizontal	Pass
6**	15870.599	43.00	23.35	54.0	-11.00	AV	51.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.600	39.46	-15.21	74.0	-34.54	Peak	203.00	150	Vertical	Pass
1**	1665.600	28.64	-15.21	54.0	-25.36	AV	203.00	150	Vertical	Pass
2	2818.600	41.81	-8.31	74.0	-32.19	Peak	47.00	150	Vertical	Pass
2**	2818.600	32.01	-8.31	54.0	-21.99	AV	47.00	150	Vertical	Pass
3	4164.200	46.52	-3.65	74.0	-27.48	Peak	202.00	150	Vertical	Pass
3**	4164.200	34.94	-3.65	54.0	-19.06	AV	202.00	150	Vertical	Pass
4	5301.600	101.37	-0.33	--	-56.63	Peak	158.00	150	Vertical	N/A
4**	5301.600	95.05	-0.33	--	95.05	AV	158.00	150	Vertical	N/A
5	12339.162	50.67	19.79	74.0	-23.33	Peak	54.00	150	Vertical	Pass
5**	12339.162	39.03	19.79	54.0	-14.97	AV	54.00	150	Vertical	Pass
6	15659.550	55.41	23.46	74.0	-18.59	Peak	198.00	150	Vertical	Pass
6**	15659.550	43.84	23.46	54.0	-10.16	AV	198.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.700	44.09	-15.34	74.0	-29.91	Peak	274.00	150	Horizontal	Pass
1**	1673.700	34.53	-15.34	54.0	-19.47	AV	274.00	150	Horizontal	Pass
2	2815.300	41.24	-8.33	74.0	-32.76	Peak	98.00	150	Horizontal	Pass
2**	2815.300	32.10	-8.33	54.0	-21.90	AV	98.00	150	Horizontal	Pass
3	4159.800	46.95	-3.51	74.0	-27.05	Peak	244.00	150	Horizontal	Pass
3**	4159.800	34.65	-3.51	54.0	-19.35	AV	244.00	150	Horizontal	Pass
4	5322.800	103.86	-0.01	--	-140.14	Peak	244.00	150	Horizontal	N/A
4**	5322.800	96.94	-0.01	--	96.94	AV	244.00	150	Horizontal	N/A
5	12223.588	50.79	20.45	74.0	-23.21	Peak	252.00	150	Horizontal	Pass
5**	12223.588	38.60	20.45	54.0	-15.40	AV	252.00	150	Horizontal	Pass
6	15993.975	55.56	24.01	74.0	-18.44	Peak	97.00	150	Horizontal	Pass
6**	15993.975	43.20	24.01	54.0	-10.80	AV	97.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	37.63	-14.73	74.0	-36.37	Peak	321.00	150	Vertical	Pass
1**	1331.500	29.13	-14.73	54.0	-24.87	AV	321.00	150	Vertical	Pass
2	2834.400	42.08	-8.47	74.0	-31.92	Peak	214.00	150	Vertical	Pass
2**	2834.400	31.63	-8.47	54.0	-22.37	AV	214.00	150	Vertical	Pass
3	4313.400	47.37	-3.34	74.0	-26.63	Peak	145.00	150	Vertical	Pass
3**	4313.400	35.54	-3.34	54.0	-18.46	AV	145.00	150	Vertical	Pass
4	5323.800	101.32	-0.05	--	-52.68	Peak	154.00	150	Vertical	N/A
4**	5323.800	94.09	-0.05	--	94.09	AV	154.00	150	Vertical	N/A
5	12330.825	50.31	19.85	74.0	-23.69	Peak	19.00	150	Vertical	Pass
5**	12330.825	37.83	19.85	54.0	-16.17	AV	19.00	150	Vertical	Pass
6	15698.662	54.74	23.57	74.0	-19.26	Peak	333.00	150	Vertical	Pass
6**	15698.662	44.45	23.57	54.0	-9.55	AV	333.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.100	44.35	-15.22	74.0	-29.65	Peak	211.00	150	Horizontal	Pass
1**	1665.100	34.92	-15.22	54.0	-19.08	AV	211.00	150	Horizontal	Pass
2	2866.900	42.36	-8.07	74.0	-31.64	Peak	263.00	150	Horizontal	Pass
2**	2866.900	33.58	-8.07	54.0	-20.42	AV	263.00	150	Horizontal	Pass
3	4226.200	47.36	-3.62	74.0	-26.64	Peak	241.00	150	Horizontal	Pass
3**	4226.200	36.01	-3.62	54.0	-17.99	AV	241.00	150	Horizontal	Pass
4	5257.200	102.94	-1.05	--	-138.06	Peak	241.00	150	Horizontal	N/A
4**	5257.200	96.87	-1.05	--	96.87	AV	241.00	150	Horizontal	N/A
5	11807.575	49.88	18.49	74.0	-24.12	Peak	360.00	150	Horizontal	Pass
5**	11807.575	37.69	18.49	54.0	-16.31	AV	360.00	150	Horizontal	Pass
6	15593.925	54.94	23.56	74.0	-19.06	Peak	113.00	150	Horizontal	Pass
6**	15593.925	43.76	23.56	54.0	-10.24	AV	113.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.500	39.42	-15.23	74.0	-34.58	Peak	29.00	150	Vertical	Pass
1**	1669.500	30.47	-15.23	54.0	-23.53	AV	29.00	150	Vertical	Pass
2	2889.200	42.94	-8.14	74.0	-31.06	Peak	254.00	150	Vertical	Pass
2**	2889.200	32.42	-8.14	54.0	-21.58	AV	254.00	150	Vertical	Pass
3	3682.600	46.90	-5.38	74.0	-27.10	Peak	161.00	150	Vertical	Pass
3**	3682.600	35.22	-5.38	54.0	-18.78	AV	161.00	150	Vertical	Pass
4	5262.200	100.62	-1.00	--	-60.38	Peak	161.00	150	Vertical	N/A
4**	5262.200	92.86	-1.00	--	92.86	AV	161.00	150	Vertical	N/A
5	11893.537	49.88	18.04	74.0	-24.12	Peak	347.00	150	Vertical	Pass
5**	11893.537	38.28	18.04	54.0	-15.72	AV	347.00	150	Vertical	Pass
6	15568.201	55.52	23.58	74.0	-18.48	Peak	125.00	150	Vertical	Pass
6**	15568.201	43.19	23.58	54.0	-10.81	AV	125.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.100	44.00	-15.23	74.0	-30.00	Peak	161.00	150	Horizontal	Pass
1**	1670.100	33.30	-15.23	54.0	-20.70	AV	161.00	150	Horizontal	Pass
2	2873.200	41.48	-8.27	74.0	-32.52	Peak	38.00	150	Horizontal	Pass
2**	2873.200	32.47	-8.27	54.0	-21.53	AV	38.00	150	Horizontal	Pass
3	4265.200	47.56	-3.21	74.0	-26.44	Peak	40.00	150	Horizontal	Pass
3**	4265.200	36.18	-3.21	54.0	-17.82	AV	40.00	150	Horizontal	Pass
4	5298.200	104.19	-0.51	--	-145.81	Peak	250.00	150	Horizontal	N/A
4**	5298.200	96.51	-0.51	--	96.51	AV	250.00	150	Horizontal	N/A
5	12224.162	50.22	20.44	74.0	-23.78	Peak	296.00	150	Horizontal	Pass
5**	12224.162	38.93	20.44	54.0	-15.07	AV	296.00	150	Horizontal	Pass
6	15507.826	55.03	23.89	74.0	-18.97	Peak	182.00	150	Horizontal	Pass
6**	15507.826	42.78	23.89	54.0	-11.22	AV	182.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1395.300	37.53	-14.88	74.0	-36.47	Peak	304.00	150	Vertical	Pass
1**	1395.300	28.41	-14.88	54.0	-25.59	AV	304.00	150	Vertical	Pass
2	2753.900	41.66	-9.06	74.0	-32.34	Peak	259.00	150	Vertical	Pass
2**	2753.900	31.02	-9.06	54.0	-22.98	AV	259.00	150	Vertical	Pass
3	4260.400	47.06	-3.39	74.0	-26.94	Peak	152.00	150	Vertical	Pass
3**	4260.400	35.89	-3.39	54.0	-18.11	AV	152.00	150	Vertical	Pass
4	5303.000	101.57	-0.29	--	-58.43	Peak	160.00	150	Vertical	N/A
4**	5303.000	93.76	-0.29	--	93.76	AV	160.00	150	Vertical	N/A
5	11903.313	49.66	18.04	74.0	-24.34	Peak	0.00	150	Vertical	Pass
5**	11903.313	37.65	18.04	54.0	-16.35	AV	0.00	150	Vertical	Pass
6	15884.250	55.11	23.33	74.0	-18.89	Peak	360.00	150	Vertical	Pass
6**	15884.250	42.41	23.33	54.0	-11.59	AV	360.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	43.61	-15.24	74.0	-30.39	Peak	208.00	150	Horizontal	Pass
1**	1670.400	36.13	-15.24	54.0	-17.87	AV	208.00	150	Horizontal	Pass
2	2865.600	42.37	-8.05	74.0	-31.63	Peak	54.00	150	Horizontal	Pass
2**	2865.600	32.16	-8.05	54.0	-21.84	AV	54.00	150	Horizontal	Pass
3	4151.200	46.96	-3.47	74.0	-27.04	Peak	173.00	150	Horizontal	Pass
3**	4151.200	35.77	-3.47	54.0	-18.23	AV	173.00	150	Horizontal	Pass
4	5317.400	103.30	-0.01	--	-140.70	Peak	244.00	150	Horizontal	N/A
4**	5317.400	97.91	-0.01	--	97.91	AV	244.00	150	Horizontal	N/A
5	12164.362	50.22	20.09	74.0	-23.78	Peak	249.00	150	Horizontal	Pass
5**	12164.362	38.41	20.09	54.0	-15.59	AV	249.00	150	Horizontal	Pass
6	16126.012	55.02	24.02	74.0	-18.98	Peak	316.00	150	Horizontal	Pass
6**	16126.012	42.51	24.02	54.0	-11.49	AV	316.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1393.200	37.81	-14.83	74.0	-36.19	Peak	201.00	150	Vertical	Pass
1**	1393.200	28.86	-14.83	54.0	-25.14	AV	201.00	150	Vertical	Pass
2	2728.100	41.62	-8.73	74.0	-32.38	Peak	37.00	150	Vertical	Pass
2**	2728.100	30.64	-8.73	54.0	-23.36	AV	37.00	150	Vertical	Pass
3	4324.400	47.55	-3.18	74.0	-26.45	Peak	16.00	150	Vertical	Pass
3**	4324.400	36.75	-3.18	54.0	-17.25	AV	16.00	150	Vertical	Pass
4	5322.200	100.81	-0.05	--	-55.19	Peak	156.00	150	Vertical	N/A
4**	5322.200	95.39	-0.05	--	95.39	AV	156.00	150	Vertical	N/A
5	11680.213	50.26	20.06	74.0	-23.74	Peak	343.00	150	Vertical	Pass
5**	11680.213	39.11	20.06	54.0	-14.89	AV	343.00	150	Vertical	Pass
6	15926.513	55.58	23.73	74.0	-18.42	Peak	201.00	150	Vertical	Pass
6**	15926.513	43.18	23.73	54.0	-10.82	AV	201.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	45.07	-15.23	74.0	-28.93	Peak	259.00	150	Horizontal	Pass
1**	1669.900	34.23	-15.23	54.0	-19.77	AV	259.00	150	Horizontal	Pass
2	2846.800	41.46	-8.33	74.0	-32.54	Peak	94.00	150	Horizontal	Pass
2**	2846.800	31.83	-8.33	54.0	-22.17	AV	94.00	150	Horizontal	Pass
3	4253.000	46.73	-3.15	74.0	-27.27	Peak	122.00	150	Horizontal	Pass
3**	4253.000	35.84	-3.15	54.0	-18.16	AV	122.00	150	Horizontal	Pass
4	5280.800	99.19	-0.37	--	-155.81	Peak	255.00	150	Horizontal	Pass
4**	5280.800	92.31	-0.37	--	92.31	AV	255.00	150	Horizontal	N/A
5	12152.863	48.68	19.95	74.0	-25.32	Peak	290.00	150	Horizontal	Pass
5**	12152.863	36.70	19.95	54.0	-17.30	AV	290.00	150	Horizontal	Pass
6	15631.988	54.64	23.52	74.0	-19.36	Peak	214.00	150	Horizontal	Pass
6**	15631.988	42.80	23.52	54.0	-11.20	AV	214.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.000	39.84	-14.99	74.0	-34.16	Peak	290.00	150	Vertical	Pass
1**	1476.000	30.74	-14.99	54.0	-23.26	AV	290.00	150	Vertical	Pass
2	2742.800	41.34	-8.85	74.0	-32.66	Peak	1.00	150	Vertical	Pass
2**	2742.800	30.94	-8.85	54.0	-23.06	AV	1.00	150	Vertical	Pass
3	4017.600	46.26	-4.08	74.0	-27.74	Peak	295.00	150	Vertical	Pass
3**	4017.600	34.19	-4.08	54.0	-19.81	AV	295.00	150	Vertical	Pass
4	5275.200	94.50	-0.55	--	-73.50	Peak	168.00	150	Vertical	N/A
4**	5275.200	85.87	-0.55	--	85.87	AV	168.00	150	Vertical	N/A
5	11686.825	49.83	19.98	74.0	-24.17	Peak	280.00	150	Vertical	Pass
5**	11686.825	37.49	19.98	54.0	-16.51	AV	280.00	150	Vertical	Pass
6	15488.925	53.65	23.79	74.0	-20.35	Peak	362.00	150	Vertical	Pass
6**	15488.925	43.61	23.79	54.0	-10.39	AV	362.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.700	44.08	-15.27	74.0	-29.92	Peak	259.00	150	Horizontal	Pass
1**	1675.700	35.44	-15.27	54.0	-18.56	AV	259.00	150	Horizontal	Pass
2	2772.600	42.35	-8.46	74.0	-31.65	Peak	125.00	150	Horizontal	Pass
2**	2772.600	31.31	-8.46	54.0	-22.69	AV	125.00	150	Horizontal	Pass
3	4178.000	46.21	-3.96	74.0	-27.79	Peak	186.00	150	Horizontal	Pass
3**	4178.000	35.98	-3.96	54.0	-18.02	AV	186.00	150	Horizontal	Pass
4	5304.200	99.30	0.35	--	-159.70	Peak	259.00	150	Horizontal	N/A
4**	5304.200	92.96	0.35	--	92.96	AV	259.00	150	Horizontal	N/A
5	11482.125	49.09	18.99	74.0	-24.91	Peak	271.00	150	Horizontal	Pass
5**	11482.125	37.75	18.99	54.0	-16.25	AV	271.00	150	Horizontal	Pass
6	16019.700	53.87	23.97	74.0	-20.13	Peak	231.00	150	Horizontal	Pass
6**	16019.700	42.53	23.97	54.0	-11.47	AV	231.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.600	41.92	-14.77	74.0	-32.08	Peak	279.00	150	Vertical	Pass
1**	1462.600	33.21	-14.77	54.0	-20.79	AV	279.00	150	Vertical	Pass
2	2878.200	41.40	-8.31	74.0	-32.60	Peak	236.00	150	Vertical	Pass
2**	2878.200	32.39	-8.31	54.0	-21.61	AV	236.00	150	Vertical	Pass
3	4169.600	46.87	-3.73	74.0	-27.13	Peak	114.00	150	Vertical	Pass
3**	4169.600	34.55	-3.73	54.0	-19.45	AV	114.00	150	Vertical	Pass
4	5301.800	94.28	0.29	--	8.28	Peak	86.00	150	Vertical	N/A
4**	5301.800	86.30	0.29	--	86.30	AV	86.00	150	Vertical	N/A
5	12250.613	49.90	20.45	74.0	-24.10	Peak	76.00	150	Vertical	Pass
5**	12250.613	36.84	20.45	54.0	-17.16	AV	76.00	150	Vertical	Pass
6	15567.412	53.59	23.58	74.0	-20.41	Peak	0.00	150	Vertical	Pass
6**	15567.412	42.21	23.58	54.0	-11.79	AV	0.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	43.85	-15.29	74.0	-30.15	Peak	157.00	150	Horizontal	Pass
1**	1677.500	32.57	-15.29	54.0	-21.43	AV	157.00	150	Horizontal	Pass
2	2874.400	41.87	-8.32	74.0	-32.13	Peak	166.00	150	Horizontal	Pass
2**	2874.400	34.95	-8.32	54.0	-19.05	AV	166.00	150	Horizontal	Pass
3	4041.800	47.00	-3.93	74.0	-27.00	Peak	46.00	150	Horizontal	Pass
3**	4041.800	35.23	-3.93	54.0	-18.77	AV	46.00	150	Horizontal	Pass
4	5261.400	102.76	-1.05	--	-147.24	Peak	250.00	150	Horizontal	N/A
4**	5261.400	95.90	-1.05	--	95.90	AV	250.00	150	Horizontal	N/A
5	11627.600	50.83	20.29	74.0	-23.17	Peak	65.00	150	Horizontal	Pass
5**	11627.600	40.08	20.29	54.0	-13.92	AV	65.00	150	Horizontal	Pass
6	15444.825	55.14	23.32	74.0	-18.86	Peak	145.00	150	Horizontal	Pass
6**	15444.825	42.91	23.32	54.0	-11.09	AV	145.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1339.300	37.76	-14.70	74.0	-36.24	Peak	352.00	150	Vertical	Pass
1**	1339.300	27.27	-14.70	54.0	-26.73	AV	352.00	150	Vertical	Pass
2	2779.200	41.49	-8.51	74.0	-32.51	Peak	116.00	150	Vertical	Pass
2**	2779.200	31.08	-8.51	54.0	-22.92	AV	116.00	150	Vertical	Pass
3	4230.600	47.61	-3.44	74.0	-26.39	Peak	355.00	150	Vertical	Pass
3**	4230.600	35.07	-3.44	54.0	-18.93	AV	355.00	150	Vertical	Pass
4	5257.000	100.71	-1.06	--	-58.29	Peak	159.00	150	Vertical	N/A
4**	5257.000	94.26	-1.06	--	94.26	AV	159.00	150	Vertical	N/A
5	12258.375	50.72	20.40	74.0	-23.28	Peak	42.00	150	Vertical	Pass
5**	12258.375	38.40	20.40	54.0	-15.60	AV	42.00	150	Vertical	Pass
6	15924.675	55.13	23.71	74.0	-18.87	Peak	247.00	150	Vertical	Pass
6**	15924.675	43.58	23.71	54.0	-10.42	AV	247.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	43.96	-15.22	74.0	-30.04	Peak	273.00	150	Horizontal	Pass
1**	1667.900	33.93	-15.22	54.0	-20.07	AV	273.00	150	Horizontal	Pass
2	2820.200	41.21	-8.41	74.0	-32.79	Peak	80.00	150	Horizontal	Pass
2**	2820.200	32.14	-8.41	54.0	-21.86	AV	80.00	150	Horizontal	Pass
3	4077.200	46.49	-3.97	74.0	-27.51	Peak	6.00	150	Horizontal	Pass
3**	4077.200	34.83	-3.97	54.0	-19.17	AV	6.00	150	Horizontal	Pass
4	5303.800	103.49	-0.32	--	-145.51	Peak	249.00	150	Horizontal	N/A
4**	5303.800	97.46	-0.32	--	97.46	AV	249.00	150	Horizontal	N/A
5	12403.276	50.26	19.15	74.0	-23.74	Peak	268.00	150	Horizontal	Pass
5**	12403.276	37.46	19.15	54.0	-16.54	AV	268.00	150	Horizontal	Pass
6	15556.650	55.70	23.59	74.0	-18.30	Peak	-2.00	150	Horizontal	Pass
6**	15556.650	44.17	23.59	54.0	-9.83	AV	-2.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.200	39.98	-15.40	74.0	-34.02	Peak	204.00	150	Vertical	Pass
1**	1673.200	28.84	-15.40	54.0	-25.16	AV	204.00	150	Vertical	Pass
2	2811.300	41.30	-8.44	74.0	-32.70	Peak	107.00	150	Vertical	Pass
2**	2811.300	31.85	-8.44	54.0	-22.15	AV	107.00	150	Vertical	Pass
3	4224.200	46.58	-3.59	74.0	-27.42	Peak	36.00	150	Vertical	Pass
3**	4224.200	35.39	-3.59	54.0	-18.61	AV	36.00	150	Vertical	Pass
4	5301.200	100.64	-0.35	--	-60.36	Peak	161.00	150	Vertical	N/A
4**	5301.200	94.24	-0.35	--	94.24	AV	161.00	150	Vertical	N/A
5	11669.287	51.36	20.18	74.0	-22.64	Peak	313.00	150	Vertical	Pass
5**	11669.287	39.43	20.18	54.0	-14.57	AV	313.00	150	Vertical	Pass
6	15643.013	56.25	23.55	74.0	-17.75	Peak	114.00	150	Vertical	Pass
6**	15643.013	43.89	23.55	54.0	-10.11	AV	114.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.700	43.80	-15.22	74.0	-30.20	Peak	156.00	150	Horizontal	Pass
1**	1668.700	34.71	-15.22	54.0	-19.29	AV	156.00	150	Horizontal	Pass
2	2866.400	41.60	-8.06	74.0	-32.40	Peak	58.00	150	Horizontal	Pass
2**	2866.400	32.13	-8.06	54.0	-21.87	AV	58.00	150	Horizontal	Pass
3	4199.800	47.16	-4.05	74.0	-26.84	Peak	37.00	150	Horizontal	Pass
3**	4199.800	35.78	-4.05	54.0	-18.22	AV	37.00	150	Horizontal	Pass
4	5315.600	103.34	0.02	--	-139.66	Peak	243.00	150	Horizontal	N/A
4**	5315.600	96.72	0.02	--	96.72	AV	243.00	150	Horizontal	N/A
5	11649.450	50.40	20.39	74.0	-23.60	Peak	66.00	150	Horizontal	Pass
5**	11649.450	39.26	20.39	54.0	-14.74	AV	66.00	150	Horizontal	Pass
6	15983.737	55.10	24.01	74.0	-18.90	Peak	229.00	150	Horizontal	Pass
6**	15983.737	45.07	24.01	54.0	-8.93	AV	229.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.500	39.47	-15.26	74.0	-34.53	Peak	201.00	150	Vertical	Pass
1**	1675.500	30.63	-15.26	54.0	-23.37	AV	201.00	150	Vertical	Pass
2	2863.100	41.84	-8.04	74.0	-32.16	Peak	271.00	150	Vertical	Pass
2**	2863.100	32.59	-8.04	54.0	-21.41	AV	271.00	150	Vertical	Pass
3	3991.800	47.34	-4.48	74.0	-26.66	Peak	182.00	150	Vertical	Pass
3**	3991.800	35.06	-4.48	54.0	-18.94	AV	182.00	150	Vertical	Pass
4	5322.400	101.44	-0.04	--	-54.56	Peak	156.00	150	Vertical	Pass
4**	5322.400	93.17	-0.04	--	93.17	AV	156.00	150	Vertical	N/A
5	11681.362	50.69	20.05	74.0	-23.31	Peak	88.00	150	Vertical	Pass
5**	11681.362	37.82	20.05	54.0	-16.18	AV	88.00	150	Vertical	Pass
6	15521.738	55.56	23.77	74.0	-18.44	Peak	24.00	150	Vertical	Pass
6**	15521.738	44.54	23.77	54.0	-9.46	AV	24.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	43.43	-15.23	74.0	-30.57	Peak	256.00	150	Horizontal	Pass
1**	1669.300	35.70	-15.23	54.0	-18.30	AV	256.00	150	Horizontal	Pass
2	2879.700	41.92	-8.27	74.0	-32.08	Peak	107.00	150	Horizontal	Pass
2**	2879.700	32.41	-8.27	54.0	-21.59	AV	107.00	150	Horizontal	Pass
3	4361.600	46.54	-3.36	74.0	-27.46	Peak	22.00	150	Horizontal	Pass
3**	4361.600	35.14	-3.36	54.0	-18.86	AV	22.00	150	Horizontal	Pass
4	5268.400	99.18	-0.43	--	-156.82	Peak	256.00	150	Horizontal	N/A
4**	5268.400	91.85	-0.43	--	91.85	AV	256.00	150	Horizontal	N/A
5	11999.912	48.98	18.60	74.0	-25.02	Peak	352.00	150	Horizontal	Pass
5**	11999.912	36.68	18.60	54.0	-17.32	AV	352.00	150	Horizontal	Pass
6	15464.513	54.40	23.56	74.0	-19.60	Peak	45.00	150	Horizontal	Pass
6**	15464.513	43.37	23.56	54.0	-10.63	AV	45.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	39.98	-15.20	74.0	-34.02	Peak	131.00	150	Vertical	Pass
1**	1498.800	29.34	-15.20	54.0	-24.66	AV	131.00	150	Vertical	Pass
2	2732.900	41.24	-8.81	74.0	-32.76	Peak	131.00	150	Vertical	Pass
2**	2732.900	31.46	-8.81	54.0	-22.54	AV	131.00	150	Vertical	Pass
3	3972.800	46.61	-4.19	74.0	-27.39	Peak	187.00	150	Vertical	Pass
3**	3972.800	34.32	-4.19	54.0	-19.68	AV	187.00	150	Vertical	Pass
4	5264.600	93.94	-0.80	--	7.94	Peak	86.00	150	Vertical	N/A
4**	5264.600	86.23	-0.80	--	86.23	AV	86.00	150	Vertical	N/A
5	12484.638	49.11	18.58	74.0	-24.89	Peak	360.00	150	Vertical	Pass
5**	12484.638	36.66	18.58	54.0	-17.34	AV	360.00	150	Vertical	Pass
6	15711.263	53.56	23.51	74.0	-20.44	Peak	318.00	150	Vertical	Pass
6**	15711.263	42.45	23.51	54.0	-11.55	AV	318.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.900	43.77	-15.22	74.0	-30.23	Peak	256.00	150	Horizontal	Pass
1**	1664.900	32.42	-15.22	54.0	-21.58	AV	256.00	150	Horizontal	Pass
2	2890.400	41.92	-8.11	74.0	-32.08	Peak	237.00	150	Horizontal	Pass
2**	2890.400	32.69	-8.11	54.0	-21.31	AV	237.00	150	Horizontal	Pass
3	4231.200	47.34	-3.45	74.0	-26.66	Peak	57.00	150	Horizontal	Pass
3**	4231.200	35.27	-3.45	54.0	-18.73	AV	57.00	150	Horizontal	Pass
4	5319.200	99.36	0.12	--	-168.64	Peak	268.00	150	Horizontal	N/A
4**	5319.200	91.89	0.12	--	91.89	AV	268.00	150	Horizontal	N/A
5	12448.412	48.95	18.66	74.0	-25.05	Peak	138.00	150	Horizontal	Pass
5**	12448.412	37.13	18.66	54.0	-16.87	AV	138.00	150	Horizontal	Pass
6	15707.850	54.72	23.53	74.0	-19.28	Peak	127.00	150	Horizontal	Pass
6**	15707.850	42.60	23.53	54.0	-11.40	AV	127.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.500	40.27	-14.92	74.0	-33.73	Peak	294.00	150	Vertical	Pass
1**	1473.500	31.46	-14.92	54.0	-22.54	AV	294.00	150	Vertical	Pass
2	2867.000	41.54	-8.08	74.0	-32.46	Peak	276.00	150	Vertical	Pass
2**	2867.000	32.72	-8.08	54.0	-21.28	AV	276.00	150	Vertical	Pass
3	4308.200	47.29	-3.48	74.0	-26.71	Peak	331.00	150	Vertical	Pass
3**	4308.200	34.67	-3.48	54.0	-19.33	AV	331.00	150	Vertical	Pass
4	5320.000	93.44	0.02	--	-68.56	Peak	162.00	150	Vertical	N/A
4**	5320.000	86.72	0.02	--	86.72	AV	162.00	150	Vertical	N/A
5	11868.812	48.96	18.07	74.0	-25.04	Peak	79.00	150	Vertical	Pass
5**	11868.812	36.96	18.07	54.0	-17.04	AV	79.00	150	Vertical	Pass
6	15502.050	54.21	23.95	74.0	-19.79	Peak	248.00	150	Vertical	Pass
6**	15502.050	43.10	23.95	54.0	-10.90	AV	248.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.700	44.07	-15.22	74.0	-29.93	Peak	254.00	150	Horizontal	Pass
1**	1668.700	36.67	-15.22	54.0	-17.33	AV	254.00	150	Horizontal	Pass
2	2833.500	42.44	-8.47	74.0	-31.56	Peak	60.00	150	Horizontal	Pass
2**	2833.500	32.23	-8.47	54.0	-21.77	AV	60.00	150	Horizontal	Pass
3	4334.000	46.78	-2.96	74.0	-27.22	Peak	105.00	150	Horizontal	Pass
3**	4334.000	35.68	-2.96	54.0	-18.32	AV	105.00	150	Horizontal	Pass
4	5302.400	97.16	0.30	--	-167.84	Peak	265.00	150	Horizontal	N/A
4**	5302.400	89.40	0.30	--	89.40	AV	265.00	150	Horizontal	N/A
5	11217.050	50.10	18.01	74.0	-23.90	Peak	2.00	150	Horizontal	Pass
5**	11217.050	38.75	18.01	54.0	-15.25	AV	2.00	150	Horizontal	Pass
6	15453.487	53.97	23.44	74.0	-20.03	Peak	334.00	150	Horizontal	Pass
6**	15453.487	43.04	23.44	54.0	-10.96	AV	334.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.100	41.74	-14.86	74.0	-32.26	Peak	290.00	150	Vertical	Pass
1**	1470.100	34.02	-14.86	54.0	-19.98	AV	290.00	150	Vertical	Pass
2	2870.900	41.46	-8.19	74.0	-32.54	Peak	196.00	150	Vertical	Pass
2**	2870.900	31.69	-8.19	54.0	-22.31	AV	196.00	150	Vertical	Pass
3	4269.200	46.92	-3.52	74.0	-27.08	Peak	34.00	150	Vertical	Pass
3**	4269.200	34.57	-3.52	54.0	-19.43	AV	34.00	150	Vertical	Pass
4	5270.200	90.91	-0.52	--	-77.09	Peak	168.00	150	Vertical	N/A
4**	5270.200	83.83	-0.52	--	83.83	AV	168.00	150	Vertical	N/A
5	12424.549	49.13	18.90	74.0	-24.87	Peak	340.00	150	Vertical	Pass
5**	12424.549	38.37	18.90	54.0	-15.63	AV	340.00	150	Vertical	Pass
6	15615.450	53.71	23.47	74.0	-20.29	Peak	285.00	150	Vertical	Pass
6**	15615.450	42.48	23.47	54.0	-11.52	AV	285.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.100	44.48	-15.41	74.0	-29.52	Peak	268.00	150	Horizontal	Pass
1**	1673.100	35.25	-15.41	54.0	-18.75	AV	268.00	150	Horizontal	Pass
2	2833.600	41.60	-8.47	74.0	-32.40	Peak	21.00	150	Horizontal	Pass
2**	2833.600	32.24	-8.47	54.0	-21.76	AV	21.00	150	Horizontal	Pass
3	4276.200	47.21	-3.43	74.0	-26.79	Peak	0.00	150	Horizontal	Pass
3**	4276.200	36.08	-3.43	54.0	-17.92	AV	0.00	150	Horizontal	Pass
4	5263.200	104.05	-0.91	--	-136.95	Peak	241.00	150	Horizontal	N/A
4**	5263.200	95.84	-0.91	--	95.84	AV	241.00	150	Horizontal	N/A
5	12344.912	49.92	19.75	74.0	-24.08	Peak	360.00	150	Horizontal	Pass
5**	12344.912	37.84	19.75	54.0	-16.16	AV	360.00	150	Horizontal	Pass
6	15976.125	55.18	24.00	74.0	-18.82	Peak	19.00	150	Horizontal	Pass
6**	15976.125	44.19	24.00	54.0	-9.81	AV	19.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	40.13	-15.21	74.0	-33.87	Peak	202.00	150	Vertical	Pass
1**	1667.100	30.17	-15.21	54.0	-23.83	AV	202.00	150	Vertical	Pass
2	2879.000	41.90	-8.28	74.0	-32.10	Peak	17.00	150	Vertical	Pass
2**	2879.000	32.17	-8.28	54.0	-21.83	AV	17.00	150	Vertical	Pass
3	4286.600	48.41	-3.85	74.0	-25.59	Peak	251.00	150	Vertical	Pass
3**	4286.600	36.43	-3.85	54.0	-17.57	AV	251.00	150	Vertical	Pass
4	5261.400	101.49	-1.05	--	-50.51	Peak	152.00	150	Vertical	N/A
4**	5261.400	94.18	-1.05	--	94.18	AV	152.00	150	Vertical	N/A
5	12263.838	50.41	20.36	74.0	-23.59	Peak	266.00	150	Vertical	Pass
5**	12263.838	38.44	20.36	54.0	-15.56	AV	266.00	150	Vertical	Pass
6	15473.700	55.34	23.61	74.0	-18.66	Peak	187.00	150	Vertical	Pass
6**	15473.700	43.56	23.61	54.0	-10.44	AV	187.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.300	44.13	-15.24	74.0	-29.87	Peak	267.00	150	Horizontal	Pass
1**	1670.300	34.36	-15.24	54.0	-19.64	AV	267.00	150	Horizontal	Pass
2	2837.600	41.46	-8.47	74.0	-32.54	Peak	111.00	150	Horizontal	Pass
2**	2837.600	31.97	-8.47	54.0	-22.03	AV	111.00	150	Horizontal	Pass
3	3980.000	46.65	-4.04	74.0	-27.35	Peak	217.00	150	Horizontal	Pass
3**	3980.000	35.20	-4.04	54.0	-18.80	AV	217.00	150	Horizontal	Pass
4	5304.600	105.27	-0.35	--	-145.73	Peak	251.00	150	Horizontal	N/A
4**	5304.600	96.75	-0.35	--	96.75	AV	251.00	150	Horizontal	N/A
5	12290.000	51.37	20.10	74.0	-22.63	Peak	89.00	150	Horizontal	Pass
5**	12290.000	37.72	20.10	54.0	-16.28	AV	89.00	150	Horizontal	Pass
6	15639.075	55.46	23.56	74.0	-18.54	Peak	2.00	150	Horizontal	Pass
6**	15639.075	43.86	23.56	54.0	-10.14	AV	2.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.300	39.13	-15.43	74.0	-34.87	Peak	211.00	150	Vertical	Pass
1**	1672.300	29.13	-15.43	54.0	-24.87	AV	211.00	150	Vertical	Pass
2	2838.300	42.41	-8.47	74.0	-31.59	Peak	63.00	150	Vertical	Pass
2**	2838.300	32.53	-8.47	54.0	-21.47	AV	63.00	150	Vertical	Pass
3	4015.400	47.15	-4.08	74.0	-26.85	Peak	50.00	150	Vertical	Pass
3**	4015.400	35.53	-4.08	54.0	-18.47	AV	50.00	150	Vertical	Pass
4	5298.200	100.96	-0.51	--	-63.04	Peak	164.00	150	Vertical	N/A
4**	5298.200	93.77	-0.51	--	93.77	AV	164.00	150	Vertical	N/A
5	11578.724	50.62	19.88	74.0	-23.38	Peak	45.00	150	Vertical	Pass
5**	11578.724	38.10	19.88	54.0	-15.90	AV	45.00	150	Vertical	Pass
6	15662.963	55.44	23.48	74.0	-18.56	Peak	208.00	150	Vertical	Pass
6**	15662.963	43.72	23.48	54.0	-10.28	AV	208.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.700	43.64	-15.22	74.0	-30.36	Peak	279.00	150	Horizontal	Pass
1**	1668.700	33.03	-15.22	54.0	-20.97	AV	279.00	150	Horizontal	Pass
2	2872.900	41.97	-8.26	74.0	-32.03	Peak	199.00	150	Horizontal	Pass
2**	2872.900	32.37	-8.26	54.0	-21.63	AV	199.00	150	Horizontal	Pass
3	4039.600	46.30	-4.00	74.0	-27.70	Peak	87.00	150	Horizontal	Pass
3**	4039.600	34.72	-4.00	54.0	-19.28	AV	87.00	150	Horizontal	Pass
4	5321.400	104.79	-0.10	--	-151.21	Peak	256.00	150	Horizontal	N/A
4**	5321.400	96.27	-0.10	--	96.27	AV	256.00	150	Horizontal	N/A
5	12143.088	50.91	19.87	74.0	-23.09	Peak	316.00	150	Horizontal	Pass
5**	12143.088	39.65	19.87	54.0	-14.35	AV	316.00	150	Horizontal	Pass
6	15466.613	54.66	23.57	74.0	-19.34	Peak	44.00	150	Horizontal	Pass
6**	15466.613	42.65	23.57	54.0	-11.35	AV	44.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.200	39.64	-15.23	74.0	-34.36	Peak	205.00	150	Vertical	Pass
1**	1681.200	31.67	-15.23	54.0	-22.33	AV	205.00	150	Vertical	Pass
2	2845.800	41.76	-8.40	74.0	-32.24	Peak	3.00	150	Vertical	Pass
2**	2845.800	31.59	-8.40	54.0	-22.41	AV	3.00	150	Vertical	Pass
3	4228.000	46.72	-3.51	74.0	-27.28	Peak	100.00	150	Vertical	Pass
3**	4228.000	35.40	-3.51	54.0	-18.60	AV	100.00	150	Vertical	Pass
4	5322.800	103.12	-0.01	--	-56.88	Peak	160.00	150	Vertical	N/A
4**	5322.800	93.48	-0.01	--	93.48	AV	160.00	150	Vertical	N/A
5	11613.225	50.48	20.20	74.0	-23.52	Peak	360.00	150	Vertical	Pass
5**	11613.225	38.19	20.20	54.0	-15.81	AV	360.00	150	Vertical	Pass
6	15535.912	55.28	23.72	74.0	-18.72	Peak	278.00	150	Vertical	Pass
6**	15535.912	43.76	23.72	54.0	-10.24	AV	278.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.900	43.52	-15.21	74.0	-30.48	Peak	151.00	150	Horizontal	Pass
1**	1666.900	34.78	-15.21	54.0	-19.22	AV	151.00	150	Horizontal	Pass
2	2749.500	42.24	-8.99	74.0	-31.76	Peak	21.00	150	Horizontal	Pass
2**	2749.500	31.25	-8.99	54.0	-22.75	AV	21.00	150	Horizontal	Pass
3	4267.000	47.07	-3.27	74.0	-26.93	Peak	177.00	150	Horizontal	Pass
3**	4267.000	35.47	-3.27	54.0	-18.53	AV	177.00	150	Horizontal	Pass
4	5280.000	101.42	-0.42	--	-154.58	Peak	256.00	150	Horizontal	N/A
4**	5280.000	92.89	-0.42	--	92.89	AV	256.00	150	Horizontal	N/A
5	11618.113	49.76	20.23	74.0	-24.24	Peak	12.00	150	Horizontal	Pass
5**	11618.113	38.50	20.23	54.0	-15.50	AV	12.00	150	Horizontal	Pass
6	15556.125	54.39	23.59	74.0	-19.61	Peak	60.00	150	Horizontal	Pass
6**	15556.125	43.78	23.59	54.0	-10.22	AV	60.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.500	39.69	-15.18	74.0	-34.31	Peak	298.00	150	Vertical	Pass
1**	1486.500	29.21	-15.18	54.0	-24.79	AV	298.00	150	Vertical	Pass
2	2886.200	42.19	-8.19	74.0	-31.81	Peak	245.00	150	Vertical	Pass
2**	2886.200	31.99	-8.19	54.0	-22.01	AV	245.00	150	Vertical	Pass
3	4265.000	46.71	-3.20	74.0	-27.29	Peak	349.00	150	Vertical	Pass
3**	4265.000	35.23	-3.20	54.0	-18.77	AV	349.00	150	Vertical	Pass
4	5266.800	95.63	-0.58	--	10.63	Peak	85.00	150	Vertical	N/A
4**	5266.800	87.12	-0.58	--	87.12	AV	85.00	150	Vertical	N/A
5	12185.349	48.96	20.31	74.0	-25.04	Peak	217.00	150	Vertical	Pass
5**	12185.349	37.28	20.31	54.0	-16.72	AV	217.00	150	Vertical	Pass
6	16152.526	54.24	23.99	74.0	-19.76	Peak	61.00	150	Vertical	Pass
6**	16152.526	41.94	23.99	54.0	-12.06	AV	61.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.400	44.23	-15.24	74.0	-29.77	Peak	253.00	150	Horizontal	Pass
1**	1681.400	32.49	-15.24	54.0	-21.51	AV	253.00	150	Horizontal	Pass
2	2880.800	41.91	-8.28	74.0	-32.09	Peak	8.00	150	Horizontal	Pass
2**	2880.800	33.86	-8.28	54.0	-20.14	AV	8.00	150	Horizontal	Pass
3	4172.000	46.96	-3.83	74.0	-27.04	Peak	74.00	150	Horizontal	Pass
3**	4172.000	34.67	-3.83	54.0	-19.33	AV	74.00	150	Horizontal	Pass
4	5300.800	101.36	0.28	--	-177.64	Peak	279.00	150	Horizontal	N/A
4**	5300.800	92.91	0.28	--	92.91	AV	279.00	150	Horizontal	N/A
5	12479.175	49.24	18.59	74.0	-24.76	Peak	112.00	150	Horizontal	Pass
5**	12479.175	39.13	18.59	54.0	-14.87	AV	112.00	150	Horizontal	Pass
6	15606.263	54.54	23.52	74.0	-19.46	Peak	128.00	150	Horizontal	Pass
6**	15606.263	42.42	23.52	54.0	-11.58	AV	128.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.200	40.55	-14.88	74.0	-33.45	Peak	269.00	150	Vertical	Pass
1**	1472.200	30.78	-14.88	54.0	-23.22	AV	269.00	150	Vertical	Pass
2	2877.000	42.41	-8.34	74.0	-31.59	Peak	269.00	150	Vertical	Pass
2**	2877.000	33.08	-8.34	54.0	-20.92	AV	269.00	150	Vertical	Pass
3	4257.200	46.78	-3.22	74.0	-27.22	Peak	193.00	150	Vertical	Pass
3**	4257.200	35.83	-3.22	54.0	-18.17	AV	193.00	150	Vertical	Pass
4	5301.400	96.53	0.28	--	-69.47	Peak	166.00	150	Vertical	N/A
4**	5301.400	86.23	0.28	--	86.23	AV	166.00	150	Vertical	N/A
5	12163.787	49.40	20.08	74.0	-24.60	Peak	318.00	150	Vertical	Pass
5**	12163.787	37.61	20.08	54.0	-16.39	AV	318.00	150	Vertical	Pass
6	15558.487	53.96	23.58	74.0	-20.04	Peak	0.00	150	Vertical	Pass
6**	15558.487	43.12	23.58	54.0	-10.88	AV	0.00	150	Vertical	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.900	44.90	-14.86	74.0	-29.10	Peak	208.00	150	Horizontal	Pass
1**	1162.900	37.52	-14.86	54.0	-16.48	AV	208.00	150	Horizontal	Pass
2	2877.200	41.96	-8.34	74.0	-32.04	Peak	253.00	150	Horizontal	Pass
2**	2877.200	32.20	-8.34	54.0	-21.80	AV	253.00	150	Horizontal	Pass
3	4292.800	46.90	-3.82	74.0	-27.10	Peak	100.00	150	Horizontal	Pass
3**	4292.800	34.84	-3.82	54.0	-19.16	AV	100.00	150	Horizontal	Pass
4	5280.800	99.87	-0.37	--	-156.13	Peak	256.00	150	Horizontal	N/A
4**	5280.800	89.40	-0.37	--	89.40	AV	256.00	150	Horizontal	N/A
5	12407.300	48.69	19.10	74.0	-25.31	Peak	217.00	150	Horizontal	Pass
5**	12407.300	38.17	19.10	54.0	-15.83	AV	217.00	150	Horizontal	Pass
6	15751.425	55.01	23.34	74.0	-18.99	Peak	275.00	150	Horizontal	Pass
6**	15751.425	41.48	23.34	54.0	-12.52	AV	275.00	150	Horizontal	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.300	39.90	-14.88	74.0	-34.10	Peak	262.00	150	Vertical	Pass
1**	1472.300	32.77	-14.88	54.0	-21.23	AV	262.00	150	Vertical	Pass
2	2868.500	42.11	-8.17	74.0	-31.89	Peak	314.00	150	Vertical	Pass
2**	2868.500	32.88	-8.17	54.0	-21.12	AV	314.00	150	Vertical	Pass
3	4265.000	47.05	-3.20	74.0	-26.95	Peak	135.00	150	Vertical	Pass
3**	4265.000	37.66	-3.20	54.0	-16.34	AV	135.00	150	Vertical	Pass
4	5301.200	92.85	0.28	--	0.85	Peak	92.00	150	Vertical	N/A
4**	5301.200	82.84	0.28	--	82.84	AV	92.00	150	Vertical	N/A
5	12390.912	49.10	19.29	74.0	-24.90	Peak	216.00	150	Vertical	Pass
5**	12390.912	37.58	19.29	54.0	-16.42	AV	216.00	150	Vertical	Pass
6	16000.538	53.93	24.02	74.0	-20.07	Peak	258.00	150	Vertical	Pass
6**	16000.538	42.43	24.02	54.0	-11.57	AV	258.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.500	44.03	-15.34	74.0	-29.97	Peak	255.00	150	Horizontal	Pass
1**	1671.500	33.85	-15.34	54.0	-20.15	AV	255.00	150	Horizontal	Pass
2	2876.000	42.05	-8.34	74.0	-31.95	Peak	202.00	150	Horizontal	Pass
2**	2876.000	32.09	-8.34	54.0	-21.91	AV	202.00	150	Horizontal	Pass
3	4245.200	46.78	-3.27	74.0	-27.22	Peak	-1.00	150	Horizontal	Pass
3**	4245.200	35.20	-3.27	54.0	-18.80	AV	-1.00	150	Horizontal	Pass
4	5497.000	102.29	0.61	--	-184.71	Peak	287.00	150	Horizontal	N/A
4**	5497.000	95.74	0.61	--	95.74	AV	287.00	150	Horizontal	N/A
5	12363.312	49.54	19.60	74.0	-24.46	Peak	271.00	150	Horizontal	Pass
5**	12363.312	37.38	19.60	54.0	-16.62	AV	271.00	150	Horizontal	Pass
6	15512.025	54.29	23.85	74.0	-19.71	Peak	181.00	150	Horizontal	Pass
6**	15512.025	42.11	23.85	54.0	-11.89	AV	181.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.400	43.10	-14.83	74.0	-30.90	Peak	267.00	150	Vertical	Pass
1**	1467.400	36.08	-14.83	54.0	-17.92	AV	267.00	150	Vertical	Pass
2	2888.300	42.40	-8.15	74.0	-31.60	Peak	336.00	150	Vertical	Pass
2**	2888.300	32.16	-8.15	54.0	-21.84	AV	336.00	150	Vertical	Pass
3	4282.800	46.76	-3.77	74.0	-27.24	Peak	-1.00	150	Vertical	Pass
3**	4282.800	35.22	-3.77	54.0	-18.78	AV	-1.00	150	Vertical	Pass
4	5503.000	98.94	0.48	--	9.94	Peak	89.00	150	Vertical	N/A
4**	5503.000	92.52	0.48	--	92.52	AV	89.00	150	Vertical	N/A
5	12327.663	49.12	19.87	74.0	-24.88	Peak	94.00	150	Vertical	Pass
5**	12327.663	38.88	19.87	54.0	-15.12	AV	94.00	150	Vertical	Pass
6	15933.338	53.70	23.82	74.0	-20.30	Peak	116.00	150	Vertical	Pass
6**	15933.338	42.60	23.82	54.0	-11.40	AV	116.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	43.91	-15.24	74.0	-30.09	Peak	207.00	150	Horizontal	Pass
1**	1670.400	34.65	-15.24	54.0	-19.35	AV	207.00	150	Horizontal	Pass
2	2803.700	41.14	-8.73	74.0	-32.86	Peak	246.00	150	Horizontal	Pass
2**	2803.700	30.83	-8.73	54.0	-23.17	AV	246.00	150	Horizontal	Pass
3	4142.000	46.33	-3.99	74.0	-27.67	Peak	249.00	150	Horizontal	Pass
3**	4142.000	34.92	-3.99	54.0	-19.08	AV	249.00	150	Horizontal	Pass
4	5578.200	102.85	0.76	--	-155.15	Peak	258.00	150	Horizontal	N/A
4**	5578.200	95.64	0.76	--	95.64	AV	258.00	150	Horizontal	N/A
5	12226.175	48.95	20.44	74.0	-25.05	Peak	124.00	150	Horizontal	Pass
5**	12226.175	37.01	20.44	54.0	-16.99	AV	124.00	150	Horizontal	Pass
6	15699.974	53.84	23.57	74.0	-20.16	Peak	48.00	150	Horizontal	Pass
6**	15699.974	43.00	23.57	54.0	-11.00	AV	48.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.700	41.68	-14.81	74.0	-32.32	Peak	295.00	150	Vertical	Pass
1**	1468.700	33.18	-14.81	54.0	-20.82	AV	295.00	150	Vertical	Pass
2	2889.500	42.09	-8.13	74.0	-31.91	Peak	216.00	150	Vertical	Pass
2**	2889.500	32.29	-8.13	54.0	-21.71	AV	216.00	150	Vertical	Pass
3	3984.200	47.00	-4.28	74.0	-27.00	Peak	231.00	150	Vertical	Pass
3**	3984.200	37.67	-4.28	54.0	-16.33	AV	231.00	150	Vertical	Pass
4	5577.400	99.32	0.73	--	9.32	Peak	90.00	150	Vertical	N/A
4**	5577.400	92.72	0.73	--	92.72	AV	90.00	150	Vertical	N/A
5	12398.387	49.08	19.21	74.0	-24.92	Peak	0.00	150	Vertical	Pass
5**	12398.387	39.21	19.21	54.0	-14.79	AV	0.00	150	Vertical	Pass
6	15749.850	54.29	23.36	74.0	-19.71	Peak	97.00	150	Vertical	Pass
6**	15749.850	42.82	23.36	54.0	-11.18	AV	97.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.500	43.83	-15.21	74.0	-30.17	Peak	254.00	150	Horizontal	Pass
1**	1666.500	35.11	-15.21	54.0	-18.89	AV	254.00	150	Horizontal	Pass
2	2868.900	41.81	-8.19	74.0	-32.19	Peak	91.00	150	Horizontal	Pass
2**	2868.900	31.63	-8.19	54.0	-22.37	AV	91.00	150	Horizontal	Pass
3	4233.200	46.61	-3.49	74.0	-27.39	Peak	180.00	150	Horizontal	Pass
3**	4233.200	34.61	-3.49	54.0	-19.39	AV	180.00	150	Horizontal	Pass
4	5703.800	101.11	-0.67	--	-140.89	Peak	242.00	150	Horizontal	N/A
4**	5703.800	93.86	-0.67	--	93.86	AV	242.00	150	Horizontal	N/A
5	12290.288	48.85	20.10	74.0	-25.15	Peak	79.00	150	Horizontal	Pass
5**	12290.288	37.46	20.10	54.0	-16.54	AV	79.00	150	Horizontal	Pass
6	15526.462	54.21	23.75	74.0	-19.79	Peak	45.00	150	Horizontal	Pass
6**	15526.462	42.45	23.75	54.0	-11.55	AV	45.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.400	41.60	-14.69	74.0	-32.40	Peak	266.00	150	Vertical	Pass
1**	1458.400	34.26	-14.69	54.0	-19.74	AV	266.00	150	Vertical	Pass
2	2825.500	41.62	-8.35	74.0	-32.38	Peak	145.00	150	Vertical	Pass
2**	2825.500	31.51	-8.35	54.0	-22.49	AV	145.00	150	Vertical	Pass
3	4336.600	47.52	-2.89	74.0	-26.48	Peak	129.00	150	Vertical	Pass
3**	4336.600	34.84	-2.89	54.0	-19.16	AV	129.00	150	Vertical	Pass
4	5696.000	98.96	-0.64	--	-4.04	Peak	103.00	150	Vertical	N/A
4**	5696.000	91.55	-0.64	--	91.55	AV	103.00	150	Vertical	N/A
5	11083.938	49.26	18.90	74.0	-24.74	Peak	176.00	150	Vertical	Pass
5**	11083.938	36.24	18.90	54.0	-17.76	AV	176.00	150	Vertical	Pass
6	15438.788	54.51	23.25	74.0	-19.49	Peak	274.00	150	Vertical	Pass
6**	15438.788	42.82	23.25	54.0	-11.18	AV	274.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.800	45.04	-15.23	74.0	-28.96	Peak	260.00	150	Horizontal	Pass
1**	1663.800	29.00	-15.23	54.0	-25.00	AV	260.00	150	Horizontal	Pass
2	2867.800	41.87	-8.13	74.0	-32.13	Peak	142.00	150	Horizontal	Pass
2**	2867.800	31.61	-8.13	54.0	-22.39	AV	142.00	150	Horizontal	Pass
3	4077.000	46.54	-3.97	74.0	-27.46	Peak	12.00	150	Horizontal	Pass
3**	4077.000	34.79	-3.97	54.0	-19.21	AV	12.00	150	Horizontal	Pass
4	5721.000	101.42	-0.56	--	-133.58	Peak	235.00	150	Horizontal	N/A
4**	5721.000	95.56	-0.56	--	95.56	AV	235.00	150	Horizontal	N/A
5	12425.125	49.14	18.89	74.0	-24.86	Peak	151.00	150	Horizontal	Pass
5**	12425.125	37.36	18.89	54.0	-16.64	AV	151.00	150	Horizontal	Pass
6	15681.075	53.90	23.59	74.0	-20.10	Peak	150.00	150	Horizontal	Pass
6**	15681.075	43.23	23.59	54.0	-10.77	AV	150.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.300	42.10	-14.74	74.0	-31.90	Peak	275.00	150	Vertical	Pass
1**	1461.300	31.73	-14.74	54.0	-22.27	AV	275.00	150	Vertical	Pass
2	2874.800	41.74	-8.33	74.0	-32.26	Peak	117.00	150	Vertical	Pass
2**	2874.800	32.25	-8.33	54.0	-21.75	AV	117.00	150	Vertical	Pass
3	4222.600	47.27	-3.72	74.0	-26.73	Peak	347.00	150	Vertical	Pass
3**	4222.600	35.75	-3.72	54.0	-18.25	AV	347.00	150	Vertical	Pass
4	5722.800	100.49	-0.50	--	9.49	Peak	91.00	150	Vertical	N/A
4**	5722.800	94.57	-0.50	--	94.57	AV	91.00	150	Vertical	N/A
5	11576.713	49.44	19.87	74.0	-24.56	Peak	102.00	150	Vertical	Pass
5**	11576.713	37.84	19.87	54.0	-16.16	AV	102.00	150	Vertical	Pass
6	15900.262	54.40	23.27	74.0	-19.60	Peak	356.00	150	Vertical	Pass
6**	15900.262	42.28	23.27	54.0	-11.72	AV	356.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	44.89	-15.23	74.0	-29.11	Peak	256.00	150	Horizontal	Pass
1**	1669.300	36.66	-15.23	54.0	-17.34	AV	256.00	150	Horizontal	Pass
2	2837.700	42.51	-8.47	74.0	-31.49	Peak	6.00	150	Horizontal	Pass
2**	2837.700	32.50	-8.47	54.0	-21.50	AV	6.00	150	Horizontal	Pass
3	4322.400	47.05	-3.20	74.0	-26.95	Peak	5.00	150	Horizontal	Pass
3**	4322.400	36.85	-3.20	54.0	-17.15	AV	5.00	150	Horizontal	Pass
4	5497.800	102.24	0.57	--	-154.76	Peak	257.00	150	Horizontal	N/A
4**	5497.800	95.68	0.57	--	95.68	AV	257.00	150	Horizontal	N/A
5	12662.313	49.15	19.07	74.0	-24.85	Peak	56.00	150	Horizontal	Pass
5**	12662.313	36.58	19.07	54.0	-17.42	AV	56.00	150	Horizontal	Pass
6	15475.537	54.54	23.62	74.0	-19.46	Peak	359.00	150	Horizontal	Pass
6**	15475.537	42.58	23.62	54.0	-11.42	AV	359.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.000	42.70	-14.80	74.0	-31.30	Peak	272.00	150	Vertical	Pass
1**	1465.000	32.18	-14.80	54.0	-21.82	AV	272.00	150	Vertical	Pass
2	2813.900	41.40	-8.34	74.0	-32.60	Peak	353.00	150	Vertical	Pass
2**	2813.900	31.46	-8.34	54.0	-22.54	AV	353.00	150	Vertical	Pass
3	4278.200	47.05	-3.46	74.0	-26.95	Peak	250.00	150	Vertical	Pass
3**	4278.200	34.86	-3.46	54.0	-19.14	AV	250.00	150	Vertical	Pass
4	5495.600	98.11	0.67	--	5.11	Peak	93.00	150	Vertical	N/A
4**	5495.600	91.11	0.67	--	91.11	AV	93.00	150	Vertical	N/A
5	11912.513	49.33	18.09	74.0	-24.67	Peak	195.00	150	Vertical	Pass
5**	11912.513	36.86	18.09	54.0	-17.14	AV	195.00	150	Vertical	Pass
6	15927.037	53.96	23.74	74.0	-20.04	Peak	329.00	150	Vertical	Pass
6**	15927.037	42.24	23.74	54.0	-11.76	AV	329.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.700	43.99	-15.21	74.0	-30.01	Peak	256.00	150	Horizontal	Pass
1**	1667.700	36.57	-15.21	54.0	-17.43	AV	256.00	150	Horizontal	Pass
2	2847.800	41.31	-8.27	74.0	-32.69	Peak	134.00	150	Horizontal	Pass
2**	2847.800	31.42	-8.27	54.0	-22.58	AV	134.00	150	Horizontal	Pass
3	3984.600	46.74	-4.29	74.0	-27.26	Peak	89.00	150	Horizontal	Pass
3**	3984.600	35.10	-4.29	54.0	-18.90	AV	89.00	150	Horizontal	Pass
4	5576.000	102.47	0.68	--	-155.53	Peak	258.00	150	Horizontal	N/A
4**	5576.000	96.42	0.68	--	96.42	AV	258.00	150	Horizontal	N/A
5	12340.312	49.08	19.78	74.0	-24.92	Peak	127.00	150	Horizontal	Pass
5**	12340.312	37.10	19.78	54.0	-16.90	AV	127.00	150	Horizontal	Pass
6	16095.825	53.98	24.20	74.0	-20.02	Peak	362.00	150	Horizontal	Pass
6**	16095.825	43.10	24.20	54.0	-10.90	AV	362.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.300	40.78	-14.91	74.0	-33.22	Peak	326.00	150	Vertical	Pass
1**	1473.300	33.39	-14.91	54.0	-20.61	AV	326.00	150	Vertical	Pass
2	2790.200	41.31	-8.88	74.0	-32.69	Peak	-1.00	150	Vertical	Pass
2**	2790.200	32.82	-8.88	54.0	-21.18	AV	-1.00	150	Vertical	Pass
3	4332.000	48.00	-2.87	74.0	-26.00	Peak	130.00	150	Vertical	Pass
3**	4332.000	37.35	-2.87	54.0	-16.65	AV	130.00	150	Vertical	Pass
4	5583.800	98.14	0.64	--	-12.86	Peak	111.00	150	Vertical	N/A
4**	5583.800	90.86	0.64	--	90.86	AV	111.00	150	Vertical	N/A
5	11754.963	48.59	18.90	74.0	-25.41	Peak	340.00	150	Vertical	Pass
5**	11754.963	36.98	18.90	54.0	-17.02	AV	340.00	150	Vertical	Pass
6	15916.537	54.04	23.58	74.0	-19.96	Peak	362.00	150	Vertical	Pass
6**	15916.537	42.37	23.58	54.0	-11.63	AV	362.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.600	44.50	-15.21	74.0	-29.50	Peak	207.00	150	Horizontal	Pass
1**	1665.600	32.99	-15.21	54.0	-21.01	AV	207.00	150	Horizontal	Pass
2	2875.800	42.21	-8.35	74.0	-31.79	Peak	291.00	150	Horizontal	Pass
2**	2875.800	33.36	-8.35	54.0	-20.64	AV	291.00	150	Horizontal	Pass
3	4049.200	46.45	-3.78	74.0	-27.55	Peak	360.00	150	Horizontal	Pass
3**	4049.200	35.21	-3.78	54.0	-18.79	AV	360.00	150	Horizontal	Pass
4	5704.000	101.13	-0.66	--	-135.87	Peak	237.00	150	Horizontal	N/A
4**	5704.000	93.36	-0.66	--	93.36	AV	237.00	150	Horizontal	N/A
5	12164.650	48.94	20.09	74.0	-25.06	Peak	6.00	150	Horizontal	Pass
5**	12164.650	37.57	20.09	54.0	-16.43	AV	6.00	150	Horizontal	Pass
6	15507.299	53.82	23.90	74.0	-20.18	Peak	349.00	150	Horizontal	Pass
6**	15507.299	43.45	23.90	54.0	-10.55	AV	349.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.600	42.70	-14.88	74.0	-31.30	Peak	310.00	150	Vertical	Pass
1**	1472.600	33.01	-14.88	54.0	-20.99	AV	310.00	150	Vertical	Pass
2	2833.900	41.28	-8.47	74.0	-32.72	Peak	244.00	150	Vertical	Pass
2**	2833.900	32.10	-8.47	54.0	-21.90	AV	244.00	150	Vertical	Pass
3	3985.000	47.66	-4.30	74.0	-26.34	Peak	252.00	150	Vertical	Pass
3**	3985.000	35.09	-4.30	54.0	-18.91	AV	252.00	150	Vertical	Pass
4	5703.400	98.69	-0.68	--	12.69	Peak	86.00	150	Vertical	N/A
4**	5703.400	92.32	-0.68	--	92.32	AV	86.00	150	Vertical	N/A
5	12340.025	49.02	19.78	74.0	-24.98	Peak	199.00	150	Vertical	Pass
5**	12340.025	37.67	19.78	54.0	-16.33	AV	199.00	150	Vertical	Pass
6	16019.700	54.77	23.97	74.0	-19.23	Peak	189.00	150	Vertical	Pass
6**	16019.700	41.78	23.97	54.0	-12.22	AV	189.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.300	44.73	-15.30	74.0	-29.27	Peak	262.00	150	Horizontal	Pass
1**	1676.300	36.20	-15.30	54.0	-17.80	AV	262.00	150	Horizontal	Pass
2	2878.100	42.12	-8.31	74.0	-31.88	Peak	0.00	150	Horizontal	Pass
2**	2878.100	32.39	-8.31	54.0	-21.61	AV	0.00	150	Horizontal	Pass
3	4300.600	46.63	-3.54	74.0	-27.37	Peak	336.00	150	Horizontal	Pass
3**	4300.600	35.61	-3.54	54.0	-18.39	AV	336.00	150	Horizontal	Pass
4	5723.200	101.46	-0.50	--	-136.54	Peak	238.00	150	Horizontal	N/A
4**	5723.200	94.57	-0.50	--	94.57	AV	238.00	150	Horizontal	N/A
5	12377.687	50.07	19.42	74.0	-23.93	Peak	93.00	150	Horizontal	Pass
5**	12377.687	37.74	19.42	54.0	-16.26	AV	93.00	150	Horizontal	Pass
6	16019.174	54.34	23.97	74.0	-19.66	Peak	132.00	150	Horizontal	Pass
6**	16019.174	42.27	23.97	54.0	-11.73	AV	132.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.900	41.95	-14.81	74.0	-32.05	Peak	276.00	150	Vertical	Pass
1**	1468.900	32.37	-14.81	54.0	-21.63	AV	276.00	150	Vertical	Pass
2	2809.300	41.61	-8.56	74.0	-32.39	Peak	322.00	150	Vertical	Pass
2**	2809.300	31.82	-8.56	54.0	-22.18	AV	322.00	150	Vertical	Pass
3	4024.800	46.56	-3.90	74.0	-27.44	Peak	282.00	150	Vertical	Pass
3**	4024.800	35.25	-3.90	54.0	-18.75	AV	282.00	150	Vertical	Pass
4	5723.800	100.29	-0.49	--	14.29	Peak	86.00	150	Vertical	N/A
4**	5723.800	93.60	-0.49	--	93.60	AV	86.00	150	Vertical	N/A
5	12343.474	48.92	19.76	74.0	-25.08	Peak	283.00	150	Vertical	Pass
5**	12343.474	39.00	19.76	54.0	-15.00	AV	283.00	150	Vertical	Pass
6	15519.901	54.34	23.78	74.0	-19.66	Peak	167.00	150	Vertical	Pass
6**	15519.901	42.15	23.78	54.0	-11.85	AV	167.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.300	43.84	-15.22	74.0	-30.16	Peak	243.00	150	Horizontal	Pass
1**	1668.300	35.11	-15.22	54.0	-18.89	AV	243.00	150	Horizontal	Pass
2	2771.400	41.46	-8.47	74.0	-32.54	Peak	218.00	150	Horizontal	Pass
2**	2771.400	31.15	-8.47	54.0	-22.85	AV	218.00	150	Horizontal	Pass
3	4272.200	46.67	-3.63	74.0	-27.33	Peak	226.00	150	Horizontal	Pass
3**	4272.200	33.90	-3.63	54.0	-20.10	AV	226.00	150	Horizontal	Pass
4	5515.000	100.14	0.38	--	-161.86	Peak	262.00	150	Horizontal	N/A
4**	5515.000	93.07	0.38	--	93.07	AV	262.00	150	Horizontal	N/A
5	12346.637	49.15	19.73	74.0	-24.85	Peak	73.00	150	Horizontal	Pass
5**	12346.637	38.16	19.73	54.0	-15.84	AV	73.00	150	Horizontal	Pass
6	15575.026	54.04	23.58	74.0	-19.96	Peak	362.00	150	Horizontal	Pass
6**	15575.026	43.24	23.58	54.0	-10.76	AV	362.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.400	42.67	-14.95	74.0	-31.33	Peak	270.00	150	Vertical	Pass
1**	1477.400	32.11	-14.95	54.0	-21.89	AV	270.00	150	Vertical	Pass
2	2819.000	41.87	-8.34	74.0	-32.13	Peak	103.00	150	Vertical	Pass
2**	2819.000	32.06	-8.34	54.0	-21.94	AV	103.00	150	Vertical	Pass
3	4316.200	46.70	-3.16	74.0	-27.30	Peak	360.00	150	Vertical	Pass
3**	4316.200	35.03	-3.16	54.0	-18.97	AV	360.00	150	Vertical	Pass
4	5516.600	94.86	0.32	--	-23.14	Peak	118.00	150	Vertical	N/A
4**	5516.600	88.83	0.32	--	88.83	AV	118.00	150	Vertical	N/A
5	12354.113	49.93	19.68	74.0	-24.07	Peak	22.00	150	Vertical	Pass
5**	12354.113	38.20	19.68	54.0	-15.80	AV	22.00	150	Vertical	Pass
6	15618.076	54.66	23.46	74.0	-19.34	Peak	0.00	150	Vertical	Pass
6**	15618.076	42.84	23.46	54.0	-11.16	AV	0.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.600	43.93	-15.27	74.0	-30.07	Peak	242.00	150	Horizontal	Pass
1**	1675.600	34.01	-15.27	54.0	-19.99	AV	242.00	150	Horizontal	Pass
2	2826.000	41.50	-8.38	74.0	-32.50	Peak	94.00	150	Horizontal	Pass
2**	2826.000	32.02	-8.38	54.0	-21.98	AV	94.00	150	Horizontal	Pass
3	4255.600	46.59	-3.10	74.0	-27.41	Peak	360.00	150	Horizontal	Pass
3**	4255.600	35.30	-3.10	54.0	-18.70	AV	360.00	150	Horizontal	Pass
4	5582.400	99.76	0.82	--	-172.24	Peak	272.00	150	Horizontal	N/A
4**	5582.400	92.85	0.82	--	92.85	AV	272.00	150	Horizontal	N/A
5	11696.026	49.84	19.87	74.0	-24.16	Peak	328.00	150	Horizontal	Pass
5**	11696.026	36.91	19.87	54.0	-17.09	AV	328.00	150	Horizontal	Pass
6	16096.349	55.08	24.20	74.0	-18.92	Peak	362.00	150	Horizontal	Pass
6**	16096.349	42.22	24.20	54.0	-11.78	AV	362.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.100	42.45	-14.69	74.0	-31.55	Peak	253.00	150	Vertical	Pass
1**	1458.100	35.50	-14.69	54.0	-18.50	AV	253.00	150	Vertical	Pass
2	2781.900	41.31	-8.72	74.0	-32.69	Peak	307.00	150	Vertical	Pass
2**	2781.900	32.88	-8.72	54.0	-21.12	AV	307.00	150	Vertical	Pass
3	4252.800	47.18	-3.16	74.0	-26.82	Peak	91.00	150	Vertical	Pass
3**	4252.800	35.60	-3.16	54.0	-18.40	AV	91.00	150	Vertical	Pass
4	5595.000	95.86	0.39	--	4.86	Peak	91.00	150	Vertical	N/A
4**	5595.000	90.68	0.39	--	90.68	AV	91.00	150	Vertical	N/A
5	12228.187	48.99	20.44	74.0	-25.01	Peak	223.00	150	Vertical	Pass
5**	12228.187	37.21	20.44	54.0	-16.79	AV	223.00	150	Vertical	Pass
6	15494.438	54.15	23.88	74.0	-19.85	Peak	148.00	150	Vertical	Pass
6**	15494.438	42.35	23.88	54.0	-11.65	AV	148.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.300	44.30	-15.25	74.0	-29.70	Peak	248.00	150	Horizontal	Pass
1**	1675.300	35.12	-15.25	54.0	-18.88	AV	248.00	150	Horizontal	Pass
2	2885.000	41.63	-8.26	74.0	-32.37	Peak	154.00	150	Horizontal	Pass
2**	2885.000	33.73	-8.26	54.0	-20.27	AV	154.00	150	Horizontal	Pass
3	4263.400	47.06	-3.24	74.0	-26.94	Peak	289.00	150	Horizontal	Pass
3**	4263.400	35.37	-3.24	54.0	-18.63	AV	289.00	150	Horizontal	Pass
4	5659.800	98.33	-0.02	--	-138.67	Peak	237.00	150	Horizontal	N/A
4**	5659.800	92.27	-0.02	--	92.27	AV	237.00	150	Horizontal	N/A
5	12083.287	49.36	19.26	74.0	-24.64	Peak	147.00	150	Horizontal	Pass
5**	12083.287	36.41	19.26	54.0	-17.59	AV	147.00	150	Horizontal	Pass
6	15903.674	53.92	23.34	74.0	-20.08	Peak	43.00	150	Horizontal	Pass
6**	15903.674	41.69	23.34	54.0	-12.31	AV	43.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.700	41.98	-14.75	74.0	-32.02	Peak	286.00	150	Vertical	Pass
1**	1461.700	32.67	-14.75	54.0	-21.33	AV	286.00	150	Vertical	Pass
2	2872.000	42.55	-8.23	74.0	-31.45	Peak	238.00	150	Vertical	Pass
2**	2872.000	32.57	-8.23	54.0	-21.43	AV	238.00	150	Vertical	Pass
3	4225.200	47.87	-3.58	74.0	-26.13	Peak	249.00	150	Vertical	Pass
3**	4225.200	35.54	-3.58	54.0	-18.46	AV	249.00	150	Vertical	Pass
4	5662.200	97.12	-0.03	--	1.12	Peak	96.00	150	Vertical	N/A
4**	5662.200	89.59	-0.03	--	89.59	AV	96.00	150	Vertical	N/A
5	11940.400	49.31	18.17	74.0	-24.69	Peak	311.00	150	Vertical	Pass
5**	11940.400	38.18	18.17	54.0	-15.82	AV	311.00	150	Vertical	Pass
6	15508.088	54.48	23.89	74.0	-19.52	Peak	362.00	150	Vertical	Pass
6**	15508.088	42.86	23.89	54.0	-11.14	AV	362.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.700	43.66	-15.28	74.0	-30.34	Peak	141.00	150	Horizontal	Pass
1**	1677.700	35.39	-15.28	54.0	-18.61	AV	141.00	150	Horizontal	Pass
2	2814.700	41.30	-8.34	74.0	-32.70	Peak	72.00	150	Horizontal	Pass
2**	2814.700	32.11	-8.34	54.0	-21.89	AV	72.00	150	Horizontal	Pass
3	4238.000	46.48	-3.34	74.0	-27.52	Peak	217.00	150	Horizontal	Pass
3**	4238.000	36.24	-3.34	54.0	-17.76	AV	217.00	150	Horizontal	Pass
4	5712.400	98.60	-0.41	--	-152.40	Peak	251.00	150	Horizontal	N/A
4**	5712.400	91.35	-0.41	--	91.35	AV	251.00	150	Horizontal	N/A
5	11626.738	49.34	20.28	74.0	-24.66	Peak	347.00	150	Horizontal	Pass
5**	11626.738	37.10	20.28	54.0	-16.90	AV	347.00	150	Horizontal	Pass
6	15695.250	54.27	23.58	74.0	-19.73	Peak	362.00	150	Horizontal	Pass
6**	15695.250	42.49	23.58	54.0	-11.51	AV	362.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.400	42.64	-14.88	74.0	-31.36	Peak	275.00	150	Vertical	Pass
1**	1471.400	32.43	-14.88	54.0	-21.57	AV	275.00	150	Vertical	Pass
2	2839.600	41.40	-8.50	74.0	-32.60	Peak	73.00	150	Vertical	Pass
2**	2839.600	32.53	-8.50	54.0	-21.47	AV	73.00	150	Vertical	Pass
3	4228.400	46.73	-3.47	74.0	-27.27	Peak	132.00	150	Vertical	Pass
3**	4228.400	36.65	-3.47	54.0	-17.35	AV	132.00	150	Vertical	Pass
4	5722.400	97.26	-0.52	--	1.26	Peak	96.00	150	Vertical	N/A
4**	5722.400	89.59	-0.52	--	89.59	AV	96.00	150	Vertical	N/A
5	12126.412	49.12	19.70	74.0	-24.88	Peak	225.00	150	Vertical	Pass
5**	12126.412	36.14	19.70	54.0	-17.86	AV	225.00	150	Vertical	Pass
6	16051.987	54.59	24.10	74.0	-19.41	Peak	349.00	150	Vertical	Pass
6**	16051.987	41.97	24.10	54.0	-12.03	AV	349.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	44.90	-15.22	74.0	-29.10	Peak	256.00	150	Horizontal	Pass
1**	1668.800	33.40	-15.22	54.0	-20.60	AV	256.00	150	Horizontal	Pass
2	2881.300	41.56	-8.29	74.0	-32.44	Peak	194.00	150	Horizontal	Pass
2**	2881.300	32.56	-8.29	54.0	-21.44	AV	194.00	150	Horizontal	Pass
3	4332.400	47.31	-2.91	74.0	-26.69	Peak	360.00	150	Horizontal	Pass
3**	4332.400	35.09	-2.91	54.0	-18.91	AV	360.00	150	Horizontal	Pass
4	5498.000	103.06	0.56	--	-157.94	Peak	261.00	150	Horizontal	N/A
4**	5498.000	95.92	0.56	--	95.92	AV	261.00	150	Horizontal	N/A
5	12152.863	49.38	19.95	74.0	-24.62	Peak	341.00	150	Horizontal	Pass
5**	12152.863	36.99	19.95	54.0	-17.01	AV	341.00	150	Horizontal	Pass
6	15644.325	53.73	23.55	74.0	-20.27	Peak	151.00	150	Horizontal	Pass
6**	15644.325	42.36	23.55	54.0	-11.64	AV	151.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.700	43.52	-14.82	74.0	-30.48	Peak	281.00	150	Vertical	Pass
1**	1467.700	31.49	-14.82	54.0	-22.51	AV	281.00	150	Vertical	Pass
2	2876.500	41.91	-8.34	74.0	-32.09	Peak	225.00	150	Vertical	Pass
2**	2876.500	33.33	-8.34	54.0	-20.67	AV	225.00	150	Vertical	Pass
3	3990.000	46.98	-4.38	74.0	-27.02	Peak	163.00	150	Vertical	Pass
3**	3990.000	34.83	-4.38	54.0	-19.17	AV	163.00	150	Vertical	Pass
4	5502.000	98.67	0.47	--	9.67	Peak	89.00	150	Vertical	N/A
4**	5502.000	90.64	0.47	--	90.64	AV	89.00	150	Vertical	N/A
5	12549.900	49.40	18.52	74.0	-24.60	Peak	258.00	150	Vertical	Pass
5**	12549.900	38.39	18.52	54.0	-15.61	AV	258.00	150	Vertical	Pass
6	16026.787	53.90	23.98	74.0	-20.10	Peak	354.00	150	Vertical	Pass
6**	16026.787	41.47	23.98	54.0	-12.53	AV	354.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.000	44.40	-15.31	74.0	-29.60	Peak	250.00	150	Horizontal	Pass
1**	1677.000	35.12	-15.31	54.0	-18.88	AV	250.00	150	Horizontal	Pass
2	2781.100	40.82	-8.65	74.0	-33.18	Peak	4.00	150	Horizontal	Pass
2**	2781.100	31.36	-8.65	54.0	-22.64	AV	4.00	150	Horizontal	Pass
3	4220.200	47.02	-3.66	74.0	-26.98	Peak	202.00	150	Horizontal	Pass
3**	4220.200	35.75	-3.66	54.0	-18.25	AV	202.00	150	Horizontal	Pass
4	5576.800	103.32	0.71	--	-154.68	Peak	258.00	150	Horizontal	N/A
4**	5576.800	95.89	0.71	--	95.89	AV	258.00	150	Horizontal	N/A
5	12147.112	49.29	19.90	74.0	-24.71	Peak	233.00	150	Horizontal	Pass
5**	12147.112	37.79	19.90	54.0	-16.21	AV	233.00	150	Horizontal	Pass
6	15810.750	54.63	23.22	74.0	-19.37	Peak	230.00	150	Horizontal	Pass
6**	15810.750	42.63	23.22	54.0	-11.37	AV	230.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.400	42.48	-14.65	74.0	-31.52	Peak	271.00	150	Vertical	Pass
1**	1456.400	33.07	-14.65	54.0	-20.93	AV	271.00	150	Vertical	Pass
2	2870.200	41.86	-8.19	74.0	-32.14	Peak	271.00	150	Vertical	Pass
2**	2870.200	32.86	-8.19	54.0	-21.14	AV	271.00	150	Vertical	Pass
3	4048.800	47.73	-3.77	74.0	-26.27	Peak	267.00	150	Vertical	Pass
3**	4048.800	34.81	-3.77	54.0	-19.19	AV	267.00	150	Vertical	Pass
4	5582.600	98.39	0.80	--	-4.61	Peak	103.00	150	Vertical	N/A
4**	5582.600	91.75	0.80	--	91.75	AV	103.00	150	Vertical	N/A
5	12506.488	49.48	18.56	74.0	-24.52	Peak	352.00	150	Vertical	Pass
5**	12506.488	36.19	18.56	54.0	-17.81	AV	352.00	150	Vertical	Pass
6	15731.738	53.99	23.47	74.0	-20.01	Peak	167.00	150	Vertical	Pass
6**	15731.738	41.99	23.47	54.0	-12.01	AV	167.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	44.01	-15.23	74.0	-29.99	Peak	263.00	150	Horizontal	Pass
1**	1669.300	36.37	-15.23	54.0	-17.63	AV	263.00	150	Horizontal	Pass
2	2833.800	42.18	-8.47	74.0	-31.82	Peak	150.00	150	Horizontal	Pass
2**	2833.800	31.14	-8.47	54.0	-22.86	AV	150.00	150	Horizontal	Pass
3	4229.400	46.20	-3.42	74.0	-27.80	Peak	344.00	150	Horizontal	Pass
3**	4229.400	34.93	-3.42	54.0	-19.07	AV	344.00	150	Horizontal	Pass
4	5696.600	100.98	-0.67	--	-142.02	Peak	243.00	150	Horizontal	N/A
4**	5696.600	93.66	-0.67	--	93.66	AV	243.00	150	Horizontal	N/A
5	12341.463	49.41	19.77	74.0	-24.59	Peak	136.00	150	Horizontal	Pass
5**	12341.463	38.16	19.77	54.0	-15.84	AV	136.00	150	Horizontal	Pass
6	15876.901	54.39	23.35	74.0	-19.61	Peak	362.00	150	Horizontal	Pass
6**	15876.901	42.43	23.35	54.0	-11.57	AV	362.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.300	42.79	-14.67	74.0	-31.21	Peak	258.00	150	Vertical	Pass
1**	1457.300	31.56	-14.67	54.0	-22.44	AV	258.00	150	Vertical	Pass
2	2885.500	41.79	-8.22	74.0	-32.21	Peak	121.00	150	Vertical	Pass
2**	2885.500	31.94	-8.22	54.0	-22.06	AV	121.00	150	Vertical	Pass
3	4303.200	46.91	-3.65	74.0	-27.09	Peak	98.00	150	Vertical	Pass
3**	4303.200	36.39	-3.65	54.0	-17.61	AV	98.00	150	Vertical	Pass
4	5696.400	99.47	-0.66	--	1.47	Peak	98.00	150	Vertical	N/A
4**	5696.400	92.76	-0.66	--	92.76	AV	98.00	150	Vertical	N/A
5	12401.838	49.44	19.17	74.0	-24.56	Peak	221.00	150	Vertical	Pass
5**	12401.838	36.93	19.17	54.0	-17.07	AV	221.00	150	Vertical	Pass
6	15681.599	54.87	23.59	74.0	-19.13	Peak	272.00	150	Vertical	Pass
6**	15681.599	42.22	23.59	54.0	-11.78	AV	272.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1662.700	44.28	-15.27	74.0	-29.72	Peak	254.00	150	Horizontal	Pass
1**	1662.700	28.39	-15.27	54.0	-25.61	AV	254.00	150	Horizontal	Pass
2	2875.700	41.53	-8.35	74.0	-32.47	Peak	-2.00	150	Horizontal	Pass
2**	2875.700	31.58	-8.35	54.0	-22.42	AV	-2.00	150	Horizontal	Pass
3	4256.200	47.58	-3.12	74.0	-26.42	Peak	302.00	150	Horizontal	Pass
3**	4256.200	35.20	-3.12	54.0	-18.80	AV	302.00	150	Horizontal	Pass
4	5721.800	101.41	-0.54	--	-141.59	Peak	243.00	150	Horizontal	N/A
4**	5721.800	94.40	-0.54	--	94.40	AV	243.00	150	Horizontal	N/A
5	12233.938	48.92	20.43	74.0	-25.08	Peak	360.00	150	Horizontal	Pass
5**	12233.938	36.90	20.43	54.0	-17.10	AV	360.00	150	Horizontal	Pass
6	15822.300	54.50	23.29	74.0	-19.50	Peak	320.00	150	Horizontal	Pass
6**	15822.300	42.42	23.29	54.0	-11.58	AV	320.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.000	43.26	-14.76	74.0	-30.74	Peak	284.00	150	Vertical	Pass
1**	1462.000	32.66	-14.76	54.0	-21.34	AV	284.00	150	Vertical	Pass
2	2869.100	42.54	-8.20	74.0	-31.46	Peak	334.00	150	Vertical	Pass
2**	2869.100	33.16	-8.20	54.0	-20.84	AV	334.00	150	Vertical	Pass
3	4166.800	46.74	-3.83	74.0	-27.26	Peak	19.00	150	Vertical	Pass
3**	4166.800	37.65	-3.83	54.0	-16.35	AV	19.00	150	Vertical	Pass
4	5716.400	100.16	-0.55	--	10.16	Peak	90.00	150	Vertical	N/A
4**	5716.400	93.66	-0.55	--	93.66	AV	90.00	150	Vertical	N/A
5	12229.625	49.52	20.44	74.0	-24.48	Peak	340.00	150	Vertical	Pass
5**	12229.625	37.00	20.44	54.0	-17.00	AV	340.00	150	Vertical	Pass
6	16034.662	54.83	24.01	74.0	-19.17	Peak	362.00	150	Vertical	Pass
6**	16034.662	42.34	24.01	54.0	-11.66	AV	362.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.000	43.73	-15.28	74.0	-30.27	Peak	253.00	150	Horizontal	Pass
1**	1676.000	35.57	-15.28	54.0	-18.43	AV	253.00	150	Horizontal	Pass
2	2873.000	42.12	-8.27	74.0	-31.88	Peak	95.00	150	Horizontal	Pass
2**	2873.000	33.15	-8.27	54.0	-20.85	AV	95.00	150	Horizontal	Pass
3	4123.800	46.74	-4.04	74.0	-27.26	Peak	183.00	150	Horizontal	Pass
3**	4123.800	35.31	-4.04	54.0	-18.69	AV	183.00	150	Horizontal	Pass
4	5515.200	99.95	0.37	--	-174.05	Peak	274.00	150	Horizontal	N/A
4**	5515.200	93.29	0.37	--	93.29	AV	274.00	150	Horizontal	N/A
5	11618.400	49.33	20.23	74.0	-24.67	Peak	286.00	150	Horizontal	Pass
5**	11618.400	38.93	20.23	54.0	-15.07	AV	286.00	150	Horizontal	Pass
6	15671.099	53.97	23.53	74.0	-20.03	Peak	250.00	150	Horizontal	Pass
6**	15671.099	42.20	23.53	54.0	-11.80	AV	250.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.200	42.33	-14.81	74.0	-31.67	Peak	301.00	150	Vertical	Pass
1**	1468.200	31.14	-14.81	54.0	-22.86	AV	301.00	150	Vertical	Pass
2	2787.600	41.66	-8.84	74.0	-32.34	Peak	75.00	150	Vertical	Pass
2**	2787.600	30.94	-8.84	54.0	-23.06	AV	75.00	150	Vertical	Pass
3	4154.400	47.87	-3.59	74.0	-26.13	Peak	-1.00	150	Vertical	Pass
3**	4154.400	34.43	-3.59	54.0	-19.57	AV	-1.00	150	Vertical	Pass
4	5518.800	95.31	0.34	--	-22.69	Peak	118.00	150	Vertical	N/A
4**	5518.800	88.16	0.34	--	88.16	AV	118.00	150	Vertical	N/A
5	12213.812	49.57	20.44	74.0	-24.43	Peak	255.00	150	Vertical	Pass
5**	12213.812	37.45	20.44	54.0	-16.55	AV	255.00	150	Vertical	Pass
6	15384.188	54.85	22.76	74.0	-19.15	Peak	142.00	150	Vertical	Pass
6**	15384.188	41.98	22.76	54.0	-12.02	AV	142.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.700	43.31	-15.36	74.0	-30.69	Peak	257.00	150	Horizontal	Pass
1**	1671.700	34.20	-15.36	54.0	-19.80	AV	257.00	150	Horizontal	Pass
2	2879.400	42.06	-8.27	74.0	-31.94	Peak	171.00	150	Horizontal	Pass
2**	2879.400	32.48	-8.27	54.0	-21.52	AV	171.00	150	Horizontal	Pass
3	4167.000	46.80	-3.83	74.0	-27.20	Peak	340.00	150	Horizontal	Pass
3**	4167.000	34.82	-3.83	54.0	-19.18	AV	340.00	150	Horizontal	Pass
4	5592.600	99.60	0.44	--	-161.40	Peak	261.00	150	Horizontal	N/A
4**	5592.600	92.90	0.44	--	92.90	AV	261.00	150	Horizontal	N/A
5	12205.187	48.84	20.44	74.0	-25.16	Peak	0.00	150	Horizontal	Pass
5**	12205.187	38.00	20.44	54.0	-16.00	AV	0.00	150	Horizontal	Pass
6	15561.113	54.51	23.58	74.0	-19.49	Peak	336.00	150	Horizontal	Pass
6**	15561.113	42.52	23.58	54.0	-11.48	AV	336.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.500	43.80	-15.02	74.0	-30.20	Peak	276.00	150	Vertical	Pass
1**	1475.500	30.11	-15.02	54.0	-23.89	AV	276.00	150	Vertical	Pass
2	2814.100	41.22	-8.34	74.0	-32.78	Peak	148.00	150	Vertical	Pass
2**	2814.100	31.54	-8.34	54.0	-22.46	AV	148.00	150	Vertical	Pass
3	4235.000	46.60	-3.46	74.0	-27.40	Peak	337.00	150	Vertical	Pass
3**	4235.000	35.31	-3.46	54.0	-18.69	AV	337.00	150	Vertical	Pass
4	5584.600	96.40	0.54	--	-6.60	Peak	103.00	150	Vertical	N/A
4**	5584.600	89.52	0.54	--	89.52	AV	103.00	150	Vertical	N/A
5	12205.475	49.91	20.44	74.0	-24.09	Peak	33.00	150	Vertical	Pass
5**	12205.475	37.44	20.44	54.0	-16.56	AV	33.00	150	Vertical	Pass
6	15519.112	54.90	23.78	74.0	-19.10	Peak	193.00	150	Vertical	Pass
6**	15519.112	43.86	23.78	54.0	-10.14	AV	193.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.400	44.25	-15.22	74.0	-29.75	Peak	136.00	150	Horizontal	Pass
1**	1668.400	34.30	-15.22	54.0	-19.70	AV	136.00	150	Horizontal	Pass
2	2833.700	41.53	-8.47	74.0	-32.47	Peak	244.00	150	Horizontal	Pass
2**	2833.700	33.06	-8.47	54.0	-20.94	AV	244.00	150	Horizontal	Pass
3	4122.800	46.48	-4.10	74.0	-27.52	Peak	354.00	150	Horizontal	Pass
3**	4122.800	35.05	-4.10	54.0	-18.95	AV	354.00	150	Horizontal	Pass
4	5659.000	98.64	-0.01	--	-142.36	Peak	241.00	150	Horizontal	N/A
4**	5659.000	92.72	-0.01	--	92.72	AV	241.00	150	Horizontal	N/A
5	12356.125	49.29	19.67	74.0	-24.71	Peak	73.00	150	Horizontal	Pass
5**	12356.125	37.84	19.67	54.0	-16.16	AV	73.00	150	Horizontal	Pass
6	15941.474	54.36	23.91	74.0	-19.64	Peak	39.00	150	Horizontal	Pass
6**	15941.474	42.93	23.91	54.0	-11.07	AV	39.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.100	42.47	-14.88	74.0	-31.53	Peak	277.00	150	Vertical	Pass
1**	1472.100	34.02	-14.88	54.0	-19.98	AV	277.00	150	Vertical	Pass
2	2826.000	42.12	-8.38	74.0	-31.88	Peak	256.00	150	Vertical	Pass
2**	2826.000	31.06	-8.38	54.0	-22.94	AV	256.00	150	Vertical	Pass
3	4162.800	47.10	-3.49	74.0	-26.90	Peak	12.00	150	Vertical	Pass
3**	4162.800	36.45	-3.49	54.0	-17.55	AV	12.00	150	Vertical	Pass
4	5667.000	96.59	0.14	--	3.59	Peak	93.00	150	Vertical	N/A
4**	5667.000	89.75	0.14	--	89.75	AV	93.00	150	Vertical	N/A
5	12141.075	49.81	19.86	74.0	-24.19	Peak	0.00	150	Vertical	Pass
5**	12141.075	36.88	19.86	54.0	-17.12	AV	0.00	150	Vertical	Pass
6	15466.087	54.18	23.57	74.0	-19.82	Peak	227.00	150	Vertical	Pass
6**	15466.087	42.71	23.57	54.0	-11.29	AV	227.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.200	44.05	-15.21	74.0	-29.95	Peak	252.00	150	Horizontal	Pass
1**	1666.200	31.94	-15.21	54.0	-22.06	AV	252.00	150	Horizontal	Pass
2	2881.900	41.90	-8.30	74.0	-32.10	Peak	230.00	150	Horizontal	Pass
2**	2881.900	32.58	-8.30	54.0	-21.42	AV	230.00	150	Horizontal	Pass
3	4271.000	46.78	-3.61	74.0	-27.22	Peak	349.00	150	Horizontal	Pass
3**	4271.000	34.65	-3.61	54.0	-19.35	AV	349.00	150	Horizontal	Pass
4	5717.000	98.44	-0.55	--	-148.56	Peak	247.00	150	Horizontal	N/A
4**	5717.000	91.71	-0.55	--	91.71	AV	247.00	150	Horizontal	N/A
5	12287.988	48.78	20.13	74.0	-25.22	Peak	312.00	150	Horizontal	Pass
5**	12287.988	37.02	20.13	54.0	-16.98	AV	312.00	150	Horizontal	Pass
6	15925.987	54.66	23.72	74.0	-19.34	Peak	306.00	150	Horizontal	Pass
6**	15925.987	42.73	23.72	54.0	-11.27	AV	306.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.400	42.04	-14.81	74.0	-31.96	Peak	268.00	150	Vertical	Pass
1**	1468.400	33.13	-14.81	54.0	-20.87	AV	268.00	150	Vertical	Pass
2	2844.300	41.28	-8.49	74.0	-32.72	Peak	176.00	150	Vertical	Pass
2**	2844.300	31.29	-8.49	54.0	-22.71	AV	176.00	150	Vertical	Pass
3	3975.400	46.60	-4.13	74.0	-27.40	Peak	309.00	150	Vertical	Pass
3**	3975.400	35.98	-4.13	54.0	-18.02	AV	309.00	150	Vertical	Pass
4	5719.000	97.16	-0.56	--	3.16	Peak	94.00	150	Vertical	N/A
4**	5719.000	89.81	-0.56	--	89.81	AV	94.00	150	Vertical	N/A
5	12336.862	49.43	19.80	74.0	-24.57	Peak	74.00	150	Vertical	Pass
5**	12336.862	37.43	19.80	54.0	-16.57	AV	74.00	150	Vertical	Pass
6	15657.975	54.67	23.47	74.0	-19.33	Peak	206.00	150	Vertical	Pass
6**	15657.975	43.51	23.47	54.0	-10.49	AV	206.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.700	45.06	-15.27	74.0	-28.94	Peak	237.00	150	Horizontal	Pass
1**	1675.700	34.72	-15.27	54.0	-19.28	AV	237.00	150	Horizontal	Pass
2	2837.100	42.21	-8.47	74.0	-31.79	Peak	50.00	150	Horizontal	Pass
2**	2837.100	32.85	-8.47	54.0	-21.15	AV	50.00	150	Horizontal	Pass
3	3955.800	46.60	-4.52	74.0	-27.40	Peak	180.00	150	Horizontal	Pass
3**	3955.800	34.47	-4.52	54.0	-19.53	AV	180.00	150	Horizontal	Pass
4	5517.000	97.01	0.33	--	-173.99	Peak	271.00	150	Horizontal	N/A
4**	5517.000	89.45	0.33	--	89.45	AV	271.00	150	Horizontal	N/A
5	12076.963	49.06	19.20	74.0	-24.94	Peak	171.00	150	Horizontal	Pass
5**	12076.963	36.53	19.20	54.0	-17.47	AV	171.00	150	Horizontal	Pass
6	15879.000	54.05	23.35	74.0	-19.95	Peak	285.00	150	Horizontal	Pass
6**	15879.000	42.27	23.35	54.0	-11.73	AV	285.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.100	41.56	-14.72	74.0	-32.44	Peak	269.00	150	Vertical	Pass
1**	1444.100	29.79	-14.72	54.0	-24.21	AV	269.00	150	Vertical	Pass
2	2847.400	41.72	-8.29	74.0	-32.28	Peak	220.00	150	Vertical	Pass
2**	2847.400	33.46	-8.29	54.0	-20.54	AV	220.00	150	Vertical	Pass
3	4268.600	46.53	-3.44	74.0	-27.47	Peak	257.00	150	Vertical	Pass
3**	4268.600	36.93	-3.44	54.0	-17.07	AV	257.00	150	Vertical	Pass
4	5554.600	92.32	0.61	--	-17.68	Peak	110.00	150	Vertical	N/A
4**	5554.600	85.62	0.61	--	85.62	AV	110.00	150	Vertical	N/A
5	11616.388	49.41	20.22	74.0	-24.59	Peak	84.00	150	Vertical	Pass
5**	11616.388	37.16	20.22	54.0	-16.84	AV	84.00	150	Vertical	Pass
6	15411.225	54.71	23.00	74.0	-19.29	Peak	284.00	150	Vertical	Pass
6**	15411.225	42.28	23.00	54.0	-11.72	AV	284.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.600	43.94	-15.21	74.0	-30.06	Peak	213.00	150	Horizontal	Pass
1**	1665.600	33.51	-15.21	54.0	-20.49	AV	213.00	150	Horizontal	Pass
2	2784.800	41.41	-8.70	74.0	-32.59	Peak	341.00	150	Horizontal	Pass
2**	2784.800	30.84	-8.70	54.0	-23.16	AV	341.00	150	Horizontal	Pass
3	4262.400	46.59	-3.28	74.0	-27.41	Peak	107.00	150	Horizontal	Pass
3**	4262.400	34.85	-3.28	54.0	-19.15	AV	107.00	150	Horizontal	Pass
4	5586.400	97.40	0.79	--	-177.60	Peak	275.00	150	Horizontal	N/A
4**	5586.400	88.36	0.79	--	88.36	AV	275.00	150	Horizontal	N/A
5	12337.438	49.98	19.80	74.0	-24.02	Peak	347.00	150	Horizontal	Pass
5**	12337.438	37.97	19.80	54.0	-16.03	AV	347.00	150	Horizontal	Pass
6	15636.450	55.60	23.54	74.0	-18.40	Peak	177.00	150	Horizontal	Pass
6**	15636.450	42.78	23.54	54.0	-11.22	AV	177.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.200	41.07	-15.13	74.0	-32.93	Peak	265.00	150	Vertical	Pass
1**	1481.200	31.36	-15.13	54.0	-22.64	AV	265.00	150	Vertical	Pass
2	2833.000	41.11	-8.47	74.0	-32.89	Peak	289.00	150	Vertical	Pass
2**	2833.000	31.87	-8.47	54.0	-22.13	AV	289.00	150	Vertical	Pass
3	4063.200	47.05	-3.85	74.0	-26.95	Peak	32.00	150	Vertical	Pass
3**	4063.200	34.69	-3.85	54.0	-19.31	AV	32.00	150	Vertical	Pass
4	5625.800	93.99	0.02	--	-11.01	Peak	105.00	150	Vertical	N/A
4**	5625.800	86.81	0.02	--	86.81	AV	105.00	150	Vertical	N/A
5	11911.937	49.01	18.09	74.0	-24.99	Peak	288.00	150	Vertical	Pass
5**	11911.937	36.57	18.09	54.0	-17.43	AV	288.00	150	Vertical	Pass
6	15399.937	54.49	22.80	74.0	-19.51	Peak	96.00	150	Vertical	Pass
6**	15399.937	42.32	22.80	54.0	-11.68	AV	96.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.600	44.10	-15.21	74.0	-29.90	Peak	266.00	150	Horizontal	Pass
1**	1665.600	34.25	-15.21	54.0	-19.75	AV	266.00	150	Horizontal	Pass
2	2784.700	41.42	-8.70	74.0	-32.58	Peak	-2.00	150	Horizontal	Pass
2**	2784.700	31.77	-8.70	54.0	-22.23	AV	-2.00	150	Horizontal	Pass
3	4251.200	47.10	-3.19	74.0	-26.90	Peak	55.00	150	Horizontal	Pass
3**	4251.200	34.58	-3.19	54.0	-19.42	AV	55.00	150	Horizontal	Pass
4	5679.600	95.69	-0.25	--	-149.31	Peak	245.00	150	Horizontal	N/A
4**	5679.600	87.90	-0.25	--	87.90	AV	245.00	150	Horizontal	N/A
5	12331.112	49.38	19.84	74.0	-24.62	Peak	344.00	150	Horizontal	Pass
5**	12331.112	37.69	19.84	54.0	-16.31	AV	344.00	150	Horizontal	Pass
6	16132.575	54.45	24.08	74.0	-19.55	Peak	333.00	150	Horizontal	Pass
6**	16132.575	42.04	24.08	54.0	-11.96	AV	333.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.200	40.03	-14.63	74.0	-33.97	Peak	260.00	150	Vertical	Pass
1**	1449.200	31.28	-14.63	54.0	-22.72	AV	260.00	150	Vertical	Pass
2	2873.600	41.49	-8.29	74.0	-32.51	Peak	312.00	150	Vertical	Pass
2**	2873.600	33.25	-8.29	54.0	-20.75	AV	312.00	150	Vertical	Pass
3	3987.000	46.54	-4.35	74.0	-27.46	Peak	360.00	150	Vertical	Pass
3**	3987.000	34.30	-4.35	54.0	-19.70	AV	360.00	150	Vertical	Pass
4	5709.400	93.33	-0.38	--	4.33	Peak	89.00	150	Vertical	N/A
4**	5709.400	86.71	-0.38	--	86.71	AV	89.00	150	Vertical	N/A
5	12346.350	49.57	19.74	74.0	-24.43	Peak	267.00	150	Vertical	Pass
5**	12346.350	37.27	19.74	54.0	-16.73	AV	267.00	150	Vertical	Pass
6	15538.013	54.79	23.71	74.0	-19.21	Peak	347.00	150	Vertical	Pass
6**	15538.013	43.12	23.71	54.0	-10.88	AV	347.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	44.02	-15.35	74.0	-29.98	Peak	131.00	150	Horizontal	Pass
1**	1673.600	34.93	-15.35	54.0	-19.07	AV	131.00	150	Horizontal	Pass
2	2881.600	42.17	-8.30	74.0	-31.83	Peak	-1.00	150	Horizontal	Pass
2**	2881.600	32.24	-8.30	54.0	-21.76	AV	-1.00	150	Horizontal	Pass
3	4282.000	46.58	-3.76	74.0	-27.42	Peak	119.00	150	Horizontal	Pass
3**	4282.000	36.30	-3.76	54.0	-17.70	AV	119.00	150	Horizontal	Pass
4	5580.600	93.60	0.91	--	-176.40	Peak	270.00	150	Horizontal	N/A
4**	5580.600	86.13	0.91	--	86.13	AV	270.00	150	Horizontal	N/A
5	12347.787	49.68	19.73	74.0	-24.32	Peak	62.00	150	Horizontal	Pass
5**	12347.787	37.99	19.73	54.0	-16.01	AV	62.00	150	Horizontal	Pass
6	15672.937	54.52	23.54	74.0	-19.48	Peak	77.00	150	Horizontal	Pass
6**	15672.937	42.82	23.54	54.0	-11.18	AV	77.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.700	42.17	-14.94	74.0	-31.83	Peak	304.00	150	Vertical	Pass
1**	1473.700	32.32	-14.94	54.0	-21.68	AV	304.00	150	Vertical	Pass
2	2792.900	41.45	-8.85	74.0	-32.55	Peak	339.00	150	Vertical	Pass
2**	2792.900	32.67	-8.85	54.0	-21.33	AV	339.00	150	Vertical	Pass
3	4060.600	46.38	-4.01	74.0	-27.62	Peak	338.00	150	Vertical	Pass
3**	4060.600	34.16	-4.01	54.0	-19.84	AV	338.00	150	Vertical	Pass
4	5588.800	90.77	0.69	--	0.77	Peak	90.00	150	Vertical	N/A
4**	5588.800	83.92	0.69	--	83.92	AV	90.00	150	Vertical	N/A
5	12168.388	49.57	20.13	74.0	-24.43	Peak	131.00	150	Vertical	Pass
5**	12168.388	37.29	20.13	54.0	-16.71	AV	131.00	150	Vertical	Pass
6	15928.350	53.72	23.75	74.0	-20.28	Peak	75.00	150	Vertical	Pass
6**	15928.350	42.36	23.75	54.0	-11.64	AV	75.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.000	45.22	-15.22	74.0	-28.78	Peak	257.00	150	Horizontal	Pass
1**	1669.000	36.68	-15.22	54.0	-17.32	AV	257.00	150	Horizontal	Pass
2	2867.700	41.44	-8.12	74.0	-32.56	Peak	203.00	150	Horizontal	Pass
2**	2867.700	32.24	-8.12	54.0	-21.76	AV	203.00	150	Horizontal	Pass
3	3981.800	46.91	-4.19	74.0	-27.09	Peak	359.00	150	Horizontal	Pass
3**	3981.800	36.95	-4.19	54.0	-17.05	AV	359.00	150	Horizontal	Pass
4	5499.000	104.91	0.52	--	-160.09	Peak	265.00	150	Horizontal	N/A
4**	5499.000	95.52	0.52	--	95.52	AV	265.00	150	Horizontal	N/A
5	12378.263	49.39	19.42	74.0	-24.61	Peak	225.00	150	Horizontal	Pass
5**	12378.263	37.60	19.42	54.0	-16.40	AV	225.00	150	Horizontal	Pass
6	15370.276	54.55	22.64	74.0	-19.45	Peak	188.00	150	Horizontal	Pass
6**	15370.276	42.55	22.64	54.0	-11.45	AV	188.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.400	40.11	-14.77	74.0	-33.89	Peak	265.00	150	Vertical	Pass
1**	1462.400	30.35	-14.77	54.0	-23.65	AV	265.00	150	Vertical	Pass
2	2830.900	42.29	-8.32	74.0	-31.71	Peak	124.00	150	Vertical	Pass
2**	2830.900	32.40	-8.32	54.0	-21.60	AV	124.00	150	Vertical	Pass
3	4279.600	47.18	-3.54	74.0	-26.82	Peak	291.00	150	Vertical	Pass
3**	4279.600	34.99	-3.54	54.0	-19.01	AV	291.00	150	Vertical	Pass
4	5503.600	100.15	0.49	--	-68.85	Peak	169.00	150	Vertical	N/A
4**	5503.600	91.44	0.49	--	91.44	AV	169.00	150	Vertical	N/A
5	12547.025	49.27	18.52	74.0	-24.73	Peak	255.00	150	Vertical	Pass
5**	12547.025	37.25	18.52	54.0	-16.75	AV	255.00	150	Vertical	Pass
6	15501.525	54.73	23.95	74.0	-19.27	Peak	354.00	150	Vertical	Pass
6**	15501.525	43.91	23.95	54.0	-10.09	AV	354.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.200	43.52	-15.42	74.0	-30.48	Peak	243.00	150	Horizontal	Pass
1**	1672.200	34.49	-15.42	54.0	-19.51	AV	243.00	150	Horizontal	Pass
2	2725.700	41.87	-8.75	74.0	-32.13	Peak	137.00	150	Horizontal	Pass
2**	2725.700	31.62	-8.75	54.0	-22.38	AV	137.00	150	Horizontal	Pass
3	4335.600	47.04	-2.92	74.0	-26.96	Peak	360.00	150	Horizontal	Pass
3**	4335.600	36.01	-2.92	54.0	-17.99	AV	360.00	150	Horizontal	Pass
4	5581.200	104.50	0.88	--	-163.50	Peak	268.00	150	Horizontal	N/A
4**	5581.200	95.92	0.88	--	95.92	AV	268.00	150	Horizontal	N/A
5	12275.049	49.15	20.27	74.0	-24.85	Peak	2.00	150	Horizontal	Pass
5**	12275.049	37.94	20.27	54.0	-16.06	AV	2.00	150	Horizontal	Pass
6	15509.137	54.29	23.88	74.0	-19.71	Peak	340.00	150	Horizontal	Pass
6**	15509.137	42.78	23.88	54.0	-11.22	AV	340.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.800	43.06	-14.95	74.0	-30.94	Peak	289.00	150	Vertical	Pass
1**	1473.800	30.49	-14.95	54.0	-23.51	AV	289.00	150	Vertical	Pass
2	2717.800	41.56	-8.66	74.0	-32.44	Peak	328.00	150	Vertical	Pass
2**	2717.800	31.76	-8.66	54.0	-22.24	AV	328.00	150	Vertical	Pass
3	4228.000	47.15	-3.51	74.0	-26.85	Peak	34.00	150	Vertical	Pass
3**	4228.000	35.79	-3.51	54.0	-18.21	AV	34.00	150	Vertical	Pass
4	5577.600	100.50	0.74	--	-12.50	Peak	113.00	150	Vertical	N/A
4**	5577.600	91.14	0.74	--	91.14	AV	113.00	150	Vertical	N/A
5	11629.038	48.42	20.29	74.0	-25.58	Peak	312.00	150	Vertical	Pass
5**	11629.038	37.20	20.29	54.0	-16.80	AV	312.00	150	Vertical	Pass
6	15519.375	54.20	23.78	74.0	-19.80	Peak	199.00	150	Vertical	Pass
6**	15519.375	43.03	23.78	54.0	-10.97	AV	199.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.200	43.69	-15.29	74.0	-30.31	Peak	260.00	150	Horizontal	Pass
1**	1676.200	35.29	-15.29	54.0	-18.71	AV	260.00	150	Horizontal	Pass
2	2814.300	41.69	-8.34	74.0	-32.31	Peak	-2.00	150	Horizontal	Pass
2**	2814.300	31.43	-8.34	54.0	-22.57	AV	-2.00	150	Horizontal	Pass
3	4285.800	47.12	-3.83	74.0	-26.88	Peak	271.00	150	Horizontal	Pass
3**	4285.800	35.83	-3.83	54.0	-18.17	AV	271.00	150	Horizontal	Pass
4	5704.200	103.16	-0.65	--	-105.84	Peak	209.00	150	Horizontal	N/A
4**	5704.200	95.09	-0.65	--	95.09	AV	209.00	150	Horizontal	N/A
5	11815.625	49.12	18.43	74.0	-24.88	Peak	234.00	150	Horizontal	Pass
5**	11815.625	37.69	18.43	54.0	-16.31	AV	234.00	150	Horizontal	Pass
6	15948.300	54.24	23.94	74.0	-19.76	Peak	127.00	150	Horizontal	Pass
6**	15948.300	42.98	23.94	54.0	-11.02	AV	127.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.500	41.34	-15.05	74.0	-32.66	Peak	282.00	150	Vertical	Pass
1**	1479.500	33.61	-15.05	54.0	-20.39	AV	282.00	150	Vertical	Pass
2	2852.100	41.85	-8.17	74.0	-32.15	Peak	-2.00	150	Vertical	Pass
2**	2852.100	31.39	-8.17	54.0	-22.61	AV	-2.00	150	Vertical	Pass
3	3982.400	48.03	-4.25	74.0	-25.97	Peak	233.00	150	Vertical	Pass
3**	3982.400	34.12	-4.25	54.0	-19.88	AV	233.00	150	Vertical	Pass
4	5695.600	100.00	-0.62	--	3.00	Peak	97.00	150	Vertical	N/A
4**	5695.600	91.40	-0.62	--	91.40	AV	97.00	150	Vertical	N/A
5	12616.313	49.55	18.80	74.0	-24.45	Peak	89.00	150	Vertical	Pass
5**	12616.313	37.13	18.80	54.0	-16.87	AV	89.00	150	Vertical	Pass
6	16007.099	54.00	24.00	74.0	-20.00	Peak	89.00	150	Vertical	Pass
6**	16007.099	42.93	24.00	54.0	-11.07	AV	89.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.000	44.16	-15.28	74.0	-29.84	Peak	254.00	150	Horizontal	Pass
1**	1676.000	34.12	-15.28	54.0	-19.88	AV	254.00	150	Horizontal	Pass
2	2784.800	41.12	-8.70	74.0	-32.88	Peak	334.00	150	Horizontal	Pass
2**	2784.800	31.30	-8.70	54.0	-22.70	AV	334.00	150	Horizontal	Pass
3	4307.600	46.87	-3.48	74.0	-27.13	Peak	226.00	150	Horizontal	Pass
3**	4307.600	35.52	-3.48	54.0	-18.48	AV	226.00	150	Horizontal	Pass
4	5720.800	103.30	-0.57	--	-184.70	Peak	288.00	150	Horizontal	N/A
4**	5720.800	94.34	-0.57	--	94.34	AV	288.00	150	Horizontal	N/A
5	11762.437	50.11	18.83	74.0	-23.89	Peak	146.00	150	Horizontal	Pass
5**	11762.437	36.73	18.83	54.0	-17.27	AV	146.00	150	Horizontal	Pass
6	15572.400	54.56	23.58	74.0	-19.44	Peak	226.00	150	Horizontal	Pass
6**	15572.400	42.77	23.58	54.0	-11.23	AV	226.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.600	40.81	-14.66	74.0	-33.19	Peak	298.00	150	Vertical	Pass
1**	1456.600	29.98	-14.66	54.0	-24.02	AV	298.00	150	Vertical	Pass
2	2863.400	41.50	-8.04	74.0	-32.50	Peak	247.00	150	Vertical	Pass
2**	2863.400	32.22	-8.04	54.0	-21.78	AV	247.00	150	Vertical	Pass
3	4324.200	46.68	-3.18	74.0	-27.32	Peak	44.00	150	Vertical	Pass
3**	4324.200	35.93	-3.18	54.0	-18.07	AV	44.00	150	Vertical	Pass
4	5724.600	102.19	-0.48	--	10.19	Peak	92.00	150	Vertical	N/A
4**	5724.600	93.32	-0.48	--	93.32	AV	92.00	150	Vertical	N/A
5	12163.787	49.25	20.08	74.0	-24.75	Peak	76.00	150	Vertical	Pass
5**	12163.787	37.80	20.08	54.0	-16.20	AV	76.00	150	Vertical	Pass
6	15455.849	54.25	23.47	74.0	-19.75	Peak	48.00	150	Vertical	Pass
6**	15455.849	42.44	23.47	54.0	-11.56	AV	48.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.200	44.65	-15.21	74.0	-29.35	Peak	142.00	150	Horizontal	Pass
1**	1667.200	35.45	-15.21	54.0	-18.55	AV	142.00	150	Horizontal	Pass
2	2829.800	42.39	-8.27	74.0	-31.61	Peak	201.00	150	Horizontal	Pass
2**	2829.800	31.99	-8.27	54.0	-22.01	AV	201.00	150	Horizontal	Pass
3	4303.400	46.56	-3.63	74.0	-27.44	Peak	10.00	150	Horizontal	Pass
3**	4303.400	34.22	-3.63	54.0	-19.78	AV	10.00	150	Horizontal	Pass
4	5508.400	101.78	0.18	--	-162.22	Peak	264.00	150	Horizontal	N/A
4**	5508.400	92.31	0.18	--	92.31	AV	264.00	150	Horizontal	N/A
5	12394.362	49.15	19.25	74.0	-24.85	Peak	120.00	150	Horizontal	Pass
5**	12394.362	37.32	19.25	54.0	-16.68	AV	120.00	150	Horizontal	Pass
6	15916.800	54.55	23.58	74.0	-19.45	Peak	15.00	150	Horizontal	Pass
6**	15916.800	43.09	23.58	54.0	-10.91	AV	15.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.700	41.77	-15.01	74.0	-32.23	Peak	297.00	150	Vertical	Pass
1**	1475.700	32.14	-15.01	54.0	-21.86	AV	297.00	150	Vertical	Pass
2	2879.700	42.02	-8.27	74.0	-31.98	Peak	-2.00	150	Vertical	Pass
2**	2879.700	32.10	-8.27	54.0	-21.90	AV	-2.00	150	Vertical	Pass
3	4177.600	47.20	-3.97	74.0	-26.80	Peak	10.00	150	Vertical	Pass
3**	4177.600	35.03	-3.97	54.0	-18.97	AV	10.00	150	Vertical	Pass
4	5521.000	96.82	0.06	--	-17.18	Peak	114.00	150	Vertical	N/A
4**	5521.000	88.43	0.06	--	88.43	AV	114.00	150	Vertical	N/A
5	12345.775	48.80	19.74	74.0	-25.20	Peak	0.00	150	Vertical	Pass
5**	12345.775	38.02	19.74	54.0	-15.98	AV	0.00	150	Vertical	Pass
6	15643.800	54.15	23.55	74.0	-19.85	Peak	37.00	150	Vertical	Pass
6**	15643.800	42.79	23.55	54.0	-11.21	AV	37.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	44.33	-15.22	74.0	-29.67	Peak	240.00	150	Horizontal	Pass
1**	1668.900	33.67	-15.22	54.0	-20.33	AV	240.00	150	Horizontal	Pass
2	2781.300	41.35	-8.67	74.0	-32.65	Peak	240.00	150	Horizontal	Pass
2**	2781.300	31.71	-8.67	54.0	-22.29	AV	240.00	150	Horizontal	Pass
3	4030.800	46.56	-3.93	74.0	-27.44	Peak	182.00	150	Horizontal	Pass
3**	4030.800	33.82	-3.93	54.0	-20.18	AV	182.00	150	Horizontal	Pass
4	5592.200	103.05	0.49	--	-151.95	Peak	255.00	150	Horizontal	N/A
4**	5592.200	92.15	0.49	--	92.15	AV	255.00	150	Horizontal	N/A
5	12665.187	50.19	19.06	74.0	-23.81	Peak	39.00	150	Horizontal	Pass
5**	12665.187	37.20	19.06	54.0	-16.80	AV	39.00	150	Horizontal	Pass
6	15645.375	54.24	23.54	74.0	-19.76	Peak	199.00	150	Horizontal	Pass
6**	15645.375	42.59	23.54	54.0	-11.41	AV	199.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.500	41.77	-14.77	74.0	-32.23	Peak	287.00	150	Vertical	Pass
1**	1463.500	32.97	-14.77	54.0	-21.03	AV	287.00	150	Vertical	Pass
2	2878.100	42.40	-8.31	74.0	-31.60	Peak	27.00	150	Vertical	Pass
2**	2878.100	32.59	-8.31	54.0	-21.41	AV	27.00	150	Vertical	Pass
3	3986.000	46.54	-4.33	74.0	-27.46	Peak	268.00	150	Vertical	Pass
3**	3986.000	35.61	-4.33	54.0	-18.39	AV	268.00	150	Vertical	Pass
4	5585.600	97.50	0.68	--	-3.50	Peak	101.00	150	Vertical	N/A
4**	5585.600	88.56	0.68	--	88.56	AV	101.00	150	Vertical	N/A
5	11007.462	49.41	18.99	74.0	-24.59	Peak	253.00	150	Vertical	Pass
5**	11007.462	37.92	18.99	54.0	-16.08	AV	253.00	150	Vertical	Pass
6	15484.987	54.26	23.73	74.0	-19.74	Peak	187.00	150	Vertical	Pass
6**	15484.987	43.23	23.73	54.0	-10.77	AV	187.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.500	44.79	-15.26	74.0	-29.21	Peak	249.00	150	Horizontal	Pass
1**	1675.500	34.46	-15.26	54.0	-19.54	AV	249.00	150	Horizontal	Pass
2	2874.900	41.80	-8.33	74.0	-32.20	Peak	249.00	150	Horizontal	Pass
2**	2874.900	31.48	-8.33	54.0	-22.52	AV	249.00	150	Horizontal	Pass
3	4361.400	47.24	-3.35	74.0	-26.76	Peak	66.00	150	Horizontal	Pass
3**	4361.400	35.46	-3.35	54.0	-18.54	AV	66.00	150	Horizontal	Pass
4	5668.600	99.48	0.04	--	-144.52	Peak	244.00	150	Horizontal	N/A
4**	5668.600	91.40	0.04	--	91.40	AV	244.00	150	Horizontal	N/A
5	12354.400	50.24	19.68	74.0	-23.76	Peak	79.00	150	Horizontal	Pass
5**	12354.400	38.94	19.68	54.0	-15.06	AV	79.00	150	Horizontal	Pass
6	15888.451	54.07	23.32	74.0	-19.93	Peak	239.00	150	Horizontal	Pass
6**	15888.451	42.47	23.32	54.0	-11.53	AV	239.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.000	42.24	-14.88	74.0	-31.76	Peak	283.00	150	Vertical	Pass
1**	1471.000	33.75	-14.88	54.0	-20.25	AV	283.00	150	Vertical	Pass
2	2836.600	41.56	-8.47	74.0	-32.44	Peak	205.00	150	Vertical	Pass
2**	2836.600	32.48	-8.47	54.0	-21.52	AV	205.00	150	Vertical	Pass
3	4341.000	47.08	-3.02	74.0	-26.92	Peak	227.00	150	Vertical	Pass
3**	4341.000	34.59	-3.02	54.0	-19.41	AV	227.00	150	Vertical	Pass
4	5662.800	97.76	-0.03	--	0.76	Peak	97.00	150	Vertical	N/A
4**	5662.800	89.67	-0.03	--	89.67	AV	97.00	150	Vertical	N/A
5	11747.488	49.43	18.98	74.0	-24.57	Peak	288.00	150	Vertical	Pass
5**	11747.488	36.40	18.98	54.0	-17.60	AV	288.00	150	Vertical	Pass
6	15888.187	54.72	23.32	74.0	-19.28	Peak	58.00	150	Vertical	Pass
6**	15888.187	41.67	23.32	54.0	-12.33	AV	58.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	45.88	-15.22	74.0	-28.12	Peak	250.00	150	Horizontal	Pass
1**	1667.900	34.88	-15.22	54.0	-19.12	AV	250.00	150	Horizontal	Pass
2	2881.300	41.70	-8.29	74.0	-32.30	Peak	64.00	150	Horizontal	Pass
2**	2881.300	32.82	-8.29	54.0	-21.18	AV	64.00	150	Horizontal	Pass
3	4220.600	46.77	-3.66	74.0	-27.23	Peak	24.00	150	Horizontal	Pass
3**	4220.600	35.35	-3.66	54.0	-18.65	AV	24.00	150	Horizontal	Pass
4	5714.000	101.17	-0.56	--	-182.83	Peak	284.00	150	Horizontal	N/A
4**	5714.000	92.22	-0.56	--	92.22	AV	284.00	150	Horizontal	N/A
5	11640.537	49.67	20.37	74.0	-24.33	Peak	281.00	150	Horizontal	Pass
5**	11640.537	37.71	20.37	54.0	-16.29	AV	281.00	150	Horizontal	Pass
6	15991.349	54.05	24.01	74.0	-19.95	Peak	336.00	150	Horizontal	Pass
6**	15991.349	42.64	24.01	54.0	-11.36	AV	336.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.500	41.68	-15.05	74.0	-32.32	Peak	271.00	150	Vertical	Pass
1**	1479.500	31.54	-15.05	54.0	-22.46	AV	271.00	150	Vertical	Pass
2	2846.500	42.22	-8.35	74.0	-31.78	Peak	159.00	150	Vertical	Pass
2**	2846.500	32.02	-8.35	54.0	-21.98	AV	159.00	150	Vertical	Pass
3	4244.400	46.67	-3.27	74.0	-27.33	Peak	190.00	150	Vertical	Pass
3**	4244.400	35.24	-3.27	54.0	-18.76	AV	190.00	150	Vertical	Pass
4	5717.000	97.99	-0.55	--	-22.01	Peak	120.00	150	Vertical	N/A
4**	5717.000	90.28	-0.55	--	90.28	AV	120.00	150	Vertical	N/A
5	12344.337	49.72	19.75	74.0	-24.28	Peak	80.00	150	Vertical	Pass
5**	12344.337	37.81	19.75	54.0	-16.19	AV	80.00	150	Vertical	Pass
6	15636.975	54.65	23.55	74.0	-19.35	Peak	362.00	150	Vertical	Pass
6**	15636.975	42.30	23.55	54.0	-11.70	AV	362.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.100	44.31	-15.22	74.0	-29.69	Peak	246.00	150	Horizontal	Pass
1**	1665.100	31.21	-15.22	54.0	-22.79	AV	246.00	150	Horizontal	Pass
2	2861.600	42.43	-8.00	74.0	-31.57	Peak	246.00	150	Horizontal	Pass
2**	2861.600	32.38	-8.00	54.0	-21.62	AV	246.00	150	Horizontal	Pass
3	4251.600	46.54	-3.19	74.0	-27.46	Peak	-1.00	150	Horizontal	Pass
3**	4251.600	36.26	-3.19	54.0	-17.74	AV	-1.00	150	Horizontal	Pass
4	5533.000	98.43	0.29	--	-165.57	Peak	264.00	150	Horizontal	N/A
4**	5533.000	90.00	0.29	--	90.00	AV	264.00	150	Horizontal	N/A
5	12465.087	49.31	18.61	74.0	-24.69	Peak	257.00	150	Horizontal	Pass
5**	12465.087	37.23	18.61	54.0	-16.77	AV	257.00	150	Horizontal	Pass
6	15540.638	54.41	23.70	74.0	-19.59	Peak	113.00	150	Horizontal	Pass
6**	15540.638	44.41	23.70	54.0	-9.59	AV	113.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.600	42.23	-14.72	74.0	-31.77	Peak	266.00	150	Vertical	Pass
1**	1460.600	31.74	-14.72	54.0	-22.26	AV	266.00	150	Vertical	Pass
2	2868.600	41.53	-8.18	74.0	-32.47	Peak	174.00	150	Vertical	Pass
2**	2868.600	32.66	-8.18	54.0	-21.34	AV	174.00	150	Vertical	Pass
3	4299.400	48.45	-3.60	74.0	-25.55	Peak	264.00	150	Vertical	Pass
3**	4299.400	35.69	-3.60	54.0	-18.31	AV	264.00	150	Vertical	Pass
4	5525.600	94.96	0.08	--	-4.04	Peak	99.00	150	Vertical	N/A
4**	5525.600	84.89	0.08	--	84.89	AV	99.00	150	Vertical	N/A
5	12349.513	49.32	19.71	74.0	-24.68	Peak	110.00	150	Vertical	Pass
5**	12349.513	38.40	19.71	54.0	-15.60	AV	110.00	150	Vertical	Pass
6	15943.838	54.45	23.92	74.0	-19.55	Peak	54.00	150	Vertical	Pass
6**	15943.838	43.12	23.92	54.0	-10.88	AV	54.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.300	44.37	-15.38	74.0	-29.63	Peak	239.00	150	Horizontal	Pass
1**	1673.300	35.65	-15.38	54.0	-18.35	AV	239.00	150	Horizontal	Pass
2	2821.800	41.65	-8.39	74.0	-32.35	Peak	239.00	150	Horizontal	Pass
2**	2821.800	33.32	-8.39	54.0	-20.68	AV	239.00	150	Horizontal	Pass
3	4241.000	47.30	-3.37	74.0	-26.70	Peak	95.00	150	Horizontal	Pass
3**	4241.000	36.54	-3.37	54.0	-17.46	AV	95.00	150	Horizontal	Pass
4	5596.600	99.08	0.35	--	-156.92	Peak	256.00	150	Horizontal	N/A
4**	5596.600	89.53	0.35	--	89.53	AV	256.00	150	Horizontal	N/A
5	12484.638	49.57	18.58	74.0	-24.43	Peak	300.00	150	Horizontal	Pass
5**	12484.638	37.76	18.58	54.0	-16.24	AV	300.00	150	Horizontal	Pass
6	15649.575	53.97	23.52	74.0	-20.03	Peak	335.00	150	Horizontal	Pass
6**	15649.575	43.26	23.52	54.0	-10.74	AV	335.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.200	42.62	-14.90	74.0	-31.38	Peak	282.00	150	Vertical	Pass
1**	1473.200	31.06	-14.90	54.0	-22.94	AV	282.00	150	Vertical	Pass
2	2848.200	41.65	-8.25	74.0	-32.35	Peak	148.00	150	Vertical	Pass
2**	2848.200	31.64	-8.25	54.0	-22.36	AV	148.00	150	Vertical	Pass
3	4149.200	46.65	-3.51	74.0	-27.35	Peak	-1.00	150	Vertical	Pass
3**	4149.200	34.69	-3.51	54.0	-19.31	AV	-1.00	150	Vertical	Pass
4	5619.000	96.03	-0.11	--	-19.97	Peak	116.00	150	Vertical	N/A
4**	5619.000	85.66	-0.11	--	85.66	AV	116.00	150	Vertical	N/A
5	12203.463	48.93	20.44	74.0	-25.07	Peak	360.00	150	Vertical	Pass
5**	12203.463	36.64	20.44	54.0	-17.36	AV	360.00	150	Vertical	Pass
6	15976.912	54.24	24.00	74.0	-19.76	Peak	335.00	150	Vertical	Pass
6**	15976.912	42.46	24.00	54.0	-11.54	AV	335.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	43.79	-15.24	74.0	-30.21	Peak	245.00	150	Horizontal	Pass
1**	1670.400	34.18	-15.24	54.0	-19.82	AV	245.00	150	Horizontal	Pass
2	2790.600	42.04	-8.87	74.0	-31.96	Peak	-2.00	150	Horizontal	Pass
2**	2790.600	31.72	-8.87	54.0	-22.28	AV	-2.00	150	Horizontal	Pass
3	4256.200	46.75	-3.12	74.0	-27.25	Peak	200.00	150	Horizontal	Pass
3**	4256.200	35.08	-3.12	54.0	-18.92	AV	200.00	150	Horizontal	Pass
4	5676.400	97.56	-0.17	--	-143.44	Peak	241.00	150	Horizontal	N/A
4**	5676.400	88.72	-0.17	--	88.72	AV	241.00	150	Horizontal	N/A
5	12287.412	50.50	20.14	74.0	-23.50	Peak	147.00	150	Horizontal	Pass
5**	12287.412	38.49	20.14	54.0	-15.51	AV	147.00	150	Horizontal	Pass
6	15731.213	53.81	23.47	74.0	-20.19	Peak	83.00	150	Horizontal	Pass
6**	15731.213	42.37	23.47	54.0	-11.63	AV	83.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.200	41.63	-14.70	74.0	-32.37	Peak	226.00	150	Vertical	Pass
1**	1460.200	31.41	-14.70	54.0	-22.59	AV	226.00	150	Vertical	Pass
2	2885.600	42.00	-8.22	74.0	-32.00	Peak	-2.00	150	Vertical	Pass
2**	2885.600	32.86	-8.22	54.0	-21.14	AV	-2.00	150	Vertical	Pass
3	3985.400	47.15	-4.32	74.0	-26.85	Peak	195.00	150	Vertical	Pass
3**	3985.400	35.86	-4.32	54.0	-18.14	AV	195.00	150	Vertical	Pass
4	5680.000	95.76	-0.27	--	1.76	Peak	94.00	150	Vertical	N/A
4**	5680.000	86.28	-0.27	--	86.28	AV	94.00	150	Vertical	N/A
5	12338.300	48.99	19.79	74.0	-25.01	Peak	301.00	150	Vertical	Pass
5**	12338.300	38.26	19.79	54.0	-15.74	AV	301.00	150	Vertical	Pass
6	15403.088	54.11	22.85	74.0	-19.89	Peak	362.00	150	Vertical	Pass
6**	15403.088	41.52	22.85	54.0	-12.48	AV	362.00	150	Vertical	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.500	44.64	-15.31	74.0	-29.36	Peak	236.00	150	Horizontal	Pass
1**	1676.500	34.57	-15.31	54.0	-19.43	AV	236.00	150	Horizontal	Pass
2	2742.900	41.50	-8.85	74.0	-32.50	Peak	360.00	150	Horizontal	Pass
2**	2742.900	31.02	-8.85	54.0	-22.98	AV	360.00	150	Horizontal	Pass
3	4265.000	46.53	-3.20	74.0	-27.47	Peak	-1.00	150	Horizontal	Pass
3**	4265.000	34.96	-3.20	54.0	-19.04	AV	-1.00	150	Horizontal	Pass
4	5599.600	96.18	0.29	--	-169.82	Peak	266.00	150	Horizontal	N/A
4**	5599.600	86.48	0.29	--	86.48	AV	266.00	150	Horizontal	N/A
5	12428.000	49.42	18.87	74.0	-24.58	Peak	303.00	150	Horizontal	Pass
5**	12428.000	37.27	18.87	54.0	-16.73	AV	303.00	150	Horizontal	Pass
6	15680.812	54.62	23.59	74.0	-19.38	Peak	294.00	150	Horizontal	Pass
6**	15680.812	42.30	23.59	54.0	-11.70	AV	294.00	150	Horizontal	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.700	41.95	-14.82	74.0	-32.05	Peak	281.00	150	Vertical	Pass
1**	1467.700	33.79	-14.82	54.0	-20.21	AV	281.00	150	Vertical	Pass
2	2895.200	42.56	-8.10	74.0	-31.44	Peak	361.00	150	Vertical	Pass
2**	2895.200	33.37	-8.10	54.0	-20.63	AV	361.00	150	Vertical	Pass
3	3691.800	46.70	-5.37	74.0	-27.30	Peak	198.00	150	Vertical	Pass
3**	3691.800	34.03	-5.37	54.0	-19.97	AV	198.00	150	Vertical	Pass
4	5594.600	92.49	0.38	--	-25.51	Peak	118.00	150	Vertical	N/A
4**	5594.600	83.41	0.38	--	83.41	AV	118.00	150	Vertical	N/A
5	12367.625	49.27	19.54	74.0	-24.73	Peak	0.00	150	Vertical	Pass
5**	12367.625	38.26	19.54	54.0	-15.74	AV	0.00	150	Vertical	Pass
6	15946.724	54.38	23.93	74.0	-19.62	Peak	351.00	150	Vertical	Pass
6**	15946.724	43.99	23.93	54.0	-10.01	AV	351.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.000	44.77	-14.88	74.0	-29.23	Peak	207.00	150	Horizontal	Pass
1**	1162.000	36.00	-14.88	54.0	-18.00	AV	207.00	150	Horizontal	Pass
2	1670.800	42.68	-15.27	74.0	-31.32	Peak	258.00	150	Horizontal	Pass
2**	1670.800	33.37	-15.27	54.0	-20.63	AV	258.00	150	Horizontal	Pass
3	4825.200	49.09	-1.37	74.0	-24.91	Peak	73.00	150	Horizontal	Pass
3**	4825.200	36.85	-1.37	54.0	-17.15	AV	73.00	150	Horizontal	Pass
4	5742.000	100.68	0.04	--	-189.32	Peak	290.00	150	Horizontal	N/A
4**	5742.000	94.56	0.04	--	94.56	AV	290.00	150	Horizontal	N/A
5	11792.050	49.15	18.61	74.0	-24.85	Peak	64.00	150	Horizontal	Pass
5**	11792.050	37.02	18.61	54.0	-16.98	AV	64.00	150	Horizontal	Pass
6	15489.450	55.57	23.80	74.0	-18.43	Peak	332.00	150	Horizontal	Pass
6**	15489.450	42.99	23.80	54.0	-11.01	AV	332.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.800	40.23	-14.95	74.0	-33.77	Peak	216.00	150	Vertical	Pass
1**	1158.800	31.30	-14.95	54.0	-22.70	AV	216.00	150	Vertical	Pass
2	2825.900	41.56	-8.37	74.0	-32.44	Peak	344.00	150	Vertical	Pass
2**	2825.900	32.14	-8.37	54.0	-21.86	AV	344.00	150	Vertical	Pass
3	4798.600	49.07	-1.59	74.0	-24.93	Peak	283.00	150	Vertical	Pass
3**	4798.600	38.10	-1.59	54.0	-15.90	AV	283.00	150	Vertical	Pass
4	5747.600	100.12	0.31	--	-74.88	Peak	175.00	150	Vertical	N/A
4**	5747.600	94.06	0.31	--	94.06	AV	175.00	150	Vertical	N/A
5	11028.450	48.57	18.89	74.0	-25.43	Peak	120.00	150	Vertical	Pass
5**	11028.450	36.47	18.89	54.0	-17.53	AV	120.00	150	Vertical	Pass
6	15979.275	54.67	24.00	74.0	-19.33	Peak	185.00	150	Vertical	Pass
6**	15979.275	42.54	24.00	54.0	-11.46	AV	185.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1401.100	37.35	-14.91	74.0	-36.65	Peak	201.00	150	Horizontal	Pass
1**	1401.100	27.57	-14.91	54.0	-26.43	AV	201.00	150	Horizontal	Pass
2	1681.900	43.39	-15.24	74.0	-30.61	Peak	147.00	150	Horizontal	Pass
2**	1681.900	33.07	-15.24	54.0	-20.93	AV	147.00	150	Horizontal	Pass
3	4051.000	46.25	-3.78	74.0	-27.75	Peak	86.00	150	Horizontal	Pass
3**	4051.000	35.46	-3.78	54.0	-18.54	AV	86.00	150	Horizontal	Pass
4	5783.400	102.48	0.88	--	-167.52	Peak	270.00	150	Horizontal	N/A
4**	5783.400	95.14	0.88	--	95.14	AV	270.00	150	Horizontal	N/A
5	12090.474	49.74	19.32	74.0	-24.26	Peak	125.00	150	Horizontal	Pass
5**	12090.474	37.23	19.32	54.0	-16.77	AV	125.00	150	Horizontal	Pass
6	15532.237	55.05	23.73	74.0	-18.95	Peak	193.00	150	Horizontal	Pass
6**	15532.237	43.29	23.73	54.0	-10.71	AV	193.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.800	39.97	-14.72	74.0	-34.03	Peak	297.00	150	Vertical	Pass
1**	1460.800	29.81	-14.72	54.0	-24.19	AV	297.00	150	Vertical	Pass
2	2267.100	41.57	-10.45	74.0	-32.43	Peak	10.00	150	Vertical	Pass
2**	2267.100	31.42	-10.45	54.0	-22.58	AV	10.00	150	Vertical	Pass
3	4787.800	48.83	-1.97	74.0	-25.17	Peak	149.00	150	Vertical	Pass
3**	4787.800	37.88	-1.97	54.0	-16.12	AV	149.00	150	Vertical	Pass
4	5787.000	100.18	0.83	--	14.18	Peak	86.00	150	Vertical	N/A
4**	5787.000	93.67	0.83	--	93.67	AV	86.00	150	Vertical	N/A
5	11640.537	49.08	20.37	74.0	-24.92	Peak	37.00	150	Vertical	Pass
5**	11640.537	37.94	20.37	54.0	-16.06	AV	37.00	150	Vertical	Pass
6	15539.849	55.06	23.70	74.0	-18.94	Peak	354.00	150	Vertical	Pass
6**	15539.849	43.62	23.70	54.0	-10.38	AV	354.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.800	44.25	-15.37	74.0	-29.75	Peak	254.00	150	Horizontal	Pass
1**	1671.800	37.44	-15.37	54.0	-16.56	AV	254.00	150	Horizontal	Pass
2	2839.300	41.56	-8.48	74.0	-32.44	Peak	343.00	150	Horizontal	Pass
2**	2839.300	33.69	-8.48	54.0	-20.31	AV	343.00	150	Horizontal	Pass
3	4978.600	49.46	-1.32	74.0	-24.54	Peak	350.00	150	Horizontal	Pass
3**	4978.600	38.27	-1.32	54.0	-15.73	AV	350.00	150	Horizontal	Pass
4	5821.600	101.77	0.90	--	-162.23	Peak	264.00	150	Horizontal	N/A
4**	5821.600	95.57	0.90	--	95.57	AV	264.00	150	Horizontal	N/A
5	11591.950	49.89	20.03	74.0	-24.11	Peak	87.00	150	Horizontal	Pass
5**	11591.950	37.74	20.03	54.0	-16.26	AV	87.00	150	Horizontal	Pass
6	15993.713	55.26	24.01	74.0	-18.74	Peak	83.00	150	Horizontal	Pass
6**	15993.713	44.03	24.01	54.0	-9.97	AV	83.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.000	40.29	-14.94	74.0	-33.71	Peak	268.00	150	Vertical	Pass
1**	1477.000	30.76	-14.94	54.0	-23.24	AV	268.00	150	Vertical	Pass
2	2866.300	43.06	-8.06	74.0	-30.94	Peak	175.00	150	Vertical	Pass
2**	2866.300	32.19	-8.06	54.0	-21.81	AV	175.00	150	Vertical	Pass
3	4003.600	47.05	-4.72	74.0	-26.95	Peak	35.00	150	Vertical	Pass
3**	4003.600	34.14	-4.72	54.0	-19.86	AV	35.00	150	Vertical	Pass
4	5820.600	100.02	0.92	--	8.02	Peak	92.00	150	Vertical	N/A
4**	5820.600	93.11	0.92	--	93.11	AV	92.00	150	Vertical	N/A
5	11556.875	48.94	19.75	74.0	-25.06	Peak	229.00	150	Vertical	Pass
5**	11556.875	38.89	19.75	54.0	-15.11	AV	229.00	150	Vertical	Pass
6	16101.075	55.00	24.23	74.0	-19.00	Peak	65.00	150	Vertical	Pass
6**	16101.075	43.18	24.23	54.0	-10.82	AV	65.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.000	44.45	-15.21	74.0	-29.55	Peak	251.00	150	Horizontal	Pass
1**	1666.000	31.63	-15.21	54.0	-22.37	AV	251.00	150	Horizontal	Pass
2	2755.400	40.68	-9.07	74.0	-33.32	Peak	338.00	150	Horizontal	Pass
2**	2755.400	31.97	-9.07	54.0	-22.03	AV	338.00	150	Horizontal	Pass
3	4919.400	50.25	-1.00	74.0	-23.75	Peak	256.00	150	Horizontal	Pass
3**	4919.400	37.92	-1.00	54.0	-16.08	AV	256.00	150	Horizontal	Pass
4	5740.400	101.26	-0.03	--	-183.74	Peak	285.00	150	Horizontal	N/A
4**	5740.400	94.50	-0.03	--	94.50	AV	285.00	150	Horizontal	N/A
5	11623.576	50.44	20.26	74.0	-23.56	Peak	0.00	150	Horizontal	Pass
5**	11623.576	38.12	20.26	54.0	-15.88	AV	0.00	150	Horizontal	Pass
6	15662.175	55.34	23.47	74.0	-18.66	Peak	276.00	150	Horizontal	Pass
6**	15662.175	43.05	23.47	54.0	-10.95	AV	276.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.500	39.87	-14.81	74.0	-34.13	Peak	292.00	150	Vertical	Pass
1**	1468.500	31.53	-14.81	54.0	-22.47	AV	292.00	150	Vertical	Pass
2	2778.500	41.97	-8.52	74.0	-32.03	Peak	13.00	150	Vertical	Pass
2**	2778.500	32.40	-8.52	54.0	-21.60	AV	13.00	150	Vertical	Pass
3	4759.000	48.95	-2.18	74.0	-25.05	Peak	101.00	150	Vertical	Pass
3**	4759.000	37.24	-2.18	54.0	-16.76	AV	101.00	150	Vertical	Pass
4	5747.400	99.98	0.33	--	-68.02	Peak	168.00	150	Vertical	N/A
4**	5747.400	93.89	0.33	--	93.89	AV	168.00	150	Vertical	N/A
5	11762.725	49.51	18.83	74.0	-24.49	Peak	273.00	150	Vertical	Pass
5**	11762.725	38.41	18.83	54.0	-15.59	AV	273.00	150	Vertical	Pass
6	15646.687	55.21	23.54	74.0	-18.79	Peak	92.00	150	Vertical	Pass
6**	15646.687	43.60	23.54	54.0	-10.40	AV	92.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	44.09	-15.23	74.0	-29.91	Peak	252.00	150	Horizontal	Pass
1**	1669.900	35.91	-15.23	54.0	-18.09	AV	252.00	150	Horizontal	Pass
2	2848.600	42.57	-8.24	74.0	-31.43	Peak	221.00	150	Horizontal	Pass
2**	2848.600	31.88	-8.24	54.0	-22.12	AV	221.00	150	Horizontal	Pass
3	4721.200	49.58	-2.29	74.0	-24.42	Peak	360.00	150	Horizontal	Pass
3**	4721.200	37.60	-2.29	54.0	-16.40	AV	360.00	150	Horizontal	Pass
4	5788.000	101.41	0.95	--	-109.59	Peak	211.00	150	Horizontal	N/A
4**	5788.000	95.61	0.95	--	95.61	AV	211.00	150	Horizontal	N/A
5	11543.937	50.19	19.65	74.0	-23.81	Peak	199.00	150	Horizontal	Pass
5**	11543.937	37.27	19.65	54.0	-16.73	AV	199.00	150	Horizontal	Pass
6	15511.238	54.65	23.86	74.0	-19.35	Peak	0.00	150	Horizontal	Pass
6**	15511.238	43.33	23.86	54.0	-10.67	AV	0.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.300	39.77	-14.69	74.0	-34.23	Peak	271.00	150	Vertical	Pass
1**	1458.300	29.47	-14.69	54.0	-24.53	AV	271.00	150	Vertical	Pass
2	2835.800	42.06	-8.47	74.0	-31.94	Peak	318.00	150	Vertical	Pass
2**	2835.800	31.89	-8.47	54.0	-22.11	AV	318.00	150	Vertical	Pass
3	4647.200	48.92	-1.69	74.0	-25.08	Peak	34.00	150	Vertical	Pass
3**	4647.200	36.15	-1.69	54.0	-17.85	AV	34.00	150	Vertical	Pass
4	5782.200	100.67	1.04	--	15.67	Peak	85.00	150	Vertical	N/A
4**	5782.200	93.48	1.04	--	93.48	AV	85.00	150	Vertical	N/A
5	12170.974	50.40	20.16	74.0	-23.60	Peak	253.00	150	Vertical	Pass
5**	12170.974	38.50	20.16	54.0	-15.50	AV	253.00	150	Vertical	Pass
6	15619.912	55.07	23.45	74.0	-18.93	Peak	363.00	150	Vertical	Pass
6**	15619.912	43.63	23.45	54.0	-10.37	AV	363.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.900	43.95	-15.22	74.0	-30.05	Peak	149.00	150	Horizontal	Pass
1**	1667.900	36.71	-15.22	54.0	-17.29	AV	149.00	150	Horizontal	Pass
2	2741.900	42.04	-8.89	74.0	-31.96	Peak	302.00	150	Horizontal	Pass
2**	2741.900	31.55	-8.89	54.0	-22.45	AV	302.00	150	Horizontal	Pass
3	5034.800	50.20	-0.83	74.0	-23.80	Peak	137.00	150	Horizontal	Pass
3**	5034.800	37.77	-0.83	54.0	-16.23	AV	137.00	150	Horizontal	Pass
4	5827.600	102.73	0.86	--	-161.27	Peak	264.00	150	Horizontal	N/A
4**	5827.600	95.08	0.86	--	95.08	AV	264.00	150	Horizontal	N/A
5	11700.912	50.60	19.81	74.0	-23.40	Peak	192.00	150	Horizontal	Pass
5**	11700.912	37.39	19.81	54.0	-16.61	AV	192.00	150	Horizontal	Pass
6	15789.750	54.76	23.16	74.0	-19.24	Peak	228.00	150	Horizontal	Pass
6**	15789.750	42.41	23.16	54.0	-11.59	AV	228.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.600	41.35	-15.17	74.0	-32.65	Peak	250.00	150	Vertical	Pass
1**	1483.600	33.06	-15.17	54.0	-20.94	AV	250.00	150	Vertical	Pass
2	2787.000	41.61	-8.81	74.0	-32.39	Peak	77.00	150	Vertical	Pass
2**	2787.000	32.03	-8.81	54.0	-21.97	AV	77.00	150	Vertical	Pass
3	4908.800	49.18	-0.86	74.0	-24.82	Peak	0.00	150	Vertical	Pass
3**	4908.800	37.31	-0.86	54.0	-16.69	AV	0.00	150	Vertical	Pass
4	5822.200	100.69	0.89	--	13.69	Peak	87.00	150	Vertical	N/A
4**	5822.200	93.82	0.89	--	93.82	AV	87.00	150	Vertical	N/A
5	11629.901	51.19	20.30	74.0	-22.81	Peak	61.00	150	Vertical	Pass
5**	11629.901	39.69	20.30	54.0	-14.31	AV	61.00	150	Vertical	Pass
6	15497.326	54.82	23.93	74.0	-19.18	Peak	112.00	150	Vertical	Pass
6**	15497.326	43.38	23.93	54.0	-10.62	AV	112.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.500	44.11	-15.22	74.0	-29.89	Peak	151.00	150	Horizontal	Pass
1**	1668.500	36.31	-15.22	54.0	-17.69	AV	151.00	150	Horizontal	Pass
2	2858.300	42.99	-8.06	74.0	-31.01	Peak	212.00	150	Horizontal	Pass
2**	2858.300	32.29	-8.06	54.0	-21.71	AV	212.00	150	Horizontal	Pass
3	4195.800	47.75	-4.07	74.0	-26.25	Peak	32.00	150	Horizontal	Pass
3**	4195.800	35.37	-4.07	54.0	-18.63	AV	32.00	150	Horizontal	Pass
4	5765.000	97.81	0.94	--	-181.19	Peak	279.00	150	Horizontal	N/A
4**	5765.000	92.15	0.94	--	92.15	AV	279.00	150	Horizontal	N/A
5	12200.588	50.86	20.43	74.0	-23.14	Peak	337.00	150	Horizontal	Pass
5**	12200.588	38.06	20.43	54.0	-15.94	AV	337.00	150	Horizontal	Pass
6	15525.151	54.97	23.76	74.0	-19.03	Peak	152.00	150	Horizontal	Pass
6**	15525.151	43.18	23.76	54.0	-10.82	AV	152.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	40.27	-14.89	74.0	-33.73	Peak	262.00	150	Vertical	Pass
1**	1439.700	29.73	-14.89	54.0	-24.27	AV	262.00	150	Vertical	Pass
2	4003.200	46.47	-4.69	74.0	-27.53	Peak	184.00	150	Vertical	Pass
2**	4003.200	35.62	-4.69	54.0	-18.38	AV	184.00	150	Vertical	Pass
3	5004.200	50.83	-0.66	74.0	-23.17	Peak	0.00	150	Vertical	Pass
3**	5004.200	38.19	-0.66	54.0	-15.81	AV	0.00	150	Vertical	Pass
4	5758.800	97.14	0.63	--	11.14	Peak	86.00	150	Vertical	N/A
4**	5758.800	88.91	0.63	--	88.91	AV	86.00	150	Vertical	N/A
5	11640.250	49.43	20.36	74.0	-24.57	Peak	127.00	150	Vertical	Pass
5**	11640.250	38.41	20.36	54.0	-15.59	AV	127.00	150	Vertical	Pass
6	15559.276	54.85	23.58	74.0	-19.15	Peak	363.00	150	Vertical	Pass
6**	15559.276	43.22	23.58	54.0	-10.78	AV	363.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.700	43.76	-15.26	74.0	-30.24	Peak	256.00	150	Horizontal	Pass
1**	1670.700	33.21	-15.26	54.0	-20.79	AV	256.00	150	Horizontal	Pass
2	4197.600	47.05	-3.99	74.0	-26.95	Peak	25.00	150	Horizontal	Pass
2**	4197.600	35.70	-3.99	54.0	-18.30	AV	25.00	150	Horizontal	Pass
3	4903.200	50.52	-0.84	74.0	-23.48	Peak	216.00	150	Horizontal	Pass
3**	4903.200	38.27	-0.84	54.0	-15.73	AV	216.00	150	Horizontal	Pass
4	5803.800	99.01	0.83	--	-166.99	Peak	266.00	150	Horizontal	N/A
4**	5803.800	91.20	0.83	--	91.20	AV	266.00	150	Horizontal	N/A
5	11643.700	49.59	20.37	74.0	-24.41	Peak	343.00	150	Horizontal	Pass
5**	11643.700	38.53	20.37	54.0	-15.47	AV	343.00	150	Horizontal	Pass
6	15493.913	55.33	23.87	74.0	-18.67	Peak	43.00	150	Horizontal	Pass
6**	15493.913	44.09	23.87	54.0	-9.91	AV	43.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.100	39.25	-15.03	74.0	-34.75	Peak	97.00	150	Vertical	Pass
1**	1479.100	30.41	-15.03	54.0	-23.59	AV	97.00	150	Vertical	Pass
2	2813.100	42.62	-8.37	74.0	-31.38	Peak	66.00	150	Vertical	Pass
2**	2813.100	31.95	-8.37	54.0	-22.05	AV	66.00	150	Vertical	Pass
3	4923.000	50.40	-1.11	74.0	-23.60	Peak	151.00	150	Vertical	Pass
3**	4923.000	38.48	-1.11	54.0	-15.52	AV	151.00	150	Vertical	Pass
4	5804.200	97.42	0.83	--	15.42	Peak	82.00	150	Vertical	N/A
4**	5804.200	90.66	0.83	--	90.66	AV	82.00	150	Vertical	N/A
5	11681.075	49.78	20.05	74.0	-24.22	Peak	202.00	150	Vertical	Pass
5**	11681.075	38.43	20.05	54.0	-15.57	AV	202.00	150	Vertical	Pass
6	15614.662	55.40	23.48	74.0	-18.60	Peak	306.00	150	Vertical	Pass
6**	15614.662	44.79	23.48	54.0	-9.21	AV	306.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	45.89	-15.21	74.0	-28.11	Peak	211.00	150	Horizontal	Pass
1**	1667.100	32.87	-15.21	54.0	-21.13	AV	211.00	150	Horizontal	Pass
2	2817.300	42.28	-8.29	74.0	-31.72	Peak	227.00	150	Horizontal	Pass
2**	2817.300	32.75	-8.29	54.0	-21.25	AV	227.00	150	Horizontal	Pass
3	4968.400	50.44	-1.50	74.0	-23.56	Peak	0.00	150	Horizontal	Pass
3**	4968.400	38.77	-1.50	54.0	-15.23	AV	0.00	150	Horizontal	Pass
4	5741.200	101.66	0.00	--	-129.34	Peak	231.00	150	Horizontal	N/A
4**	5741.200	94.98	0.00	--	94.98	AV	231.00	150	Horizontal	N/A
5	11569.812	49.75	19.83	74.0	-24.25	Peak	1.00	150	Horizontal	Pass
5**	11569.812	37.60	19.83	54.0	-16.40	AV	1.00	150	Horizontal	Pass
6	15550.349	54.88	23.61	74.0	-19.12	Peak	59.00	150	Horizontal	Pass
6**	15550.349	43.70	23.61	54.0	-10.30	AV	59.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.000	40.21	-14.64	74.0	-33.79	Peak	255.00	150	Vertical	Pass
1**	1456.000	29.12	-14.64	54.0	-24.88	AV	255.00	150	Vertical	Pass
2	2829.200	41.81	-8.25	74.0	-32.19	Peak	123.00	150	Vertical	Pass
2**	2829.200	32.71	-8.25	54.0	-21.29	AV	123.00	150	Vertical	Pass
3	4912.200	49.74	-0.92	74.0	-24.26	Peak	68.00	150	Vertical	Pass
3**	4912.200	38.97	-0.92	54.0	-15.03	AV	68.00	150	Vertical	Pass
4	5741.000	100.97	-0.01	--	12.97	Peak	88.00	150	Vertical	N/A
4**	5741.000	93.00	-0.01	--	93.00	AV	88.00	150	Vertical	N/A
5	12076.963	50.75	19.20	74.0	-23.25	Peak	264.00	150	Vertical	Pass
5**	12076.963	37.34	19.20	54.0	-16.66	AV	264.00	150	Vertical	Pass
6	15895.276	55.32	23.29	74.0	-18.68	Peak	183.00	150	Vertical	Pass
6**	15895.276	43.22	23.29	54.0	-10.78	AV	183.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	44.48	-15.23	74.0	-29.52	Peak	254.00	150	Horizontal	Pass
1**	1669.300	34.99	-15.23	54.0	-19.01	AV	254.00	150	Horizontal	Pass
2	2747.200	42.19	-8.83	74.0	-31.81	Peak	360.00	150	Horizontal	Pass
2**	2747.200	33.53	-8.83	54.0	-20.47	AV	360.00	150	Horizontal	Pass
3	4725.600	50.19	-2.26	74.0	-23.81	Peak	143.00	150	Horizontal	Pass
3**	4725.600	39.14	-2.26	54.0	-14.86	AV	143.00	150	Horizontal	Pass
4	5788.800	101.57	1.01	--	-180.43	Peak	282.00	150	Horizontal	N/A
4**	5788.800	95.70	1.01	--	95.70	AV	282.00	150	Horizontal	N/A
5	11567.225	49.95	19.82	74.0	-24.05	Peak	35.00	150	Horizontal	Pass
5**	11567.225	37.77	19.82	54.0	-16.23	AV	35.00	150	Horizontal	Pass
6	15640.651	54.65	23.56	74.0	-19.35	Peak	127.00	150	Horizontal	Pass
6**	15640.651	43.35	23.56	54.0	-10.65	AV	127.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.700	40.66	-14.69	74.0	-33.34	Peak	291.00	150	Vertical	Pass
1**	1458.700	31.51	-14.69	54.0	-22.49	AV	291.00	150	Vertical	Pass
2	2773.500	42.69	-8.47	74.0	-31.31	Peak	246.00	150	Vertical	Pass
2**	2773.500	32.38	-8.47	54.0	-21.62	AV	246.00	150	Vertical	Pass
3	5015.000	51.16	-0.66	74.0	-22.84	Peak	136.00	150	Vertical	Pass
3**	5015.000	38.31	-0.66	54.0	-15.69	AV	136.00	150	Vertical	Pass
4	5780.800	101.36	1.04	--	15.36	Peak	86.00	150	Vertical	N/A
4**	5780.800	93.20	1.04	--	93.20	AV	86.00	150	Vertical	N/A
5	11604.025	50.25	20.15	74.0	-23.75	Peak	235.00	150	Vertical	Pass
5**	11604.025	38.19	20.15	54.0	-15.81	AV	235.00	150	Vertical	Pass
6	15938.062	55.83	23.88	74.0	-18.17	Peak	148.00	150	Vertical	Pass
6**	15938.062	44.32	23.88	54.0	-9.68	AV	148.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.500	44.47	-15.25	74.0	-29.53	Peak	255.00	150	Horizontal	Pass
1**	1674.500	33.92	-15.25	54.0	-20.08	AV	255.00	150	Horizontal	Pass
2	2765.300	41.78	-8.65	74.0	-32.22	Peak	-1.00	150	Horizontal	Pass
2**	2765.300	30.84	-8.65	54.0	-23.16	AV	-1.00	150	Horizontal	Pass
3	4861.000	49.71	-1.47	74.0	-24.29	Peak	0.00	150	Horizontal	Pass
3**	4861.000	37.44	-1.47	54.0	-16.56	AV	0.00	150	Horizontal	Pass
4	5823.200	101.89	0.85	--	-162.11	Peak	264.00	150	Horizontal	N/A
4**	5823.200	95.20	0.85	--	95.20	AV	264.00	150	Horizontal	N/A
5	11683.375	50.60	20.03	74.0	-23.40	Peak	203.00	150	Horizontal	Pass
5**	11683.375	38.73	20.03	54.0	-15.27	AV	203.00	150	Horizontal	Pass
6	15739.612	55.51	23.49	74.0	-18.49	Peak	355.00	150	Horizontal	Pass
6**	15739.612	42.93	23.49	54.0	-11.07	AV	355.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.800	39.12	-15.09	74.0	-34.88	Peak	274.00	150	Vertical	Pass
1**	1493.800	30.74	-15.09	54.0	-23.26	AV	274.00	150	Vertical	Pass
2	2787.000	42.17	-8.81	74.0	-31.83	Peak	81.00	150	Vertical	Pass
2**	2787.000	32.15	-8.81	54.0	-21.85	AV	81.00	150	Vertical	Pass
3	4902.600	50.10	-0.78	74.0	-23.90	Peak	50.00	150	Vertical	Pass
3**	4902.600	38.53	-0.78	54.0	-15.47	AV	50.00	150	Vertical	Pass
4	5829.200	100.01	0.94	--	10.01	Peak	90.00	150	Vertical	N/A
4**	5829.200	93.39	0.94	--	93.39	AV	90.00	150	Vertical	N/A
5	11648.300	49.80	20.39	74.0	-24.20	Peak	191.00	150	Vertical	Pass
5**	11648.300	39.57	20.39	54.0	-14.43	AV	191.00	150	Vertical	Pass
6	15610.200	55.69	23.50	74.0	-18.31	Peak	253.00	150	Vertical	Pass
6**	15610.200	43.88	23.50	54.0	-10.12	AV	253.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.300	43.77	-15.22	74.0	-30.23	Peak	250.00	150	Horizontal	Pass
1**	1668.300	34.10	-15.22	54.0	-19.90	AV	250.00	150	Horizontal	Pass
2	2879.400	42.19	-8.27	74.0	-31.81	Peak	360.00	150	Horizontal	Pass
2**	2879.400	32.79	-8.27	54.0	-21.21	AV	360.00	150	Horizontal	Pass
3	4923.000	49.81	-1.11	74.0	-24.19	Peak	235.00	150	Horizontal	Pass
3**	4923.000	38.73	-1.11	54.0	-15.27	AV	235.00	150	Horizontal	Pass
4	5746.600	99.34	0.38	--	-111.66	Peak	211.00	150	Horizontal	N/A
4**	5746.600	91.81	0.38	--	91.81	AV	211.00	150	Horizontal	N/A
5	11671.012	49.73	20.16	74.0	-24.27	Peak	172.00	150	Horizontal	Pass
5**	11671.012	39.47	20.16	54.0	-14.53	AV	172.00	150	Horizontal	Pass
6	15573.713	55.71	23.58	74.0	-18.29	Peak	172.00	150	Horizontal	Pass
6**	15573.713	43.00	23.58	54.0	-11.00	AV	172.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.300	40.18	-14.71	74.0	-33.82	Peak	280.00	150	Vertical	Pass
1**	1452.300	30.50	-14.71	54.0	-23.50	AV	280.00	150	Vertical	Pass
2	2772.800	41.75	-8.46	74.0	-32.25	Peak	39.00	150	Vertical	Pass
2**	2772.800	33.51	-8.46	54.0	-20.49	AV	39.00	150	Vertical	Pass
3	4813.600	49.62	-1.24	74.0	-24.38	Peak	12.00	150	Vertical	Pass
3**	4813.600	38.63	-1.24	54.0	-15.37	AV	12.00	150	Vertical	Pass
4	5751.600	97.20	0.43	--	-71.80	Peak	169.00	150	Vertical	N/A
4**	5751.600	90.62	0.43	--	90.62	AV	169.00	150	Vertical	N/A
5	11648.300	50.01	20.39	74.0	-23.99	Peak	317.00	150	Vertical	Pass
5**	11648.300	37.90	20.39	54.0	-16.10	AV	317.00	150	Vertical	Pass
6	15490.763	56.05	23.82	74.0	-17.95	Peak	361.00	150	Vertical	Pass
6**	15490.763	43.20	23.82	54.0	-10.80	AV	361.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.700	44.02	-15.21	74.0	-29.98	Peak	247.00	150	Horizontal	Pass
1**	1665.700	35.30	-15.21	54.0	-18.70	AV	247.00	150	Horizontal	Pass
2	2737.900	42.01	-8.65	74.0	-31.99	Peak	184.00	150	Horizontal	Pass
2**	2737.900	32.03	-8.65	54.0	-21.97	AV	184.00	150	Horizontal	Pass
3	3960.400	46.65	-4.49	74.0	-27.35	Peak	171.00	150	Horizontal	Pass
3**	3960.400	35.13	-4.49	54.0	-18.87	AV	171.00	150	Horizontal	Pass
4	5806.400	98.90	0.83	--	-163.10	Peak	262.00	150	Horizontal	N/A
4**	5806.400	91.52	0.83	--	91.52	AV	262.00	150	Horizontal	N/A
5	11554.000	49.88	19.73	74.0	-24.12	Peak	262.00	150	Horizontal	Pass
5**	11554.000	38.02	19.73	54.0	-15.98	AV	262.00	150	Horizontal	Pass
6	15891.075	55.77	23.30	74.0	-18.23	Peak	322.00	150	Horizontal	Pass
6**	15891.075	42.85	23.30	54.0	-11.15	AV	322.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.300	40.50	-14.88	74.0	-33.50	Peak	303.00	150	Vertical	Pass
1**	1472.300	30.35	-14.88	54.0	-23.65	AV	303.00	150	Vertical	Pass
2	2755.100	41.92	-9.07	74.0	-32.08	Peak	224.00	150	Vertical	Pass
2**	2755.100	31.88	-9.07	54.0	-22.12	AV	224.00	150	Vertical	Pass
3	5004.000	51.29	-0.68	74.0	-22.71	Peak	145.00	150	Vertical	Pass
3**	5004.000	39.15	-0.68	54.0	-14.85	AV	145.00	150	Vertical	Pass
4	5801.200	97.42	0.88	--	10.42	Peak	87.00	150	Vertical	N/A
4**	5801.200	91.51	0.88	--	91.51	AV	87.00	150	Vertical	N/A
5	11641.400	50.00	20.37	74.0	-24.00	Peak	360.00	150	Vertical	Pass
5**	11641.400	39.34	20.37	54.0	-14.66	AV	360.00	150	Vertical	Pass
6	15558.225	55.50	23.58	74.0	-18.50	Peak	86.00	150	Vertical	Pass
6**	15558.225	43.23	23.58	54.0	-10.77	AV	86.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.000	44.46	-15.40	74.0	-29.54	Peak	215.00	150	Horizontal	Pass
1**	1672.000	36.57	-15.40	54.0	-17.43	AV	215.00	150	Horizontal	Pass
2	2858.500	42.10	-8.05	74.0	-31.90	Peak	180.00	150	Horizontal	Pass
2**	2858.500	32.43	-8.05	54.0	-21.57	AV	180.00	150	Horizontal	Pass
3	5024.000	50.21	-0.78	74.0	-23.79	Peak	206.00	150	Horizontal	Pass
3**	5024.000	39.94	-0.78	54.0	-14.06	AV	206.00	150	Horizontal	Pass
4	5788.400	96.29	0.99	--	-119.71	Peak	216.00	150	Horizontal	N/A
4**	5788.400	89.18	0.99	--	89.18	AV	216.00	150	Horizontal	N/A
5	12269.587	50.53	20.31	74.0	-23.47	Peak	197.00	150	Horizontal	Pass
5**	12269.587	38.06	20.31	54.0	-15.94	AV	197.00	150	Horizontal	Pass
6	15555.075	55.14	23.59	74.0	-18.86	Peak	321.00	150	Horizontal	Pass
6**	15555.075	44.37	23.59	54.0	-9.63	AV	321.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.600	40.48	-15.35	74.0	-33.52	Peak	360.00	150	Vertical	Pass
1**	1671.600	29.87	-15.35	54.0	-24.13	AV	360.00	150	Vertical	Pass
2	2818.800	41.93	-8.32	74.0	-32.07	Peak	233.00	150	Vertical	Pass
2**	2818.800	32.90	-8.32	54.0	-21.10	AV	233.00	150	Vertical	Pass
3	4736.000	49.44	-1.97	74.0	-24.56	Peak	360.00	150	Vertical	Pass
3**	4736.000	38.75	-1.97	54.0	-15.25	AV	360.00	150	Vertical	Pass
4	5792.600	95.32	1.05	--	10.32	Peak	85.00	150	Vertical	N/A
4**	5792.600	87.49	1.05	--	87.49	AV	85.00	150	Vertical	N/A
5	11645.138	49.77	20.38	74.0	-24.23	Peak	148.00	150	Vertical	Pass
5**	11645.138	39.15	20.38	54.0	-14.85	AV	148.00	150	Vertical	Pass
6	15484.987	54.85	23.73	74.0	-19.15	Peak	113.00	150	Vertical	Pass
6**	15484.987	42.85	23.73	54.0	-11.15	AV	113.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.700	43.95	-15.23	74.0	-30.05	Peak	246.00	150	Horizontal	Pass
1**	1674.700	35.59	-15.23	54.0	-18.41	AV	246.00	150	Horizontal	Pass
2	2873.900	42.52	-8.30	74.0	-31.48	Peak	257.00	150	Horizontal	Pass
2**	2873.900	32.90	-8.30	54.0	-21.10	AV	257.00	150	Horizontal	Pass
3	4965.600	49.96	-1.57	74.0	-24.04	Peak	31.00	150	Horizontal	Pass
3**	4965.600	37.82	-1.57	54.0	-16.18	AV	31.00	150	Horizontal	Pass
4	5743.600	103.25	0.14	--	-48.75	Peak	152.00	150	Horizontal	N/A
4**	5743.600	95.92	0.14	--	95.92	AV	152.00	150	Horizontal	N/A
5	11623.576	50.05	20.26	74.0	-23.95	Peak	105.00	150	Horizontal	Pass
5**	11623.576	39.45	20.26	54.0	-14.55	AV	105.00	150	Horizontal	Pass
6	15623.588	55.02	23.47	74.0	-18.98	Peak	363.00	150	Horizontal	Pass
6**	15623.588	44.15	23.47	54.0	-9.85	AV	363.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.500	40.41	-14.68	74.0	-33.59	Peak	259.00	150	Vertical	Pass
1**	1457.500	32.47	-14.68	54.0	-21.53	AV	259.00	150	Vertical	Pass
2	2872.900	42.77	-8.26	74.0	-31.23	Peak	259.00	150	Vertical	Pass
2**	2872.900	32.74	-8.26	54.0	-21.26	AV	259.00	150	Vertical	Pass
3	4810.600	49.45	-1.41	74.0	-24.55	Peak	75.00	150	Vertical	Pass
3**	4810.600	38.60	-1.41	54.0	-15.40	AV	75.00	150	Vertical	Pass
4	5746.200	101.94	0.40	--	4.94	Peak	97.00	150	Vertical	N/A
4**	5746.200	95.16	0.40	--	95.16	AV	97.00	150	Vertical	N/A
5	11657.787	49.99	20.30	74.0	-24.01	Peak	183.00	150	Vertical	Pass
5**	11657.787	39.41	20.30	54.0	-14.59	AV	183.00	150	Vertical	Pass
6	15618.862	55.21	23.45	74.0	-18.79	Peak	270.00	150	Vertical	Pass
6**	15618.862	42.91	23.45	54.0	-11.09	AV	270.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.600	43.68	-15.21	74.0	-30.32	Peak	244.00	150	Horizontal	Pass
1**	1667.600	35.42	-15.21	54.0	-18.58	AV	244.00	150	Horizontal	Pass
2	2772.200	42.04	-8.46	74.0	-31.96	Peak	57.00	150	Horizontal	Pass
2**	2772.200	32.77	-8.46	54.0	-21.23	AV	57.00	150	Horizontal	Pass
3	4801.200	50.18	-1.36	74.0	-23.82	Peak	216.00	150	Horizontal	Pass
3**	4801.200	37.90	-1.36	54.0	-16.10	AV	216.00	150	Horizontal	Pass
4	5787.000	103.04	0.83	--	-182.96	Peak	286.00	150	Horizontal	N/A
4**	5787.000	96.25	0.83	--	96.25	AV	286.00	150	Horizontal	N/A
5	12207.776	50.49	20.44	74.0	-23.51	Peak	294.00	150	Horizontal	Pass
5**	12207.776	38.10	20.44	54.0	-15.90	AV	294.00	150	Horizontal	Pass
6	15964.575	56.63	23.99	74.0	-17.37	Peak	114.00	150	Horizontal	Pass
6**	15964.575	43.69	23.99	54.0	-10.31	AV	114.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.900	41.51	-14.69	74.0	-32.49	Peak	285.00	150	Vertical	Pass
1**	1457.900	31.33	-14.69	54.0	-22.67	AV	285.00	150	Vertical	Pass
2	2832.000	42.34	-8.41	74.0	-31.66	Peak	360.00	150	Vertical	Pass
2**	2832.000	32.03	-8.41	54.0	-21.97	AV	360.00	150	Vertical	Pass
3	4806.000	49.89	-1.26	74.0	-24.11	Peak	39.00	150	Vertical	Pass
3**	4806.000	38.01	-1.26	54.0	-15.99	AV	39.00	150	Vertical	Pass
4	5785.800	102.34	0.77	--	14.34	Peak	88.00	150	Vertical	N/A
4**	5785.800	94.14	0.77	--	94.14	AV	88.00	150	Vertical	N/A
5	11592.813	49.74	20.04	74.0	-24.26	Peak	248.00	150	Vertical	Pass
5**	11592.813	38.17	20.04	54.0	-15.83	AV	248.00	150	Vertical	Pass
6	15969.299	55.42	24.00	74.0	-18.58	Peak	208.00	150	Vertical	Pass
6**	15969.299	43.69	24.00	54.0	-10.31	AV	208.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.000	43.78	-15.22	74.0	-30.22	Peak	140.00	150	Horizontal	Pass
1**	1680.000	34.26	-15.22	54.0	-19.74	AV	140.00	150	Horizontal	Pass
2	2826.200	41.58	-8.39	74.0	-32.42	Peak	249.00	150	Horizontal	Pass
2**	2826.200	32.31	-8.39	54.0	-21.69	AV	249.00	150	Horizontal	Pass
3	5033.200	50.78	-0.71	74.0	-23.22	Peak	360.00	150	Horizontal	Pass
3**	5033.200	38.53	-0.71	54.0	-15.47	AV	360.00	150	Horizontal	Pass
4	5823.800	104.79	0.83	--	-161.21	Peak	266.00	150	Horizontal	N/A
4**	5823.800	95.15	0.83	--	95.15	AV	266.00	150	Horizontal	N/A
5	11671.875	49.59	20.15	74.0	-24.41	Peak	360.00	150	Horizontal	Pass
5**	11671.875	39.08	20.15	54.0	-14.92	AV	360.00	150	Horizontal	Pass
6	15597.600	54.96	23.55	74.0	-19.04	Peak	0.00	150	Horizontal	Pass
6**	15597.600	42.78	23.55	54.0	-11.22	AV	0.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	39.04	-15.13	74.0	-34.96	Peak	271.00	150	Vertical	Pass
1**	1495.600	30.14	-15.13	54.0	-23.86	AV	271.00	150	Vertical	Pass
2	2802.900	42.02	-8.72	74.0	-31.98	Peak	284.00	150	Vertical	Pass
2**	2802.900	31.09	-8.72	54.0	-22.91	AV	284.00	150	Vertical	Pass
3	4127.600	47.62	-3.99	74.0	-26.38	Peak	179.00	150	Vertical	Pass
3**	4127.600	35.56	-3.99	54.0	-18.44	AV	179.00	150	Vertical	Pass
4	5826.000	102.06	0.80	--	13.06	Peak	89.00	150	Vertical	N/A
4**	5826.000	93.54	0.80	--	93.54	AV	89.00	150	Vertical	N/A
5	11684.237	50.47	20.01	74.0	-23.53	Peak	360.00	150	Vertical	Pass
5**	11684.237	40.19	20.01	54.0	-13.81	AV	360.00	150	Vertical	Pass
6	15949.350	55.32	23.95	74.0	-18.68	Peak	136.00	150	Vertical	Pass
6**	15949.350	43.07	23.95	54.0	-10.93	AV	136.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.500	43.47	-15.23	74.0	-30.53	Peak	250.00	150	Horizontal	Pass
1**	1669.500	31.65	-15.23	54.0	-22.35	AV	250.00	150	Horizontal	Pass
2	2844.500	42.11	-8.48	74.0	-31.89	Peak	302.00	150	Horizontal	Pass
2**	2844.500	32.30	-8.48	54.0	-21.70	AV	302.00	150	Horizontal	Pass
3	4157.400	47.31	-3.50	74.0	-26.69	Peak	23.00	150	Horizontal	Pass
3**	4157.400	34.80	-3.50	54.0	-19.20	AV	23.00	150	Horizontal	Pass
4	5766.600	99.74	0.87	--	-190.26	Peak	290.00	150	Horizontal	N/A
4**	5766.600	91.83	0.87	--	91.83	AV	290.00	150	Horizontal	N/A
5	11618.688	50.33	20.23	74.0	-23.67	Peak	63.00	150	Horizontal	Pass
5**	11618.688	38.97	20.23	54.0	-15.03	AV	63.00	150	Horizontal	Pass
6	15923.625	55.68	23.69	74.0	-18.32	Peak	357.00	150	Horizontal	Pass
6**	15923.625	44.24	23.69	54.0	-9.76	AV	357.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.700	40.09	-14.82	74.0	-33.91	Peak	291.00	150	Vertical	Pass
1**	1467.700	31.44	-14.82	54.0	-22.56	AV	291.00	150	Vertical	Pass
2	2867.600	42.15	-8.11	74.0	-31.85	Peak	201.00	150	Vertical	Pass
2**	2867.600	32.30	-8.11	54.0	-21.70	AV	201.00	150	Vertical	Pass
3	3960.400	46.89	-4.49	74.0	-27.11	Peak	109.00	150	Vertical	Pass
3**	3960.400	35.15	-4.49	54.0	-18.85	AV	109.00	150	Vertical	Pass
4	5747.400	98.36	0.33	--	-63.64	Peak	162.00	150	Vertical	N/A
4**	5747.400	90.16	0.33	--	90.16	AV	162.00	150	Vertical	N/A
5	11649.450	50.02	20.39	74.0	-23.98	Peak	333.00	150	Vertical	Pass
5**	11649.450	39.17	20.39	54.0	-14.83	AV	333.00	150	Vertical	Pass
6	15489.713	54.95	23.81	74.0	-19.05	Peak	45.00	150	Vertical	Pass
6**	15489.713	44.30	23.81	54.0	-9.70	AV	45.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	44.42	-15.21	74.0	-29.58	Peak	145.00	150	Horizontal	Pass
1**	1665.900	34.29	-15.21	54.0	-19.71	AV	145.00	150	Horizontal	Pass
2	2834.400	41.72	-8.47	74.0	-32.28	Peak	230.00	150	Horizontal	Pass
2**	2834.400	33.04	-8.47	54.0	-20.96	AV	230.00	150	Horizontal	Pass
3	4935.800	50.56	-1.35	74.0	-23.44	Peak	174.00	150	Horizontal	Pass
3**	4935.800	38.59	-1.35	54.0	-15.41	AV	174.00	150	Horizontal	Pass
4	5799.200	100.36	0.88	--	-161.64	Peak	262.00	150	Horizontal	N/A
4**	5799.200	90.76	0.88	--	90.76	AV	262.00	150	Horizontal	N/A
5	11664.113	50.33	20.23	74.0	-23.67	Peak	214.00	150	Horizontal	Pass
5**	11664.113	39.11	20.23	54.0	-14.89	AV	214.00	150	Horizontal	Pass
6	15524.888	54.86	23.76	74.0	-19.14	Peak	363.00	150	Horizontal	Pass
6**	15524.888	43.14	23.76	54.0	-10.86	AV	363.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.400	39.33	-14.87	74.0	-34.67	Peak	306.00	150	Vertical	Pass
1**	1470.400	29.14	-14.87	54.0	-24.86	AV	306.00	150	Vertical	Pass
2	2827.000	41.78	-8.36	74.0	-32.22	Peak	322.00	150	Vertical	Pass
2**	2827.000	32.06	-8.36	54.0	-21.94	AV	322.00	150	Vertical	Pass
3	4669.600	49.67	-1.94	74.0	-24.33	Peak	198.00	150	Vertical	Pass
3**	4669.600	36.67	-1.94	54.0	-17.33	AV	198.00	150	Vertical	Pass
4	5798.000	99.00	0.83	--	14.00	Peak	85.00	150	Vertical	N/A
4**	5798.000	90.86	0.83	--	90.86	AV	85.00	150	Vertical	N/A
5	11598.276	50.45	20.11	74.0	-23.55	Peak	-1.00	150	Vertical	Pass
5**	11598.276	38.27	20.11	54.0	-15.73	AV	-1.00	150	Vertical	Pass
6	15444.037	55.21	23.31	74.0	-18.79	Peak	169.00	150	Vertical	Pass
6**	15444.037	43.56	23.31	54.0	-10.44	AV	169.00	150	Vertical	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.800	45.25	-15.44	74.0	-28.75	Peak	256.00	150	Horizontal	Pass
1**	1672.800	36.18	-15.44	54.0	-17.82	AV	256.00	150	Horizontal	Pass
2	2876.400	42.73	-8.34	74.0	-31.27	Peak	221.00	150	Horizontal	Pass
2**	2876.400	32.15	-8.34	54.0	-21.85	AV	221.00	150	Horizontal	Pass
3	4068.600	47.03	-3.85	74.0	-26.97	Peak	37.00	150	Horizontal	Pass
3**	4068.600	36.08	-3.85	54.0	-17.92	AV	37.00	150	Horizontal	Pass
4	5754.800	98.14	0.48	--	-75.86	Peak	174.00	150	Horizontal	N/A
4**	5754.800	89.55	0.48	--	89.55	AV	174.00	150	Horizontal	N/A
5	12110.599	50.78	19.53	74.0	-23.22	Peak	185.00	150	Horizontal	Pass
5**	12110.599	40.25	19.53	54.0	-13.75	AV	185.00	150	Horizontal	Pass
6	15934.125	55.41	23.83	74.0	-18.59	Peak	308.00	150	Horizontal	Pass
6**	15934.125	44.72	23.83	54.0	-9.28	AV	308.00	150	Horizontal	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1140.500	39.92	-15.13	74.0	-34.08	Peak	205.00	150	Vertical	Pass
1**	1140.500	30.76	-15.13	54.0	-23.24	AV	205.00	150	Vertical	Pass
2	2726.000	41.97	-8.77	74.0	-32.03	Peak	239.00	150	Vertical	Pass
2**	2726.000	32.56	-8.77	54.0	-21.44	AV	239.00	150	Vertical	Pass
3	5048.600	50.69	-0.83	74.0	-23.31	Peak	79.00	150	Vertical	Pass
3**	5048.600	38.28	-0.83	54.0	-15.72	AV	79.00	150	Vertical	Pass
4	5780.200	98.10	1.04	--	4.10	Peak	94.00	150	Vertical	N/A
4**	5780.200	87.60	1.04	--	87.60	AV	94.00	150	Vertical	N/A
5	11724.200	50.91	19.38	74.0	-23.09	Peak	-1.00	150	Vertical	Pass
5**	11724.200	38.38	19.38	54.0	-15.62	AV	-1.00	150	Vertical	Pass
6	15899.737	55.78	23.27	74.0	-18.22	Peak	238.00	150	Vertical	Pass
6**	15899.737	43.38	23.27	54.0	-10.62	AV	238.00	150	Vertical	Pass

MIMO

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.200	43.76	-15.27	74.0	-30.24	Peak	252.00	150	Horizontal	Pass
1**	1684.200	35.33	-15.27	54.0	-18.67	AV	252.00	150	Horizontal	Pass
2	2867.700	42.11	-8.12	74.0	-31.89	Peak	97.00	150	Horizontal	Pass
2**	2867.700	32.81	-8.12	54.0	-21.19	AV	97.00	150	Horizontal	Pass
3	3978.000	46.89	-4.08	74.0	-27.11	Peak	163.00	150	Horizontal	Pass
3**	3978.000	34.23	-4.08	54.0	-19.77	AV	163.00	150	Horizontal	Pass
4	5182.200	105.08	-0.57	--	-183.92	Peak	289.00	150	Horizontal	N/A
4**	5182.200	99.10	-0.57	--	99.10	AV	289.00	150	Horizontal	N/A
5	11644.562	50.33	20.38	74.0	-23.67	Peak	242.00	150	Horizontal	Pass
5**	11644.562	38.93	20.38	54.0	-15.07	AV	242.00	150	Horizontal	Pass
6	16147.537	55.35	24.07	74.0	-18.65	Peak	39.00	150	Horizontal	Pass
6**	16147.537	45.95	24.07	54.0	-8.05	AV	39.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	40.75	-15.21	74.0	-33.25	Peak	21.00	150	Vertical	Pass
1**	1667.800	32.92	-15.21	54.0	-21.08	AV	21.00	150	Vertical	Pass
2	2810.400	41.14	-8.49	74.0	-32.86	Peak	48.00	150	Vertical	Pass
2**	2810.400	31.61	-8.49	54.0	-22.39	AV	48.00	150	Vertical	Pass
3	3766.600	47.23	-4.42	74.0	-26.77	Peak	15.00	150	Vertical	Pass
3**	3766.600	34.53	-4.42	54.0	-19.47	AV	15.00	150	Vertical	Pass
4	5180.600	96.73	-0.59	--	-11.27	Peak	108.00	150	Vertical	N/A
4**	5180.600	89.28	-0.59	--	89.28	AV	108.00	150	Vertical	N/A
5	11623.576	49.90	20.26	74.0	-24.10	Peak	124.00	150	Vertical	Pass
5**	11623.576	39.37	20.26	54.0	-14.63	AV	124.00	150	Vertical	Pass
6	15997.650	55.82	24.02	74.0	-18.18	Peak	330.00	150	Vertical	Pass
6**	15997.650	44.32	24.02	54.0	-9.68	AV	330.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.900	44.58	-15.23	74.0	-29.42	Peak	248.00	150	Horizontal	Pass
1**	1669.900	32.61	-15.23	54.0	-21.39	AV	248.00	150	Horizontal	Pass
2	2862.700	41.68	-8.04	74.0	-32.32	Peak	158.00	150	Horizontal	Pass
2**	2862.700	33.28	-8.04	54.0	-20.72	AV	158.00	150	Horizontal	Pass
3	3875.200	46.11	-5.28	74.0	-27.89	Peak	124.00	150	Horizontal	Pass
3**	3875.200	36.84	-5.28	54.0	-17.16	AV	124.00	150	Horizontal	Pass
4	5216.800	106.64	-0.30	--	-196.36	Peak	303.00	150	Horizontal	N/A
4**	5216.800	97.77	-0.30	--	97.77	AV	303.00	150	Horizontal	N/A
5	11623.862	51.16	20.26	74.0	-22.84	Peak	56.00	150	Horizontal	Pass
5**	11623.862	39.14	20.26	54.0	-14.86	AV	56.00	150	Horizontal	Pass
6	15608.625	55.19	23.51	74.0	-18.81	Peak	293.00	150	Horizontal	Pass
6**	15608.625	43.94	23.51	54.0	-10.06	AV	293.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.800	40.52	-15.22	74.0	-33.48	Peak	11.00	150	Vertical	Pass
1**	1664.800	30.20	-15.22	54.0	-23.80	AV	11.00	150	Vertical	Pass
2	2872.800	42.51	-8.26	74.0	-31.49	Peak	230.00	150	Vertical	Pass
2**	2872.800	32.46	-8.26	54.0	-21.54	AV	230.00	150	Vertical	Pass
3	4111.800	47.32	-4.17	74.0	-26.68	Peak	5.00	150	Vertical	Pass
3**	4111.800	37.20	-4.17	54.0	-16.80	AV	5.00	150	Vertical	Pass
4	5217.600	97.40	-0.27	--	-4.60	Peak	102.00	150	Vertical	N/A
4**	5217.600	90.27	-0.27	--	90.27	AV	102.00	150	Vertical	N/A
5	11807.000	50.26	18.49	74.0	-23.74	Peak	305.00	150	Vertical	Pass
5**	11807.000	39.73	18.49	54.0	-14.27	AV	305.00	150	Vertical	Pass
6	15981.901	55.15	24.01	74.0	-18.85	Peak	189.00	150	Vertical	Pass
6**	15981.901	43.40	24.01	54.0	-10.60	AV	189.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	43.61	-15.22	74.0	-30.39	Peak	253.00	150	Horizontal	Pass
1**	1668.100	33.85	-15.22	54.0	-20.15	AV	253.00	150	Horizontal	Pass
2	2813.300	42.01	-8.36	74.0	-31.99	Peak	273.00	150	Horizontal	Pass
2**	2813.300	31.96	-8.36	54.0	-22.04	AV	273.00	150	Horizontal	Pass
3	4126.800	46.46	-3.95	74.0	-27.54	Peak	0.00	150	Horizontal	Pass
3**	4126.800	35.52	-3.95	54.0	-18.48	AV	0.00	150	Horizontal	Pass
4	5242.400	105.08	-0.91	--	-178.92	Peak	284.00	150	Horizontal	N/A
4**	5242.400	96.61	-0.91	--	96.61	AV	284.00	150	Horizontal	N/A
5	11614.662	50.03	20.21	74.0	-23.97	Peak	208.00	150	Horizontal	Pass
5**	11614.662	39.24	20.21	54.0	-14.76	AV	208.00	150	Horizontal	Pass
6	15976.912	55.12	24.00	74.0	-18.88	Peak	362.00	150	Horizontal	Pass
6**	15976.912	45.28	24.00	54.0	-8.72	AV	362.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.000	40.52	-15.31	74.0	-33.48	Peak	0.00	150	Vertical	Pass
1**	1677.000	30.01	-15.31	54.0	-23.99	AV	0.00	150	Vertical	Pass
2	2855.100	42.22	-8.10	74.0	-31.78	Peak	44.00	150	Vertical	Pass
2**	2855.100	33.01	-8.10	54.0	-20.99	AV	44.00	150	Vertical	Pass
3	4150.600	47.22	-3.45	74.0	-26.78	Peak	0.00	150	Vertical	Pass
3**	4150.600	36.58	-3.45	54.0	-17.42	AV	0.00	150	Vertical	Pass
4	5244.200	98.92	-0.81	--	-0.08	Peak	99.00	150	Vertical	N/A
4**	5244.200	90.28	-0.81	--	90.28	AV	99.00	150	Vertical	N/A
5	11686.537	50.40	19.99	74.0	-23.60	Peak	280.00	150	Vertical	Pass
5**	11686.537	38.60	19.99	54.0	-15.40	AV	280.00	150	Vertical	Pass
6	15540.638	55.66	23.70	74.0	-18.34	Peak	317.00	150	Vertical	Pass
6**	15540.638	44.14	23.70	54.0	-9.86	AV	317.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.000	43.17	-15.23	74.0	-30.83	Peak	258.00	150	Horizontal	Pass
1**	1670.000	35.33	-15.23	54.0	-18.67	AV	258.00	150	Horizontal	Pass
2	2861.000	41.87	-7.98	74.0	-32.13	Peak	82.00	150	Horizontal	Pass
2**	2861.000	32.00	-7.98	54.0	-22.00	AV	82.00	150	Horizontal	Pass
3	4043.800	46.53	-3.88	74.0	-27.47	Peak	295.00	150	Horizontal	Pass
3**	4043.800	35.78	-3.88	54.0	-18.22	AV	295.00	150	Horizontal	Pass
4	5192.800	102.23	-0.64	--	-192.77	Peak	295.00	150	Horizontal	N/A
4**	5192.800	96.92	-0.64	--	96.92	AV	295.00	150	Horizontal	N/A
5	11649.450	49.97	20.39	74.0	-24.03	Peak	0.00	150	Horizontal	Pass
5**	11649.450	38.43	20.39	54.0	-15.57	AV	0.00	150	Horizontal	Pass
6	15588.412	55.26	23.56	74.0	-18.74	Peak	218.00	150	Horizontal	Pass
6**	15588.412	43.02	23.56	54.0	-10.98	AV	218.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.000	40.48	-14.77	74.0	-33.52	Peak	302.00	150	Vertical	Pass
1**	1463.000	30.28	-14.77	54.0	-23.72	AV	302.00	150	Vertical	Pass
2	2884.100	41.65	-8.32	74.0	-32.35	Peak	302.00	150	Vertical	Pass
2**	2884.100	32.47	-8.32	54.0	-21.53	AV	302.00	150	Vertical	Pass
3	4035.400	47.50	-3.89	74.0	-26.50	Peak	230.00	150	Vertical	Pass
3**	4035.400	36.77	-3.89	54.0	-17.23	AV	230.00	150	Vertical	Pass
4	5187.400	93.45	-0.71	--	-9.55	Peak	103.00	150	Vertical	N/A
4**	5187.400	86.48	-0.71	--	86.48	AV	103.00	150	Vertical	N/A
5	11800.388	49.76	18.54	74.0	-24.24	Peak	65.00	150	Vertical	Pass
5**	11800.388	37.65	18.54	54.0	-16.35	AV	65.00	150	Vertical	Pass
6	15621.488	54.95	23.46	74.0	-19.05	Peak	259.00	150	Vertical	Pass
6**	15621.488	43.53	23.46	54.0	-10.47	AV	259.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.300	43.33	-15.30	74.0	-30.67	Peak	249.00	150	Horizontal	Pass
1**	1676.300	33.64	-15.30	54.0	-20.36	AV	249.00	150	Horizontal	Pass
2	2771.200	41.40	-8.47	74.0	-32.60	Peak	312.00	150	Horizontal	Pass
2**	2771.200	32.40	-8.47	54.0	-21.60	AV	312.00	150	Horizontal	Pass
3	4016.400	47.41	-4.09	74.0	-26.59	Peak	72.00	150	Horizontal	Pass
3**	4016.400	35.45	-4.09	54.0	-18.55	AV	72.00	150	Horizontal	Pass
4	5222.600	103.01	-0.39	--	-195.99	Peak	299.00	150	Horizontal	N/A
4**	5222.600	94.07	-0.39	--	94.07	AV	299.00	150	Horizontal	N/A
5	12342.325	51.51	19.77	74.0	-22.49	Peak	0.00	150	Horizontal	Pass
5**	12342.325	40.23	19.77	54.0	-13.77	AV	0.00	150	Horizontal	Pass
6	15610.200	54.98	23.50	74.0	-19.02	Peak	359.00	150	Horizontal	Pass
6**	15610.200	43.99	23.50	54.0	-10.01	AV	359.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.100	39.69	-14.73	74.0	-34.31	Peak	285.00	150	Vertical	Pass
1**	1461.100	32.51	-14.73	54.0	-21.49	AV	285.00	150	Vertical	Pass
2	2867.400	42.13	-8.10	74.0	-31.87	Peak	31.00	150	Vertical	Pass
2**	2867.400	32.95	-8.10	54.0	-21.05	AV	31.00	150	Vertical	Pass
3	3986.000	47.40	-4.33	74.0	-26.60	Peak	255.00	150	Vertical	Pass
3**	3986.000	35.75	-4.33	54.0	-18.25	AV	255.00	150	Vertical	Pass
4	5239.400	95.08	-0.95	--	-2.92	Peak	98.00	150	Vertical	N/A
4**	5239.400	86.01	-0.95	--	86.01	AV	98.00	150	Vertical	N/A
5	12210.938	50.84	20.44	74.0	-23.16	Peak	241.00	150	Vertical	Pass
5**	12210.938	39.70	20.44	54.0	-14.30	AV	241.00	150	Vertical	Pass
6	16072.463	54.87	24.08	74.0	-19.13	Peak	141.00	150	Vertical	Pass
6**	16072.463	43.37	24.08	54.0	-10.63	AV	141.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.000	43.92	-15.21	74.0	-30.08	Peak	265.00	150	Horizontal	Pass
1**	1666.000	35.01	-15.21	54.0	-18.99	AV	265.00	150	Horizontal	Pass
2	2894.800	42.32	-8.12	74.0	-31.68	Peak	291.00	150	Horizontal	Pass
2**	2894.800	32.55	-8.12	54.0	-21.45	AV	291.00	150	Horizontal	Pass
3	4243.200	47.85	-3.29	74.0	-26.15	Peak	360.00	150	Horizontal	Pass
3**	4243.200	35.37	-3.29	54.0	-18.63	AV	360.00	150	Horizontal	Pass
4	5184.600	105.41	-0.64	--	-174.59	Peak	280.00	150	Horizontal	N/A
4**	5184.600	98.56	-0.64	--	98.56	AV	280.00	150	Horizontal	N/A
5	12097.087	50.59	19.38	74.0	-23.41	Peak	273.00	150	Horizontal	Pass
5**	12097.087	38.35	19.38	54.0	-15.65	AV	273.00	150	Horizontal	Pass
6	15957.488	55.93	23.98	74.0	-18.07	Peak	27.00	150	Horizontal	Pass
6**	15957.488	43.13	23.98	54.0	-10.87	AV	27.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.700	40.40	-14.83	74.0	-33.60	Peak	287.00	150	Vertical	Pass
1**	1441.700	28.87	-14.83	54.0	-25.13	AV	287.00	150	Vertical	Pass
2	2835.800	42.06	-8.47	74.0	-31.94	Peak	111.00	150	Vertical	Pass
2**	2835.800	31.71	-8.47	54.0	-22.29	AV	111.00	150	Vertical	Pass
3	4292.600	47.19	-3.82	74.0	-26.81	Peak	233.00	150	Vertical	Pass
3**	4292.600	36.47	-3.82	54.0	-17.53	AV	233.00	150	Vertical	Pass
4	5182.600	98.00	-0.57	--	22.00	Peak	76.00	150	Vertical	N/A
4**	5182.600	93.72	-0.57	--	93.72	AV	76.00	150	Vertical	N/A
5	11656.637	50.27	20.31	74.0	-23.73	Peak	8.00	150	Vertical	Pass
5**	11656.637	38.69	20.31	54.0	-15.31	AV	8.00	150	Vertical	Pass
6	15517.013	55.16	23.80	74.0	-18.84	Peak	221.00	150	Vertical	Pass
6**	15517.013	43.67	23.80	54.0	-10.33	AV	221.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	44.31	-15.28	74.0	-29.69	Peak	273.00	150	Horizontal	Pass
1**	1670.900	33.72	-15.28	54.0	-20.28	AV	273.00	150	Horizontal	Pass
2	2853.300	42.13	-8.15	74.0	-31.87	Peak	299.00	150	Horizontal	Pass
2**	2853.300	33.05	-8.15	54.0	-20.95	AV	299.00	150	Horizontal	Pass
3	4103.000	46.31	-4.34	74.0	-27.69	Peak	107.00	150	Horizontal	Pass
3**	4103.000	35.44	-4.34	54.0	-18.56	AV	107.00	150	Horizontal	Pass
4	5221.800	105.67	-0.38	--	-172.33	Peak	278.00	150	Horizontal	N/A
4**	5221.800	98.50	-0.38	--	98.50	AV	278.00	150	Horizontal	N/A
5	11622.138	50.47	20.25	74.0	-23.53	Peak	96.00	150	Horizontal	Pass
5**	11622.138	38.66	20.25	54.0	-15.34	AV	96.00	150	Horizontal	Pass
6	15533.550	55.62	23.73	74.0	-18.38	Peak	114.00	150	Horizontal	Pass
6**	15533.550	44.01	23.73	54.0	-9.99	AV	114.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.200	40.29	-15.21	74.0	-33.71	Peak	24.00	150	Vertical	Pass
1**	1667.200	31.32	-15.21	54.0	-22.68	AV	24.00	150	Vertical	Pass
2	2879.900	42.48	-8.27	74.0	-31.52	Peak	208.00	150	Vertical	Pass
2**	2879.900	32.91	-8.27	54.0	-21.09	AV	208.00	150	Vertical	Pass
3	3980.800	48.86	-4.08	74.0	-25.14	Peak	164.00	150	Vertical	Pass
3**	3980.800	36.08	-4.08	54.0	-17.92	AV	164.00	150	Vertical	Pass
4	5223.800	97.66	-0.41	--	9.66	Peak	88.00	150	Vertical	N/A
4**	5223.800	91.46	-0.41	--	91.46	AV	88.00	150	Vertical	N/A
5	11604.312	50.69	20.15	74.0	-23.31	Peak	52.00	150	Vertical	Pass
5**	11604.312	38.85	20.15	54.0	-15.15	AV	52.00	150	Vertical	Pass
6	15941.737	55.78	23.91	74.0	-18.22	Peak	241.00	150	Vertical	Pass
6**	15941.737	45.09	23.91	54.0	-8.91	AV	241.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.100	45.09	-15.30	74.0	-28.91	Peak	263.00	150	Horizontal	Pass
1**	1671.100	36.65	-15.30	54.0	-17.35	AV	263.00	150	Horizontal	Pass
2	2814.600	41.52	-8.34	74.0	-32.48	Peak	73.00	150	Horizontal	Pass
2**	2814.600	32.15	-8.34	54.0	-21.85	AV	73.00	150	Horizontal	Pass
3	4024.200	47.20	-3.95	74.0	-26.80	Peak	131.00	150	Horizontal	Pass
3**	4024.200	35.94	-3.95	54.0	-18.06	AV	131.00	150	Horizontal	Pass
4	5240.600	105.82	-0.96	--	-167.18	Peak	273.00	150	Horizontal	Pass
4**	5240.600	96.53	-0.96	--	96.53	AV	273.00	150	Horizontal	N/A
5	12145.963	50.90	19.89	74.0	-23.10	Peak	114.00	150	Horizontal	Pass
5**	12145.963	40.50	19.89	54.0	-13.50	AV	114.00	150	Horizontal	Pass
6	15426.187	55.14	23.19	74.0	-18.86	Peak	12.00	150	Horizontal	Pass
6**	15426.187	43.04	23.19	54.0	-10.96	AV	12.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.700	40.19	-15.28	74.0	-33.81	Peak	10.00	150	Vertical	Pass
1**	1677.700	30.24	-15.28	54.0	-23.76	AV	10.00	150	Vertical	Pass
2	2762.800	41.57	-8.86	74.0	-32.43	Peak	10.00	150	Vertical	Pass
2**	2762.800	30.74	-8.86	54.0	-23.26	AV	10.00	150	Vertical	Pass
3	3986.600	47.49	-4.35	74.0	-26.51	Peak	240.00	150	Vertical	Pass
3**	3986.600	34.45	-4.35	54.0	-19.55	AV	240.00	150	Vertical	Pass
4	5237.200	97.64	-0.86	--	-31.36	Peak	129.00	150	Vertical	N/A
4**	5237.200	89.55	-0.86	--	89.55	AV	129.00	150	Vertical	N/A
5	11675.037	50.56	20.12	74.0	-23.44	Peak	263.00	150	Vertical	Pass
5**	11675.037	39.52	20.12	54.0	-14.48	AV	263.00	150	Vertical	Pass
6	15490.237	55.15	23.81	74.0	-18.85	Peak	84.00	150	Vertical	Pass
6**	15490.237	43.97	23.81	54.0	-10.03	AV	84.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.400	43.33	-15.33	74.0	-30.67	Peak	260.00	150	Horizontal	Pass
1**	1671.400	35.13	-15.33	54.0	-18.87	AV	260.00	150	Horizontal	Pass
2	2867.500	41.63	-8.11	74.0	-32.37	Peak	147.00	150	Horizontal	Pass
2**	2867.500	31.52	-8.11	54.0	-22.48	AV	147.00	150	Horizontal	Pass
3	4085.800	46.93	-4.22	74.0	-27.07	Peak	0.00	150	Horizontal	Pass
3**	4085.800	34.39	-4.22	54.0	-19.61	AV	0.00	150	Horizontal	Pass
4	5179.200	103.07	-0.64	--	-170.93	Peak	274.00	150	Horizontal	N/A
4**	5179.200	94.24	-0.64	--	94.24	AV	274.00	150	Horizontal	N/A
5	11625.875	50.24	20.27	74.0	-23.76	Peak	112.00	150	Horizontal	Pass
5**	11625.875	39.62	20.27	54.0	-14.38	AV	112.00	150	Horizontal	Pass
6	15970.875	54.92	24.00	74.0	-19.08	Peak	60.00	150	Horizontal	Pass
6**	15970.875	44.62	24.00	54.0	-9.38	AV	60.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.000	39.85	-15.21	74.0	-34.15	Peak	9.00	150	Vertical	Pass
1**	1667.000	30.47	-15.21	54.0	-23.53	AV	9.00	150	Vertical	Pass
2	2867.600	42.21	-8.11	74.0	-31.79	Peak	226.00	150	Vertical	Pass
2**	2867.600	33.20	-8.11	54.0	-20.80	AV	226.00	150	Vertical	Pass
3	4098.200	47.33	-4.43	74.0	-26.67	Peak	325.00	150	Vertical	Pass
3**	4098.200	35.00	-4.43	54.0	-19.00	AV	325.00	150	Vertical	Pass
4	5198.800	93.39	-0.74	--	-6.61	Peak	100.00	150	Vertical	N/A
4**	5198.800	84.71	-0.74	--	84.71	AV	100.00	150	Vertical	N/A
5	12172.987	51.10	20.18	74.0	-22.90	Peak	254.00	150	Vertical	Pass
5**	12172.987	39.35	20.18	54.0	-14.65	AV	254.00	150	Vertical	Pass
6	15685.276	55.32	23.59	74.0	-18.68	Peak	217.00	150	Vertical	Pass
6**	15685.276	44.93	23.59	54.0	-9.07	AV	217.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1683.300	44.25	-15.25	74.0	-29.75	Peak	266.00	150	Horizontal	Pass
1**	1683.300	33.56	-15.25	54.0	-20.44	AV	266.00	150	Horizontal	Pass
2	2830.800	41.59	-8.31	74.0	-32.41	Peak	226.00	150	Horizontal	Pass
2**	2830.800	30.89	-8.31	54.0	-23.11	AV	226.00	150	Horizontal	Pass
3	4104.400	47.16	-4.36	74.0	-26.84	Peak	351.00	150	Horizontal	Pass
3**	4104.400	36.87	-4.36	54.0	-17.13	AV	351.00	150	Horizontal	Pass
4	5235.800	102.62	-0.77	--	-178.38	Peak	281.00	150	Horizontal	N/A
4**	5235.800	94.02	-0.77	--	94.02	AV	281.00	150	Horizontal	N/A
5	11625.875	50.04	20.27	74.0	-23.96	Peak	103.00	150	Horizontal	Pass
5**	11625.875	39.35	20.27	54.0	-14.65	AV	103.00	150	Horizontal	Pass
6	15505.988	54.87	23.91	74.0	-19.13	Peak	88.00	150	Horizontal	Pass
6**	15505.988	43.68	23.91	54.0	-10.32	AV	88.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.100	40.26	-15.30	74.0	-33.74	Peak	23.00	150	Vertical	Pass
1**	1674.100	30.45	-15.30	54.0	-23.55	AV	23.00	150	Vertical	Pass
2	2874.800	42.35	-8.33	74.0	-31.65	Peak	205.00	150	Vertical	Pass
2**	2874.800	32.84	-8.33	54.0	-21.16	AV	205.00	150	Vertical	Pass
3	4255.000	47.64	-3.08	74.0	-26.36	Peak	135.00	150	Vertical	Pass
3**	4255.000	35.99	-3.08	54.0	-18.01	AV	135.00	150	Vertical	Pass
4	5238.800	95.20	-0.94	--	1.20	Peak	94.00	150	Vertical	N/A
4**	5238.800	88.20	-0.94	--	88.20	AV	94.00	150	Vertical	N/A
5	12262.112	50.83	20.37	74.0	-23.17	Peak	158.00	150	Vertical	Pass
5**	12262.112	38.66	20.37	54.0	-15.34	AV	158.00	150	Vertical	Pass
6	15557.437	54.39	23.59	74.0	-19.61	Peak	159.00	150	Vertical	Pass
6**	15557.437	44.73	23.59	54.0	-9.27	AV	159.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.800	43.23	-15.44	74.0	-30.77	Peak	266.00	150	Horizontal	Pass
1**	1672.800	35.47	-15.44	54.0	-18.53	AV	266.00	150	Horizontal	Pass
2	2775.500	42.09	-8.58	74.0	-31.91	Peak	332.00	150	Horizontal	Pass
2**	2775.500	31.42	-8.58	54.0	-22.58	AV	332.00	150	Horizontal	Pass
3	4022.000	46.96	-4.04	74.0	-27.04	Peak	147.00	150	Horizontal	Pass
3**	4022.000	35.46	-4.04	54.0	-18.54	AV	147.00	150	Horizontal	Pass
4	5232.800	99.91	-0.61	--	-169.09	Peak	269.00	150	Horizontal	N/A
4**	5232.800	91.43	-0.61	--	91.43	AV	269.00	150	Horizontal	N/A
5	11710.975	49.88	19.62	74.0	-24.12	Peak	360.00	150	Horizontal	Pass
5**	11710.975	37.39	19.62	54.0	-16.61	AV	360.00	150	Horizontal	Pass
6	15992.662	54.75	24.01	74.0	-19.25	Peak	189.00	150	Horizontal	Pass
6**	15992.662	43.42	24.01	54.0	-10.58	AV	189.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	40.18	-15.21	74.0	-33.82	Peak	160.00	150	Vertical	Pass
1**	1498.000	29.63	-15.21	54.0	-24.37	AV	160.00	150	Vertical	Pass
2	2829.500	42.14	-8.26	74.0	-31.86	Peak	93.00	150	Vertical	Pass
2**	2829.500	31.77	-8.26	54.0	-22.23	AV	93.00	150	Vertical	Pass
3	3984.800	47.66	-4.30	74.0	-26.34	Peak	61.00	150	Vertical	Pass
3**	3984.800	36.01	-4.30	54.0	-17.99	AV	61.00	150	Vertical	Pass
4	5234.200	91.74	-0.75	--	3.74	Peak	88.00	150	Vertical	N/A
4**	5234.200	83.85	-0.75	--	83.85	AV	88.00	150	Vertical	N/A
5	11779.112	50.10	18.72	74.0	-23.90	Peak	314.00	150	Vertical	Pass
5**	11779.112	38.06	18.72	54.0	-15.94	AV	314.00	150	Vertical	Pass
6	15928.088	55.14	23.75	74.0	-18.86	Peak	68.00	150	Vertical	Pass
6**	15928.088	43.91	23.75	54.0	-10.09	AV	68.00	150	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.100	43.32	-15.22	74.0	-30.68	Peak	266.00	150	Horizontal	Pass
1**	1680.100	33.48	-15.22	54.0	-20.52	AV	266.00	150	Horizontal	Pass
2	2874.100	42.05	-8.31	74.0	-31.95	Peak	3.00	150	Horizontal	Pass
2**	2874.100	34.18	-8.31	54.0	-19.82	AV	3.00	150	Horizontal	Pass
3	4143.000	52.71	2.82	74.0	-21.29	Peak	95.00	150	Horizontal	Pass
3**	4143.000	42.08	2.82	54.0	-11.92	AV	95.00	150	Horizontal	Pass
4	5381.200	54.14	5.64	74.0	-19.86	Peak	212.00	150	Horizontal	Pass
4**	5381.200	49.71	5.64	54.0	-4.29	AV	212.00	150	Horizontal	Pass
5	6834.600	61.34	12.35	68.2	-6.86	Peak	4.00	150	Horizontal	Pass
5**	6834.600	50.46	12.35	--	50.46	AV	4.00	150	Horizontal	N/A
6	15992.138	55.21	24.01	74.0	-18.79	Peak	316.00	150	Horizontal	Pass
6**	15992.138	43.47	24.01	54.0	-10.53	AV	316.00	150	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.600	41.92	-15.21	74.0	-32.08	Peak	362.00	150	Vertical	Pass
1**	1666.600	29.63	-15.21	54.0	-24.37	AV	362.00	150	Vertical	Pass
2	2813.500	41.04	-8.35	74.0	-32.96	Peak	19.00	150	Vertical	Pass
2**	2813.500	32.54	-8.35	54.0	-21.46	AV	19.00	150	Vertical	Pass
3	4204.600	52.76	1.48	74.0	-21.24	Peak	361.00	150	Vertical	Pass
3**	4204.600	40.92	1.48	54.0	-13.08	AV	361.00	150	Vertical	Pass
4	6825.200	60.34	12.18	68.2	-7.86	Peak	256.00	150	Vertical	Pass
4**	6825.200	49.08	12.18	--	49.08	AV	256.00	150	Vertical	N/A
5	11587.350	49.89	19.98	74.0	-24.11	Peak	247.00	150	Vertical	Pass
5**	11587.350	37.68	19.98	54.0	-16.32	AV	247.00	150	Vertical	Pass
6	15975.338	55.72	24.00	74.0	-18.28	Peak	361.00	150	Vertical	Pass
6**	15975.338	43.65	24.00	54.0	-10.35	AV	361.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	44.09	-15.23	74.0	-29.91	Peak	262.00	150	Horizontal	Pass
1**	1669.400	33.58	-15.23	54.0	-20.42	AV	262.00	150	Horizontal	Pass
2	2849.000	41.76	-8.23	74.0	-32.24	Peak	343.00	150	Horizontal	Pass
2**	2849.000	32.16	-8.23	54.0	-21.84	AV	343.00	150	Horizontal	Pass
3	4226.600	47.16	-3.63	74.0	-26.84	Peak	135.00	150	Horizontal	Pass
3**	4226.600	34.80	-3.63	54.0	-19.20	AV	135.00	150	Horizontal	Pass
4	5176.000	106.32	-0.54	--	-187.68	Peak	294.00	150	Horizontal	N/A
4**	5176.000	97.71	-0.54	--	97.71	AV	294.00	150	Horizontal	N/A
5	11899.000	50.27	18.03	74.0	-23.73	Peak	342.00	150	Horizontal	Pass
5**	11899.000	38.49	18.03	54.0	-15.51	AV	342.00	150	Horizontal	Pass
6	15659.813	55.66	23.46	74.0	-18.34	Peak	10.00	150	Horizontal	Pass
6**	15659.813	42.96	23.46	54.0	-11.04	AV	10.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.900	41.00	-15.15	74.0	-33.00	Peak	139.00	150	Vertical	Pass
1**	1501.900	29.48	-15.15	54.0	-24.52	AV	139.00	150	Vertical	Pass
2	2844.200	41.20	-8.50	74.0	-32.80	Peak	0.00	150	Vertical	Pass
2**	2844.200	31.82	-8.50	54.0	-22.18	AV	0.00	150	Vertical	Pass
3	3938.400	47.31	-5.02	74.0	-26.69	Peak	206.00	150	Vertical	Pass
3**	3938.400	34.85	-5.02	54.0	-19.15	AV	206.00	150	Vertical	Pass
4	5183.200	96.67	-0.58	--	-48.33	Peak	145.00	150	Vertical	N/A
4**	5183.200	88.89	-0.58	--	88.89	AV	145.00	150	Vertical	N/A
5	12214.963	50.60	20.45	74.0	-23.40	Peak	58.00	150	Vertical	Pass
5**	12214.963	39.91	20.45	54.0	-14.09	AV	58.00	150	Vertical	Pass
6	15933.075	55.39	23.81	74.0	-18.61	Peak	178.00	150	Vertical	Pass
6**	15933.075	43.52	23.81	54.0	-10.48	AV	178.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.900	45.39	-15.21	74.0	-28.61	Peak	260.00	150	Horizontal	Pass
1**	1665.900	36.03	-15.21	54.0	-17.97	AV	260.00	150	Horizontal	Pass
2	2873.400	42.00	-8.28	74.0	-32.00	Peak	144.00	150	Horizontal	Pass
2**	2873.400	32.56	-8.28	54.0	-21.44	AV	144.00	150	Horizontal	Pass
3	4313.000	47.67	-3.38	74.0	-26.33	Peak	310.00	150	Horizontal	Pass
3**	4313.000	35.51	-3.38	54.0	-18.49	AV	310.00	150	Horizontal	Pass
4	5217.400	105.59	-0.28	--	-169.41	Peak	275.00	150	Horizontal	N/A
4**	5217.400	96.95	-0.28	--	96.95	AV	275.00	150	Horizontal	N/A
5	10948.813	50.85	18.63	74.0	-23.15	Peak	103.00	150	Horizontal	Pass
5**	10948.813	37.11	18.63	54.0	-16.89	AV	103.00	150	Horizontal	Pass
6	16006.313	55.06	24.00	74.0	-18.94	Peak	159.00	150	Horizontal	Pass
6**	16006.313	43.42	24.00	54.0	-10.58	AV	159.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.200	39.91	-14.70	74.0	-34.09	Peak	298.00	150	Vertical	Pass
1**	1460.200	28.88	-14.70	54.0	-25.12	AV	298.00	150	Vertical	Pass
2	2881.300	41.91	-8.29	74.0	-32.09	Peak	360.00	150	Vertical	Pass
2**	2881.300	32.67	-8.29	54.0	-21.33	AV	360.00	150	Vertical	Pass
3	4150.200	47.81	-3.44	74.0	-26.19	Peak	320.00	150	Vertical	Pass
3**	4150.200	37.80	-3.44	54.0	-16.20	AV	320.00	150	Vertical	Pass
4	5221.800	96.97	-0.38	--	3.97	Peak	93.00	150	Vertical	N/A
4**	5221.800	89.87	-0.38	--	89.87	AV	93.00	150	Vertical	N/A
5	12352.675	50.08	19.69	74.0	-23.92	Peak	0.00	150	Vertical	Pass
5**	12352.675	39.84	19.69	54.0	-14.16	AV	0.00	150	Vertical	Pass
6	15533.025	55.34	23.73	74.0	-18.66	Peak	169.00	150	Vertical	Pass
6**	15533.025	43.36	23.73	54.0	-10.64	AV	169.00	150	Vertical	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.400	44.02	-15.22	74.0	-29.98	Peak	256.00	150	Horizontal	Pass
1**	1668.400	35.35	-15.22	54.0	-18.65	AV	256.00	150	Horizontal	Pass
2	2738.600	42.05	-8.67	74.0	-31.95	Peak	180.00	150	Horizontal	Pass
2**	2738.600	31.19	-8.67	54.0	-22.81	AV	180.00	150	Horizontal	Pass
3	4160.400	47.09	-3.50	74.0	-26.91	Peak	131.00	150	Horizontal	Pass
3**	4160.400	35.66	-3.50	54.0	-18.34	AV	131.00	150	Horizontal	Pass
4	5242.600	106.21	-0.90	--	-186.79	Peak	293.00	150	Horizontal	N/A
4**	5242.600	97.95	-0.90	--	97.95	AV	293.00	150	Horizontal	N/A
5	11719.312	50.36	19.46	74.0	-23.64	Peak	53.00	150	Horizontal	Pass
5**	11719.312	37.30	19.46	54.0	-16.70	AV	53.00	150	Horizontal	Pass
6	15949.612	54.96	23.95	74.0	-19.04	Peak	65.00	150	Horizontal	Pass
6**	15949.612	44.58	23.95	54.0	-9.42	AV	65.00	150	Horizontal	Pass

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.600	41.52	-15.23	74.0	-32.48	Peak	23.00	150	Vertical	Pass
1**	1669.600	29.74	-15.23	54.0	-24.26	AV	23.00	150	Vertical	Pass
2	2774.500	41.55	-8.53	74.0	-32.45	Peak	353.00	150	Vertical	Pass
2**	2774.500	31.70	-8.53	54.0	-22.30	AV	353.00	150	Vertical	Pass
3	4141.800	47.05	-3.99	74.0	-26.95	Peak	186.00	150	Vertical	Pass
3**	4141.800	36.32	-3.99	54.0	-17.68	AV	186.00	150	Vertical	Pass
4	5242.800	97.96	-0.89	--	1.96	Peak	96.00	150	Vertical	N/A
4**	5242.800	90.28	-0.89	--	90.28	AV	96.00	150	Vertical	N/A
5	11794.062	50.38	18.59	74.0	-23.62	Peak	234.00	150	Vertical	Pass
5**	11794.062	37.74	18.59	54.0	-16.26	AV	234.00	150	Vertical	Pass
6	15525.412	55.33	23.76	74.0	-18.67	Peak	236.00	150	Vertical	Pass
6**	15525.412	43.60	23.76	54.0	-10.40	AV	236.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.900	44.94	-15.28	74.0	-29.06	Peak	265.00	150	Horizontal	Pass
1**	1675.900	36.53	-15.28	54.0	-17.47	AV	265.00	150	Horizontal	Pass
2	2793.700	41.50	-8.88	74.0	-32.50	Peak	67.00	150	Horizontal	Pass
2**	2793.700	31.58	-8.88	54.0	-22.42	AV	67.00	150	Horizontal	Pass
3	4253.400	46.65	-3.13	74.0	-27.35	Peak	61.00	150	Horizontal	Pass
3**	4253.400	35.72	-3.13	54.0	-18.28	AV	61.00	150	Horizontal	Pass
4	5184.600	102.40	-0.64	--	-181.60	Peak	284.00	150	Horizontal	N/A
4**	5184.600	93.43	-0.64	--	93.43	AV	284.00	150	Horizontal	N/A
5	11611.500	50.51	20.19	74.0	-23.49	Peak	175.00	150	Horizontal	Pass
5**	11611.500	39.20	20.19	54.0	-14.80	AV	175.00	150	Horizontal	Pass
6	15941.213	55.64	23.91	74.0	-18.36	Peak	302.00	150	Horizontal	Pass
6**	15941.213	44.08	23.91	54.0	-9.92	AV	302.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.600	41.26	-15.27	74.0	-32.74	Peak	16.00	150	Vertical	Pass
1**	1675.600	31.13	-15.27	54.0	-22.87	AV	16.00	150	Vertical	Pass
2	2833.100	41.52	-8.47	74.0	-32.48	Peak	149.00	150	Vertical	Pass
2**	2833.100	32.57	-8.47	54.0	-21.43	AV	149.00	150	Vertical	Pass
3	4101.200	46.94	-4.23	74.0	-27.06	Peak	102.00	150	Vertical	Pass
3**	4101.200	36.87	-4.23	54.0	-17.13	AV	102.00	150	Vertical	Pass
4	5185.200	93.66	-0.67	--	-0.34	Peak	94.00	150	Vertical	N/A
4**	5185.200	86.22	-0.67	--	86.22	AV	94.00	150	Vertical	N/A
5	12210.362	51.38	20.44	74.0	-22.62	Peak	238.00	150	Vertical	Pass
5**	12210.362	38.98	20.44	54.0	-15.02	AV	238.00	150	Vertical	Pass
6	15547.725	55.28	23.63	74.0	-18.72	Peak	217.00	150	Vertical	Pass
6**	15547.725	43.19	23.63	54.0	-10.81	AV	217.00	150	Vertical	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.900	44.05	-15.23	74.0	-29.95	Peak	264.00	150	Horizontal	Pass
1**	1663.900	31.77	-15.23	54.0	-22.23	AV	264.00	150	Horizontal	Pass
2	2768.800	42.37	-8.54	74.0	-31.63	Peak	151.00	150	Horizontal	Pass
2**	2768.800	31.41	-8.54	54.0	-22.59	AV	151.00	150	Horizontal	Pass
3	4110.400	46.89	-4.21	74.0	-27.11	Peak	155.00	150	Horizontal	Pass
3**	4110.400	35.91	-4.21	54.0	-18.09	AV	155.00	150	Horizontal	Pass
4	5241.800	103.16	-0.93	--	-187.84	Peak	291.00	150	Horizontal	N/A
4**	5241.800	94.39	-0.93	--	94.39	AV	291.00	150	Horizontal	N/A
5	11616.675	50.44	20.22	74.0	-23.56	Peak	360.00	150	Horizontal	Pass
5**	11616.675	39.25	20.22	54.0	-14.75	AV	360.00	150	Horizontal	Pass
6	16143.863	55.16	24.11	74.0	-18.84	Peak	189.00	150	Horizontal	Pass
6**	16143.863	43.67	24.11	54.0	-10.33	AV	189.00	150	Horizontal	Pass

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.600	40.10	-14.67	74.0	-33.90	Peak	290.00	150	Vertical	Pass
1**	1450.600	28.24	-14.67	54.0	-25.76	AV	290.00	150	Vertical	Pass
2	2806.500	41.93	-8.71	74.0	-32.07	Peak	100.00	150	Vertical	Pass
2**	2806.500	30.96	-8.71	54.0	-23.04	AV	100.00	150	Vertical	Pass
3	4104.000	47.09	-4.37	74.0	-26.91	Peak	356.00	150	Vertical	Pass
3**	4104.000	36.04	-4.37	54.0	-17.96	AV	356.00	150	Vertical	Pass
4	5241.400	96.18	-0.94	--	3.18	Peak	93.00	150	Vertical	N/A
4**	5241.400	86.41	-0.94	--	86.41	AV	93.00	150	Vertical	N/A
5	11667.849	50.53	20.19	74.0	-23.47	Peak	131.00	150	Vertical	Pass
5**	11667.849	38.96	20.19	54.0	-15.04	AV	131.00	150	Vertical	Pass
6	15526.988	55.91	23.75	74.0	-18.09	Peak	315.00	150	Vertical	Pass
6**	15526.988	43.83	23.75	54.0	-10.17	AV	315.00	150	Vertical	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.400	44.10	-15.26	74.0	-29.90	Peak	265.00	150	Horizontal	Pass
1**	1675.400	35.40	-15.26	54.0	-18.60	AV	265.00	150	Horizontal	Pass
2	2875.400	42.46	-8.35	74.0	-31.54	Peak	105.00	150	Horizontal	Pass
2**	2875.400	31.52	-8.35	54.0	-22.48	AV	105.00	150	Horizontal	Pass
3	4255.200	47.75	-3.09	74.0	-26.25	Peak	94.00	150	Horizontal	Pass
3**	4255.200	36.53	-3.09	54.0	-17.47	AV	94.00	150	Horizontal	Pass
4	5217.800	100.34	-0.26	--	-175.66	Peak	276.00	150	Horizontal	N/A
4**	5217.800	91.27	-0.26	--	91.27	AV	276.00	150	Horizontal	N/A
5	12040.162	51.12	18.89	74.0	-22.88	Peak	0.00	150	Horizontal	Pass
5**	12040.162	36.92	18.89	54.0	-17.08	AV	0.00	150	Horizontal	Pass
6	15458.737	55.22	23.51	74.0	-18.78	Peak	339.00	150	Horizontal	Pass
6**	15458.737	43.00	23.51	54.0	-11.00	AV	339.00	150	Horizontal	Pass

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.900	40.41	-14.93	74.0	-33.59	Peak	122.00	150	Vertical	Pass
1**	1542.900	29.01	-14.93	54.0	-24.99	AV	122.00	150	Vertical	Pass
2	2826.600	41.97	-8.39	74.0	-32.03	Peak	71.00	150	Vertical	Pass
2**	2826.600	31.93	-8.39	54.0	-22.07	AV	71.00	150	Vertical	Pass
3	4368.000	47.93	-3.72	74.0	-26.07	Peak	274.00	150	Vertical	Pass
3**	4368.000	34.90	-3.72	54.0	-19.10	AV	274.00	150	Vertical	Pass
4	5222.200	92.45	-0.39	--	-3.55	Peak	96.00	150	Vertical	N/A
4**	5222.200	84.54	-0.39	--	84.54	AV	96.00	150	Vertical	N/A
5	11625.875	49.73	20.27	74.0	-24.27	Peak	78.00	150	Vertical	Pass
5**	11625.875	38.39	20.27	54.0	-15.61	AV	78.00	150	Vertical	Pass
6	15948.300	55.53	23.94	74.0	-18.47	Peak	227.00	150	Vertical	Pass
6**	15948.300	43.86	23.94	54.0	-10.14	AV	227.00	150	Vertical	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.500	42.26	-15.31	74.0	-31.74	Peak	266.00	150	Horizontal	Pass
1**	1676.500	33.04	-15.31	54.0	-20.96	AV	266.00	150	Horizontal	Pass
2	2815.900	40.87	-8.33	74.0	-33.13	Peak	167.00	150	Horizontal	Pass
2**	2815.900	31.13	-8.33	54.0	-22.87	AV	167.00	150	Horizontal	Pass
3	4168.600	52.74	2.50	74.0	-21.26	Peak	18.00	150	Horizontal	Pass
3**	4168.600	41.80	2.50	54.0	-12.20	AV	18.00	150	Horizontal	Pass
4	5397.800	54.61	4.84	74.0	-19.39	Peak	124.00	150	Horizontal	Pass
4**	5397.800	48.70	4.84	54.0	-5.30	AV	124.00	150	Horizontal	Pass
5	6830.400	61.42	12.25	68.2	-6.78	Peak	361.00	150	Horizontal	Pass
5**	6830.400	50.17	12.25	--	50.17	AV	361.00	150	Horizontal	N/A
6	15934.650	54.85	23.83	74.0	-19.15	Peak	327.00	150	Horizontal	Pass
6**	15934.650	43.75	23.83	54.0	-10.25	AV	327.00	150	Horizontal	Pass

11ax160-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	41.77	-15.22	74.0	-32.23	Peak	3.00	150	Vertical	Pass
1**	1668.800	34.08	-15.22	54.0	-19.92	AV	3.00	150	Vertical	Pass
2	2798.300	41.17	-8.82	74.0	-32.83	Peak	0.00	150	Vertical	Pass
2**	2798.300	30.82	-8.82	54.0	-23.18	AV	0.00	150	Vertical	Pass
3	4141.800	53.03	2.62	74.0	-20.97	Peak	1.00	150	Vertical	Pass
3**	4141.800	41.17	2.62	54.0	-12.83	AV	1.00	150	Vertical	Pass
4	6836.800	60.88	12.40	68.2	-7.32	Peak	91.00	150	Vertical	Pass
4**	6836.800	51.31	12.40	--	51.31	AV	91.00	150	Vertical	N/A
5	11688.838	50.97	19.96	74.0	-23.03	Peak	109.00	150	Vertical	Pass
5**	11688.838	38.53	19.96	54.0	-15.47	AV	109.00	150	Vertical	Pass
6	15909.975	55.55	23.46	74.0	-18.45	Peak	163.00	150	Vertical	Pass
6**	15909.975	43.06	23.46	54.0	-10.94	AV	163.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.000	44.69	-15.21	74.0	-29.31	Peak	256.00	150	Horizontal	Pass
1**	1667.000	35.52	-15.21	54.0	-18.48	AV	256.00	150	Horizontal	Pass
2	2879.100	42.78	-8.28	74.0	-31.22	Peak	204.00	150	Horizontal	Pass
2**	2879.100	33.01	-8.28	54.0	-20.99	AV	204.00	150	Horizontal	Pass
3	3917.000	46.82	-4.61	74.0	-27.18	Peak	319.00	150	Horizontal	Pass
3**	3917.000	34.01	-4.61	54.0	-19.99	AV	319.00	150	Horizontal	Pass
4	5258.400	104.54	-1.05	--	-176.46	Peak	281.00	150	Horizontal	N/A
4**	5258.400	98.08	-1.05	--	98.08	AV	281.00	150	Horizontal	N/A
5	11580.162	51.15	19.89	74.0	-22.85	Peak	242.00	150	Horizontal	Pass
5**	11580.162	38.22	19.89	54.0	-15.78	AV	242.00	150	Horizontal	Pass
6	15658.500	54.95	23.47	74.0	-19.05	Peak	205.00	150	Horizontal	Pass
6**	15658.500	43.70	23.47	54.0	-10.30	AV	205.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1686.100	40.86	-15.28	74.0	-33.14	Peak	4.00	150	Vertical	Pass
1**	1686.100	28.58	-15.28	54.0	-25.42	AV	4.00	150	Vertical	Pass
2	2837.200	41.67	-8.47	74.0	-32.33	Peak	231.00	150	Vertical	Pass
2**	2837.200	31.70	-8.47	54.0	-22.30	AV	231.00	150	Vertical	Pass
3	4252.600	48.28	-3.18	74.0	-25.72	Peak	223.00	150	Vertical	Pass
3**	4252.600	35.39	-3.18	54.0	-18.61	AV	223.00	150	Vertical	Pass
4	5263.000	97.14	-0.93	--	-3.86	Peak	101.00	150	Vertical	N/A
4**	5263.000	91.18	-0.93	--	91.18	AV	101.00	150	Vertical	N/A
5	11655.200	50.07	20.33	74.0	-23.93	Peak	119.00	150	Vertical	Pass
5**	11655.200	39.05	20.33	54.0	-14.95	AV	119.00	150	Vertical	Pass
6	16135.725	55.26	24.11	74.0	-18.74	Peak	83.00	150	Vertical	Pass
6**	16135.725	44.32	24.11	54.0	-9.68	AV	83.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.700	43.08	-15.26	74.0	-30.92	Peak	151.00	150	Horizontal	Pass
1**	1670.700	33.51	-15.26	54.0	-20.49	AV	151.00	150	Horizontal	Pass
2	2741.400	41.83	-8.90	74.0	-32.17	Peak	255.00	150	Horizontal	Pass
2**	2741.400	31.57	-8.90	54.0	-22.43	AV	255.00	150	Horizontal	Pass
3	4154.800	47.86	-3.58	74.0	-26.14	Peak	355.00	150	Horizontal	Pass
3**	4154.800	34.87	-3.58	54.0	-19.13	AV	355.00	150	Horizontal	Pass
4	5300.000	105.95	-0.42	--	-176.05	Peak	282.00	150	Horizontal	N/A
4**	5300.000	96.56	-0.42	--	96.56	AV	282.00	150	Horizontal	N/A
5	11897.562	50.32	18.03	74.0	-23.68	Peak	106.00	150	Horizontal	Pass
5**	11897.562	37.87	18.03	54.0	-16.13	AV	106.00	150	Horizontal	Pass
6	15620.963	55.58	23.45	74.0	-18.42	Peak	-2.00	150	Horizontal	Pass
6**	15620.963	43.71	23.45	54.0	-10.29	AV	-2.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.600	40.88	-15.21	74.0	-33.12	Peak	27.00	150	Vertical	Pass
1**	1667.600	30.64	-15.21	54.0	-23.36	AV	27.00	150	Vertical	Pass
2	2882.400	41.74	-8.31	74.0	-32.26	Peak	93.00	150	Vertical	Pass
2**	2882.400	32.62	-8.31	54.0	-21.38	AV	93.00	150	Vertical	Pass
3	3988.000	46.87	-4.33	74.0	-27.13	Peak	257.00	150	Vertical	Pass
3**	3988.000	36.70	-4.33	54.0	-17.30	AV	257.00	150	Vertical	Pass
4	5298.000	98.22	-0.51	--	8.22	Peak	90.00	150	Vertical	N/A
4**	5298.000	90.64	-0.51	--	90.64	AV	90.00	150	Vertical	N/A
5	11672.162	50.30	20.15	74.0	-23.70	Peak	164.00	150	Vertical	Pass
5**	11672.162	39.33	20.15	54.0	-14.67	AV	164.00	150	Vertical	Pass
6	15959.588	55.32	23.99	74.0	-18.68	Peak	332.00	150	Vertical	Pass
6**	15959.588	43.07	23.99	54.0	-10.93	AV	332.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.000	44.07	-15.31	74.0	-29.93	Peak	265.00	150	Horizontal	Pass
1**	1674.000	34.54	-15.31	54.0	-19.46	AV	265.00	150	Horizontal	Pass
2	2842.300	41.40	-8.57	74.0	-32.60	Peak	100.00	150	Horizontal	Pass
2**	2842.300	32.67	-8.57	54.0	-21.33	AV	100.00	150	Horizontal	Pass
3	4400.000	44.82	-3.56	74.0	-29.18	Peak	8.00	150	Horizontal	Pass
3**	4400.000	35.94	-3.56	54.0	-18.06	AV	8.00	150	Horizontal	Pass
4	5318.800	106.72	0.13	--	-174.28	Peak	281.00	150	Horizontal	N/A
4**	5318.800	98.40	0.13	--	98.40	AV	281.00	150	Horizontal	N/A
5	12345.775	50.45	19.74	74.0	-23.55	Peak	360.00	150	Horizontal	Pass
5**	12345.775	38.07	19.74	54.0	-15.93	AV	360.00	150	Horizontal	Pass
6	16071.151	55.32	24.08	74.0	-18.68	Peak	22.00	150	Horizontal	Pass
6**	16071.151	44.49	24.08	54.0	-9.51	AV	22.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.200	40.67	-15.24	74.0	-33.33	Peak	25.00	150	Vertical	Pass
1**	1670.200	30.90	-15.24	54.0	-23.10	AV	25.00	150	Vertical	Pass
2	2766.400	41.44	-8.55	74.0	-32.56	Peak	360.00	150	Vertical	Pass
2**	2766.400	31.71	-8.55	54.0	-22.29	AV	360.00	150	Vertical	Pass
3	4161.200	47.42	-3.48	74.0	-26.58	Peak	232.00	150	Vertical	Pass
3**	4161.200	35.28	-3.48	54.0	-18.72	AV	232.00	150	Vertical	Pass
4	5317.800	98.30	0.03	--	0.30	Peak	98.00	150	Vertical	N/A
4**	5317.800	91.60	0.03	--	91.60	AV	98.00	150	Vertical	N/A
5	11755.250	50.23	18.89	74.0	-23.77	Peak	334.00	150	Vertical	Pass
5**	11755.250	39.33	18.89	54.0	-14.67	AV	334.00	150	Vertical	Pass
6	15954.076	54.97	23.97	74.0	-19.03	Peak	64.00	150	Vertical	Pass
6**	15954.076	43.77	23.97	54.0	-10.23	AV	64.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.100	44.26	-15.41	74.0	-29.74	Peak	264.00	150	Horizontal	Pass
1**	1672.100	34.47	-15.41	54.0	-19.53	AV	264.00	150	Horizontal	Pass
2	2828.600	42.73	-8.22	74.0	-31.27	Peak	360.00	150	Horizontal	Pass
2**	2828.600	31.57	-8.22	54.0	-22.43	AV	360.00	150	Horizontal	Pass
3	3968.000	47.97	-4.12	74.0	-26.03	Peak	156.00	150	Horizontal	Pass
3**	3968.000	35.42	-4.12	54.0	-18.58	AV	156.00	150	Horizontal	Pass
4	5260.600	102.96	-1.05	--	-177.04	Peak	280.00	150	Horizontal	N/A
4**	5260.600	93.78	-1.05	--	93.78	AV	280.00	150	Horizontal	N/A
5	11604.312	50.20	20.15	74.0	-23.80	Peak	268.00	150	Horizontal	Pass
5**	11604.312	37.72	20.15	54.0	-16.28	AV	268.00	150	Horizontal	Pass
6	15698.400	55.61	23.57	74.0	-18.39	Peak	106.00	150	Horizontal	Pass
6**	15698.400	43.02	23.57	54.0	-10.98	AV	106.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	40.46	-15.22	74.0	-33.54	Peak	24.00	150	Vertical	Pass
1**	1668.200	30.50	-15.22	54.0	-23.50	AV	24.00	150	Vertical	Pass
2	2839.700	41.66	-8.50	74.0	-32.34	Peak	347.00	150	Vertical	Pass
2**	2839.700	32.46	-8.50	54.0	-21.54	AV	347.00	150	Vertical	Pass
3	3978.200	46.91	-4.08	74.0	-27.09	Peak	69.00	150	Vertical	Pass
3**	3978.200	35.21	-4.08	54.0	-18.79	AV	69.00	150	Vertical	Pass
4	5267.400	95.44	-0.49	--	-1.56	Peak	97.00	150	Vertical	N/A
4**	5267.400	88.18	-0.49	--	88.18	AV	97.00	150	Vertical	N/A
5	11654.050	49.91	20.34	74.0	-24.09	Peak	116.00	150	Vertical	Pass
5**	11654.050	39.03	20.34	54.0	-14.97	AV	116.00	150	Vertical	Pass
6	15358.987	55.23	22.52	74.0	-18.77	Peak	93.00	150	Vertical	Pass
6**	15358.987	44.23	22.52	54.0	-9.77	AV	93.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.700	44.37	-15.21	74.0	-29.63	Peak	262.00	150	Horizontal	Pass
1**	1666.700	35.09	-15.21	54.0	-18.91	AV	262.00	150	Horizontal	Pass
2	2846.800	41.98	-8.33	74.0	-32.02	Peak	27.00	150	Horizontal	Pass
2**	2846.800	31.45	-8.33	54.0	-22.55	AV	27.00	150	Horizontal	Pass
3	4206.200	46.90	-4.03	74.0	-27.10	Peak	252.00	150	Horizontal	Pass
3**	4206.200	34.49	-4.03	54.0	-19.51	AV	252.00	150	Horizontal	Pass
4	5300.200	103.00	0.27	--	-178.00	Peak	281.00	150	Horizontal	N/A
4**	5300.200	95.49	0.27	--	95.49	AV	281.00	150	Horizontal	N/A
5	11659.800	50.50	20.27	74.0	-23.50	Peak	360.00	150	Horizontal	Pass
5**	11659.800	38.53	20.27	54.0	-15.47	AV	360.00	150	Horizontal	Pass
6	15575.812	55.03	23.58	74.0	-18.97	Peak	349.00	150	Horizontal	Pass
6**	15575.812	43.02	23.58	54.0	-10.98	AV	349.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.000	40.32	-15.42	74.0	-33.68	Peak	3.00	150	Vertical	Pass
1**	1673.000	33.40	-15.42	54.0	-20.60	AV	3.00	150	Vertical	Pass
2	2832.600	42.31	-8.46	74.0	-31.69	Peak	155.00	150	Vertical	Pass
2**	2832.600	32.08	-8.46	54.0	-21.92	AV	155.00	150	Vertical	Pass
3	4002.600	46.57	-4.64	74.0	-27.43	Peak	360.00	150	Vertical	Pass
3**	4002.600	35.14	-4.64	54.0	-18.86	AV	360.00	150	Vertical	Pass
4	5299.000	95.46	0.26	--	7.46	Peak	88.00	150	Vertical	N/A
4**	5299.000	88.54	0.26	--	88.54	AV	88.00	150	Vertical	N/A
5	11777.100	49.87	18.73	74.0	-24.13	Peak	148.00	150	Vertical	Pass
5**	11777.100	38.49	18.73	54.0	-15.51	AV	148.00	150	Vertical	Pass
6	15983.475	55.40	24.01	74.0	-18.60	Peak	6.00	150	Vertical	Pass
6**	15983.475	43.09	24.01	54.0	-10.91	AV	6.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.300	45.35	-15.22	74.0	-28.65	Peak	257.00	150	Horizontal	Pass
1**	1664.300	30.06	-15.22	54.0	-23.94	AV	257.00	150	Horizontal	Pass
2	2819.400	41.85	-8.36	74.0	-32.15	Peak	91.00	150	Horizontal	Pass
2**	2819.400	32.15	-8.36	54.0	-21.85	AV	91.00	150	Horizontal	Pass
3	4289.800	47.34	-3.76	74.0	-26.66	Peak	13.00	150	Horizontal	Pass
3**	4289.800	35.41	-3.76	54.0	-18.59	AV	13.00	150	Horizontal	Pass
4	5262.200	105.49	-1.00	--	-168.51	Peak	274.00	150	Horizontal	N/A
4**	5262.200	100.03	-1.00	--	100.03	AV	274.00	150	Horizontal	N/A
5	11663.250	50.67	20.24	74.0	-23.33	Peak	125.00	150	Horizontal	Pass
5**	11663.250	37.98	20.24	54.0	-16.02	AV	125.00	150	Horizontal	Pass
6	15903.674	55.17	23.34	74.0	-18.83	Peak	196.00	150	Horizontal	Pass
6**	15903.674	42.44	23.34	54.0	-11.56	AV	196.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.200	41.05	-15.21	74.0	-32.95	Peak	24.00	150	Vertical	Pass
1**	1667.200	29.81	-15.21	54.0	-24.19	AV	24.00	150	Vertical	Pass
2	2877.100	42.31	-8.34	74.0	-31.69	Peak	287.00	150	Vertical	Pass
2**	2877.100	33.21	-8.34	54.0	-20.79	AV	287.00	150	Vertical	Pass
3	4243.800	48.09	-3.26	74.0	-25.91	Peak	235.00	150	Vertical	Pass
3**	4243.800	34.60	-3.26	54.0	-19.40	AV	235.00	150	Vertical	Pass
4	5264.000	98.20	-0.85	--	0.20	Peak	98.00	150	Vertical	N/A
4**	5264.000	90.93	-0.85	--	90.93	AV	98.00	150	Vertical	N/A
5	12246.875	50.94	20.45	74.0	-23.06	Peak	360.00	150	Vertical	Pass
5**	12246.875	38.26	20.45	54.0	-15.74	AV	360.00	150	Vertical	Pass
6	15410.962	55.11	22.99	74.0	-18.89	Peak	168.00	150	Vertical	Pass
6**	15410.962	42.40	22.99	54.0	-11.60	AV	168.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.000	44.44	-15.22	74.0	-29.56	Peak	262.00	150	Horizontal	Pass
1**	1668.000	34.80	-15.22	54.0	-19.20	AV	262.00	150	Horizontal	Pass
2	2840.100	42.47	-8.53	74.0	-31.53	Peak	318.00	150	Horizontal	Pass
2**	2840.100	31.98	-8.53	54.0	-22.02	AV	318.00	150	Horizontal	Pass
3	4297.200	47.42	-3.58	74.0	-26.58	Peak	120.00	150	Horizontal	Pass
3**	4297.200	36.02	-3.58	54.0	-17.98	AV	120.00	150	Horizontal	Pass
4	5304.000	105.61	-0.33	--	-174.39	Peak	280.00	150	Horizontal	N/A
4**	5304.000	97.60	-0.33	--	97.60	AV	280.00	150	Horizontal	N/A
5	11657.787	51.31	20.30	74.0	-22.69	Peak	343.00	150	Horizontal	Pass
5**	11657.787	38.51	20.30	54.0	-15.49	AV	343.00	150	Horizontal	Pass
6	15979.800	55.41	24.00	74.0	-18.59	Peak	165.00	150	Horizontal	Pass
6**	15979.800	45.14	24.00	54.0	-8.86	AV	165.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.000	40.65	-15.21	74.0	-33.35	Peak	13.00	150	Vertical	Pass
1**	1667.000	33.97	-15.21	54.0	-20.03	AV	13.00	150	Vertical	Pass
2	2879.800	41.96	-8.27	74.0	-32.04	Peak	34.00	150	Vertical	Pass
2**	2879.800	32.72	-8.27	54.0	-21.28	AV	34.00	150	Vertical	Pass
3	4207.600	47.42	-3.99	74.0	-26.58	Peak	0.00	150	Vertical	Pass
3**	4207.600	35.94	-3.99	54.0	-18.06	AV	0.00	150	Vertical	Pass
4	5302.200	97.67	-0.31	--	3.67	Peak	94.00	150	Vertical	N/A
4**	5302.200	91.78	-0.31	--	91.78	AV	94.00	150	Vertical	N/A
5	11638.237	50.73	20.35	74.0	-23.27	Peak	85.00	150	Vertical	Pass
5**	11638.237	39.36	20.35	54.0	-14.64	AV	85.00	150	Vertical	Pass
6	15947.250	55.11	23.94	74.0	-18.89	Peak	-2.00	150	Vertical	Pass
6**	15947.250	43.68	23.94	54.0	-10.32	AV	-2.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.900	44.25	-15.38	74.0	-29.75	Peak	264.00	150	Horizontal	Pass
1**	1671.900	34.34	-15.38	54.0	-19.66	AV	264.00	150	Horizontal	Pass
2	2882.200	41.84	-8.31	74.0	-32.16	Peak	43.00	150	Horizontal	Pass
2**	2882.200	33.02	-8.31	54.0	-20.98	AV	43.00	150	Horizontal	Pass
3	4254.000	48.33	-3.09	74.0	-25.67	Peak	55.00	150	Horizontal	Pass
3**	4254.000	35.58	-3.09	54.0	-18.42	AV	55.00	150	Horizontal	Pass
4	5323.800	106.49	-0.05	--	-167.51	Peak	274.00	150	Horizontal	N/A
4**	5323.800	98.10	-0.05	--	98.10	AV	274.00	150	Horizontal	N/A
5	11598.276	49.90	20.11	74.0	-24.10	Peak	98.00	150	Horizontal	Pass
5**	11598.276	38.86	20.11	54.0	-15.14	AV	98.00	150	Horizontal	Pass
6	15931.500	54.59	23.79	74.0	-19.41	Peak	1.00	150	Horizontal	Pass
6**	15931.500	44.16	23.79	54.0	-9.84	AV	1.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.000	40.10	-15.22	74.0	-33.90	Peak	27.00	150	Vertical	Pass
1**	1668.000	29.50	-15.22	54.0	-24.50	AV	27.00	150	Vertical	Pass
2	2870.300	41.97	-8.19	74.0	-32.03	Peak	182.00	150	Vertical	Pass
2**	2870.300	31.64	-8.19	54.0	-22.36	AV	182.00	150	Vertical	Pass
3	4254.600	47.58	-3.07	74.0	-26.42	Peak	176.00	150	Vertical	Pass
3**	4254.600	35.16	-3.07	54.0	-18.84	AV	176.00	150	Vertical	Pass
4	5316.400	98.45	-0.04	--	9.45	Peak	89.00	150	Vertical	N/A
4**	5316.400	91.93	-0.04	--	91.93	AV	89.00	150	Vertical	N/A
5	11814.475	50.27	18.44	74.0	-23.73	Peak	46.00	150	Vertical	Pass
5**	11814.475	38.19	18.44	54.0	-15.81	AV	46.00	150	Vertical	Pass
6	15932.287	55.32	23.80	74.0	-18.68	Peak	51.00	150	Vertical	Pass
6**	15932.287	43.13	23.80	54.0	-10.87	AV	51.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.800	44.56	-15.27	74.0	-29.44	Peak	267.00	150	Horizontal	Pass
1**	1670.800	34.71	-15.27	54.0	-19.29	AV	267.00	150	Horizontal	Pass
2	2827.000	43.03	-8.36	74.0	-30.97	Peak	131.00	150	Horizontal	Pass
2**	2827.000	32.94	-8.36	54.0	-21.06	AV	131.00	150	Horizontal	Pass
3	4279.600	47.97	-3.54	74.0	-26.03	Peak	178.00	150	Horizontal	Pass
3**	4279.600	35.34	-3.54	54.0	-18.66	AV	178.00	150	Horizontal	Pass
4	5278.200	102.42	-0.51	--	-185.58	Peak	288.00	150	Horizontal	N/A
4**	5278.200	94.26	-0.51	--	94.26	AV	288.00	150	Horizontal	N/A
5	12219.850	50.79	20.45	74.0	-23.21	Peak	193.00	150	Horizontal	Pass
5**	12219.850	37.97	20.45	54.0	-16.03	AV	193.00	150	Horizontal	Pass
6	15930.450	55.83	23.78	74.0	-18.17	Peak	360.00	150	Horizontal	Pass
6**	15930.450	43.21	23.78	54.0	-10.79	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	41.13	-15.29	74.0	-32.87	Peak	360.00	150	Vertical	Pass
1**	1677.500	30.30	-15.29	54.0	-23.70	AV	360.00	150	Vertical	Pass
2	2794.800	41.03	-8.91	74.0	-32.97	Peak	324.00	150	Vertical	Pass
2**	2794.800	32.30	-8.91	54.0	-21.70	AV	324.00	150	Vertical	Pass
3	4146.800	47.53	-3.64	74.0	-26.47	Peak	272.00	150	Vertical	Pass
3**	4146.800	34.70	-3.64	54.0	-19.30	AV	272.00	150	Vertical	Pass
4	5274.600	95.10	-0.57	--	1.10	Peak	94.00	150	Vertical	N/A
4**	5274.600	87.76	-0.57	--	87.76	AV	94.00	150	Vertical	N/A
5	11674.750	49.98	20.12	74.0	-24.02	Peak	106.00	150	Vertical	Pass
5**	11674.750	38.77	20.12	54.0	-15.23	AV	106.00	150	Vertical	Pass
6	15587.625	55.55	23.57	74.0	-18.45	Peak	360.00	150	Vertical	Pass
6**	15587.625	42.82	23.57	54.0	-11.18	AV	360.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.000	43.89	-15.22	74.0	-30.11	Peak	268.00	150	Horizontal	Pass
1**	1669.000	35.11	-15.22	54.0	-18.89	AV	268.00	150	Horizontal	Pass
2	2874.600	42.05	-8.32	74.0	-31.95	Peak	5.00	150	Horizontal	Pass
2**	2874.600	32.46	-8.32	54.0	-21.54	AV	5.00	150	Horizontal	Pass
3	4164.400	46.90	-3.68	74.0	-27.10	Peak	206.00	150	Horizontal	Pass
3**	4164.400	35.66	-3.68	54.0	-18.34	AV	206.00	150	Horizontal	Pass
4	5304.200	103.44	0.35	--	-176.56	Peak	280.00	150	Horizontal	N/A
4**	5304.200	94.82	0.35	--	94.82	AV	280.00	150	Horizontal	N/A
5	12246.587	50.54	20.45	74.0	-23.46	Peak	270.00	150	Horizontal	Pass
5**	12246.587	39.09	20.45	54.0	-14.91	AV	270.00	150	Horizontal	Pass
6	15921.000	55.25	23.66	74.0	-18.75	Peak	130.00	150	Horizontal	Pass
6**	15921.000	44.76	23.66	54.0	-9.24	AV	130.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.800	40.39	-14.69	74.0	-33.61	Peak	298.00	150	Vertical	Pass
1**	1458.800	31.18	-14.69	54.0	-22.82	AV	298.00	150	Vertical	Pass
2	2876.100	41.97	-8.34	74.0	-32.03	Peak	360.00	150	Vertical	Pass
2**	2876.100	34.14	-8.34	54.0	-19.86	AV	360.00	150	Vertical	Pass
3	3706.400	47.60	-5.59	74.0	-26.40	Peak	226.00	150	Vertical	Pass
3**	3706.400	35.52	-5.59	54.0	-18.48	AV	226.00	150	Vertical	Pass
4	5302.400	96.21	0.30	--	-0.79	Peak	97.00	150	Vertical	N/A
4**	5302.400	89.80	0.30	--	89.80	AV	97.00	150	Vertical	N/A
5	12160.625	50.99	20.05	74.0	-23.01	Peak	9.00	150	Vertical	Pass
5**	12160.625	38.40	20.05	54.0	-15.60	AV	9.00	150	Vertical	Pass
6	15616.238	55.88	23.47	74.0	-18.12	Peak	102.00	150	Vertical	Pass
6**	15616.238	43.09	23.47	54.0	-10.91	AV	102.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.800	44.70	-15.23	74.0	-29.30	Peak	263.00	150	Horizontal	Pass
1**	1669.800	37.37	-15.23	54.0	-16.63	AV	263.00	150	Horizontal	Pass
2	2829.400	41.94	-8.25	74.0	-32.06	Peak	246.00	150	Horizontal	Pass
2**	2829.400	32.45	-8.25	54.0	-21.55	AV	246.00	150	Horizontal	Pass
3	3981.800	46.85	-4.19	74.0	-27.15	Peak	28.00	150	Horizontal	Pass
3**	3981.800	35.12	-4.19	54.0	-18.88	AV	28.00	150	Horizontal	Pass
4	5305.800	100.21	0.25	--	-175.79	Peak	276.00	150	Horizontal	N/A
4**	5305.800	91.39	0.25	--	91.39	AV	276.00	150	Horizontal	N/A
5	12434.326	50.88	18.81	74.0	-23.12	Peak	349.00	150	Horizontal	Pass
5**	12434.326	37.95	18.81	54.0	-16.05	AV	349.00	150	Horizontal	Pass
6	15482.888	55.91	23.70	74.0	-18.09	Peak	95.00	150	Horizontal	Pass
6**	15482.888	42.91	23.70	54.0	-11.09	AV	95.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.900	40.54	-15.22	74.0	-33.46	Peak	26.00	150	Vertical	Pass
1**	1668.900	29.96	-15.22	54.0	-24.04	AV	26.00	150	Vertical	Pass
2	2811.400	41.24	-8.44	74.0	-32.76	Peak	339.00	150	Vertical	Pass
2**	2811.400	31.93	-8.44	54.0	-22.07	AV	339.00	150	Vertical	Pass
3	3968.600	46.96	-4.14	74.0	-27.04	Peak	181.00	150	Vertical	Pass
3**	3968.600	35.61	-4.14	54.0	-18.39	AV	181.00	150	Vertical	Pass
4	5271.800	92.85	-0.67	--	-1.15	Peak	94.00	150	Vertical	N/A
4**	5271.800	84.87	-0.67	--	84.87	AV	94.00	150	Vertical	N/A
5	12185.349	50.14	20.31	74.0	-23.86	Peak	285.00	150	Vertical	Pass
5**	12185.349	37.61	20.31	54.0	-16.39	AV	285.00	150	Vertical	Pass
6	15983.737	56.15	24.01	74.0	-17.85	Peak	219.00	150	Vertical	Pass
6**	15983.737	43.99	24.01	54.0	-10.01	AV	219.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.500	43.07	-15.24	74.0	-30.93	Peak	162.00	150	Horizontal	Pass
1**	1682.500	32.55	-15.24	54.0	-21.45	AV	162.00	150	Horizontal	Pass
2	2874.600	41.78	-8.32	74.0	-32.22	Peak	268.00	150	Horizontal	Pass
2**	2874.600	32.54	-8.32	54.0	-21.46	AV	268.00	150	Horizontal	Pass
3	4250.200	47.00	-3.18	74.0	-27.00	Peak	217.00	150	Horizontal	Pass
3**	4250.200	35.58	-3.18	54.0	-18.42	AV	217.00	150	Horizontal	Pass
4	5263.400	105.80	-0.90	--	-177.20	Peak	283.00	150	Horizontal	N/A
4**	5263.400	97.23	-0.90	--	97.23	AV	283.00	150	Horizontal	N/A
5	11616.388	50.38	20.22	74.0	-23.62	Peak	99.00	150	Horizontal	Pass
5**	11616.388	39.52	20.22	54.0	-14.48	AV	99.00	150	Horizontal	Pass
6	15706.800	55.52	23.53	74.0	-18.48	Peak	233.00	150	Horizontal	Pass
6**	15706.800	44.11	23.53	54.0	-9.89	AV	233.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.500	40.23	-14.81	74.0	-33.77	Peak	287.00	150	Vertical	Pass
1**	1465.500	30.71	-14.81	54.0	-23.29	AV	287.00	150	Vertical	Pass
2	2880.400	43.61	-8.28	74.0	-30.39	Peak	212.00	150	Vertical	Pass
2**	2880.400	33.76	-8.28	54.0	-20.24	AV	212.00	150	Vertical	Pass
3	4276.600	47.85	-3.43	74.0	-26.15	Peak	265.00	150	Vertical	Pass
3**	4276.600	35.24	-3.43	54.0	-18.76	AV	265.00	150	Vertical	Pass
4	5258.800	98.46	-1.05	--	4.46	Peak	94.00	150	Vertical	N/A
4**	5258.800	89.77	-1.05	--	89.77	AV	94.00	150	Vertical	N/A
5	11641.975	50.00	20.37	74.0	-24.00	Peak	175.00	150	Vertical	Pass
5**	11641.975	38.93	20.37	54.0	-15.07	AV	175.00	150	Vertical	Pass
6	16076.925	54.98	24.05	74.0	-19.02	Peak	306.00	150	Vertical	Pass
6**	16076.925	43.15	24.05	54.0	-10.85	AV	306.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.300	44.03	-15.30	74.0	-29.97	Peak	268.00	150	Horizontal	Pass
1**	1676.300	33.87	-15.30	54.0	-20.13	AV	268.00	150	Horizontal	Pass
2	2891.900	41.92	-8.01	74.0	-32.08	Peak	110.00	150	Horizontal	Pass
2**	2891.900	33.44	-8.01	54.0	-20.56	AV	110.00	150	Horizontal	Pass
3	4146.800	47.79	-3.64	74.0	-26.21	Peak	133.00	150	Horizontal	Pass
3**	4146.800	35.74	-3.64	54.0	-18.26	AV	133.00	150	Horizontal	Pass
4	5302.400	105.87	-0.30	--	-167.13	Peak	273.00	150	Horizontal	N/A
4**	5302.400	97.79	-0.30	--	97.79	AV	273.00	150	Horizontal	N/A
5	12286.550	50.52	20.15	74.0	-23.48	Peak	172.00	150	Horizontal	Pass
5**	12286.550	38.03	20.15	54.0	-15.97	AV	172.00	150	Horizontal	Pass
6	15728.850	55.83	23.47	74.0	-18.17	Peak	29.00	150	Horizontal	Pass
6**	15728.850	42.79	23.47	54.0	-11.21	AV	29.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.500	40.79	-15.22	74.0	-33.21	Peak	21.00	150	Vertical	Pass
1**	1664.500	28.16	-15.22	54.0	-25.84	AV	21.00	150	Vertical	Pass
2	2878.700	41.98	-8.29	74.0	-32.02	Peak	124.00	150	Vertical	Pass
2**	2878.700	33.63	-8.29	54.0	-20.37	AV	124.00	150	Vertical	Pass
3	4149.600	47.08	-3.48	74.0	-26.92	Peak	137.00	150	Vertical	Pass
3**	4149.600	34.72	-3.48	54.0	-19.28	AV	137.00	150	Vertical	Pass
4	5305.800	98.13	-0.42	--	0.13	Peak	98.00	150	Vertical	N/A
4**	5305.800	88.52	-0.42	--	88.52	AV	98.00	150	Vertical	N/A
5	11638.813	50.22	20.36	74.0	-23.78	Peak	101.00	150	Vertical	Pass
5**	11638.813	38.67	20.36	54.0	-15.33	AV	101.00	150	Vertical	Pass
6	15941.213	55.39	23.91	74.0	-18.61	Peak	238.00	150	Vertical	Pass
6**	15941.213	43.47	23.91	54.0	-10.53	AV	238.00	150	Vertical	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	43.35	-15.22	74.0	-30.65	Peak	258.00	150	Horizontal	Pass
1**	1668.200	32.84	-15.22	54.0	-21.16	AV	258.00	150	Horizontal	Pass
2	2881.200	42.11	-8.29	74.0	-31.89	Peak	360.00	150	Horizontal	Pass
2**	2881.200	33.46	-8.29	54.0	-20.54	AV	360.00	150	Horizontal	Pass
3	4277.800	47.13	-3.43	74.0	-26.87	Peak	129.00	150	Horizontal	Pass
3**	4277.800	36.39	-3.43	54.0	-17.61	AV	129.00	150	Horizontal	Pass
4	5315.400	105.87	0.03	--	-166.13	Peak	272.00	150	Horizontal	N/A
4**	5315.400	98.64	0.03	--	98.64	AV	272.00	150	Horizontal	N/A
5	11756.401	50.14	18.88	74.0	-23.86	Peak	164.00	150	Horizontal	Pass
5**	11756.401	39.73	18.88	54.0	-14.27	AV	164.00	150	Horizontal	Pass
6	15481.575	55.32	23.68	74.0	-18.68	Peak	51.00	150	Horizontal	Pass
6**	15481.575	43.17	23.68	54.0	-10.83	AV	51.00	150	Horizontal	Pass

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.300	40.71	-15.06	74.0	-33.29	Peak	137.00	150	Vertical	Pass
1**	1504.300	30.61	-15.06	54.0	-23.39	AV	137.00	150	Vertical	Pass
2	2878.800	42.03	-8.29	74.0	-31.97	Peak	348.00	150	Vertical	Pass
2**	2878.800	32.19	-8.29	54.0	-21.81	AV	348.00	150	Vertical	Pass
3	4122.200	47.22	-4.14	74.0	-26.78	Peak	254.00	150	Vertical	Pass
3**	4122.200	35.62	-4.14	54.0	-18.38	AV	254.00	150	Vertical	Pass
4	5318.400	99.09	0.09	--	-1.91	Peak	101.00	150	Vertical	N/A
4**	5318.400	90.70	0.09	--	90.70	AV	101.00	150	Vertical	N/A
5	12207.487	50.90	20.44	74.0	-23.10	Peak	232.00	150	Vertical	Pass
5**	12207.487	38.51	20.44	54.0	-15.49	AV	232.00	150	Vertical	Pass
6	15904.463	54.76	23.35	74.0	-19.24	Peak	30.00	150	Vertical	Pass
6**	15904.463	44.82	23.35	54.0	-9.18	AV	30.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.000	43.04	-15.23	74.0	-30.96	Peak	154.00	150	Horizontal	Pass
1**	1670.000	33.11	-15.23	54.0	-20.89	AV	154.00	150	Horizontal	Pass
2	2887.300	41.66	-8.17	74.0	-32.34	Peak	154.00	150	Horizontal	Pass
2**	2887.300	33.05	-8.17	54.0	-20.95	AV	154.00	150	Horizontal	Pass
3	4258.000	47.18	-3.33	74.0	-26.82	Peak	213.00	150	Horizontal	Pass
3**	4258.000	36.16	-3.33	54.0	-17.84	AV	213.00	150	Horizontal	Pass
4	5281.200	102.72	-0.35	--	-188.28	Peak	291.00	150	Horizontal	N/A
4**	5281.200	94.29	-0.35	--	94.29	AV	291.00	150	Horizontal	N/A
5	11672.450	50.53	20.14	74.0	-23.47	Peak	273.00	150	Horizontal	Pass
5**	11672.450	38.59	20.14	54.0	-15.41	AV	273.00	150	Horizontal	Pass
6	15974.813	55.16	24.00	74.0	-18.84	Peak	30.00	150	Horizontal	Pass
6**	15974.813	43.15	24.00	54.0	-10.85	AV	30.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.100	40.05	-15.22	74.0	-33.95	Peak	360.00	150	Vertical	Pass
1**	1665.100	30.14	-15.22	54.0	-23.86	AV	360.00	150	Vertical	Pass
2	2830.800	41.53	-8.31	74.0	-32.47	Peak	165.00	150	Vertical	Pass
2**	2830.800	31.93	-8.31	54.0	-22.07	AV	165.00	150	Vertical	Pass
3	4044.600	47.62	-3.91	74.0	-26.38	Peak	325.00	150	Vertical	Pass
3**	4044.600	34.81	-3.91	54.0	-19.19	AV	325.00	150	Vertical	Pass
4	5275.600	95.11	-0.54	--	3.11	Peak	92.00	150	Vertical	N/A
4**	5275.600	86.75	-0.54	--	86.75	AV	92.00	150	Vertical	N/A
5	12259.237	50.62	20.39	74.0	-23.38	Peak	48.00	150	Vertical	Pass
5**	12259.237	37.75	20.39	54.0	-16.25	AV	48.00	150	Vertical	Pass
6	15445.875	55.54	23.33	74.0	-18.46	Peak	78.00	150	Vertical	Pass
6**	15445.875	44.06	23.33	54.0	-9.94	AV	78.00	150	Vertical	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	44.49	-15.22	74.0	-29.51	Peak	257.00	150	Horizontal	Pass
1**	1668.200	36.97	-15.22	54.0	-17.03	AV	257.00	150	Horizontal	Pass
2	2848.900	42.08	-8.23	74.0	-31.92	Peak	69.00	150	Horizontal	Pass
2**	2848.900	31.44	-8.23	54.0	-22.56	AV	69.00	150	Horizontal	Pass
3	4189.600	46.95	-4.01	74.0	-27.05	Peak	148.00	150	Horizontal	Pass
3**	4189.600	35.35	-4.01	54.0	-18.65	AV	148.00	150	Horizontal	Pass
4	5317.200	103.57	-0.03	--	-177.43	Peak	281.00	150	Horizontal	N/A
4**	5317.200	93.87	-0.03	--	93.87	AV	281.00	150	Horizontal	N/A
5	11602.300	51.28	20.14	74.0	-22.72	Peak	82.00	150	Horizontal	Pass
5**	11602.300	37.76	20.14	54.0	-16.24	AV	82.00	150	Horizontal	Pass
6	16062.750	55.08	24.13	74.0	-18.92	Peak	349.00	150	Horizontal	Pass
6**	16062.750	42.58	24.13	54.0	-11.42	AV	349.00	150	Horizontal	Pass

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.800	41.29	-14.77	74.0	-32.71	Peak	288.00	150	Vertical	Pass
1**	1463.800	31.37	-14.77	54.0	-22.63	AV	288.00	150	Vertical	Pass
2	2884.900	42.18	-8.27	74.0	-31.82	Peak	42.00	150	Vertical	Pass
2**	2884.900	32.29	-8.27	54.0	-21.71	AV	42.00	150	Vertical	Pass
3	4263.400	47.35	-3.24	74.0	-26.65	Peak	28.00	150	Vertical	Pass
3**	4263.400	35.70	-3.24	54.0	-18.30	AV	28.00	150	Vertical	Pass
4	5321.200	96.65	-0.12	--	-1.35	Peak	98.00	150	Vertical	N/A
4**	5321.200	87.61	-0.12	--	87.61	AV	98.00	150	Vertical	N/A
5	11635.075	50.73	20.33	74.0	-23.27	Peak	360.00	150	Vertical	Pass
5**	11635.075	39.13	20.33	54.0	-14.87	AV	360.00	150	Vertical	Pass
6	15550.875	55.64	23.61	74.0	-18.36	Peak	11.00	150	Vertical	Pass
6**	15550.875	45.32	23.61	54.0	-8.68	AV	11.00	150	Vertical	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	44.08	-15.28	74.0	-29.92	Peak	263.00	150	Horizontal	Pass
1**	1670.900	34.37	-15.28	54.0	-19.63	AV	263.00	150	Horizontal	Pass
2	2826.700	41.73	-8.38	74.0	-32.27	Peak	68.00	150	Horizontal	Pass
2**	2826.700	31.93	-8.38	54.0	-22.07	AV	68.00	150	Horizontal	Pass
3	4238.600	47.77	-3.38	74.0	-26.23	Peak	155.00	150	Horizontal	Pass
3**	4238.600	35.09	-3.38	54.0	-18.91	AV	155.00	150	Horizontal	Pass
4	5303.400	101.96	0.33	--	-188.04	Peak	290.00	150	Horizontal	N/A
4**	5303.400	91.87	0.33	--	91.87	AV	290.00	150	Horizontal	N/A
5	12378.838	50.53	19.41	74.0	-23.47	Peak	333.00	150	Horizontal	Pass
5**	12378.838	38.50	19.41	54.0	-15.50	AV	333.00	150	Horizontal	Pass
6	15543.525	55.88	23.67	74.0	-18.12	Peak	145.00	150	Horizontal	Pass
6**	15543.525	43.46	23.67	54.0	-10.54	AV	145.00	150	Horizontal	Pass

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	40.53	-15.29	74.0	-33.47	Peak	0.00	150	Vertical	Pass
1**	1677.500	30.83	-15.29	54.0	-23.17	AV	0.00	150	Vertical	Pass
2	2831.900	41.38	-8.40	74.0	-32.62	Peak	9.00	150	Vertical	Pass
2**	2831.900	32.04	-8.40	54.0	-21.96	AV	9.00	150	Vertical	Pass
3	4320.000	47.72	-2.98	74.0	-26.28	Peak	53.00	150	Vertical	Pass
3**	4320.000	36.45	-2.98	54.0	-17.55	AV	53.00	150	Vertical	Pass
4	5302.200	93.33	0.30	--	2.33	Peak	91.00	150	Vertical	N/A
4**	5302.200	84.01	0.30	--	84.01	AV	91.00	150	Vertical	N/A
5	12349.225	50.44	19.72	74.0	-23.56	Peak	173.00	150	Vertical	Pass
5**	12349.225	38.91	19.72	54.0	-15.09	AV	173.00	150	Vertical	Pass
6	15599.175	54.94	23.55	74.0	-19.06	Peak	-2.00	150	Vertical	Pass
6**	15599.175	42.97	23.55	54.0	-11.03	AV	-2.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	44.34	-15.21	74.0	-29.66	Peak	260.00	150	Horizontal	Pass
1**	1667.800	35.28	-15.21	54.0	-18.72	AV	260.00	150	Horizontal	Pass
2	2860.800	42.08	-7.97	74.0	-31.92	Peak	54.00	150	Horizontal	Pass
2**	2860.800	32.38	-7.97	54.0	-21.62	AV	54.00	150	Horizontal	Pass
3	4251.000	46.54	-3.19	74.0	-27.46	Peak	0.00	150	Horizontal	Pass
3**	4251.000	35.51	-3.19	54.0	-18.49	AV	0.00	150	Horizontal	Pass
4	5496.000	105.62	0.65	--	-158.38	Peak	264.00	150	Horizontal	N/A
4**	5496.000	99.40	0.65	--	99.40	AV	264.00	150	Horizontal	N/A
5	11750.938	49.92	18.93	74.0	-24.08	Peak	194.00	150	Horizontal	Pass
5**	11750.938	37.80	18.93	54.0	-16.20	AV	194.00	150	Horizontal	Pass
6	15781.088	54.74	23.18	74.0	-19.26	Peak	272.00	150	Horizontal	Pass
6**	15781.088	42.07	23.18	54.0	-11.93	AV	272.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.100	42.70	-14.99	74.0	-31.30	Peak	288.00	150	Vertical	Pass
1**	1476.100	32.76	-14.99	54.0	-21.24	AV	288.00	150	Vertical	Pass
2	2804.100	41.81	-8.74	74.0	-32.19	Peak	49.00	150	Vertical	Pass
2**	2804.100	30.67	-8.74	54.0	-23.33	AV	49.00	150	Vertical	Pass
3	4238.200	47.49	-3.35	74.0	-26.51	Peak	0.00	150	Vertical	Pass
3**	4238.200	34.66	-3.35	54.0	-19.34	AV	0.00	150	Vertical	Pass
4	5500.600	100.17	0.48	--	-1.83	Peak	102.00	150	Vertical	N/A
4**	5500.600	92.21	0.48	--	92.21	AV	102.00	150	Vertical	N/A
5	11592.526	49.37	20.04	74.0	-24.63	Peak	215.00	150	Vertical	Pass
5**	11592.526	37.91	20.04	54.0	-16.09	AV	215.00	150	Vertical	Pass
6	15583.425	54.54	23.57	74.0	-19.46	Peak	224.00	150	Vertical	Pass
6**	15583.425	43.74	23.57	54.0	-10.26	AV	224.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.200	44.32	-15.25	74.0	-29.68	Peak	265.00	150	Horizontal	Pass
1**	1675.200	34.73	-15.25	54.0	-19.27	AV	265.00	150	Horizontal	Pass
2	2862.000	42.14	-8.02	74.0	-31.86	Peak	19.00	150	Horizontal	Pass
2**	2862.000	32.71	-8.02	54.0	-21.29	AV	19.00	150	Horizontal	Pass
3	4276.000	46.87	-3.43	74.0	-27.13	Peak	232.00	150	Horizontal	Pass
3**	4276.000	35.81	-3.43	54.0	-18.19	AV	232.00	150	Horizontal	Pass
4	5577.400	107.49	0.73	--	-201.51	Peak	309.00	150	Horizontal	N/A
4**	5577.400	99.95	0.73	--	99.95	AV	309.00	150	Horizontal	N/A
5	11630.763	49.56	20.31	74.0	-24.44	Peak	221.00	150	Horizontal	Pass
5**	11630.763	37.76	20.31	54.0	-16.24	AV	221.00	150	Horizontal	Pass
6	15943.576	54.95	23.92	74.0	-19.05	Peak	345.00	150	Horizontal	Pass
6**	15943.576	43.72	23.92	54.0	-10.28	AV	345.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.000	41.65	-14.70	74.0	-32.35	Peak	291.00	150	Vertical	Pass
1**	1459.000	34.11	-14.70	54.0	-19.89	AV	291.00	150	Vertical	Pass
2	2844.600	42.20	-8.47	74.0	-31.80	Peak	0.00	150	Vertical	Pass
2**	2844.600	31.68	-8.47	54.0	-22.32	AV	0.00	150	Vertical	Pass
3	3974.200	47.04	-4.15	74.0	-26.96	Peak	263.00	150	Vertical	Pass
3**	3974.200	38.11	-4.15	54.0	-15.89	AV	263.00	150	Vertical	Pass
4	5575.400	102.30	0.69	--	6.30	Peak	96.00	150	Vertical	N/A
4**	5575.400	95.32	0.69	--	95.32	AV	96.00	150	Vertical	N/A
5	11633.925	49.85	20.33	74.0	-24.15	Peak	205.00	150	Vertical	Pass
5**	11633.925	37.46	20.33	54.0	-16.54	AV	205.00	150	Vertical	Pass
6	15552.713	54.99	23.60	74.0	-19.01	Peak	19.00	150	Vertical	Pass
6**	15552.713	43.33	23.60	54.0	-10.67	AV	19.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	43.95	-15.35	74.0	-30.05	Peak	258.00	150	Horizontal	Pass
1**	1673.600	36.17	-15.35	54.0	-17.83	AV	258.00	150	Horizontal	Pass
2	2831.800	41.73	-8.39	74.0	-32.27	Peak	171.00	150	Horizontal	Pass
2**	2831.800	32.83	-8.39	54.0	-21.17	AV	171.00	150	Horizontal	Pass
3	3998.400	47.10	-4.54	74.0	-26.90	Peak	234.00	150	Horizontal	Pass
3**	3998.400	34.66	-4.54	54.0	-19.34	AV	234.00	150	Horizontal	Pass
4	5698.800	107.10	-0.82	--	-164.90	Peak	272.00	150	Horizontal	N/A
4**	5698.800	99.25	-0.82	--	99.25	AV	272.00	150	Horizontal	N/A
5	11763.588	51.02	18.82	74.0	-22.98	Peak	48.00	150	Horizontal	Pass
5**	11763.588	37.99	18.82	54.0	-16.01	AV	48.00	150	Horizontal	Pass
6	15804.975	54.41	23.18	74.0	-19.59	Peak	310.00	150	Horizontal	Pass
6**	15804.975	43.05	23.18	54.0	-10.95	AV	310.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.000	42.13	-14.85	74.0	-31.87	Peak	279.00	150	Vertical	Pass
1**	1470.000	33.38	-14.85	54.0	-20.62	AV	279.00	150	Vertical	Pass
2	2895.100	42.01	-8.10	74.0	-31.99	Peak	17.00	150	Vertical	Pass
2**	2895.100	30.95	-8.10	54.0	-23.05	AV	17.00	150	Vertical	Pass
3	4252.000	47.75	-3.20	74.0	-26.25	Peak	7.00	150	Vertical	Pass
3**	4252.000	35.64	-3.20	54.0	-18.36	AV	7.00	150	Vertical	Pass
4	5699.200	98.94	-0.85	--	25.94	Peak	73.00	150	Vertical	N/A
4**	5699.200	91.90	-0.85	--	91.90	AV	73.00	150	Vertical	N/A
5	11558.600	49.81	19.77	74.0	-24.19	Peak	251.00	150	Vertical	Pass
5**	11558.600	38.50	19.77	54.0	-15.50	AV	251.00	150	Vertical	Pass
6	15673.201	55.18	23.55	74.0	-18.82	Peak	61.00	150	Vertical	Pass
6**	15673.201	44.21	23.55	54.0	-9.79	AV	61.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1662.200	44.61	-15.28	74.0	-29.39	Peak	263.00	150	Horizontal	Pass
1**	1662.200	30.46	-15.28	54.0	-23.54	AV	263.00	150	Horizontal	Pass
2	2847.600	40.88	-8.28	74.0	-33.12	Peak	177.00	150	Horizontal	Pass
2**	2847.600	31.15	-8.28	54.0	-22.85	AV	177.00	150	Horizontal	Pass
3	4334.200	47.04	-2.95	74.0	-26.96	Peak	39.00	150	Horizontal	Pass
3**	4334.200	35.39	-2.95	54.0	-18.61	AV	39.00	150	Horizontal	Pass
4	5721.800	106.28	-0.54	--	-171.72	Peak	278.00	150	Horizontal	N/A
4**	5721.800	99.50	-0.54	--	99.50	AV	278.00	150	Horizontal	N/A
5	12353.825	49.83	19.68	74.0	-24.17	Peak	128.00	150	Horizontal	Pass
5**	12353.825	38.22	19.68	54.0	-15.78	AV	128.00	150	Horizontal	Pass
6	15942.787	54.38	23.92	74.0	-19.62	Peak	229.00	150	Horizontal	Pass
6**	15942.787	43.73	23.92	54.0	-10.27	AV	229.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.400	42.99	-14.71	74.0	-31.01	Peak	293.00	150	Vertical	Pass
1**	1460.400	35.65	-14.71	54.0	-18.35	AV	293.00	150	Vertical	Pass
2	2862.300	41.85	-8.03	74.0	-32.15	Peak	228.00	150	Vertical	Pass
2**	2862.300	31.93	-8.03	54.0	-22.07	AV	228.00	150	Vertical	Pass
3	3928.000	46.86	-4.74	74.0	-27.14	Peak	190.00	150	Vertical	Pass
3**	3928.000	34.45	-4.74	54.0	-19.55	AV	190.00	150	Vertical	Pass
4	5720.200	98.82	-0.57	--	-26.18	Peak	125.00	150	Vertical	N/A
4**	5720.200	90.04	-0.57	--	90.04	AV	125.00	150	Vertical	N/A
5	12089.326	50.28	19.31	74.0	-23.72	Peak	118.00	150	Vertical	Pass
5**	12089.326	36.88	19.31	54.0	-17.12	AV	118.00	150	Vertical	Pass
6	16148.325	55.33	24.06	74.0	-18.67	Peak	278.00	150	Vertical	Pass
6**	16148.325	44.35	24.06	54.0	-9.65	AV	278.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.700	44.26	-15.34	74.0	-29.74	Peak	267.00	150	Horizontal	Pass
1**	1673.700	36.07	-15.34	54.0	-17.93	AV	267.00	150	Horizontal	Pass
2	2730.000	42.08	-8.65	74.0	-31.92	Peak	243.00	150	Horizontal	Pass
2**	2730.000	31.99	-8.65	54.0	-22.01	AV	243.00	150	Horizontal	Pass
3	3977.600	47.11	-4.09	74.0	-26.89	Peak	1.00	150	Horizontal	Pass
3**	3977.600	34.44	-4.09	54.0	-19.56	AV	1.00	150	Horizontal	Pass
4	5500.800	105.59	0.48	--	-164.41	Peak	270.00	150	Horizontal	N/A
4**	5500.800	98.16	0.48	--	98.16	AV	270.00	150	Horizontal	N/A
5	12177.588	50.18	20.23	74.0	-23.82	Peak	249.00	150	Horizontal	Pass
5**	12177.588	38.04	20.23	54.0	-15.96	AV	249.00	150	Horizontal	Pass
6	16002.638	54.26	24.01	74.0	-19.74	Peak	-2.00	150	Horizontal	Pass
6**	16002.638	43.05	24.01	54.0	-10.95	AV	-2.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.600	42.50	-14.88	74.0	-31.50	Peak	292.00	150	Vertical	Pass
1**	1472.600	35.45	-14.88	54.0	-18.55	AV	292.00	150	Vertical	Pass
2	2830.400	41.38	-8.29	74.0	-32.62	Peak	160.00	150	Vertical	Pass
2**	2830.400	32.15	-8.29	54.0	-21.85	AV	160.00	150	Vertical	Pass
3	3986.800	47.40	-4.35	74.0	-26.60	Peak	165.00	150	Vertical	Pass
3**	3986.800	36.30	-4.35	54.0	-17.70	AV	165.00	150	Vertical	Pass
4	5520.000	99.47	0.17	--	8.47	Peak	91.00	150	Vertical	N/A
4**	5520.000	92.15	0.17	--	92.15	AV	91.00	150	Vertical	N/A
5	12259.237	50.31	20.39	74.0	-23.69	Peak	9.00	150	Vertical	Pass
5**	12259.237	37.44	20.39	54.0	-16.56	AV	9.00	150	Vertical	Pass
6	15605.737	54.78	23.52	74.0	-19.22	Peak	-2.00	150	Vertical	Pass
6**	15605.737	43.24	23.52	54.0	-10.76	AV	-2.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.600	44.33	-15.24	74.0	-29.67	Peak	262.00	150	Horizontal	Pass
1**	1682.600	36.29	-15.24	54.0	-17.71	AV	262.00	150	Horizontal	Pass
2	2879.000	42.50	-8.28	74.0	-31.50	Peak	173.00	150	Horizontal	Pass
2**	2879.000	33.49	-8.28	54.0	-20.51	AV	173.00	150	Horizontal	Pass
3	4156.800	46.66	-3.48	74.0	-27.34	Peak	161.00	150	Horizontal	Pass
3**	4156.800	35.76	-3.48	54.0	-18.24	AV	161.00	150	Horizontal	Pass
4	5594.800	104.66	0.38	--	-175.34	Peak	280.00	150	Horizontal	N/A
4**	5594.800	98.60	0.38	--	98.60	AV	280.00	150	Horizontal	N/A
5	11648.874	50.48	20.39	74.0	-23.52	Peak	74.00	150	Horizontal	Pass
5**	11648.874	39.05	20.39	54.0	-14.95	AV	74.00	150	Horizontal	Pass
6	15541.687	54.86	23.69	74.0	-19.14	Peak	128.00	150	Horizontal	Pass
6**	15541.687	43.84	23.69	54.0	-10.16	AV	128.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.600	42.34	-14.80	74.0	-31.66	Peak	309.00	150	Vertical	Pass
1**	1468.600	36.42	-14.80	54.0	-17.58	AV	309.00	150	Vertical	Pass
2	2796.300	41.38	-8.85	74.0	-32.62	Peak	341.00	150	Vertical	Pass
2**	2796.300	31.79	-8.85	54.0	-22.21	AV	341.00	150	Vertical	Pass
3	4179.200	46.89	-3.97	74.0	-27.11	Peak	347.00	150	Vertical	Pass
3**	4179.200	34.95	-3.97	54.0	-19.05	AV	347.00	150	Vertical	Pass
4	5595.800	100.23	0.37	--	10.23	Peak	90.00	150	Vertical	N/A
4**	5595.800	91.26	0.37	--	91.26	AV	90.00	150	Vertical	N/A
5	11670.725	49.38	20.16	74.0	-24.62	Peak	342.00	150	Vertical	Pass
5**	11670.725	39.60	20.16	54.0	-14.40	AV	342.00	150	Vertical	Pass
6	16086.112	55.31	24.10	74.0	-18.69	Peak	234.00	150	Vertical	Pass
6**	16086.112	42.77	24.10	54.0	-11.23	AV	234.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.600	44.21	-15.21	74.0	-29.79	Peak	268.00	150	Horizontal	Pass
1**	1666.600	33.36	-15.21	54.0	-20.64	AV	268.00	150	Horizontal	Pass
2	2826.700	42.54	-8.38	74.0	-31.46	Peak	0.00	150	Horizontal	Pass
2**	2826.700	31.16	-8.38	54.0	-22.84	AV	0.00	150	Horizontal	Pass
3	4331.400	47.59	-2.81	74.0	-26.41	Peak	151.00	150	Horizontal	Pass
3**	4331.400	36.03	-2.81	54.0	-17.97	AV	151.00	150	Horizontal	Pass
4	5666.400	105.59	0.10	--	-172.41	Peak	278.00	150	Horizontal	N/A
4**	5666.400	98.10	0.10	--	98.10	AV	278.00	150	Horizontal	N/A
5	11124.187	49.48	18.76	74.0	-24.52	Peak	147.00	150	Horizontal	Pass
5**	11124.187	36.77	18.76	54.0	-17.23	AV	147.00	150	Horizontal	Pass
6	15622.799	54.70	23.46	74.0	-19.30	Peak	249.00	150	Horizontal	Pass
6**	15622.799	42.96	23.46	54.0	-11.04	AV	249.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.400	43.61	-14.92	74.0	-30.39	Peak	302.00	150	Vertical	Pass
1**	1473.400	35.47	-14.92	54.0	-18.53	AV	302.00	150	Vertical	Pass
2	2870.900	42.55	-8.19	74.0	-31.45	Peak	214.00	150	Vertical	Pass
2**	2870.900	32.69	-8.19	54.0	-21.31	AV	214.00	150	Vertical	Pass
3	4138.400	46.53	-4.05	74.0	-27.47	Peak	282.00	150	Vertical	Pass
3**	4138.400	35.76	-4.05	54.0	-18.24	AV	282.00	150	Vertical	Pass
4	5672.000	96.24	-0.12	--	-1.76	Peak	98.00	150	Vertical	N/A
4**	5672.000	89.39	-0.12	--	89.39	AV	98.00	150	Vertical	N/A
5	11899.862	50.16	18.03	74.0	-23.84	Peak	119.00	150	Vertical	Pass
5**	11899.862	38.24	18.03	54.0	-15.76	AV	119.00	150	Vertical	Pass
6	15505.200	54.86	23.92	74.0	-19.14	Peak	132.00	150	Vertical	Pass
6**	15505.200	42.64	23.92	54.0	-11.36	AV	132.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.200	44.24	-15.40	74.0	-29.76	Peak	269.00	150	Horizontal	Pass
1**	1673.200	34.29	-15.40	54.0	-19.71	AV	269.00	150	Horizontal	Pass
2	2847.800	41.59	-8.27	74.0	-32.41	Peak	58.00	150	Horizontal	Pass
2**	2847.800	32.67	-8.27	54.0	-21.33	AV	58.00	150	Horizontal	Pass
3	4082.600	46.47	-4.31	74.0	-27.53	Peak	360.00	150	Horizontal	Pass
3**	4082.600	34.92	-4.31	54.0	-19.08	AV	360.00	150	Horizontal	Pass
4	5719.000	102.86	-0.56	--	-174.14	Peak	277.00	150	Horizontal	N/A
4**	5719.000	95.99	-0.56	--	95.99	AV	277.00	150	Horizontal	N/A
5	12397.813	50.68	19.22	74.0	-23.32	Peak	249.00	150	Horizontal	Pass
5**	12397.813	37.53	19.22	54.0	-16.47	AV	249.00	150	Horizontal	Pass
6	15525.675	55.00	23.75	74.0	-19.00	Peak	144.00	150	Horizontal	Pass
6**	15525.675	43.30	23.75	54.0	-10.70	AV	144.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.200	44.31	-14.83	74.0	-29.69	Peak	306.00	150	Vertical	Pass
1**	1469.200	33.93	-14.83	54.0	-20.07	AV	306.00	150	Vertical	Pass
2	2759.600	41.22	-8.88	74.0	-32.78	Peak	250.00	150	Vertical	Pass
2**	2759.600	31.36	-8.88	54.0	-22.64	AV	250.00	150	Vertical	Pass
3	4225.400	47.46	-3.58	74.0	-26.54	Peak	260.00	150	Vertical	Pass
3**	4225.400	35.55	-3.58	54.0	-18.45	AV	260.00	150	Vertical	Pass
4	5712.200	98.06	-0.40	--	8.06	Peak	90.00	150	Vertical	N/A
4**	5712.200	91.77	-0.40	--	91.77	AV	90.00	150	Vertical	N/A
5	11764.450	49.61	18.82	74.0	-24.39	Peak	0.00	150	Vertical	Pass
5**	11764.450	38.02	18.82	54.0	-15.98	AV	0.00	150	Vertical	Pass
6	15479.474	54.68	23.65	74.0	-19.32	Peak	-2.00	150	Vertical	Pass
6**	15479.474	42.64	23.65	54.0	-11.36	AV	-2.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.900	43.81	-15.27	74.0	-30.19	Peak	273.00	150	Horizontal	Pass
1**	1677.900	35.44	-15.27	54.0	-18.56	AV	273.00	150	Horizontal	Pass
2	2825.600	41.57	-8.36	74.0	-32.43	Peak	79.00	150	Horizontal	Pass
2**	2825.600	32.21	-8.36	54.0	-21.79	AV	79.00	150	Horizontal	Pass
3	4244.600	46.50	-3.27	74.0	-27.50	Peak	173.00	150	Horizontal	Pass
3**	4244.600	35.18	-3.27	54.0	-18.82	AV	173.00	150	Horizontal	Pass
4	5497.000	108.14	0.61	--	-172.86	Peak	281.00	150	Horizontal	N/A
4**	5497.000	100.20	0.61	--	100.20	AV	281.00	150	Horizontal	N/A
5	11684.525	49.30	20.01	74.0	-24.70	Peak	227.00	150	Horizontal	Pass
5**	11684.525	37.71	20.01	54.0	-16.29	AV	227.00	150	Horizontal	Pass
6	15614.401	55.01	23.48	74.0	-18.99	Peak	75.00	150	Horizontal	Pass
6**	15614.401	44.44	23.48	54.0	-9.56	AV	75.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.600	42.23	-14.96	74.0	-31.77	Peak	284.00	150	Vertical	Pass
1**	1476.600	33.42	-14.96	54.0	-20.58	AV	284.00	150	Vertical	Pass
2	2876.400	41.18	-8.34	74.0	-32.82	Peak	239.00	150	Vertical	Pass
2**	2876.400	32.71	-8.34	54.0	-21.29	AV	239.00	150	Vertical	Pass
3	4196.200	47.03	-4.04	74.0	-26.97	Peak	238.00	150	Vertical	Pass
3**	4196.200	35.98	-4.04	54.0	-18.02	AV	238.00	150	Vertical	Pass
4	5497.400	102.08	0.59	--	12.08	Peak	90.00	150	Vertical	N/A
4**	5497.400	96.62	0.59	--	96.62	AV	90.00	150	Vertical	N/A
5	11685.100	50.34	20.00	74.0	-23.66	Peak	326.00	150	Vertical	Pass
5**	11685.100	37.89	20.00	54.0	-16.11	AV	326.00	150	Vertical	Pass
6	15998.437	55.26	24.02	74.0	-18.74	Peak	275.00	150	Vertical	Pass
6**	15998.437	42.30	24.02	54.0	-11.70	AV	275.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.500	43.59	-15.36	74.0	-30.41	Peak	256.00	150	Horizontal	Pass
1**	1673.500	34.44	-15.36	54.0	-19.56	AV	256.00	150	Horizontal	Pass
2	2821.700	41.58	-8.39	74.0	-32.42	Peak	64.00	150	Horizontal	Pass
2**	2821.700	31.22	-8.39	54.0	-22.78	AV	64.00	150	Horizontal	Pass
3	3992.000	46.20	-4.49	74.0	-27.80	Peak	146.00	150	Horizontal	Pass
3**	3992.000	34.01	-4.49	54.0	-19.99	AV	146.00	150	Horizontal	Pass
4	5583.200	109.50	0.72	--	-159.50	Peak	269.00	150	Horizontal	N/A
4**	5583.200	100.14	0.72	--	100.14	AV	269.00	150	Horizontal	N/A
5	11599.425	49.67	20.12	74.0	-24.33	Peak	360.00	150	Horizontal	Pass
5**	11599.425	37.76	20.12	54.0	-16.24	AV	360.00	150	Horizontal	Pass
6	15531.187	54.19	23.73	74.0	-19.81	Peak	219.00	150	Horizontal	Pass
6**	15531.187	42.86	23.73	54.0	-11.14	AV	219.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.600	41.73	-15.01	74.0	-32.27	Peak	318.00	150	Vertical	Pass
1**	1478.600	32.43	-15.01	54.0	-21.57	AV	318.00	150	Vertical	Pass
2	2840.200	41.92	-8.53	74.0	-32.08	Peak	191.00	150	Vertical	Pass
2**	2840.200	31.79	-8.53	54.0	-22.21	AV	191.00	150	Vertical	Pass
3	4262.000	46.72	-3.31	74.0	-27.28	Peak	236.00	150	Vertical	Pass
3**	4262.000	36.75	-3.31	54.0	-17.25	AV	236.00	150	Vertical	Pass
4	5574.600	103.45	0.70	--	4.45	Peak	99.00	150	Vertical	N/A
4**	5574.600	92.57	0.70	--	92.57	AV	99.00	150	Vertical	N/A
5	11623.576	49.36	20.26	74.0	-24.64	Peak	269.00	150	Vertical	Pass
5**	11623.576	37.86	20.26	54.0	-16.14	AV	269.00	150	Vertical	Pass
6	15478.162	54.78	23.64	74.0	-19.22	Peak	239.00	150	Vertical	Pass
6**	15478.162	42.82	23.64	54.0	-11.18	AV	239.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.500	44.21	-15.24	74.0	-29.79	Peak	259.00	150	Horizontal	Pass
1**	1670.500	35.29	-15.24	54.0	-18.71	AV	259.00	150	Horizontal	Pass
2	2832.700	41.75	-8.46	74.0	-32.25	Peak	360.00	150	Horizontal	Pass
2**	2832.700	31.61	-8.46	54.0	-22.39	AV	360.00	150	Horizontal	Pass
3	4014.000	47.02	-4.15	74.0	-26.98	Peak	91.00	150	Horizontal	Pass
3**	4014.000	36.15	-4.15	54.0	-17.85	AV	91.00	150	Horizontal	Pass
4	5703.400	108.35	-0.68	--	-169.65	Peak	278.00	150	Horizontal	N/A
4**	5703.400	101.82	-0.68	--	101.82	AV	278.00	150	Horizontal	N/A
5	12214.388	50.03	20.44	74.0	-23.97	Peak	276.00	150	Horizontal	Pass
5**	12214.388	37.71	20.44	54.0	-16.29	AV	276.00	150	Horizontal	Pass
6	15531.975	55.13	23.73	74.0	-18.87	Peak	-2.00	150	Horizontal	Pass
6**	15531.975	43.02	23.73	54.0	-10.98	AV	-2.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.700	43.56	-14.88	74.0	-30.44	Peak	303.00	150	Vertical	Pass
1**	1470.700	33.07	-14.88	54.0	-20.93	AV	303.00	150	Vertical	Pass
2	2879.800	41.63	-8.27	74.0	-32.37	Peak	6.00	150	Vertical	Pass
2**	2879.800	32.36	-8.27	54.0	-21.64	AV	6.00	150	Vertical	Pass
3	3998.000	47.57	-4.55	74.0	-26.43	Peak	252.00	150	Vertical	Pass
3**	3998.000	34.67	-4.55	54.0	-19.33	AV	252.00	150	Vertical	Pass
4	5703.600	99.58	-0.67	--	7.58	Peak	92.00	150	Vertical	N/A
4**	5703.600	93.07	-0.67	--	93.07	AV	92.00	150	Vertical	N/A
5	12354.400	49.31	19.68	74.0	-24.69	Peak	8.00	150	Vertical	Pass
5**	12354.400	38.27	19.68	54.0	-15.73	AV	8.00	150	Vertical	Pass
6	15500.213	54.56	23.97	74.0	-19.44	Peak	151.00	150	Vertical	Pass
6**	15500.213	42.77	23.97	54.0	-11.23	AV	151.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.300	43.49	-15.22	74.0	-30.51	Peak	163.00	150	Horizontal	Pass
1**	1668.300	35.29	-15.22	54.0	-18.71	AV	163.00	150	Horizontal	Pass
2	2873.600	42.23	-8.29	74.0	-31.77	Peak	360.00	150	Horizontal	Pass
2**	2873.600	32.70	-8.29	54.0	-21.30	AV	360.00	150	Horizontal	Pass
3	4271.200	46.53	-3.61	74.0	-27.47	Peak	51.00	150	Horizontal	Pass
3**	4271.200	34.88	-3.61	54.0	-19.12	AV	51.00	150	Horizontal	Pass
4	5716.800	107.52	-0.55	--	-168.48	Peak	276.00	150	Horizontal	N/A
4**	5716.800	100.23	-0.55	--	100.23	AV	276.00	150	Horizontal	N/A
5	12071.500	50.00	19.14	74.0	-24.00	Peak	332.00	150	Horizontal	Pass
5**	12071.500	37.48	19.14	54.0	-16.52	AV	332.00	150	Horizontal	Pass
6	15522.000	55.55	23.77	74.0	-18.45	Peak	108.00	150	Horizontal	Pass
6**	15522.000	43.49	23.77	54.0	-10.51	AV	108.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.700	43.35	-15.17	74.0	-30.65	Peak	289.00	150	Vertical	Pass
1**	1483.700	33.20	-15.17	54.0	-20.80	AV	289.00	150	Vertical	Pass
2	2829.300	42.12	-8.25	74.0	-31.88	Peak	194.00	150	Vertical	Pass
2**	2829.300	31.91	-8.25	54.0	-22.09	AV	194.00	150	Vertical	Pass
3	4320.800	47.43	-3.01	74.0	-26.57	Peak	225.00	150	Vertical	Pass
3**	4320.800	37.34	-3.01	54.0	-16.66	AV	225.00	150	Vertical	Pass
4	5715.400	101.18	-0.56	--	-0.82	Peak	102.00	150	Vertical	N/A
4**	5715.400	94.52	-0.56	--	94.52	AV	102.00	150	Vertical	N/A
5	12164.938	49.79	20.10	74.0	-24.21	Peak	244.00	150	Vertical	Pass
5**	12164.938	38.22	20.10	54.0	-15.78	AV	244.00	150	Vertical	Pass
6	15528.037	54.63	23.75	74.0	-19.37	Peak	312.00	150	Vertical	Pass
6**	15528.037	42.39	23.75	54.0	-11.61	AV	312.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.200	44.26	-15.23	74.0	-29.74	Peak	265.00	150	Horizontal	Pass
1**	1669.200	35.10	-15.23	54.0	-18.90	AV	265.00	150	Horizontal	Pass
2	2875.200	41.48	-8.34	74.0	-32.52	Peak	265.00	150	Horizontal	Pass
2**	2875.200	32.69	-8.34	54.0	-21.31	AV	265.00	150	Horizontal	Pass
3	4154.000	47.09	-3.58	74.0	-26.91	Peak	142.00	150	Horizontal	Pass
3**	4154.000	36.09	-3.58	54.0	-17.91	AV	142.00	150	Horizontal	Pass
4	5507.200	105.36	0.27	--	-163.64	Peak	269.00	150	Horizontal	N/A
4**	5507.200	97.28	0.27	--	97.28	AV	269.00	150	Horizontal	N/A
5	11746.912	49.99	18.99	74.0	-24.01	Peak	267.00	150	Horizontal	Pass
5**	11746.912	37.19	18.99	54.0	-16.81	AV	267.00	150	Horizontal	Pass
6	15946.463	54.70	23.93	74.0	-19.30	Peak	-2.00	150	Horizontal	Pass
6**	15946.463	43.27	23.93	54.0	-10.73	AV	-2.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.600	42.54	-15.01	74.0	-31.46	Peak	316.00	150	Vertical	Pass
1**	1478.600	32.72	-15.01	54.0	-21.28	AV	316.00	150	Vertical	Pass
2	2835.300	41.44	-8.47	74.0	-32.56	Peak	304.00	150	Vertical	Pass
2**	2835.300	32.42	-8.47	54.0	-21.58	AV	304.00	150	Vertical	Pass
3	4257.600	47.06	-3.27	74.0	-26.94	Peak	114.00	150	Vertical	Pass
3**	4257.600	35.52	-3.27	54.0	-18.48	AV	114.00	150	Vertical	Pass
4	5500.000	99.93	0.49	--	9.93	Peak	90.00	150	Vertical	N/A
4**	5500.000	90.11	0.49	--	90.11	AV	90.00	150	Vertical	N/A
5	12202.599	49.46	20.44	74.0	-24.54	Peak	0.00	150	Vertical	Pass
5**	12202.599	38.30	20.44	54.0	-15.70	AV	0.00	150	Vertical	Pass
6	15682.912	54.81	23.59	74.0	-19.19	Peak	71.00	150	Vertical	Pass
6**	15682.912	43.63	23.59	54.0	-10.37	AV	71.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.600	44.53	-15.46	74.0	-29.47	Peak	272.00	150	Horizontal	Pass
1**	1672.600	35.00	-15.46	54.0	-19.00	AV	272.00	150	Horizontal	Pass
2	2796.700	41.24	-8.83	74.0	-32.76	Peak	340.00	150	Horizontal	Pass
2**	2796.700	31.92	-8.83	54.0	-22.08	AV	340.00	150	Horizontal	Pass
3	4295.200	47.37	-3.81	74.0	-26.63	Peak	214.00	150	Horizontal	Pass
3**	4295.200	35.76	-3.81	54.0	-18.24	AV	214.00	150	Horizontal	Pass
4	5585.000	102.39	0.60	--	-166.61	Peak	269.00	150	Horizontal	N/A
4**	5585.000	94.03	0.60	--	94.03	AV	269.00	150	Horizontal	N/A
5	11641.687	49.44	20.37	74.0	-24.56	Peak	269.00	150	Horizontal	Pass
5**	11641.687	39.24	20.37	54.0	-14.76	AV	269.00	150	Horizontal	Pass
6	15507.562	55.10	23.90	74.0	-18.90	Peak	205.00	150	Horizontal	Pass
6**	15507.562	43.77	23.90	54.0	-10.23	AV	205.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.600	44.62	-15.01	74.0	-29.38	Peak	302.00	150	Vertical	Pass
1**	1475.600	34.58	-15.01	54.0	-19.42	AV	302.00	150	Vertical	Pass
2	2866.900	41.80	-8.07	74.0	-32.20	Peak	171.00	150	Vertical	Pass
2**	2866.900	32.17	-8.07	54.0	-21.83	AV	171.00	150	Vertical	Pass
3	4151.800	46.68	-3.49	74.0	-27.32	Peak	138.00	150	Vertical	Pass
3**	4151.800	36.25	-3.49	54.0	-17.75	AV	138.00	150	Vertical	Pass
4	5582.600	96.98	0.80	--	6.98	Peak	90.00	150	Vertical	N/A
4**	5582.600	91.17	0.80	--	91.17	AV	90.00	150	Vertical	N/A
5	12434.037	49.74	18.81	74.0	-24.26	Peak	141.00	150	Vertical	Pass
5**	12434.037	37.06	18.81	54.0	-16.94	AV	141.00	150	Vertical	Pass
6	15524.100	54.50	23.76	74.0	-19.50	Peak	130.00	150	Vertical	Pass
6**	15524.100	42.98	23.76	54.0	-11.02	AV	130.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.100	44.04	-15.30	74.0	-29.96	Peak	275.00	150	Horizontal	Pass
1**	1674.100	33.88	-15.30	54.0	-20.12	AV	275.00	150	Horizontal	Pass
2	2861.400	41.43	-7.99	74.0	-32.57	Peak	92.00	150	Horizontal	Pass
2**	2861.400	31.57	-7.99	54.0	-22.43	AV	92.00	150	Horizontal	Pass
3	4234.800	47.33	-3.46	74.0	-26.67	Peak	1.00	150	Horizontal	Pass
3**	4234.800	35.99	-3.46	54.0	-18.01	AV	1.00	150	Horizontal	Pass
4	5658.000	106.19	0.05	--	-183.81	Peak	290.00	150	Horizontal	N/A
4**	5658.000	97.18	0.05	--	97.18	AV	290.00	150	Horizontal	N/A
5	11609.201	49.83	20.18	74.0	-24.17	Peak	109.00	150	Horizontal	Pass
5**	11609.201	37.66	20.18	54.0	-16.34	AV	109.00	150	Horizontal	Pass
6	15587.363	54.82	23.57	74.0	-19.18	Peak	151.00	150	Horizontal	Pass
6**	15587.363	43.73	23.57	54.0	-10.27	AV	151.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.200	43.14	-14.99	74.0	-30.86	Peak	310.00	150	Vertical	Pass
1**	1478.200	32.49	-14.99	54.0	-21.51	AV	310.00	150	Vertical	Pass
2	2863.700	41.67	-8.04	74.0	-32.33	Peak	1.00	150	Vertical	Pass
2**	2863.700	33.19	-8.04	54.0	-20.81	AV	1.00	150	Vertical	Pass
3	4027.800	46.93	-3.90	74.0	-27.07	Peak	37.00	150	Vertical	Pass
3**	4027.800	35.55	-3.90	54.0	-18.45	AV	37.00	150	Vertical	Pass
4	5673.800	99.54	-0.07	--	6.54	Peak	93.00	150	Vertical	N/A
4**	5673.800	92.16	-0.07	--	92.16	AV	93.00	150	Vertical	N/A
5	12366.188	50.05	19.56	74.0	-23.95	Peak	300.00	150	Vertical	Pass
5**	12366.188	38.00	19.56	54.0	-16.00	AV	300.00	150	Vertical	Pass
6	15629.362	54.27	23.50	74.0	-19.73	Peak	340.00	150	Vertical	Pass
6**	15629.362	44.25	23.50	54.0	-9.75	AV	340.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.600	44.95	-15.25	74.0	-29.05	Peak	262.00	150	Horizontal	Pass
1**	1670.600	33.72	-15.25	54.0	-20.28	AV	262.00	150	Horizontal	Pass
2	2847.900	41.76	-8.26	74.0	-32.24	Peak	163.00	150	Horizontal	Pass
2**	2847.900	31.58	-8.26	54.0	-22.42	AV	163.00	150	Horizontal	Pass
3	4220.000	46.47	-3.67	74.0	-27.53	Peak	0.00	150	Horizontal	Pass
3**	4220.000	36.10	-3.67	54.0	-17.90	AV	0.00	150	Horizontal	Pass
4	5701.200	103.35	-0.81	--	-172.65	Peak	276.00	150	Horizontal	N/A
4**	5701.200	95.22	-0.81	--	95.22	AV	276.00	150	Horizontal	N/A
5	11641.687	50.79	20.37	74.0	-23.21	Peak	188.00	150	Horizontal	Pass
5**	11641.687	38.05	20.37	54.0	-15.95	AV	188.00	150	Horizontal	Pass
6	15563.213	54.68	23.58	74.0	-19.32	Peak	89.00	150	Horizontal	Pass
6**	15563.213	43.48	23.58	54.0	-10.52	AV	89.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.800	42.35	-14.77	74.0	-31.65	Peak	310.00	150	Vertical	Pass
1**	1463.800	32.32	-14.77	54.0	-21.68	AV	310.00	150	Vertical	Pass
2	2773.900	41.67	-8.49	74.0	-32.33	Peak	9.00	150	Vertical	Pass
2**	2773.900	31.69	-8.49	54.0	-22.31	AV	9.00	150	Vertical	Pass
3	3985.200	47.97	-4.31	74.0	-26.03	Peak	254.00	150	Vertical	Pass
3**	3985.200	37.16	-4.31	54.0	-16.84	AV	254.00	150	Vertical	Pass
4	5705.000	98.74	-0.63	--	8.74	Peak	90.00	150	Vertical	N/A
4**	5705.000	89.38	-0.63	--	89.38	AV	90.00	150	Vertical	N/A
5	12200.875	49.48	20.43	74.0	-24.52	Peak	240.00	150	Vertical	Pass
5**	12200.875	38.18	20.43	54.0	-15.82	AV	240.00	150	Vertical	Pass
6	15627.263	54.98	23.49	74.0	-19.02	Peak	283.00	150	Vertical	Pass
6**	15627.263	43.74	23.49	54.0	-10.26	AV	283.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.200	43.76	-15.22	74.0	-30.24	Peak	228.00	150	Horizontal	Pass
1**	1668.200	33.71	-15.22	54.0	-20.29	AV	228.00	150	Horizontal	Pass
2	2778.400	41.38	-8.52	74.0	-32.62	Peak	188.00	150	Horizontal	Pass
2**	2778.400	31.76	-8.52	54.0	-22.24	AV	188.00	150	Horizontal	Pass
3	4249.400	47.59	-3.18	74.0	-26.41	Peak	168.00	150	Horizontal	Pass
3**	4249.400	36.30	-3.18	54.0	-17.70	AV	168.00	150	Horizontal	Pass
4	5520.800	102.78	0.06	--	-174.22	Peak	277.00	150	Horizontal	N/A
4**	5520.800	94.03	0.06	--	94.03	AV	277.00	150	Horizontal	N/A
5	11630.474	49.68	20.30	74.0	-24.32	Peak	71.00	150	Horizontal	Pass
5**	11630.474	39.69	20.30	54.0	-14.31	AV	71.00	150	Horizontal	Pass
6	15557.963	54.94	23.58	74.0	-19.06	Peak	74.00	150	Horizontal	Pass
6**	15557.963	43.42	23.58	54.0	-10.58	AV	74.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.400	46.23	-14.87	74.0	-27.77	Peak	307.00	150	Vertical	Pass
1**	1470.400	35.29	-14.87	54.0	-18.71	AV	307.00	150	Vertical	Pass
2	2729.300	42.29	-8.68	74.0	-31.71	Peak	168.00	150	Vertical	Pass
2**	2729.300	31.22	-8.68	54.0	-22.78	AV	168.00	150	Vertical	Pass
3	4219.800	48.01	-3.68	74.0	-25.99	Peak	254.00	150	Vertical	Pass
3**	4219.800	35.65	-3.68	54.0	-18.35	AV	254.00	150	Vertical	Pass
4	5511.200	97.14	0.19	--	12.14	Peak	85.00	150	Vertical	N/A
4**	5511.200	89.05	0.19	--	89.05	AV	85.00	150	Vertical	N/A
5	12141.650	50.05	19.86	74.0	-23.95	Peak	79.00	150	Vertical	Pass
5**	12141.650	37.52	19.86	54.0	-16.48	AV	79.00	150	Vertical	Pass
6	15671.099	55.31	23.53	74.0	-18.69	Peak	33.00	150	Vertical	Pass
6**	15671.099	43.29	23.53	54.0	-10.71	AV	33.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.400	43.33	-15.30	74.0	-30.67	Peak	152.00	150	Horizontal	Pass
1**	1676.400	36.38	-15.30	54.0	-17.62	AV	152.00	150	Horizontal	Pass
2	2822.600	41.66	-8.37	74.0	-32.34	Peak	279.00	150	Horizontal	Pass
2**	2822.600	31.53	-8.37	54.0	-22.47	AV	279.00	150	Horizontal	Pass
3	3970.400	47.08	-4.19	74.0	-26.92	Peak	259.00	150	Horizontal	Pass
3**	3970.400	35.44	-4.19	54.0	-18.56	AV	259.00	150	Horizontal	Pass
4	5589.400	102.88	0.67	--	-169.12	Peak	272.00	150	Horizontal	N/A
4**	5589.400	94.69	0.67	--	94.69	AV	272.00	150	Horizontal	N/A
5	11602.013	49.49	20.14	74.0	-24.51	Peak	50.00	150	Horizontal	Pass
5**	11602.013	38.27	20.14	54.0	-15.73	AV	50.00	150	Horizontal	Pass
6	15684.487	54.63	23.59	74.0	-19.37	Peak	214.00	150	Horizontal	Pass
6**	15684.487	44.10	23.59	54.0	-9.90	AV	214.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.500	43.16	-15.10	74.0	-30.84	Peak	285.00	150	Vertical	Pass
1**	1480.500	33.01	-15.10	54.0	-20.99	AV	285.00	150	Vertical	Pass
2	2853.400	41.50	-8.15	74.0	-32.50	Peak	312.00	150	Vertical	Pass
2**	2853.400	31.11	-8.15	54.0	-22.89	AV	312.00	150	Vertical	Pass
3	3688.600	47.44	-5.41	74.0	-26.56	Peak	241.00	150	Vertical	Pass
3**	3688.600	34.16	-5.41	54.0	-19.84	AV	241.00	150	Vertical	Pass
4	5592.600	97.31	0.44	--	7.31	Peak	90.00	150	Vertical	N/A
4**	5592.600	89.45	0.44	--	89.45	AV	90.00	150	Vertical	N/A
5	12169.250	49.97	20.14	74.0	-24.03	Peak	360.00	150	Vertical	Pass
5**	12169.250	38.34	20.14	54.0	-15.66	AV	360.00	150	Vertical	Pass
6	15559.012	55.19	23.58	74.0	-18.81	Peak	193.00	150	Vertical	Pass
6**	15559.012	43.09	23.58	54.0	-10.91	AV	193.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.700	43.87	-15.22	74.0	-30.13	Peak	271.00	150	Horizontal	Pass
1**	1679.700	33.79	-15.22	54.0	-20.21	AV	271.00	150	Horizontal	Pass
2	2830.600	41.16	-8.30	74.0	-32.84	Peak	67.00	150	Horizontal	Pass
2**	2830.600	32.39	-8.30	54.0	-21.61	AV	67.00	150	Horizontal	Pass
3	4257.000	47.19	-3.20	74.0	-26.81	Peak	321.00	150	Horizontal	Pass
3**	4257.000	35.79	-3.20	54.0	-18.21	AV	321.00	150	Horizontal	Pass
4	5686.600	102.94	-0.48	--	-162.06	Peak	265.00	150	Horizontal	N/A
4**	5686.600	97.26	-0.48	--	97.26	AV	265.00	150	Horizontal	N/A
5	11576.138	50.49	19.87	74.0	-23.51	Peak	302.00	150	Horizontal	Pass
5**	11576.138	38.21	19.87	54.0	-15.79	AV	302.00	150	Horizontal	Pass
6	15788.963	54.77	23.17	74.0	-19.23	Peak	326.00	150	Horizontal	Pass
6**	15788.963	42.41	23.17	54.0	-11.59	AV	326.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.100	44.09	-14.77	74.0	-29.91	Peak	277.00	150	Vertical	Pass
1**	1462.100	34.94	-14.77	54.0	-19.06	AV	277.00	150	Vertical	Pass
2	2883.800	41.58	-8.34	74.0	-32.42	Peak	23.00	150	Vertical	Pass
2**	2883.800	33.85	-8.34	54.0	-20.15	AV	23.00	150	Vertical	Pass
3	4129.200	46.95	-4.08	74.0	-27.05	Peak	75.00	150	Vertical	Pass
3**	4129.200	35.62	-4.08	54.0	-18.38	AV	75.00	150	Vertical	Pass
4	5667.000	94.18	0.14	--	5.18	Peak	89.00	150	Vertical	N/A
4**	5667.000	87.06	0.14	--	87.06	AV	89.00	150	Vertical	N/A
5	11903.600	50.11	18.05	74.0	-23.89	Peak	267.00	150	Vertical	Pass
5**	11903.600	37.83	18.05	54.0	-16.17	AV	267.00	150	Vertical	Pass
6	15936.224	55.89	23.86	74.0	-18.11	Peak	16.00	150	Vertical	Pass
6**	15936.224	44.15	23.86	54.0	-9.85	AV	16.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.300	43.79	-15.24	74.0	-30.21	Peak	254.00	150	Horizontal	Pass
1**	1670.300	34.22	-15.24	54.0	-19.78	AV	254.00	150	Horizontal	Pass
2	2791.800	41.25	-8.84	74.0	-32.75	Peak	193.00	150	Horizontal	Pass
2**	2791.800	30.53	-8.84	54.0	-23.47	AV	193.00	150	Horizontal	Pass
3	4276.600	47.18	-3.43	74.0	-26.82	Peak	57.00	150	Horizontal	Pass
3**	4276.600	35.24	-3.43	54.0	-18.76	AV	57.00	150	Horizontal	Pass
4	5598.400	98.92	0.32	--	-179.08	Peak	278.00	150	Horizontal	N/A
4**	5598.400	90.15	0.32	--	90.15	AV	278.00	150	Horizontal	N/A
5	11698.612	49.78	19.84	74.0	-24.22	Peak	360.00	150	Horizontal	Pass
5**	11698.612	38.33	19.84	54.0	-15.67	AV	360.00	150	Horizontal	Pass
6	15641.962	54.42	23.56	74.0	-19.58	Peak	140.00	150	Horizontal	Pass
6**	15641.962	44.17	23.56	54.0	-9.83	AV	140.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.300	43.40	-14.91	74.0	-30.60	Peak	288.00	150	Vertical	Pass
1**	1473.300	32.74	-14.91	54.0	-21.26	AV	288.00	150	Vertical	Pass
2	2872.900	41.42	-8.26	74.0	-32.58	Peak	98.00	150	Vertical	Pass
2**	2872.900	31.43	-8.26	54.0	-22.57	AV	98.00	150	Vertical	Pass
3	3988.800	47.77	-4.32	74.0	-26.23	Peak	240.00	150	Vertical	Pass
3**	3988.800	36.18	-4.32	54.0	-17.82	AV	240.00	150	Vertical	Pass
4	5598.000	93.48	0.33	--	5.48	Peak	88.00	150	Vertical	N/A
4**	5598.000	86.46	0.33	--	86.46	AV	88.00	150	Vertical	N/A
5	12415.350	50.38	19.00	74.0	-23.62	Peak	0.00	150	Vertical	Pass
5**	12415.350	38.35	19.00	54.0	-15.65	AV	0.00	150	Vertical	Pass
6	15973.500	55.24	24.00	74.0	-18.76	Peak	31.00	150	Vertical	Pass
6**	15973.500	42.77	24.00	54.0	-11.23	AV	31.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.100	44.56	-15.24	74.0	-29.44	Peak	277.00	150	Horizontal	Pass
1**	1675.100	34.41	-15.24	54.0	-19.59	AV	277.00	150	Horizontal	Pass
2	2880.400	41.62	-8.28	74.0	-32.38	Peak	257.00	150	Horizontal	Pass
2**	2880.400	32.36	-8.28	54.0	-21.64	AV	257.00	150	Horizontal	Pass
3	4305.200	47.08	-3.39	74.0	-26.92	Peak	209.00	150	Horizontal	Pass
3**	4305.200	35.75	-3.39	54.0	-18.25	AV	209.00	150	Horizontal	Pass
4	5496.800	108.73	0.61	--	-163.27	Peak	272.00	150	Horizontal	N/A
4**	5496.800	102.24	0.61	--	102.24	AV	272.00	150	Horizontal	N/A
5	12085.300	50.05	19.27	74.0	-23.95	Peak	14.00	150	Horizontal	Pass
5**	12085.300	37.74	19.27	54.0	-16.26	AV	14.00	150	Horizontal	Pass
6	15533.813	55.33	23.72	74.0	-18.67	Peak	157.00	150	Horizontal	Pass
6**	15533.813	42.82	23.72	54.0	-11.18	AV	157.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.900	44.14	-14.96	74.0	-29.86	Peak	300.00	150	Vertical	Pass
1**	1473.900	33.34	-14.96	54.0	-20.66	AV	300.00	150	Vertical	Pass
2	2761.200	41.91	-8.84	74.0	-32.09	Peak	360.00	150	Vertical	Pass
2**	2761.200	30.92	-8.84	54.0	-23.08	AV	360.00	150	Vertical	Pass
3	3991.800	46.71	-4.48	74.0	-27.29	Peak	60.00	150	Vertical	Pass
3**	3991.800	35.50	-4.48	54.0	-18.50	AV	60.00	150	Vertical	Pass
4	5503.400	100.03	0.49	--	9.03	Peak	91.00	150	Vertical	N/A
4**	5503.400	91.67	0.49	--	91.67	AV	91.00	150	Vertical	N/A
5	11621.850	49.90	20.25	74.0	-24.10	Peak	42.00	150	Vertical	Pass
5**	11621.850	38.85	20.25	54.0	-15.15	AV	42.00	150	Vertical	Pass
6	15961.687	55.42	23.99	74.0	-18.58	Peak	134.00	150	Vertical	Pass
6**	15961.687	44.88	23.99	54.0	-9.12	AV	134.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	44.88	-15.23	74.0	-29.12	Peak	268.00	150	Horizontal	Pass
1**	1669.700	35.05	-15.23	54.0	-18.95	AV	268.00	150	Horizontal	Pass
2	2844.300	42.03	-8.49	74.0	-31.97	Peak	0.00	150	Horizontal	Pass
2**	2844.300	32.34	-8.49	54.0	-21.66	AV	0.00	150	Horizontal	Pass
3	4359.200	47.37	-3.31	74.0	-26.63	Peak	0.00	150	Horizontal	Pass
3**	4359.200	35.85	-3.31	54.0	-18.15	AV	0.00	150	Horizontal	Pass
4	5581.400	107.88	0.87	--	-167.12	Peak	275.00	150	Horizontal	N/A
4**	5581.400	100.33	0.87	--	100.33	AV	275.00	150	Horizontal	N/A
5	11635.075	49.80	20.33	74.0	-24.20	Peak	291.00	150	Horizontal	Pass
5**	11635.075	39.48	20.33	54.0	-14.52	AV	291.00	150	Horizontal	Pass
6	15447.187	54.78	23.35	74.0	-19.22	Peak	298.00	150	Horizontal	Pass
6**	15447.187	43.05	23.35	54.0	-10.95	AV	298.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.300	43.35	-14.98	74.0	-30.65	Peak	303.00	150	Vertical	Pass
1**	1476.300	36.69	-14.98	54.0	-17.31	AV	303.00	150	Vertical	Pass
2	2887.800	42.13	-8.16	74.0	-31.87	Peak	0.00	150	Vertical	Pass
2**	2887.800	32.78	-8.16	54.0	-21.22	AV	0.00	150	Vertical	Pass
3	3998.200	47.39	-4.54	74.0	-26.61	Peak	54.00	150	Vertical	Pass
3**	3998.200	35.99	-4.54	54.0	-18.01	AV	54.00	150	Vertical	Pass
4	5576.000	102.60	0.68	--	31.60	Peak	71.00	150	Vertical	N/A
4**	5576.000	95.99	0.68	--	95.99	AV	71.00	150	Vertical	N/A
5	12197.713	49.87	20.41	74.0	-24.13	Peak	144.00	150	Vertical	Pass
5**	12197.713	38.12	20.41	54.0	-15.88	AV	144.00	150	Vertical	Pass
6	15988.200	55.03	24.01	74.0	-18.97	Peak	289.00	150	Vertical	Pass
6**	15988.200	43.80	24.01	54.0	-10.20	AV	289.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.200	44.21	-15.30	74.0	-29.79	Peak	267.00	150	Horizontal	Pass
1**	1677.200	34.46	-15.30	54.0	-19.54	AV	267.00	150	Horizontal	Pass
2	2857.600	41.67	-8.06	74.0	-32.33	Peak	282.00	150	Horizontal	Pass
2**	2857.600	31.26	-8.06	54.0	-22.74	AV	282.00	150	Horizontal	Pass
3	4304.400	47.16	-3.50	74.0	-26.84	Peak	37.00	150	Horizontal	Pass
3**	4304.400	35.74	-3.50	54.0	-18.26	AV	37.00	150	Horizontal	Pass
4	5696.200	107.93	-0.65	--	-155.07	Peak	263.00	150	Horizontal	N/A
4**	5696.200	100.92	-0.65	--	100.92	AV	263.00	150	Horizontal	N/A
5	11980.650	49.78	18.49	74.0	-24.22	Peak	173.00	150	Horizontal	Pass
5**	11980.650	37.14	18.49	54.0	-16.86	AV	173.00	150	Horizontal	Pass
6	15635.925	55.64	23.54	74.0	-18.36	Peak	340.00	150	Horizontal	Pass
6**	15635.925	43.69	23.54	54.0	-10.31	AV	340.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.800	45.11	-14.85	74.0	-28.89	Peak	309.00	150	Vertical	Pass
1**	1469.800	33.93	-14.85	54.0	-20.07	AV	309.00	150	Vertical	Pass
2	2874.100	41.66	-8.31	74.0	-32.34	Peak	166.00	150	Vertical	Pass
2**	2874.100	31.85	-8.31	54.0	-22.15	AV	166.00	150	Vertical	Pass
3	4130.400	46.86	-4.10	74.0	-27.14	Peak	117.00	150	Vertical	Pass
3**	4130.400	36.59	-4.10	54.0	-17.41	AV	117.00	150	Vertical	Pass
4	5695.400	101.32	-0.61	--	15.32	Peak	86.00	150	Vertical	N/A
4**	5695.400	91.99	-0.61	--	91.99	AV	86.00	150	Vertical	N/A
5	12356.987	49.90	19.66	74.0	-24.10	Peak	214.00	150	Vertical	Pass
5**	12356.987	38.80	19.66	54.0	-15.20	AV	214.00	150	Vertical	Pass
6	15659.550	55.02	23.46	74.0	-18.98	Peak	345.00	150	Vertical	Pass
6**	15659.550	43.86	23.46	54.0	-10.14	AV	345.00	150	Vertical	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.800	44.90	-15.27	74.0	-29.10	Peak	162.00	150	Horizontal	Pass
1**	1670.800	36.78	-15.27	54.0	-17.22	AV	162.00	150	Horizontal	Pass
2	2893.900	42.37	-8.10	74.0	-31.63	Peak	124.00	150	Horizontal	Pass
2**	2893.900	31.85	-8.10	54.0	-22.15	AV	124.00	150	Horizontal	Pass
3	4041.800	47.09	-3.93	74.0	-26.91	Peak	344.00	150	Horizontal	Pass
3**	4041.800	34.93	-3.93	54.0	-19.07	AV	344.00	150	Horizontal	Pass
4	5724.200	108.12	-0.48	--	-160.88	Peak	269.00	150	Horizontal	N/A
4**	5724.200	99.78	-0.48	--	99.78	AV	269.00	150	Horizontal	N/A
5	11663.537	49.70	20.23	74.0	-24.30	Peak	163.00	150	Horizontal	Pass
5**	11663.537	38.22	20.23	54.0	-15.78	AV	163.00	150	Horizontal	Pass
6	15866.662	54.64	23.35	74.0	-19.36	Peak	321.00	150	Horizontal	Pass
6**	15866.662	43.09	23.35	54.0	-10.91	AV	321.00	150	Horizontal	Pass

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, 144 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.400	42.89	-15.04	74.0	-31.11	Peak	289.00	150	Vertical	Pass
1**	1479.400	32.78	-15.04	54.0	-21.22	AV	289.00	150	Vertical	Pass
2	2762.400	41.57	-8.86	74.0	-32.43	Peak	80.00	150	Vertical	Pass
2**	2762.400	31.99	-8.86	54.0	-22.01	AV	80.00	150	Vertical	Pass
3	4318.800	47.83	-3.11	74.0	-26.17	Peak	196.00	150	Vertical	Pass
3**	4318.800	36.10	-3.11	54.0	-17.90	AV	196.00	150	Vertical	Pass
4	5716.400	101.07	-0.55	--	4.07	Peak	97.00	150	Vertical	N/A
4**	5716.400	93.54	-0.55	--	93.54	AV	97.00	150	Vertical	N/A
5	11686.250	50.05	19.99	74.0	-23.95	Peak	45.00	150	Vertical	Pass
5**	11686.250	37.95	19.99	54.0	-16.05	AV	45.00	150	Vertical	Pass
6	15949.088	54.87	23.94	74.0	-19.13	Peak	126.00	150	Vertical	Pass
6**	15949.088	42.56	23.94	54.0	-11.44	AV	126.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.700	43.88	-15.27	74.0	-30.12	Peak	266.00	150	Horizontal	Pass
1**	1675.700	33.41	-15.27	54.0	-20.59	AV	266.00	150	Horizontal	Pass
2	2815.500	41.42	-8.33	74.0	-32.58	Peak	129.00	150	Horizontal	Pass
2**	2815.500	32.21	-8.33	54.0	-21.79	AV	129.00	150	Horizontal	Pass
3	4237.000	46.75	-3.34	74.0	-27.25	Peak	117.00	150	Horizontal	Pass
3**	4237.000	34.48	-3.34	54.0	-19.52	AV	117.00	150	Horizontal	Pass
4	5519.200	105.26	0.29	--	-174.74	Peak	280.00	150	Horizontal	N/A
4**	5519.200	96.01	0.29	--	96.01	AV	280.00	150	Horizontal	N/A
5	11742.888	49.56	19.05	74.0	-24.44	Peak	54.00	150	Horizontal	Pass
5**	11742.888	37.85	19.05	54.0	-16.15	AV	54.00	150	Horizontal	Pass
6	15673.201	55.31	23.55	74.0	-18.69	Peak	258.00	150	Horizontal	Pass
6**	15673.201	44.55	23.55	54.0	-9.45	AV	258.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.900	42.72	-14.85	74.0	-31.28	Peak	308.00	150	Vertical	Pass
1**	1469.900	33.40	-14.85	54.0	-20.60	AV	308.00	150	Vertical	Pass
2	2840.800	41.69	-8.57	74.0	-32.31	Peak	308.00	150	Vertical	Pass
2**	2840.800	33.27	-8.57	54.0	-20.73	AV	308.00	150	Vertical	Pass
3	3989.000	46.94	-4.33	74.0	-27.06	Peak	235.00	150	Vertical	Pass
3**	3989.000	36.32	-4.33	54.0	-17.68	AV	235.00	150	Vertical	Pass
4	5518.400	99.52	0.35	--	8.52	Peak	91.00	150	Vertical	N/A
4**	5518.400	91.56	0.35	--	91.56	AV	91.00	150	Vertical	N/A
5	11800.388	50.39	18.54	74.0	-23.61	Peak	360.00	150	Vertical	Pass
5**	11800.388	39.10	18.54	54.0	-14.90	AV	360.00	150	Vertical	Pass
6	16146.487	54.70	24.08	74.0	-19.30	Peak	341.00	150	Vertical	Pass
6**	16146.487	43.21	24.08	54.0	-10.79	AV	341.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.800	43.79	-15.22	74.0	-30.21	Peak	267.00	150	Horizontal	Pass
1**	1679.800	33.12	-15.22	54.0	-20.88	AV	267.00	150	Horizontal	Pass
2	2866.800	41.80	-8.07	74.0	-32.20	Peak	27.00	150	Horizontal	Pass
2**	2866.800	31.79	-8.07	54.0	-22.21	AV	27.00	150	Horizontal	Pass
3	4237.000	47.44	-3.34	74.0	-26.56	Peak	26.00	150	Horizontal	Pass
3**	4237.000	35.48	-3.34	54.0	-18.52	AV	26.00	150	Horizontal	Pass
4	5579.000	105.61	0.82	--	-174.39	Peak	280.00	150	Horizontal	N/A
4**	5579.000	96.37	0.82	--	96.37	AV	280.00	150	Horizontal	N/A
5	11645.712	49.66	20.38	74.0	-24.34	Peak	74.00	150	Horizontal	Pass
5**	11645.712	38.22	20.38	54.0	-15.78	AV	74.00	150	Horizontal	Pass
6	16156.987	55.45	23.91	74.0	-18.55	Peak	343.00	150	Horizontal	Pass
6**	16156.987	43.30	23.91	54.0	-10.70	AV	343.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.100	43.98	-14.82	74.0	-30.02	Peak	280.00	150	Vertical	Pass
1**	1469.100	33.93	-14.82	54.0	-20.07	AV	280.00	150	Vertical	Pass
2	2882.600	42.04	-8.32	74.0	-31.96	Peak	263.00	150	Vertical	Pass
2**	2882.600	32.58	-8.32	54.0	-21.42	AV	263.00	150	Vertical	Pass
3	3922.800	47.38	-4.56	74.0	-26.62	Peak	179.00	150	Vertical	Pass
3**	3922.800	35.00	-4.56	54.0	-19.00	AV	179.00	150	Vertical	Pass
4	5598.400	99.99	0.32	--	8.99	Peak	91.00	150	Vertical	N/A
4**	5598.400	92.31	0.32	--	92.31	AV	91.00	150	Vertical	N/A
5	11692.000	49.67	19.92	74.0	-24.33	Peak	0.00	150	Vertical	Pass
5**	11692.000	39.07	19.92	54.0	-14.93	AV	0.00	150	Vertical	Pass
6	15639.075	55.94	23.56	74.0	-18.06	Peak	185.00	150	Vertical	Pass
6**	15639.075	43.58	23.56	54.0	-10.42	AV	185.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.300	44.34	-15.23	74.0	-29.66	Peak	160.00	150	Horizontal	Pass
1**	1669.300	36.73	-15.23	54.0	-17.27	AV	160.00	150	Horizontal	Pass
2	2880.200	41.79	-8.27	74.0	-32.21	Peak	86.00	150	Horizontal	Pass
2**	2880.200	33.51	-8.27	54.0	-20.49	AV	86.00	150	Horizontal	Pass
3	4183.400	47.28	-3.92	74.0	-26.72	Peak	206.00	150	Horizontal	Pass
3**	4183.400	35.24	-3.92	54.0	-18.76	AV	206.00	150	Horizontal	Pass
4	5680.000	104.23	-0.27	--	-185.77	Peak	290.00	150	Horizontal	N/A
4**	5680.000	94.75	-0.27	--	94.75	AV	290.00	150	Horizontal	N/A
5	11665.549	50.05	20.21	74.0	-23.95	Peak	91.00	150	Horizontal	Pass
5**	11665.549	38.22	20.21	54.0	-15.78	AV	91.00	150	Horizontal	Pass
6	15627.263	54.89	23.49	74.0	-19.11	Peak	6.00	150	Horizontal	Pass
6**	15627.263	43.96	23.49	54.0	-10.04	AV	6.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.000	44.69	-14.82	74.0	-29.31	Peak	295.00	150	Vertical	Pass
1**	1468.000	37.11	-14.82	54.0	-16.89	AV	295.00	150	Vertical	Pass
2	2863.300	41.65	-8.04	74.0	-32.35	Peak	191.00	150	Vertical	Pass
2**	2863.300	31.97	-8.04	54.0	-22.03	AV	191.00	150	Vertical	Pass
3	3981.400	47.57	-4.15	74.0	-26.43	Peak	156.00	150	Vertical	Pass
3**	3981.400	35.17	-4.15	54.0	-18.83	AV	156.00	150	Vertical	Pass
4	5680.400	97.14	-0.28	--	12.14	Peak	85.00	150	Vertical	N/A
4**	5680.400	88.05	-0.28	--	88.05	AV	85.00	150	Vertical	N/A
5	11669.862	50.01	20.17	74.0	-23.99	Peak	67.00	150	Vertical	Pass
5**	11669.862	38.31	20.17	54.0	-15.69	AV	67.00	150	Vertical	Pass
6	15803.924	55.14	23.17	74.0	-18.86	Peak	313.00	150	Vertical	Pass
6**	15803.924	42.78	23.17	54.0	-11.22	AV	313.00	150	Vertical	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	45.17	-15.29	74.0	-28.83	Peak	265.00	150	Horizontal	Pass
1**	1671.000	33.86	-15.29	54.0	-20.14	AV	265.00	150	Horizontal	Pass
2	2797.700	41.45	-8.83	74.0	-32.55	Peak	117.00	150	Horizontal	Pass
2**	2797.700	30.81	-8.83	54.0	-23.19	AV	117.00	150	Horizontal	Pass
3	3979.200	46.30	-4.05	74.0	-27.70	Peak	151.00	150	Horizontal	Pass
3**	3979.200	36.31	-4.05	54.0	-17.69	AV	151.00	150	Horizontal	Pass
4	5714.200	104.23	-0.57	--	-169.77	Peak	274.00	150	Horizontal	N/A
4**	5714.200	94.87	-0.57	--	94.87	AV	274.00	150	Horizontal	N/A
5	11617.537	50.71	20.22	74.0	-23.29	Peak	213.00	150	Horizontal	Pass
5**	11617.537	40.11	20.22	54.0	-13.89	AV	213.00	150	Horizontal	Pass
6	16074.563	54.97	24.07	74.0	-19.03	Peak	227.00	150	Horizontal	Pass
6**	16074.563	43.60	24.07	54.0	-10.40	AV	227.00	150	Horizontal	Pass

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, 142 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.800	43.49	-14.72	74.0	-30.51	Peak	316.00	150	Vertical	Pass
1**	1460.800	33.68	-14.72	54.0	-20.32	AV	316.00	150	Vertical	Pass
2	2880.700	42.11	-8.28	74.0	-31.89	Peak	52.00	150	Vertical	Pass
2**	2880.700	33.83	-8.28	54.0	-20.17	AV	52.00	150	Vertical	Pass
3	4130.800	47.11	-4.10	74.0	-26.89	Peak	122.00	150	Vertical	Pass
3**	4130.800	35.34	-4.10	54.0	-18.66	AV	122.00	150	Vertical	Pass
4	5715.600	98.44	-0.56	--	15.44	Peak	83.00	150	Vertical	N/A
4**	5715.600	89.71	-0.56	--	89.71	AV	83.00	150	Vertical	N/A
5	11656.063	49.89	20.32	74.0	-24.11	Peak	273.00	150	Vertical	Pass
5**	11656.063	38.06	20.32	54.0	-15.94	AV	273.00	150	Vertical	Pass
6	15626.213	55.30	23.48	74.0	-18.70	Peak	341.00	150	Vertical	Pass
6**	15626.213	42.83	23.48	54.0	-11.17	AV	341.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.300	44.97	-15.22	74.0	-29.03	Peak	265.00	150	Horizontal	Pass
1**	1664.300	33.94	-15.22	54.0	-20.06	AV	265.00	150	Horizontal	Pass
2	2831.100	41.52	-8.33	74.0	-32.48	Peak	360.00	150	Horizontal	Pass
2**	2831.100	31.85	-8.33	54.0	-22.15	AV	360.00	150	Horizontal	Pass
3	4146.800	47.09	-3.64	74.0	-26.91	Peak	131.00	150	Horizontal	Pass
3**	4146.800	34.69	-3.64	54.0	-19.31	AV	131.00	150	Horizontal	Pass
4	5515.400	102.38	0.36	--	-170.62	Peak	273.00	150	Horizontal	N/A
4**	5515.400	95.25	0.36	--	95.25	AV	273.00	150	Horizontal	N/A
5	12347.500	50.76	19.73	74.0	-23.24	Peak	182.00	150	Horizontal	Pass
5**	12347.500	38.50	19.73	54.0	-15.50	AV	182.00	150	Horizontal	Pass
6	15440.888	54.97	23.27	74.0	-19.03	Peak	31.00	150	Horizontal	Pass
6**	15440.888	42.75	23.27	54.0	-11.25	AV	31.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.200	43.86	-14.99	74.0	-30.14	Peak	296.00	150	Vertical	Pass
1**	1478.200	36.41	-14.99	54.0	-17.59	AV	296.00	150	Vertical	Pass
2	2874.300	42.39	-8.31	74.0	-31.61	Peak	201.00	150	Vertical	Pass
2**	2874.300	32.52	-8.31	54.0	-21.48	AV	201.00	150	Vertical	Pass
3	4249.800	47.10	-3.18	74.0	-26.90	Peak	207.00	150	Vertical	Pass
3**	4249.800	36.62	-3.18	54.0	-17.38	AV	207.00	150	Vertical	Pass
4	5519.400	97.44	0.26	--	-4.56	Peak	102.00	150	Vertical	N/A
4**	5519.400	87.69	0.26	--	87.69	AV	102.00	150	Vertical	N/A
5	11632.201	50.15	20.31	74.0	-23.85	Peak	308.00	150	Vertical	Pass
5**	11632.201	38.62	20.31	54.0	-15.38	AV	308.00	150	Vertical	Pass
6	15535.651	55.34	23.72	74.0	-18.66	Peak	172.00	150	Vertical	Pass
6**	15535.651	43.13	23.72	54.0	-10.87	AV	172.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1665.500	43.88	-15.21	74.0	-30.12	Peak	218.00	150	Horizontal	Pass
1**	1665.500	36.71	-15.21	54.0	-17.29	AV	218.00	150	Horizontal	Pass
2	2831.600	41.88	-8.37	74.0	-32.12	Peak	16.00	150	Horizontal	Pass
2**	2831.600	31.77	-8.37	54.0	-22.23	AV	16.00	150	Horizontal	Pass
3	3986.000	47.23	-4.33	74.0	-26.77	Peak	119.00	150	Horizontal	Pass
3**	3986.000	36.26	-4.33	54.0	-17.74	AV	119.00	150	Horizontal	Pass
4	5601.800	103.53	0.06	--	-170.47	Peak	274.00	150	Horizontal	N/A
4**	5601.800	94.37	0.06	--	94.37	AV	274.00	150	Horizontal	N/A
5	11663.537	51.28	20.23	74.0	-22.72	Peak	0.00	150	Horizontal	Pass
5**	11663.537	38.48	20.23	54.0	-15.52	AV	0.00	150	Horizontal	Pass
6	15942.000	54.87	23.91	74.0	-19.13	Peak	360.00	150	Horizontal	Pass
6**	15942.000	43.17	23.91	54.0	-10.83	AV	360.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.100	45.13	-14.84	74.0	-28.87	Peak	298.00	150	Vertical	Pass
1**	1467.100	36.39	-14.84	54.0	-17.61	AV	298.00	150	Vertical	Pass
2	2880.500	42.06	-8.28	74.0	-31.94	Peak	10.00	150	Vertical	Pass
2**	2880.500	32.70	-8.28	54.0	-21.30	AV	10.00	150	Vertical	Pass
3	3981.000	47.18	-4.10	74.0	-26.82	Peak	246.00	150	Vertical	Pass
3**	3981.000	35.24	-4.10	54.0	-18.76	AV	246.00	150	Vertical	Pass
4	5596.600	98.48	0.35	--	-0.52	Peak	99.00	150	Vertical	N/A
4**	5596.600	87.47	0.35	--	87.47	AV	99.00	150	Vertical	N/A
5	11635.363	49.74	20.33	74.0	-24.26	Peak	88.00	150	Vertical	Pass
5**	11635.363	37.79	20.33	54.0	-16.21	AV	88.00	150	Vertical	Pass
6	15632.775	55.01	23.52	74.0	-18.99	Peak	259.00	150	Vertical	Pass
6**	15632.775	42.64	23.52	54.0	-11.36	AV	259.00	150	Vertical	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	44.10	-15.22	74.0	-29.90	Peak	259.00	150	Horizontal	Pass
1**	1668.100	35.80	-15.22	54.0	-18.20	AV	259.00	150	Horizontal	Pass
2	2786.500	41.52	-8.78	74.0	-32.48	Peak	259.00	150	Horizontal	Pass
2**	2786.500	31.66	-8.78	54.0	-22.34	AV	259.00	150	Horizontal	Pass
3	4198.200	47.39	-4.02	74.0	-26.61	Peak	72.00	150	Horizontal	Pass
3**	4198.200	34.44	-4.02	54.0	-19.56	AV	72.00	150	Horizontal	Pass
4	5666.600	102.22	0.11	--	-181.78	Peak	284.00	150	Horizontal	N/A
4**	5666.600	92.34	0.11	--	92.34	AV	284.00	150	Horizontal	N/A
5	11604.312	50.37	20.15	74.0	-23.63	Peak	239.00	150	Horizontal	Pass
5**	11604.312	38.08	20.15	54.0	-15.92	AV	239.00	150	Horizontal	Pass
6	15946.200	55.70	23.93	74.0	-18.30	Peak	67.00	150	Horizontal	Pass
6**	15946.200	44.05	23.93	54.0	-9.95	AV	67.00	150	Horizontal	Pass

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, 138 channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.400	43.52	-14.70	74.0	-30.48	Peak	292.00	150	Vertical	Pass
1**	1459.400	35.61	-14.70	54.0	-18.39	AV	292.00	150	Vertical	Pass
2	2879.900	41.68	-8.27	74.0	-32.32	Peak	48.00	150	Vertical	Pass
2**	2879.900	33.59	-8.27	54.0	-20.41	AV	48.00	150	Vertical	Pass
3	4254.600	47.51	-3.07	74.0	-26.49	Peak	245.00	150	Vertical	Pass
3**	4254.600	36.06	-3.07	54.0	-17.94	AV	245.00	150	Vertical	Pass
4	5692.400	94.48	-0.68	--	-4.52	Peak	99.00	150	Vertical	N/A
4**	5692.400	88.94	-0.68	--	88.94	AV	99.00	150	Vertical	N/A
5	11096.875	50.20	18.92	74.0	-23.80	Peak	346.00	150	Vertical	Pass
5**	11096.875	37.31	18.92	54.0	-16.69	AV	346.00	150	Vertical	Pass
6	15927.562	55.39	23.74	74.0	-18.61	Peak	179.00	150	Vertical	Pass
6**	15927.562	42.75	23.74	54.0	-11.25	AV	179.00	150	Vertical	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.100	43.82	-15.30	74.0	-30.18	Peak	254.00	150	Horizontal	Pass
1**	1671.100	37.62	-15.30	54.0	-16.38	AV	254.00	150	Horizontal	Pass
2	2823.800	41.20	-8.32	74.0	-32.80	Peak	227.00	150	Horizontal	Pass
2**	2823.800	31.47	-8.32	54.0	-22.53	AV	227.00	150	Horizontal	Pass
3	4170.600	47.04	-3.77	74.0	-26.96	Peak	360.00	150	Horizontal	Pass
3**	4170.600	35.11	-3.77	54.0	-18.89	AV	360.00	150	Horizontal	Pass
4	5533.400	99.81	0.29	--	-184.19	Peak	284.00	150	Horizontal	N/A
4**	5533.400	88.97	0.29	--	88.97	AV	284.00	150	Horizontal	N/A
5	11681.937	49.68	20.04	74.0	-24.32	Peak	88.00	150	Horizontal	Pass
5**	11681.937	40.56	20.04	54.0	-13.44	AV	88.00	150	Horizontal	Pass
6	15876.901	55.15	23.35	74.0	-18.85	Peak	295.00	150	Horizontal	Pass
6**	15876.901	42.57	23.35	54.0	-11.43	AV	295.00	150	Horizontal	Pass

11ax160-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.900	44.02	-14.82	74.0	-29.98	Peak	294.00	150	Vertical	Pass
1**	1467.900	33.65	-14.82	54.0	-20.35	AV	294.00	150	Vertical	Pass
2	2844.300	41.38	-8.49	74.0	-32.62	Peak	211.00	150	Vertical	Pass
2**	2844.300	30.86	-8.49	54.0	-23.14	AV	211.00	150	Vertical	Pass
3	3967.600	47.42	-4.11	74.0	-26.58	Peak	173.00	150	Vertical	Pass
3**	3967.600	35.51	-4.11	54.0	-18.49	AV	173.00	150	Vertical	Pass
4	5523.400	94.71	0.18	--	2.71	Peak	92.00	150	Vertical	N/A
4**	5523.400	83.68	0.18	--	83.68	AV	92.00	150	Vertical	N/A
5	11882.325	50.45	18.06	74.0	-23.55	Peak	222.00	150	Vertical	Pass
5**	11882.325	38.36	18.06	54.0	-15.64	AV	222.00	150	Vertical	Pass
6	15701.287	55.12	23.57	74.0	-18.88	Peak	298.00	150	Vertical	Pass
6**	15701.287	42.30	23.57	54.0	-11.70	AV	298.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	45.06	-15.35	74.0	-28.94	Peak	261.00	150	Horizontal	Pass
1**	1673.600	35.19	-15.35	54.0	-18.81	AV	261.00	150	Horizontal	Pass
2	2865.300	42.05	-8.05	74.0	-31.95	Peak	30.00	150	Horizontal	Pass
2**	2865.300	32.72	-8.05	54.0	-21.28	AV	30.00	150	Horizontal	Pass
3	3971.600	46.71	-4.21	74.0	-27.29	Peak	47.00	150	Horizontal	Pass
3**	3971.600	35.32	-4.21	54.0	-18.68	AV	47.00	150	Horizontal	Pass
4	5742.600	107.92	0.07	--	-171.08	Peak	279.00	150	Horizontal	N/A
4**	5742.600	99.55	0.07	--	99.55	AV	279.00	150	Horizontal	N/A
5	11865.075	49.97	18.08	74.0	-24.03	Peak	56.00	150	Horizontal	Pass
5**	11865.075	37.57	18.08	54.0	-16.43	AV	56.00	150	Horizontal	Pass
6	15646.950	54.95	23.53	74.0	-19.05	Peak	296.00	150	Horizontal	Pass
6**	15646.950	43.49	23.53	54.0	-10.51	AV	296.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.100	43.45	-14.88	74.0	-30.55	Peak	282.00	150	Vertical	Pass
1**	1471.100	33.85	-14.88	54.0	-20.15	AV	282.00	150	Vertical	Pass
2	2750.000	42.12	-9.03	74.0	-31.88	Peak	196.00	150	Vertical	Pass
2**	2750.000	33.13	-9.03	54.0	-20.87	AV	196.00	150	Vertical	Pass
3	4027.600	46.54	-3.88	74.0	-27.46	Peak	327.00	150	Vertical	Pass
3**	4027.600	35.59	-3.88	54.0	-18.41	AV	327.00	150	Vertical	Pass
4	5748.800	102.31	0.28	--	30.31	Peak	72.00	150	Vertical	N/A
4**	5748.800	93.05	0.28	--	93.05	AV	72.00	150	Vertical	N/A
5	11760.137	49.59	18.85	74.0	-24.41	Peak	259.00	150	Vertical	Pass
5**	11760.137	37.76	18.85	54.0	-16.24	AV	259.00	150	Vertical	Pass
6	15976.388	55.14	24.00	74.0	-18.86	Peak	64.00	150	Vertical	Pass
6**	15976.388	43.01	24.00	54.0	-10.99	AV	64.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.300	44.52	-15.24	74.0	-29.48	Peak	260.00	150	Horizontal	Pass
1**	1670.300	34.50	-15.24	54.0	-19.50	AV	260.00	150	Horizontal	Pass
2	2825.600	41.19	-8.36	74.0	-32.81	Peak	254.00	150	Horizontal	Pass
2**	2825.600	31.37	-8.36	54.0	-22.63	AV	254.00	150	Horizontal	Pass
3	4304.400	47.06	-3.50	74.0	-26.94	Peak	138.00	150	Horizontal	Pass
3**	4304.400	34.87	-3.50	54.0	-19.13	AV	138.00	150	Horizontal	Pass
4	5781.000	106.01	1.04	--	-171.99	Peak	278.00	150	Horizontal	N/A
4**	5781.000	98.84	1.04	--	98.84	AV	278.00	150	Horizontal	N/A
5	11637.662	49.32	20.35	74.0	-24.68	Peak	159.00	150	Horizontal	Pass
5**	11637.662	37.87	20.35	54.0	-16.13	AV	159.00	150	Horizontal	Pass
6	16015.237	54.92	23.98	74.0	-19.08	Peak	64.00	150	Horizontal	Pass
6**	16015.237	43.88	23.98	54.0	-10.12	AV	64.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.000	42.40	-15.15	74.0	-31.60	Peak	307.00	150	Vertical	Pass
1**	1482.000	31.93	-15.15	54.0	-22.07	AV	307.00	150	Vertical	Pass
2	2836.100	41.29	-8.47	74.0	-32.71	Peak	96.00	150	Vertical	Pass
2**	2836.100	31.12	-8.47	54.0	-22.88	AV	96.00	150	Vertical	Pass
3	4202.400	47.35	-4.10	74.0	-26.65	Peak	345.00	150	Vertical	Pass
3**	4202.400	34.87	-4.10	54.0	-19.13	AV	345.00	150	Vertical	Pass
4	5782.800	100.78	0.96	--	20.78	Peak	80.00	150	Vertical	N/A
4**	5782.800	92.99	0.96	--	92.99	AV	80.00	150	Vertical	N/A
5	12110.026	50.44	19.52	74.0	-23.56	Peak	55.00	150	Vertical	Pass
5**	12110.026	37.10	19.52	54.0	-16.90	AV	55.00	150	Vertical	Pass
6	16009.725	55.19	23.99	74.0	-18.81	Peak	328.00	150	Vertical	Pass
6**	16009.725	43.09	23.99	54.0	-10.91	AV	328.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.400	44.76	-15.25	74.0	-29.24	Peak	262.00	150	Horizontal	Pass
1**	1663.400	29.97	-15.25	54.0	-24.03	AV	262.00	150	Horizontal	Pass
2	2834.700	41.75	-8.47	74.0	-32.25	Peak	193.00	150	Horizontal	Pass
2**	2834.700	32.37	-8.47	54.0	-21.63	AV	193.00	150	Horizontal	Pass
3	4187.200	47.06	-4.02	74.0	-26.94	Peak	360.00	150	Horizontal	Pass
3**	4187.200	35.59	-4.02	54.0	-18.41	AV	360.00	150	Horizontal	Pass
4	5826.200	106.03	0.80	--	-174.97	Peak	281.00	150	Horizontal	N/A
4**	5826.200	97.62	0.80	--	97.62	AV	281.00	150	Horizontal	N/A
5	12162.638	50.33	20.07	74.0	-23.67	Peak	8.00	150	Horizontal	Pass
5**	12162.638	37.69	20.07	54.0	-16.31	AV	8.00	150	Horizontal	Pass
6	15566.099	54.53	23.58	74.0	-19.47	Peak	225.00	150	Horizontal	Pass
6**	15566.099	42.61	23.58	54.0	-11.39	AV	225.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.900	43.65	-14.77	74.0	-30.35	Peak	284.00	150	Vertical	Pass
1**	1462.900	33.47	-14.77	54.0	-20.53	AV	284.00	150	Vertical	Pass
2	2872.100	42.61	-8.23	74.0	-31.39	Peak	292.00	150	Vertical	Pass
2**	2872.100	32.34	-8.23	54.0	-21.66	AV	292.00	150	Vertical	Pass
3	4184.800	46.78	-3.96	74.0	-27.22	Peak	131.00	150	Vertical	Pass
3**	4184.800	36.75	-3.96	54.0	-17.25	AV	131.00	150	Vertical	Pass
4	5827.200	100.57	0.83	--	26.57	Peak	74.00	150	Vertical	N/A
4**	5827.200	92.90	0.83	--	92.90	AV	74.00	150	Vertical	N/A
5	11616.099	49.77	20.22	74.0	-24.23	Peak	178.00	150	Vertical	Pass
5**	11616.099	39.18	20.22	54.0	-14.82	AV	178.00	150	Vertical	Pass
6	15971.138	54.36	24.00	74.0	-19.64	Peak	145.00	150	Vertical	Pass
6**	15971.138	43.91	24.00	54.0	-10.09	AV	145.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	44.79	-15.24	74.0	-29.21	Peak	262.00	150	Horizontal	Pass
1**	1670.400	34.41	-15.24	54.0	-19.59	AV	262.00	150	Horizontal	Pass
2	2835.300	41.90	-8.47	74.0	-32.10	Peak	217.00	150	Horizontal	Pass
2**	2835.300	31.86	-8.47	54.0	-22.14	AV	217.00	150	Horizontal	Pass
3	4198.400	47.30	-4.03	74.0	-26.70	Peak	233.00	150	Horizontal	Pass
3**	4198.400	35.51	-4.03	54.0	-18.49	AV	233.00	150	Horizontal	Pass
4	5756.000	104.23	0.57	--	-175.77	Peak	280.00	150	Horizontal	N/A
4**	5756.000	95.91	0.57	--	95.91	AV	280.00	150	Horizontal	N/A
5	12265.275	50.15	20.35	74.0	-23.85	Peak	102.00	150	Horizontal	Pass
5**	12265.275	37.76	20.35	54.0	-16.24	AV	102.00	150	Horizontal	Pass
6	15923.100	54.74	23.69	74.0	-19.26	Peak	18.00	150	Horizontal	Pass
6**	15923.100	43.57	23.69	54.0	-10.43	AV	18.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.000	43.34	-14.88	74.0	-30.66	Peak	287.00	150	Vertical	Pass
1**	1471.000	33.09	-14.88	54.0	-20.91	AV	287.00	150	Vertical	Pass
2	2848.900	42.36	-8.23	74.0	-31.64	Peak	226.00	150	Vertical	Pass
2**	2848.900	32.59	-8.23	54.0	-21.41	AV	226.00	150	Vertical	Pass
3	3977.800	46.47	-4.08	74.0	-27.53	Peak	260.00	150	Vertical	Pass
3**	3977.800	35.67	-4.08	54.0	-18.33	AV	260.00	150	Vertical	Pass
4	5751.200	99.02	0.39	--	23.02	Peak	76.00	150	Vertical	N/A
4**	5751.200	91.29	0.39	--	91.29	AV	76.00	150	Vertical	N/A
5	12526.900	50.92	18.58	74.0	-23.08	Peak	163.00	150	Vertical	Pass
5**	12526.900	38.46	18.58	54.0	-15.54	AV	163.00	150	Vertical	Pass
6	15587.100	54.32	23.57	74.0	-19.68	Peak	164.00	150	Vertical	Pass
6**	15587.100	44.40	23.57	54.0	-9.60	AV	164.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.300	44.28	-15.23	74.0	-29.72	Peak	263.00	150	Horizontal	Pass
1**	1680.300	33.20	-15.23	54.0	-20.80	AV	263.00	150	Horizontal	Pass
2	2815.700	41.51	-8.33	74.0	-32.49	Peak	349.00	150	Horizontal	Pass
2**	2815.700	31.83	-8.33	54.0	-22.17	AV	349.00	150	Horizontal	Pass
3	4115.600	47.00	-4.07	74.0	-27.00	Peak	187.00	150	Horizontal	Pass
3**	4115.600	38.21	-4.07	54.0	-15.79	AV	187.00	150	Horizontal	Pass
4	5788.200	104.72	0.97	--	-167.28	Peak	272.00	150	Horizontal	N/A
4**	5788.200	95.65	0.97	--	95.65	AV	272.00	150	Horizontal	N/A
5	11680.787	50.54	20.06	74.0	-23.46	Peak	90.00	150	Horizontal	Pass
5**	11680.787	38.86	20.06	54.0	-15.14	AV	90.00	150	Horizontal	Pass
6	15634.612	55.26	23.53	74.0	-18.74	Peak	349.00	150	Horizontal	Pass
6**	15634.612	43.44	23.53	54.0	-10.56	AV	349.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.400	43.79	-14.83	74.0	-30.21	Peak	292.00	150	Vertical	Pass
1**	1469.400	37.82	-14.83	54.0	-16.18	AV	292.00	150	Vertical	Pass
2	2870.700	41.86	-8.19	74.0	-32.14	Peak	110.00	150	Vertical	Pass
2**	2870.700	33.01	-8.19	54.0	-20.99	AV	110.00	150	Vertical	Pass
3	3986.800	48.24	-4.35	74.0	-25.76	Peak	236.00	150	Vertical	Pass
3**	3986.800	36.38	-4.35	54.0	-17.62	AV	236.00	150	Vertical	Pass
4	5783.800	97.21	0.83	--	19.21	Peak	78.00	150	Vertical	N/A
4**	5783.800	88.74	0.83	--	88.74	AV	78.00	150	Vertical	N/A
5	11667.849	49.65	20.19	74.0	-24.35	Peak	61.00	150	Vertical	Pass
5**	11667.849	38.30	20.19	54.0	-15.70	AV	61.00	150	Vertical	Pass
6	15640.651	55.33	23.56	74.0	-18.67	Peak	45.00	150	Vertical	Pass
6**	15640.651	43.80	23.56	54.0	-10.20	AV	45.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.400	44.28	-15.26	74.0	-29.72	Peak	265.00	150	Horizontal	Pass
1**	1675.400	37.25	-15.26	54.0	-16.75	AV	265.00	150	Horizontal	Pass
2	2839.300	41.88	-8.48	74.0	-32.12	Peak	240.00	150	Horizontal	Pass
2**	2839.300	32.44	-8.48	54.0	-21.56	AV	240.00	150	Horizontal	Pass
3	4293.000	48.03	-3.83	74.0	-25.97	Peak	37.00	150	Horizontal	Pass
3**	4293.000	34.67	-3.83	54.0	-19.33	AV	37.00	150	Horizontal	Pass
4	5743.800	107.81	0.15	--	-162.19	Peak	270.00	150	Horizontal	N/A
4**	5743.800	100.98	0.15	--	100.98	AV	270.00	150	Horizontal	N/A
5	11696.888	49.80	19.86	74.0	-24.20	Peak	178.00	150	Horizontal	Pass
5**	11696.888	38.41	19.86	54.0	-15.59	AV	178.00	150	Horizontal	Pass
6	15976.125	55.23	24.00	74.0	-18.77	Peak	-2.00	150	Horizontal	Pass
6**	15976.125	43.09	24.00	54.0	-10.91	AV	-2.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.900	44.44	-14.97	74.0	-29.56	Peak	307.00	150	Vertical	Pass
1**	1477.900	34.87	-14.97	54.0	-19.13	AV	307.00	150	Vertical	Pass
2	2869.400	42.14	-8.20	74.0	-31.86	Peak	208.00	150	Vertical	Pass
2**	2869.400	31.85	-8.20	54.0	-22.15	AV	208.00	150	Vertical	Pass
3	3992.000	47.62	-4.49	74.0	-26.38	Peak	92.00	150	Vertical	Pass
3**	3992.000	37.20	-4.49	54.0	-16.80	AV	92.00	150	Vertical	Pass
4	5742.400	101.33	0.06	--	20.33	Peak	81.00	150	Vertical	N/A
4**	5742.400	94.27	0.06	--	94.27	AV	81.00	150	Vertical	N/A
5	11656.637	49.75	20.31	74.0	-24.25	Peak	210.00	150	Vertical	Pass
5**	11656.637	38.51	20.31	54.0	-15.49	AV	210.00	150	Vertical	Pass
6	15939.112	55.85	23.89	74.0	-18.15	Peak	12.00	150	Vertical	Pass
6**	15939.112	43.14	23.89	54.0	-10.86	AV	12.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.400	43.58	-15.22	74.0	-30.42	Peak	262.00	150	Horizontal	Pass
1**	1679.400	35.27	-15.22	54.0	-18.73	AV	262.00	150	Horizontal	Pass
2	2855.300	41.88	-8.09	74.0	-32.12	Peak	262.00	150	Horizontal	Pass
2**	2855.300	31.62	-8.09	54.0	-22.38	AV	262.00	150	Horizontal	Pass
3	4248.600	46.66	-3.17	74.0	-27.34	Peak	111.00	150	Horizontal	Pass
3**	4248.600	37.96	-3.17	54.0	-16.04	AV	111.00	150	Horizontal	Pass
4	5787.200	106.26	0.86	--	-174.74	Peak	281.00	150	Horizontal	N/A
4**	5787.200	98.90	0.86	--	98.90	AV	281.00	150	Horizontal	N/A
5	11559.463	50.52	19.77	74.0	-23.48	Peak	360.00	150	Horizontal	Pass
5**	11559.463	37.59	19.77	54.0	-16.41	AV	360.00	150	Horizontal	Pass
6	15672.674	55.16	23.54	74.0	-18.84	Peak	347.00	150	Horizontal	Pass
6**	15672.674	42.63	23.54	54.0	-11.37	AV	347.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.300	43.14	-14.91	74.0	-30.86	Peak	291.00	150	Vertical	Pass
1**	1473.300	35.57	-14.91	54.0	-18.43	AV	291.00	150	Vertical	Pass
2	2867.100	42.10	-8.08	74.0	-31.90	Peak	43.00	150	Vertical	Pass
2**	2867.100	33.30	-8.08	54.0	-20.70	AV	43.00	150	Vertical	Pass
3	3986.400	47.45	-4.34	74.0	-26.55	Peak	252.00	150	Vertical	Pass
3**	3986.400	35.66	-4.34	54.0	-18.34	AV	252.00	150	Vertical	Pass
4	5787.800	103.05	0.93	--	21.05	Peak	82.00	150	Vertical	N/A
4**	5787.800	95.44	0.93	--	95.44	AV	82.00	150	Vertical	N/A
5	11899.575	49.50	18.03	74.0	-24.50	Peak	307.00	150	Vertical	Pass
5**	11899.575	38.22	18.03	54.0	-15.78	AV	307.00	150	Vertical	Pass
6	15626.213	54.75	23.48	74.0	-19.25	Peak	347.00	150	Vertical	Pass
6**	15626.213	44.19	23.48	54.0	-9.81	AV	347.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	43.73	-15.35	74.0	-30.27	Peak	269.00	150	Horizontal	Pass
1**	1673.600	34.73	-15.35	54.0	-19.27	AV	269.00	150	Horizontal	Pass
2	2878.700	41.84	-8.29	74.0	-32.16	Peak	250.00	150	Horizontal	Pass
2**	2878.700	32.98	-8.29	54.0	-21.02	AV	250.00	150	Horizontal	Pass
3	3967.800	46.67	-4.12	74.0	-27.33	Peak	190.00	150	Horizontal	Pass
3**	3967.800	35.59	-4.12	54.0	-18.41	AV	190.00	150	Horizontal	Pass
4	5829.000	107.22	0.95	--	-164.78	Peak	272.00	150	Horizontal	N/A
4**	5829.000	98.21	0.95	--	98.21	AV	272.00	150	Horizontal	N/A
5	12199.437	49.64	20.43	74.0	-24.36	Peak	235.00	150	Horizontal	Pass
5**	12199.437	38.12	20.43	54.0	-15.88	AV	235.00	150	Horizontal	Pass
6	15625.425	54.96	23.48	74.0	-19.04	Peak	101.00	150	Horizontal	Pass
6**	15625.425	43.53	23.48	54.0	-10.47	AV	101.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.100	44.92	-14.86	74.0	-29.08	Peak	293.00	150	Vertical	Pass
1**	1470.100	35.36	-14.86	54.0	-18.64	AV	293.00	150	Vertical	Pass
2	2843.700	41.92	-8.53	74.0	-32.08	Peak	153.00	150	Vertical	Pass
2**	2843.700	31.69	-8.53	54.0	-22.31	AV	153.00	150	Vertical	Pass
3	4053.800	47.22	-3.76	74.0	-26.78	Peak	216.00	150	Vertical	Pass
3**	4053.800	35.17	-3.76	54.0	-18.83	AV	216.00	150	Vertical	Pass
4	5829.200	100.54	0.94	--	26.54	Peak	74.00	150	Vertical	N/A
4**	5829.200	93.45	0.94	--	93.45	AV	74.00	150	Vertical	N/A
5	11676.188	50.30	20.11	74.0	-23.70	Peak	139.00	150	Vertical	Pass
5**	11676.188	39.71	20.11	54.0	-14.29	AV	139.00	150	Vertical	Pass
6	15890.813	55.22	23.31	74.0	-18.78	Peak	48.00	150	Vertical	Pass
6**	15890.813	42.37	23.31	54.0	-11.63	AV	48.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.600	44.19	-15.31	74.0	-29.81	Peak	156.00	150	Horizontal	Pass
1**	1676.600	34.46	-15.31	54.0	-19.54	AV	156.00	150	Horizontal	Pass
2	2816.900	41.47	-8.30	74.0	-32.53	Peak	217.00	150	Horizontal	Pass
2**	2816.900	31.72	-8.30	54.0	-22.28	AV	217.00	150	Horizontal	Pass
3	4245.400	47.41	-3.28	74.0	-26.59	Peak	88.00	150	Horizontal	Pass
3**	4245.400	36.27	-3.28	54.0	-17.73	AV	88.00	150	Horizontal	Pass
4	5761.800	105.92	0.70	--	-163.08	Peak	269.00	150	Horizontal	N/A
4**	5761.800	96.69	0.70	--	96.69	AV	269.00	150	Horizontal	N/A
5	12144.812	50.20	19.88	74.0	-23.80	Peak	0.00	150	Horizontal	Pass
5**	12144.812	39.27	19.88	54.0	-14.73	AV	0.00	150	Horizontal	Pass
6	16061.175	55.16	24.14	74.0	-18.84	Peak	183.00	150	Horizontal	Pass
6**	16061.175	42.67	24.14	54.0	-11.33	AV	183.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.300	43.24	-15.03	74.0	-30.76	Peak	282.00	150	Vertical	Pass
1**	1475.300	32.71	-15.03	54.0	-21.29	AV	282.00	150	Vertical	Pass
2	2720.000	41.56	-8.75	74.0	-32.44	Peak	174.00	150	Vertical	Pass
2**	2720.000	31.36	-8.75	54.0	-22.64	AV	174.00	150	Vertical	Pass
3	3997.600	46.74	-4.56	74.0	-27.26	Peak	66.00	150	Vertical	Pass
3**	3997.600	36.03	-4.56	54.0	-17.97	AV	66.00	150	Vertical	Pass
4	5747.800	98.63	0.30	--	22.63	Peak	76.00	150	Vertical	N/A
4**	5747.800	91.03	0.30	--	91.03	AV	76.00	150	Vertical	N/A
5	11675.037	49.74	20.12	74.0	-24.26	Peak	192.00	150	Vertical	Pass
5**	11675.037	37.76	20.12	54.0	-16.24	AV	192.00	150	Vertical	Pass
6	15496.537	55.45	23.91	74.0	-18.55	Peak	245.00	150	Vertical	Pass
6**	15496.537	43.31	23.91	54.0	-10.69	AV	245.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.400	44.21	-15.24	74.0	-29.79	Peak	255.00	150	Horizontal	Pass
1**	1670.400	35.16	-15.24	54.0	-18.84	AV	255.00	150	Horizontal	Pass
2	2842.300	41.44	-8.57	74.0	-32.56	Peak	320.00	150	Horizontal	Pass
2**	2842.300	31.20	-8.57	54.0	-22.80	AV	320.00	150	Horizontal	Pass
3	4239.400	47.51	-3.42	74.0	-26.49	Peak	360.00	150	Horizontal	Pass
3**	4239.400	36.34	-3.42	54.0	-17.66	AV	360.00	150	Horizontal	Pass
4	5788.400	103.19	0.99	--	-177.81	Peak	281.00	150	Horizontal	N/A
4**	5788.400	95.72	0.99	--	95.72	AV	281.00	150	Horizontal	N/A
5	11663.250	49.67	20.24	74.0	-24.33	Peak	0.00	150	Horizontal	Pass
5**	11663.250	37.46	20.24	54.0	-16.54	AV	0.00	150	Horizontal	Pass
6	15505.200	55.27	23.92	74.0	-18.73	Peak	16.00	150	Horizontal	Pass
6**	15505.200	42.93	23.92	54.0	-11.07	AV	16.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.100	43.46	-14.77	74.0	-30.54	Peak	316.00	150	Vertical	Pass
1**	1464.100	34.21	-14.77	54.0	-19.79	AV	316.00	150	Vertical	Pass
2	2763.700	41.28	-8.78	74.0	-32.72	Peak	30.00	150	Vertical	Pass
2**	2763.700	30.87	-8.78	54.0	-23.13	AV	30.00	150	Vertical	Pass
3	3983.800	48.49	-4.28	74.0	-25.51	Peak	107.00	150	Vertical	Pass
3**	3983.800	36.85	-4.28	54.0	-17.15	AV	107.00	150	Vertical	Pass
4	5784.400	97.29	0.75	--	23.29	Peak	74.00	150	Vertical	N/A
4**	5784.400	89.70	0.75	--	89.70	AV	74.00	150	Vertical	N/A
5	12163.213	49.97	20.08	74.0	-24.03	Peak	356.00	150	Vertical	Pass
5**	12163.213	38.74	20.08	54.0	-15.26	AV	356.00	150	Vertical	Pass
6	15825.450	54.62	23.32	74.0	-19.38	Peak	293.00	150	Vertical	Pass
6**	15825.450	43.28	23.32	54.0	-10.72	AV	293.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.500	44.69	-15.26	74.0	-29.31	Peak	160.00	150	Horizontal	Pass
1**	1675.500	34.35	-15.26	54.0	-19.65	AV	160.00	150	Horizontal	Pass
2	2869.800	41.86	-8.20	74.0	-32.14	Peak	0.00	150	Horizontal	Pass
2**	2869.800	32.34	-8.20	54.0	-21.66	AV	0.00	150	Horizontal	Pass
3	4197.400	46.96	-3.98	74.0	-27.04	Peak	159.00	150	Horizontal	Pass
3**	4197.400	35.72	-3.98	54.0	-18.28	AV	159.00	150	Horizontal	Pass
4	5752.400	102.64	0.50	--	-168.36	Peak	271.00	150	Horizontal	N/A
4**	5752.400	93.18	0.50	--	93.18	AV	271.00	150	Horizontal	N/A
5	12168.674	50.02	20.14	74.0	-23.98	Peak	105.00	150	Horizontal	Pass
5**	12168.674	38.02	20.14	54.0	-15.98	AV	105.00	150	Horizontal	Pass
6	16076.401	54.72	24.06	74.0	-19.28	Peak	255.00	150	Horizontal	Pass
6**	16076.401	43.25	24.06	54.0	-10.75	AV	255.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.700	44.06	-14.82	74.0	-29.94	Peak	296.00	150	Vertical	Pass
1**	1467.700	33.91	-14.82	54.0	-20.09	AV	296.00	150	Vertical	Pass
2	2793.200	41.54	-8.86	74.0	-32.46	Peak	75.00	150	Vertical	Pass
2**	2793.200	31.57	-8.86	54.0	-22.43	AV	75.00	150	Vertical	Pass
3	4060.800	47.74	-4.01	74.0	-26.26	Peak	145.00	150	Vertical	Pass
3**	4060.800	34.48	-4.01	54.0	-19.52	AV	145.00	150	Vertical	Pass
4	5786.000	96.98	0.77	--	21.98	Peak	75.00	150	Vertical	N/A
4**	5786.000	89.17	0.77	--	89.17	AV	75.00	150	Vertical	N/A
5	11648.012	49.46	20.39	74.0	-24.54	Peak	133.00	150	Vertical	Pass
5**	11648.012	37.78	20.39	54.0	-16.22	AV	133.00	150	Vertical	Pass
6	15992.138	55.09	24.01	74.0	-18.91	Peak	143.00	150	Vertical	Pass
6**	15992.138	43.23	24.01	54.0	-10.77	AV	143.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.400	42.93	-15.28	74.0	-31.07	Peak	264.00	150	Horizontal	Pass
1**	1684.400	33.38	-15.28	54.0	-20.62	AV	264.00	150	Horizontal	Pass
2	2752.500	41.22	-8.96	74.0	-32.78	Peak	360.00	150	Horizontal	Pass
2**	2752.500	30.53	-8.96	54.0	-23.47	AV	360.00	150	Horizontal	Pass
3	4316.800	46.76	-3.17	74.0	-27.24	Peak	195.00	150	Horizontal	Pass
3**	4316.800	35.99	-3.17	54.0	-18.01	AV	195.00	150	Horizontal	Pass
4	5740.800	107.03	-0.01	--	-172.97	Peak	280.00	150	Horizontal	N/A
4**	5740.800	98.92	-0.01	--	98.92	AV	280.00	150	Horizontal	N/A
5	12488.375	50.16	18.57	74.0	-23.84	Peak	202.00	150	Horizontal	Pass
5**	12488.375	37.65	18.57	54.0	-16.35	AV	202.00	150	Horizontal	Pass
6	15992.138	54.86	24.01	74.0	-19.14	Peak	211.00	150	Horizontal	Pass
6**	15992.138	42.66	24.01	54.0	-11.34	AV	211.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.200	43.86	-14.70	74.0	-30.14	Peak	275.00	150	Vertical	Pass
1**	1459.200	35.17	-14.70	54.0	-18.83	AV	275.00	150	Vertical	Pass
2	2868.600	41.52	-8.18	74.0	-32.48	Peak	140.00	150	Vertical	Pass
2**	2868.600	31.23	-8.18	54.0	-22.77	AV	140.00	150	Vertical	Pass
3	4144.600	46.73	-3.84	74.0	-27.27	Peak	305.00	150	Vertical	Pass
3**	4144.600	35.63	-3.84	54.0	-18.37	AV	305.00	150	Vertical	Pass
4	5743.200	101.83	0.11	--	22.83	Peak	79.00	150	Vertical	N/A
4**	5743.200	93.70	0.11	--	93.70	AV	79.00	150	Vertical	N/A
5	11565.213	49.01	19.81	74.0	-24.99	Peak	116.00	150	Vertical	Pass
5**	11565.213	37.70	19.81	54.0	-16.30	AV	116.00	150	Vertical	Pass
6	15461.625	55.24	23.54	74.0	-18.76	Peak	124.00	150	Vertical	Pass
6**	15461.625	42.79	23.54	54.0	-11.21	AV	124.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.700	44.61	-15.22	74.0	-29.39	Peak	258.00	150	Horizontal	Pass
1**	1668.700	34.67	-15.22	54.0	-19.33	AV	258.00	150	Horizontal	Pass
2	2816.200	41.96	-8.32	74.0	-32.04	Peak	353.00	150	Horizontal	Pass
2**	2816.200	31.45	-8.32	54.0	-22.55	AV	353.00	150	Horizontal	Pass
3	4245.800	46.96	-3.28	74.0	-27.04	Peak	0.00	150	Horizontal	Pass
3**	4245.800	35.10	-3.28	54.0	-18.90	AV	0.00	150	Horizontal	Pass
4	5782.400	107.06	1.02	--	-161.94	Peak	269.00	150	Horizontal	N/A
4**	5782.400	98.61	1.02	--	98.61	AV	269.00	150	Horizontal	N/A
5	11987.550	48.97	18.53	74.0	-25.03	Peak	184.00	150	Horizontal	Pass
5**	11987.550	38.96	18.53	54.0	-15.04	AV	184.00	150	Horizontal	Pass
6	15638.025	55.35	23.55	74.0	-18.65	Peak	132.00	150	Horizontal	Pass
6**	15638.025	43.77	23.55	54.0	-10.23	AV	132.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.500	44.84	-14.87	74.0	-29.16	Peak	288.00	150	Vertical	Pass
1**	1470.500	34.51	-14.87	54.0	-19.49	AV	288.00	150	Vertical	Pass
2	2824.200	41.24	-8.30	74.0	-32.76	Peak	36.00	150	Vertical	Pass
2**	2824.200	31.02	-8.30	54.0	-22.98	AV	36.00	150	Vertical	Pass
3	4267.200	48.55	-3.28	74.0	-25.45	Peak	301.00	150	Vertical	Pass
3**	4267.200	35.53	-3.28	54.0	-18.47	AV	301.00	150	Vertical	Pass
4	5783.600	102.58	0.85	--	25.58	Peak	77.00	150	Vertical	N/A
4**	5783.600	94.12	0.85	--	94.12	AV	77.00	150	Vertical	N/A
5	11613.513	49.44	20.20	74.0	-24.56	Peak	87.00	150	Vertical	Pass
5**	11613.513	37.63	20.20	54.0	-16.37	AV	87.00	150	Vertical	Pass
6	16074.825	54.54	24.06	74.0	-19.46	Peak	67.00	150	Vertical	Pass
6**	16074.825	42.48	24.06	54.0	-11.52	AV	67.00	150	Vertical	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.400	44.06	-15.26	74.0	-29.94	Peak	156.00	150	Horizontal	Pass
1**	1675.400	34.53	-15.26	54.0	-19.47	AV	156.00	150	Horizontal	Pass
2	2789.200	41.47	-8.88	74.0	-32.53	Peak	337.00	150	Horizontal	Pass
2**	2789.200	32.51	-8.88	54.0	-21.49	AV	337.00	150	Horizontal	Pass
3	4033.600	46.68	-4.04	74.0	-27.32	Peak	289.00	150	Horizontal	Pass
3**	4033.600	35.16	-4.04	54.0	-18.84	AV	289.00	150	Horizontal	Pass
4	5820.800	108.40	0.91	--	-167.60	Peak	276.00	150	Horizontal	N/A
4**	5820.800	99.24	0.91	--	99.24	AV	276.00	150	Horizontal	N/A
5	11673.026	49.67	20.14	74.0	-24.33	Peak	273.00	150	Horizontal	Pass
5**	11673.026	37.91	20.14	54.0	-16.09	AV	273.00	150	Horizontal	Pass
6	15654.038	55.41	23.50	74.0	-18.59	Peak	24.00	150	Horizontal	Pass
6**	15654.038	43.59	23.50	54.0	-10.41	AV	24.00	150	Horizontal	Pass

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.800	43.30	-15.01	74.0	-30.70	Peak	305.00	150	Vertical	Pass
1**	1478.800	33.06	-15.01	54.0	-20.94	AV	305.00	150	Vertical	Pass
2	2735.800	41.37	-8.63	74.0	-32.63	Peak	217.00	150	Vertical	Pass
2**	2735.800	31.29	-8.63	54.0	-22.71	AV	217.00	150	Vertical	Pass
3	4170.400	46.91	-3.76	74.0	-27.09	Peak	175.00	150	Vertical	Pass
3**	4170.400	34.69	-3.76	54.0	-19.31	AV	175.00	150	Vertical	Pass
4	5827.600	103.43	0.86	--	29.43	Peak	74.00	150	Vertical	N/A
4**	5827.600	95.79	0.86	--	95.79	AV	74.00	150	Vertical	N/A
5	12337.724	50.06	19.80	74.0	-23.94	Peak	61.00	150	Vertical	Pass
5**	12337.724	38.62	19.80	54.0	-15.38	AV	61.00	150	Vertical	Pass
6	15617.549	55.04	23.46	74.0	-18.96	Peak	-2.00	150	Vertical	Pass
6**	15617.549	43.19	23.46	54.0	-10.81	AV	-2.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.300	44.16	-15.38	74.0	-29.84	Peak	276.00	150	Horizontal	Pass
1**	1673.300	35.76	-15.38	54.0	-18.24	AV	276.00	150	Horizontal	Pass
2	2878.900	41.89	-8.29	74.0	-32.11	Peak	200.00	150	Horizontal	Pass
2**	2878.900	31.95	-8.29	54.0	-22.05	AV	200.00	150	Horizontal	Pass
3	4276.600	47.86	-3.43	74.0	-26.14	Peak	350.00	150	Horizontal	Pass
3**	4276.600	36.64	-3.43	54.0	-17.36	AV	350.00	150	Horizontal	Pass
4	5751.600	104.54	0.43	--	-177.46	Peak	282.00	150	Horizontal	N/A
4**	5751.600	95.65	0.43	--	95.65	AV	282.00	150	Horizontal	N/A
5	11638.237	49.87	20.35	74.0	-24.13	Peak	93.00	150	Horizontal	Pass
5**	11638.237	37.67	20.35	54.0	-16.33	AV	93.00	150	Horizontal	Pass
6	15626.213	54.64	23.48	74.0	-19.36	Peak	360.00	150	Horizontal	Pass
6**	15626.213	43.45	23.48	54.0	-10.55	AV	360.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.400	43.42	-15.21	74.0	-30.58	Peak	317.00	150	Vertical	Pass
1**	1487.400	32.68	-15.21	54.0	-21.32	AV	317.00	150	Vertical	Pass
2	2825.700	41.34	-8.36	74.0	-32.66	Peak	343.00	150	Vertical	Pass
2**	2825.700	30.43	-8.36	54.0	-23.57	AV	343.00	150	Vertical	Pass
3	3916.400	46.77	-4.61	74.0	-27.23	Peak	99.00	150	Vertical	Pass
3**	3916.400	37.22	-4.61	54.0	-16.78	AV	99.00	150	Vertical	Pass
4	5749.400	99.52	0.30	--	26.52	Peak	73.00	150	Vertical	N/A
4**	5749.400	89.83	0.30	--	89.83	AV	73.00	150	Vertical	N/A
5	11614.950	49.37	20.21	74.0	-24.63	Peak	8.00	150	Vertical	Pass
5**	11614.950	37.75	20.21	54.0	-16.25	AV	8.00	150	Vertical	Pass
6	15933.338	54.26	23.82	74.0	-19.74	Peak	179.00	150	Vertical	Pass
6**	15933.338	42.92	23.82	54.0	-11.08	AV	179.00	150	Vertical	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.600	44.61	-15.25	74.0	-29.39	Peak	263.00	150	Horizontal	Pass
1**	1670.600	35.30	-15.25	54.0	-18.70	AV	263.00	150	Horizontal	Pass
2	2816.700	41.45	-8.30	74.0	-32.55	Peak	250.00	150	Horizontal	Pass
2**	2816.700	30.85	-8.30	54.0	-23.15	AV	250.00	150	Horizontal	Pass
3	4182.200	46.66	-3.92	74.0	-27.34	Peak	54.00	150	Horizontal	Pass
3**	4182.200	34.60	-3.92	54.0	-19.40	AV	54.00	150	Horizontal	Pass
4	5798.200	104.97	0.84	--	-163.03	Peak	268.00	150	Horizontal	N/A
4**	5798.200	95.06	0.84	--	95.06	AV	268.00	150	Horizontal	N/A
5	12099.100	50.17	19.39	74.0	-23.83	Peak	147.00	150	Horizontal	Pass
5**	12099.100	37.85	19.39	54.0	-16.15	AV	147.00	150	Horizontal	Pass
6	15973.238	54.44	24.00	74.0	-19.56	Peak	100.00	150	Horizontal	Pass
6**	15973.238	43.51	24.00	54.0	-10.49	AV	100.00	150	Horizontal	Pass

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.000	43.13	-14.82	74.0	-30.87	Peak	303.00	150	Vertical	Pass
1**	1469.000	32.31	-14.82	54.0	-21.69	AV	303.00	150	Vertical	Pass
2	2799.600	41.50	-8.80	74.0	-32.50	Peak	125.00	150	Vertical	Pass
2**	2799.600	31.59	-8.80	54.0	-22.41	AV	125.00	150	Vertical	Pass
3	4157.200	47.04	-3.49	74.0	-26.96	Peak	162.00	150	Vertical	Pass
3**	4157.200	34.98	-3.49	54.0	-19.02	AV	162.00	150	Vertical	Pass
4	5786.200	100.10	0.77	--	30.10	Peak	70.00	150	Vertical	N/A
4**	5786.200	90.94	0.77	--	90.94	AV	70.00	150	Vertical	N/A
5	11631.337	50.15	20.31	74.0	-23.85	Peak	314.00	150	Vertical	Pass
5**	11631.337	39.25	20.31	54.0	-14.75	AV	314.00	150	Vertical	Pass
6	15694.463	55.59	23.58	74.0	-18.41	Peak	135.00	150	Vertical	Pass
6**	15694.463	42.95	23.58	54.0	-11.05	AV	135.00	150	Vertical	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.700	44.37	-15.21	74.0	-29.63	Peak	156.00	150	Horizontal	Pass
1**	1667.700	32.28	-15.21	54.0	-21.72	AV	156.00	150	Horizontal	Pass
2	2869.600	41.50	-8.20	74.0	-32.50	Peak	64.00	150	Horizontal	Pass
2**	2869.600	31.83	-8.20	54.0	-22.17	AV	64.00	150	Horizontal	Pass
3	4086.800	46.81	-4.24	74.0	-27.19	Peak	213.00	150	Horizontal	Pass
3**	4086.800	34.99	-4.24	54.0	-19.01	AV	213.00	150	Horizontal	Pass
4	5772.400	103.36	0.96	--	-164.64	Peak	268.00	150	Horizontal	N/A
4**	5772.400	93.85	0.96	--	93.85	AV	268.00	150	Horizontal	N/A
5	11560.325	49.55	19.78	74.0	-24.45	Peak	237.00	150	Horizontal	Pass
5**	11560.325	38.25	19.78	54.0	-15.75	AV	237.00	150	Horizontal	Pass
6	15674.512	54.29	23.55	74.0	-19.71	Peak	328.00	150	Horizontal	Pass
6**	15674.512	43.00	23.55	54.0	-11.00	AV	328.00	150	Horizontal	Pass

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.600	45.64	-14.84	74.0	-28.36	Peak	293.00	150	Vertical	Pass
1**	1469.600	35.87	-14.84	54.0	-18.13	AV	293.00	150	Vertical	Pass
2	2847.100	41.59	-8.31	74.0	-32.41	Peak	10.00	150	Vertical	Pass
2**	2847.100	31.06	-8.31	54.0	-22.94	AV	10.00	150	Vertical	Pass
3	3990.000	48.05	-4.38	74.0	-25.95	Peak	254.00	150	Vertical	Pass
3**	3990.000	36.16	-4.38	54.0	-17.84	AV	254.00	150	Vertical	Pass
4	5767.400	97.51	0.82	--	22.51	Peak	75.00	150	Vertical	N/A
4**	5767.400	90.69	0.82	--	90.69	AV	75.00	150	Vertical	N/A
5	11615.237	49.76	20.21	74.0	-24.24	Peak	360.00	150	Vertical	Pass
5**	11615.237	38.02	20.21	54.0	-15.98	AV	360.00	150	Vertical	Pass
6	15937.800	54.77	23.88	74.0	-19.23	Peak	287.00	150	Vertical	Pass
6**	15937.800	44.29	23.88	54.0	-9.71	AV	287.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Main Antenna/Aux. Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
		144	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
		144	Pass
	802.11n(HT40)	Low	Pass
		Low	Pass

		High	Pass
		142	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
		144	Pass
		Low	Pass
	802.11ac(VHT40)	High	Pass
		142	Pass
		Low	Pass
		High	Pass
	802.11ac(VHT80)	138	Pass
		Low	Pass
	802.11ac(VHT160)	Middle	Pass
		Low	Pass
	802.11ax(HE20)-SU	High	Pass
		144	Pass
		Low	Pass
		High	Pass
	802.11ax(HE40)-SU	142	Pass
		Low	Pass
	802.11ax(HE80)-SU	High	Pass
		138	Pass
	802.11ax(HE160)-SU	Middle	Pass
U-NII-3	802.11a	144	Pass
		Low	Pass
		High	Pass
		144	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
		142	Pass
		Low	Pass
	802.11n(HT40)	High	Pass
		144	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
		142	Pass
		Low	Pass
	802.11ac(VHT40)	High	Pass
		138	Pass
	802.11ac(VHT80)	Middle	Pass
		144	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
		142	Pass
		Low	Pass
	802.11ax(HE40)-SU	High	Pass
		138	Pass
	802.11ax(HE80)-SU	Middle	Pass

MIMO

Test Band	Mode	Channel	Verdict
U-NII-1	802.11n(HT20)	Low	Pass
		High	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
U-NII-2A	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
U-NII-2C	802.11n(HT20)	Low	Pass
		High	Pass
		144	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
		142	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
		144	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
		142	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass


		138	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
		144	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
		142	Pass
	802.11ax(HE80)-SU	Low	Pass
		High	Pass
		138	Pass
	802.11ax(HE160)-SU	Middle	Pass
U-NII-3	802.11n(HT20)	144	Pass
		Low	Pass
		High	Pass
	802.11n(HT40)	142	Pass
		Low	Pass
		High	Pass
	802.11ac(VHT20)	144	Pass
		Low	Pass
		High	Pass
	802.11ac(VHT40)	142	Pass
		Low	Pass
		High	Pass
	802.11ac(VHT80)	138	Pass
		Middle	Pass
	802.11ax(HE20)-SU	144	Pass
		Low	Pass
		High	Pass
	802.11ax(HE40)-SU	142	Pass
		Low	Pass
		High	Pass
	802.11ax(HE80)-SU	138	Pass
		Middle	Pass

Test Plots


Speed

Main Antenna

U-NII-1 11a CH36 Peak



U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 AV



U-NII-1 11n20 CH36 Peak




U-NII-1 11n20 CH48 Peak




U-NII-1 11n20 CH36 AV



U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak




U-NII-1 11n40 CH38 AV



U-NII-1 11ac20 CH36 Peak



U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac20 CH36 AV



U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak




U-NII-1 11ac40 CH38 AV




U-NII-1 11ac80 CH42 Peak



U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 AV



U-NII-1 11ac160 CH50 Peak




U-NII-1 11ac160 CH50 AV




U-NII-1 11ax20-SU CH36 Peak



U-NII-1 11ax20-SU CH48 Peak




U-NII-1 11ax20-SU CH36 AV



U-NII-1 11ax40-SU CH38 Peak



U-NII-1 11ax40-SU CH46 Peak




U-NII-1 11ax40-SU CH38 AV



U-NII-1 11ax80-SU CH42 Peak



U-NII-1 11ax80-SU CH42 Peak



U-NII-1 11ax80-SU CH42 AV



U-NII-1 11ax160-SU CH50 Peak



U-NII-1 11ax160-SU CH50 AV




U-NII-2A 11a CH52 Peak




U-NII-2A 11a CH64 Peak




U-NII-2A 11a CH64 AV



U-NII-2A 11n20 CH52 Peak



U-NII-2A 11n20 CH64 Peak



U-NII-2A 11n40 CH54 Peak




U-NII-2A 11n40 CH62 Peak



U-NII-2A 11n40 CH62 AV




U-NII-2A 11n40 CH62 AV




U-NII-2A 11ac20 CH52 Peak



U-NII-2A 11ac20 CH64 Peak



U-NII-2A 11ac20 CH64 AV




U-NII-2A 11ac40 CH54 Peak




U-NII-2A 11ac40 CH62 Peak




U-NII-2A 11ac40 CH62 AV



U-NII-2A 11ac40 CH62 AV



U-NII-2A 11ac80 CH58 Peak




U-NII-2A 11ac80 CH58 Peak




U-NII-2A 11ac80 CH58 AV




U-NII-2A 11ac80 CH58 AV




U-NII-2A 11ac160 CH50 Peak




U-NII-2A 11ac160 CH50 AV




U-NII-2A 11ac160 CH50 AV




U-NII-2A 11ax20-SU CH52 Peak




U-NII-2A 11ax20-SU CH64 Peak




U-NII-2A 11ax20-SU CH64 AV




U-NII-2A 11ax20-SU CH64 AV



U-NII-2A 11ax40-SU CH54 Peak




U-NII-2A 11ax40-SU CH62 Peak




U-NII-2A 11ax40-SU CH62 AV



U-NII-2A 11ax40-SU CH62 AV




U-NII-2A 11ax80-SU CH58 Peak




U-NII-2A 11ax80-SU CH58 Peak




U-NII-2A 11ax80-SU CH58 Peak




U-NII-2A 11ax80-SU CH58 AV



U-NII-2A 11ax80-SU CH58 AV




U-NII-2A 11ax160-SU CH50 Peak




U-NII-2A 11ax160-SU CH50 AV




U-NII-2A 11ax160-SU CH50 AV




U-NII-2C 11a CH100 Peak




U-NII-2C 11a CH140 Peak



U-NII-2C 11a CH100 AV




U-NII-2C 11a CH144 Peak




U-NII-2C 11n20 CH100 Peak



U-NII-2C 11n20 CH140 Peak




U-NII-2C 11n20 CH144 Peak




U-NII-2C 11n40 CH102 Peak



U-NII-2C 11n40 CH134 Peak



U-NII-2C 11n40 CH102 AV



U-NII-2C 11n40 CH142 Peak



U-NII-2C 11ac20 CH100 Peak




U-NII-2C 11ac20 CH140 Peak




U-NII-2C 11ac20 CH144 Peak



U-NII-2C 11ac40 CH102 Peak



U-NII-2C 11ac40 CH134 Peak



U-NII-2C 11ac40 CH102 AV




U-NII-2C 11ac40 CH142 Peak



U-NII-2C 11ac80 CH106 Peak



U-NII-2C 11ac80 CH122 Peak



U-NII-2C 11ac80 CH106 AV




U-NII-2C 11ac80 CH138 Peak



U-NII-2C 11ac160 CH114 Peak




U-NII-2C 11ac160 CH114 Peak




U-NII-2C 11ac160 CH114 AV




U-NII-2C 11ax20-SU CH100 Peak



U-NII-2C 11ax20-SU CH140 Peak



U-NII-2C 11ax20-SU CH144 Peak




U-NII-2C 11ax40-SU CH102 Peak



U-NII-2C 11ax40-SU CH134 Peak



U-NII-2C 11ax40-SU CH102 AV



U-NII-2C 11ax40-SU CH142 Peak




U-NII-2C 11ax80-SU CH106 Peak




U-NII-2C 11ax80-SU CH122 Peak




U-NII-2C 11ax80-SU CH106 AV



U-NII-2C 11ax80-SU CH138 Peak



U-NII-2C 11ax160-SU CH114 Peak



U-NII-2C 11ax160-SU CH114 Peak



U-NII-2C 11ax160-SU CH114 AV



U-NII-3 11a CH144 Peak



U-NII-3 11a CH149 Peak



U-NII-3 11a CH165 Peak

