

RF TEST REPORT



Report No.: 15050043-FCC-R5

Supersede Report No.: N/A

Applicant	b mobile HK Limited	
Product Name	Mobile phone	
Model No.	B1+	
Serial No.	AX1095	
Test Standard	FCC Part 22(H), FCC Part 24(E), FCC Part 27: 2014; ANSI/TIA C603 D: 2010	
Test Date	November 06 to November 23, 2015	
Issue Date	November 23, 2015	
Test Result	☒ Pass ☐ Fail	
Equipment complied with the specification	☒	
Equipment did not comply with the specification	☐	
<i>Winnie Zhang</i>	<i>David Huang</i>	
Winnie Zhang Test Engineer	David Huang Checked By	
This test report may be reproduced in full only Test result presented in this test report is applicable to the tested sample only		

Issued by:

SIEMIC (SHENZHEN-CHINA) LABORATORIES

Zone A, Floor 1, Building 2 Wan Ye Long Technology Park

South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China 518108

Phone: +86 0755 2601 4629801 Email: China@siemic.com.cn

Laboratories Introduction

SIEMIC, headquartered in the heart of Silicon Valley, with superior facilities in US and Asia, is one of the leading independent testing and certification facilities providing customers with one-stop shop services for Compliance Testing and Global Certifications.



In addition to testing and certification, SIEMIC provides initial design reviews and compliance management throughout a project. Our extensive experience with China, Asia Pacific, North America, European, and International compliance requirements, assures the fastest, most cost effective way to attain regulatory compliance for the global markets.

Accreditations for Conformity Assessment

Country/Region	Scope
USA	EMC, RF/Wireless, SAR, Telecom
Canada	EMC, RF/Wireless, SAR, Telecom
Taiwan	EMC, RF, Telecom, SAR, Safety
Hong Kong	RF/Wireless, SAR, Telecom
Australia	EMC, RF, Telecom, SAR, Safety
Korea	EMI, EMS, RF, SAR, Telecom, Safety
Japan	EMI, RF/Wireless, SAR, Telecom
Singapore	EMC, RF, SAR, Telecom
Europe	EMC, RF, SAR, Telecom, Safety

Test Report	15050043-FCC-R5
Page	3 of 139

This page has been left blank intentionally.

CONTENTS

1. REPORT REVISION HISTORY	5
2. CUSTOMER INFORMATION	5
3. TEST SITE INFORMATION	5
4. EQUIPMENT UNDER TEST (EUT) INFORMATION	6
5. TEST SUMMARY	9
6. MEASUREMENTS, EXAMINATION AND DERIVED RESULTS	10
6.1 RF EXPOSURE (SAR).....	10
6.2 RF OUTPUT POWER	11
6.3 PEAK-AVERAGE RATIO.....	49
6.4 MODULATION CHARACTERISTIC.....	53
6.5 OCCUPIED BANDWIDTH.....	54
6.6 SPURIOUS EMISSIONS AT ANTENNA TERMINALS	84
6.7 SPURIOUS RADIATED EMISSIONS	90
6.8 BAND EDGE.....	96
6.9 BAND EDGE 27.53(M).....	117
6.10 FREQUENCY STABILITY	123
ANNEX A. TEST INSTRUMENT.....	128
ANNEX B. EUT AND TEST SETUP PHOTOGRAPHS.....	129
ANNEX C. TEST SETUP AND SUPPORTING EQUIPMENT.....	135
ANNEX C.II. EUT OPERATING CONKITIONS	137
ANNEX D. USER MANUAL / BLOCK DIAGRAM / SCHEMATICS / PARTLIST	138
ANNEX E. DECLARATION OF SIMILARITY	139

1. Report Revision History

Report No.	Report Version	Description	Issue Date
15050043-FCC-R5	NONE	Original	November 23, 2015

2. Customer information

Applicant Name	b mobile HK Limited
Applicant Add	Flat 18; 14/F Block 1; Golden Industrial Building;16-26 Kwai Tak Street; Kwai Chung;New Territories; Hong Kong
Manufacturer	b mobile HK Limited
Manufacturer Add	Flat 18; 14/F Block 1; Golden Industrial Building;16-26 Kwai Tak Street; Kwai Chung;New Territories; Hong Kong

3. Test site information

Lab performing tests	SIEMIC (Shenzhen-China) LABORATORIES
Lab Address	Zone A, Floor 1, Building 2 Wan Ye Long Technology Park South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China 518108
FCC Test Site No.	718246
IC Test Site No.	4842E-1
Test Software	Radiated Emission Program-To Shenzhen v2.0

4. Equipment under Test (EUT) Information

Description of EUT:	Mobile phone
Main Model:	B1+
Serial Model:	AX1095
Date EUT received:	November 05, 2015
Test Date(s):	November 06 to November 23, 2015
Equipment Category :	PCE
Antenna Gain:	GSM850: -1dBi PCS1900: 0 dBi UMTS-FDD Band V: 0 dBi UMTS-FDD Band IV: 0.5 dBi UMTS-FDD Band II: 0.5 dBi Bluetooth/BLE: 0.5 dBi WIFI:0.5dBi LTE Band 2: 0.5 dBi LTE Band 4: 0.5 dBi LTE Band 5: 0dBi LTE Band 7: 0.8 dBi LTE Band 12: 0 dBi GPS:1.8 dBi
Type of Modulation:	GSM / GPRS: GMSK EGPRS: GMSK,8PSK UMTS-FDD: QPSK, 16QAM 802.11b/g/n: DSSS, OFDM Bluetooth: GFSK, $\pi/4$ DQPSK, 8DPSK BLE: GFSK LTE Band: QPSK, 16QAM GPS:BPSK

Test Report	15050043-FCC-R5
Page	7 of 139

	GSM850 TX: 824.2 ~ 848.8 MHz; RX: 869.2 ~ 893.8 MHz PCS1900 TX: 1850.2 ~ 1909.8 MHz; RX: 1930.2 ~ 1989.8 MHz UMTS-FDD Band V TX: 826.4 ~ 846.6 MHz; RX: 871.4 ~ 891.6 MHz UMTS-FDD Band IV TX:1712.4 ~ 1752.6 MHz; RX : 2112.4 ~ 2152.6 MHz UMTS-FDD Band II TX:1852.4 ~ 1907.6 MHz; RX: 1932.4 ~ 1987.6 MHz
RF Operating Frequency (ies):	WIFI:802.11b/g/n(20M): 2412-2472 MHz WIFI:802.11n(40M): 2422-2462 MHz Bluetooth& BLE: 2402-2480 MHz LTE Band 2 TX: 1852.5 ~ 1907.5 MHz; RX : 1932.5 ~ 1987.5 MHz LTE Band 4 TX: 1712.5 ~ 1752.5 MHz; RX : 2112.5 ~ 2152.5 MHz LTE Band 5 TX: 826.5 ~ 846.5 MHz; RX : 871.5 ~ 891.5 MHz LTE Band 7 TX: 2502.5 ~ 2567.5 MHz; RX : 2622.5 ~ 2687.5 MHz LTE Band 12 TX:699.7 ~ 715.3 MHz; RX : 729.7~ 745.3MHz GPS RX:1575.42 MHz
Maximum Conducted AV Power to Antenna:	LTE Band 2: 24.38dBm LTE Band 4: 24.22dBm LTE Band 5: 25.39dBm LTE Band 7: 23.99 dBm LTE Band 12: 25.39 dBm
ERP/EIRP:	LTE Band 2: 24.48 dBm / EIRP LTE Band 4: 24.57 dBm / EIRP LTE Band 5: 23.24 dBm / EIRP LTE Band 7: 24.81 dBm / EIRP LTE Band 12: 22.89dBm / ERP
Port:	Power Port, Earphone Port, USB Port
Input Power:	Adapter: Model: UD2AA50150 Input: AC 100-240V; 50/60Hz; 250mA Output: DC 5.0V,1.5A Battery: Spec: 3000mAh/11.4wh+
Trade Name :	Bmobile

Test Report	15050043-FCC-R5
Page	8 of 139

GPRS/EGPRS Multi-slot class 8/10/12

FCC ID: ZSW-30-018

5. Test Summary

The product was tested in accordance with the following specifications.

All testing has been performed according to below product classification:

FCC Rules	Description of Test	Result
§ 1.1307; § 2.1093	RF Exposure (SAR)	Compliance
§2.1046; § 22.913(a); § 24.232(c); § 27.50(c.10); § 27.50(d.4)	RF Output Power	Compliance
§ 24.232 (d); § 27.50(d)	Peak-Average Ratio	Compliance
§ 2.1047	Modulation Characteristics	Compliance
§ 2.1049; § 22.905; § 22.917; § 24.238; § 27.53(a.5)	99% & -26 dB Occupied Bandwidth	Compliance
§ 2.1051; § 22.917(a); § 24.238(a); § 27.53(h)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917(a); § 24.238(a); § 27.53(h)	Field Strength of Spurious Radiation	Compliance
§ 22.917(a); § 24.238(a);	Out of band emission, Band Edge	Compliance
§ 27.53(m)	Band Edge 27.53(m)	Compliance
§ 2.1055; § 22.355; § 24.235; § 27.5(h); § 27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

Note: Testing was performed by configuring EUT to maximum output power status, the declared output power class for different

Measurement Uncertainty

Emissions		
Test Item	Description	Uncertainty
Band Edge and Radiated Spurious Emissions	Confidence level of approximately 95% (in the case where distributions are normal), with a coverage factor of 2 (for EUTs < 0.5m X 0.5m X 0.5m)	+5.6dB/-4.5dB
-	-	-

6. MEASUREMENTS, EXAMINATION AND DERIVED RESULTS

6.1 RF Exposure (SAR)

Test Result: Pass


The EUT is a portable device, thus requires SAR evaluation;
Please refer to RF Exposure Evaluation Report: 15050043-FCC-H.

6.2 RF Output Power

Temperature	22°C
Relative Humidity	55%
Atmospheric Pressure	1013mbar
Test date :	November 13, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§22.913 (a)	a)	ERP:38.45dBm	☒
§24.232 (c)	b)	EIRP:33dBm	☒
§27.50 (c)	c)	EIRP: 30dBm	☒

Test Setup	 The diagram illustrates the test setup. On the left, a green rectangular box represents the 'Base Station'. A cable connects the Base Station to a blue rectangular box on the right, which is labeled 'EUT' (Equipment Under Test). The connection is shown as a simple line with a small square at the Base Station end and a small circle at the EUT end.
------------	---

Test Procedure	For Conducted Power: - The transmitter output port was connected to base station. - Set EUT at maximum power through base station. - Select lowest, middle, and highest channels for each band and different test mode. For ERP/EIRP: - The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable. - The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis. - The frequency range up to tenth harmonic of the fundamental frequency was investigated.
----------------	---

Test Report	15050043-FCC-R5
Page	12 of 139

	- Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution. - Spurious emissions in dB = $10 \log (\text{TX power in Watts}/0.001)$ – the absolute level - Spurious attenuation limit in dB = $43 + 10 \log_{10} (\text{power out in Watts})$.
Remark	
Result	☒ Pass ☐ Fail

Test Data ☒ Yes ☐ N/A

Test Plot ☐ Yes (See below) ☒ N/A

Conducted Power

LTE Band 2:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
20MHz	18700	1860.0	QPSK	1	0	0	24.04	24±1
				1	49	0	23.98	24±1
				1	99	0	24.14	24±1
				50	0	1	23.01	24±1
				50	24	1	23.05	24±1
				50	49	1	23.09	24±1
				100	0	1	23.04	24±1
			16QAM	1	0	1	23.29	23±1
				1	49	1	23.32	23±1
				1	99	1	23.42	23±1
				50	0	2	23.15	23±1
				50	24	2	23.19	23±1
				50	49	2	23.24	23±1
				100	0	2	22.02	23±1
	18900	1880.0	QPSK	1	0	0	24.38	24±1
				1	49	0	23.66	24±1
				1	99	0	23.72	24±1
				50	0	1	23.26	24±1
				50	24	1	23.17	24±1
				50	49	1	23.04	24±1
				100	0	1	23.15	24±1
			16QAM	1	0	1	23.17	23±1
				1	49	1	22.76	23±1
				1	99	1	22.91	23±1
				50	0	2	22.68	23±1
				50	24	2	22.64	23±1
				50	49	2	22.52	23±1
				100	0	2	22.27	23±1
	19100	1900.0	QPSK	1	0	0	24.04	23.2±1
				1	49	0	23.55	23.2±1
				1	99	0	22.57	23.2±1
				50	0	1	23.26	23.2±1
				50	24	1	23.12	23.2±1
				50	49	1	22.65	23.2±1
				100	0	1	22.92	23.2±1
			16QAM	1	0	1	23.39	23±1
				1	49	1	23.08	23±1
				1	99	1	22.13	23±1
				50	0	2	22.35	23±1
				50	24	2	22.26	23±1
				50	49	2	22.11	23±1
				100	0	2	22.07	23±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
15MHz	18675	1857.5	QPSK	1	0	0	24.03	24±1
				1	37	0	24.02	24±1
				1	74	0	24.05	24±1
				36	0	1	23.13	24±1
				36	16	1	23.14	24±1
				36	35	1	23.15	24±1
				75	0	1	23.16	24±1
			16QAM	1	0	1	23.31	23±1
				1	37	1	23.33	23±1
				1	74	1	23.42	23±1
				36	0	2	22.84	23±1
				36	16	2	22.79	23±1
				36	35	2	22.67	23±1
				75	0	2	22.10	23±1
	18900	1880.0	QPSK	1	0	0	24.05	23.2±1
				1	37	0	23.50	23.2±1
				1	74	0	23.66	23.2±1
				36	0	1	23.09	23.2±1
				36	16	1	23.41	23.2±1
				36	35	1	23.66	23.2±1
				75	0	1	22.96	23.2±1
			16QAM	1	0	1	23.06	23±1
				1	37	1	22.53	23±1
				1	74	1	22.75	23±1
				36	0	2	22.45	23±1
				36	16	2	22.34	23±1
				36	35	2	22.25	23±1
				75	0	2	22.09	23±1
	19125	1902.5	QPSK	1	0	0	23.72	23±1
				1	37	0	23.21	23±1
				1	74	0	22.42	23±1
				36	0	1	22.99	23±1
				36	16	1	22.64	23±1
				36	35	1	22.32	23±1
				75	0	1	22.61	23±1
			16QAM	1	0	1	22.99	22±1
				1	37	1	22.53	22±1
				1	74	1	21.80	22±1
				36	0	2	22.15	22±1
				36	16	2	21.94	22±1
				36	35	2	21.85	22±1
				75	0	2	21.74	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	18650	1855	QPSK	1	0	0	23.69	23±1
				1	24	0	23.87	23±1
				1	49	0	23.91	23±1
				25	0	1	22.95	23±1
				25	12	1	22.97	23±1
				25	24	1	22.96	23±1
				50	0	1	22.97	23±1
			16QAM	1	0	1	22.72	22±1
				1	24	1	22.78	22±1
				1	49	1	22.76	22±1
				25	0	2	22.45	22±1
				25	12	2	22.39	22±1
				25	24	2	22.31	22±1
				50	0	2	21.95	22±1
	18900	1880.0	QPSK	1	0	0	23.74	23±1
				1	24	0	23.47	23±1
				1	49	0	23.41	23±1
				25	0	1	22.99	23±1
				25	12	1	22.91	23±1
				25	24	1	22.84	23±1
				50	0	1	22.93	23±1
			16QAM	1	0	1	22.88	23±1
				1	24	1	22.64	23±1
				1	49	1	22.61	23±1
				25	0	2	22.38	23±1
				25	12	2	22.32	23±1
				25	24	2	22.26	23±1
				50	0	2	22.08	23±1
	19150	1905	QPSK	1	0	0	23.41	23±1
				1	24	0	23.14	23±1
				1	49	0	22.21	23±1
				25	0	1	22.71	23±1
				25	12	1	22.54	23±1
				25	24	1	22.31	23±1
				50	0	1	22.52	23±1
			16QAM	1	0	1	23.06	22.3±1
				1	24	1	22.80	22.3±1
				1	49	1	21.92	22.3±1
				25	0	2	22.15	22.3±1
				25	12	2	22.03	22.3±1
				25	24	2	21.89	22.3±1
				50	0	2	21.67	22.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	18625	1852.5	QPSK	1	0	0	23.93	23±1
				1	12	0	23.68	23±1
				1	24	0	23.94	23±1
				12	0	1	22.97	23±1
				12	6	1	22.95	23±1
				12	11	1	22.94	23±1
				25	0	1	22.92	23±1
			16QAM	1	0	1	23.21	22.3±1
				1	12	1	23.20	22.3±1
				1	24	1	23.13	22.3±1
				12	0	2	22.89	22.3±1
				12	6	2	22.78	22.3±1
				12	11	2	22.71	22.3±1
				25	0	2	21.89	22.3±1
	18900	1880.0	QPSK	1	0	0	23.91	23±1
				1	12	0	23.36	23±1
				1	24	0	23.70	23±1
				12	0	1	23.03	23±1
				12	6	1	22.95	23±1
				12	11	1	22.87	23±1
				25	0	1	22.92	23±1
			16QAM	1	0	1	23.19	23±1
				1	12	1	22.64	23±1
				1	24	1	22.99	23±1
				12	0	2	22.56	23±1
				12	6	2	22.64	23±1
				12	11	2	22.42	23±1
				25	0	2	22.09	23±1
	19175	1907.5	QPSK	1	0	0	23.46	23±1
				1	12	0	22.85	23±1
				1	24	0	22.53	23±1
				12	0	1	22.62	23±1
				12	6	1	22.47	23±1
				12	11	1	22.15	23±1
				25	0	1	22.35	23±1
			16QAM	1	0	1	22.67	22±1
				1	12	1	22.11	22±1
				1	24	1	21.87	22±1
				12	0	2	22.54	22±1
				12	6	2	22.15	22±1
				12	11	2	21.92	22±1
				25	0	2	21.55	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	18625	1852.5	QPSK	1	0	0	24.06	23.2±1
				1	7	0	24.09	23.2±1
				1	14	0	24.02	23.2±1
				8	0	1	22.94	23.2±1
				8	4	1	22.91	23.2±1
				8	7	1	22.92	23.2±1
				15	0	1	22.96	23.2±1
			16QAM	1	0	1	22.71	22±1
				1	7	1	22.73	22±1
				1	14	1	22.70	22±1
				8	0	2	22.24	22±1
				8	4	2	22.19	22±1
				8	7	2	22.12	22±1
				15	0	2	21.87	22±1
	18900	1880.0	QPSK	1	0	0	24.05	24±1
				1	7	0	23.82	24±1
				1	14	0	23.84	24±1
				8	0	1	23.26	24±1
				8	4	1	23.24	24±1
				8	7	1	23.21	24±1
				15	0	1	23.27	24±1
			16QAM	1	0	1	23.22	23±1
				1	7	1	23.03	23±1
				1	14	1	23.06	23±1
				8	0	2	22.73	23±1
				8	4	2	22.68	23±1
				8	7	2	22.54	23±1
				15	0	2	22.35	23±1
	19175	1907.5	QPSK	1	0	0	23.28	23±1
				1	7	0	22.89	23±1
				1	14	0	22.58	23±1
				8	0	1	22.59	23±1
				8	4	1	22.46	23±1
				8	7	1	22.38	23±1
				15	0	1	22.53	23±1
			16QAM	1	0	1	22.96	22±1
				1	7	1	22.57	22±1
				1	14	1	22.57	22±1
				8	0	2	22.23	22±1
				8	4	2	22.19	22±1
				8	7	2	22.11	22±1
				15	0	2	21.78	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	18607	1850.7	QPSK	1	0	0	24.05	23.3±1
				1	2	0	24.02	23.3±1
				1	5	0	24.09	23.3±1
				3	0	0	23.99	23.3±1
				3	1	0	23.97	23.3±1
				3	2	0	23.96	23.3±1
				6	0	1	22.99	23.3±1
			16QAM	1	0	1	22.74	22±1
				1	2	1	22.77	22±1
				1	5	1	22.74	22±1
				3	0	1	22.24	22±1
				3	1	1	22.17	22±1
				3	2	1	22.09	22±1
				6	0	2	21.89	22±1
	18900	1880.0	QPSK	1	0	0	23.93	23±1
				1	2	0	23.82	23±1
				1	5	0	23.88	23±1
				3	0	0	23.90	23±1
				3	1	0	23.91	23±1
				3	2	0	23.93	23±1
				6	0	1	23.21	23±1
			16QAM	1	0	1	23.15	23±1
				1	2	1	23.10	23±1
				1	5	1	23.14	23±1
				3	0	1	22.85	23±1
				3	1	1	22.79	23±1
				3	2	1	22.74	23±1
				6	0	2	22.14	23±1
	19193	1909.3	QPSK	1	0	0	22.90	23±1
				1	2	0	22.69	23±1
				1	5	0	22.67	23±1
				3	0	0	22.97	23±1
				3	1	0	22.91	23±1
				3	2	0	22.86	23±1
				6	0	1	22.25	23±1
			16QAM	1	0	1	22.43	22±1
				1	2	1	22.42	22±1
				1	5	1	22.44	22±1
				3	0	1	22.12	22±1
				3	1	1	22.11	22±1
				3	2	1	22.14	22±1
				6	0	2	21.41	22±1

LTE Band 4:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
20MHz	20050	1720.0	QPSK	1	0	0	24.20	23.3±1
				1	49	0	24.08	23.3±1
				1	99	0	23.84	23.3±1
				50	0	1	22.99	23.3±1
				50	24	1	22.87	23.3±1
				50	49	1	22.81	23.3±1
			16QAM	100	0	1	22.90	23.3±1
				1	0	1	23.06	22.3±1
				1	49	1	22.89	22.3±1
				1	99	1	22.69	22.3±1
				50	0	2	22.45	22.3±1
				50	24	2	22.43	22.3±1
				50	49	2	22.38	22.3±1
				100	0	2	21.87	22.3±1
	20175	1732.5	QPSK	1	0	0	23.92	23±1
				1	49	0	23.58	23±1
				1	99	0	23.41	23±1
				50	0	1	22.78	23±1
				50	24	1	22.69	23±1
				50	49	1	22.59	23±1
			16QAM	100	0	1	22.67	23±1
				1	0	1	23.02	22.5±1
				1	49	1	22.78	22.5±1
				1	99	1	22.63	22.5±1
				50	0	2	22.34	22.5±1
				50	24	2	22.31	22.5±1
				50	49	2	22.29	22.5±1
				100	0	2	21.66	22.5±1
	20300	1745.0	QPSK	1	0	0	23.67	23±1
				1	49	0	23.36	23±1
				1	99	0	23.08	23±1
				50	0	1	22.51	23±1
				50	24	1	22.37	23±1
				50	49	1	22.19	23±1
			16QAM	100	0	1	22.35	23±1
				1	0	1	23.06	22.3±1
				1	49	1	22.74	22.3±1
				1	99	1	22.37	22.3±1
				50	0	2	21.89	22.3±1
				50	24	2	21.77	22.3±1
				50	49	2	21.75	22.3±1
				100	0	2	21.38	22.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
15MHz	20025	1717.5	QPSK	1	0	0	24.19	24 ± 1
				1	37	0	24.12	24 ± 1
				1	74	0	23.98	24 ± 1
				36	0	1	23.24	24 ± 1
				36	16	1	23.15	24 ± 1
				36	35	1	23.08	24 ± 1
				75	0	1	23.15	24 ± 1
			16QAM	1	0	1	22.92	23 ± 1
				1	37	1	22.82	23 ± 1
				1	74	1	22.67	23 ± 1
				36	0	2	22.48	23 ± 1
				36	16	2	22.46	23 ± 1
				36	35	2	22.39	23 ± 1
				75	0	2	22.05	23 ± 1
	20175	1732.5	QPSK	1	0	0	23.89	23 ± 1
				1	37	0	23.61	23 ± 1
				1	74	0	23.50	23 ± 1
				36	0	1	22.86	23 ± 1
				36	16	1	22.75	23 ± 1
				36	35	1	22.68	23 ± 1
				75	0	1	22.80	23 ± 1
			16QAM	1	0	1	22.89	22 ± 1
				1	37	1	22.79	22 ± 1
				1	74	1	22.70	22 ± 1
				36	0	2	21.85	22 ± 1
				36	16	2	21.78	22 ± 1
				36	35	2	21.67	22 ± 1
				75	0	2	21.72	22 ± 1
	20325	1747.5	QPSK	1	0	0	23.42	23 ± 1
				1	37	0	23.21	23 ± 1
				1	74	0	23.05	23 ± 1
				36	0	1	22.46	23 ± 1
				36	16	1	22.38	23 ± 1
				36	35	1	22.25	23 ± 1
				75	0	1	22.37	23 ± 1
			16QAM	1	0	1	22.97	22 ± 1
				1	37	1	22.71	22 ± 1
				1	74	1	22.47	22 ± 1
				36	0	2	21.89	22 ± 1
				36	16	2	21.84	22 ± 1
				36	35	2	21.76	22 ± 1
				75	0	2	21.35	22 ± 1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	20000	1715.0	QPSK	1	0	0	24.22	23.3±1
				1	24	0	24.19	23.3±1
				1	49	0	24.07	23.3±1
				25	0	1	23.02	23.3±1
				25	12	1	22.99	23.3±1
				25	24	1	22.96	23.3±1
				50	0	1	23.00	23.3±1
			16QAM	1	0	1	22.91	22±1
				1	24	1	22.86	22±1
				1	49	1	22.73	22±1
				25	0	2	22.45	22±1
				25	12	2	22.43	22±1
				25	24	2	22.39	22±1
				50	0	2	21.96	22±1
	20175	1732.5	QPSK	1	0	0	23.84	23±1
				1	24	0	23.72	23±1
				1	49	0	23.63	23±1
				25	0	1	22.69	23±1
				25	12	1	22.65	23±1
				25	24	1	22.62	23±1
				50	0	1	22.64	23±1
			16QAM	1	0	1	22.74	22±1
				1	24	1	22.62	22±1
				1	49	1	22.58	22±1
				25	0	2	22.12	22±1
				25	12	2	22.09	22±1
				25	24	2	22.04	22±1
				50	0	2	21.67	22±1
	20350	1750.0	QPSK	1	0	0	23.34	23±1
				1	24	0	23.15	23±1
				1	49	0	22.99	23±1
				25	0	1	22.25	23±1
				25	12	1	22.17	23±1
				25	24	1	22.07	23±1
				50	0	1	22.17	23±1
			16QAM	1	0	1	22.87	22±1
				1	24	1	22.64	22±1
				1	49	1	22.41	22±1
				25	0	2	21.75	22±1
				25	12	2	21.74	22±1
				25	24	2	21.68	22±1
				50	0	2	21.20	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	20000	1715.0	QPSK	1	0	0	24.06	23.3±1
				1	12	0	24.07	23.3±1
				1	24	0	23.99	23.3±1
				12	0	1	23.04	23.3±1
				12	6	1	23.01	23.3±1
				12	11	1	22.99	23.3±1
				25	0	1	23.00	23.3±1
			16QAM	1	0	1	23.34	22.5±1
				1	12	1	23.35	22.5±1
				1	24	1	23.25	22.5±1
				12	0	2	22.68	22.5±1
				12	6	2	22.65	22.5±1
				12	11	2	22.61	22.5±1
				25	0	2	21.96	22.5±1
	20175	1732.5	QPSK	1	0	0	23.68	23±1
				1	12	0	23.60	23±1
				1	24	0	23.54	23±1
				12	0	1	22.71	23±1
				12	6	1	22.68	23±1
				12	11	1	22.65	23±1
				25	0	1	22.62	23±1
			16QAM	1	0	1	22.68	22±1
				1	12	1	22.63	22±1
				1	24	1	22.56	22±1
				12	0	2	22.21	22±1
				12	6	2	22.18	22±1
				12	11	2	22.15	22±1
				25	0	2	21.65	22±1
	20350	1750.0	QPSK	1	0	0	23.21	23±1
				1	12	0	23.12	23±1
				1	24	0	22.98	23±1
				12	0	1	22.17	23±1
				12	6	1	22.12	23±1
				12	11	1	22.05	23±1
				25	0	1	22.06	23±1
			16QAM	1	0	1	23.22	22.3±1
				1	12	1	23.13	22.3±1
				1	24	1	22.97	22.3±1
				12	0	2	22.85	22.3±1
				12	6	2	22.76	22.3±1
				12	11	2	22.71	22.3±1
				25	0	2	21.41	22.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	19965	1711.5	QPSK	1	0	0	24.08	24±1
				1	7	0	24.12	24±1
				1	14	0	24.06	24±1
				8	0	1	23.04	24±1
				8	4	1	23.05	24±1
				8	7	1	23.02	24±1
				15	0	1	23.03	24±1
			16QAM	1	0	1	22.83	22±1
				1	7	1	22.84	22±1
				1	14	1	22.80	22±1
				8	0	2	22.57	22±1
				8	4	2	22.54	22±1
				8	7	2	22.56	22±1
				15	0	2	21.94	22±1
	20175	1732.5	QPSK	1	0	0	23.69	23±1
				1	7	0	23.67	23±1
				1	14	0	23.63	23±1
				8	0	1	22.63	23±1
				8	4	1	22.62	23±1
				8	7	1	22.61	23±1
				15	0	1	22.62	23±1
			16QAM	1	0	1	22.59	22±1
				1	7	1	22.56	22±1
				1	14	1	22.53	22±1
				8	0	2	22.23	22±1
				8	4	2	22.25	22±1
				8	7	2	22.21	22±1
				15	0	2	21.64	22±1
	20385	1753.5	QPSK	1	0	0	22.99	23±1
				1	7	0	23.01	23±1
				1	14	0	22.93	23±1
				8	0	1	22.06	23±1
				8	4	1	22.03	23±1
				8	7	1	22.02	23±1
				15	0	1	22.06	23±1
			16QAM	1	0	1	22.45	22±1
				1	7	1	22.41	22±1
				1	14	1	22.29	22±1
				8	0	2	21.64	22±1
				8	4	2	21.62	22±1
				8	7	2	21.59	22±1
				15	0	2	21.14	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	19957	1710.7	QPSK	1	0	0	24.11	24±1
				1	2	0	24.16	24±1
				1	5	0	24.14	24±1
				3	0	0	24.11	24±1
				3	1	0	24.09	24±1
				3	2	0	24.08	24±1
				6	0	1	23.08	24±1
			16QAM	1	0	1	22.86	22±1
				1	2	1	22.88	22±1
				1	5	1	22.86	22±1
				3	0	1	22.67	22±1
				3	1	1	22.69	22±1
				3	2	1	22.65	22±1
				6	0	2	22.01	22±1
	20175	1732.5	QPSK	1	0	0	23.59	23±1
				1	2	0	23.60	23±1
				1	5	0	23.56	23±1
				3	0	0	23.67	23±1
				3	1	0	23.66	23±1
				3	2	0	23.65	23±1
				6	0	1	22.61	23±1
			16QAM	1	0	1	22.24	22±1
				1	2	1	22.27	22±1
				1	5	1	22.24	22±1
				3	0	1	22.09	22±1
				3	1	1	22.05	22±1
				3	2	1	22.06	22±1
				6	0	2	21.52	22±1
	20393	1754.3	QPSK	1	0	0	23.09	23±1
				1	2	0	23.12	23±1
				1	5	0	23.08	23±1
				3	0	0	23.11	23±1
				3	1	0	23.08	23±1
				3	2	0	23.06	23±1
				6	0	1	22.03	23±1
			16QAM	1	0	1	21.86	21.3±1
				1	2	1	21.87	21.3±1
				1	5	1	21.81	21.3±1
				3	0	1	21.43	21.3±1
				3	1	1	21.42	21.3±1
				3	2	1	21.45	21.3±1
				6	0	2	20.97	21.3±1

LTE Band 5:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	20450	829	QPSK	1	0	0	25.18	24.3 ± 1
				1	24	0	24.84	24.3 ± 1
				1	49	0	24.63	24.3 ± 1
				25	0	1	24.10	24.3 ± 1
				25	12	1	23.89	24.3 ± 1
				25	24	1	23.78	24.3 ± 1
				50	0	1	23.97	24.3 ± 1
			16QAM	1	0	1	24.70	24 ± 1
				1	24	1	24.41	24 ± 1
				1	49	1	24.15	24 ± 1
				25	0	2	23.79	24 ± 1
				25	12	2	23.71	24 ± 1
				25	24	2	23.69	24 ± 1
				50	0	2	23.03	24 ± 1
	20525	836.5	QPSK	1	0	0	24.82	24 ± 1
				1	24	0	24.28	24 ± 1
				1	49	0	23.83	24 ± 1
				25	0	1	23.70	23 ± 1
				25	12	1	23.25	23 ± 1
				25	24	1	22.86	23 ± 1
				50	0	1	23.61	23 ± 1
			16QAM	1	0	1	23.64	23 ± 1
				1	24	1	23.10	23 ± 1
				1	49	1	22.62	23 ± 1
				25	0	2	22.74	23 ± 1
				25	12	2	22.68	23 ± 1
				25	24	2	22.65	23 ± 1
				50	0	2	22.63	23 ± 1
	20600	844	QPSK	1	0	0	23.81	24 ± 1
				1	24	0	24.29	24 ± 1
				1	49	0	23.96	24 ± 1
				25	0	1	23.36	24 ± 1
				25	12	1	23.24	24 ± 1
				25	24	1	23.06	24 ± 1
				50	0	1	23.23	24 ± 1
			16QAM	1	0	1	22.89	23 ± 1
				1	24	1	23.24	23 ± 1
				1	49	1	22.86	23 ± 1
				25	0	2	22.75	23 ± 1
				25	12	2	22.79	23 ± 1
				25	24	2	22.76	23 ± 1
				50	0	2	22.28	23 ± 1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	20425	826.5	QPSK	1	0	0	25.24	24.3±1
				1	12	0	25.14	24.3±1
				1	24	0	24.97	24.3±1
				12	0	1	24.27	24.3±1
				12	6	1	24.15	24.3±1
				12	11	1	24.08	24.3±1
				25	0	1	24.14	24.3±1
			16QAM	1	0	1	24.63	24±1
				1	12	1	24.53	24±1
				1	24	1	24.34	24±1
				12	0	2	23.68	24±1
				12	6	2	23.69	24±1
				12	11	2	23.57	24±1
				25	0	2	23.15	24±1
	20525	836.5	QPSK	1	0	0	24.65	23.7±1
				1	12	0	23.74	23.7±1
				1	24	0	23.50	23.7±1
				12	0	1	23.74	23.7±1
				12	6	1	23.25	23.7±1
				12	11	1	22.74	23.7±1
				25	0	1	23.18	23.7±1
			16QAM	1	0	1	23.70	23±1
				1	12	1	22.97	23±1
				1	24	1	22.71	23±1
				12	0	2	22.57	23±1
				12	6	2	22.54	23±1
				12	11	2	22.48	23±1
				25	0	2	22.37	23±1
	20625	846.5	QPSK	1	0	0	24.25	24±1
				1	12	0	24.08	24±1
				1	24	0	23.90	24±1
				12	0	1	23.19	24±1
				12	6	1	23.14	24±1
				12	11	1	23.03	24±1
				25	0	1	23.06	24±1
			16QAM	1	0	1	23.24	23±1
				1	12	1	23.05	23±1
				1	24	1	22.89	23±1
				12	0	2	22.74	23±1
				12	6	2	22.73	23±1
				12	11	2	22.65	23±1
				25	0	2	22.14	23±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	20415	825.5	QPSK	1	0	0	25.31	24.5±1
				1	7	0	25.30	24.5±1
				1	14	0	25.17	24.5±1
				8	0	1	24.28	24.5±1
				8	4	1	24.25	24.5±1
				8	7	1	24.23	24.5±1
				15	0	1	24.26	24.5±1
			16QAM	1	0	1	24.11	24±1
				1	7	1	24.09	24±1
				1	14	1	23.97	24±1
				8	0	2	23.84	24±1
				8	4	2	23.82	24±1
				8	7	2	23.76	24±1
				15	0	2	23.21	24±1
	20525	836.5	QPSK	1	0	0	24.67	24±1
				1	7	0	24.33	24±1
				1	14	0	23.99	24±1
				8	0	1	23.69	24±1
				8	4	1	23.51	24±1
				8	7	1	23.36	24±1
				15	0	1	23.58	24±1
			16QAM	1	0	1	23.65	23±1
				1	7	1	23.46	23±1
				1	14	1	23.10	23±1
				8	0	2	22.89	23±1
				8	4	2	22.85	23±1
				8	7	2	22.76	23±1
				15	0	2	22.71	23±1
	20635	847.5	QPSK	1	0	0	23.93	23±1
				1	7	0	23.90	23±1
				1	14	0	23.75	23±1
				8	0	1	23.01	23±1
				8	4	1	22.95	23±1
				8	7	1	22.96	23±1
				15	0	1	22.98	23±1
			16QAM	1	0	1	23.51	23±1
				1	7	1	23.45	23±1
				1	14	1	23.31	23±1
				8	0	2	22.84	23±1
				8	4	2	22.79	23±1
				8	7	2	22.74	23±1
				15	0	2	22.13	23±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	20407	824.7	QPSK	1	0	0	25.34	24.5 ± 1
				1	2	0	25.39	24.5 ± 1
				1	5	0	25.31	24.5 ± 1
				3	0	0	25.38	24.5 ± 1
				3	1	0	25.34	24.5 ± 1
				3	2	0	25.35	24.5 ± 1
				6	0	1	24.29	24.5 ± 1
			16QAM	1	0	1	24.13	24 ± 1
				1	2	1	24.18	24 ± 1
				1	5	1	24.11	24 ± 1
				3	0	1	23.95	24 ± 1
				3	1	1	23.86	24 ± 1
				3	2	1	23.81	24 ± 1
				6	0	2	23.25	24 ± 1
	20525	836.5	QPSK	1	0	0	24.68	24 ± 1
				1	2	0	24.36	24 ± 1
				1	5	0	24.23	24 ± 1
				3	0	0	24.49	24 ± 1
				3	1	0	24.36	24 ± 1
				3	2	0	24.25	24 ± 1
				6	0	1	23.54	24 ± 1
			16QAM	1	0	1	23.64	23 ± 1
				1	2	1	23.53	23 ± 1
				1	5	1	23.41	23 ± 1
				3	0	1	23.15	23 ± 1
				3	1	1	23.12	23 ± 1
				3	2	1	22.98	23 ± 1
				6	0	2	22.51	23 ± 1
	20643	848.3	QPSK	1	0	0	23.87	23.3 ± 1
				1	2	0	23.91	23.3 ± 1
				1	5	0	23.85	23.3 ± 1
				3	0	0	24.02	23.3 ± 1
				3	1	0	23.97	23.3 ± 1
				3	2	0	23.98	23.3 ± 1
				6	0	1	22.91	23.3 ± 1
			16QAM	1	0	1	22.57	22 ± 1
				1	2	1	22.61	22 ± 1
				1	5	1	22.54	22 ± 1
				3	0	1	22.35	22 ± 1
				3	1	1	22.28	22 ± 1
				3	2	1	22.21	22 ± 1
				6	0	2	21.85	22 ± 1

LTE Band 7:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
20MHz	20850	2510	QPSK	1	0	0	23.61	23±1
				1	49	0	23.91	23±1
				1	99	0	23.42	23±1
				50	0	1	22.87	23±1
				50	24	1	22.89	23±1
				50	49	1	22.97	23±1
				100	0	1	22.94	23±1
			16QAM	1	0	1	22.78	22±1
				1	49	1	22.94	22±1
				1	99	1	22.63	22±1
				50	0	2	22.26	22±1
				50	24	2	22.19	22±1
				50	49	2	22.09	22±1
				100	0	2	21.81	22±1
	21100	2535	QPSK	1	0	0	22.07	22.3±1
				1	49	0	22.28	22.3±1
				1	99	0	23.27	22.3±1
				50	0	1	21.41	22.3±1
				50	24	1	21.76	22.3±1
				50	49	1	22.64	22.3±1
				100	0	1	22.00	22.3±1
			16QAM	1	0	1	21.55	22±1
				1	49	1	21.68	22±1
				1	99	1	22.90	22±1
				50	0	2	21.57	22±1
				50	24	2	21.42	22±1
				50	49	2	21.65	22±1
				100	0	2	21.08	22±1
	21350	2560	QPSK	1	0	0	23.25	22.3±1
				1	49	0	22.03	22.3±1
				1	99	0	22.55	22.3±1
				50	0	1	22.18	22.3±1
				50	24	1	21.89	22.3±1
				50	49	1	21.52	22.3±1
				100	0	1	21.84	22.3±1
			16QAM	1	0	1	22.89	22±1
				1	49	1	21.63	22±1
				1	99	1	22.17	22±1
				50	0	2	21.74	22±1
				50	24	2	21.64	22±1
				50	49	2	21.58	22±1
				100	0	2	21.06	22±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
15MHz	20825	1717.5	QPSK	1	0	0	23.98	24±1
				1	37	0	23.99	24±1
				1	74	0	24.16	24±1
				36	0	1	23.21	24±1
				36	16	1	23.24	24±1
				36	35	1	23.23	24±1
				75	0	1	23.19	24±1
			16QAM	1	0	1	23.09	23±1
				1	37	1	23.25	23±1
				1	74	1	23.30	23±1
				36	0	2	22.87	23±1
				36	16	2	22.79	23±1
				36	35	2	22.74	23±1
				75	0	2	22.01	23±1
	21100	1732.5	QPSK	1	0	0	22.02	22.5±1
				1	37	0	22.49	22.5±1
				1	74	0	23.37	22.5±1
				36	0	1	21.66	22.5±1
				36	16	1	21.75	22.5±1
				36	35	1	22.41	22.5±1
				75	0	1	21.78	22.5±1
			16QAM	1	0	1	21.04	22±1
				1	37	1	21.45	22±1
				1	74	1	22.54	22±1
				36	0	2	21.59	21.3±1
				36	16	2	21.67	21.3±1
				36	35	2	21.52	21.3±1
				75	0	2	20.88	21.3±1
	21375	1747.5	QPSK	1	0	0	22.78	22±1
				1	37	0	21.92	22±1
				1	74	0	22.65	22±1
				36	0	1	21.51	22±1
				36	16	1	21.54	22±1
				36	35	1	21.56	22±1
				75	0	1	21.47	22±1
			16QAM	1	0	1	22.12	21.3±1
				1	37	1	21.31	21.3±1
				1	74	1	21.92	21.3±1
				36	0	2	21.25	21.3±1
				36	16	2	21.18	21.3±1
				36	35	2	21.08	21.3±1
				75	0	2	20.62	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	20800	2502	QPSK	1	0	0	23.30	23±1
				1	24	0	23.57	23±1
				1	49	0	23.73	23±1
				25	0	1	22.93	23±1
				25	12	1	22.88	23±1
				25	24	1	22.94	23±1
				50	0	1	22.89	23±1
			16QAM	1	0	1	22.30	22±1
				1	24	1	22.71	22±1
				1	49	1	22.82	22±1
				25	0	2	22.14	22±1
				25	12	2	22.11	22±1
				25	24	2	22.03	22±1
				50	0	2	21.78	22±1
	21100	2535	QPSK	1	0	0	21.75	22±1
				1	24	0	22.26	22±1
				1	49	0	22.92	22±1
				25	0	1	21.15	22±1
				25	12	1	21.64	22±1
				25	24	1	22.03	22±1
				50	0	1	21.63	22±1
			16QAM	1	0	1	21.47	22±1
				1	24	1	21.93	22±1
				1	49	1	22.58	22±1
				25	0	2	21.36	21.3±1
				25	12	2	21.25	21.3±1
				25	24	2	21.14	21.3±1
				50	0	2	20.72	21.3±1
	21400	2565	QPSK	1	0	0	22.06	22±1
				1	24	0	22.17	22±1
				1	49	0	22.50	22±1
				25	0	1	21.17	22±1
				25	12	1	21.53	22±1
				25	24	1	21.72	22±1
				50	0	1	21.41	22±1
			16QAM	1	0	1	21.06	21.3±1
				1	24	1	21.11	21.3±1
				1	49	1	21.56	21.3±1
				25	0	2	21.42	21.3±1
				25	12	2	21.32	21.3±1
				25	24	2	21.21	21.3±1
				50	0	2	20.51	21.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	19975	1712.5	QPSK	1	0	0	23.37	23±1
				1	12	0	23.31	23±1
				1	24	0	23.61	23±1
				12	0	1	22.82	23±1
				12	6	1	22.86	23±1
				12	11	1	22.96	23±1
				25	0	1	22.91	23±1
			16QAM	1	0	1	22.98	22.3±1
				1	12	1	22.90	22.3±1
				1	24	1	23.16	22.3±1
				12	0	2	22.36	22.3±1
				12	6	2	22.15	22.3±1
				12	11	2	21.89	22.3±1
				25	0	2	21.77	22.3±1
	20175	1732.5	QPSK	1	0	0	22.28	22±1
				1	12	0	22.27	22±1
				1	24	0	22.89	22±1
				12	0	1	21.31	22±1
				12	6	1	21.62	22±1
				12	11	1	21.88	22±1
				25	0	1	21.59	22±1
			16QAM	1	0	1	21.56	21.3±1
				1	12	1	21.49	21.3±1
				1	24	1	22.24	21.3±1
				12	0	2	21.56	21.3±1
				12	6	2	21.45	21.3±1
				12	11	2	21.23	21.3±1
				25	0	2	20.66	21.3±1
	20375	1752.5	QPSK	1	0	0	22.44	22±1
				1	12	0	22.39	22±1
				1	24	0	22.68	22±1
				12	0	1	21.54	22±1
				12	6	1	21.86	22±1
				12	11	1	22.04	22±1
				25	0	1	21.77	22±1
			16QAM	1	0	1	21.58	21.3±1
				1	12	1	21.53	21.3±1
				1	24	1	22.02	21.3±1
				12	0	2	21.43	21.3±1
				12	6	2	21.38	21.3±1
				12	11	2	21.32	21.3±1
				25	0	2	20.84	21.3±1

LTE Band 12:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
10MHz	23060	704	QPSK	1	0	0	25.17	24.3±1
				1	24	0	25.19	24.3±1
				1	49	0	23.61	24.3±1
				25	0	1	24.12	24.3±1
				25	12	1	23.95	24.3±1
				25	24	1	23.83	24.3±1
				50	0	1	23.99	24.3±1
			16QAM	1	0	1	23.95	23±1
				1	24	1	23.79	23±1
				1	49	1	22.24	23±1
				25	0	2	22.35	23±1
				25	12	2	22.31	23±1
				25	24	2	22.27	23±1
				50	0	2	22.92	23±1
	23095	707.5	QPSK	1	0	0	25.26	24.3±1
				1	24	0	23.54	24.3±1
				1	49	0	24.31	24.3±1
				25	0	1	23.86	24.3±1
				25	12	1	23.56	24.3±1
				25	24	1	23.51	24.3±1
				50	0	1	23.76	24.3±1
			16QAM	1	0	1	24.00	23.2±1
				1	24	1	22.60	23.2±1
				1	49	1	23.22	23.2±1
				25	0	2	22.89	23.2±1
				25	12	2	22.85	23.2±1
				25	24	2	22.75	23.2±1
				50	0	2	22.70	23.2±1
	23130	711	QPSK	1	0	0	24.70	24±1
				1	24	0	24.31	24±1
				1	49	0	24.06	24±1
				25	0	1	23.58	24±1
				25	12	1	23.36	24±1
				25	24	1	23.18	24±1
				50	0	1	23.42	24±1
			16QAM	1	0	1	24.08	23.2±1
				1	24	1	23.87	23.2±1
				1	49	1	23.40	23.2±1
				25	0	2	22.85	23.2±1
				25	12	2	22.81	23.2±1
				25	24	2	22.76	23.2±1
				50	0	2	22.43	23.2±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
5MHz	23035	701.5	QPSK	1	0	0	24.65	24.3±1
				1	12	0	25.24	24.3±1
				1	24	0	25.06	24.3±1
				12	0	1	24.28	24.3±1
				12	6	1	24.16	24.3±1
				12	11	1	24.08	24.3±1
			16QAM	25	0	1	24.17	24.3±1
				1	0	1	24.15	24±1
				1	12	1	24.49	24±1
				1	24	1	24.17	24±1
				12	0	2	23.54	24±1
				12	6	2	23.52	24±1
				12	11	2	23.58	24±1
				25	0	2	23.13	24±1
	23095	707.5	QPSK	1	0	0	24.26	23.3±1
				1	12	0	23.46	23.3±1
				1	24	0	23.36	23.3±1
				12	0	1	23.75	23.3±1
				12	6	1	23.28	23.3±1
				12	11	1	22.49	23.3±1
			16QAM	25	0	1	23.11	23.3±1
				1	0	1	23.84	23±1
				1	12	1	22.63	23±1
				1	24	1	22.52	23±1
				12	0	2	22.54	23±1
				12	6	2	22.48	23±1
				12	11	2	22.47	23±1
				25	0	2	22.35	23±1
	23155	713.5	QPSK	1	0	0	24.37	24±1
				1	12	0	24.14	24±1
				1	24	0	24.03	24±1
				12	0	1	23.25	24±1
				12	6	1	23.19	24±1
				12	11	1	23.10	24±1
			16QAM	25	0	1	23.16	24±1
				1	0	1	23.31	23±1
				1	12	1	23.06	23±1
				1	24	1	22.89	23±1
				12	0	2	22.67	23±1
				12	6	2	22.61	23±1
				12	11	2	22.58	23±1
				25	0	2	22.20	23±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
3MHz	23025	700.5	QPSK	1	0	0	24.64	24.5±1
				1	7	0	25.36	24.5±1
				1	14	0	25.24	24.5±1
				8	0	1	24.32	24.5±1
				8	4	1	24.34	24.5±1
				8	7	1	24.25	24.5±1
				15	0	1	24.29	24.5±1
			16QAM	1	0	1	23.46	24±1
				1	7	1	24.06	24±1
				1	14	1	23.91	24±1
				8	0	2	23.85	24±1
				8	4	2	23.78	24±1
				8	7	2	23.56	24±1
				15	0	2	23.21	24±1
	23095	707.5	QPSK	1	0	0	24.42	23.5±1
				1	7	0	23.70	23.5±1
				1	14	0	23.38	23.5±1
				8	0	1	23.37	23.5±1
				8	4	1	22.98	23.5±1
				8	7	1	22.93	23.5±1
				15	0	1	23.19	23.5±1
			16QAM	1	0	1	23.66	23±1
				1	7	1	22.87	23±1
				1	14	1	22.54	23±1
				8	0	2	22.68	23±1
				8	4	2	22.62	23±1
				8	7	2	22.59	23±1
				15	0	2	22.45	23±1
	23025	714.5	QPSK	1	0	0	24.48	24±1
				1	7	0	24.58	24±1
				1	14	0	24.56	24±1
				8	0	1	23.55	24±1
				8	4	1	23.53	24±1
				8	7	1	23.51	24±1
				15	0	1	23.57	24±1
			16QAM	1	0	1	24.01	23.3±1
				1	7	1	23.82	23.3±1
				1	14	1	23.75	23.3±1
				8	0	2	23.21	23.3±1
				8	4	2	23.17	23.3±1
				8	7	2	22.98	23.3±1
				15	0	2	22.61	23.3±1

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
1.4MHz	23017	699.7	QPSK	1	0	0	24.53	24.5 ± 1
				1	2	0	24.96	24.5 ± 1
				1	5	0	25.39	24.5 ± 1
				3	0	0	24.58	24.5 ± 1
				3	1	0	24.79	24.5 ± 1
				3	2	0	25.25	24.5 ± 1
				6	0	1	23.95	24.5 ± 1
			16QAM	1	0	1	23.36	24 ± 1
				1	2	1	23.83	24 ± 1
				1	5	1	24.12	24 ± 1
				3	0	1	23.62	24 ± 1
				3	1	1	23.61	24 ± 1
				3	2	1	23.57	24 ± 1
				6	0	2	23.03	24 ± 1
	23095	707.5	QPSK	1	0	0	23.94	23 ± 1
				1	2	0	23.66	23 ± 1
				1	5	0	23.57	23 ± 1
				3	0	0	23.77	23 ± 1
				3	1	0	23.64	23 ± 1
				3	2	0	23.59	23 ± 1
				6	0	1	23.02	23 ± 1
			16QAM	1	0	1	23.19	23 ± 1
				1	2	1	22.94	23 ± 1
				1	5	1	22.84	23 ± 1
				3	0	1	22.51	23 ± 1
				3	1	1	22.48	23 ± 1
				3	2	1	22.32	23 ± 1
				6	0	2	22.12	23 ± 1
	23173	715.3	QPSK	1	0	0	24.08	24 ± 1
				1	2	0	24.14	24 ± 1
				1	5	0	24.09	24 ± 1
				3	0	0	24.07	24 ± 1
				3	1	0	24.05	24 ± 1
				3	2	0	24.04	24 ± 1
				6	0	1	23.05	24 ± 1
			16QAM	1	0	1	22.61	22 ± 1
				1	2	1	22.67	22 ± 1
				1	5	1	22.61	22 ± 1
				3	0	1	22.52	22 ± 1
				3	1	1	22.47	22 ± 1
				3	2	1	22.35	22 ± 1
				6	0	2	21.91	22 ± 1

ERP & EIRP

EIRP for LTE Band 2 (Part 24E)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
1850.7	1.4	QPSK	1/0	17.33	V	7.88	0.85	24.36	33.01
1880	1.4	QPSK	1/0	17.36	V	7.88	0.85	24.39	33.01
1909.3	1.4	QPSK	1/0	17.32	V	7.88	0.85	24.35	33.01
1850.7	1.4	QPSK	1/0	16.58	H	7.88	0.85	23.61	33.01
1880	1.4	QPSK	1/0	16.61	H	7.88	0.85	23.64	33.01
1909.3	1.4	QPSK	1/0	16.54	H	7.88	0.85	23.57	33.01
1850.7	1.4	16-QAM	1/0	16.29	V	7.88	0.85	23.32	33.01
1880	1.4	16-QAM	1/0	16.31	V	7.88	0.85	23.34	33.01
1909.3	1.4	16-QAM	1/0	16.25	V	7.88	0.85	23.28	33.01
1850.7	1.4	16-QAM	1/0	15.43	H	7.88	0.85	22.46	33.01
1880	1.4	16-QAM	1/0	15.49	H	7.88	0.85	22.52	33.01
1909.3	1.4	16-QAM	1/0	15.42	H	7.88	0.85	22.45	33.01
1851.5	3	QPSK	1/0	17.29	V	7.88	0.85	24.32	33.01
1880	3	QPSK	1/0	17.32	V	7.88	0.85	24.35	33.01
1908.5	3	QPSK	1/0	17.26	V	7.88	0.85	24.29	33.01
1851.5	3	QPSK	1/0	16.35	H	7.88	0.85	23.38	33.01
1880	3	QPSK	1/0	16.38	H	7.88	0.85	23.41	33.01
1908.5	3	QPSK	1/0	16.32	H	7.88	0.85	23.35	33.01
1851.5	3	16-QAM	1/0	16.25	V	7.88	0.85	23.28	33.01
1880	3	16-QAM	1/0	16.29	V	7.88	0.85	23.32	33.01
1908.5	3	16-QAM	1/0	16.24	V	7.88	0.85	23.27	33.01
1851.5	3	16-QAM	1/0	15.37	H	7.88	0.85	22.40	33.01
1880	3	16-QAM	1/0	15.41	H	7.88	0.85	22.44	33.01
1908.5	3	16-QAM	1/0	15.35	H	7.88	0.85	22.38	33.01
1852.5	5	QPSK	1/24	17.18	V	7.88	0.85	24.21	33.01
1880	5	QPSK	1/0	17.22	V	7.88	0.85	24.25	33.01
1907.5	5	QPSK	1/24	17.23	V	7.88	0.85	24.26	33.01
1852.5	5	QPSK	1/24	16.35	H	7.88	0.85	23.38	33.01
1880	5	QPSK	1/0	16.39	H	7.88	0.85	23.42	33.01
1907.5	5	QPSK	1/24	16.31	H	7.88	0.85	23.34	33.01
1852.5	5	16-QAM	1/24	16.12	V	7.88	0.85	23.15	33.01
1880	5	16-QAM	1/0	16.15	V	7.88	0.85	23.18	33.01

1907.5	5	16-QAM	1/24	16.09	V	7.88	0.85	23.12	33.01
1852.5	5	16-QAM	1/24	15.24	H	7.88	0.85	22.27	33.01
1880	5	16-QAM	1/0	15.22	H	7.88	0.85	22.25	33.01
1907.5	5	16-QAM	1/24	15.25	H	7.88	0.85	22.28	33.01
1855	10	QPSK	1/0	17.15	V	7.88	0.85	24.18	33.01
1880	10	QPSK	1/0	17.22	V	7.88	0.85	24.25	33.01
1905	10	QPSK	1/49	17.23	V	7.88	0.85	24.26	33.01
1855	10	QPSK	1/0	16.29	H	7.88	0.85	23.32	33.01
1880	10	QPSK	1/0	16.35	H	7.88	0.85	23.38	33.01
1905	10	QPSK	1/49	16.37	H	7.88	0.85	23.40	33.01
1855	10	16-QAM	1/0	16.08	V	7.88	0.85	23.11	33.01
1880	10	16-QAM	1/0	16.15	V	7.88	0.85	23.18	33.01
1905	10	16-QAM	1/49	16.14	V	7.88	0.85	23.17	33.01
1855	10	16-QAM	1/0	15.11	H	7.88	0.85	22.14	33.01
1880	10	16-QAM	1/0	15.16	H	7.88	0.85	22.19	33.01
1905	10	16-QAM	1/49	15.19	H	7.88	0.85	22.22	33.01
1857.5	15	QPSK	1/0	17.43	V	7.88	0.85	24.46	33.01
1880	15	QPSK	1/0	17.45	V	7.88	0.85	24.48	33.01
1902.5	15	QPSK	1/0	17.41	V	7.88	0.85	24.44	33.01
1857.5	15	QPSK	1/0	16.69	H	7.88	0.85	23.72	33.01
1880	15	QPSK	1/0	16.62	H	7.88	0.85	23.65	33.01
1902.5	15	QPSK	1/0	16.65	H	7.88	0.85	23.68	33.01
1857.5	15	16-QAM	1/0	16.35	V	7.88	0.85	23.38	33.01
1880	15	16-QAM	1/0	16.31	V	7.88	0.85	23.34	33.01
1902.5	15	16-QAM	1/0	16.38	V	7.88	0.85	23.41	33.01
1857.5	15	16-QAM	1/0	15.52	H	7.88	0.85	22.55	33.01
1880	15	16-QAM	1/0	15.59	H	7.88	0.85	22.62	33.01
1902.5	15	16-QAM	1/0	15.54	H	7.88	0.85	22.57	33.01
1860	20	QPSK	1/0	17.45	V	7.88	0.85	24.48	33.01
1880	20	QPSK	1/0	17.41	V	7.88	0.85	24.44	33.01
1900	20	QPSK	1/0	17.38	V	7.88	0.85	24.41	33.01
1860	20	QPSK	1/0	16.52	H	7.88	0.85	23.55	33.01
1880	20	QPSK	1/0	16.58	H	7.88	0.85	23.61	33.01
1900	20	QPSK	1/0	16.55	H	7.88	0.85	23.58	33.01
1860	20	16-QAM	1/0	16.38	V	7.88	0.85	23.41	33.01
1880	20	16-QAM	1/0	16.35	V	7.88	0.85	23.38	33.01
1900	20	16-QAM	1/0	16.36	V	7.88	0.85	23.39	33.01
1860	20	16-QAM	1/0	15.49	H	7.88	0.85	22.52	33.01

Test Report	15050043-FCC-R5
Page	39 of 139

1880	20	16-QAM	1/0	15.52	H	7.88	0.85	22.55	33.01
1900	20	16-QAM	1/0	15.44	H	7.88	0.85	22.47	33.01

EIRP for LTE Band 4 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
1710.7	1.4	QPSK	1/0	17.35	V	7.95	0.79	24.51	30
1732.5	1.4	QPSK	1/0	17.39	V	7.95	0.79	24.55	30
1754.3	1.4	QPSK	1/0	17.38	V	7.95	0.79	24.54	30
1710.7	1.4	QPSK	1/0	16.52	H	7.95	0.79	23.68	30
1732.5	1.4	QPSK	1/0	16.49	H	7.95	0.79	23.65	30
1754.3	1.4	QPSK	1/0	16.55	H	7.95	0.79	23.71	30
1710.7	1.4	16-QAM	1/5	16.31	V	7.95	0.79	23.47	30
1732.5	1.4	16-QAM	1/0	16.28	V	7.95	0.79	23.44	30
1754.3	1.4	16-QAM	1/0	16.33	V	7.95	0.79	23.49	30
1710.7	1.4	16-QAM	1/5	15.42	H	7.95	0.79	22.58	30
1732.5	1.4	16-QAM	1/0	15.39	H	7.95	0.79	22.55	30
1754.3	1.4	16-QAM	1/0	15.44	H	7.95	0.79	22.60	30
1711.5	3	QPSK	1/0	17.28	V	7.95	0.79	24.44	30
1732.5	3	QPSK	1/0	17.31	V	7.95	0.79	24.47	30
1753.5	3	QPSK	1/0	17.26	V	7.95	0.79	24.42	30
1711.5	3	QPSK	1/0	16.39	H	7.95	0.79	23.55	30
1732.5	3	QPSK	1/0	16.41	H	7.95	0.79	23.57	30
1753.5	3	QPSK	1/0	16.35	H	7.95	0.79	23.51	30
1711.5	3	16-QAM	1/0	16.22	V	7.95	0.79	23.38	30
1732.5	3	16-QAM	1/0	16.25	V	7.95	0.79	23.41	30
1753.5	3	16-QAM	1/0	16.21	V	7.95	0.79	23.37	30
1711.5	3	16-QAM	1/0	15.38	H	7.95	0.79	22.54	30
1732.5	3	16-QAM	1/0	15.36	H	7.95	0.79	22.52	30
1753.5	3	16-QAM	1/0	15.33	H	7.95	0.79	22.49	30
1712.5	5	QPSK	1/0	17.32	V	7.95	0.79	24.48	30
1732.5	5	QPSK	1/0	17.29	V	7.95	0.79	24.45	30
1752.5	5	QPSK	1/24	17.26	V	7.95	0.79	24.42	30
1712.5	5	QPSK	1/0	16.43	H	7.95	0.79	23.59	30
1732.5	5	QPSK	1/0	16.41	H	7.95	0.79	23.57	30
1752.5	5	QPSK	1/24	16.38	H	7.95	0.79	23.54	30
1712.5	5	16-QAM	1/0	16.27	V	7.95	0.79	23.43	30
1732.5	5	16-QAM	1/0	16.31	V	7.95	0.79	23.47	30
1752.5	5	16-QAM	1/24	16.28	V	7.95	0.79	23.44	30

1712.5	5	16-QAM	1/0	15.34	H	7.95	0.79	22.50	30
1732.5	5	16-QAM	1/0	15.38	H	7.95	0.79	22.54	30
1752.5	5	16-QAM	1/24	15.33	H	7.95	0.79	22.49	30
1715	10	QPSK	1/0	17.36	V	7.95	0.79	24.52	30
1732.5	10	QPSK	1/49	17.31	V	7.95	0.79	24.47	30
1750	10	QPSK	1/0	17.35	V	7.95	0.79	24.51	30
1715	10	QPSK	1/0	16.51	H	7.95	0.79	23.67	30
1732.5	10	QPSK	1/49	16.49	H	7.95	0.79	23.65	30
1750	10	QPSK	1/0	16.45	H	7.95	0.79	23.61	30
1715	10	16-QAM	1/0	16.28	V	7.95	0.79	23.44	30
1732.5	10	16-QAM	1/49	16.22	V	7.95	0.79	23.38	30
1750	10	16-QAM	1/0	16.25	V	7.95	0.79	23.41	30
1715	10	16-QAM	1/0	15.34	H	7.95	0.79	22.50	30
1732.5	10	16-QAM	1/49	15.37	H	7.95	0.79	22.53	30
1750	10	16-QAM	1/0	15.33	H	7.95	0.79	22.49	30
1717.5	15	QPSK	1/0	17.41	V	7.95	0.79	24.57	30
1732.5	15	QPSK	1/74	17.38	V	7.95	0.79	24.54	30
1747.5	15	QPSK	1/0	17.37	V	7.95	0.79	24.53	30
1717.5	15	QPSK	1/0	16.52	H	7.95	0.79	23.68	30
1732.5	15	QPSK	1/74	16.53	H	7.95	0.79	23.69	30
1747.5	15	QPSK	1/0	16.49	H	7.95	0.79	23.65	30
1717.5	15	16-QAM	1/0	16.37	V	7.95	0.79	23.53	30
1732.5	15	16-QAM	1/74	16.32	V	7.95	0.79	23.48	30
1747.5	15	16-QAM	1/0	16.34	V	7.95	0.79	23.50	30
1717.5	15	16-QAM	1/0	15.44	H	7.95	0.79	22.60	30
1732.5	15	16-QAM	1/74	15.49	H	7.95	0.79	22.65	30
1747.5	15	16-QAM	1/0	15.43	H	7.95	0.79	22.59	30
1720	20	QPSK	1/99	17.35	V	7.95	0.79	24.51	30
1732.5	20	QPSK	1/99	17.31	V	7.95	0.79	24.47	30
1745	20	QPSK	1/0	17.34	V	7.95	0.79	24.50	30
1720	20	QPSK	1/99	16.52	H	7.95	0.79	23.68	30
1732.5	20	QPSK	1/99	16.48	H	7.95	0.79	23.64	30
1745	20	QPSK	1/0	16.45	H	7.95	0.79	23.61	30
1720	20	16-QAM	1/99	16.28	V	7.95	0.79	23.44	30
1732.5	20	16-QAM	1/99	16.25	V	7.95	0.79	23.41	30
1745	20	16-QAM	1/0	16.29	V	7.95	0.79	23.45	30
1720	20	16-QAM	1/99	15.19	H	7.95	0.79	22.35	30
1732.5	20	16-QAM	1/99	15.21	H	7.95	0.79	22.37	30

Test Report	15050043-FCC-R5
Page	42 of 139

1745	20	16-QAM	1/0	15.15	H	7.95	0.79	22.31	30
------	----	--------	-----	-------	---	------	------	-------	----

EIRP for LTE Band 5 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
824.7	1.4	QPSK	1/5	16.76	V	6.8	0.44	23.12	34.77
836.5	1.4	QPSK	1/5	16.81	V	6.8	0.44	23.17	34.77
848.3	1.4	QPSK	1/5	16.78	V	6.9	0.44	23.24	34.77
824.7	1.4	QPSK	1/5	15.63	H	6.8	0.44	21.99	34.77
836.5	1.4	QPSK	1/5	15.58	H	6.8	0.44	21.94	34.77
848.3	1.4	QPSK	1/5	16.64	H	6.9	0.44	23.10	34.77
824.7	1.4	16-QAM	1/5	15.68	V	6.8	0.44	22.04	34.77
836.5	1.4	16-QAM	1/5	15.72	V	6.8	0.44	22.08	34.77
848.3	1.4	16-QAM	1/5	15.71	V	6.9	0.44	22.17	34.77
824.7	1.4	16-QAM	1/5	14.85	H	6.8	0.44	21.21	34.77
836.5	1.4	16-QAM	1/5	14.92	H	6.8	0.44	21.28	34.77
848.3	1.4	16-QAM	1/5	14.87	H	6.9	0.44	21.33	34.77
825.5	3	QPSK	1/14	16.78	V	6.8	0.44	23.14	34.77
836.5	3	QPSK	1/0	16.82	V	6.8	0.44	23.18	34.77
847.5	3	QPSK	1/14	16.75	V	6.9	0.44	23.21	34.77
825.5	3	QPSK	1/14	15.96	H	6.8	0.44	22.32	34.77
836.5	3	QPSK	1/0	15.88	H	6.8	0.44	22.24	34.77
847.5	3	QPSK	1/14	15.91	H	6.9	0.44	22.37	34.77
825.5	3	16-QAM	1/14	15.66	V	6.8	0.44	22.02	34.77
836.5	3	16-QAM	1/0	15.62	V	6.8	0.44	21.98	34.77
847.5	3	16-QAM	1/14	15.59	V	6.9	0.44	22.05	34.77
825.5	3	16-QAM	1/14	14.83	H	6.8	0.44	21.19	34.77
836.5	3	16-QAM	1/0	14.81	H	6.8	0.44	21.17	34.77
847.5	3	16-QAM	1/14	14.76	H	6.9	0.44	21.22	34.77
826.5	5	QPSK	1/24	16.72	V	6.8	0.44	23.08	34.77
836.5	5	QPSK	1/24	16.68	V	6.8	0.44	23.04	34.77
846.5	5	QPSK	1/24	16.65	V	6.8	0.44	23.01	34.77
826.5	5	QPSK	1/24	15.88	H	6.8	0.44	22.24	34.77
836.5	5	QPSK	1/24	15.92	H	6.8	0.44	22.28	34.77
846.5	5	QPSK	1/24	15.84	H	6.8	0.44	22.20	34.77
826.5	5	16-QAM	1/24	15.63	V	6.8	0.44	21.99	34.77
836.5	5	16-QAM	1/24	15.67	V	6.8	0.44	22.03	34.77
846.5	5	16-QAM	1/24	15.64	V	6.8	0.44	22.00	34.77

Test Report	15050043-FCC-R5
Page	44 of 139

826.5	5	16-QAM	1/24	14.89	H	6.8	0.44	21.25	34.77
836.5	5	16-QAM	1/24	14.92	H	6.8	0.44	21.28	34.77
846.5	5	16-QAM	1/24	14.83	H	6.8	0.44	21.19	34.77
829	10	QPSK	1/49	16.53	V	6.8	0.44	22.89	34.77
836.5	10	QPSK	1/49	16.57	V	6.8	0.44	22.93	34.77
844	10	QPSK	1/49	16.58	V	6.8	0.44	22.94	34.77
829	10	QPSK	1/49	15.72	H	6.8	0.44	22.08	34.77
836.5	10	QPSK	1/49	15.68	H	6.8	0.44	22.04	34.77
844	10	QPSK	1/49	15.64	H	6.8	0.44	22.00	34.77
829	10	16-QAM	1/49	15.46	V	6.8	0.44	21.82	34.77
836.5	10	16-QAM	1/49	15.42	V	6.8	0.44	21.78	34.77
844	10	16-QAM	1/49	15.47	V	6.8	0.44	21.83	34.77
829	10	16-QAM	1/49	13.66	H	6.8	0.44	20.02	34.77
836.5	10	16-QAM	1/49	13.72	H	6.8	0.44	20.08	34.77
844	10	16-QAM	1/49	13.63	H	6.8	0.44	19.99	34.77

ERP for LTE Band 7 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
2502.5	5	QPSK	1/0	15.83	V	8.93	0.83	23.93	30
2535	5	QPSK	1/0	15.86	V	8.93	0.83	23.96	30
2567.5	5	QPSK	1/24	15.92	V	8.93	0.83	24.02	30
2502.5	5	QPSK	1/0	15.06	H	8.93	0.83	23.16	30
2535	5	QPSK	1/0	15.09	H	8.93	0.83	23.19	30
2567.5	5	QPSK	1/24	15.13	H	8.93	0.83	23.23	30
2502.5	5	16-QAM	1/0	15.34	V	8.93	0.83	23.44	30
2535	5	16-QAM	1/0	15.29	V	8.93	0.83	23.39	30
2567.5	5	16-QAM	1/24	15.37	V	8.93	0.83	23.47	30
2502.5	5	16-QAM	1/0	14.63	H	8.93	0.83	22.73	30
2535	5	16-QAM	1/0	14.58	H	8.93	0.83	22.68	30
2567.5	5	16-QAM	1/24	14.61	H	8.93	0.83	22.71	30
2505	10	QPSK	1/0	15.86	V	8.93	0.83	23.96	30
2535	10	QPSK	1/49	15.82	V	8.93	0.83	23.92	30
2565	10	QPSK	1/0	15.85	V	8.93	0.83	23.95	30
2505	10	QPSK	1/0	15.12	H	8.93	0.83	23.22	30
2535	10	QPSK	1/49	15.09	H	8.93	0.83	23.19	30
2565	10	QPSK	1/0	15.05	H	8.93	0.83	23.15	30
2505	10	16-QAM	1/0	14.73	V	8.93	0.83	22.83	30
2535	10	16-QAM	1/49	14.78	V	8.93	0.83	22.88	30
2565	10	16-QAM	1/0	14.75	V	8.93	0.83	22.85	30
2505	10	16-QAM	1/0	13.95	H	8.93	0.83	22.05	30
2535	10	16-QAM	1/49	13.88	H	8.93	0.83	21.98	30
2565	10	16-QAM	1/0	13.91	H	8.93	0.83	22.01	30
2507.5	15	QPSK	1/0	16.65	V	8.93	0.83	24.75	30
2535	15	QPSK	1/74	16.71	V	8.93	0.83	24.81	30
2562.5	15	QPSK	1/0	16.68	V	8.93	0.83	24.78	30
2507.5	15	QPSK	1/0	15.88	H	8.93	0.83	23.98	30
2535	15	QPSK	1/74	15.92	H	8.93	0.83	24.02	30
2562.5	15	QPSK	1/0	15.83	H	8.93	0.83	23.93	30
2507.5	15	16-QAM	1/0	15.59	V	8.93	0.83	23.69	30
2535	15	16-QAM	1/74	15.52	V	8.93	0.83	23.62	30
2562.5	15	16-QAM	1/0	15.55	V	8.93	0.83	23.65	30

Test Report	15050043-FCC-R5
Page	46 of 139

2507.5	15	16-QAM	1/0	14.73	H	8.93	0.83	22.83	30
2535	15	16-QAM	1/74	14.68	H	8.93	0.83	22.78	30
2562.5	15	16-QAM	1/0	14.72	H	8.93	0.83	22.82	30
2510	20	QPSK	1/99	16.15	V	8.93	0.83	24.25	30
2535	20	QPSK	1/99	16.22	V	8.93	0.83	24.32	30
2560	20	QPSK	1/0	16.18	V	8.93	0.83	24.28	30
2510	20	QPSK	1/99	15.43	H	8.93	0.83	23.53	30
2535	20	QPSK	1/99	15.37	H	8.93	0.83	23.47	30
2560	20	QPSK	1/0	15.41	H	8.93	0.83	23.51	30
2510	20	16-QAM	1/99	15.11	V	8.93	0.83	23.21	30
2535	20	16-QAM	1/99	15.09	V	8.93	0.83	23.19	30
2560	20	16-QAM	1/0	15.15	V	8.93	0.83	23.25	30
2510	20	16-QAM	1/99	14.35	H	8.93	0.83	22.45	30
2535	20	16-QAM	1/99	14.28	H	8.93	0.83	22.38	30
2560	20	16-QAM	1/0	14.32	H	8.93	0.83	22.42	30

ERP for LTE Band 12 (Part 27)

Frequency (MHz)	BW (MHz)	Modulation	RB Size/Offset	Substituted level (dBm)	Antenna Polarization	Antenna Gain correction (dBi)	Cable Loss (dB)	Absolute Level (dBm)	Limit (dBm)
699.7	1.4	QPSK	1/5	16.08	V	6.9	0.42	22.56	34.77
707.5	1.4	QPSK	1/5	16.15	V	6.8	0.42	22.53	34.77
715.3	1.4	QPSK	1/5	16.11	V	6.8	0.42	22.49	34.77
699.7	1.4	QPSK	1/5	15.29	H	6.9	0.42	21.77	34.77
707.5	1.4	QPSK	1/5	15.33	H	6.8	0.42	21.71	34.77
715.3	1.4	QPSK	1/5	15.24	H	6.8	0.42	21.62	34.77
699.7	1.4	16-QAM	1/5	15.12	V	6.9	0.42	21.60	34.77
707.5	1.4	16-QAM	1/5	15.07	V	6.8	0.42	21.45	34.77
715.3	1.4	16-QAM	1/5	15.04	V	6.8	0.42	21.42	34.77
699.7	1.4	16-QAM	1/5	14.35	H	6.9	0.42	20.83	34.77
707.5	1.4	16-QAM	1/5	14.29	H	6.8	0.42	20.67	34.77
715.3	1.4	16-QAM	1/5	14.31	H	6.8	0.42	20.69	34.77
700.5	3	QPSK	1/14	15.66	V	6.9	0.42	22.14	34.77
707.5	3	QPSK	1/0	15.59	V	6.8	0.42	21.97	34.77
714.5	3	QPSK	1/14	15.62	V	6.8	0.42	22.00	34.77
700.5	3	QPSK	1/14	14.81	H	6.9	0.42	21.29	34.77
707.5	3	QPSK	1/0	14.86	H	6.8	0.42	21.24	34.77
714.5	3	QPSK	1/14	14.79	H	6.8	0.42	21.17	34.77
700.5	3	16-QAM	1/14	14.58	V	6.9	0.42	21.06	34.77
707.5	3	16-QAM	1/0	14.62	V	6.8	0.42	21.00	34.77
714.5	3	16-QAM	1/14	14.53	V	6.8	0.42	20.91	34.77
700.5	3	16-QAM	1/14	13.66	H	6.9	0.42	20.14	34.77
707.5	3	16-QAM	1/0	13.72	H	6.8	0.42	20.10	34.77
714.5	3	16-QAM	1/14	13.69	H	6.8	0.42	20.07	34.77
701.5	5	QPSK	1/24	15.64	V	6.9	0.42	22.12	34.77
707.5	5	QPSK	1/24	15.57	V	6.8	0.42	21.95	34.77
713.5	5	QPSK	1/24	15.62	V	6.8	0.42	22.00	34.77
701.5	5	QPSK	1/24	14.77	H	6.9	0.42	21.25	34.77
707.5	5	QPSK	1/24	14.72	H	6.8	0.42	21.10	34.77
713.5	5	QPSK	1/24	14.69	H	6.8	0.42	21.07	34.77
701.5	5	16-QAM	1/24	14.53	V	6.9	0.42	21.01	34.77
707.5	5	16-QAM	1/24	14.58	V	6.8	0.42	20.96	34.77
713.5	5	16-QAM	1/24	14.52	V	6.8	0.42	20.90	34.77
701.5	5	16-QAM	1/24	13.62	H	6.9	0.42	20.10	34.77


Test Report	15050043-FCC-R5
Page	48 of 139

707.5	5	16-QAM	1/24	13.67	H	6.8	0.42	20.05	34.77
713.5	5	16-QAM	1/24	13.64	H	6.8	0.42	20.02	34.77
704	10	QPSK	1/49	16.43	V	6.8	0.42	22.81	34.77
707.5	10	QPSK	1/49	16.48	V	6.8	0.42	22.86	34.77
711	10	QPSK	1/49	16.51	V	6.8	0.42	22.89	34.77
704	10	QPSK	1/49	15.55	H	6.8	0.42	21.93	34.77
707.5	10	QPSK	1/49	15.59	H	6.8	0.42	21.97	34.77
711	10	QPSK	1/49	15.52	H	6.8	0.42	21.90	34.77
704	10	16-QAM	1/49	15.38	V	6.8	0.42	21.76	34.77
707.5	10	16-QAM	1/49	15.42	V	6.8	0.42	21.80	34.77
711	10	16-QAM	1/49	15.35	V	6.8	0.42	21.73	34.77
704	10	16-QAM	1/49	14.43	H	6.8	0.42	20.81	34.77
707.5	10	16-QAM	1/49	14.39	H	6.8	0.42	20.77	34.77
711	10	16-QAM	1/49	14.45	H	6.8	0.42	20.83	34.77

6.3 Peak-Average Ratio

Temperature	22°C
Relative Humidity	55%
Atmospheric Pressure	1013mbar
Test date :	November 13, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§24.232(d) § 27.50(d)	a)	The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.	☒
Test Setup	 Base Station Spectrum Analyzer EUT		
Test Procedure	According with KDB 971168 1. The signal analyzer's CCDF measurement profile is enabled 2. Frequency = carrier center frequency 3. Measurement BW > Emission bandwidth of signal 4. The signal analyzer was set to collect one million samples to generate the CCDF curve 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal " RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the " on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power		
Remark			
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☐ Yes (See below) ☒ N/A

LTE Band 2 (part 24E)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	1880	RB 1/0	QPSK	25.89	23.93	1.96
			16QAM	25.45	23.15	2.3
3	1880	RB 1/0	QPSK	26.12	24.05	2.07
			16QAM	25.35	23.22	2.13
5	1880	RB 1/0	QPSK	26.04	23.91	2.13
			16QAM	25.29	23.19	2.1
10	1880	RB 1/0	QPSK	25.15	23.74	1.41
			16QAM	25.37	22.88	2.49
15	1880	RB 1/0	QPSK	25.61	24.05	1.56
			16QAM	25.47	23.06	2.41
20	1880	RB 1/0	QPSK	26.22	24.38	1.84
			16QAM	25.61	23.17	2.44

LTE Band 4 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	1732.5	RB 1/0	QPSK	25.64	23.59	2.05
			16QAM	24.32	22.24	2.08
3	1732.5	RB 1/0	QPSK	25.36	23.69	1.67
			16QAM	24.61	22.59	2.02
5	1732.5	RB 1/0	QPSK	25.64	23.68	1.96
			16QAM	24.57	22.68	1.89
10	1732.5	RB 1/0	QPSK	25.37	23.84	1.53
			16QAM	25.26	22.74	2.52
15	1732.5	RB 1/0	QPSK	25.37	23.89	1.48
			16QAM	25.38	22.89	2.49
20	1732.5	RB 1/0	QPSK	25.21	23.92	1.29
			16QAM	25.36	23.02	2.34

LTE Band 5 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	836.5	RB 1/0	QPSK	26.31	24.68	1.63
			16QAM	25.79	23.64	2.15
3	836.5	RB 1/0	QPSK	26.23	24.67	1.56
			16QAM	25.17	23.65	1.52
5	836.5	RB 1/0	QPSK	26.27	24.65	1.62
			16QAM	25.36	23.7	1.66
10	836.5	RB 1/0	QPSK	26.13	24.82	1.31
			16QAM	25.33	23.64	1.69

LTE Band 7 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
5	2535	RB 1/0	QPSK	24.37	22.28	2.09
			16QAM	24.12	21.56	2.56
10	2535	RB 1/0	QPSK	24.22	21.75	2.47
			16QAM	24.31	21.47	2.84
15	2535	RB 1/0	QPSK	24.26	22.02	2.24
			16QAM	24.37	21.04	3.33
20	2535	RB 1/0	QPSK	25.35	22.07	3.28
			16QAM	24.18	21.55	2.63

LTE Band 12 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average Ratio (PAR)
				Peak	Average	
1.4	707.5	RB 1/5	QPSK	25.64	23.94	1.70
			16QAM	25.71	23.19	2.52
3	707.5	RB 1/14	QPSK	25.75	24.42	1.33
			16QAM	25.24	23.66	1.58
5	707.5	RB 1/24	QPSK	26.11	24.96	1.15
			16QAM	25.42	23.84	1.58
10	707.5	RB 1/49	QPSK	27.1	25.26	1.84
			16QAM	25.31	24.00	1.31

6.4 Modulation Characteristic

According to FCC § 2.1047(d), Part 22H&24E& Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

6.5 Occupied Bandwidth

Temperature	21°C
Relative Humidity	56%
Atmospheric Pressure	1013mbar
Test date :	November 14, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§2.1049, §22.917, §22.905 §24.238 §27.53(a)	a)	99% Occupied Bandwidth(kHz)	☒
	b)	26 dB Bandwidth(kHz)	☒
Test Setup	Base Station Spectrum Analyzer EUT		
Test Procedure	- The EUT was connected to Spectrum Analyzer and Base Station via power divider. - The 99% and 26 dB occupied bandwidth (BW) of the middle channel for the highest RF powers.		
Remark			
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☒ Yes (See below) ☐ N/A

LTE Band 2 (Part 24E)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	18607	1850.7	16QAM	1.1077	1.285
			QPSK	1.1045	1.321
1.4	18900	1880	16QAM	1.1007	1.293
			QPSK	1.1060	1.283
1.4	19193	1909.3	16QAM	1.1055	1.400
			QPSK	1.1075	1.324
3	18615	1851.5	16QAM	2.7583	3.080
			QPSK	2.7471	3.087
3	18900	1880	16QAM	2.7348	3.082
			QPSK	2.7475	3.101
3	19185	1908.5	16QAM	2.7436	3.136
			QPSK	2.7377	3.089
5	18625	1852.5	16QAM	4.5170	5.045
			QPSK	4.5172	5.059
5	18900	1880	16QAM	4.5202	5.059
			QPSK	4.5189	5.105
5	19175	1907.5	16QAM	4.5209	5.086
			QPSK	4.5116	5.059
10	18650	1855	16QAM	9.0658	10.149
			QPSK	9.0810	10.202
10	18900	1880	16QAM	9.0727	10.037
			QPSK	9.0725	10.306
10	19150	1905	16QAM	9.0894	10.150
			QPSK	9.0810	10.040
15	18675	1857.5	16QAM	13.4909	14.756
			QPSK	13.4953	14.820
15	18900	1880	16QAM	13.4879	14.823
			QPSK	13.4632	14.920
15	19125	1902.5	16QAM	13.5497	15.116
			QPSK	13.5325	14.926

20	18700	1860	16QAM	17.9349	19.320
			QPSK	17.9195	19.499
20	18900	1880	16QAM	17.8747	19.347
			QPSK	17.8777	19.342
20	19100	1900	16QAM	17.9930	19.640
			QPSK	17.9052	19.290

LTE Band 4 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	19957	1710.7	16QAM	1.1030	1.281
			QPSK	1.1027	1.283
1.4	20175	1732.5	16QAM	1.0919	1.264
			QPSK	1.0946	1.279
1.4	20393	1754.3	16QAM	1.0954	1.269
			QPSK	1.0992	1.270
3	19965	1711.5	16QAM	2.7364	3.073
			QPSK	2.7471	3.087
3	20175	1732.5	16QAM	2.7437	3.085
			QPSK	2.7429	3.075
3	20385	1753.5	16QAM	2.7289	3.075
			QPSK	2.7412	3.076
5	19975	1712.5	16QAM	4.5186	5.091
			QPSK	4.5281	5.054
5	20175	1732.5	16QAM	4.5302	5.075
			QPSK	4.5209	5.103
5	20375	1752.5	16QAM	4.5293	5.073
			QPSK	4.5088	5.092
10	20000	1715	16QAM	9.0786	10.099
			QPSK	9.0510	10.192
10	20175	1732.5	16QAM	9.0714	10.124
			QPSK	9.0614	10.175
10	20350	1750	16QAM	9.0306	10.091
			QPSK	9.0418	10.045

15	20025	1717.5	16QAM	13.4458	14.745
			QPSK	13.4659	14.834
15	20175	1732.5	16QAM	13.5070	14.752
			QPSK	13.4799	14.737
15	20325	1747.5	16QAM	13.4558	14.734
			QPSK	13.4417	14.876
20	20050	1720	16QAM	17.8240	19.292
			QPSK	17.8650	19.229
20	20175	1732.5	16QAM	17.9562	19.404
			QPSK	17.8975	19.365
20	20300	1745	16QAM	17.8741	19.155
			QPSK	17.9393	19.148

LTE Band 5 (Part 22H)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	20407	824.7	16QAM	1.0963	1.269
			QPSK	1.0943	1.264
1.4	20525	936.5	16QAM	1.1023	1.282
			QPSK	1.0950	1.274
1.4	20643	949.3	16QAM	1.0950	1.255
			QPSK	1.0948	1.278
3	20415	825.5	16QAM	2.7365	3.097
			QPSK	2.7479	3.098
3	20525	936.5	16QAM	2.7393	3.088
			QPSK	2.7437	3.077
3	20635	847.5	16QAM	2.7333	3.087
			QPSK	2.7480	3.107
5	20425	826.5	16QAM	4.5228	5.074
			QPSK	4.5254	5.022
5	20525	936.5	16QAM	4.5364	5.058
			QPSK	4.5146	5.052
5	20625	846.5	16QAM	4.5371	5.052
			QPSK	4.5018	5.001

10	20450	829	16QAM	9.0708	10.124
			QPSK	9.0653	10.122
10	20525	936.5	16QAM	9.0977	10.215
			QPSK	9.1047	10.219
10	20800	844	16QAM	9.0464	10.091
			QPSK	9.0638	10.130

LTE Band 7 (Part 27) result


BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	20775	2502.5	16QAM	4.5493	5.898
			QPSK	4.5719	7.758
5	21100	2535	16QAM	4.5358	5.072
			QPSK	4.5353	5.065
5	21425	2567.5	16QAM	4.5488	5.904
			QPSK	4.5637	7.519
10	20800	2505	16QAM	9.1658	13.551
			QPSK	9.1830	15.090
10	21100	2535	16QAM	9.0921	10.137
			QPSK	9.0905	11.600
10	21400	2562.5	16QAM	9.1049	10.126
			QPSK	9.1333	11.504
15	20825	2507.5	16QAM	13.5026	18.894
			QPSK	13.6251	21.334
15	21100	2535	16QAM	13.5612	19.417
			QPSK	13.5335	18.509
15	21400	2562.5	16QAM	13.5199	14.994
			QPSK	13.5613	19.666
20	20850	2510	16QAM	17.8935	19.976
			QPSK	17.8694	20.546
20	21100	2535	16QAM	17.9277	21.399
			QPSK	17.9257	21.543
20	21350	2560	16QAM	17.9763	19.517
			QPSK	17.9983	20.136


LTE Band 12 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	23017	699.7	16QAM	1.0963	1.277
			QPSK	1.0950	1.275
1.4	23095	707.5	16QAM	1.1018	1.734
			QPSK	1.1063	1.764
1.4	23173	715.3	16QAM	1.0990	1.281
			QPSK	1.1105	1.311
3	23025	700.5	16QAM	2.7476	3.107
			QPSK	2.7591	3.208
3	23095	707.5	16QAM	2.7820	3.986
			QPSK	2.7761	3.692
3	23165	714.5	16QAM	2.7184	3.087
			QPSK	2.7388	3.062
5	23035	701.5	16QAM	4.5035	5.044
			QPSK	4.5180	5.279
5	23095	707.5	16QAM	4.5965	6.676
			QPSK	4.5479	5.873
5	23055	713.5	16QAM	4.4926	5.023
			QPSK	4.4861	4.957
10	23060	704	16QAM	8.9924	9.984
			QPSK	8.9875	10.079
10	23095	707.5	16QAM	9.2408	12.320
			QPSK	9.2577	11.612
10	23130	711	16QAM	9.1044	10.039
			QPSK	9.1042	10.190


Test Plots

LTE Band 2 (Part 24E)







LTE band 2 - Low CH QPSK-3




LTE band 2 - Low CH 16QAM-3




LTE band 2 - Middle CH QPSK-3




LTE band 2 - Middle CH 16QAM-3




LTE band 2 - High CH QPSK-3




LTE band 2 - High CH 16QAM-3




LTE band 2 - Low CH QPSK-5




LTE band 2 - Low CH 16QAM-5




LTE band 2 - Middle CH QPSK-5




LTE band 2 - Middle CH 16QAM-5




LTE band 2 - High CH QPSK-5




LTE band 2 - High CH 16QAM-5




LTE band 2 - Low CH QPSK-10




LTE band 2 - Low CH 16QAM-10




LTE band 2 - Middle CH QPSK-10




LTE band 2 - Middle CH 16QAM-10




LTE band 2 - High CH QPSK-10




LTE band 2 - High CH 16QAM-10




LTE band 2 - Low CH QPSK-15




LTE band 2 - Low CH 16QAM-15




LTE band 2 - Middle CH QPSK-15




LTE band 2 - Middle CH 16QAM-15




LTE band 2 - High CH QPSK-15




LTE band 2 - High CH 16QAM-15




LTE band 2 - Low CH QPSK-20




LTE band 2 - Low CH 16QAM-20




LTE band 2 - Middle CH QPSK-20



LTE band 2 - Middle CH 16QAM-20





LTE band 2 - High CH QPSK-20




LTE band 2 - High CH 16QAM-20

LTE Band 4 (Part 27)







LTE band 4 - Low CH QPSK-3




LTE band 4 - Low CH 16QAM-3




LTE band 4 - Middle CH QPSK-3




LTE band 4 - Middle CH 16QAM-3




LTE band 4 - High CH QPSK-3




LTE band 4 - High CH 16QAM-3




LTE band 4 - Low CH QPSK-5




LTE band 4 - Low CH 16QAM-5




LTE band 4 - Middle CH QPSK-5




LTE band 4 - Middle CH 16QAM-5




LTE band 4 - High CH QPSK-5




LTE band 4 - High CH 16QAM-5




LTE band 4 - Low CH QPSK-10




LTE band 4 - Low CH 16QAM-10




LTE band 4 - Middle CH QPSK-10




LTE band 4 - Middle CH 16QAM-10




LTE band 4 - High CH QPSK-10




LTE band 4 - High CH 16QAM-10




LTE band 4 - Low CH QPSK-15




LTE band 4 - Low CH 16QAM-15




LTE band 4 - Middle CH QPSK-15




LTE band 4 - Middle CH 16QAM-15




LTE band 4 - High CH QPSK-15




LTE band 4 - High CH 16QAM-15




LTE band 4 - Low CH QPSK-20




LTE band 4 - Low CH 16QAM-20




LTE band 4 - Middle CH QPSK-20



LTE band 4 - Middle CH 16QAM-20





LTE band 4 - High CH QPSK-20




LTE band 4 - High CH 16QAM-20

LTE Band 5 (Part 22H)







LTE band 5 - Low CH QPSK-3




LTE band 5 - Low CH 16QAM-3




LTE band 5 - Middle CH QPSK-3




LTE band 5 - Middle CH 16QAM-3




LTE band 5 - High CH QPSK-3




LTE band 5 - High CH 16QAM-3




LTE band 5 - Low CH QPSK-5




LTE band 5 - Low CH 16QAM-5




LTE band 5 - Middle CH QPSK-5




LTE band 5 - Middle CH 16QAM-5




LTE band 5 - High CH QPSK-5




LTE band 5 - High CH 16QAM-5




LTE band 5 - Low CH QPSK-10




LTE band 5 - Low CH 16QAM-10




LTE band 5 - Middle CH QPSK-10



LTE band 5 - Middle CH 16QAM-10





LTE band 5 - High CH QPSK-10




LTE band 5 - High CH 16QAM-10

LTE Band 7 (Part 27)







LTE band 7 - Low CH QPSK-10




LTE band 7 - Low CH 16QAM-10




LTE band 7 - Middle CH QPSK-10



LTE band 7 - Middle CH 16QAM-10



LTE band 7 - High CH QPSK-10




LTE band 7 - High CH 16QAM-10




LTE band 7 - Low CH QPSK-15




LTE band 7 - Low CH 16QAM-15




LTE band 7 - Middle CH QPSK-15




LTE band 7 - Middle CH 16QAM-15




LTE band 7 - High CH QPSK-15




LTE band 7 - High CH 16QAM-15




LTE band 7 - Low CH QPSK-20




LTE band 7 - Low CH 16QAM-20




LTE band 7 - Middle CH QPSK-20



LTE band 7 - Middle CH 16QAM-20





LTE band 7 - High CH QPSK-20




LTE band 7 - High CH 16QAM-20

LTE Band 12 (Part 27)







LTE band 12 - Low CH QPSK-3




LTE band 12 - Low CH 16QAM-3




LTE band 12 - Middle CH QPSK-3




LTE band 12 - Middle CH 16QAM-3




LTE band 12 - High CH QPSK-3




LTE band 12 - High CH 16QAM-3




LTE band 12 - Low CH QPSK-5




LTE band 12 - Low CH 16QAM-5




LTE band 12 - Middle CH QPSK-5




LTE band 12 - Middle CH 16QAM-5




LTE band 12 - High CH QPSK-5




LTE band 12 - High CH 16QAM-5




LTE band 12 - Low CH QPSK-10




LTE band 12 - Low CH 16QAM-10




LTE band 12 - Middle CH QPSK-10



LTE band 12 - Middle CH 16QAM-10



LTE band 12 - High CH QPSK-10




LTE band 12 - High CH 16QAM-10

6.6 Spurious Emissions at Antenna Terminals

Temperature	21°C
Relative Humidity	56%
Atmospheric Pressure	1013mbar
Test date :	November 14, 2015
Tested By :	Winnie Zhang


Requirement(s):

Spec	Item	Requirement	Applicable
§2.1051, §22.917(a)& §24.238(a) § 27.53(h)	a)	The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB	☒
Test Setup	 Base Station Spectrum Analyzer EUT		
Test Procedure	- The EUT was connected to Spectrum Analyzer and Base Station via power divider. - The Band Edges of low and high channels for the highest RF powers were measured. - Setting RBW as roughly BW/100.		
Remark			
Result	☒ Pass ☐ Fail		


Test Data ☒ Yes ☐ N/A
 Test Plot ☒ Yes (See below) ☐ N/A

Test Plots 30MHz-5GHz


LTE Band 2 (Part 24E)




LTE Band 4 (Part27) result




LTE Band 5 (Part 22H)




LTE Band 7 (Part 27)




LTE Band 7 - Low Channel-1




LTE Band 7 - Low Channel-2




LTE Band 7 - Middle Channel-1



LTE Band 7 - Middle Channel-2




LTE Band 7 - High Channel-1




LTE Band 7 - High Channel-2


LTE Band 12 (Part 27)




LTE Band 12 - Low Channel-1




LTE Band 12 - Low Channel-2




LTE Band 12 - Middle Channel-1



LTE Band 12 - Middle Channel-2



LTE Band 12 - High Channel-1



LTE Band 12 - High Channel-2

6.7 Spurious Radiated Emissions

Temperature	22°C
Relative Humidity	55%
Atmospheric Pressure	1013mbar
Test date :	November 13, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§2.1053, §22.917 & §24.238 § 27.53(h)	a)	The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.	☒

Test setup	
------------	--

Test Procedure	- The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable. - The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis. - Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution. Sample Calculation: EUT Field Strength = Raw Amplitude (dBμV/m) – Amplifier Gain (dB) + Antenna Factor (dB) + Cable Loss (dB) + Filter Attenuation (dB, if used)
----------------	---

Remark	
Result	☒ Pass ☐ Fail

Test Data ☒ Yes ☐ N/A

Test Plot ☐ Yes (See below) ☒ N/A

LTE Band 2 (Part 24E) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3720	-45.38	V	10.25	2.73	-37.86	-13	-24.86
3720	-45.81	H	10.25	2.73	-38.29	-13	-25.29
53.8	-40.25	V	-4.2	0.11	-44.56	-13	-31.56
197.2	-49.36	H	4.6	0.18	-44.94	-13	-31.94

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3760	-45.41	V	10.25	2.73	-37.89	-13	-24.89
3760	-45.76	H	10.25	2.73	-38.24	-13	-25.24
53.5	-40.18	V	-4.2	0.11	-44.49	-13	-31.49
197.6	-49.31	H	4.6	0.18	-44.89	-13	-31.89

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3800	-45.46	V	10.36	2.73	-37.83	-13	-24.83
3800	-45.72	H	10.36	2.73	-38.09	-13	-25.09
53.3	-40.23	V	-4.2	0.11	-44.54	-13	-31.54
197.5	-49.29	H	4.6	0.18	-44.87	-13	-31.87

LTE Band 4(Part27) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3440	-45.13	V	10.06	2.52	-37.59	-13	-24.59
3440	-45.97	H	10.06	2.52	-38.43	-13	-25.43
53.3	-40.35	V	-4.2	0.11	-44.66	-13	-31.66
197.4	-49.41	H	4.6	0.18	-44.99	-13	-31.99

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3465	-45.22	V	10.09	2.52	-37.65	-13	-24.65
3465	-45.87	H	10.09	2.52	-38.3	-13	-25.30
53.9	-40.23	V	-4.2	0.11	-44.54	-13	-31.54
197.5	-49.48	H	4.6	0.18	-45.06	-13	-32.06

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3490	-45.16	V	10.09	2.52	-37.59	-13	-24.59
3490	-45.81	H	10.09	2.52	-38.24	-13	-25.24
53.6	-40.25	V	-4.2	0.11	-44.56	-13	-31.56
197.2	-49.53	H	4.6	0.18	-45.11	-13	-32.11

LTE Band 5(Part22H) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1658	-46.51	V	7.95	0.78	-39.34	-13	-26.34
1658	-46.97	H	7.95	0.78	-39.8	-13	-26.80
51.6	-41.23	V	-4.2	0.11	-45.54	-13	-32.54
195.2	-50.44	H	4.6	0.18	-46.02	-13	-33.02

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1673	-46.47	V	7.95	0.78	-39.3	-13	-26.30
1673	-46.91	H	7.95	0.78	-39.74	-13	-26.74
51.4	-41.18	V	-4.2	0.11	-45.49	-13	-32.49
195.8	-50.32	H	4.6	0.18	-45.9	-13	-32.90

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1688	-46.42	V	7.95	0.78	-39.25	-13	-26.25
1688	-46.87	H	7.95	0.78	-39.7	-13	-26.70
51.9	-41.26	V	-4.2	0.11	-45.57	-13	-32.57
195.3	-50.33	H	4.6	0.18	-45.91	-13	-32.91

LTE Band 7(Part27) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
5020	-49.16	V	10.29	0.98	-39.85	-13	-26.85
5020	-49.52	H	10.29	0.98	-40.21	-13	-27.21
54.3	-41.37	V	-4.2	0.11	-45.68	-13	-32.68
196.7	-50.14	H	4.6	0.18	-45.72	-13	-32.72

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
5070	-49.22	V	10.3	0.99	-39.91	-13	-26.91
5070	-49.56	H	10.3	0.99	-40.25	-13	-27.25
54.6	-41.43	V	-4.2	0.11	-45.74	-13	-32.74
196.2	-50.08	H	4.6	0.18	-45.66	-13	-32.66

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
5120	-49.28	V	10.32	1	-39.96	-13	-26.96
5120	-49.63	H	10.32	1	-40.31	-13	-27.31
54.1	-41.37	V	-4.2	0.11	-45.68	-13	-32.68
196.5	-50.12	H	4.6	0.18	-45.7	-13	-32.70

LTE Band 12(Part27) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1408	-48.35	V	7.65	0.75	-41.45	-13	-28.45
1408	-49.19	H	7.65	0.75	-42.29	-13	-29.29
54.2	-51.22	V	6.5	0.36	-45.08	-13	-32.08
198.3	-50.51	H	6.8	0.44	-44.15	-13	-31.15

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1415	-48.28	V	7.65	0.75	-41.38	-13	-28.38
1415	-49.22	H	7.65	0.75	-42.32	-13	-29.32
54.5	-51.27	V	6.5	0.36	-45.13	-13	-32.13
198.8	-50.43	H	6.8	0.44	-44.07	-13	-31.07


High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1422	-48.33	V	7.65	0.75	-41.43	-13	-28.43
1422	-49.18	H	7.65	0.75	-42.28	-13	-29.28
54.7	-51.12	V	6.5	0.36	-44.98	-13	-31.98
198.4	-50.37	H	6.8	0.44	-44.01	-13	-31.01

6.8 Band Edge

Temperature	21°C
Relative Humidity	57%
Atmospheric Pressure	1013mbar
Test date :	November 16, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§22.917(a) §24.238(a) § 27.53(h)	a)	The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.	☒
Test setup	 The diagram illustrates the test setup. On the left is a green box labeled 'Base Station'. In the center is another green box labeled 'Spectrum Analyzer'. On the right is a blue box labeled 'EUT'. A line connects the Base Station to the Spectrum Analyzer. Another line connects the Spectrum Analyzer to a small black box (power divider), which then connects to the EUT.		
Procedure	- The EUT was connected to Spectrum Analyzer and Base Station via power divider. - The Band Edges of low and high channels for the highest RF powers were measured. Setting RBW as roughly BW/100.		
Remark			
Result	☒ Pass ☐ Fail		

Test Data ☒ Yes ☐ N/A

Test Plot ☒ Yes (See below) ☐ N/A

LTE Band 2 (Part 24E) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
1.4	18607	1850.7	QPSK	-16.39	-13
			16QAM	-18.43	-13
1.4	18900	1909.3	QPSK	-16.59	-13
			16QAM	-16.66	-13
3	18615	1851.5	QPSK	-14.06	-13
			16QAM	-16.22	-13
3	19185	1908.5	QPSK	-16.00	-13
			16QAM	-17.05	-13
5	18625	1852.5	QPSK	-19.21	-13
			16QAM	-19.38	-13
5	19175	1907.5	QPSK	-22.09	-13
			16QAM	-23.00	-13
10	18650	1855	QPSK	-18.37	-13
			16QAM	-22.14	-13
10	19150	1905	QPSK	-23.30	-13
			16QAM	-24.37	-13
15	18675	1857.5	QPSK	-18.59	-13
			16QAM	-20.07	-13
15	19125	1902.5	QPSK	-23.54	-13
			16QAM	-24.24	-13
20	18700	1860	QPSK	-19.45	-13
			16QAM	-22.86	-13
20	19100	1900	QPSK	-22.84	-13
			16QAM	-21.99	-13

LTE Band 4 (Part 27) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
1.4	19957	1710.7	QPSK	-24.76	-13
			16QAM	-25.19	-13
1.4	20393	1754.3	QPSK	-26.09	-13
			16QAM	-27.84	-13
3	19965	1711.5	QPSK	-22.18	-13
			16QAM	-24.70	-13
3	20385	1753.5	QPSK	-23.54	-13
			16QAM	-27.24	-13
5	19975	1712.5	QPSK	-20.41	-13
			16QAM	-21.47	-13
5	20375	1752.5	QPSK	-21.41	-13
			16QAM	-23.39	-13
10	20000	1715	QPSK	-18.05	-13
			16QAM	-23.38	-13
10	20350	1750	QPSK	-21.83	-13
			16QAM	-25.26	-13
15	20025	1717.5	QPSK	-19.15	-13
			16QAM	-23.23	-13
15	20325	1747.5	QPSK	-24.26	-13
			16QAM	-26.53	-13
20	20050	1720	QPSK	-21.58	-13
			16QAM	-19.98	-13
20	20300	1745	QPSK	-27.52	-13
			16QAM	-27.44	-13

LTE Band 5 (Part 22H) result


BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
1.4	20407	824.7	QPSK	-25.55	-13
			16QAM	-25.13	-13
1.4	20643	848.3	QPSK	-30.33	-13
			16QAM	-29.43	-13
3	20415	825.5	QPSK	-25.12	-13
			16QAM	-23.55	-13
3	20635	847.5	QPSK	-25.76	-13
			16QAM	-24.70	-13
5	20425	826.5	QPSK	-19.01	-13
			16QAM	-20.59	-13
5	20625	846.5	QPSK	-21.42	-13
			16QAM	-21.47	-13
10	20450	829	QPSK	-19.64	-13
			16QAM	-21.36	-13
10	20800	844	QPSK	-21.50	-13
			16QAM	-23.07	-13


LTE Band 12 (Part 27) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
1.4	23017	699.7	QPSK	-17.20	-13
			16QAM	-18.66	-13
1.4	23173	715.3	QPSK	-19.31	-13
			16QAM	-15.56	-13
3	23025	700.5	QPSK	-20.42	-13
			16QAM	-22.38	-13
3	23165	714.5	QPSK	-21.04	-13
			16QAM	-22.63	-13
5	23035	701.5	QPSK	-19.40	-13
			16QAM	-20.84	-13
5	23155	713.5	QPSK	-18.92	-13
			16QAM	-20.00	-13
10	23060	704	QPSK	-22.04	-13
			16QAM	-26.12	-13
10	23130	711	QPSK	-21.51	-13
			16QAM	-25.23	-13

Test Plots


LTE Band 2 (Part 24E)






LTE Band 2 - Low Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(30.87/30)=4.5+0.1=4.6 dB




LTE Band 2 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(30.89/30)=4.5+0.1=4.6 dB




LTE Band 2 - Low Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(30.8/30)=4.5+0.1=4.6 dB




LTE Band 2 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(31.36/30)=4.5+0.2=4.7 dB




LTE Band 2 - Low Channel QPSK-5




LTE Band 2 - High Channel QPSK-5

Note: Offset=Cable loss (4.5) + 10log
(50.59/30)=4.5+2.3=6.8 dB




LTE Band 2 - Low Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.45/30)=4.5+2.3=6.8 dB




LTE Band 2 - Low Channel QPSK-10




LTE Band 2 - Low Channel 16QAM-10

Note: Offset=Cable loss (4.5) + 10log
(50.59/30)=4.5+2.3=6.8 dB




LTE Band 2 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.86/30)=4.5+2.3=6.8 dB




LTE Band 2 - High Channel QPSK-10




LTE Band 2 - High Channel 16QAM-10

Note: Offset=Cable loss (4.5) + 10log
(101.5/100)=4.5+0.0=4.5 dB



LTE Band 2 - Low Channel QPSK-15


Note: Offset=Cable loss (4.5) + 10log
(148.2/100)=4.5+1.7=6.2 dB



LTE Band 2 - Low Channel 16QAM-15


Note: Offset=Cable loss (4.5) + 10log
(147.6/100)=4.5+1.7=6.2 dB

Note: Offset=Cable loss (4.5) + 10log
(101.5/100)=4.5+0.0=4.5 dB




LTE Band 2 - High Channel QPSK-15

Note: Offset=Cable loss (4.5) + 10log
(149.3/100)=4.5+1.7=6.2 dB




LTE Band 2 - High Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log
(151.2/100)=4.5+1.8=6.3 dB




LTE Band 2 - Low Channel QPSK-20

Note: Offset=Cable loss (4.5) + 10log
(195/100)=4.5+2.9=7.4 dB




LTE Band 2 - High Channel QPSK-20

Note: Offset=Cable loss (4.5) + 10log
(192.9/100)=4.5+2.9=7.4 dB



LTE Band 2 - Low Channel 16QAM-20


Note: Offset=Cable loss (4.5) + 10log
(193.2/100)=4.5+2.9=7.4 dB




LTE Band 2 - High Channel 16QAM-20

Note: Offset=Cable loss (4.5) + 10log
(196.4/100)=4.5+2.9=7.4 dB


LTE Band 4 (Part 27)






LTE Band 4 - Low Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(30.87/30)=4.5+0.1=4.6 dB




LTE Band 4 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(30.76/30)=4.5+0.1=4.6 dB




LTE Band 4 - Low Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(30.73/30)=4.5+0.1=4.6 dB




LTE Band 4 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(30.75/30)=4.5+0.1=4.6 dB




LTE Band 4 - Low Channel QPSK-5




LTE Band 4 - High Channel QPSK-5

Note: Offset=Cable loss (4.5) + 10log
(50.54/30)=4.5+2.3=6.8 dB




LTE Band 4 - Low Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.92/30)=4.5+2.3=6.8 dB




LTE Band 4 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.91/30)=4.5+2.3=6.8 dB




LTE Band 4 - Low Channel QPSK-10


Note: Offset=Cable loss (4.5) + 10log
(50.73/30)=4.5+2.3=6.8 dB




LTE Band 4 - High Channel QPSK-10



LTE Band 4 - Low Channel 16QAM-10




LTE Band 4 - High Channel 16QAM-10




LTE Band 4 - Low Channel QPSK-15

Note: Offset=Cable loss (4.5) + 10log
(148.3/100)=4.5+1.7=6.2 dB




LTE Band 4 - High Channel QPSK-15

Note: Offset=Cable loss (4.5) + 10log
(148.8/100)=4.5+1.7=6.2 dB




LTE Band 4 - Low Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log
(147.5/100)=4.5+1.7=6.2 dB




LTE Band 4 - High Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log
(147.3/100)=4.5+1.7=6.2 dB




LTE Band 4 - Low Channel QPSK-20



LTE Band 4 - High Channel QPSK-20

Test Report	15050043-FCC-R5
Page	110 of 139


Note: Offset=Cable loss (4.5) + 10log
(192.3/100)=4.5+2.8=7.3 dB



LTE Band 4 - Low Channel 16QAM-20

Note: Offset=Cable loss (4.5) + 10log
(192.9/100)=4.5+2.9=7.4 dB

Note: Offset=Cable loss (4.5) + 10log
(191.5/100)=4.5+2.8=7.3 dB




LTE Band 4 - High Channel 16QAM-20

Note: Offset=Cable loss (4.5) + 10log
(191.6/100)=4.5+2.8=7.3 dB


LTE Band 5 (Part 22H)

Agilent R T Ref 30 dBm Atten 35 dB Mkr1 823.957 MHz -25.55 dBm #Samp Log 10 dB/ Offset 5.5 dB DI -13.0 dBm M1 S2 S3 FC AA Center 824 MHz Span 5 MHz #Res BW 10 kHz #VBW 30 kHz Sweep 81.9 ms (1000 pts)	Agilent R T Ref 30 dBm Atten 35 dB Mkr1 849.093 MHz -30.33 dBm #Samp Log 10 dB/ Offset 5.6 dB DI -13.0 dBm M1 S2 S3 FC AA Center 849 MHz Span 5 MHz #Res BW 10 kHz #VBW 30 kHz Sweep 81.9 ms (1000 pts)
LTE Band 5 - Low Channel QPSK-1.4	LTE Band 5 - High Channel QPSK-1.4
Note: Offset=Cable loss (4.5) + 10log (12.64/10)=4.5+1.0=5.5 dB	Note: Offset=Cable loss (4.5) + 10log (12.78/10)=4.5+1.1=5.6 dB
Agilent R T Ref 30 dBm Atten 35 dB Mkr1 823.912 MHz -25.13 dBm #Samp Log 10 dB/ Offset 5.5 dB DI -13.0 dBm M1 S2 S3 FC AA Center 824 MHz Span 5 MHz #Res BW 10 kHz #VBW 30 kHz Sweep 81.9 ms (1000 pts)	Agilent R T Ref 30 dBm Atten 35 dB Mkr1 849.008 MHz -29.43 dBm #Samp Log 10 dB/ Offset 5.5 dB DI -13.0 dBm M1 S2 S3 FC AA Center 849 MHz Span 5 MHz #Res BW 10 kHz #VBW 30 kHz Sweep 81.9 ms (1000 pts)
LTE Band 5 - Low Channel 16QAM-1.4	LTE Band 5 - High Channel 16QAM-1.4
Note: Offset=Cable loss (4.5) + 10log (12.69/10)=4.5+1.0=5.5 dB	Note: Offset=Cable loss (4.5) + 10log (12.55/10)=4.5+1.0=5.5 dB




LTE Band 5 - Low Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(30.98/30)=4.5+0.1=4.6 dB




LTE Band 5 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(31.07/30)=4.5+0.2=4.7 dB




LTE Band 5 - Low Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(30.97/30)=4.5+0.1=4.6 dB




LTE Band 5 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(30.87/30)=4.5+0.1=4.6 dB




LTE Band 5 - Low Channel QPSK-5




LTE Band 5 - High Channel QPSK-5

Note: Offset=Cable loss (4.5) + 10log
(50.22/30)=4.5+2.2=6.7 dB




LTE Band 5 - Low Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.01/30)=4.5+2.2=6.7 dB




LTE Band 5 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.74/30)=4.5+2.3=6.8 dB




LTE Band 5 - Low Channel QPSK-10


Note: Offset=Cable loss (4.5) + 10log
(50.52/30)=4.5+2.3=6.8 dB



LTE Band 5 - High Channel QPSK-10





LTE Band 5 - Low Channel 16QAM-10



LTE Band 5 - High Channel 16QAM-10


LTE Band 12 (Part 27)






LTE Band 12 - Low Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(32.08/30)=4.5+0.3=4.8 dB




LTE Band 12 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log
(30.62/30)=4.5+0.1=4.6 dB




LTE Band 12 - Low Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(31.07/30)=4.5+0.2=4.7 dB




LTE Band 12 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log
(30.87/30)=4.5+0.1=4.6 dB




LTE Band 12 - Low Channel QPSK-5




LTE Band 12 - High Channel QPSK-5

Note: Offset=Cable loss (4.5) + 10log
(52.79/30)=4.5+2.5=7.0 dB




LTE Band 12 - Low Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(49.57/30)=4.5+2.2=6.7 dB




LTE Band 12 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(50.44/30)=4.5+2.3=6.8 dB




LTE Band 12 - Low Channel QPSK-10


Note: Offset=Cable loss (4.5) + 10log
(50.23/30)=4.5+2.2=6.7 dB



LTE Band 12 - High Channel QPSK-10



LTE Band 12 - Low Channel 16QAM-10




LTE Band 12 - High Channel 16QAM-10

6.9 Band Edge 27.53(m)

Temperature	21°C
Relative Humidity	57%
Atmospheric Pressure	1013mbar
Test date :	November 16, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Requirement	Applicable
§27.53(m)	According to FCC 27.53(m)(4) specified that power of any emission outside of the channel edge must be attenuated below the transmitting power(P) by a factor shall be not less than $43+10\log(P)$ dB at the channel edge, the limit of emission equal to -13dBm. And $55+10\log(P)$ dB at 5.5MHz from the channel edges, the limit of emission equal to -25dBm. In the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.	☒
Test Setup	 Base Station Spectrum Analyzer EUT	
Test Procedure	- The EUT was connected to Spectrum Analyzer and Base Station via power divider. - The 99% and 26 dB occupied bandwidth (BW) of the middle channel for the highest RF powers.	
Remark		
Result	☒ Pass ☐ Fail	


Test Data ☒ Yes ☐ N/A

Test Plot ☒ Yes (See below) ☐ N/A

LTE Band 7 (Part 27) result


BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
5	20775	2502.5	QPSK	-14.77	-13
			16QAM	-19.93	-13
5	21425	2567.5	QPSK	-15.21	-13
			16QAM	-18.40	-13
10	20800	2505	QPSK	-16.28	-13
			16QAM	-21.50	-13
10	21400	2562.5	QPSK	-19.18	-13
			16QAM	-22.33	-13
15	20825	2507.5	QPSK	-13.44	-13
			16QAM	-18.58	-13
15	21400	2562.5	QPSK	-20.56	-13
			16QAM	-23.76	-13
20	20850	2510	QPSK	-16.67	-13
			16QAM	-20.65	-13
20	21350	2560	QPSK	-21.03	-13
			16QAM	-20.48	-13

LTE Band 7 (Part 27)




LTE Band 7 - Low Channel QPSK-5

Note: Offset=Cable loss (4.5) + 10log
(77.58/30)=4.5+4.1=8.6 dB




LTE Band 7 - High Channel QPSK-5

Note: Offset=Cable loss (4.5) + 10log
(75.19/30)=4.5+4.0=8.5 dB




LTE Band 7 - Low Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log
(58.98/30)=4.5+2.9=7.4 dB




LTE Band 7 - High Channel 16QAM-5


Note: Offset=Cable loss (4.5) + 10log
(59.04/30)=4.5+2.9=7.4 dB




LTE Band 7 - Low Channel QPSK-10




LTE Band 7 - High Channel QPSK-10




LTE Band 7 - Low Channel 16QAM-10



LTE Band 7 - High Channel 16QAM-10




LTE Band 7 - Low Channel QPSK-15



LTE Band 7 - High Channel QPSK-15


Note: Offset=Cable loss (4.5) + 10log
(213.3/100)=4.5+3.3=7.8 dB

Note: Offset=Cable loss (4.5) + 10log
(196.7/100)=4.5+2.9=7.4 dB




LTE Band 7 - Low Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log
(188.9/100)=4.5+2.8=7.3 dB




LTE Band 7 - High Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log
(149.9/100)=4.5+1.8=6.3 dB




LTE Band 7 - Low Channel QPSK-20

Note: Offset=Cable loss (4.5) + 10log
(205.5/100)=4.5+3.1=7.6 dB



LTE Band 7 - High Channel QPSK-20

Note: Offset=Cable loss (4.5) + 10log
(201.4/100)=4.5+3.0=7.5 dB




6.10 Frequency Stability

Temperature	21°C
Relative Humidity	57%
Atmospheric Pressure	1013mbar
Test date :	November 16, 2015
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable																																
§2.1055, §22.355 & §24.235 § 27.5(h); § 27.54	a)	According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below: Frequency Tolerance for Transmitters in the Public Mobile Services <table border="1"> <thead> <tr> <th>Frequency Range (MHz)</th><th>Base, fixed (ppm)</th><th>Mobile ≤ 3 watts (ppm)</th><th>Mobile ≤ 3 watts (ppm)</th></tr> </thead> <tbody> <tr> <td>25 to 50</td><td>20.0</td><td>20.0</td><td>50.0</td></tr> <tr> <td>to 450</td><td>5.0</td><td>5.0</td><td>50.0</td></tr> <tr> <td>450 to 512</td><td>2.5</td><td>5.0</td><td>5 0</td></tr> <tr> <td>821 to 896</td><td>1.5</td><td>2.5</td><td>2.5</td></tr> <tr> <td>928 to 929.</td><td>5.0</td><td>N/A</td><td>N/A</td></tr> <tr> <td>929 to 960.</td><td>1.5</td><td>N/A</td><td>N/A</td></tr> <tr> <td>2110 to 2220</td><td>1 .0</td><td>N/A</td><td>N/A</td></tr> </tbody> </table> According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized frequency block. According to §27.54, The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.	Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile ≤ 3 watts (ppm)	25 to 50	20.0	20.0	50.0	to 450	5.0	5.0	50.0	450 to 512	2.5	5.0	5 0	821 to 896	1.5	2.5	2.5	928 to 929.	5.0	N/A	N/A	929 to 960.	1.5	N/A	N/A	2110 to 2220	1 .0	N/A	N/A	☒
Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile ≤ 3 watts (ppm)																																
25 to 50	20.0	20.0	50.0																																
to 450	5.0	5.0	50.0																																
450 to 512	2.5	5.0	5 0																																
821 to 896	1.5	2.5	2.5																																
928 to 929.	5.0	N/A	N/A																																
929 to 960.	1.5	N/A	N/A																																
2110 to 2220	1 .0	N/A	N/A																																

Test setup	 Base Station EUT Thermal Chamber
Procedure	A communication link was established between EUT and base station. The frequency error was monitored and measured by base station under variation of ambient temperature and variation of primary supply voltage. Limit: The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.
Remark	Frequency Stability versus Temperature: The Frequency tolerance of the carrier signal shall be maintained within 2.5ppm of the operating frequency over a temperature variation of -10°C to $+55^{\circ}\text{C}$ at normal supply voltage.
Result	☒ Pass ☐ Fail

Test Data ☒ Yes ☐ N/A

Test Plot ☐ Yes (See below) ☒ N/A

LTE Band 2 (Part 24E) result

Middle Channel, $f_0 = 1880$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10	3.7	-5	0.0027	2.5
0		-7	0.0037	2.5
10		-4	0.0021	2.5
20		-6	0.0032	2.5
30		-10	0.0053	2.5
40		-8	0.0043	2.5
50		-11	0.0059	2.5
55		-9	0.0048	2.5
25	4.2	-8	0.0043	2.5
	3.5	-12	0.0064	2.5

LTE Band 4 (Part 27) result

Middle Channel, $f_0 = 1732.5$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10	3.7	-10	0.0058	2.5
0		-13	0.0075	2.5
10		-14	0.0081	2.5
20		-15	0.0087	2.5
30		-11	0.0063	2.5
40		-12	0.0069	2.5
50		-11	0.0063	2.5
55		-14	0.0081	2.5
25	4.2	-13	0.0075	2.5
	3.5	-15	0.0087	2.5

LTE Band 5 (Part 22H) result

Middle Channel, $f_0 = 1732.5$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10	3.7	7	0.0084	2.5
0		5	0.0060	2.5
10		4	0.0048	2.5
20		6	0.0072	2.5
30		10	0.0120	2.5
40		11	0.0132	2.5
50		10	0.0120	2.5
55		12	0.0143	2.5
25	4.2	9	0.0108	2.5
	3.5	12	0.0143	2.5

LTE Band 7 (Part 27) result

Middle Channel, $f_0 = 2535$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10	3.7	-12	0.0047	2.5
0		-10	0.0039	2.5
10		-13	0.0051	2.5
20		-11	0.0043	2.5
30		-9	0.0036	2.5
40		-11	0.0043	2.5
50		-8	0.0032	2.5
55		-14	0.0055	2.5
25	4.2	-9	0.0036	2.5
	3.5	-12	0.0047	2.5

LTE Band 12 (Part 27) result


Middle Channel, $f_0 = 707.5\text{MHz}$				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10	3.7	-7	0.0037	2.5
0		-9	0.0048	2.5
10		-10	0.0053	2.5
20		-12	0.0064	2.5
30		-13	0.0069	2.5
40		-11	0.0059	2.5
50		-8	0.0043	2.5
55		-10	0.0053	2.5
25	4.2	-11	0.0059	2.5
	3.5	-13	0.0069	2.5

Annex A. TEST INSTRUMENT

Instrument	Model	Serial #	Cal Date	Cal Due	In use
RF Conducted Test					
Agilent ESA-E SERIES SPECTRUM ANALYZER	E4407B	MY45108319	09/16/2015	09/15/2016	☒
Power Splitter	1#	1#	09/01/2015	08/31/2016	☒
Universal Radio Communication Tester	CMU200	121393	09/25/2015	09/24/2016	☒
Wideband Radio Communication Tester	CMW500	120906	03/28/2015	03/27/2016	☒
Temperature/Humidity Chamber	UHL-270	001	10/09/2015	10/08/2016	☒
DC Power Supply	E3640A	MY40004013	09/17/2015	09/16/2016	☒
Radiated Emissions					
EMI test receiver	ESL6	100262	09/17/2015	09/16/2016	☒
OPT 010 AMPLIFIER (0.1-1300MHz)	8447E	2727A02430	09/01/2015	08/31/2016	☒
Microwave Preamplifier (0.5 ~ 18GHz)	PAM-118	443008	09/01/2015	08/31/2016	☒
Bilog Antenna (30MHz~6GHz)	JB6	A110712	09/21/2015	09/20/2016	☒
Bilog Antenna (30MHz~2GHz)	JB1	A112017	09/21/2015	09/20/2016	☒
Double Ridge Horn Antenna (1 ~18GHz)	AH-118	71259	09/24/2015	09/23/2016	☒
Double Ridge Horn Antenna (1 ~18GHz)	AH-118	71283	09/24/2015	09/23/2016	☒
SYNTHESIZED SIGNAL GENERATOR	8665B	3744A01293	09/17/2015	09/16/2016	☒
Tunable Notch Filter	3NF-800/1000-S	AA4	09/01/2015	08/31/2016	☒
Tunable Notch Filter	3NF-1000/2000-S	AM 4	09/01/2015	08/31/2016	☒

Annex B. EUT And Test Setup Photographs

Annex B.i. Photograph: EUT External Photo






EUT - Top View



EUT - Bottom View



EUT - Left View




EUT - Right View


Annex B.ii. Photograph: EUT Internal Photo




Cover Off - Top View




Battery - Front View




Battery - Rear View




Mini Mainboard - Front View




Mini Mainboard - Rear View




Mainboard with Shielding - Front View



Mainboard without Shielding - Front View




Mainboard with Shielding - Rear View




Mainboard without Shielding - Rear View



LCD - Front View




LCD - Rear View




GSM/PCS/UMTS-FDD/LTE Antenna View

Test Report	15050043-FCC-R5
Page	133 of 139




WIFI/BT/BLE - Antenna View




GPS - Antenna View

Annex B.iii. Photograph: Test Setup Photo



Radiated Spurious Emissions Test Setup Below 1GHz




Radiated Spurious Emissions Test Setup Above
1GHz

Annex C. TEST SETUP AND SUPPORTING EQUIPMENT

Annex C.ii. TEST SET UP BLOCK

Block Configuration Diagram for Radiated Emissions



Annex C. ii. SUPPORTING EQUIPMENT DESCRIPTION

The following is a description of supporting equipment and details of cables used with the EUT.

Manufacturer	Equipment Description	Model	Calibration Date	Calibration Due Date
N/A	N/A	N/A	N/A	N/A

Test Report	15050043-FCC-R5
Page	137 of 139

Annex C.ii. EUT OPERATING CONKITIONS

N/A

Test Report	15050043-FCC-R5
Page	138 of 139

Annex D. User Manual / Block Diagram / Schematics / Partlist

Please see attachment

Test Report	15050043-FCC-R5
Page	139 of 139

Annex E. DECLARATION OF SIMILARITY

As shown below

To SIEMIC Inc
775 Montague Expressway
Milpitas, CA 95035.

Statement

We, b Mobile HK Limited apply a multiple-listing certification for the below models.


Product Name: Mobile phone

Model number: AX1095/B1+

FCC ID: ZSW-30-018

We hereby state that these models are identical in interior structure, electrical circuits and components, and just model name is different for the marketing requirement.

Your assistance on this matter is highly appreciated.
~~Assistance on this~~
b mobile HK Limited



Sincerely,
Authorized Signature(s)

Name: KA SHING LAM

Title: Director

Signature: