

		826.5	24.5	23.62	0	22.87	1
	1RB Low (0)	846.5	24.5	23.77	0	22.99	1
		836.5	24.5	23.84	0	22.97	1
		826.5	24.5	23.77	0	22.86	1
		12RB High (13)	846.5	24.5	22.69	1	21.87
	836.5		24.5	22.78	1	21.95	2
	826.5		24.5	22.73	1	21.91	2
	12RB Middle (6)	846.5	24.5	22.74	1	21.92	2
		836.5	24.5	22.86	1	21.92	2
		826.5	24.5	22.86	1	21.94	2
	12RB Low (0)	846.5	24.5	22.70	1	21.87	2
		836.5	24.5	22.85	1	21.93	2
		826.5	24.5	22.79	1	21.76	2
	25RB (0)	846.5	24.5	22.71	1	21.79	2
		836.5	24.5	22.80	1	21.87	2
		826.5	24.5	22.72	1	21.70	2
10 MHz	1RB High (49)	844.0	24.5	23.73	0	23.11	1
		836.5	24.5	23.84	0	23.14	1
		829.0	24.5	23.95	0	23.23	1
	1RB Middle (24)	844.0	24.5	23.81	0	22.93	1
		836.5	24.5	24.00	0	23.01	1
		829.0	24.5	23.66	0	22.96	1
	1RB Low (0)	844.0	24.5	23.65	0	23.51	1
		836.5	24.5	23.79	0	23.02	1
		829.0	24.5	23.41	0	22.63	1
	25RB High (25)	844.0	24.5	22.71	1	21.79	2
		836.5	24.5	22.76	1	21.74	2
		829.0	24.5	22.95	1	22.01	2
	25RB Middle (12)	844.0	24.5	22.79	1	21.76	2
		836.5	24.5	22.89	1	21.86	2
		829.0	24.5	22.86	1	21.83	2
	25RB Low (0)	844.0	24.5	22.87	1	21.74	2
		836.5	24.5	22.92	1	22.09	2
		829.0	24.5	22.78	1	21.85	2
	50RB (0)	844.0	24.5	22.75	1	21.79	2
		836.5	24.5	22.80	1	21.84	2
		829.0	24.5	22.86	1	21.91	2
Band 12							
Bandwidth (MHz)	RB allocation	Frequency (MHz)	Max. Target Power (dBm)	QPSK		16QAM	
	RB offset (Start RB)			Actual output power (dBm)	MPR	Actual output power (dBm)	MPR
1.4 MHz	1RB High (5)	715.3	24	23.40	0	22.98	1
		707.5	24	23.35	0	22.59	1
		699.7	24	23.29	0	22.23	1
	1RB Middle (3)	715.3	24	23.24	0	22.83	1
		707.5	24	23.59	0	22.62	1

	1RB Low (0)	699.7	24	23.49	0	22.44	1
		715.3	24	23.55	0	22.79	1
		707.5	24	23.40	0	22.50	1
	3RB High (3)	699.7	24	23.33	0	22.14	1
		715.3	24	23.36	0	22.19	1
		707.5	24	23.38	0	22.45	1
	3RB Middle (1)	699.7	24	23.50	0	22.35	1
		715.3	24	23.46	0	22.38	1
		707.5	24	23.40	0	22.72	1
	3RB Low (0)	699.7	24	23.42	0	22.36	1
		715.3	24	23.36	0	22.05	1
		707.5	24	23.41	0	22.52	1
	6RB (0)	699.7	24	23.36	0	22.27	1
		715.3	24	22.31	1	21.10	2
		707.5	24	22.38	1	21.41	2
3 MHz	1RB High (14)	699.7	24	22.42	1	21.25	2
		714.5	24	23.21	0	22.83	1
		707.5	24	23.53	0	22.74	1
	1RB Middle (7)	700.5	24	23.11	0	22.36	1
		714.5	24	23.37	0	22.68	1
		707.5	24	23.38	0	22.76	1
	1RB Low (0)	700.5	24	23.39	0	22.68	1
		714.5	24	23.48	0	22.55	1
		707.5	24	23.39	0	22.90	1
	8RB High (7)	700.5	24	23.57	0	22.82	1
		714.5	24	22.33	1	21.43	2
		707.5	24	22.43	1	21.53	2
	8RB Middle (4)	700.5	24	22.25	1	21.35	2
		714.5	24	22.28	1	21.41	2
		707.5	24	22.39	1	21.50	2
	8RB Low (0)	700.5	24	22.42	1	21.54	2
		714.5	24	22.39	1	21.50	2
		707.5	24	22.35	1	21.45	2
	15RB (0)	700.5	24	22.45	1	21.66	2
		714.5	24	22.30	1	21.28	2
		707.5	24	22.49	1	21.55	2
5 MHz	1RB High (24)	700.5	24	22.29	1	21.26	2
		713.5	24	23.29	0	22.48	1
		707.5	24	23.45	0	22.47	1
	1RB Middle (12)	701.5	24	23.31	0	22.47	1
		713.5	24	23.39	0	22.60	1
		707.5	24	23.29	0	22.19	1
	1RB Low (0)	701.5	24	23.19	0	22.53	1
		713.5	24	23.38	0	22.49	1
		707.5	24	23.24	0	22.20	1
	12RB High (13)	701.5	24	23.40	0	22.61	1
		713.5	24	22.28	1	21.36	2
		707.5	24	22.47	1	21.55	2
		701.5	24	22.20	1	21.40	2

	12RB Middle (6)	713.5	24	22.35	1	21.39	2
		707.5	24	22.44	1	21.48	2
		701.5	24	22.27	1	21.44	2
	12RB Low (0)	713.5	24	22.35	1	21.42	2
		707.5	24	22.31	1	21.52	2
		701.5	24	22.45	1	21.53	2
	25RB (0)	713.5	24	22.31	1	21.39	2
		707.5	24	22.48	1	21.62	2
		701.5	24	22.25	1	21.43	2
10 MHz	1RB High (49)	711	24	23.46	0	22.77	1
		707.5	24	23.41	0	22.52	1
		704	24	23.32	0	22.88	1
	1RB Middle (24)	711	24	23.56	0	22.68	1
		707.5	24	23.66	0	22.98	1
		704	24	23.57	0	22.94	1
	1RB Low (0)	711	24	23.47	0	22.99	1
		707.5	24	23.16	0	22.93	1
		704	24	23.38	0	22.83	1
	25RB High (25)	711	24	22.43	1	21.41	2
		707.5	24	22.34	1	21.31	2
		704	24	22.40	1	21.39	2
	25RB Middle (12)	711	24	22.45	1	21.58	2
		707.5	24	22.38	1	21.35	2
		704	24	22.23	1	21.38	2
	25RB Low (0)	711	24	22.44	1	21.37	2
		707.5	24	22.36	1	21.43	2
		704	24	22.31	1	21.28	2
	50RB (0)	711	24	22.32	1	21.36	2
		707.5	24	22.44	1	21.49	2
		704	24	22.25	1	21.41	2

Table 11.16: The conducted Power for LTE for body

Band 2							
Bandwidth (MHz)	RB allocation	Frequency (MHz)	Max. Target Power (dBm)	QPSK		16QAM	
	RB offset (Start RB)			Actual output power (dBm)	MPR	Actual output power (dBm)	MPR
1.4 MHz	1RB High (5)	1909.3	24.8	23.16	0	22.76	1
		1880	24.8	23.23	0	23.00	1
		1850.7	24.8	23.26	0	22.78	1
	1RB Middle (3)	1909.3	24.8	23.21	0	22.37	1
		1880	24.8	23.07	0	23.04	1
		1850.7	24.8	23.43	0	22.77	1
	1RB Low (0)	1909.3	24.8	23.27	0	22.76	1
		1880	24.8	23.12	0	22.75	1
		1850.7	24.8	23.35	0	22.67	1
	3RB High (3)	1909.3	24.8	23.45	0	22.27	1
		1880	24.8	23.17	0	22.22	1

	3RB Middle (1)	1850.7	24.8	23.14	0	22.28	1
		1909.3	24.8	23.38	0	22.22	1
		1880	24.8	23.52	0	22.16	1
		1850.7	24.8	23.22	0	22.52	1
	3RB Low (0)	1909.3	24.8	23.16	0	22.41	1
		1880	24.8	23.25	0	22.20	1
		1850.7	24.8	23.18	0	22.49	1
	6RB (0)	1909.3	24.8	22.32	1	21.31	2
		1880	24.8	22.20	1	21.32	2
		1850.7	24.8	22.37	1	21.42	2
3 MHz	1RB High (14)	1908.5	24.8	22.89	0	22.30	1
		1880	24.8	23.16	0	22.21	1
		1851.5	24.8	23.17	0	22.27	1
	1RB Middle (7)	1908.5	24.8	23.25	0	22.41	1
		1880	24.8	22.96	0	23.02	1
		1851.5	24.8	23.11	0	22.32	1
	1RB Low (0)	1908.5	24.8	23.28	0	22.42	1
		1880	24.8	23.10	0	22.77	1
		1851.5	24.8	23.19	0	23.08	1
	8RB High (7)	1908.5	24.8	22.24	1	21.47	2
		1880	24.8	22.41	1	21.40	2
		1851.5	24.8	22.28	1	21.37	2
	8RB Middle (4)	1908.5	24.8	22.31	1	21.55	2
		1880	24.8	22.23	1	21.44	2
		1851.5	24.8	22.27	1	21.38	2
	8RB Low (0)	1908.5	24.8	22.34	1	21.47	2
		1880	24.8	22.31	1	21.52	2
		1851.5	24.8	22.35	1	21.39	2
	15RB (0)	1908.5	24.8	22.33	1	21.53	2
		1880	24.8	22.35	1	21.41	2
		1851.5	24.8	22.29	1	21.18	2
5 MHz	1RB High (24)	1907.5	24.8	23.11	0	22.49	1
		1880	24.8	23.28	0	22.38	1
		1852.5	24.8	23.37	0	22.36	1
	1RB Middle (12)	1907.5	24.8	23.39	0	22.67	1
		1880	24.8	23.07	0	22.26	1
		1852.5	24.8	23.24	0	22.41	1
	1RB Low (0)	1907.5	24.8	23.40	0	22.64	1
		1880	24.8	23.00	0	22.34	1
		1852.5	24.8	23.22	0	22.37	1
	12RB High (13)	1907.5	24.8	22.26	1	21.47	2
		1880	24.8	22.26	1	21.31	2
		1852.5	24.8	22.16	1	21.43	2

	12RB Middle (6)	1907.5	24.8	22.37	1	21.47	2
		1880	24.8	22.14	1	21.16	2
		1852.5	24.8	22.25	1	21.42	2
	12RB Low (0)	1907.5	24.8	22.35	1	21.52	2
		1880	24.8	22.15	1	21.09	2
		1852.5	24.8	22.27	1	21.34	2
	25RB (0)	1907.5	24.8	22.32	1	21.52	2
		1880	24.8	22.23	1	21.21	2
		1852.5	24.8	22.24	1	21.23	2
10 MHz	1RB High (49)	1905	24.8	23.43	0	22.76	1
		1880	24.8	23.26	0	22.70	1
		1855	24.8	23.25	0	22.43	1
	1RB Middle (24)	1905	24.8	23.44	0	22.50	1
		1880	24.8	23.41	0	22.13	1
		1855	24.8	23.07	0	22.33	1
	1RB Low (0)	1905	24.8	23.35	0	22.57	1
		1880	24.8	23.18	0	22.45	1
		1855	24.8	23.37	0	22.68	1
	25RB High (25)	1905	24.8	22.36	1	21.27	2
		1880	24.8	22.36	1	21.31	2
		1855	24.8	22.16	1	21.31	2
	25RB Middle (12)	1905	24.8	22.36	1	21.22	2
		1880	24.8	22.33	1	21.27	2
		1855	24.8	22.33	1	21.39	2
	25RB Low (0)	1905	24.8	22.46	1	21.44	2
		1880	24.8	22.29	1	21.44	2
		1855	24.8	22.29	1	21.35	2
	50RB (0)	1905	24.8	22.42	1	21.38	2
		1880	24.8	22.31	1	21.28	2
		1855	24.8	22.24	1	21.28	2
15 MHz	1RB High (74)	1902.5	24.8	22.95	0	23.14	1
		1880	24.8	23.10	0	22.96	1
		1857.5	24.8	23.29	0	22.45	1
	1RB Middle (37)	1902.5	24.8	23.46	0	22.74	1
		1880	24.8	23.30	0	22.75	1
		1857.5	24.8	22.92	0	22.32	1
	1RB Low (0)	1902.5	24.8	23.53	0	22.83	1
		1880	24.8	23.32	0	22.84	1
		1857.5	24.8	23.11	0	22.45	1
	36RB High (38)	1902.5	24.8	22.33	1	21.49	2
		1880	24.8	22.36	1	21.27	2
		1857.5	24.8	22.25	1	21.33	2
	36RB Middle (19)	1902.5	24.8	22.43	1	21.52	2
		1880	24.8	22.21	1	21.46	2
		1857.5	24.8	22.30	1	21.41	2
	36RB Low (0)	1902.5	24.8	22.51	1	21.71	2
		1880	24.8	22.41	1	21.39	2

		1857.5	24.8	22.33	1	21.42	2	
	75RB (0)	1902.5	24.8	22.42	1	21.48	2	
		1880	24.8	22.28	1	21.33	2	
		1857.5	24.8	22.18	1	21.34	2	
20 MHz	1RB High (99)	1900	24.8	23.58	0	22.17	1	
		1880	24.8	23.56	0	22.73	1	
		1860	24.8	23.28	0	22.50	1	
	1RB Middle (50)	1900	24.8	23.83	0	22.85	1	
		1880	24.8	23.62	0	22.75	1	
		1860	24.8	23.65	0	22.74	1	
	1RB Low (0)	1900	24.8	23.67	0	23.08	1	
		1880	24.8	23.50	0	22.65	1	
		1860	24.8	23.36	0	22.53	1	
	50RB High (50)	1900	24.8	22.46	1	21.43	2	
		1880	24.8	22.33	1	21.38	2	
		1860	24.8	22.30	1	21.25	2	
	50RB Middle (25)	1900	24.8	22.48	1	21.54	2	
		1880	24.8	22.33	1	21.47	2	
		1860	24.8	22.39	1	21.32	2	
	50RB Low (0)	1900	24.8	22.53	1	21.47	2	
		1880	24.8	22.40	1	21.43	2	
		1860	24.8	22.40	1	21.35	2	
	100RB (0)	1900	24.8	22.45	1	21.50	2	
		1880	24.8	22.31	1	21.23	2	
		1860	24.8	22.30	1	21.23	2	
	Band 4							
	Bandwidth (MHz)	RB allocation	Frequency (MHz)	Max. Target Power (dBm)	QPSK		16QAM	
		RB offset (Start RB)			Actual output power (dBm)	MPR	Actual output power (dBm)	MPR
1.4 MHz	1RB High (5)	1754.3	24.5	23.10	0	22.28	1	
		1732.5	24.5	23.19	0	22.99	1	
		1710.7	24.5	23.43	0	22.61	1	
	1RB Middle (3)	1754.3	24.5	23.10	0	22.96	1	
		1732.5	24.5	23.19	0	22.31	1	
		1710.7	24.5	23.34	0	22.62	1	
	1RB Low (0)	1754.3	24.5	23.08	0	22.24	1	
		1732.5	24.5	23.18	0	23.05	1	
		1710.7	24.5	23.37	0	22.58	1	
	3RB High (3)	1754.3	24.5	23.10	0	22.02	1	
		1732.5	24.5	23.28	0	22.34	1	
		1710.7	24.5	23.29	0	22.19	1	
	3RB Middle (1)	1754.3	24.5	23.60	0	22.17	1	
		1732.5	24.5	23.32	0	22.28	1	
		1710.7	24.5	23.14	0	22.17	1	
	3RB Low (0)	1754.3	24.5	23.09	0	21.90	1	
		1732.5	24.5	23.28	0	22.37	1	
		1710.7	24.5	23.30	0	22.04	1	
	6RB (0)	1754.3	24.5	22.13	1	20.87	2	
		1732.5	24.5	22.30	1	21.36	2	
		1710.7	24.5	22.18	1	21.13	2	
3 MHz	1RB	1753.5	24.5	23.11	0	22.12	1	

	High (14)	1732.5	24.5	23.14	0	22.02	1
		1711.5	24.5	23.23	0	22.66	1
	1RB Middle (7)	1753.5	24.5	23.12	0	22.19	1
		1732.5	24.5	23.25	0	22.27	1
		1711.5	24.5	23.31	0	22.52	1
	1RB Low (0)	1753.5	24.5	23.17	0	22.35	1
		1732.5	24.5	23.35	0	22.44	1
		1711.5	24.5	23.46	0	22.61	1
	8RB High (7)	1753.5	24.5	22.21	1	21.30	2
		1732.5	24.5	22.35	1	21.45	2
		1711.5	24.5	22.15	1	21.35	2
	8RB Middle (4)	1753.5	24.5	22.17	1	21.27	2
		1732.5	24.5	22.33	1	21.45	2
		1711.5	24.5	22.23	1	21.34	2
	8RB Low (0)	1753.5	24.5	22.16	1	21.35	2
		1732.5	24.5	22.36	1	21.46	2
		1711.5	24.5	22.24	1	21.34	2
	15RB (0)	1753.5	24.5	22.29	1	21.34	2
		1732.5	24.5	22.35	1	21.42	2
		1711.5	24.5	22.33	1	21.41	2
5 MHz	1RB High (24)	1752.5	24.5	23.26	0	22.41	1
		1732.5	24.5	23.30	0	22.52	1
		1712.5	24.5	22.97	0	22.32	1
	1RB Middle (12)	1752.5	24.5	23.06	0	22.30	1
		1732.5	24.5	23.29	0	22.54	1
		1712.5	24.5	23.21	0	22.54	1
	1RB Low (0)	1752.5	24.5	23.32	0	22.42	1
		1732.5	24.5	23.42	0	22.54	1
		1712.5	24.5	23.42	0	22.43	1
	12RB High (13)	1752.5	24.5	22.13	1	21.19	2
		1732.5	24.5	22.30	1	21.48	2
		1712.5	24.5	22.23	1	21.41	2
	12RB Middle (6)	1752.5	24.5	22.14	1	21.40	2
		1732.5	24.5	22.28	1	21.54	2
		1712.5	24.5	22.31	1	21.47	2
	12RB Low (0)	1752.5	24.5	22.20	1	21.25	2
		1732.5	24.5	22.36	1	21.52	2
		1712.5	24.5	22.28	1	21.35	2
	25RB (0)	1752.5	24.5	22.14	1	21.38	2
		1732.5	24.5	22.34	1	21.52	2
		1712.5	24.5	22.19	1	21.27	2
10 MHz	1RB	1750	24.5	23.28	0	22.61	1

	High (49)	1732.5	24.5	23.35	0	22.69	1
		1715	24.5	23.20	0	22.59	1
	1RB Middle (24)	1750	24.5	22.94	0	22.13	1
		1732.5	24.5	23.22	0	22.25	1
		1715	24.5	23.33	0	22.43	1
	1RB Low (0)	1750	24.5	23.28	0	22.65	1
		1732.5	24.5	23.49	0	22.98	1
		1715	24.5	23.23	0	22.61	1
	25RB High (25)	1750	24.5	22.21	1	21.26	2
		1732.5	24.5	22.34	1	21.21	2
		1715	24.5	22.26	1	21.32	2
	25RB Middle (12)	1750	24.5	22.27	1	21.33	2
		1732.5	24.5	22.37	1	21.43	2
		1715	24.5	22.41	1	21.26	2
	25RB Low (0)	1750	24.5	22.20	1	21.26	2
		1732.5	24.5	22.38	1	21.43	2
		1715	24.5	22.31	1	21.26	2
	50RB (0)	1750	24.5	22.21	1	21.24	2
		1732.5	24.5	22.38	1	21.42	2
		1715	24.5	22.24	1	21.27	2
15 MHz	1RB High (74)	1747.5	24.5	23.13	0	22.16	1
		1732.5	24.5	23.17	0	22.21	1
		1717.5	24.5	23.16	0	23.04	1
	1RB Middle (37)	1747.5	24.5	23.19	0	22.72	1
		1732.5	24.5	23.15	0	22.48	1
		1717.5	24.5	23.28	0	22.62	1
	1RB Low (0)	1747.5	24.5	23.25	0	22.26	1
		1732.5	24.5	23.37	0	22.56	1
		1717.5	24.5	23.42	0	22.62	1
	36RB High (38)	1747.5	24.5	22.18	1	21.34	2
		1732.5	24.5	22.32	1	21.40	2
		1717.5	24.5	22.21	1	21.29	2
	36RB Middle (19)	1747.5	24.5	22.18	1	21.35	2
		1732.5	24.5	22.35	1	21.53	2
		1717.5	24.5	22.31	1	21.38	2
	36RB Low (0)	1747.5	24.5	22.29	1	21.37	2
		1732.5	24.5	22.34	1	21.42	2
		1717.5	24.5	22.36	1	21.44	2
	75RB (0)	1747.5	24.5	22.21	1	21.27	2
		1732.5	24.5	22.30	1	21.37	2
		1717.5	24.5	22.22	1	21.28	2
20 MHz	1RB High (99)	1745	24.5	23.27	0	22.60	1
		1732.5	24.5	23.33	0	22.65	1
		1720	24.5	23.41	0	22.46	1
	1RB Middle (50)	1745	24.5	23.61	0	22.76	1
		1732.5	24.5	23.90	0	22.70	1

		1720	24.5	23.66	0	22.60	1
	1RB Low (0)	1745	24.5	23.59	0	22.86	1
		1732.5	24.5	23.42	0	22.54	1
		1720	24.5	23.45	0	22.74	1
	50RB High (50)	1745	24.5	22.15	1	21.18	2
		1732.5	24.5	22.35	1	21.29	2
		1720	24.5	22.31	1	21.29	2
	50RB Middle (25)	1745	24.5	22.18	1	21.21	2
		1732.5	24.5	22.38	1	21.42	2
		1720	24.5	22.37	1	21.36	2
	50RB Low (0)	1745	24.5	22.17	1	21.26	2
		1732.5	24.5	22.34	1	21.37	2
		1720	24.5	22.36	1	21.35	2
	100RB (0)	1745	24.5	22.13	1	21.27	2
		1732.5	24.5	22.30	1	21.23	2
		1720	24.5	22.26	1	21.27	2
Band 5							
Bandwidth (MHz)	RB allocation	Frequency (MHz)	Max. Target Power (dBm)	QPSK		16QAM	
	RB offset (Start RB)			Actual output power (dBm)	MPR	Actual output power (dBm)	MPR
1.4 MHz	1RB High (5)	848.3	24.5	23.00	0	22.27	1
		836.5	24.5	23.74	0	23.18	1
		824.7	24.5	23.33	0	22.74	1
	1RB Middle (3)	848.3	24.5	23.22	0	22.37	1
		836.5	24.5	23.76	0	23.07	1
		824.7	24.5	23.60	0	22.70	1
	1RB Low (0)	848.3	24.5	23.23	0	22.52	1
		836.5	24.5	23.66	0	22.97	1
		824.7	24.5	23.60	0	22.63	1
	3RB High (3)	848.3	24.5	23.15	0	22.19	1
		836.5	24.5	23.46	0	22.46	1
		824.7	24.5	23.50	0	22.45	1
	3RB Middle (1)	848.3	24.5	23.13	0	22.14	1
		836.5	24.5	23.60	0	22.91	1
		824.7	24.5	23.43	0	22.73	1
	3RB Low (0)	848.3	24.5	23.06	0	22.27	1
		836.5	24.5	23.57	0	22.60	1
		824.7	24.5	23.48	0	22.18	1
	6RB (0)	848.3	24.5	22.11	1	21.17	2
		836.5	24.5	22.47	1	21.23	2
		824.7	24.5	22.32	1	21.38	2
3 MHz	1RB	847.5	24.5	22.85	0	22.22	1

	High (14)	836.5	24.5	23.60	0	22.97	1
		825.5	24.5	23.17	0	22.38	1
	1RB Middle (7)	847.5	24.5	23.36	0	22.41	1
		836.5	24.5	23.75	0	23.01	1
		825.5	24.5	23.36	0	22.45	1
	1RB Low (0)	847.5	24.5	23.37	0	22.16	1
		836.5	24.5	23.84	0	22.97	1
		825.5	24.5	23.39	0	22.48	1
	8RB High (7)	847.5	24.5	22.15	1	21.25	2
		836.5	24.5	22.52	1	21.61	2
		825.5	24.5	22.33	1	21.42	2
	8RB Middle (4)	847.5	24.5	22.23	1	21.35	2
		836.5	24.5	22.53	1	21.64	2
		825.5	24.5	22.31	1	21.52	2
	8RB Low (0)	847.5	24.5	22.29	1	21.28	2
		836.5	24.5	22.52	1	21.61	2
		825.5	24.5	22.40	1	21.59	2
	15RB (0)	847.5	24.5	22.28	1	21.32	2
		836.5	24.5	22.57	1	21.63	2
		825.5	24.5	22.42	1	21.31	2
5 MHz	1RB High (24)	846.5	24.5	22.97	0	22.20	1
		836.5	24.5	23.39	0	22.70	1
		826.5	24.5	23.08	0	22.16	1
	1RB Middle (12)	846.5	24.5	23.06	0	22.31	1
		836.5	24.5	23.52	0	22.64	1
		826.5	24.5	23.26	0	22.05	1
	1RB Low (0)	846.5	24.5	23.45	0	22.45	1
		836.5	24.5	23.59	0	22.59	1
		826.5	24.5	23.33	0	22.04	1
	12RB High (13)	846.5	24.5	22.25	1	21.31	2
		836.5	24.5	22.46	1	21.41	2
		826.5	24.5	22.35	1	21.33	2
	12RB Middle (6)	846.5	24.5	22.27	1	21.26	2
		836.5	24.5	22.50	1	21.66	2
		826.5	24.5	22.33	1	21.21	2
	12RB Low (0)	846.5	24.5	22.22	1	21.29	2
		836.5	24.5	22.55	1	21.42	2
		826.5	24.5	22.34	1	21.28	2
	25RB (0)	846.5	24.5	22.23	1	21.32	2
		836.5	24.5	22.46	1	21.65	2
		826.5	24.5	22.39	1	21.31	2
10 MHz	1RB	844.0	24.5	22.98	0	22.54	1

	High (49)	836.5	24.5	23.39	0	22.43	1
		829.0	24.5	23.43	0	22.94	1
	1RB Middle (24)	844.0	24.5	23.54	0	22.56	1
		836.5	24.5	23.69	0	23.21	1
		829.0	24.5	23.52	0	23.09	1
	1RB Low (0)	844.0	24.5	23.48	0	22.66	1
		836.5	24.5	23.52	0	22.88	1
		829.0	24.5	23.27	0	22.82	1
	25RB High (25)	844.0	24.5	22.16	1	21.15	2
		836.5	24.5	22.44	1	21.40	2
		829.0	24.5	22.42	1	21.24	2
	25RB Middle (12)	844.0	24.5	22.35	1	21.30	2
		836.5	24.5	22.49	1	21.65	2
		829.0	24.5	22.39	1	21.44	2
	25RB Low (0)	844.0	24.5	22.42	1	21.59	2
		836.5	24.5	22.63	1	21.68	2
		829.0	24.5	22.44	1	21.41	2
	50RB (0)	844.0	24.5	22.35	1	21.29	2
		836.5	24.5	22.47	1	21.41	2
		829.0	24.5	22.38	1	21.52	2
Band 12							
Bandwidth (MHz)	RB allocation	Frequency (MHz)	Max. Target Power (dBm)	QPSK		16QAM	
	RB offset (Start RB)			Actual output power (dBm)	MPR	Actual output power (dBm)	MPR
1.4 MHz	1RB High (5)	715.3	24	23.00	0	22.43	1
		707.5	24	23.35	0	22.74	1
		699.7	24	23.14	0	22.17	1
	1RB Middle (3)	715.3	24	23.06	0	22.50	1
		707.5	24	23.45	0	23.00	1
		699.7	24	23.11	0	22.14	1
	1RB Low (0)	715.3	24	22.98	0	22.40	1
		707.5	24	23.21	0	22.73	1
		699.7	24	23.04	0	22.20	1
	3RB High (3)	715.3	24	22.87	0	21.76	1
		707.5	24	23.32	0	22.22	1
		699.7	24	23.32	0	22.03	1
	3RB Middle (1)	715.3	24	23.06	0	22.00	1
		707.5	24	23.28	0	22.28	1
		699.7	24	23.39	0	22.19	1
	3RB Low (0)	715.3	24	22.97	0	21.97	1
		707.5	24	23.29	0	22.16	1
		699.7	24	23.19	0	22.17	1
	6RB (0)	715.3	24	22.00	1	20.95	2
		707.5	24	22.30	1	21.34	2
		699.7	24	22.29	1	20.90	2
3 MHz	1RB High (14)	714.5	24	22.89	0	22.42	1
		707.5	24	23.30	0	22.23	1
		700.5	24	23.25	0	22.71	1
	1RB Middle (7)	714.5	24	23.17	0	22.43	1
		707.5	24	23.24	0	22.59	1
		700.5	24	23.45	0	22.70	1