

AB面-风琴折-正面为中文

<div><div><div>8BitDo®</div><div>Ultimate 2C Wireless Controller</div><div>English</div></div></div>		<div><div><div>8BitDo®</div><div>猎户座二代青春版无线手柄</div><div>中文</div></div></div>	
<div><div><div><div><div>Home</div><div>view button</div><div>LSB, LTS</div><div>mapping button</div><div>D-pad</div><div>mapping indicator</div><div>power indicator</div></div><div><div>status LED</div><div>menu button</div><div>star button</div><div>RSB, RTS</div><div>pair button</div></div></div><div><div>Type-C</div></div><div><div>RB</div><div>RT</div><div>R4</div><div>LB</div><div>LT</div><div>L4</div><div>mode switch</div></div></div></div>		<div><div><div><div><div>Home 键</div><div>视图键</div><div>左摇杆</div><div>左摇杆按键</div><div>映射键</div><div>方向键</div><div>热键指示灯</div><div>电源指示灯</div></div><div><div>状态指示灯</div><div>菜单键</div><div>星号键</div><div>右摇杆</div><div>右摇杆按键</div><div>配对键</div></div></div><div><div>Type-C</div></div><div><div>右肩键</div><div>右扳机键</div><div>R4</div><div>左肩键</div><div>左扳机键</div><div>L4</div><div>模式切换开关</div></div></div></div>	
<div><div><div>2.4G Adapter</div><div><div><div></div><div></div><div></div><div></div></div></div></div><div><div><div><div><div>• Press home button to turn on the controller.</div><div>• Hold home button for 3 seconds to turn off the controller.</div><div>• Hold home button for 8 seconds to force the controller off.</div></div></div></div></div></div>		<div><div><div>2.4G 接收器</div><div><div><div></div><div></div><div></div><div></div></div></div></div><div><div><div><div><div>• 开机:按下 Home 键。</div><div>• 关机:按住 Home 键 3 秒。</div><div>• 强制关机:按住 Home 键 8 秒。</div></div></div></div></div></div>	
<div><div><div><div>Windows</div><div><div></div></div><div><div><div>• Required system: Windows 10(1903) or above.</div></div></div></div><div><div>Wireless Connection</div><div><div><div>1. Turn the mode switch to 2.4G.</div><div>2. Connect the 2.4G adapter to the USB port of your Windows device.</div><div>3. Press the Home button to turn on the controller, and the Status LED will remain solid to indicate a successful connection.</div></div></div><div><div>Wired Connection</div><div><div>Connect the controller to your Windows device via a USB cable, wait till the controller is successfully recognized by your Windows device, and the Status LED will remain solid to indicate a successful connection.</div></div></div></div></div></div>		<div><div><div><div>Windows</div><div><div></div></div><div><div><div>• 要求 Windows 设备系统版本为 Windows 10 (1903) 或更高版本。</div></div></div></div><div><div>无线连接</div><div><div><div>1. 将手柄的 模式开关 移动到 2.4G 位置。</div><div>2. 将配备的 2.4G 接收器 连接到 Windows 设备的 USB 端口。</div><div>3. 按下 Home 键 开启手柄, 连接完成后 状态指示灯 常亮。</div></div></div><div><div>有线连接</div><div><div>使用 USB 线将手柄连接到 Windows 设备的 USB 端口, 等待系统识别完成后 状态指示灯 常亮。</div></div></div></div></div></div>	
<div><div><div><div>Android</div><div><div></div></div><div><div><div>• Required system: Android 9.0 or above.</div></div></div></div><div><div>Bluetooth Connection</div><div><div><div>1. Turn the mode switch to BT, then press the Home button to turn on the controller.</div><div>2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly (This is required for the very first time only).</div><div>3. Go to your Android device's Bluetooth settings and turn it on, pair with [8BitDo Ultimate 2C Wireless], the Status LED will remain solid to indicate a successful connection.</div></div></div></div></div></div>		<div><div><div><div>Android</div><div><div></div></div><div><div><div>• 要求 Android 设备系统版本为 Android 9.0 或更高版本。</div></div></div></div><div><div>蓝牙连接</div><div><div><div>1. 将手柄的 模式开关 移动到 蓝牙 位置, 按下 Home 键 开启手柄。</div><div>2. 按住 配对键 约 3 秒至 状态指示灯 快速闪烁, 进入配对状态。(仅首次连接时需要配对)</div><div>3. 打开 Android 设备蓝牙, 搜索 8BitDo Ultimate 2C Wireless 设备连接, 连接完成后 状态指示灯 常亮。</div></div></div></div></div></div>	
<div><div><div><div>Turbo Function</div><div><div></div></div><div><div><div>• D-pad, View, Menu, Home buttons are not supported.</div><div>• The turbo settings will not be saved permanently and will revert to default settings after the controller is powered off or disconnected.</div></div></div></div><div><div>Turbo Mode</div><div><div><div>Turn on: Hold the button you would like to assign the turbo functionality, then press the Star button to enable the Turbo Mode, the Mapping indicator will blink rapidly.</div><div>Turn off: Hold the button you would like to deactivate the turbo functionality, then press the Star button to disable the Turbo Mode, the Mapping indicator will turn off.</div></div></div><div><div>Auto Turbo Mode</div><div><div><div>Turn on: Hold the button you would like to assign the turbo functionality, then press the Star button twice to enable the Turbo Mode, the Mapping indicator will blink rapidly.</div><div>Turn off: Hold the button you would like to deactivate the turbo functionality, then press the Star button to disable the Turbo Mode, the Mapping indicator will turn off.</div></div></div></div></div></div></div>		<div><div><div><div>连发功能</div><div><div></div></div><div><div><div>• 方向键、视图键、菜单键、Home 键 不支持连发。</div><div>• 连发功能不会保存, 关机或断开连接后恢复默认。</div></div></div></div><div><div>连发</div><div><div><div>按住功能键, 再按下 星号键 可开启连发, 热键指示灯 快速闪烁。</div><div>按住功能键, 再按下 星号键 可关闭连发, 热键指示灯 熄灭。</div></div></div><div><div>自动连发</div><div><div><div>按住功能键, 再按 2 下 星号键 可开启自动连发, 热键指示灯 快速闪烁。</div><div>按住功能键, 再按下 星号键 可关闭自动连发, 热键指示灯 熄灭。</div></div></div></div></div></div></div>	
<div><div><div><div>L4 / R4 Configuration</div><div><div></div></div><div><div><div>• The Mapping indicator will blink continuously when the configured button is pressed.</div><div>Hold the L4 / R4 button + the button you would like to configure, then press the Mapping button to complete the configuration. Repeat the same procedure to cancel the configuration.</div></div></div></div></div></div>			
<div><div><div><div>Battery</div><div><div></div></div><div><div><div>• 32 hours of playtime via Bluetooth and 19 hours via wireless 2.4G connection, with a 480mAh built-in battery pack, rechargeable with 2 hour charging time.</div></div></div><div><div><div><div><div>status –</div><div>Low battery mode</div><div>Battery charging</div><div>Battery fully charged</div></div><div><div>—————→</div><div>—————→</div><div>—————→</div><div>—————→</div></div><div><div>LED indicator –</div><div>Red LED blinks</div><div>Red LED stays solid</div><div>Red LED turns off</div></div></div></div><div><div><div>• The controller will automatically shut down if it fails to connect within 1 minute of startup, or if there are no operations within 15 minutes after establishing a connection.</div><div>• The controller will not shut down during wired connection.</div></div></div></div></div></div></div>		<div><div><div><div>电源</div><div><div></div></div><div><div><div>• 配备 480mAh 可充电式锂聚合物电池, 蓝牙连接可持续使用约 32 小时, 无线连接可持续使用约 19 小时, 充电时间约 2 小时。</div></div></div><div><div><div><div><div>电源状态 –</div><div>电量不足</div><div>正在充电</div><div>充电完成</div></div><div><div>—————→</div><div>—————→</div><div>—————→</div><div>—————→</div></div><div><div>电源指示灯状态 –</div><div>红灯闪烁</div><div>红灯常亮</div><div>红灯熄灭</div></div></div></div><div><div><div>• 开机后 1 分钟内无连接, 或连接后 15 分钟无操作会自动关机。</div><div>• 使用有线连接时不会自动关机。</div></div></div></div></div></div></div>	
<div><div><div><div>Re-pair the Controller and Adapter</div><div><div></div></div><div><div><div>If the connection is lost or the adapter needs to be re-paired, you can follow the steps below to re-pair the controller with the adapter:</div><div>1. Turn the mode switch to PC/2.4G position.</div><div>2. Press the Home button to turn on the controller.</div><div>3. Hold the Pairing button for 3 seconds to enter the pairing mode, the LED indicator will blink rapidly.</div><div>4. Connect the 2.4G adapter to your Windows device.</div><div>5. Both LED indicators on the controller and receiver will become solid when the connection is successful.</div></div></div></div></div></div>		<div><div><div><div>重新配对接收器</div><div><div></div></div><div><div><div>若手柄与接收器丢失配对或更换接收器, 可按照以下步骤重新配对接收器:</div><div>1. 将手柄的 模式开关 移动到 2.4G 位置。</div><div>2. 按下 Home 键 开启手柄。</div><div>3. 按住 配对键 约 3 秒至 状态指示灯 快速闪烁, 进入配对状态。</div><div>4. 将配备的 2.4G 接收器 连接到 Windows 设备的 USB 端口。</div><div>5. 等待手柄与接收器自动配对连接, 连接完成后 状态指示灯 常亮。</div></div></div></div></div></div>	
<div><div><div><div>Firmware Update</div><div><div></div></div><div><div><div>• Please visit support.8bitdo.com to access the Ultimate Software V2.</div></div></div></div></div></div>		<div><div><div><div>固件更新</div><div><div></div></div><div><div><div>• 请访问 app.8bitdo.cn 获取精英软件 V2 使用。</div></div></div></div></div></div>	
<div><div><div><div>Support</div><div><div></div></div><div><div><div>• Please visit support.8bitdo.com for further information & additional support.</div></div></div></div><div><div><div></div></div></div></div></div>		<div><div><div><div>技术支持</div><div><div></div></div><div><div><div>• 请访问 support.8bitdo.cn 了解详细信息。</div></div></div></div><div><div><div></div></div></div></div></div>	

FCC regulatory conformance:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a **Class B** digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

IC regulatory conformance

This device complies with CAN ICES-003 (B)/NMB-003(B).

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

Cet appareil est conforme à la norme CAN ICES-003 (B)/NMB-003 (B).

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

RF Exposure

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment.

Cet équipement est conforme aux limites d'exposition aux radiations de la IC définies pour un environnement non contrôlé.